


5.15-5.25GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU\_3\_4TX

PSD

5210MHz

30/01/2026

CF (Hz)  
5.21G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -1.98     | -1.98     | -8.05     | -7.92     | -8.05     | -7.52     |


5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU\_3\_4TX

PSD

5290MHz

30/01/2026

CF (Hz)  
5.29G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4


| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 0.58      | 0.58      | -5.43     | -5.33     | -5.08     | -5.59     |

## 5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

PSD

5530MHz

30/01/2026




## 5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX

PSD

5610MHz

30/01/2026




5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

15/01/2026




5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 2\_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

15/01/2026




5.725-5.85GHz\_802.11be EHT80\_Nss1,(MCS0),RU484+RU242 MRU 3\_4TX

PSD

5775MHz

30/01/2026




5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 3\_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

15/01/2026



5250-5350MHz


| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -0.27     | -0.27     | -6.54     | -6.35     | -6.22     | -6.01     |

5.15-5.25GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 2\_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

15/01/2026



5150~5250MHz

| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -1.87     | -1.87     | -7.82     | -8.12     | -7.55     | -7.95     |

5250~5350MHz


| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -0.13     | -0.13     | -6.25     | -6.18     | -5.97     | -6.11     |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484+RU242 MRU 6\_4TX

PSD

5570MHz

15/01/2026




| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -1.24     | -1.24     | -7.32     | -7.14     | -6.95     | -7.45     |

## 5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0),RU996+RU484 MRU 3\_4TX

PSD

5570MHz

15/01/2026




## 5.15-5.25GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 3\_4TX

PSD

5210MHz

30/01/2026




5.25-5.35GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 3\_4TX

PSD

5290MHz

30/01/2026

CF (Hz)  
5.29G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

| Sum          | PD           | Port 1       | Port 2       | Port 3       | Port 4       |
|--------------|--------------|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| -2.22        | -2.22        | -8.14        | -8.13        | -7.86        | -8.57        |


5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 3\_4TX

PSD

5530MHz

30/01/2026

CF (Hz)  
5.53G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4


| Sum          | PD           | Port 1       | Port 2       | Port 3       | Port 4       |
|--------------|--------------|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| -1.19        | -1.19        | -7.24        | -7.19        | -7.17        | -7.16        |

5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 2\_4TX

PSD

5610MHz

30/01/2026




5.47-5.725GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 2\_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

15/01/2026




5.725-5.85GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 2\_4TX

PSD

5690MHz Straddle 5.725-5.85GHz

15/01/2026




5.725-5.85GHz\_802.11be EHT80\_Nss4,(MCS0),RU484+RU242 MRU 3\_4TX

PSD

5775MHz

30/01/2026




5.15-5.25GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 MRU 3\_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

15/01/2026



5150~5250MHz

| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -4.45     | -4.45     | -10.57    | -10.48    | -10.38    | -10.40    |

5250~5350MHz


| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -3.19     | -3.19     | -9.39     | -9.03     | -9.00     | -9.13     |

5.15-5.25GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 MRU 2\_4TX

PSD

5250MHz Straddle 5.15-5.25GHz

15/01/2026



5150~5250MHz

| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -4.89     | -4.89     | -10.70    | -11.02    | -10.49    | -11.05    |

5250~5350MHz


| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -3.12     | -3.12     | -9.26     | -9.21     | -8.94     | -9.10     |

5.47-5.725GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484+RU242 MRU 6\_4TX

PSD

5570MHz

15/01/2026




5.47-5.725GHz\_802.11be EHT160\_Nss4,(MCS0),RU996+RU484 MRU 3\_4TX

PSD

5570MHz

15/01/2026






Test Mode: Mode 1

**Summary**

| Mode                     | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.25-5.35GHz             | -      | -    | -            | -                 | -                 | -              | -           | -         | -              | -             | -        |
| 802.11a_Nss1_(6Mbps)_1TX | Pass   | AV   | 5.3504G      | 53.98             | 54.00             | -0.02          | 3           | Vertical  | 28             | 1.15          | 93       |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




EUT\_Y\_1TX  
SET 108  
60\92\108  
8.09\7.06\3.10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |  |
| PK   | 5.1475G | 58.52    | 74.00    | -15.48 | 52.06  | 3    | Vertical  | 24      | 1.82   | 108     | 33.90 | 7.49 | 34.93 |  |  |  |  |  |
| AV   | 5.1475G | 47.43    | 54.00    | -6.57  | 40.97  | 3    | Vertical  | 24      | 1.82   | 108     | 33.90 | 7.49 | 34.93 |  |  |  |  |  |
| PK   | 5.2642G | 114.98   | Inf      | -Inf   | 108.01 | 3    | Vertical  | 24      | 1.82   | 108     | 34.19 | 7.69 | 34.91 |  |  |  |  |  |
| AV   | 5.2645G | 106.92   | Inf      | -Inf   | 99.95  | 3    | Vertical  | 24      | 1.82   | 108     | 34.19 | 7.69 | 34.91 |  |  |  |  |  |
| PK   | 5.3593G | 63.84    | 74.00    | -10.16 | 56.38  | 3    | Vertical  | 24      | 1.82   | 108     | 34.54 | 7.81 | 34.89 |  |  |  |  |  |
| AV   | 5.3503G | 50.90    | 54.00    | -3.10  | 43.49  | 3    | Vertical  | 24      | 1.82   | 108     | 34.50 | 7.80 | 34.89 |  |  |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




EUT\_Y\_1TX  
SET98  
108\106\105\104\103\102\101\100\99\98  
-0.35\ -0.34\ -0.10\ -0.34\ -0.04\ -0.10\ -0.29\ -0.06\ -0.10\ 1.02

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |
| PK   | 5.1418G | 62.74    | 74.00    | -11.26 | 56.30  | 3    | Horizontal | 62      | 2.46   | 98      | 33.90 | 7.47 | 34.93 |
| AV   | 5.1478G | 49.44    | 54.00    | -4.56  | 42.98  | 3    | Horizontal | 62      | 2.46   | 98      | 33.90 | 7.49 | 34.93 |
| PK   | 5.2633G | 118.12   | Inf      | -Inf   | 111.16 | 3    | Horizontal | 62      | 2.46   | 98      | 34.18 | 7.69 | 34.91 |
| AV   | 5.2639G | 109.96   | Inf      | -Inf   | 103.00 | 3    | Horizontal | 62      | 2.46   | 98      | 34.18 | 7.69 | 34.91 |
| PK   | 5.3509G | 64.56    | 74.00    | -9.44  | 57.15  | 3    | Horizontal | 62      | 2.46   | 98      | 34.50 | 7.80 | 34.89 |
| AV   | 5.3524G | 52.98    | 54.00    | -1.02  | 45.56  | 3    | Horizontal | 62      | 2.46   | 98      | 34.51 | 7.80 | 34.89 |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




EUT\_V\_1TX  
Setting 98  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.51851G    | 57.28             | 68.20             | -10.92         | 42.81         | 3           | Vertical  | 164            | 2.51          | -       | 38.14      | 11.23      | 34.90      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5260MHz\_TX

EUT\_Y\_1TX  
Setting 98  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.52154G    | 57.81             | 68.20             | -10.39         | 43.34         | 3           | Horizontal | 2              | 2.86          | -       | 38.14      | 11.23      | 34.90      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




EUT\_Y\_1TX  
SET93  
60\91\106\99\96\95\94\93  
7.82\2.13\8.32\5.31\1.52\1.06\0.62\0.02

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.3072G | 112.52   | Inf      | -Inf   | 105.27 | 3    | Vertical  | 28      | 1.15   | 93      | 34.41 | 7.74 | 34.90 |  |  |  |  |
| AV   | 5.297G  | 105.00   | Inf      | -Inf   | 97.79  | 3    | Vertical  | 28      | 1.15   | 93      | 34.38 | 7.73 | 34.90 |  |  |  |  |
| PK   | 5.353G  | 67.91    | 74.00    | -6.09  | 60.49  | 3    | Vertical  | 28      | 1.15   | 93      | 34.51 | 7.80 | 34.89 |  |  |  |  |
| AV   | 5.3504G | 53.98    | 54.00    | -0.02  | 46.57  | 3    | Vertical  | 28      | 1.15   | 93      | 34.50 | 7.80 | 34.89 |  |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




EUT\_Y\_1TX  
SET 88  
93\82\87\89\88  
-2.57\3.52\0.62\0.33\0.46

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.304G  | 115.44   | Inf      | -Inf   | 108.19 | 3    | Horizontal | 62      | 2.46   | 88      | 34.41 | 7.74 | 34.90 |  |  |  |  |
| AV   | 5.3048G | 107.39   | Inf      | -Inf   | 100.14 | 3    | Horizontal | 62      | 2.46   | 88      | 34.41 | 7.74 | 34.90 |  |  |  |  |
| PK   | 5.351G  | 67.38    | 74.00    | -6.62  | 59.97  | 3    | Horizontal | 62      | 2.46   | 88      | 34.50 | 7.80 | 34.89 |  |  |  |  |
| AV   | 5.35G   | 53.54    | 54.00    | -0.46  | 46.13  | 3    | Horizontal | 62      | 2.46   | 88      | 34.50 | 7.80 | 34.89 |  |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




EUT\_Y\_1TX  
Setting 88  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 10.60167G    | 58.25             | 74.00             | -15.75         | 43.71         | 3           | Vertical  | 309            | 2.55          | -       | 38.20      | 11.26      | 34.92      |  |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




EUT\_V\_1TX  
Setting 88  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 10.5987G     | 58.69             | 68.20             | -9.51          | 44.15         | 3           | Horizontal | 154            | 1.65          | -       | 38.20      | 11.26      | 34.92      |  |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




EUT\_Y\_1TX  
SET 74  
60\91\56\73\81\77\75\74  
7.75\ -10.47\7.62\3.10\ -4.49\ -1.47\ -1.11\2.18

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.3227G | 108.32   | Inf      | -Inf   | 101.01 | 3    | Vertical  | 31      | 1.16   | 74      | 34.45 | 7.76 | 34.90 |  |  |  |
| AV   | 5.324G  | 100.50   | Inf      | -Inf   | 93.18  | 3    | Vertical  | 31      | 1.16   | 74      | 34.45 | 7.77 | 34.90 |  |  |  |
| PK   | 5.3504G | 66.51    | 74.00    | -7.49  | 59.10  | 3    | Vertical  | 31      | 1.16   | 74      | 34.50 | 7.80 | 34.89 |  |  |  |
| AV   | 5.3522G | 51.82    | 54.00    | -2.18  | 44.40  | 3    | Vertical  | 31      | 1.16   | 74      | 34.51 | 7.80 | 34.89 |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




EUT\_Y\_1TX  
SET 73  
74\68\73  
-1.32\4.09\0.78

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.3215G | 111.90   | Inf      | -Inf   | 104.60 | 3    | Horizontal | 65      | 2.46   | 73      | 34.44 | 7.76 | 34.90 |  |  |  |
| AV   | 5.317G  | 104.08   | Inf      | -Inf   | 96.79  | 3    | Horizontal | 65      | 2.46   | 73      | 34.43 | 7.76 | 34.90 |  |  |  |
| PK   | 5.3501G | 69.28    | 74.00    | -4.72  | 61.87  | 3    | Horizontal | 65      | 2.46   | 73      | 34.50 | 7.80 | 34.89 |  |  |  |
| AV   | 5.3502G | 53.22    | 54.00    | -0.78  | 45.81  | 3    | Horizontal | 65      | 2.46   | 73      | 34.50 | 7.80 | 34.89 |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




EUT\_V\_1TX  
Setting 73  
03-R-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.6395G  | 58.37    | 74.00    | -15.63 | 43.82  | 3    | Vertical  | 356     | 2.27   | -       | 38.20 | 11.28 | 34.93 |  |  |  |
| AV   | 10.64192G | 48.57    | 54.00    | -5.43  | 34.02  | 3    | Vertical  | 356     | 2.27   | -       | 38.20 | 11.28 | 34.93 |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5320MHz\_TX

EUT\_V\_1TX  
Setting 73  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.63952G    | 57.70             | 74.00             | -16.30         | 43.15         | 3           | Horizontal | 59             | 2.66          | -       | 38.20      | 11.28      | 34.93      |  |  |  |
| AV   | 10.63851G    | 48.54             | 54.00             | -5.46          | 33.98         | 3           | Horizontal | 59             | 2.66          | -       | 38.20      | 11.28      | 34.92      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5260MHz\_TX




EUT Y\_1TX  
SET 108  
60\92\108  
8.10\6.04\1.88

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.1448G      | 61.47             | 74.00             | -12.53         | 55.02         | 3           | Vertical  | 21             | 1.80          | 108     | 33.90      | 7.48       | 34.93      |  |  |  |  |
| AV   | 5.1499G      | 49.44             | 54.00             | -4.56          | 42.98         | 3           | Vertical  | 21             | 1.80          | 108     | 33.90      | 7.49       | 34.93      |  |  |  |  |
| PK   | 5.2546G      | 115.52            | Inf               | -Inf           | 108.62        | 3           | Vertical  | 21             | 1.80          | 108     | 34.13      | 7.68       | 34.91      |  |  |  |  |
| AV   | 5.2537G      | 106.16            | Inf               | -Inf           | 99.27         | 3           | Vertical  | 21             | 1.80          | 108     | 34.12      | 7.68       | 34.91      |  |  |  |  |
| PK   | 5.3542G      | 65.19             | 74.00             | -8.81          | 57.76         | 3           | Vertical  | 21             | 1.80          | 108     | 34.52      | 7.80       | 34.89      |  |  |  |  |
| AV   | 5.3521G      | 52.12             | 54.00             | -1.88          | 44.70         | 3           | Vertical  | 21             | 1.80          | 108     | 34.51      | 7.80       | 34.89      |  |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5260MHz\_TX




EUT\_Y\_1TX  
SET95  
108\95  
-3.15\0.02

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1487G      | 63.98             | 74.00             | -10.02         | 57.52         | 3           | Horizontal | 63             | 2.50          | 95      | 33.90      | 7.49       | 34.93      |  |  |  |
| AV   | 5.1499G      | 49.90             | 54.00             | -4.10          | 43.44         | 3           | Horizontal | 63             | 2.50          | 95      | 33.90      | 7.49       | 34.93      |  |  |  |
| PK   | 5.2588G      | 119.59            | Inf               | -Inf           | 112.67        | 3           | Horizontal | 63             | 2.50          | 95      | 34.15      | 7.68       | 34.91      |  |  |  |
| AV   | 5.2612G      | 109.02            | Inf               | -Inf           | 102.07        | 3           | Horizontal | 63             | 2.50          | 95      | 34.17      | 7.69       | 34.91      |  |  |  |
| PK   | 5.3533G      | 68.34             | 74.00             | -5.66          | 60.92         | 3           | Horizontal | 63             | 2.50          | 95      | 34.51      | 7.80       | 34.89      |  |  |  |
| AV   | 5.3509G      | 53.98             | 54.00             | -0.02          | 46.57         | 3           | Horizontal | 63             | 2.50          | 95      | 34.50      | 7.80       | 34.89      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5260MHz\_TX




EUT\_Y\_1TX  
Setting 95  
03-R-S-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.5186G | 57.26    | 68.20    | -10.94 | 42.79  | 3    | Vertical  | 59      | 2.73   | -       | 38.14 | 11.23 | 34.90 |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5260MHz\_TX

EUT\_Y\_1TX  
Setting 95  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.52062G    | 57.07             | 68.20             | -11.13         | 42.60         | 3           | Horizontal | 45             | 2.29          | -       | 38.14      | 11.23      | 34.90      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




EUT\_Y\_1TX  
SET 86  
60\91\76\83\86  
7.96\ -3.44\5.90\1.97\0.02

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.2938G | 113.46   | Inf      | -Inf   | 106.27 | 3    | Vertical  | 25      | 1.78   | 86      | 34.36 | 7.73 | 34.90 |  |  |  |
| AV   | 5.2938G | 103.18   | Inf      | -Inf   | 95.99  | 3    | Vertical  | 25      | 1.78   | 86      | 34.36 | 7.73 | 34.90 |  |  |  |
| PK   | 5.3506G | 68.98    | 74.00    | -5.02  | 61.57  | 3    | Vertical  | 25      | 1.78   | 86      | 34.50 | 7.80 | 34.89 |  |  |  |
| AV   | 5.3512G | 53.98    | 54.00    | -0.02  | 46.57  | 3    | Vertical  | 25      | 1.78   | 86      | 34.50 | 7.80 | 34.89 |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




EUT\_Y\_1TX  
SET 81  
86\71\85\78\81\82\81  
-3.68\5.66\2.09\2.52\0.65\0.10\0.33

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.3042G | 115.62   | Inf      | -Inf   | 108.37 | 3    | Horizontal | 69      | 2.38   | 81      | 34.41 | 7.74 | 34.90 |  |  |  |
| AV   | 5.3014G | 105.63   | Inf      | -Inf   | 98.39  | 3    | Horizontal | 69      | 2.38   | 81      | 34.40 | 7.74 | 34.90 |  |  |  |
| PK   | 5.3512G | 70.48    | 74.00    | -3.52  | 63.07  | 3    | Horizontal | 69      | 2.38   | 81      | 34.50 | 7.80 | 34.89 |  |  |  |
| AV   | 5.35G   | 53.67    | 54.00    | -0.33  | 46.26  | 3    | Horizontal | 69      | 2.38   | 81      | 34.50 | 7.80 | 34.89 |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




EUT\_V\_1TX  
Setting 95  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.59854G    | 57.84             | 68.20             | -10.36         | 43.30         | 3           | Vertical  | 29             | 2.35          | -       | 38.20      | 11.26      | 34.92      |  |  |  |
| AV   | 10.6003G     | 48.32             | 54.00             | -5.68          | 33.78         | 3           | Vertical  | 29             | 2.35          | -       | 38.20      | 11.26      | 34.92      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5300MHz\_TX

EUT\_V\_1TX  
Setting 95  
03-R-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.60049G | 58.03    | 74.00    | -15.97 | 43.49  | 3    | Horizontal | 95      | 1.29   | -       | 38.20 | 11.26 | 34.92 |  |  |  |
| AV   | 10.60128G | 48.66    | 54.00    | -5.34  | 34.12  | 3    | Horizontal | 95      | 1.29   | -       | 38.20 | 11.26 | 34.92 |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5320MHz\_TX




EUT\_Y\_1TX  
Setting 82  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3171G      | 111.31            | Inf               | -Inf           | 105.30        | 3           | Vertical  | 33             | 1.01          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| AV   | 5.3275G      | 101.56            | Inf               | -Inf           | 95.53         | 3           | Vertical  | 33             | 1.01          | -       | 32.90      | 8.17       | 35.04      |  |  |  |
| PK   | 5.3589G      | 62.05             | 74.00             | -11.95         | 55.99         | 3           | Vertical  | 33             | 1.01          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.3506G      | 51.19             | 54.00             | -2.81          | 45.14         | 3           | Vertical  | 33             | 1.01          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5320MHz\_TX




EUT Y\_1TX  
Setting 82  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3157G      | 114.58            | Inf               | -Inf           | 108.57        | 3           | Horizontal | 66.9           | 1.80          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| AV   | 5.3221G      | 104.74            | Inf               | -Inf           | 98.71         | 3           | Horizontal | 66.9           | 1.80          | -       | 32.90      | 8.17       | 35.04      |  |  |  |
| PK   | 5.3604G      | 67.00             | 74.00             | -7.00          | 60.94         | 3           | Horizontal | 66.9           | 1.80          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.3505G      | 53.33             | 54.00             | -0.67          | 47.28         | 3           | Horizontal | 66.9           | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5320MHz\_TX

EUT\_V\_1TX  
Setting 65  
03-R-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.64042G | 57.94    | 74.00    | -16.06 | 43.39  | 3    | Vertical  | 223     | 2.12   | -       | 38.20 | 11.28 | 34.93 |  |  |  |
| AV   | 10.63982G | 48.43    | 54.00    | -5.57  | 33.88  | 3    | Vertical  | 223     | 2.12   | -       | 38.20 | 11.28 | 34.93 |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5320MHz\_TX

EUT\_V\_1TX  
Setting 65  
03-R-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.64116G | 58.16    | 74.00    | -15.84 | 43.61  | 3    | Horizontal | 215     | 1.53   | -       | 38.20 | 11.28 | 34.93 |  |  |  |
| AV   | 10.63993G | 48.33    | 54.00    | -5.67  | 33.78  | 3    | Horizontal | 215     | 1.53   | -       | 38.20 | 11.28 | 34.93 |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




EUT\_Y\_1TX  
SET 77  
60\84\72\78\75\76\77  
6.19\ -3.51\2.44\ -0.14\2.12\1.41\0.35

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.2756G | 109.06   | Inf      | -Inf   | 102.01 | 3    | Vertical  | 25      | 1.77   | 77      | 34.25 | 7.70 | 34.90 |  |  |  |
| AV   | 5.2778G | 101.12   | Inf      | -Inf   | 94.04  | 3    | Vertical  | 25      | 1.77   | 77      | 34.27 | 7.71 | 34.90 |  |  |  |
| PK   | 5.3504G | 61.93    | 74.00    | -12.07 | 54.52  | 3    | Vertical  | 25      | 1.77   | 77      | 34.50 | 7.80 | 34.89 |  |  |  |
| AV   | 5.3656G | 53.65    | 54.00    | -0.35  | 46.16  | 3    | Vertical  | 25      | 1.77   | 77      | 34.56 | 7.82 | 34.89 |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




EUT\_Y\_1TX  
SET 72  
77\69\73\71\72  
-1.84\1.25\0.10\0.65\0.08

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.2626G | 111.26   | Inf      | -Inf   | 104.30 | 3    | Horizontal | 64      | 2.48   | 72      | 34.18 | 7.69 | 34.91 |  |  |  |
| AV   | 5.2738G | 103.21   | Inf      | -Inf   | 96.18  | 3    | Horizontal | 64      | 2.48   | 72      | 34.24 | 7.70 | 34.91 |  |  |  |
| PK   | 5.3516G | 64.67    | 74.00    | -9.33  | 57.25  | 3    | Horizontal | 64      | 2.48   | 72      | 34.51 | 7.80 | 34.89 |  |  |  |
| AV   | 5.35G   | 53.92    | 54.00    | -0.08  | 46.51  | 3    | Horizontal | 64      | 2.48   | 72      | 34.50 | 7.80 | 34.89 |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




EUT\_Y\_1TX  
Setting 72  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.54014G    | 58.24             | 68.20             | -9.96          | 43.73         | 3           | Vertical  | 312            | 1.68          | -       | 38.18      | 11.24      | 34.91      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




EUT\_V\_1TX  
Setting 72  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.54073G    | 58.95             | 68.20             | -9.25          | 44.44         | 3           | Horizontal | 254            | 1.13          | -       | 38.18      | 11.24      | 34.91      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




EUT\_Y\_1TX  
Setting 71  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3106G      | 104.17            | Inf               | -Inf           | 98.16         | 3           | Vertical  | 28             | 1.80          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| AV   | 5.2974G      | 97.21             | Inf               | -Inf           | 91.20         | 3           | Vertical  | 28             | 1.80          | -       | 32.91      | 8.15       | 35.05      |  |  |  |
| PK   | 5.3528G      | 57.14             | 74.00             | -16.86         | 51.09         | 3           | Vertical  | 28             | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |
| AV   | 5.3524G      | 50.82             | 54.00             | -3.18          | 44.77         | 3           | Vertical  | 28             | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




EUT\_Y\_1TX  
Setting 71  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3028G      | 110.95            | Inf               | -Inf           | 104.94        | 3           | Horizontal | 66             | 2.46          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| AV   | 5.3136G      | 103.55            | Inf               | -Inf           | 97.54         | 3           | Horizontal | 66             | 2.46          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| PK   | 5.3516G      | 59.68             | 74.00             | -14.32         | 53.63         | 3           | Horizontal | 66             | 2.46          | -       | 32.90      | 8.18       | 35.03      |  |  |  |
| AV   | 5.3506G      | 53.90             | 54.00             | -0.10          | 47.85         | 3           | Horizontal | 66             | 2.46          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5310MHz\_TX

EUT\_V\_1TX  
Setting 71  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.62129G    | 57.52             | 74.00             | -16.48         | 42.97         | 3           | Vertical  | 100            | 2.00          | -       | 38.20      | 11.27      | 34.92      |  |  |  |
| AV   | 10.61868G    | 50.66             | 54.00             | -3.34          | 36.11         | 3           | Vertical  | 100            | 2.00          | -       | 38.20      | 11.27      | 34.92      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5310MHz\_TX

EUT\_V\_1TX  
Setting 71  
03-R-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.6182G  | 58.40    | 74.00    | -15.60 | 43.85  | 3    | Horizontal | 348     | 1.74   | -       | 38.20 | 11.27 | 34.92 |  |  |  |
| AV   | 10.62154G | 50.51    | 54.00    | -3.49  | 35.96  | 3    | Horizontal | 348     | 1.74   | -       | 38.20 | 11.27 | 34.92 |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TX




EUT\_V\_1TX  
Setting 74  
05-R-G-4-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.1385G | 55.51    | 74.00    | -18.49 | 49.48  | 3    | Vertical  | 30      | 1.80   | -       | 33.08 | 8.06 | 35.11 |  |  |  |
| AV   | 5.0935G | 49.36    | 54.00    | -4.64  | 43.44  | 3    | Vertical  | 30      | 1.80   | -       | 33.01 | 8.04 | 35.13 |  |  |  |
| PK   | 5.263G  | 101.99   | Inf      | -Inf   | 95.96  | 3    | Vertical  | 30      | 1.80   | -       | 32.97 | 8.13 | 35.07 |  |  |  |
| AV   | 5.2795G | 95.27    | Inf      | -Inf   | 89.25  | 3    | Vertical  | 30      | 1.80   | -       | 32.94 | 8.14 | 35.06 |  |  |  |
| PK   | 5.3595G | 57.05    | 74.00    | -16.95 | 50.99  | 3    | Vertical  | 30      | 1.80   | -       | 32.90 | 8.19 | 35.03 |  |  |  |
| AV   | 5.359G  | 51.06    | 54.00    | -2.94  | 45.00  | 3    | Vertical  | 30      | 1.80   | -       | 32.90 | 8.19 | 35.03 |  |  |  |
| PK   | 5.523G  | 57.24    | 68.20    | -10.96 | 50.89  | 3    | Vertical  | 30      | 1.80   | -       | 33.00 | 8.32 | 34.97 |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

## 5290MHz\_TX




EUT\_V\_1TX  
Setting 74  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1365G      | 56.11             | 74.00             | -17.89         | 50.09         | 3           | Horizontal | 65             | 1.80          | -       | 33.07      | 8.06       | 35.11      |
| AV   | 5.117G       | 50.03             | 54.00             | -3.97          | 44.07         | 3           | Horizontal | 65             | 1.80          | -       | 33.03      | 8.05       | 35.12      |
| PK   | 5.2825G      | 105.70            | Inf               | -Inf           | 99.68         | 3           | Horizontal | 65             | 1.80          | -       | 32.93      | 8.15       | 35.06      |
| AV   | 5.299G       | 98.77             | Inf               | -Inf           | 92.77         | 3           | Horizontal | 65             | 1.80          | -       | 32.90      | 8.15       | 35.05      |
| PK   | 5.3515G      | 58.95             | 74.00             | -15.05         | 52.90         | 3           | Horizontal | 65             | 1.80          | -       | 32.90      | 8.18       | 35.03      |
| AV   | 5.352G       | 53.48             | 54.00             | -0.52          | 47.43         | 3           | Horizontal | 65             | 1.80          | -       | 32.90      | 8.18       | 35.03      |
| PK   | 5.533G       | 55.94             | 68.20             | -12.26         | 49.57         | 3           | Horizontal | 65             | 1.80          | -       | 33.00      | 8.33       | 34.96      |

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




EUT\_V\_1TX  
Setting 74  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.58013G    | 57.74             | 68.20             | -10.46         | 43.20         | 3           | Vertical  | 79             | 1.55          | -       | 38.20      | 11.25      | 34.91      |  |  |  |

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




EUT\_V\_1TX  
Setting 74  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.57918G    | 57.88             | 68.20             | -10.32         | 43.34         | 3           | Horizontal | 234            | 2.76          | -       | 38.20      | 11.25      | 34.91      |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

### 5260MHz\_TX




EUT\_Z\_2TX  
Setting 98  
05-R-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1417G      | 60.08             | 74.00             | -13.92         | 54.04         | 3           | Vertical  | 328            | 1.80          | -       | 33.08      | 8.07       | 35.11      |  |  |  |
| AV   | 5.1459G      | 50.75             | 54.00             | -3.25          | 44.70         | 3           | Vertical  | 328            | 1.80          | -       | 33.09      | 8.07       | 35.11      |  |  |  |
| PK   | 5.25405G     | 122.18            | Inf               | -Inf           | 116.13        | 3           | Vertical  | 328            | 1.80          | -       | 32.99      | 8.13       | 35.07      |  |  |  |
| AV   | 5.2635G      | 115.21            | Inf               | -Inf           | 109.18        | 3           | Vertical  | 328            | 1.80          | -       | 32.97      | 8.13       | 35.07      |  |  |  |
| PK   | 5.3517G      | 62.55             | 74.00             | -11.45         | 56.50         | 3           | Vertical  | 328            | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |
| AV   | 5.35205G     | 53.59             | 54.00             | -0.41          | 47.54         | 3           | Vertical  | 328            | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

## 5260MHz\_TX




EUT\_Z\_2TX  
Setting 98  
05-R-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.14485G     | 57.65             | 74.00             | -16.35         | 51.60         | 3           | Horizontal | 267            | 3.00          | -       | 33.09      | 8.07       | 35.11      |  |  |  |
| AV   | 5.14695G     | 49.12             | 54.00             | -4.88          | 43.07         | 3           | Horizontal | 267            | 3.00          | -       | 33.09      | 8.07       | 35.11      |  |  |  |
| PK   | 5.2558G      | 113.82            | Inf               | -Inf           | 107.77        | 3           | Horizontal | 267            | 3.00          | -       | 32.99      | 8.13       | 35.07      |  |  |  |
| AV   | 5.25615G     | 106.84            | Inf               | -Inf           | 100.79        | 3           | Horizontal | 267            | 3.00          | -       | 32.99      | 8.13       | 35.07      |  |  |  |
| PK   | 5.35555G     | 58.77             | 74.00             | -15.23         | 52.71         | 3           | Horizontal | 267            | 3.00          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.3531G      | 49.63             | 54.00             | -4.37          | 43.58         | 3           | Horizontal | 267            | 3.00          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 98  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 10.51835G    | 60.60             | 68.20             | -7.60          | 44.34         | 3           | Vertical  | 302            | 1.80          | -       | 38.84      | 11.34      | 33.92      |  |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 98  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 10.51649G    | 59.80             | 68.20             | -8.40          | 43.55         | 3           | Horizontal | 339            | 2.97          | -       | 38.83      | 11.34      | 33.92      |  |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 81  
05-R-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.29875G     | 119.22            | Inf               | -Inf           | 113.22        | 3           | Vertical  | 326            | 1.80          | -       | 32.90      | 8.15       | 35.05      |  |  |  |  |
| AV   | 5.29325G     | 111.51            | Inf               | -Inf           | 105.50        | 3           | Vertical  | 326            | 1.80          | -       | 32.91      | 8.15       | 35.05      |  |  |  |  |
| PK   | 5.3515G      | 66.17             | 74.00             | -7.83          | 60.12         | 3           | Vertical  | 326            | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |  |
| AV   | 5.35325G     | 53.11             | 54.00             | -0.89          | 47.06         | 3           | Vertical  | 326            | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

## 5300MHz\_TX




EUT\_Z\_2TX  
Setting 81  
05-R-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.30575G     | 107.42            | Inf               | -Inf           | 101.41        | 3           | Horizontal | 267            | 1.80          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| AV   | 5.30075G     | 100.26            | Inf               | -Inf           | 94.25         | 3           | Horizontal | 267            | 1.80          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| PK   | 5.35125G     | 57.86             | 74.00             | -16.14         | 51.81         | 3           | Horizontal | 267            | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |
| AV   | 5.42G        | 48.61             | 54.00             | -5.39          | 42.49         | 3           | Horizontal | 267            | 1.80          | -       | 32.90      | 8.23       | 35.01      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 81  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.60036G    | 58.44             | 74.00             | -15.56         | 41.69         | 3           | Vertical  | 354            | 1.80          | -       | 39.20      | 11.39      | 33.84      |  |  |  |
| AV   | 10.612G      | 49.98             | 54.00             | -4.02          | 33.17         | 3           | Vertical  | 354            | 1.80          | -       | 39.25      | 11.39      | 33.83      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX

EUT\_Z\_2TX  
Setting 81  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.60696G    | 58.92             | 74.00             | -15.08         | 42.13         | 3           | Horizontal | 47             | 1.80          | -       | 39.23      | 11.39      | 33.83      |  |  |  |
| AV   | 10.61497G    | 49.41             | 54.00             | -4.59          | 32.58         | 3           | Horizontal | 47             | 1.80          | -       | 39.26      | 11.40      | 33.83      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 79  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.3227G      | 117.02            | Inf               | -Inf           | 110.99        | 3           | Vertical  | 327            | 1.80          | -       | 32.90      | 8.17       | 35.04      |  |  |  |  |
| AV   | 5.3179G      | 109.55            | Inf               | -Inf           | 103.54        | 3           | Vertical  | 327            | 1.80          | -       | 32.90      | 8.16       | 35.05      |  |  |  |  |
| PK   | 5.3525G      | 62.90             | 74.00             | -11.10         | 56.85         | 3           | Vertical  | 327            | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |  |
| AV   | 5.3525G      | 53.70             | 54.00             | -0.30          | 47.65         | 3           | Vertical  | 327            | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 79  
05-R-G-4-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.3248G | 109.72   | Inf      | -Inf   | 103.69 | 3    | Horizontal | 102     | 2.53   | -       | 32.90 | 8.17 | 35.04 |  |  |  |
| AV   | 5.3253G | 102.74   | Inf      | -Inf   | 96.71  | 3    | Horizontal | 102     | 2.53   | -       | 32.90 | 8.17 | 35.04 |  |  |  |
| PK   | 5.3557G | 60.58    | 74.00    | -13.42 | 54.52  | 3    | Horizontal | 102     | 2.53   | -       | 32.90 | 8.19 | 35.03 |  |  |  |
| AV   | 5.35G   | 49.32    | 54.00    | -4.68  | 43.27  | 3    | Horizontal | 102     | 2.53   | -       | 32.90 | 8.18 | 35.03 |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

## 5320MHz\_TX




EUT\_Z\_2TX  
Setting 79  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.62683G    | 60.12             | 74.00             | -13.88         | 43.22         | 3           | Vertical  | 2              | 1.80          | -       | 39.31      | 11.40      | 33.81      |  |  |  |
| AV   | 10.62767G    | 50.10             | 54.00             | -3.90          | 33.20         | 3           | Vertical  | 2              | 1.80          | -       | 39.31      | 11.40      | 33.81      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX

EUT\_Z\_2TX  
Setting 79  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.63603G    | 59.01             | 74.00             | -14.99         | 42.06         | 3           | Horizontal | 195            | 1.80          | -       | 39.34      | 11.41      | 33.80      |  |  |  |
| AV   | 10.63611G    | 50.15             | 54.00             | -3.85          | 33.20         | 3           | Horizontal | 195            | 1.80          | -       | 39.34      | 11.41      | 33.80      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 93  
05-R-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1396G      | 62.80             | 74.00             | -11.20         | 56.77         | 3           | Vertical  | 328            | 2.27          | -       | 33.08      | 8.06       | 35.11      |  |  |  |
| AV   | 5.14975G     | 53.41             | 54.00             | -0.59          | 47.35         | 3           | Vertical  | 328            | 2.27          | -       | 33.10      | 8.07       | 35.11      |  |  |  |
| PK   | 5.25895G     | 123.25            | Inf               | -Inf           | 117.21        | 3           | Vertical  | 328            | 2.27          | -       | 32.98      | 8.13       | 35.07      |  |  |  |
| AV   | 5.2635G      | 113.70            | Inf               | -Inf           | 107.67        | 3           | Vertical  | 328            | 2.27          | -       | 32.97      | 8.13       | 35.07      |  |  |  |
| PK   | 5.35135G     | 66.48             | 74.00             | -7.52          | 60.43         | 3           | Vertical  | 328            | 2.27          | -       | 32.90      | 8.18       | 35.03      |  |  |  |
| AV   | 5.35G        | 53.97             | 54.00             | -0.03          | 47.92         | 3           | Vertical  | 328            | 2.27          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 5260MHz\_TX




EUT\_Z\_2TX  
Setting 93  
05-R-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1424G      | 57.94             | 74.00             | -16.06         | 51.90         | 3           | Horizontal | 281            | 3.00          | -       | 33.08      | 8.07       | 35.11      |  |  |  |
| AV   | 5.15G        | 48.57             | 54.00             | -5.43          | 42.51         | 3           | Horizontal | 281            | 3.00          | -       | 33.10      | 8.07       | 35.11      |  |  |  |
| PK   | 5.2509G      | 111.86            | Inf               | -Inf           | 105.80        | 3           | Horizontal | 281            | 3.00          | -       | 33.00      | 8.13       | 35.07      |  |  |  |
| AV   | 5.25615G     | 103.02            | Inf               | -Inf           | 96.97         | 3           | Horizontal | 281            | 3.00          | -       | 32.99      | 8.13       | 35.07      |  |  |  |
| PK   | 5.4189G      | 57.49             | 74.00             | -16.51         | 51.37         | 3           | Horizontal | 281            | 3.00          | -       | 32.90      | 8.23       | 35.01      |  |  |  |
| AV   | 5.3538G      | 48.12             | 54.00             | -5.88          | 42.07         | 3           | Horizontal | 281            | 3.00          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 93  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.51439G    | 58.66             | 68.20             | -9.54          | 42.42         | 3           | Vertical  | 304            | 1.80          | -       | 38.83      | 11.34      | 33.93      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5260MHz\_TX




EUT\_Z\_2TX  
Setting 93  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.50791G    | 56.94             | 68.20             | -11.26         | 40.71         | 3           | Horizontal | 155            | 1.98          | -       | 38.82      | 11.34      | 33.93      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 78  
05-R-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.29225G     | 119.89            | Inf               | -Inf           | 113.87        | 3           | Vertical  | 326            | 2.25          | -       | 32.92      | 8.15       | 35.05      |  |  |  |
| AV   | 5.29375G     | 110.69            | Inf               | -Inf           | 104.68        | 3           | Vertical  | 326            | 2.25          | -       | 32.91      | 8.15       | 35.05      |  |  |  |
| PK   | 5.35075G     | 68.69             | 74.00             | -5.31          | 62.64         | 3           | Vertical  | 326            | 2.25          | -       | 32.90      | 8.18       | 35.03      |  |  |  |
| AV   | 5.3505G      | 53.97             | 54.00             | -0.03          | 47.92         | 3           | Vertical  | 326            | 2.25          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 78  
05-R-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3035G      | 108.21            | Inf               | -Inf           | 102.20        | 3           | Horizontal | 267            | 2.97          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| AV   | 5.2925G      | 99.42             | Inf               | -Inf           | 93.41         | 3           | Horizontal | 267            | 2.97          | -       | 32.91      | 8.15       | 35.05      |  |  |  |
| PK   | 5.36G        | 58.97             | 74.00             | -15.03         | 52.91         | 3           | Horizontal | 267            | 2.97          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.353G       | 48.27             | 54.00             | -5.73          | 42.22         | 3           | Horizontal | 267            | 2.97          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 5300MHz\_TX




EUT\_Z\_2TX  
Setting 78  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.61119G    | 60.12             | 74.00             | -13.88         | 43.32         | 3           | Vertical  | 299            | 1.80          | -       | 39.24      | 11.39      | 33.83      |  |  |  |
| AV   | 10.60027G    | 49.64             | 54.00             | -4.36          | 32.89         | 3           | Vertical  | 299            | 1.80          | -       | 39.20      | 11.39      | 33.84      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 78  
05-R-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.60828G | 58.74    | 74.00    | -15.26 | 41.95  | 3    | Horizontal | 235     | 2.95   | -       | 39.23 | 11.39 | 33.83 |  |  |  |
| AV   | 10.60855G | 48.69    | 54.00    | -5.31  | 31.90  | 3    | Horizontal | 235     | 2.95   | -       | 39.23 | 11.39 | 33.83 |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 78  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3216G      | 116.65            | Inf               | -Inf           | 110.62        | 3           | Vertical  | 329            | 1.80          | -       | 32.90      | 8.17       | 35.04      |
| AV   | 5.3187G      | 106.67            | Inf               | -Inf           | 100.65        | 3           | Vertical  | 329            | 1.80          | -       | 32.90      | 8.17       | 35.05      |
| PK   | 5.351G       | 64.44             | 74.00             | -9.56          | 58.39         | 3           | Vertical  | 329            | 1.80          | -       | 32.90      | 8.18       | 35.03      |
| AV   | 5.3506G      | 53.40             | 54.00             | -0.60          | 47.35         | 3           | Vertical  | 329            | 1.80          | -       | 32.90      | 8.18       | 35.03      |

5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 78  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3152G      | 110.76            | Inf               | -Inf           | 104.75        | 3           | Horizontal | 101            | 2.53          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| AV   | 5.3251G      | 100.14            | Inf               | -Inf           | 94.11         | 3           | Horizontal | 101            | 2.53          | -       | 32.90      | 8.17       | 35.04      |  |  |  |
| PK   | 5.3605G      | 59.34             | 74.00             | -14.66         | 53.28         | 3           | Horizontal | 101            | 2.53          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.351G       | 49.09             | 54.00             | -4.91          | 43.04         | 3           | Horizontal | 101            | 2.53          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 5320MHz\_TX




EUT\_Z\_2TX  
Setting 78  
05-R-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.6382G  | 60.16    | 74.00    | -13.84 | 43.20  | 3    | Vertical  | 300     | 1.80   | -       | 39.35 | 11.41 | 33.80 |  |  |  |
| AV   | 10.63823G | 49.76    | 54.00    | -4.24  | 32.80  | 3    | Vertical  | 300     | 1.80   | -       | 39.35 | 11.41 | 33.80 |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 78  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.65446G    | 59.05             | 74.00             | -14.95         | 42.02         | 3           | Horizontal | 34             | 1.80          | -       | 39.40      | 11.42      | 33.79      |  |  |  |
| AV   | 10.65157G    | 49.36             | 54.00             | -4.64          | 32.33         | 3           | Horizontal | 34             | 1.80          | -       | 39.40      | 11.42      | 33.79      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

## 5270MHz\_TX




EUT\_Z\_2TX  
Setting 76  
05-R-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.13875G     | 60.70             | 74.00             | -13.30         | 54.67         | 3           | Vertical  | 326            | 1.80          | -       | 33.08      | 8.06       | 35.11      |  |  |  |
| AV   | 5.14855G     | 49.54             | 54.00             | -4.46          | 43.48         | 3           | Vertical  | 326            | 1.80          | -       | 33.10      | 8.07       | 35.11      |  |  |  |
| PK   | 5.26755G     | 114.90            | Inf               | -Inf           | 108.86        | 3           | Vertical  | 326            | 1.80          | -       | 32.96      | 8.14       | 35.06      |  |  |  |
| AV   | 5.27875G     | 105.99            | Inf               | -Inf           | 99.97         | 3           | Vertical  | 326            | 1.80          | -       | 32.94      | 8.14       | 35.06      |  |  |  |
| PK   | 5.36905G     | 66.43             | 74.00             | -7.57          | 60.37         | 3           | Vertical  | 326            | 1.80          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.35365G     | 53.60             | 54.00             | -0.40          | 47.55         | 3           | Vertical  | 326            | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

## 5270MHz\_TX




EUT\_Z\_2TX  
Setting 76  
05-R-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1489G      | 57.82             | 74.00             | -16.18         | 51.76         | 3           | Horizontal | 277            | 2.96          | -       | 33.10      | 8.07       | 35.11      |  |  |  |
| AV   | 5.1433G      | 47.61             | 54.00             | -6.39          | 41.56         | 3           | Horizontal | 277            | 2.96          | -       | 33.09      | 8.07       | 35.11      |  |  |  |
| PK   | 5.2749G      | 107.53            | Inf               | -Inf           | 101.50        | 3           | Horizontal | 277            | 2.96          | -       | 32.95      | 8.14       | 35.06      |  |  |  |
| AV   | 5.27595G     | 98.67             | Inf               | -Inf           | 92.64         | 3           | Horizontal | 277            | 2.96          | -       | 32.95      | 8.14       | 35.06      |  |  |  |
| PK   | 5.3519G      | 59.89             | 74.00             | -14.11         | 53.84         | 3           | Horizontal | 277            | 2.96          | -       | 32.90      | 8.18       | 35.03      |  |  |  |
| AV   | 5.35155G     | 49.62             | 54.00             | -4.38          | 43.57         | 3           | Horizontal | 277            | 2.96          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 76  
05-R-E-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 10.53118G | 56.96    | 68.20    | -11.24 | 40.66  | 3    | Vertical  | 122     | 1.80   | -       | 38.86 | 11.35 | 33.91 |  |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5270MHz\_TX




EUT\_Z\_2TX  
Setting 76  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 10.54774G    | 56.96             | 68.20             | -11.24         | 40.59         | 3           | Horizontal | 204            | 2.10          | -       | 38.90      | 11.36      | 33.89      |  |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 72  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.2944G      | 111.95            | Inf               | -Inf           | 105.94        | 3           | Vertical  | 328            | 1.80          | -       | 32.91      | 8.15       | 35.05      |
| AV   | 5.2988G      | 102.05            | Inf               | -Inf           | 96.05         | 3           | Vertical  | 328            | 1.80          | -       | 32.90      | 8.15       | 35.05      |
| PK   | 5.3504G      | 63.24             | 74.00             | -10.76         | 57.19         | 3           | Vertical  | 328            | 1.80          | -       | 32.90      | 8.18       | 35.03      |
| AV   | 5.3506G      | 53.76             | 54.00             | -0.24          | 47.71         | 3           | Vertical  | 328            | 1.80          | -       | 32.90      | 8.18       | 35.03      |

5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

5310MHz\_TX




EUT\_Z\_2TX  
Setting 72  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3234G      | 106.14            | Inf               | -Inf           | 100.11        | 3           | Horizontal | 102            | 2.56          | -       | 32.90      | 8.17       | 35.04      |  |  |  |
| AV   | 5.2948G      | 96.13             | Inf               | -Inf           | 90.12         | 3           | Horizontal | 102            | 2.56          | -       | 32.91      | 8.15       | 35.05      |  |  |  |
| PK   | 5.3556G      | 58.59             | 74.00             | -15.41         | 52.53         | 3           | Horizontal | 102            | 2.56          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.351G       | 48.97             | 54.00             | -5.03          | 42.92         | 3           | Horizontal | 102            | 2.56          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


5310MHz\_TX

EUT\_Z\_2TX  
Setting 72  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.63128G    | 59.08             | 74.00             | -14.92         | 42.16         | 3           | Vertical  | 10             | 1.80          | -       | 39.33      | 11.40      | 33.81      |  |  |  |
| AV   | 10.62576G    | 49.09             | 54.00             | -4.91          | 32.20         | 3           | Vertical  | 10             | 1.80          | -       | 39.30      | 11.40      | 33.81      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


5310MHz\_TX

EUT\_Z\_2TX  
Setting 72  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.62588G    | 59.33             | 74.00             | -14.67         | 42.44         | 3           | Horizontal | 325            | 1.80          | -       | 39.30      | 11.40      | 33.81      |  |  |  |
| AV   | 10.6275G     | 48.97             | 54.00             | -5.03          | 32.07         | 3           | Horizontal | 325            | 1.80          | -       | 39.31      | 11.40      | 33.81      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

### 5290MHz\_TX




EUT\_Z\_2TX  
Setting 75  
05-R-G-4-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.1405G | 57.25    | 74.00    | -16.75 | 51.22  | 3    | Vertical  | 329     | 1.80   | -       | 33.08 | 8.06 | 35.11 |  |  |  |
| AV   | 5.1485G | 47.98    | 54.00    | -6.02  | 41.92  | 3    | Vertical  | 329     | 1.80   | -       | 33.10 | 8.07 | 35.11 |  |  |  |
| PK   | 5.312G  | 109.48   | Inf      | -Inf   | 103.47 | 3    | Vertical  | 329     | 1.80   | -       | 32.90 | 8.16 | 35.05 |  |  |  |
| AV   | 5.2835G | 100.47   | Inf      | -Inf   | 94.45  | 3    | Vertical  | 329     | 1.80   | -       | 32.93 | 8.15 | 35.06 |  |  |  |
| PK   | 5.358G  | 62.41    | 74.00    | -11.59 | 56.35  | 3    | Vertical  | 329     | 1.80   | -       | 32.90 | 8.19 | 35.03 |  |  |  |
| AV   | 5.35G   | 53.55    | 54.00    | -0.45  | 47.50  | 3    | Vertical  | 329     | 1.80   | -       | 32.90 | 8.18 | 35.03 |  |  |  |
| PK   | 5.514G  | 56.72    | 68.20    | -11.48 | 50.38  | 3    | Vertical  | 329     | 1.80   | -       | 33.00 | 8.31 | 34.97 |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

## 5290MHz\_TX




EUT\_Z\_2TX  
Setting 75  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1045G      | 55.74             | 74.00             | -18.26         | 49.81         | 3           | Horizontal | 101            | 2.42          | -       | 33.01      | 8.04       | 35.12      |
| AV   | 5.137G       | 46.39             | 54.00             | -7.61          | 40.37         | 3           | Horizontal | 101            | 2.42          | -       | 33.07      | 8.06       | 35.11      |
| PK   | 5.279G       | 102.34            | Inf               | -Inf           | 96.32         | 3           | Horizontal | 101            | 2.42          | -       | 32.94      | 8.14       | 35.06      |
| AV   | 5.285G       | 93.81             | Inf               | -Inf           | 87.79         | 3           | Horizontal | 101            | 2.42          | -       | 32.93      | 8.15       | 35.06      |
| PK   | 5.3525G      | 57.46             | 74.00             | -16.54         | 51.41         | 3           | Horizontal | 101            | 2.42          | -       | 32.90      | 8.18       | 35.03      |
| AV   | 5.3525G      | 48.73             | 54.00             | -5.27          | 42.68         | 3           | Horizontal | 101            | 2.42          | -       | 32.90      | 8.18       | 35.03      |
| PK   | 5.501G       | 56.10             | 68.20             | -12.10         | 49.78         | 3           | Horizontal | 101            | 2.42          | -       | 33.00      | 8.30       | 34.98      |

5.25-5.35GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
Setting 75  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.59476G    | 59.09             | 68.20             | -9.11          | 42.38         | 3           | Vertical  | 340            | 2.93          | -       | 39.17      | 11.39      | 33.85      |  |  |  |

5.25-5.35GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

5290MHz\_TX




EUT\_Z\_2TX  
Setting 75  
05-R-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.59053G    | 57.19             | 68.20             | -11.01         | 40.52         | 3           | Horizontal | 9              | 2.12          | -       | 39.14      | 11.38      | 33.85      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
SET 99  
60\90\107\99  
7.63\4.26\1.08\0.18

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.1493G | 60.78    | 74.00    | -13.22 | 54.32  | 3    | Vertical  | 46      | 1.79   | 99      | 33.90 | 7.49 | 34.93 |  |  |  |
| AV   | 5.1499G | 51.15    | 54.00    | -2.85  | 44.69  | 3    | Vertical  | 46      | 1.79   | 99      | 33.90 | 7.49 | 34.93 |  |  |  |
| PK   | 5.254G  | 123.11   | Inf      | -Inf   | 116.22 | 3    | Vertical  | 46      | 1.79   | 99      | 34.12 | 7.68 | 34.91 |  |  |  |
| AV   | 5.2537G | 115.30   | Inf      | -Inf   | 108.41 | 3    | Vertical  | 46      | 1.79   | 99      | 34.12 | 7.68 | 34.91 |  |  |  |
| PK   | 5.3554G | 66.80    | 74.00    | -7.20  | 59.37  | 3    | Vertical  | 46      | 1.79   | 99      | 34.52 | 7.80 | 34.89 |  |  |  |
| AV   | 5.3524G | 53.82    | 54.00    | -0.18  | 46.40  | 3    | Vertical  | 46      | 1.79   | 99      | 34.51 | 7.80 | 34.89 |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

## 5260MHz\_TX




EUT\_Y\_4TX  
SET 97  
99\96\97  
-0.61\1.75\0.23

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1478G      | 61.01             | 74.00             | -12.99         | 54.55         | 3           | Horizontal | 56             | 2.44          | 97      | 33.90      | 7.49       | 34.93      |
| AV   | 5.1475G      | 49.44             | 54.00             | -4.56          | 42.98         | 3           | Horizontal | 56             | 2.44          | 97      | 33.90      | 7.49       | 34.93      |
| PK   | 5.2672G      | 121.40            | Inf               | -Inf           | 114.42        | 3           | Horizontal | 56             | 2.44          | 97      | 34.20      | 7.69       | 34.91      |
| AV   | 5.2678G      | 113.61            | Inf               | -Inf           | 106.62        | 3           | Horizontal | 56             | 2.44          | 97      | 34.21      | 7.69       | 34.91      |
| PK   | 5.3587G      | 66.72             | 74.00             | -7.28          | 59.27         | 3           | Horizontal | 56             | 2.44          | 97      | 34.53      | 7.81       | 34.89      |
| AV   | 5.3593G      | 53.77             | 54.00             | -0.23          | 46.31         | 3           | Horizontal | 56             | 2.44          | 97      | 34.54      | 7.81       | 34.89      |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
Setting 97  
03-R-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 10.51906G | 57.11    | 68.20    | -11.09 | 42.64  | 3    | Vertical  | 300     | 1.67   | -       | 38.14 | 11.23 | 34.90 |  |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
Setting 97  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.52116G    | 57.61             | 68.20             | -10.59         | 43.14         | 3           | Horizontal | 48             | 2.90          | -       | 38.14      | 11.23      | 34.90      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
SET 83  
60\89\72\80\84\82\83  
7.32\ -4.30\5.88\2.60\ -0.92\1.73\1.09

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.2946G | 119.93   | Inf      | -Inf   | 112.73 | 3    | Vertical  | 46      | 1.77   | 83      | 34.37 | 7.73 | 34.90 |  |  |  |  |
| AV   | 5.294G  | 112.60   | Inf      | -Inf   | 105.41 | 3    | Vertical  | 46      | 1.77   | 83      | 34.36 | 7.73 | 34.90 |  |  |  |  |
| PK   | 5.354G  | 67.31    | 74.00    | -6.69  | 59.88  | 3    | Vertical  | 46      | 1.77   | 83      | 34.52 | 7.80 | 34.89 |  |  |  |  |
| AV   | 5.3534G | 52.91    | 54.00    | -1.09  | 45.49  | 3    | Vertical  | 46      | 1.77   | 83      | 34.51 | 7.80 | 34.89 |  |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
SET 80  
83\72\82\77\79\80  
-2.52\4.70\1.99\1.90\1.66\0.18

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.2928G | 118.57   | Inf      | -Inf   | 111.38 | 3    | Horizontal | 54      | 3.00   | 80      | 34.36 | 7.73 | 34.90 |  |  |  |
| AV   | 5.2928G | 111.71   | Inf      | -Inf   | 104.52 | 3    | Horizontal | 54      | 3.00   | 80      | 34.36 | 7.73 | 34.90 |  |  |  |
| PK   | 5.3514G | 66.22    | 74.00    | -7.78  | 58.80  | 3    | Horizontal | 54      | 3.00   | 80      | 34.51 | 7.80 | 34.89 |  |  |  |
| AV   | 5.3536G | 53.82    | 54.00    | -0.18  | 46.40  | 3    | Horizontal | 54      | 3.00   | 80      | 34.51 | 7.80 | 34.89 |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5300MHz\_TX

EUT\_V\_4TX  
Setting 80  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.59928G    | 57.98             | 68.20             | -10.22         | 43.44         | 3           | Vertical  | 120            | 2.59          | -       | 38.20      | 11.26      | 34.92      |  |  |  |
| AV   | 10.60103G    | 48.32             | 54.00             | -5.68          | 33.78         | 3           | Vertical  | 120            | 2.59          | -       | 38.20      | 11.26      | 34.92      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5300MHz\_TX

EUT\_Y\_4TX  
Setting 80  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.60049G    | 58.57             | 74.00             | -15.43         | 44.03         | 3           | Horizontal | 189            | 1.50          | -       | 38.20      | 11.26      | 34.92      |  |  |  |
| AV   | 10.60006G    | 48.85             | 54.00             | -5.15          | 34.31         | 3           | Horizontal | 189            | 1.50          | -       | 38.20      | 11.26      | 34.92      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5320MHz\_TX




EUT Y\_4TX  
Setting 76  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3144G      | 117.23            | Inf               | -Inf           | 111.22        | 3           | Vertical  | 49             | 1.80          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| AV   | 5.3139G      | 109.59            | Inf               | -Inf           | 103.58        | 3           | Vertical  | 49             | 1.80          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| PK   | 5.3619G      | 60.95             | 74.00             | -13.05         | 54.89         | 3           | Vertical  | 49             | 1.80          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.3547G      | 51.03             | 54.00             | -2.97          | 44.97         | 3           | Vertical  | 49             | 1.80          | -       | 32.90      | 8.19       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5320MHz\_TX




EUT Y\_4TX  
Setting 76  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3184G      | 119.21            | Inf               | -Inf           | 113.19        | 3           | Horizontal | 323            | 2.56          | -       | 32.90      | 8.17       | 35.05      |  |  |  |
| AV   | 5.3188G      | 111.98            | Inf               | -Inf           | 105.96        | 3           | Horizontal | 323            | 2.56          | -       | 32.90      | 8.17       | 35.05      |  |  |  |
| PK   | 5.3602G      | 65.16             | 74.00             | -8.84          | 59.10         | 3           | Horizontal | 323            | 2.56          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.3604G      | 53.54             | 54.00             | -0.46          | 47.48         | 3           | Horizontal | 323            | 2.56          | -       | 32.90      | 8.19       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX


5320MHz\_TX

EUT\_Y\_4TX  
Setting 76  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.63845G    | 57.80             | 74.00             | -16.20         | 43.24         | 3           | Vertical  | 82             | 2.79          | -       | 38.20      | 11.28      | 34.92      |  |  |  |
| AV   | 10.63845G    | 48.34             | 54.00             | -5.66          | 33.78         | 3           | Vertical  | 82             | 2.79          | -       | 38.20      | 11.28      | 34.92      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_4TX

5320MHz\_TX




EUT\_Y\_4TX  
Setting 76  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.6423G     | 58.03             | 74.00             | -15.97         | 43.48         | 3           | Horizontal | 88             | 1.01          | -       | 38.20      | 11.28      | 34.93      |  |  |  |
| AV   | 10.63834G    | 48.97             | 54.00             | -5.03          | 34.41         | 3           | Horizontal | 88             | 1.01          | -       | 38.20      | 11.28      | 34.92      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 5260MHz\_TX




EUT\_Y\_4TX  
SET 88  
60\90\75\82\85\86\87\88  
7.68\ -0.35\5.92\3.80\2.50\1.66\1.64\0.12

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1418G      | 62.49             | 74.00             | -11.51         | 56.05         | 3           | Vertical  | 48             | 1.80          | 88      | 33.90      | 7.47       | 34.93      |  |  |  |
| AV   | 5.1463G      | 50.15             | 54.00             | -3.85          | 43.70         | 3           | Vertical  | 48             | 1.80          | 88      | 33.90      | 7.48       | 34.93      |  |  |  |
| PK   | 5.2666G      | 122.68            | Inf               | -Inf           | 115.70        | 3           | Vertical  | 48             | 1.80          | 88      | 34.20      | 7.69       | 34.91      |  |  |  |
| AV   | 5.2537G      | 112.70            | Inf               | -Inf           | 105.81        | 3           | Vertical  | 48             | 1.80          | 88      | 34.12      | 7.68       | 34.91      |  |  |  |
| PK   | 5.3572G      | 65.45             | 74.00             | -8.55          | 58.00         | 3           | Vertical  | 48             | 1.80          | 88      | 34.53      | 7.81       | 34.89      |  |  |  |
| AV   | 5.3521G      | 53.88             | 54.00             | -0.12          | 46.46         | 3           | Vertical  | 48             | 1.80          | 88      | 34.51      | 7.80       | 34.89      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TX




EUT\_Y\_4TX  
SET 88  
88  
0.83

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1499G      | 63.06             | 74.00             | -10.94         | 56.60         | 3           | Horizontal | 307            | 2.88          | 88      | 33.90      | 7.49       | 34.93      |  |  |  |
| AV   | 5.1499G      | 49.25             | 54.00             | -4.75          | 42.79         | 3           | Horizontal | 307            | 2.88          | 88      | 33.90      | 7.49       | 34.93      |  |  |  |
| PK   | 5.251G       | 120.78            | Inf               | -Inf           | 113.91        | 3           | Horizontal | 307            | 2.88          | 88      | 34.11      | 7.67       | 34.91      |  |  |  |
| AV   | 5.266G       | 111.55            | Inf               | -Inf           | 104.57        | 3           | Horizontal | 307            | 2.88          | 88      | 34.20      | 7.69       | 34.91      |  |  |  |
| PK   | 5.3515G      | 65.24             | 74.00             | -8.76          | 57.82         | 3           | Horizontal | 307            | 2.88          | 88      | 34.51      | 7.80       | 34.89      |  |  |  |
| AV   | 5.3515G      | 53.17             | 54.00             | -0.83          | 45.75         | 3           | Horizontal | 307            | 2.88          | 88      | 34.51      | 7.80       | 34.89      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5260MHz\_TX

EUT\_Y\_4TX  
Setting 88  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.51752G    | 57.81             | 68.20             | -10.39         | 43.34         | 3           | Vertical  | 224            | 2.75          | -       | 38.14      | 11.23      | 34.90      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
Setting 88  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.52107G    | 57.29             | 68.20             | -10.91         | 42.82         | 3           | Horizontal | 290            | 1.92          | -       | 38.14      | 11.23      | 34.90      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
SET 76  
60\87\56\71\78\75\76  
6.93\ -8.45\7.32\3.62\ -1.37\1.75\0.44

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.2968G | 119.79   | Inf      | -Inf   | 112.58 | 3    | Vertical  | 46      | 1.70   | 76      | 34.38 | 7.73 | 34.90 |  |  |  |
| AV   | 5.2938G | 109.72   | Inf      | -Inf   | 102.53 | 3    | Vertical  | 46      | 1.70   | 76      | 34.36 | 7.73 | 34.90 |  |  |  |
| PK   | 5.3514G | 71.30    | 74.00    | -2.70  | 63.88  | 3    | Vertical  | 46      | 1.70   | 76      | 34.51 | 7.80 | 34.89 |  |  |  |
| AV   | 5.3518G | 53.56    | 54.00    | -0.44  | 46.14  | 3    | Vertical  | 46      | 1.70   | 76      | 34.51 | 7.80 | 34.89 |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
SET 75  
76\67\75  
-2.08\4.48\0.19

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.3064G | 120.01   | Inf      | -Inf   | 112.76 | 3    | Horizontal | 55      | 3.00   | 75      | 34.41 | 7.74 | 34.90 |  |  |  |  |
| AV   | 5.3018G | 110.25   | Inf      | -Inf   | 103.01 | 3    | Horizontal | 55      | 3.00   | 75      | 34.40 | 7.74 | 34.90 |  |  |  |  |
| PK   | 5.3572G | 69.69    | 74.00    | -4.31  | 62.24  | 3    | Horizontal | 55      | 3.00   | 75      | 34.53 | 7.81 | 34.89 |  |  |  |  |
| AV   | 5.3516G | 53.81    | 54.00    | -0.19  | 46.39  | 3    | Horizontal | 55      | 3.00   | 75      | 34.51 | 7.80 | 34.89 |  |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 10.59775G    | 57.94             | 68.20             | -10.26         | 43.40         | 3           | Vertical  | 75             | 1.56          | -       | 38.20      | 11.26      | 34.92      |  |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
Setting 75  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.6019G     | 57.81             | 74.00             | -16.19         | 43.27         | 3           | Horizontal | 266            | 1.83          | -       | 38.20      | 11.26      | 34.92      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUT Y\_4TX  
Setting 69  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3156G      | 116.53            | Inf               | -Inf           | 110.52        | 3           | Vertical  | 300            | 1.80          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| AV   | 5.3155G      | 107.36            | Inf               | -Inf           | 101.35        | 3           | Vertical  | 300            | 1.80          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| PK   | 5.3605G      | 67.21             | 74.00             | -6.79          | 61.15         | 3           | Vertical  | 300            | 1.80          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.3601G      | 52.39             | 54.00             | -1.61          | 46.33         | 3           | Vertical  | 300            | 1.80          | -       | 32.90      | 8.19       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUT\_Y\_4TX  
Setting 69  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3215G      | 117.03            | Inf               | -Inf           | 111.00        | 3           | Horizontal | 61             | 3.00          | -       | 32.90      | 8.17       | 35.04      |  |  |  |
| AV   | 5.3164G      | 108.27            | Inf               | -Inf           | 102.26        | 3           | Horizontal | 61             | 3.00          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| PK   | 5.3613G      | 63.89             | 74.00             | -10.11         | 57.83         | 3           | Horizontal | 61             | 3.00          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.361G       | 53.47             | 54.00             | -0.53          | 47.41         | 3           | Horizontal | 61             | 3.00          | -       | 32.90      | 8.19       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

5320MHz\_TX




EUT\_Y\_4TX  
Setting 69  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.63812G    | 58.02             | 74.00             | -15.98         | 43.46         | 3           | Vertical  | 97             | 1.88          | -       | 38.20      | 11.28      | 34.92      |  |  |  |
| AV   | 10.64199G    | 48.57             | 54.00             | -5.43          | 34.02         | 3           | Vertical  | 97             | 1.88          | -       | 38.20      | 11.28      | 34.93      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


5320MHz\_TX

EUT\_Y\_4TX  
Setting 69  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.64163G    | 57.80             | 74.00             | -16.20         | 43.25         | 3           | Horizontal | 252            | 1.32          | -       | 38.20      | 11.28      | 34.93      |  |  |  |
| AV   | 10.63936G    | 48.48             | 54.00             | -5.52          | 33.93         | 3           | Horizontal | 252            | 1.32          | -       | 38.20      | 11.28      | 34.93      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

## 5270MHz\_TX




EUT\_Y\_4TX  
Setting 66  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1401G      | 56.34             | 74.00             | -17.66         | 50.31         | 3           | Vertical  | 297            | 1.80          | -       | 33.08      | 8.06       | 35.11      |  |  |  |
| AV   | 5.1323G      | 49.89             | 54.00             | -4.11          | 43.88         | 3           | Vertical  | 297            | 1.80          | -       | 33.06      | 8.06       | 35.11      |  |  |  |
| PK   | 5.2805G      | 113.31            | Inf               | -Inf           | 107.29        | 3           | Vertical  | 297            | 1.80          | -       | 32.94      | 8.14       | 35.06      |  |  |  |
| AV   | 5.2601G      | 106.51            | Inf               | -Inf           | 100.47        | 3           | Vertical  | 297            | 1.80          | -       | 32.98      | 8.13       | 35.07      |  |  |  |
| PK   | 5.3513G      | 60.48             | 74.00             | -13.52         | 54.43         | 3           | Vertical  | 297            | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |
| AV   | 5.3579G      | 53.38             | 54.00             | -0.62          | 47.32         | 3           | Vertical  | 297            | 1.80          | -       | 32.90      | 8.19       | 35.03      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

## 5270MHz\_TX




EUT\_Y\_4TX  
Setting 66  
05-R-G-4-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.1281G | 56.30    | 74.00    | -17.70 | 50.29  | 3    | Horizontal | 296     | 1.80   | -       | 33.06 | 8.06 | 35.11 |  |  |  |
| AV   | 5.1242G | 50.89    | 54.00    | -3.11  | 44.91  | 3    | Horizontal | 296     | 1.80   | -       | 33.05 | 8.05 | 35.12 |  |  |  |
| PK   | 5.2622G | 110.67   | Inf      | -Inf   | 104.63 | 3    | Horizontal | 296     | 1.80   | -       | 32.98 | 8.13 | 35.07 |  |  |  |
| AV   | 5.2673G | 103.25   | Inf      | -Inf   | 97.20  | 3    | Horizontal | 296     | 1.80   | -       | 32.97 | 8.14 | 35.06 |  |  |  |
| PK   | 5.3555G | 57.67    | 74.00    | -16.33 | 51.61  | 3    | Horizontal | 296     | 1.80   | -       | 32.90 | 8.19 | 35.03 |  |  |  |
| AV   | 5.3531G | 51.92    | 54.00    | -2.08  | 45.87  | 3    | Horizontal | 296     | 1.80   | -       | 32.90 | 8.18 | 35.03 |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
Setting 66  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.54208G    | 57.64             | 68.20             | -10.56         | 43.13         | 3           | Vertical  | 161            | 2.23          | -       | 38.18      | 11.24      | 34.91      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
Setting 66  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 10.53979G    | 57.06             | 68.20             | -11.14         | 42.55         | 3           | Horizontal | 349            | 1.42          | -       | 38.18      | 11.24      | 34.91      |  |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT Y\_4TX  
Setting 62  
05-R-G-4-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.3056G | 111.75   | Inf      | -Inf   | 105.74 | 3    | Vertical  | 301     | 1.80   | -       | 32.90 | 8.16 | 35.05 |  |  |  |  |
| AV   | 5.3054G | 104.35   | Inf      | -Inf   | 98.34  | 3    | Vertical  | 301     | 1.80   | -       | 32.90 | 8.16 | 35.05 |  |  |  |  |
| PK   | 5.3508G | 58.79    | 74.00    | -15.21 | 52.74  | 3    | Vertical  | 301     | 1.80   | -       | 32.90 | 8.18 | 35.03 |  |  |  |  |
| AV   | 5.3546G | 51.94    | 54.00    | -2.06  | 45.88  | 3    | Vertical  | 301     | 1.80   | -       | 32.90 | 8.19 | 35.03 |  |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
Setting 62  
05-R-G-4-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.3262G | 113.42   | Inf      | -Inf   | 107.39 | 3    | Horizontal | 62      | 3.00   | -       | 32.90 | 8.17 | 35.04 |  |  |  |
| AV   | 5.3012G | 105.13   | Inf      | -Inf   | 99.12  | 3    | Horizontal | 62      | 3.00   | -       | 32.90 | 8.16 | 35.05 |  |  |  |
| PK   | 5.3566G | 63.31    | 74.00    | -10.69 | 57.25  | 3    | Horizontal | 62      | 3.00   | -       | 32.90 | 8.19 | 35.03 |  |  |  |
| AV   | 5.351G  | 53.90    | 54.00    | -0.10  | 47.85  | 3    | Horizontal | 62      | 3.00   | -       | 32.90 | 8.18 | 35.03 |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
Setting 62  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.61847G    | 57.56             | 74.00             | -16.44         | 43.01         | 3           | Vertical  | 247            | 2.05          | -       | 38.20      | 11.27      | 34.92      |  |  |  |
| AV   | 10.62076G    | 49.90             | 54.00             | -4.10          | 35.35         | 3           | Vertical  | 247            | 2.05          | -       | 38.20      | 11.27      | 34.92      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


5310MHz\_TX

EUT\_Y\_4TX  
Setting 62  
03-R-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.62019G | 58.38    | 74.00    | -15.62 | 43.83  | 3    | Horizontal | 122     | 1.23   | -       | 38.20 | 11.27 | 34.92 |  |  |  |
| AV   | 10.61935G | 50.07    | 54.00    | -3.93  | 35.52  | 3    | Horizontal | 122     | 1.23   | -       | 38.20 | 11.27 | 34.92 |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

## 5290MHz\_TX




EUT\_Y\_4TX  
Setting 61  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1275G      | 56.60             | 74.00             | -17.40         | 50.60         | 3           | Vertical  | 296            | 1.80          | -       | 33.05      | 8.06       | 35.11      |  |  |  |
| AV   | 5.106G       | 50.40             | 54.00             | -3.60          | 44.47         | 3           | Vertical  | 296            | 1.80          | -       | 33.01      | 8.04       | 35.12      |  |  |  |
| PK   | 5.3055G      | 108.67            | Inf               | -Inf           | 102.66        | 3           | Vertical  | 296            | 1.80          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| AV   | 5.305G       | 101.57            | Inf               | -Inf           | 95.56         | 3           | Vertical  | 296            | 1.80          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| PK   | 5.3555G      | 60.48             | 74.00             | -13.52         | 54.42         | 3           | Vertical  | 296            | 1.80          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.3505G      | 53.96             | 54.00             | -0.04          | 47.91         | 3           | Vertical  | 296            | 1.80          | -       | 32.90      | 8.18       | 35.03      |  |  |  |
| PK   | 5.508G       | 57.27             | 68.20             | -10.93         | 50.94         | 3           | Vertical  | 296            | 1.80          | -       | 33.00      | 8.31       | 34.98      |  |  |  |

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
Setting 61  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.097G       | 56.60             | 74.00             | -17.40         | 50.68         | 3           | Horizontal | 322            | 3.00          | -       | 33.01      | 8.04       | 35.13      |  |  |  |
| AV   | 5.11G        | 50.53             | 54.00             | -3.47          | 44.58         | 3           | Horizontal | 322            | 3.00          | -       | 33.02      | 8.05       | 35.12      |  |  |  |
| PK   | 5.275G       | 109.13            | Inf               | -Inf           | 103.10        | 3           | Horizontal | 322            | 3.00          | -       | 32.95      | 8.14       | 35.06      |  |  |  |
| AV   | 5.2695G      | 101.44            | Inf               | -Inf           | 95.40         | 3           | Horizontal | 322            | 3.00          | -       | 32.96      | 8.14       | 35.06      |  |  |  |
| PK   | 5.3505G      | 57.76             | 74.00             | -16.24         | 51.71         | 3           | Horizontal | 322            | 3.00          | -       | 32.90      | 8.18       | 35.03      |  |  |  |
| AV   | 5.36G        | 52.22             | 54.00             | -1.78          | 46.16         | 3           | Horizontal | 322            | 3.00          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| PK   | 5.4755G      | 56.42             | 68.20             | -11.78         | 50.18         | 3           | Horizontal | 322            | 3.00          | -       | 32.95      | 8.28       | 34.99      |  |  |  |

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
Setting 61  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.58003G    | 57.62             | 68.20             | -10.58         | 43.08         | 3           | Vertical  | 173            | 2.62          | -       | 38.20      | 11.25      | 34.91      |  |  |  |

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
Setting 61  
03-R-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 10.57918G | 57.65    | 68.20    | -10.55 | 43.11  | 3    | Horizontal | 61      | 2.92   | -       | 38.20 | 11.25 | 34.91 |  |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
SET95  
80\106\93\99\96\95  
6.66\ -1.47\0.71\ -1.37\ -0.45\0.02

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |  |
| PK   | 5.1499G | 67.36    | 74.00    | -6.64  | 60.90  | 3    | Vertical  | 50      | 1.80   | 95      | 33.90 | 7.49 | 34.93 |  |  |  |  |  |
| AV   | 5.1499G | 51.53    | 54.00    | -2.47  | 45.07  | 3    | Vertical  | 50      | 1.80   | 95      | 33.90 | 7.49 | 34.93 |  |  |  |  |  |
| PK   | 5.254G  | 120.23   | Inf      | -Inf   | 113.34 | 3    | Vertical  | 50      | 1.80   | 95      | 34.12 | 7.68 | 34.91 |  |  |  |  |  |
| AV   | 5.2537G | 110.14   | Inf      | -Inf   | 103.25 | 3    | Vertical  | 50      | 1.80   | 95      | 34.12 | 7.68 | 34.91 |  |  |  |  |  |
| PK   | 5.3554G | 67.95    | 74.00    | -6.05  | 60.52  | 3    | Vertical  | 50      | 1.80   | 95      | 34.52 | 7.80 | 34.89 |  |  |  |  |  |
| AV   | 5.3503G | 53.98    | 54.00    | -0.02  | 46.57  | 3    | Vertical  | 50      | 1.80   | 95      | 34.50 | 7.80 | 34.89 |  |  |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
SET 92  
95\91\93\92  
-0.84\0.52\0.22\0.20

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.146G       | 61.04             | 74.00             | -12.96         | 54.59         | 3           | Horizontal | 58             | 3.00          | 92      | 33.90      | 7.48       | 34.93      |
| AV   | 5.1499G      | 48.65             | 54.00             | -5.35          | 42.19         | 3           | Horizontal | 58             | 3.00          | 92      | 33.90      | 7.49       | 34.93      |
| PK   | 5.269G       | 120.44            | Inf               | -Inf           | 113.44        | 3           | Horizontal | 58             | 3.00          | 92      | 34.21      | 7.70       | 34.91      |
| AV   | 5.2669G      | 110.04            | Inf               | -Inf           | 103.06        | 3           | Horizontal | 58             | 3.00          | 92      | 34.20      | 7.69       | 34.91      |
| PK   | 5.3515G      | 67.99             | 74.00             | -6.01          | 60.57         | 3           | Horizontal | 58             | 3.00          | 92      | 34.51      | 7.80       | 34.89      |
| AV   | 5.3503G      | 53.80             | 54.00             | -0.20          | 46.39         | 3           | Horizontal | 58             | 3.00          | 92      | 34.50      | 7.80       | 34.89      |

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX


5260MHz\_TX

EUT\_Y\_4TX  
Setting 92  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.518G      | 57.85             | 68.20             | -10.35         | 43.38         | 3           | Vertical  | 330            | 1.54          | -       | 38.14      | 11.23      | 34.90      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5260MHz\_TX




EUT\_Y\_4TX  
Setting 92  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.521G      | 57.17             | 68.20             | -11.03         | 42.70         | 3           | Horizontal | 254            | 2.24          | -       | 38.14      | 11.23      | 34.90      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
SET 81  
60\92\56\74\83\79\81  
8.22\ -9.24\8.67\4.80\ -2.25\1.46\0.14

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3042G      | 119.42            | Inf               | -Inf           | 112.17        | 3           | Vertical  | 287            | 1.38          | 81      | 34.41      | 7.74       | 34.90      |  |  |  |
| AV   | 5.3038G      | 107.92            | Inf               | -Inf           | 100.67        | 3           | Vertical  | 287            | 1.38          | 81      | 34.41      | 7.74       | 34.90      |  |  |  |
| PK   | 5.3506G      | 71.18             | 74.00             | -2.82          | 63.77         | 3           | Vertical  | 287            | 1.38          | 81      | 34.50      | 7.80       | 34.89      |  |  |  |
| AV   | 5.35G        | 53.86             | 54.00             | -0.14          | 46.45         | 3           | Vertical  | 287            | 1.38          | 81      | 34.50      | 7.80       | 34.89      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5300MHz\_TX




EUT\_Y\_4TX  
SET 78  
81\75\78\79\78  
-1.47\2.77\1.05\ -0.27\0.71

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.2942G | 118.28   | Inf      | -Inf   | 111.08 | 3    | Horizontal | 55      | 3.00   | 78      | 34.37 | 7.73 | 34.90 |  |  |  |  |
| AV   | 5.3018G | 107.67   | Inf      | -Inf   | 100.43 | 3    | Horizontal | 55      | 3.00   | 78      | 34.40 | 7.74 | 34.90 |  |  |  |  |
| PK   | 5.3502G | 69.75    | 74.00    | -4.25  | 62.34  | 3    | Horizontal | 55      | 3.00   | 78      | 34.50 | 7.80 | 34.89 |  |  |  |  |
| AV   | 5.3512G | 53.29    | 54.00    | -0.71  | 45.88  | 3    | Horizontal | 55      | 3.00   | 78      | 34.50 | 7.80 | 34.89 |  |  |  |  |

## 5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

## 5300MHz\_TX




EUT\_Y\_4TX  
Setting 78  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.60043G    | 57.55             | 74.00             | -16.45         | 43.01         | 3           | Vertical  | 205            | 1.33          | -       | 38.20      | 11.26      | 34.92      |  |  |  |
| AV   | 10.60117G    | 46.94             | 54.00             | -7.06          | 32.40         | 3           | Vertical  | 205            | 1.33          | -       | 38.20      | 11.26      | 34.92      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX


5300MHz\_TX

EUT Y\_4TX  
Setting 78  
03-R-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.60051G | 58.44    | 74.00    | -15.56 | 43.90  | 3    | Horizontal | 85      | 1.62   | -       | 38.20 | 11.26 | 34.92 |  |  |  |
| AV   | 10.60117G | 46.28    | 54.00    | -7.72  | 32.40  | 3    | Horizontal | 85      | 1.62   | -       | 32.40 | 11.26 | 34.92 |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5320MHz\_TX




EUT Y\_4TX  
Setting 77  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.3282G      | 115.50            | Inf               | -Inf           | 109.47        | 3           | Vertical  | 288            | 1.80          | -       | 32.90      | 8.17       | 35.04      |
| AV   | 5.318G       | 105.40            | Inf               | -Inf           | 99.39         | 3           | Vertical  | 288            | 1.80          | -       | 32.90      | 8.16       | 35.05      |
| PK   | 5.3597G      | 62.82             | 74.00             | -11.18         | 56.76         | 3           | Vertical  | 288            | 1.80          | -       | 32.90      | 8.19       | 35.03      |
| AV   | 5.3599G      | 51.62             | 54.00             | -2.38          | 45.56         | 3           | Vertical  | 288            | 1.80          | -       | 32.90      | 8.19       | 35.03      |

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5320MHz\_TX




EUT Y\_4TX  
Setting 77  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3126G      | 118.18            | Inf               | -Inf           | 112.17        | 3           | Horizontal | 60             | 3.00          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| AV   | 5.3135G      | 107.29            | Inf               | -Inf           | 101.28        | 3           | Horizontal | 60             | 3.00          | -       | 32.90      | 8.16       | 35.05      |  |  |  |
| PK   | 5.3601G      | 65.10             | 74.00             | -8.90          | 59.04         | 3           | Horizontal | 60             | 3.00          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.3504G      | 53.83             | 54.00             | -0.17          | 47.78         | 3           | Horizontal | 60             | 3.00          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

5320MHz\_TX




EUT Y\_4TX  
Setting 77  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.63909G    | 57.75             | 74.00             | -16.25         | 43.20         | 3           | Vertical  | 151            | 1.15          | -       | 38.20      | 11.28      | 34.93      |  |  |  |
| AV   | 10.63919G    | 46.96             | 54.00             | -7.04          | 32.41         | 3           | Vertical  | 151            | 1.15          | -       | 38.20      | 11.28      | 34.93      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX


5320MHz\_TX

EUT\_Y\_4TX  
Setting 77  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.64179G    | 58.98             | 74.00             | -15.02         | 44.43         | 3           | Horizontal | 60             | 1.60          | -       | 38.20      | 11.28      | 34.93      |  |  |  |
| AV   | 10.63944G    | 46.78             | 54.00             | -7.22          | 32.23         | 3           | Horizontal | 60             | 1.60          | -       | 38.20      | 11.28      | 34.93      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
Setting 71  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.2588G      | 113.64            | Inf               | -Inf           | 107.60        | 3           | Vertical  | 290            | 1.57          | -       | 32.98      | 8.13       | 35.07      |  |  |  |
| AV   | 5.2774G      | 105.39            | Inf               | -Inf           | 99.36         | 3           | Vertical  | 290            | 1.57          | -       | 32.95      | 8.14       | 35.06      |  |  |  |
| PK   | 5.357G       | 64.44             | 74.00             | -9.56          | 58.38         | 3           | Vertical  | 290            | 1.57          | -       | 32.90      | 8.19       | 35.03      |  |  |  |
| AV   | 5.3588G      | 52.78             | 54.00             | -1.22          | 46.72         | 3           | Vertical  | 290            | 1.57          | -       | 32.90      | 8.19       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5270MHz\_TX




EUT Y\_4TX  
Setting 71  
05-R-G-4-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.275G  | 114.80   | Inf      | -Inf   | 108.77 | 3    | Horizontal | 62      | 3.00   | -       | 32.95 | 8.14 | 35.06 |  |  |  |  |
| AV   | 5.2812G | 106.82   | Inf      | -Inf   | 100.80 | 3    | Horizontal | 62      | 3.00   | -       | 32.94 | 8.14 | 35.06 |  |  |  |  |
| PK   | 5.3536G | 63.09    | 74.00    | -10.91 | 57.04  | 3    | Horizontal | 62      | 3.00   | -       | 32.90 | 8.18 | 35.03 |  |  |  |  |
| AV   | 5.3596G | 53.32    | 54.00    | -0.68  | 47.26  | 3    | Horizontal | 62      | 3.00   | -       | 32.90 | 8.19 | 35.03 |  |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
Setting 71  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 10.54113G    | 57.24             | 68.20             | -10.96         | 42.73         | 3           | Vertical  | 180            | 1.72          | -       | 38.18      | 11.24      | 34.91      |  |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
Setting 71  
03-R-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 10.54072G | 57.38    | 68.20    | -10.82 | 42.87  | 3    | Horizontal | 295     | 1.68   | -       | 38.18 | 11.24 | 34.91 |  |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

## 5310MHz\_TX




EUT\_Y\_4TX  
Setting 66  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.2986G      | 111.13            | Inf               | -Inf           | 105.13        | 3           | Vertical  | 291            | 1.57          | -       | 32.90      | 8.15       | 35.05      |  |  |  |
| AV   | 5.2986G      | 102.74            | Inf               | -Inf           | 96.74         | 3           | Vertical  | 291            | 1.57          | -       | 32.90      | 8.15       | 35.05      |  |  |  |
| PK   | 5.3512G      | 59.46             | 74.00             | -14.54         | 53.41         | 3           | Vertical  | 291            | 1.57          | -       | 32.90      | 8.18       | 35.03      |  |  |  |
| AV   | 5.3508G      | 51.38             | 54.00             | -2.62          | 45.33         | 3           | Vertical  | 291            | 1.57          | -       | 32.90      | 8.18       | 35.03      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
Setting 66  
05-R-G-4-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.3248G | 112.25   | Inf      | -Inf   | 106.22 | 3    | Horizontal | 63      | 3.00   | -       | 32.90 | 8.17 | 35.04 |  |  |  |  |
| AV   | 5.321G  | 104.06   | Inf      | -Inf   | 98.03  | 3    | Horizontal | 63      | 3.00   | -       | 32.90 | 8.17 | 35.04 |  |  |  |  |
| PK   | 5.3538G | 64.65    | 74.00    | -9.35  | 58.60  | 3    | Horizontal | 63      | 3.00   | -       | 32.90 | 8.18 | 35.03 |  |  |  |  |
| AV   | 5.3534G | 53.91    | 54.00    | -0.09  | 47.86  | 3    | Horizontal | 63      | 3.00   | -       | 32.90 | 8.18 | 35.03 |  |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
Setting 66  
03-R-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.62244G | 57.76    | 74.00    | -16.24 | 43.21  | 3    | Vertical  | 105     | 2.67   | -       | 38.20 | 11.27 | 34.92 |  |  |  |
| AV   | 10.61822G | 48.36    | 54.00    | -5.64  | 33.81  | 3    | Vertical  | 105     | 2.67   | -       | 38.20 | 11.27 | 34.92 |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX


5310MHz\_TX

EUT Y\_4TX  
Setting 66  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.62248G    | 57.94             | 74.00             | -16.06         | 43.39         | 3           | Horizontal | 234            | 2.36          | -       | 38.20      | 11.27      | 34.92      |  |  |  |
| AV   | 10.62186G    | 48.60             | 54.00             | -5.40          | 34.05         | 3           | Horizontal | 234            | 2.36          | -       | 38.20      | 11.27      | 34.92      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

### 5290MHz\_TX




EUT\_Y\_4TX  
Setting 69  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.113G       | 57.03             | 74.00             | -16.97         | 51.07         | 3           | Vertical  | 48             | 1.80          | -       | 33.03      | 8.05       | 35.12      |
| AV   | 5.148G       | 48.25             | 54.00             | -5.75          | 42.19         | 3           | Vertical  | 48             | 1.80          | -       | 33.10      | 8.07       | 35.11      |
| PK   | 5.284G       | 108.06            | Inf               | -Inf           | 102.04        | 3           | Vertical  | 48             | 1.80          | -       | 32.93      | 8.15       | 35.06      |
| AV   | 5.284G       | 100.68            | Inf               | -Inf           | 94.66         | 3           | Vertical  | 48             | 1.80          | -       | 32.93      | 8.15       | 35.06      |
| PK   | 5.35G        | 59.46             | 74.00             | -14.54         | 53.41         | 3           | Vertical  | 48             | 1.80          | -       | 32.90      | 8.18       | 35.03      |
| AV   | 5.35G        | 51.64             | 54.00             | -2.36          | 45.59         | 3           | Vertical  | 48             | 1.80          | -       | 32.90      | 8.18       | 35.03      |
| PK   | 5.498G       | 56.22             | 68.20             | -11.98         | 49.90         | 3           | Vertical  | 48             | 1.80          | -       | 33.00      | 8.30       | 34.98      |

## 5.25-5.35GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

## 5290MHz\_TX




EUT\_Y\_4TX  
Setting 69  
05-R-G-4-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.1415G      | 56.35             | 74.00             | -17.65         | 50.32         | 3           | Horizontal | 59             | 3.00          | -       | 33.08      | 8.06       | 35.11      |
| AV   | 5.138G       | 48.47             | 54.00             | -5.53          | 42.44         | 3           | Horizontal | 59             | 3.00          | -       | 33.08      | 8.06       | 35.11      |
| PK   | 5.3015G      | 109.21            | Inf               | -Inf           | 103.20        | 3           | Horizontal | 59             | 3.00          | -       | 32.90      | 8.16       | 35.05      |
| AV   | 5.279G       | 102.20            | Inf               | -Inf           | 96.18         | 3           | Horizontal | 59             | 3.00          | -       | 32.94      | 8.14       | 35.06      |
| PK   | 5.352G       | 61.76             | 74.00             | -12.24         | 55.71         | 3           | Horizontal | 59             | 3.00          | -       | 32.90      | 8.18       | 35.03      |
| AV   | 5.355G       | 53.79             | 54.00             | -0.21          | 47.73         | 3           | Horizontal | 59             | 3.00          | -       | 32.90      | 8.19       | 35.03      |
| PK   | 5.474G       | 56.64             | 68.20             | -11.56         | 50.40         | 3           | Horizontal | 59             | 3.00          | -       | 32.95      | 8.28       | 34.99      |

5.25-5.35GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
Setting 69  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 10.58153G    | 57.85             | 68.20             | -10.35         | 43.30         | 3           | Vertical  | 274            | 1.78          | -       | 38.20      | 11.26      | 34.91      |  |  |  |  |

5.25-5.35GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

5290MHz\_TX



EUT Y\_4TX  
Setting 69  
03-R-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 10.57934G    | 57.73             | 68.20             | -10.47         | 43.19         | 3           | Horizontal | 79             | 2.77          | -       | 38.20      | 11.25      | 34.91      |  |  |  |  |




Test Mode: Mode 2

**Summary**

| Mode                     | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5.25-5.35GHz             | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11a_Nss1.(6Mbps)_4TX | Pass   | AV   | 5.35G        | 53.99             | 54.00             | -0.01          | 3           | Horizontal | 271            | 1.59          | -        |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5260MHz\_TX

EUT\_Y\_1TX  
Setting 97  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1475G      | 55.22             | 74.00             | -18.78         | 48.67         | 3           | Vertical  | 340            | 2.06          | -       | 33.50      | 6.77       | 33.72      |  |  |  |
| AV   | 5.1412G      | 45.38             | 54.00             | -8.62          | 38.84         | 3           | Vertical  | 340            | 2.06          | -       | 33.50      | 6.76       | 33.72      |  |  |  |
| PK   | 5.2645G      | 107.61            | Inf               | -Inf           | 100.67        | 3           | Vertical  | 340            | 2.06          | -       | 33.83      | 6.86       | 33.75      |  |  |  |
| AV   | 5.2618G      | 98.20             | Inf               | -Inf           | 91.27         | 3           | Vertical  | 340            | 2.06          | -       | 33.82      | 6.86       | 33.75      |  |  |  |
| PK   | 5.3557G      | 59.74             | 74.00             | -14.26         | 52.92         | 3           | Vertical  | 340            | 2.06          | -       | 33.72      | 6.87       | 33.77      |  |  |  |
| AV   | 5.353G       | 46.67             | 54.00             | -7.33          | 39.86         | 3           | Vertical  | 340            | 2.06          | -       | 33.71      | 6.87       | 33.77      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




EUT\_Y\_1TX  
Setting 97  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1457G      | 57.11             | 74.00             | -16.89         | 50.56         | 3           | Horizontal | 298            | 1.80          | -       | 33.50      | 6.77       | 33.72      |  |  |  |
| AV   | 5.1472G      | 46.74             | 54.00             | -7.26          | 40.19         | 3           | Horizontal | 298            | 1.80          | -       | 33.50      | 6.77       | 33.72      |  |  |  |
| PK   | 5.2669G      | 116.37            | Inf               | -Inf           | 109.43        | 3           | Horizontal | 298            | 1.80          | -       | 33.83      | 6.86       | 33.75      |  |  |  |
| AV   | 5.263G       | 107.76            | Inf               | -Inf           | 100.82        | 3           | Horizontal | 298            | 1.80          | -       | 33.83      | 6.86       | 33.75      |  |  |  |
| PK   | 5.3596G      | 62.83             | 74.00             | -11.17         | 55.99         | 3           | Horizontal | 298            | 1.80          | -       | 33.74      | 6.87       | 33.77      |  |  |  |
| AV   | 5.3524G      | 48.96             | 54.00             | -5.04          | 42.15         | 3           | Horizontal | 298            | 1.80          | -       | 33.71      | 6.87       | 33.77      |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

## 5260MHz\_TX




EUT\_Y\_1TX  
Setting 97  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.52492G    | 58.25             | 68.20             | -9.95          | 38.46         | 3           | Vertical  | 118            | 1.35          | -       | 38.55      | 12.05      | 30.81      |  |  |  |
| PK   | 15.77577G    | 61.35             | 74.00             | -12.65         | 41.15         | 3           | Vertical  | 306            | 1.80          | -       | 37.45      | 14.64      | 31.89      |  |  |  |
| AV   | 15.79395G    | 50.64             | 54.00             | -3.36          | 30.47         | 3           | Vertical  | 306            | 1.80          | -       | 37.41      | 14.65      | 31.89      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5260MHz\_TX

EUT\_Y\_1TX  
Setting 97  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.51133G    | 57.29             | 68.20             | -10.91         | 37.77         | 3           | Horizontal | 111            | 1.80          | -       | 38.30      | 12.04      | 30.82      |  |  |  |
| PK   | 15.77466G    | 62.16             | 74.00             | -11.84         | 41.96         | 3           | Horizontal | 217            | 1.80          | -       | 37.45      | 14.64      | 31.89      |  |  |  |
| AV   | 15.77775G    | 51.02             | 54.00             | -2.98          | 30.83         | 3           | Horizontal | 217            | 1.80          | -       | 37.44      | 14.64      | 31.89      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5300MHz\_TX

EUT\_Y\_1TX  
Setting 91  
06-E-5-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.2988G      | 105.10            | Inf               | -Inf           | 98.10         | 3           | Vertical  | 338            | 2.09          | -       | 33.90      | 6.86       | 33.76      |  |  |  |
| AV   | 5.3021G      | 96.53             | Inf               | -Inf           | 89.53         | 3           | Vertical  | 338            | 2.09          | -       | 33.89      | 6.87       | 33.76      |  |  |  |
| PK   | 5.3513G      | 57.52             | 74.00             | -16.48         | 50.71         | 3           | Vertical  | 338            | 2.09          | -       | 33.71      | 6.87       | 33.77      |  |  |  |
| AV   | 5.3573G      | 46.81             | 54.00             | -7.19          | 39.98         | 3           | Vertical  | 338            | 2.09          | -       | 33.73      | 6.87       | 33.77      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




EUT Y\_1TX  
Setting 91  
06-E-S-5-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.3048G | 116.13   | Inf      | -Inf   | 109.14 | 3    | Horizontal | 308     | 1.36   | -       | 33.88 | 6.87 | 33.76 |  |  |  |
| AV   | 5.3018G | 107.80   | Inf      | -Inf   | 100.80 | 3    | Horizontal | 308     | 1.36   | -       | 33.89 | 6.87 | 33.76 |  |  |  |
| PK   | 5.351G  | 66.40    | 74.00    | -7.60  | 59.60  | 3    | Horizontal | 308     | 1.36   | -       | 33.70 | 6.87 | 33.77 |  |  |  |
| AV   | 5.351G  | 53.80    | 54.00    | -0.20  | 47.00  | 3    | Horizontal | 308     | 1.36   | -       | 33.70 | 6.87 | 33.77 |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5300MHz\_TX

EUT\_Y\_1TX  
Setting 91  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.60909G    | 57.32             | 74.00             | -16.68         | 37.61         | 3           | Vertical  | 40             | 2.22          | -       | 38.40      | 12.09      | 30.78      |  |  |  |
| PK   | 15.8877G     | 61.88             | 74.00             | -12.12         | 41.36         | 3           | Vertical  | 296            | 1.64          | -       | 37.65      | 14.73      | 31.86      |  |  |  |
| AV   | 15.89421G    | 51.16             | 54.00             | -2.84          | 30.60         | 3           | Vertical  | 296            | 1.64          | -       | 37.68      | 14.74      | 31.86      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5300MHz\_TX

EUT\_Y\_1TX  
Setting 91  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.59868G    | 57.10             | 68.20             | -11.10         | 37.40         | 3           | Horizontal | 20             | 1.80          | -       | 38.40      | 12.08      | 30.78      |  |  |  |
| PK   | 15.88887G    | 62.03             | 74.00             | -11.97         | 41.50         | 3           | Horizontal | 213            | 1.80          | -       | 37.66      | 14.73      | 31.86      |  |  |  |
| AV   | 15.89463G    | 50.80             | 54.00             | -3.20          | 30.24         | 3           | Horizontal | 213            | 1.80          | -       | 37.68      | 14.74      | 31.86      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




EUT\_Y\_1TX  
Setting 80  
06-E-S-5-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.3168G | 102.18   | Inf      | -Inf   | 95.24  | 3    | Vertical  | 342     | 2.10   | -       | 33.83 | 6.87 | 33.76 |  |  |  |
| AV   | 5.3166G | 93.76    | Inf      | -Inf   | 86.82  | 3    | Vertical  | 342     | 2.10   | -       | 33.83 | 6.87 | 33.76 |  |  |  |
| PK   | 5.355G  | 57.73    | 74.00    | -16.27 | 50.91  | 3    | Vertical  | 342     | 2.10   | -       | 33.72 | 6.87 | 33.77 |  |  |  |
| AV   | 5.3852G | 46.25    | 54.00    | -7.75  | 39.31  | 3    | Vertical  | 342     | 2.10   | -       | 33.84 | 6.88 | 33.78 |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




EUT Y\_1TX  
Setting 80  
06-E-5-5-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.3182G | 115.29   | Inf      | -Inf   | 108.35 | 3    | Horizontal | 283     | 2.80   | -       | 33.83 | 6.87 | 33.76 |  |  |  |
| AV   | 5.322G  | 106.45   | Inf      | -Inf   | 99.53  | 3    | Horizontal | 283     | 2.80   | -       | 33.81 | 6.87 | 33.76 |  |  |  |
| PK   | 5.3558G | 70.85    | 74.00    | -3.15  | 64.03  | 3    | Horizontal | 283     | 2.80   | -       | 33.72 | 6.87 | 33.77 |  |  |  |
| AV   | 5.35G   | 53.80    | 54.00    | -0.20  | 47.00  | 3    | Horizontal | 283     | 2.80   | -       | 33.70 | 6.87 | 33.77 |  |  |  |

### 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

#### 5320MHz\_TX




EUT\_Y\_1TX  
Setting 80  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.6496G     | 58.03             | 74.00             | -15.97         | 38.29         | 3           | Vertical  | 221            | 2.80          | -       | 38.40      | 12.11      | 30.77      |  |  |  |
| AV   | 10.6385G     | 46.79             | 54.00             | -7.21          | 27.06         | 3           | Vertical  | 221            | 2.80          | -       | 38.40      | 12.10      | 30.77      |  |  |  |
| PK   | 15.94878G    | 61.30             | 74.00             | -12.70         | 40.85         | 3           | Vertical  | 130            | 2.12          | -       | 37.50      | 14.79      | 31.84      |  |  |  |
| AV   | 15.95184G    | 50.79             | 54.00             | -3.21          | 30.34         | 3           | Vertical  | 130            | 2.12          | -       | 37.50      | 14.79      | 31.84      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




EUT\_Y\_1TX  
Setting 80  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.63523G    | 57.38             | 74.00             | -16.62         | 37.65         | 3           | Horizontal | 9              | 2.36          | -       | 38.40      | 12.10      | 30.77      |  |  |  |
| AV   | 10.65245G    | 46.71             | 54.00             | -7.29          | 26.97         | 3           | Horizontal | 9              | 2.36          | -       | 38.40      | 12.11      | 30.77      |  |  |  |
| PK   | 15.94524G    | 61.16             | 74.00             | -12.84         | 40.71         | 3           | Horizontal | 194            | 2.09          | -       | 37.52      | 14.78      | 31.85      |  |  |  |
| AV   | 15.94953G    | 50.62             | 54.00             | -3.38          | 30.17         | 3           | Horizontal | 194            | 2.09          | -       | 37.50      | 14.79      | 31.84      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
Setting 82  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.413G       | 56.79             | 74.00             | -17.21         | 49.80         | 3           | Vertical  | 339            | 2.10          | -       | 33.90      | 6.88       | 33.79      |  |  |  |
| PK   | 5.4692G      | 57.38             | 68.20             | -10.82         | 50.43         | 3           | Vertical  | 339            | 2.10          | -       | 33.86      | 6.89       | 33.80      |  |  |  |
| AV   | 5.4522G      | 46.25             | 54.00             | -7.75          | 39.26         | 3           | Vertical  | 339            | 2.10          | -       | 33.90      | 6.89       | 33.80      |  |  |  |
| PK   | 5.494G       | 103.07            | Inf               | -Inf           | 96.18         | 3           | Vertical  | 339            | 2.10          | -       | 33.81      | 6.89       | 33.81      |  |  |  |
| AV   | 5.5016G      | 94.60             | Inf               | -Inf           | 87.71         | 3           | Vertical  | 339            | 2.10          | -       | 33.80      | 6.90       | 33.81      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
Setting 82  
06-E-S-5-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.4568G | 65.56    | 74.00    | -8.44  | 58.58  | 3    | Horizontal | 282     | 1.02   | -       | 33.89 | 6.89 | 33.80 |  |  |  |
| AV   | 5.4592G | 53.12    | 54.00    | -0.88  | 46.15  | 3    | Horizontal | 282     | 1.02   | -       | 33.88 | 6.89 | 33.80 |  |  |  |
| PK   | 5.4694G | 67.96    | 68.20    | -0.24  | 61.01  | 3    | Horizontal | 282     | 1.02   | -       | 33.86 | 6.89 | 33.80 |  |  |  |
| PK   | 5.4942G | 115.38   | Inf      | -Inf   | 108.49 | 3    | Horizontal | 282     | 1.02   | -       | 33.81 | 6.89 | 33.81 |  |  |  |
| AV   | 5.4944G | 106.84   | Inf      | -Inf   | 99.95  | 3    | Horizontal | 282     | 1.02   | -       | 33.81 | 6.89 | 33.81 |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5500MHz\_TX

EUT\_Y\_1TX  
Setting 82  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.00645G    | 58.06             | 74.00             | -15.94         | 38.00         | 3           | Vertical  | 55             | 1.80          | -       | 38.41      | 12.29      | 30.64      |  |  |  |
| AV   | 11.00645G    | 47.69             | 54.00             | -6.31          | 27.63         | 3           | Vertical  | 55             | 1.80          | -       | 38.41      | 12.29      | 30.64      |  |  |  |
| PK   | 16.48557G    | 63.34             | 68.20             | -4.86          | 41.61         | 3           | Vertical  | 353            | 1.80          | -       | 38.74      | 14.93      | 31.94      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5500MHz\_TX

EUT\_Y\_1TX  
Setting 82  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.99091G    | 58.12             | 74.00             | -15.88         | 38.08         | 3           | Horizontal | 318            | 2.11          | -       | 38.40      | 12.28      | 30.64      |  |  |  |
| AV   | 11.00447G    | 47.80             | 54.00             | -6.20          | 27.74         | 3           | Horizontal | 318            | 2.11          | -       | 38.41      | 12.29      | 30.64      |  |  |  |
| PK   | 16.48854G    | 62.74             | 68.20             | -5.46          | 41.00         | 3           | Horizontal | 43             | 1.80          | -       | 38.75      | 14.93      | 31.94      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5580MHz\_TX

EUT\_Y\_1TX  
Setting 99  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.402G       | 56.87             | 74.00             | -17.13         | 49.87         | 3           | Vertical  | 337            | 3.00          | -       | 33.90      | 6.88       | 33.78      |  |  |  |
| PK   | 5.47G        | 57.68             | 68.20             | -10.52         | 50.73         | 3           | Vertical  | 337            | 3.00          | -       | 33.86      | 6.89       | 33.80      |  |  |  |
| AV   | 5.4584G      | 45.94             | 54.00             | -8.06          | 38.97         | 3           | Vertical  | 337            | 3.00          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| PK   | 5.574G       | 109.82            | Inf               | -Inf           | 103.01        | 3           | Vertical  | 337            | 3.00          | -       | 33.70      | 6.91       | 33.80      |  |  |  |
| AV   | 5.5752G      | 100.49            | Inf               | -Inf           | 93.68         | 3           | Vertical  | 337            | 3.00          | -       | 33.70      | 6.91       | 33.80      |  |  |  |
| PK   | 5.7392G      | 56.50             | 68.20             | -11.70         | 49.50         | 3           | Vertical  | 337            | 3.00          | -       | 33.68      | 7.10       | 33.78      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5580MHz\_TX




EUT\_Y\_1TX  
Setting 99  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4592G      | 64.95             | 74.00             | -9.05          | 57.98         | 3           | Horizontal | 276            | 1.00          | -       | 33.88      | 6.89       | 33.80      |
| AV   | 5.46G        | 51.39             | 54.00             | -2.61          | 44.42         | 3           | Horizontal | 276            | 1.00          | -       | 33.88      | 6.89       | 33.80      |
| PK   | 5.4612G      | 67.00             | 68.20             | -1.20          | 60.03         | 3           | Horizontal | 276            | 1.00          | -       | 33.88      | 6.89       | 33.80      |
| PK   | 5.5772G      | 119.21            | Inf               | -Inf           | 112.41        | 3           | Horizontal | 276            | 1.00          | -       | 33.69      | 6.91       | 33.80      |
| AV   | 5.5852G      | 109.79            | Inf               | -Inf           | 103.02        | 3           | Horizontal | 276            | 1.00          | -       | 33.66      | 6.91       | 33.80      |
| PK   | 5.7372G      | 60.97             | 68.20             | -7.23          | 53.98         | 3           | Horizontal | 276            | 1.00          | -       | 33.67      | 7.10       | 33.78      |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5580MHz\_TX

EUT\_Y\_1TX  
Setting 99  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.14548G    | 58.36             | 74.00             | -15.64         | 38.22         | 3           | Vertical  | 315            | 2.04          | -       | 38.51      | 12.36      | 30.73      |  |  |  |
| AV   | 11.16651G    | 47.41             | 54.00             | -6.59          | 27.29         | 3           | Vertical  | 315            | 2.04          | -       | 38.50      | 12.37      | 30.75      |  |  |  |
| PK   | 16.74726G    | 63.77             | 68.20             | -4.43          | 40.82         | 3           | Vertical  | 161            | 1.80          | -       | 39.99      | 14.98      | 32.02      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5580MHz\_TX

EUT\_Y\_1TX  
Setting 99  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.15166G    | 58.04             | 74.00             | -15.96         | 37.92         | 3           | Horizontal | 96             | 2.93          | -       | 38.50      | 12.36      | 30.74      |  |  |  |
| AV   | 11.15922G    | 47.66             | 54.00             | -6.34          | 27.53         | 3           | Horizontal | 96             | 2.93          | -       | 38.50      | 12.37      | 30.74      |  |  |  |
| PK   | 16.72869G    | 64.45             | 68.20             | -3.75          | 41.53         | 3           | Horizontal | 4              | 1.49          | -       | 39.96      | 14.98      | 32.02      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




EUT Y\_1TX  
Setting 64  
04-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6965G      | 99.60             | Inf               | -Inf           | 102.31        | 3           | Vertical  | 351            | 2.97          | -       | 31.99      | 8.80       | 43.50      |  |  |  |
| AV   | 5.6961G      | 90.72             | Inf               | -Inf           | 93.44         | 3           | Vertical  | 351            | 2.97          | -       | 31.98      | 8.80       | 43.50      |  |  |  |
| PK   | 5.7283G      | 60.47             | 68.20             | -7.73          | 63.05         | 3           | Vertical  | 351            | 2.97          | -       | 32.06      | 8.83       | 43.47      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




EUT Y\_1TX  
Setting 64  
04-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6931G      | 109.29            | Inf               | -Inf           | 112.03        | 3           | Horizontal | 299            | 2.44          | -       | 31.97      | 8.80       | 43.51      |  |  |  |
| AV   | 5.6946G      | 100.37            | Inf               | -Inf           | 103.10        | 3           | Horizontal | 299            | 2.44          | -       | 31.98      | 8.80       | 43.51      |  |  |  |
| PK   | 5.7263G      | 67.34             | 68.20             | -0.86          | 69.93         | 3           | Horizontal | 299            | 2.44          | -       | 32.05      | 8.83       | 43.47      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5700MHz\_TX

EUT\_Y\_1TX  
Setting 64  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.38737G    | 58.38             | 74.00             | -15.62         | 38.09         | 3           | Vertical  | 155            | 2.00          | -       | 38.70      | 12.48      | 30.89      |  |  |  |
| AV   | 11.39151G    | 48.08             | 54.00             | -5.92          | 27.79         | 3           | Vertical  | 155            | 2.00          | -       | 38.70      | 12.48      | 30.89      |  |  |  |
| PK   | 17.11413G    | 65.13             | 68.20             | -3.07          | 40.63         | 3           | Vertical  | 316            | 1.80          | -       | 41.46      | 15.06      | 32.02      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5700MHz\_TX

EUT\_Y\_1TX  
Setting 64  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.3871G     | 58.83             | 74.00             | -15.17         | 38.54         | 3           | Horizontal | 196            | 1.80          | -       | 38.70      | 12.48      | 30.89      |  |  |  |
| AV   | 11.38725G    | 47.95             | 54.00             | -6.05          | 27.66         | 3           | Horizontal | 196            | 1.80          | -       | 38.70      | 12.48      | 30.89      |  |  |  |
| PK   | 17.10141G    | 65.06             | 68.20             | -3.14          | 40.62         | 3           | Horizontal | 338            | 1.80          | -       | 41.41      | 15.06      | 32.03      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_1TX  
Setting 98  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4266G      | 55.56             | 74.00             | -18.44         | 48.57         | 3           | Vertical  | 344            | 2.97          | -       | 33.90      | 6.88       | 33.79      |  |  |  |
| AV   | 5.4446G      | 45.42             | 54.00             | -8.58          | 38.43         | 3           | Vertical  | 344            | 2.97          | -       | 33.90      | 6.89       | 33.80      |  |  |  |
| PK   | 5.4692G      | 55.03             | 68.20             | -13.17         | 48.08         | 3           | Vertical  | 344            | 2.97          | -       | 33.86      | 6.89       | 33.80      |  |  |  |
| PK   | 5.7266G      | 107.69            | Inf               | -Inf           | 100.74        | 3           | Vertical  | 344            | 2.97          | -       | 33.65      | 7.08       | 33.78      |  |  |  |
| AV   | 5.7254G      | 98.16             | Inf               | -Inf           | 91.21         | 3           | Vertical  | 344            | 2.97          | -       | 33.65      | 7.08       | 33.78      |  |  |  |
| PK   | 5.8586G      | 56.63             | 68.20             | -11.57         | 49.25         | 3           | Vertical  | 344            | 2.97          | -       | 33.93      | 7.22       | 33.77      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_1TX  
Setting 98  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4416G      | 57.36             | 74.00             | -16.64         | 50.36         | 3           | Horizontal | 278.9          | 1.03          | -       | 33.90      | 6.89       | 33.79      |  |  |  |
| PK   | 5.468G       | 56.74             | 68.20             | -11.46         | 49.79         | 3           | Horizontal | 278.9          | 1.03          | -       | 33.86      | 6.89       | 33.80      |  |  |  |
| AV   | 5.4596G      | 46.98             | 54.00             | -7.02          | 40.01         | 3           | Horizontal | 278.9          | 1.03          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| PK   | 5.7182G      | 119.02            | Inf               | -Inf           | 112.09        | 3           | Horizontal | 278.9          | 1.03          | -       | 33.64      | 7.07       | 33.78      |  |  |  |
| AV   | 5.7164G      | 109.30            | Inf               | -Inf           | 102.38        | 3           | Horizontal | 278.9          | 1.03          | -       | 33.63      | 7.07       | 33.78      |  |  |  |
| PK   | 5.855G       | 62.68             | 68.20             | -5.52          | 55.31         | 3           | Horizontal | 278.9          | 1.03          | -       | 33.92      | 7.22       | 33.77      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX

EUT\_V\_1TX  
Setting 98  
02-D-L-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.4265G  | 59.10    | 74.00    | -14.90 | 38.76  | 3    | Vertical  | 228     | 2.19   | -       | 38.75 | 12.50 | 30.91 |  |  |  |
| AV   | 11.42746G | 48.18    | 54.00    | -5.82  | 27.84  | 3    | Vertical  | 228     | 2.19   | -       | 38.75 | 12.50 | 30.91 |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX

EUT\_V\_1TX  
Setting 98  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.45125G    | 59.02             | 74.00             | -14.98         | 38.64         | 3           | Horizontal | 237            | 1.80          | -       | 38.80      | 12.51      | 30.93      |  |  |  |
| AV   | 11.44375G    | 48.34             | 54.00             | -5.66          | 27.96         | 3           | Horizontal | 237            | 1.80          | -       | 38.79      | 12.51      | 30.92      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5260MHz\_TX

EUT\_Y\_1TX  
Setting 96  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1307G      | 55.05             | 74.00             | -18.95         | 48.51         | 3           | Vertical  | 338            | 2.05          | -       | 33.50      | 6.75       | 33.71      |  |  |  |
| AV   | 5.1316G      | 44.89             | 54.00             | -9.11          | 38.35         | 3           | Vertical  | 338            | 2.05          | -       | 33.50      | 6.75       | 33.71      |  |  |  |
| PK   | 5.2537G      | 109.52            | Inf               | -Inf           | 102.60        | 3           | Vertical  | 338            | 2.05          | -       | 33.81      | 6.86       | 33.75      |  |  |  |
| AV   | 5.2576G      | 98.21             | Inf               | -Inf           | 91.28         | 3           | Vertical  | 338            | 2.05          | -       | 33.82      | 6.86       | 33.75      |  |  |  |
| PK   | 5.356G       | 57.48             | 74.00             | -16.52         | 50.66         | 3           | Vertical  | 338            | 2.05          | -       | 33.72      | 6.87       | 33.77      |  |  |  |
| AV   | 5.3536G      | 46.26             | 54.00             | -7.74          | 39.45         | 3           | Vertical  | 338            | 2.05          | -       | 33.71      | 6.87       | 33.77      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5260MHz\_TX

EUT\_Y\_1TX  
Setting 96  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1469G      | 60.74             | 74.00             | -13.26         | 54.19         | 3           | Horizontal | 286.9          | 2.83          | -       | 33.50      | 6.77       | 33.72      |  |  |  |
| AV   | 5.1496G      | 47.36             | 54.00             | -6.64          | 40.80         | 3           | Horizontal | 286.9          | 2.83          | -       | 33.50      | 6.78       | 33.72      |  |  |  |
| PK   | 5.2645G      | 120.01            | Inf               | -Inf           | 113.07        | 3           | Horizontal | 286.9          | 2.83          | -       | 33.83      | 6.86       | 33.75      |  |  |  |
| AV   | 5.2612G      | 109.40            | Inf               | -Inf           | 102.47        | 3           | Horizontal | 286.9          | 2.83          | -       | 33.82      | 6.86       | 33.75      |  |  |  |
| PK   | 5.3536G      | 67.70             | 74.00             | -6.30          | 60.89         | 3           | Horizontal | 286.9          | 2.83          | -       | 33.71      | 6.87       | 33.77      |  |  |  |
| AV   | 5.35G        | 53.87             | 54.00             | -0.13          | 47.07         | 3           | Horizontal | 286.9          | 2.83          | -       | 33.70      | 6.87       | 33.77      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5260MHz\_TX

EUT\_Y\_1TX  
SET96  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.5385G     | 58.05             | 68.20             | -10.15         | 43.54         | 3           | Vertical  | 181            | 2.68          | 96      | 38.18      | 11.24      | 34.91      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5260MHz\_TX




EUT\_Y\_1TX  
SET96  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.50601G    | 58.29             | 68.20             | -9.91          | 43.86         | 3           | Horizontal | 65             | 1.80          | 96      | 38.11      | 11.22      | 34.90      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




EUT\_Y\_1TX  
Setting 87  
06-E-S-5-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 5.3014G | 106.25   | Inf      | -Inf   | 99.25  | 3    | Vertical  | 14      | 1.93   | -       | 33.89 | 6.87 | 33.76 |  |  |  |  |
| AV   | 5.2968G | 94.86    | Inf      | -Inf   | 87.87  | 3    | Vertical  | 14      | 1.93   | -       | 33.89 | 6.86 | 33.76 |  |  |  |  |
| PK   | 5.3824G | 56.70    | 74.00    | -17.30 | 49.77  | 3    | Vertical  | 14      | 1.93   | -       | 33.83 | 6.88 | 33.78 |  |  |  |  |
| AV   | 5.3534G | 46.01    | 54.00    | -7.99  | 39.20  | 3    | Vertical  | 14      | 1.93   | -       | 33.71 | 6.87 | 33.77 |  |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




EUT Y\_1TX  
Setting 87  
06-E-5-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.2952G      | 118.09            | Inf               | -Inf           | 111.10        | 3           | Horizontal | 303            | 1.38          | -       | 33.89      | 6.86       | 33.76      |  |  |  |
| AV   | 5.303G       | 106.09            | Inf               | -Inf           | 99.09         | 3           | Horizontal | 303            | 1.38          | -       | 33.89      | 6.87       | 33.76      |  |  |  |
| PK   | 5.3502G      | 69.24             | 74.00             | -4.76          | 62.44         | 3           | Horizontal | 303            | 1.38          | -       | 33.70      | 6.87       | 33.77      |  |  |  |
| AV   | 5.3508G      | 53.76             | 54.00             | -0.24          | 46.96         | 3           | Horizontal | 303            | 1.38          | -       | 33.70      | 6.87       | 33.77      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5300MHz\_TX

EUT Y\_1TX  
SET 87  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.58062G | 58.64    | 68.20    | -9.56  | 44.09  | 3    | Vertical  | 237     | 1.80   | 87      | 38.20 | 11.26 | 34.91 |  |  |  |
| AV   | 10.61554G | 48.56    | 54.00    | -5.44  | 34.01  | 3    | Vertical  | 237     | 1.80   | 87      | 38.20 | 11.27 | 34.92 |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




EUT\_Y\_1TX  
SET 87  
06-E-S-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |  |
| PK   | 10.5847G | 58.73    | 68.20    | -9.47  | 44.19  | 3    | Horizontal | 72      | 2.49   | 87      | 38.20 | 11.26 | 34.92 |  |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5320MHz\_TX




EUT\_Y\_1TX  
Setting 80  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3192G      | 104.49            | Inf               | -Inf           | 97.56         | 3           | Vertical  | 338            | 2.09          | -       | 33.82      | 6.87       | 33.76      |  |  |  |
| AV   | 5.3162G      | 93.26             | Inf               | -Inf           | 86.31         | 3           | Vertical  | 338            | 2.09          | -       | 33.84      | 6.87       | 33.76      |  |  |  |
| PK   | 5.3562G      | 56.53             | 74.00             | -17.47         | 49.71         | 3           | Vertical  | 338            | 2.09          | -       | 33.72      | 6.87       | 33.77      |  |  |  |
| AV   | 5.3672G      | 45.85             | 54.00             | -8.15          | 38.98         | 3           | Vertical  | 338            | 2.09          | -       | 33.77      | 6.88       | 33.78      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5320MHz\_TX




EUT Y\_1TX  
Setting 80  
06-E-5-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.316G       | 115.63            | Inf               | -Inf           | 108.68        | 3           | Horizontal | 272            | 1.22          | -       | 33.84      | 6.87       | 33.76      |  |  |  |
| AV   | 5.316G       | 104.02            | Inf               | -Inf           | 97.07         | 3           | Horizontal | 272            | 1.22          | -       | 33.84      | 6.87       | 33.76      |  |  |  |
| PK   | 5.3594G      | 69.22             | 74.00             | -4.78          | 62.38         | 3           | Horizontal | 272            | 1.22          | -       | 33.74      | 6.87       | 33.77      |  |  |  |
| AV   | 5.35G        | 53.79             | 54.00             | -0.21          | 46.99         | 3           | Horizontal | 272            | 1.22          | -       | 33.70      | 6.87       | 33.77      |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5320MHz\_TX

EUT\_Y\_1TX  
SET 80  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.63073G | 58.56    | 74.00    | -15.44 | 44.00  | 3    | Vertical  | 221     | 1.80   | 80      | 38.20 | 11.28 | 34.92 |  |  |  |
| AV   | 10.64799G | 49.22    | 54.00    | -4.78  | 34.67  | 3    | Vertical  | 221     | 1.80   | 80      | 38.20 | 11.28 | 34.93 |  |  |  |

5.25-5.35GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5320MHz\_TX

EUT\_Y\_1TX  
SET 80  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.65822G    | 58.73             | 74.00             | -15.27         | 44.17         | 3           | Horizontal | 68             | 1.80          | 80      | 38.20      | 11.29      | 34.93      |  |  |  |
| AV   | 10.64488G    | 49.27             | 54.00             | -4.73          | 34.72         | 3           | Horizontal | 68             | 1.80          | 80      | 38.20      | 11.28      | 34.93      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
Setting 81  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4594G      | 57.84             | 74.00             | -16.16         | 50.87         | 3           | Vertical  | 340            | 1.95          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| AV   | 5.4556G      | 47.11             | 54.00             | -6.89          | 40.13         | 3           | Vertical  | 340            | 1.95          | -       | 33.89      | 6.89       | 33.80      |  |  |  |
| PK   | 5.4638G      | 57.24             | 68.20             | -10.96         | 50.28         | 3           | Vertical  | 340            | 1.95          | -       | 33.87      | 6.89       | 33.80      |  |  |  |
| PK   | 5.506G       | 106.56            | Inf               | -Inf           | 99.67         | 3           | Vertical  | 340            | 1.95          | -       | 33.80      | 6.90       | 33.81      |  |  |  |
| AV   | 5.4964G      | 95.36             | Inf               | -Inf           | 88.47         | 3           | Vertical  | 340            | 1.95          | -       | 33.81      | 6.89       | 33.81      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5500MHz\_TX

EUT\_Y\_1TX  
Setting 81  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4596G      | 66.74             | 74.00             | -7.26          | 59.77         | 3           | Horizontal | 281            | 1.00          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| AV   | 5.4596G      | 53.89             | 54.00             | -0.11          | 46.92         | 3           | Horizontal | 281            | 1.00          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| PK   | 5.4604G      | 66.43             | 68.20             | -1.77          | 59.46         | 3           | Horizontal | 281            | 1.00          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| PK   | 5.4956G      | 117.16            | Inf               | -Inf           | 110.27        | 3           | Horizontal | 281            | 1.00          | -       | 33.81      | 6.89       | 33.81      |  |  |  |
| AV   | 5.4948G      | 105.74            | Inf               | -Inf           | 98.85         | 3           | Horizontal | 281            | 1.00          | -       | 33.81      | 6.89       | 33.81      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




EUT\_Y\_1TX  
SET 81  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.98106G    | 57.97             | 74.00             | -16.03         | 43.24         | 3           | Vertical  | 142            | 1.26          | 81      | 38.30      | 11.42      | 34.99      |  |  |  |
| AV   | 11.01199G    | 48.35             | 54.00             | -5.65          | 33.59         | 3           | Vertical  | 142            | 1.26          | 81      | 38.32      | 11.43      | 34.99      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5500MHz\_TX

EUT\_Y\_1TX  
SET 81  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.98506G | 58.53    | 74.00    | -15.47 | 43.80  | 3    | Horizontal | 281     | 1.80   | 81      | 38.30 | 11.42 | 34.99 |  |  |  |
| AV   | 10.98118G | 48.72    | 54.00    | -5.28  | 33.99  | 3    | Horizontal | 281     | 1.80   | 81      | 38.30 | 11.42 | 34.99 |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5580MHz\_TX

EUT\_Y\_1TX  
Setting 100  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4568G      | 57.79             | 74.00             | -16.21         | 50.81         | 3           | Vertical  | 335            | 3.00          | -       | 33.89      | 6.89       | 33.80      |  |  |  |
| AV   | 5.46G        | 46.78             | 54.00             | -7.22          | 39.81         | 3           | Vertical  | 335            | 3.00          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| PK   | 5.47G        | 57.77             | 68.20             | -10.43         | 50.82         | 3           | Vertical  | 335            | 3.00          | -       | 33.86      | 6.89       | 33.80      |  |  |  |
| PK   | 5.5728G      | 110.95            | Inf               | -Inf           | 104.13        | 3           | Vertical  | 335            | 3.00          | -       | 33.71      | 6.91       | 33.80      |  |  |  |
| AV   | 5.5712G      | 100.10            | Inf               | -Inf           | 93.27         | 3           | Vertical  | 335            | 3.00          | -       | 33.72      | 6.91       | 33.80      |  |  |  |
| PK   | 5.7268G      | 55.71             | 68.20             | -12.49         | 48.76         | 3           | Vertical  | 335            | 3.00          | -       | 33.65      | 7.08       | 33.78      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5580MHz\_TX

EUT\_Y\_1TX  
Setting 100  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4496G      | 66.64             | 74.00             | -7.36          | 59.65         | 3           | Horizontal | 268            | 1.07          | -       | 33.90      | 6.89       | 33.80      |
| PK   | 5.4664G      | 67.98             | 68.20             | -0.22          | 61.02         | 3           | Horizontal | 268            | 1.07          | -       | 33.87      | 6.89       | 33.80      |
| AV   | 5.4596G      | 53.27             | 54.00             | -0.73          | 46.30         | 3           | Horizontal | 268            | 1.07          | -       | 33.88      | 6.89       | 33.80      |
| PK   | 5.5756G      | 120.40            | Inf               | -Inf           | 113.59        | 3           | Horizontal | 268            | 1.07          | -       | 33.70      | 6.91       | 33.80      |
| AV   | 5.5856G      | 109.89            | Inf               | -Inf           | 103.12        | 3           | Horizontal | 268            | 1.07          | -       | 33.66      | 6.91       | 33.80      |
| PK   | 5.7304G      | 64.94             | 68.20             | -3.26          | 57.97         | 3           | Horizontal | 268            | 1.07          | -       | 33.66      | 7.09       | 33.78      |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5580MHz\_TX

EUT Y\_1TX  
SET 100  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.15796G    | 58.47             | 74.00             | -15.53         | 43.58         | 3           | Vertical  | 106            | 1.05          | 100     | 38.42      | 11.49      | 35.02      |  |  |  |
| AV   | 11.16048G    | 48.24             | 54.00             | -5.76          | 33.36         | 3           | Vertical  | 106            | 1.05          | 100     | 38.42      | 11.49      | 35.03      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5580MHz\_TX

EUT Y\_1TX  
SET 100  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.15768G    | 58.09             | 74.00             | -15.91         | 43.20         | 3           | Horizontal | 183            | 1.80          | 100     | 38.42      | 11.49      | 35.02      |  |  |  |
| AV   | 11.15513G    | 48.75             | 54.00             | -5.25          | 33.87         | 3           | Horizontal | 183            | 1.80          | 100     | 38.41      | 11.49      | 35.02      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




EUT Y\_1TX  
Setting 58  
04-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6913G      | 100.06            | Inf               | -Inf           | 102.80        | 3           | Vertical  | 349            | 3.00          | -       | 31.97      | 8.80       | 43.51      |  |  |  |
| AV   | 5.6936G      | 87.67             | Inf               | -Inf           | 90.41         | 3           | Vertical  | 349            | 3.00          | -       | 31.97      | 8.80       | 43.51      |  |  |  |
| PK   | 5.7251G      | 59.27             | 68.20             | -8.93          | 61.86         | 3           | Vertical  | 349            | 3.00          | -       | 32.05      | 8.83       | 43.47      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




EUT\_Y\_1TX  
Setting 58  
04-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.691G       | 111.13            | Inf               | -Inf           | 113.88        | 3           | Horizontal | 284            | 1.48          | -       | 31.96      | 8.80       | 43.51      |  |  |  |
| AV   | 5.6924G      | 97.58             | Inf               | -Inf           | 100.32        | 3           | Horizontal | 284            | 1.48          | -       | 31.97      | 8.80       | 43.51      |  |  |  |
| PK   | 5.7253G      | 67.98             | 68.20             | -0.22          | 70.57         | 3           | Horizontal | 284            | 1.48          | -       | 32.05      | 8.83       | 43.47      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5700MHz\_TX

EUT\_Y\_1TX  
SET 58  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.39489G    | 59.90             | 74.00             | -14.10         | 44.71         | 3           | Vertical  | 293            | 2.00          | 55      | 38.69      | 11.58      | 35.08      |  |  |  |
| AV   | 11.40004G    | 49.71             | 54.00             | -4.29          | 34.50         | 3           | Vertical  | 293            | 2.00          | 55      | 38.70      | 11.59      | 35.08      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




EUT\_Y\_1TX  
SET 58  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.4052G  | 59.80    | 74.00    | -14.20 | 44.58  | 3    | Horizontal | 259     | 1.80   | 55      | 38.71 | 11.59 | 35.08 |  |  |  |
| AV   | 11.40256G | 49.84    | 54.00    | -4.16  | 34.62  | 3    | Horizontal | 259     | 1.80   | 55      | 38.71 | 11.59 | 35.08 |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_1TX  
Setting 98  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4308G      | 55.76             | 74.00             | -18.24         | 48.77         | 3           | Vertical  | 338            | 3.00          | -       | 33.90      | 6.88       | 33.79      |  |  |  |
| PK   | 5.4692G      | 55.28             | 68.20             | -12.92         | 48.33         | 3           | Vertical  | 338            | 3.00          | -       | 33.86      | 6.89       | 33.80      |  |  |  |
| AV   | 5.4572G      | 45.91             | 54.00             | -8.09          | 38.93         | 3           | Vertical  | 338            | 3.00          | -       | 33.89      | 6.89       | 33.80      |  |  |  |
| PK   | 5.726G       | 109.28            | Inf               | -Inf           | 102.33        | 3           | Vertical  | 338            | 3.00          | -       | 33.65      | 7.08       | 33.78      |  |  |  |
| AV   | 5.7182G      | 98.90             | Inf               | -Inf           | 91.97         | 3           | Vertical  | 338            | 3.00          | -       | 33.64      | 7.07       | 33.78      |  |  |  |
| PK   | 5.8508G      | 57.61             | 68.20             | -10.59         | 50.26         | 3           | Vertical  | 338            | 3.00          | -       | 33.90      | 7.22       | 33.77      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_1TX  
Setting 98  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.426G       | 57.52             | 74.00             | -16.48         | 50.53         | 3           | Horizontal | 279            | 1.00          | -       | 33.90      | 6.88       | 33.79      |  |  |  |
| AV   | 5.4374G      | 47.20             | 54.00             | -6.80          | 40.20         | 3           | Horizontal | 279            | 1.00          | -       | 33.90      | 6.89       | 33.79      |  |  |  |
| PK   | 5.462G       | 56.84             | 68.20             | -11.36         | 49.87         | 3           | Horizontal | 279            | 1.00          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| PK   | 5.7158G      | 119.53            | Inf               | -Inf           | 112.61        | 3           | Horizontal | 279            | 1.00          | -       | 33.63      | 7.07       | 33.78      |  |  |  |
| AV   | 5.7212G      | 108.50            | Inf               | -Inf           | 101.57        | 3           | Horizontal | 279            | 1.00          | -       | 33.64      | 7.07       | 33.78      |  |  |  |
| PK   | 5.8538G      | 63.00             | 68.20             | -5.20          | 55.63         | 3           | Horizontal | 279            | 1.00          | -       | 33.92      | 7.22       | 33.77      |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_1TX  
SET98  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.4404G  | 58.71    | 74.00    | -15.29 | 43.42  | 3    | Vertical  | 41      | 1.64   | 98      | 38.78 | 11.60 | 35.09 |  |  |  |
| AV   | 11.42026G | 49.12    | 54.00    | -4.88  | 33.86  | 3    | Vertical  | 41      | 1.64   | 98      | 38.74 | 11.60 | 35.08 |  |  |  |

5.47-5.725GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_1TX  
SET98  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.4229G  | 58.66    | 74.00    | -15.34 | 43.39  | 3    | Horizontal | 199     | 1.80   | 98      | 38.75 | 11.60 | 35.08 |  |  |  |
| AV   | 11.42793G | 49.11    | 54.00    | -4.89  | 33.83  | 3    | Horizontal | 199     | 1.80   | 98      | 38.76 | 11.60 | 35.08 |  |  |  |

## 5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

## 5270MHz\_TX




EUT\_Y\_1TX  
Setting 84  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.132G       | 56.11             | 74.00             | -17.89         | 49.57         | 3           | Vertical  | 330            | 2.28          | -       | 33.50      | 6.75       | 33.71      |  |  |  |
| AV   | 5.1485G      | 45.27             | 54.00             | -8.73          | 38.71         | 3           | Vertical  | 330            | 2.28          | -       | 33.50      | 6.78       | 33.72      |  |  |  |
| PK   | 5.2799G      | 102.23            | Inf               | -Inf           | 95.26         | 3           | Vertical  | 330            | 2.28          | -       | 33.86      | 6.86       | 33.75      |  |  |  |
| AV   | 5.2835G      | 90.46             | Inf               | -Inf           | 83.48         | 3           | Vertical  | 330            | 2.28          | -       | 33.87      | 6.86       | 33.75      |  |  |  |
| PK   | 5.3735G      | 56.82             | 74.00             | -17.18         | 49.93         | 3           | Vertical  | 330            | 2.28          | -       | 33.79      | 6.88       | 33.78      |  |  |  |
| AV   | 5.3798G      | 46.44             | 54.00             | -7.56          | 39.52         | 3           | Vertical  | 330            | 2.28          | -       | 33.82      | 6.88       | 33.78      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5270MHz\_TX

EUT\_Y\_1TX  
Setting 84  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1416G      | 57.23             | 74.00             | -16.77         | 50.68         | 3           | Horizontal | 282            | 2.70          | -       | 33.50      | 6.77       | 33.72      |  |  |  |
| AV   | 5.1479G      | 48.00             | 54.00             | -6.00          | 41.45         | 3           | Horizontal | 282            | 2.70          | -       | 33.50      | 6.77       | 33.72      |  |  |  |
| PK   | 5.2847G      | 115.53            | Inf               | -Inf           | 108.55        | 3           | Horizontal | 282            | 2.70          | -       | 33.87      | 6.86       | 33.75      |  |  |  |
| AV   | 5.2793G      | 104.28            | Inf               | -Inf           | 97.31         | 3           | Horizontal | 282            | 2.70          | -       | 33.86      | 6.86       | 33.75      |  |  |  |
| PK   | 5.3558G      | 66.45             | 74.00             | -7.55          | 59.63         | 3           | Horizontal | 282            | 2.70          | -       | 33.72      | 6.87       | 33.77      |  |  |  |
| AV   | 5.3516G      | 53.88             | 54.00             | -0.12          | 47.07         | 3           | Horizontal | 282            | 2.70          | -       | 33.71      | 6.87       | 33.77      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5270MHz\_TX

EUT\_Y\_1TX  
SET 84  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.50867G    | 58.23             | 68.20             | -9.97          | 43.78         | 3           | Vertical  | 232            | 1.80          | 84      | 38.12      | 11.23      | 34.90      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




EUT\_Y\_1TX  
SET 84  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.54152G    | 57.82             | 68.20             | -10.38         | 43.31         | 3           | Horizontal | 16             | 1.47          | 84      | 38.18      | 11.24      | 34.91      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




EUT\_Y\_1TX  
Setting 77  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3022G      | 100.41            | Inf               | -Inf           | 93.41         | 3           | Vertical  | 336            | 1.93          | -       | 33.89      | 6.87       | 33.76      |  |  |  |
| AV   | 5.3064G      | 89.44             | Inf               | -Inf           | 82.46         | 3           | Vertical  | 336            | 1.93          | -       | 33.87      | 6.87       | 33.76      |  |  |  |
| PK   | 5.424G       | 57.01             | 74.00             | -16.99         | 50.02         | 3           | Vertical  | 336            | 1.93          | -       | 33.90      | 6.88       | 33.79      |  |  |  |
| AV   | 5.4189G      | 46.09             | 54.00             | -7.91          | 39.10         | 3           | Vertical  | 336            | 1.93          | -       | 33.90      | 6.88       | 33.79      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




EUT\_Y\_1TX  
Setting 77  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3178G      | 113.62            | Inf               | -Inf           | 106.68        | 3           | Horizontal | 280            | 2.65          | -       | 33.83      | 6.87       | 33.76      |  |  |  |
| AV   | 5.3172G      | 102.46            | Inf               | -Inf           | 95.52         | 3           | Horizontal | 280            | 2.65          | -       | 33.83      | 6.87       | 33.76      |  |  |  |
| PK   | 5.3502G      | 67.69             | 74.00             | -6.31          | 60.89         | 3           | Horizontal | 280            | 2.65          | -       | 33.70      | 6.87       | 33.77      |  |  |  |
| AV   | 5.3535G      | 53.83             | 54.00             | -0.17          | 47.02         | 3           | Horizontal | 280            | 2.65          | -       | 33.71      | 6.87       | 33.77      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5310MHz\_TX

EUT\_Y\_1TX  
SET 77  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.65421G    | 58.53             | 74.00             | -15.47         | 43.98         | 3           | Vertical  | 275            | 1.80          | 77      | 38.20      | 11.28      | 34.93      |  |  |  |
| AV   | 10.6391G     | 49.18             | 54.00             | -4.82          | 34.63         | 3           | Vertical  | 275            | 1.80          | 77      | 38.20      | 11.28      | 34.93      |  |  |  |

5.25-5.35GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5310MHz\_TX

EUT\_Y\_1TX  
SET 77  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.65836G | 58.23    | 74.00    | -15.77 | 43.67  | 3    | Horizontal | 348     | 1.90   | 77      | 38.20 | 11.29 | 34.93 |  |  |  |
| AV   | 10.65293G | 48.81    | 54.00    | -5.19  | 34.26  | 3    | Horizontal | 348     | 1.90   | 77      | 38.20 | 11.28 | 34.93 |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5510MHz\_TX


EUT\_Y\_1TX  
Setting 80  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4596G      | 57.31             | 74.00             | -16.69         | 50.34         | 3           | Vertical  | 335            | 1.97          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| AV   | 5.4527G      | 46.88             | 54.00             | -7.12          | 39.90         | 3           | Vertical  | 335            | 1.97          | -       | 33.89      | 6.89       | 33.80      |  |  |  |
| PK   | 5.4665G      | 59.27             | 68.20             | -8.93          | 52.31         | 3           | Vertical  | 335            | 1.97          | -       | 33.87      | 6.89       | 33.80      |  |  |  |
| PK   | 5.5046G      | 103.62            | Inf               | -Inf           | 96.73         | 3           | Vertical  | 335            | 1.97          | -       | 33.80      | 6.90       | 33.81      |  |  |  |
| AV   | 5.4977G      | 92.17             | Inf               | -Inf           | 85.29         | 3           | Vertical  | 335            | 1.97          | -       | 33.80      | 6.89       | 33.81      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5510MHz\_TX




EUT\_Y\_1TX  
Setting 80  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.459G       | 65.34             | 74.00             | -8.66          | 58.37         | 3           | Horizontal | 276            | 1.00          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| AV   | 5.4599G      | 53.77             | 54.00             | -0.23          | 46.80         | 3           | Horizontal | 276            | 1.00          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| PK   | 5.4698G      | 66.62             | 68.20             | -1.58          | 59.67         | 3           | Horizontal | 276            | 1.00          | -       | 33.86      | 6.89       | 33.80      |  |  |  |
| PK   | 5.4992G      | 113.88            | Inf               | -Inf           | 107.00        | 3           | Horizontal | 276            | 1.00          | -       | 33.80      | 6.89       | 33.81      |  |  |  |
| AV   | 5.4953G      | 102.51            | Inf               | -Inf           | 95.62         | 3           | Horizontal | 276            | 1.00          | -       | 33.81      | 6.89       | 33.81      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5510MHz\_TX

EUT\_Y\_1TX  
SET 80  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.01688G    | 57.79             | 74.00             | -16.21         | 43.02         | 3           | Vertical  | 234            | 1.80          | 80      | 38.33      | 11.43      | 34.99      |  |  |  |
| AV   | 11.05836G    | 48.27             | 54.00             | -5.73          | 33.40         | 3           | Vertical  | 234            | 1.80          | 80      | 38.42      | 11.45      | 35.00      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5510MHz\_TX

EUT\_Y\_1TX  
SET 80  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.00705G    | 58.00             | 74.00             | -16.00         | 43.25         | 3           | Horizontal | 26             | 1.80          | 80      | 38.31      | 11.43      | 34.99      |  |  |  |
| AV   | 11.0244G     | 48.61             | 54.00             | -5.39          | 33.83         | 3           | Horizontal | 26             | 1.80          | 80      | 38.35      | 11.43      | 35.00      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5550MHz\_TX

EUT\_Y\_1TX  
Setting 83  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4588G      | 56.14             | 74.00             | -17.86         | 49.17         | 3           | Vertical  | 333            | 3.00          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| AV   | 5.4504G      | 45.89             | 54.00             | -8.11          | 38.90         | 3           | Vertical  | 333            | 3.00          | -       | 33.90      | 6.89       | 33.80      |  |  |  |
| PK   | 5.4699G      | 56.54             | 68.20             | -11.66         | 49.59         | 3           | Vertical  | 333            | 3.00          | -       | 33.86      | 6.89       | 33.80      |  |  |  |
| PK   | 5.5647G      | 105.72            | Inf               | -Inf           | 98.88         | 3           | Vertical  | 333            | 3.00          | -       | 33.74      | 6.90       | 33.80      |  |  |  |
| AV   | 5.5635G      | 93.57             | Inf               | -Inf           | 86.72         | 3           | Vertical  | 333            | 3.00          | -       | 33.75      | 6.90       | 33.80      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




EUT\_Y\_1TX  
Setting 83  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4594G      | 64.28             | 74.00             | -9.72          | 57.31         | 3           | Horizontal | 288            | 2.22          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| AV   | 5.4573G      | 51.60             | 54.00             | -2.40          | 44.62         | 3           | Horizontal | 288            | 2.22          | -       | 33.89      | 6.89       | 33.80      |  |  |  |
| PK   | 5.4687G      | 67.96             | 68.20             | -0.24          | 61.01         | 3           | Horizontal | 288            | 2.22          | -       | 33.86      | 6.89       | 33.80      |  |  |  |
| PK   | 5.547G       | 114.84            | Inf               | -Inf           | 107.94        | 3           | Horizontal | 288            | 2.22          | -       | 33.80      | 6.90       | 33.80      |  |  |  |
| AV   | 5.556G       | 103.59            | Inf               | -Inf           | 96.71         | 3           | Horizontal | 288            | 2.22          | -       | 33.78      | 6.90       | 33.80      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5550MHz\_TX

EUT\_V\_1TX  
SET 83  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.06579G | 58.31    | 74.00    | -15.69 | 43.43  | 3    | Vertical  | 89      | 1.47   | 83      | 38.43 | 11.45 | 35.00 |  |  |  |
| AV   | 11.13053G | 48.56    | 54.00    | -5.44  | 33.66  | 3    | Vertical  | 89      | 1.47   | 83      | 38.44 | 11.48 | 35.02 |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5550MHz\_TX

EUT\_V\_1TX  
SET 83  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.11766G | 58.61    | 74.00    | -15.39 | 43.70  | 3    | Horizontal | 91      | 1.80   | 83      | 38.46 | 11.47 | 35.02 |  |  |  |
| AV   | 11.11686G | 48.25    | 54.00    | -5.75  | 33.33  | 3    | Horizontal | 91      | 1.80   | 83      | 38.47 | 11.47 | 35.02 |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




EUT\_Y\_1TX  
Setting 78  
06-E-5-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.661G       | 102.03            | Inf               | -Inf           | 95.31         | 3           | Vertical  | 335            | 2.91          | -       | 33.52      | 6.99       | 33.79      |  |  |  |
| AV   | 5.6634G      | 90.77             | Inf               | -Inf           | 84.03         | 3           | Vertical  | 335            | 2.91          | -       | 33.53      | 7.00       | 33.79      |  |  |  |
| PK   | 5.7312G      | 57.41             | 68.20             | -10.79         | 50.44         | 3           | Vertical  | 335            | 2.91          | -       | 33.66      | 7.09       | 33.78      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5670MHz\_TX

EUT\_Y\_1TX  
Setting 78  
06-E-5-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.6739G      | 112.81            | Inf               | -Inf           | 106.04        | 3           | Horizontal | 265            | 1.04          | -       | 33.55      | 7.01       | 33.79      |  |  |  |
| AV   | 5.6664G      | 101.36            | Inf               | -Inf           | 94.62         | 3           | Horizontal | 265            | 1.04          | -       | 33.53      | 7.00       | 33.79      |  |  |  |
| PK   | 5.7312G      | 67.96             | 68.20             | -0.24          | 60.99         | 3           | Horizontal | 265            | 1.04          | -       | 33.66      | 7.09       | 33.78      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5670MHz\_TX

EUT Y\_1TX  
SET 78  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.37485G    | 59.31             | 74.00             | -14.69         | 44.15         | 3           | Vertical  | 30             | 1.80          | 78      | 38.65      | 11.58      | 35.07      |  |  |  |
| AV   | 11.35527G    | 49.26             | 54.00             | -4.74          | 34.15         | 3           | Vertical  | 30             | 1.80          | 78      | 38.61      | 11.57      | 35.07      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5670MHz\_TX

EUT\_Y\_1TX  
SET 78  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.35782G | 59.29    | 74.00    | -14.71 | 44.17  | 3    | Horizontal | 340     | 1.80   | 78      | 38.62 | 11.57 | 35.07 |  |  |  |
| AV   | 11.36909G | 49.50    | 54.00    | -4.50  | 34.36  | 3    | Horizontal | 340     | 1.80   | 78      | 38.64 | 11.57 | 35.07 |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5710MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_1TX  
Setting 96  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.458G       | 55.73             | 74.00             | -18.27         | 48.76         | 3           | Vertical  | 332            | 3.00          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| AV   | 5.4166G      | 45.61             | 54.00             | -8.39          | 38.62         | 3           | Vertical  | 332            | 3.00          | -       | 33.90      | 6.88       | 33.79      |  |  |  |
| PK   | 5.4622G      | 55.98             | 68.20             | -12.22         | 49.01         | 3           | Vertical  | 332            | 3.00          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| PK   | 5.719G       | 105.62            | Inf               | -Inf           | 98.69         | 3           | Vertical  | 332            | 3.00          | -       | 33.64      | 7.07       | 33.78      |  |  |  |
| AV   | 5.7172G      | 94.97             | Inf               | -Inf           | 88.05         | 3           | Vertical  | 332            | 3.00          | -       | 33.63      | 7.07       | 33.78      |  |  |  |
| PK   | 5.85G        | 60.38             | 68.20             | -7.82          | 53.03         | 3           | Vertical  | 332            | 3.00          | -       | 33.90      | 7.22       | 33.77      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5710MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_1TX  
Setting 96  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.437G       | 59.38             | 74.00             | -14.62         | 52.38         | 3           | Horizontal | 268            | 1.10          | -       | 33.90      | 6.89       | 33.79      |  |  |  |
| PK   | 5.4646G      | 58.82             | 68.20             | -9.38          | 51.86         | 3           | Horizontal | 268            | 1.10          | -       | 33.87      | 6.89       | 33.80      |  |  |  |
| AV   | 5.4538G      | 48.59             | 54.00             | -5.41          | 41.61         | 3           | Horizontal | 268            | 1.10          | -       | 33.89      | 6.89       | 33.80      |  |  |  |
| PK   | 5.716G       | 117.09            | Inf               | -Inf           | 110.17        | 3           | Horizontal | 268            | 1.10          | -       | 33.63      | 7.07       | 33.78      |  |  |  |
| AV   | 5.7154G      | 105.55            | Inf               | -Inf           | 98.63         | 3           | Horizontal | 268            | 1.10          | -       | 33.63      | 7.07       | 33.78      |  |  |  |
| PK   | 5.8504G      | 67.98             | 68.20             | -0.22          | 60.63         | 3           | Horizontal | 268            | 1.10          | -       | 33.90      | 7.22       | 33.77      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_V\_1TX  
SET96  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.40146G    | 59.84             | 74.00             | -14.16         | 44.63         | 3           | Vertical  | 312            | 2.44          | 96      | 38.70      | 11.59      | 35.08      |  |  |  |
| AV   | 11.39451G    | 49.79             | 54.00             | -4.21          | 34.60         | 3           | Vertical  | 312            | 2.44          | 96      | 38.69      | 11.58      | 35.08      |  |  |  |

5.47-5.725GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


5710MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_1TX  
SET96  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.40633G    | 60.47             | 74.00             | -13.53         | 45.25         | 3           | Horizontal | 35             | 1.80          | 96      | 38.71      | 11.59      | 35.08      |  |  |  |
| AV   | 11.39778G    | 49.82             | 54.00             | -4.18          | 34.61         | 3           | Horizontal | 35             | 1.80          | 96      | 38.70      | 11.59      | 35.08      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

## 5290MHz\_TX




EUT\_Y\_1TX  
Setting 77  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1112G      | 55.43             | 74.00             | -18.57         | 48.92         | 3           | Vertical  | 330            | 2.13          | -       | 33.50      | 6.72       | 33.71      |  |  |  |
| AV   | 5.1472G      | 45.09             | 54.00             | -8.91          | 38.54         | 3           | Vertical  | 330            | 2.13          | -       | 33.50      | 6.77       | 33.72      |  |  |  |
| PK   | 5.3032G      | 97.34             | Inf               | -Inf           | 90.34         | 3           | Vertical  | 330            | 2.13          | -       | 33.89      | 6.87       | 33.76      |  |  |  |
| AV   | 5.3044G      | 86.78             | Inf               | -Inf           | 79.79         | 3           | Vertical  | 330            | 2.13          | -       | 33.88      | 6.87       | 33.76      |  |  |  |
| AV   | 5.353G       | 46.13             | 54.00             | -7.87          | 39.32         | 3           | Vertical  | 330            | 2.13          | -       | 33.71      | 6.87       | 33.77      |  |  |  |
| PK   | 5.4172G      | 56.46             | 74.00             | -17.54         | 49.47         | 3           | Vertical  | 330            | 2.13          | -       | 33.90      | 6.88       | 33.79      |  |  |  |
| PK   | 5.4802G      | 56.21             | 68.20             | -11.99         | 49.28         | 3           | Vertical  | 330            | 2.13          | -       | 33.84      | 6.89       | 33.80      |  |  |  |

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


5290MHz\_TX

EUT\_Y\_1TX  
Setting 77  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1484G      | 58.78             | 74.00             | -15.22         | 52.22         | 3           | Horizontal | 296            | 1.35          | -       | 33.50      | 6.78       | 33.72      |  |  |  |
| AV   | 5.1478G      | 48.12             | 54.00             | -5.88          | 41.57         | 3           | Horizontal | 296            | 1.35          | -       | 33.50      | 6.77       | 33.72      |  |  |  |
| PK   | 5.3002G      | 109.71            | Inf               | -Inf           | 102.70        | 3           | Horizontal | 296            | 1.35          | -       | 33.90      | 6.87       | 33.76      |  |  |  |
| AV   | 5.3014G      | 97.89             | Inf               | -Inf           | 90.89         | 3           | Horizontal | 296            | 1.35          | -       | 33.89      | 6.87       | 33.76      |  |  |  |
| PK   | 5.3866G      | 64.72             | 74.00             | -9.28          | 57.77         | 3           | Horizontal | 296            | 1.35          | -       | 33.85      | 6.88       | 33.78      |  |  |  |
| AV   | 5.3884G      | 53.78             | 54.00             | -0.22          | 46.83         | 3           | Horizontal | 296            | 1.35          | -       | 33.85      | 6.88       | 33.78      |  |  |  |
| PK   | 5.4718G      | 58.47             | 68.20             | -9.73          | 51.52         | 3           | Horizontal | 296            | 1.35          | -       | 33.86      | 6.89       | 33.80      |  |  |  |

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




EUT Y\_1TX  
SET 77  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.59295G | 57.69    | 68.20    | -10.51 | 43.15  | 3    | Vertical  | 4       | 1.80   | 77      | 38.20 | 11.26 | 34.92 |  |  |  |
| AV   | 10.65081G | 48.67    | 54.00    | -5.33  | 34.12  | 3    | Vertical  | 4       | 1.80   | 77      | 38.20 | 11.28 | 34.93 |  |  |  |

5.25-5.35GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


5290MHz\_TX

EUT\_Y\_1TX  
SET 77  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.65704G    | 57.69             | 74.00             | -16.31         | 43.13         | 3           | Horizontal | 229            | 1.80          | 77      | 38.20      | 11.29      | 34.93      |  |  |  |
| AV   | 10.6433G     | 48.47             | 54.00             | -5.53          | 33.92         | 3           | Horizontal | 229            | 1.80          | 77      | 38.20      | 11.28      | 34.93      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT\_V\_1TX  
Setting 77  
04-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.322G       | 55.79             | 68.20             | -12.41         | 59.83         | 3           | Vertical  | 339            | 3.00          | -       | 31.29      | 8.46       | 43.79      |  |  |  |
| PK   | 5.4495G      | 56.45             | 74.00             | -17.55         | 60.04         | 3           | Vertical  | 339            | 3.00          | -       | 31.60      | 8.54       | 43.73      |  |  |  |
| AV   | 5.448G       | 44.91             | 54.00             | -9.09          | 48.51         | 3           | Vertical  | 339            | 3.00          | -       | 31.59      | 8.54       | 43.73      |  |  |  |
| PK   | 5.464G       | 56.65             | 68.20             | -11.55         | 60.15         | 3           | Vertical  | 339            | 3.00          | -       | 31.66      | 8.56       | 43.72      |  |  |  |
| PK   | 5.5515G      | 98.43             | Inf               | -Inf           | 101.73        | 3           | Vertical  | 339            | 3.00          | -       | 31.70      | 8.65       | 43.65      |  |  |  |
| AV   | 5.537G       | 86.23             | Inf               | -Inf           | 89.53         | 3           | Vertical  | 339            | 3.00          | -       | 31.73      | 8.63       | 43.66      |  |  |  |
| PK   | 5.7765G      | 55.96             | 68.20             | -12.24         | 58.39         | 3           | Vertical  | 339            | 3.00          | -       | 32.10      | 8.89       | 43.42      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT\_V\_1TX  
Setting 77  
04-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.341G       | 57.39             | 68.20             | -10.81         | 61.34         | 3           | Horizontal | 288            | 3.00          | -       | 31.36      | 8.47       | 43.78      |
| PK   | 5.4455G      | 65.85             | 74.00             | -8.15          | 69.46         | 3           | Horizontal | 288            | 3.00          | -       | 31.58      | 8.54       | 43.73      |
| AV   | 5.4545G      | 53.52             | 54.00             | -0.48          | 57.07         | 3           | Horizontal | 288            | 3.00          | -       | 31.62      | 8.55       | 43.72      |
| PK   | 5.464G       | 65.39             | 68.20             | -2.81          | 68.89         | 3           | Horizontal | 288            | 3.00          | -       | 31.66      | 8.56       | 43.72      |
| PK   | 5.538G       | 107.35            | Inf               | -Inf           | 110.66        | 3           | Horizontal | 288            | 3.00          | -       | 31.72      | 8.63       | 43.66      |
| AV   | 5.5395G      | 95.37             | Inf               | -Inf           | 98.67         | 3           | Horizontal | 288            | 3.00          | -       | 31.72      | 8.64       | 43.66      |
| PK   | 5.7565G      | 57.78             | 68.20             | -10.42         | 60.26         | 3           | Horizontal | 288            | 3.00          | -       | 32.10      | 8.86       | 43.44      |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT\_Y\_1TX  
SET 77  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.98184G    | 57.85             | 74.00             | -16.15         | NaN           | 3           | Vertical  | 150            | 2.74          | 70      | NaN        | NaN        | NaN        |  |  |  |
| AV   | 11.03992G    | 48.41             | 54.00             | -5.59          | NaN           | 3           | Vertical  | 150            | 2.74          | 70      | NaN        | NaN        | NaN        |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




EUT\_Y\_1TX  
SET 77  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.99143G    | 57.98             | 74.00             | -16.02         | 43.25         | 3           | Horizontal | 1              | 1.06          | 70      | 38.30      | 11.42      | 34.99      |  |  |  |
| AV   | 11.02659G    | 48.40             | 54.00             | -5.60          | 33.61         | 3           | Horizontal | 1              | 1.06          | 70      | 38.35      | 11.44      | 35.00      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




EUT Y\_1TX  
Setting 79  
06-E-S-5-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.4555G | 57.76    | 74.00    | -16.24 | 50.78  | 3    | Vertical  | 332     | 2.01   | -       | 33.89 | 6.89 | 33.80 |  |  |  |
| AV   | 5.458G  | 46.50    | 54.00    | -7.50  | 39.53  | 3    | Vertical  | 332     | 2.01   | -       | 33.88 | 6.89 | 33.80 |  |  |  |
| PK   | 5.464G  | 59.26    | 68.20    | -8.94  | 52.30  | 3    | Vertical  | 332     | 2.01   | -       | 33.87 | 6.89 | 33.80 |  |  |  |
| PK   | 5.6225G | 98.79    | Inf      | -Inf   | 92.10  | 3    | Vertical  | 332     | 2.01   | -       | 33.55 | 6.94 | 33.80 |  |  |  |
| AV   | 5.6075G | 87.90    | Inf      | -Inf   | 81.19  | 3    | Vertical  | 332     | 2.01   | -       | 33.59 | 6.92 | 33.80 |  |  |  |
| PK   | 5.729G  | 57.50    | 68.20    | -10.70 | 50.54  | 3    | Vertical  | 332     | 2.01   | -       | 33.66 | 7.08 | 33.78 |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




EUT\_Y\_1TX  
Setting 79  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.4545G      | 63.83             | 74.00             | -10.17         | 56.85         | 3           | Horizontal | 261            | 1.05          | -       | 33.89      | 6.89       | 33.80      |
| AV   | 5.459G       | 52.35             | 54.00             | -1.65          | 45.38         | 3           | Horizontal | 261            | 1.05          | -       | 33.88      | 6.89       | 33.80      |
| PK   | 5.465G       | 66.98             | 68.20             | -1.22          | 60.02         | 3           | Horizontal | 261            | 1.05          | -       | 33.87      | 6.89       | 33.80      |
| PK   | 5.593G       | 111.37            | Inf               | -Inf           | 104.63        | 3           | Horizontal | 261            | 1.05          | -       | 33.63      | 6.91       | 33.80      |
| AV   | 5.621G       | 99.59             | Inf               | -Inf           | 92.89         | 3           | Horizontal | 261            | 1.05          | -       | 33.56      | 6.94       | 33.80      |
| PK   | 5.7255G      | 67.98             | 68.20             | -0.22          | 61.03         | 3           | Horizontal | 261            | 1.05          | -       | 33.65      | 7.08       | 33.78      |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


5610MHz\_TX

EUT Y\_1TX  
SET 79  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.17397G | 58.70    | 74.00    | -15.30 | 43.78  | 3    | Vertical  | 1       | 1.30   | 79      | 38.45 | 11.50 | 35.03 |  |  |  |
| AV   | 11.2988G  | 48.66    | 54.00    | -5.34  | 33.67  | 3    | Vertical  | 1       | 1.30   | 79      | 38.50 | 11.55 | 35.06 |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


5610MHz\_TX

EUT\_Y\_1TX  
SET 79  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.26412G    | 58.76             | 74.00             | -15.24         | 43.78         | 3           | Horizontal | 357            | 1.58          | 79      | 38.50      | 11.53      | 35.05      |  |  |  |
| AV   | 11.27163G    | 48.78             | 54.00             | -5.22          | 33.79         | 3           | Horizontal | 357            | 1.58          | 79      | 38.50      | 11.54      | 35.05      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


5690MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_1TX  
Setting 87  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4515G      | 56.29             | 74.00             | -17.71         | 49.30         | 3           | Vertical  | 329            | 3.00          | -       | 33.90      | 6.89       | 33.80      |  |  |  |
| AV   | 5.453G       | 45.36             | 54.00             | -8.64          | 38.38         | 3           | Vertical  | 329            | 3.00          | -       | 33.89      | 6.89       | 33.80      |  |  |  |
| PK   | 5.4605G      | 55.33             | 68.20             | -12.87         | 48.36         | 3           | Vertical  | 329            | 3.00          | -       | 33.88      | 6.89       | 33.80      |  |  |  |
| PK   | 5.718G       | 101.36            | Inf               | -Inf           | 94.43         | 3           | Vertical  | 329            | 3.00          | -       | 33.64      | 7.07       | 33.78      |  |  |  |
| AV   | 5.6995G      | 90.23             | Inf               | -Inf           | 83.38         | 3           | Vertical  | 329            | 3.00          | -       | 33.60      | 7.04       | 33.79      |  |  |  |
| PK   | 5.853G       | 59.88             | 68.20             | -8.32          | 52.52         | 3           | Vertical  | 329            | 3.00          | -       | 33.91      | 7.22       | 33.77      |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
Setting 87  
06-E-S-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.456G       | 63.20             | 74.00             | -10.80         | 56.22         | 3           | Horizontal | 262            | 1.02          | -       | 33.89      | 6.89       | 33.80      |
| AV   | 5.452G       | 50.84             | 54.00             | -3.16          | 43.85         | 3           | Horizontal | 262            | 1.02          | -       | 33.90      | 6.89       | 33.80      |
| PK   | 5.4645G      | 64.49             | 68.20             | -3.71          | 57.53         | 3           | Horizontal | 262            | 1.02          | -       | 33.87      | 6.89       | 33.80      |
| PK   | 5.686G       | 112.49            | Inf               | -Inf           | 105.68        | 3           | Horizontal | 262            | 1.02          | -       | 33.57      | 7.03       | 33.79      |
| AV   | 5.68G        | 101.03            | Inf               | -Inf           | 94.24         | 3           | Horizontal | 262            | 1.02          | -       | 33.56      | 7.02       | 33.79      |
| PK   | 5.8535G      | 68.00             | 68.20             | -0.20          | 60.64         | 3           | Horizontal | 262            | 1.02          | -       | 33.91      | 7.22       | 33.77      |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_1TX  
SET 87  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 11.4222G  | 59.59    | 74.00    | -14.41 | 44.33  | 3    | Vertical  | 197     | 1.80   | 87      | 38.74 | 11.60 | 35.08 |  |  |  |
| AV   | 11.40653G | 49.44    | 54.00    | -4.56  | 34.22  | 3    | Vertical  | 197     | 1.80   | 87      | 38.71 | 11.59 | 35.08 |  |  |  |

5.47-5.725GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


5690MHz Straddle 5.47-5.725GHz\_TX

EUT\_Y\_1TX  
SET 87  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.34947G    | 58.72             | 74.00             | -15.28         | 43.62         | 3           | Horizontal | 340            | 1.80          | 87      | 38.60      | 11.57      | 35.07      |  |  |  |
| AV   | 11.39199G    | 49.49             | 54.00             | -4.51          | 34.31         | 3           | Horizontal | 340            | 1.80          | 87      | 38.68      | 11.58      | 35.08      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

## 5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_V\_1TX  
Setting 67  
04-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1276G      | 56.36             | 74.00             | -17.64         | 60.00         | 3           | Vertical  | 349            | 1.98          | -       | 31.87      | 8.38       | 43.89      |  |  |  |
| AV   | 5.1492G      | 44.27             | 54.00             | -9.73          | 47.76         | 3           | Vertical  | 349            | 1.98          | -       | 32.00      | 8.39       | 43.88      |  |  |  |
| PK   | 5.3052G      | 90.19             | Inf               | -Inf           | 94.31         | 3           | Vertical  | 349            | 1.98          | -       | 31.22      | 8.46       | 43.80      |  |  |  |
| AV   | 5.3116G      | 79.30             | Inf               | -Inf           | 83.38         | 3           | Vertical  | 349            | 1.98          | -       | 31.25      | 8.46       | 43.79      |  |  |  |
| PK   | 5.35G        | 60.02             | 74.00             | -13.98         | 63.92         | 3           | Vertical  | 349            | 1.98          | -       | 31.40      | 8.47       | 43.77      |  |  |  |
| AV   | 5.3996G      | 44.80             | 54.00             | -9.20          | 48.66         | 3           | Vertical  | 349            | 1.98          | -       | 31.40      | 8.49       | 43.75      |  |  |  |
| PK   | 5.502G       | 55.47             | 68.20             | -12.73         | 58.77         | 3           | Vertical  | 349            | 1.98          | -       | 31.80      | 8.60       | 43.70      |  |  |  |

## 5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

## 5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_V\_1TX  
Setting 67  
04-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.15G        | 67.57             | 74.00             | -6.43          | 71.05         | 3           | Horizontal | 288            | 2.52          | -       | 32.00      | 8.39       | 43.87      |  |  |  |
| AV   | 5.1468G      | 50.94             | 54.00             | -3.06          | 54.45         | 3           | Horizontal | 288            | 2.52          | -       | 31.98      | 8.39       | 43.88      |  |  |  |
| PK   | 5.2972G      | 104.09            | Inf               | -Inf           | 108.23        | 3           | Horizontal | 288            | 2.52          | -       | 31.21      | 8.45       | 43.80      |  |  |  |
| AV   | 5.274G       | 91.53             | Inf               | -Inf           | 95.59         | 3           | Horizontal | 288            | 2.52          | -       | 31.30      | 8.45       | 43.81      |  |  |  |
| PK   | 5.35G        | 73.33             | 74.00             | -0.67          | 77.23         | 3           | Horizontal | 288            | 2.52          | -       | 31.40      | 8.47       | 43.77      |  |  |  |
| AV   | 5.3756G      | 51.34             | 54.00             | -2.66          | 55.22         | 3           | Horizontal | 288            | 2.52          | -       | 31.40      | 8.48       | 43.76      |  |  |  |
| PK   | 5.4612G      | 60.95             | 68.20             | -7.25          | 64.48         | 3           | Horizontal | 288            | 2.52          | -       | 31.64      | 8.55       | 43.72      |  |  |  |

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX


5250MHz Straddle 5.25-5.35GHz\_TX

EUT\_Y\_1TX  
SET 67  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.60805G    | 59.01             | 74.00             | -14.99         | 44.46         | 3           | Vertical  | 218            | 1.80          | 64      | 38.20      | 11.27      | 34.92      |  |  |  |
| AV   | 10.65281G    | 48.64             | 54.00             | -5.36          | 34.09         | 3           | Vertical  | 218            | 1.80          | 64      | 38.20      | 11.28      | 34.93      |  |  |  |

5.25-5.35GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_1TX  
SET 67  
06-E-S-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 10.61732G | 58.34    | 74.00    | -15.66 | 43.79  | 3    | Horizontal | 9       | 2.85   | 64      | 38.20 | 11.27 | 34.92 |  |  |  |
| AV   | 10.6576G  | 48.65    | 54.00    | -5.35  | 34.09  | 3    | Horizontal | 9       | 2.85   | 64      | 38.20 | 11.29 | 34.93 |  |  |  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

5570MHz\_TX




EUT\_V\_1TX  
Setting 69  
04-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1812G      | 56.25             | 68.20             | -11.95         | 59.89         | 3           | Vertical  | 344            | 3.00          | -       | 31.81      | 8.41       | 43.86      |  |  |  |
| PK   | 5.4572G      | 56.40             | 74.00             | -17.60         | 59.94         | 3           | Vertical  | 344            | 3.00          | -       | 31.63      | 8.55       | 43.72      |  |  |  |
| AV   | 5.45G        | 44.03             | 54.00             | -9.97          | 47.62         | 3           | Vertical  | 344            | 3.00          | -       | 31.60      | 8.54       | 43.73      |  |  |  |
| PK   | 5.4692G      | 56.78             | 68.20             | -11.42         | 60.26         | 3           | Vertical  | 344            | 3.00          | -       | 31.68      | 8.56       | 43.72      |  |  |  |
| PK   | 5.55G        | 93.96             | Inf               | -Inf           | 97.26         | 3           | Vertical  | 344            | 3.00          | -       | 31.70      | 8.65       | 43.65      |  |  |  |
| AV   | 5.5484G      | 80.77             | Inf               | -Inf           | 84.07         | 3           | Vertical  | 344            | 3.00          | -       | 31.70      | 8.65       | 43.65      |  |  |  |
| PK   | 5.9116G      | 56.73             | 68.20             | -11.47         | 58.68         | 3           | Vertical  | 344            | 3.00          | -       | 32.30      | 9.04       | 43.29      |  |  |  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

5570MHz\_TX




EUT\_V\_1TX  
Setting 69  
04-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.3092G      | 57.62             | 68.20             | -10.58         | 61.72         | 3           | Horizontal | 288            | 1.46          | -       | 31.24      | 8.46       | 43.80      |  |  |  |
| PK   | 5.4572G      | 65.48             | 74.00             | -8.52          | 69.02         | 3           | Horizontal | 288            | 1.46          | -       | 31.63      | 8.55       | 43.72      |  |  |  |
| AV   | 5.4316G      | 48.24             | 54.00             | -5.76          | 51.92         | 3           | Horizontal | 288            | 1.46          | -       | 31.53      | 8.52       | 43.73      |  |  |  |
| PK   | 5.4692G      | 67.92             | 68.20             | -0.28          | 71.40         | 3           | Horizontal | 288            | 1.46          | -       | 31.68      | 8.56       | 43.72      |  |  |  |
| PK   | 5.6348G      | 102.66            | Inf               | -Inf           | 105.75        | 3           | Horizontal | 288            | 1.46          | -       | 31.74      | 8.74       | 43.57      |  |  |  |
| AV   | 5.646G       | 90.52             | Inf               | -Inf           | 93.54         | 3           | Horizontal | 288            | 1.46          | -       | 31.78      | 8.75       | 43.55      |  |  |  |
| PK   | 5.7284G      | 64.08             | 68.20             | -4.12          | 66.66         | 3           | Horizontal | 288            | 1.46          | -       | 32.06      | 8.83       | 43.47      |  |  |  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX


5570MHz\_TX

EUT\_Y\_1TX  
SET 69  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.29185G    | 58.24             | 74.00             | -15.76         | 43.25         | 3           | Vertical  | 352            | 2.47          | 65      | 38.50      | 11.54      | 35.05      |  |  |  |
| AV   | 11.296G      | 48.58             | 54.00             | -5.42          | 33.60         | 3           | Vertical  | 352            | 2.47          | 65      | 38.50      | 11.54      | 35.06      |  |  |  |

5.47-5.725GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX


5570MHz\_TX

EUT\_Y\_1TX  
SET 69  
06-E-S-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 11.19184G    | 57.92             | 74.00             | -16.08         | 42.97         | 3           | Horizontal | 23             | 1.80          | 65      | 38.48      | 11.50      | 35.03      |  |  |  |
| AV   | 11.17133G    | 49.00             | 54.00             | -5.00          | 34.10         | 3           | Horizontal | 23             | 1.80          | 65      | 38.44      | 11.49      | 35.03      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX

EUT\_Z\_2TX  
Setting 94  
01-U-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1464G      | 59.23             | 74.00             | -14.77         | 52.34         | 3           | Vertical  | 123            | 2.39          | -       | 32.79      | 6.64       | 32.54      |  |  |  |
| AV   | 5.1496G      | 47.28             | 54.00             | -6.72          | 40.38         | 3           | Vertical  | 123            | 2.39          | -       | 32.80      | 6.64       | 32.54      |  |  |  |
| PK   | 5.2624G      | 121.76            | Inf               | -Inf           | 114.70        | 3           | Vertical  | 123            | 2.39          | -       | 32.92      | 6.66       | 32.52      |  |  |  |
| AV   | 5.2672G      | 112.98            | Inf               | -Inf           | 105.91        | 3           | Vertical  | 123            | 2.39          | -       | 32.93      | 6.66       | 32.52      |  |  |  |
| PK   | 5.3548G      | 65.47             | 74.00             | -8.53          | 58.13         | 3           | Vertical  | 123            | 2.39          | -       | 33.12      | 6.71       | 32.49      |  |  |  |
| AV   | 5.3504G      | 52.65             | 54.00             | -1.35          | 45.34         | 3           | Vertical  | 123            | 2.39          | -       | 33.10      | 6.71       | 32.50      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX

EUT\_Z\_2TX  
Setting 94  
01-U-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.1384G      | 55.12             | 74.00             | -18.88         | 48.25         | 3           | Horizontal | 64             | 2.22          | -       | 32.78      | 6.64       | 32.55      |  |  |  |
| AV   | 5.1132G      | 44.04             | 54.00             | -9.96          | 37.21         | 3           | Horizontal | 64             | 2.22          | -       | 32.73      | 6.65       | 32.55      |  |  |  |
| PK   | 5.2644G      | 110.57            | Inf               | -Inf           | 103.50        | 3           | Horizontal | 64             | 2.22          | -       | 32.93      | 6.66       | 32.52      |  |  |  |
| AV   | 5.254G       | 102.11            | Inf               | -Inf           | 95.06         | 3           | Horizontal | 64             | 2.22          | -       | 32.91      | 6.66       | 32.52      |  |  |  |
| PK   | 5.3556G      | 57.53             | 74.00             | -16.47         | 50.19         | 3           | Horizontal | 64             | 2.22          | -       | 33.12      | 6.71       | 32.49      |  |  |  |
| AV   | 5.3716G      | 46.30             | 54.00             | -7.70          | 38.88         | 3           | Horizontal | 64             | 2.22          | -       | 33.19      | 6.72       | 32.49      |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

## 5260MHz\_TX




EUT\_Z\_2TX  
Setting 94  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.51228G    | 57.28             | 68.20             | -10.92         | 39.83         | 3           | Vertical  | 263            | 2.67          | -       | 39.02      | 10.84      | 32.41      |  |  |  |
| PK   | 15.7838G     | 61.63             | 74.00             | -12.37         | 42.37         | 3           | Vertical  | 137            | 1.80          | -       | 38.40      | 13.63      | 32.77      |  |  |  |
| AV   | 15.77258G    | 49.75             | 54.00             | -4.25          | 30.48         | 3           | Vertical  | 137            | 1.80          | -       | 38.40      | 13.63      | 32.76      |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

## 5260MHz\_TX




EUT\_Z\_2TX  
Setting 94  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.51718G    | 57.73             | 68.20             | -10.47         | 40.26         | 3           | Horizontal | 292            | 1.80          | -       | 39.03      | 10.85      | 32.41      |  |  |  |
| PK   | 15.77464G    | 60.82             | 74.00             | -13.18         | 41.55         | 3           | Horizontal | 66             | 2.06          | -       | 38.40      | 13.63      | 32.76      |  |  |  |
| AV   | 15.7755G     | 50.08             | 54.00             | -3.92          | 30.81         | 3           | Horizontal | 66             | 2.06          | -       | 38.40      | 13.63      | 32.76      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




EUT\_Z\_2TX  
Setting 85  
01-U-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 5.29825G     | 119.92            | Inf               | -Inf           | 112.75        | 3           | Vertical  | 119            | 2.29          | -       | 33.00      | 6.68       | 32.51      |  |  |  |  |
| AV   | 5.298G       | 111.75            | Inf               | -Inf           | 104.58        | 3           | Vertical  | 119            | 2.29          | -       | 33.00      | 6.68       | 32.51      |  |  |  |  |
| PK   | 5.35275G     | 67.90             | 74.00             | -6.10          | 60.58         | 3           | Vertical  | 119            | 2.29          | -       | 33.11      | 6.71       | 32.50      |  |  |  |  |
| AV   | 5.35G        | 53.84             | 54.00             | -0.16          | 46.53         | 3           | Vertical  | 119            | 2.29          | -       | 33.10      | 6.71       | 32.50      |  |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX

EUT\_Z\_TX  
Setting 85  
01-U-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.2985G      | 109.82            | Inf               | -Inf           | 102.65        | 3           | Horizontal | 60             | 2.26          | -       | 33.00      | 6.68       | 32.51      |  |  |  |
| AV   | 5.294G       | 100.47            | Inf               | -Inf           | 93.31         | 3           | Horizontal | 60             | 2.26          | -       | 32.99      | 6.68       | 32.51      |  |  |  |
| PK   | 5.35G        | 59.47             | 74.00             | -14.53         | 52.16         | 3           | Horizontal | 60             | 2.26          | -       | 33.10      | 6.71       | 32.50      |  |  |  |
| AV   | 5.3505G      | 47.67             | 54.00             | -6.33          | 40.36         | 3           | Horizontal | 60             | 2.26          | -       | 33.10      | 6.71       | 32.50      |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

## 5300MHz\_TX




EUT\_Z\_2TX  
Setting 85  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 10.6095G     | 57.18             | 74.00             | -16.82         | 39.53         | 3           | Vertical  | 148            | 1.68          | -       | 39.12      | 10.94      | 32.41      |  |  |  |  |
| AV   | 10.60566G    | 46.27             | 54.00             | -7.73          | 28.63         | 3           | Vertical  | 148            | 1.68          | -       | 39.11      | 10.94      | 32.41      |  |  |  |  |
| PK   | 15.89444G    | 60.73             | 74.00             | -13.27         | 41.29         | 3           | Vertical  | 61             | 1.67          | -       | 38.58      | 13.64      | 32.78      |  |  |  |  |
| AV   | 15.9059G     | 49.38             | 54.00             | -4.62          | 29.93         | 3           | Vertical  | 61             | 1.67          | -       | 38.59      | 13.64      | 32.78      |  |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

## 5300MHz\_TX




EUT\_Z\_2TX  
Setting 85  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.60522G    | 57.62             | 74.00             | -16.38         | 39.98         | 3           | Horizontal | 106            | 1.66          | -       | 39.11      | 10.94      | 32.41      |  |  |  |
| AV   | 10.60878G    | 46.30             | 54.00             | -7.70          | 28.65         | 3           | Horizontal | 106            | 1.66          | -       | 39.12      | 10.94      | 32.41      |  |  |  |
| PK   | 15.90798G    | 60.32             | 74.00             | -13.68         | 40.89         | 3           | Horizontal | 244            | 1.93          | -       | 38.58      | 13.64      | 32.79      |  |  |  |
| AV   | 15.90382G    | 49.31             | 54.00             | -4.69          | 29.86         | 3           | Horizontal | 244            | 1.93          | -       | 38.59      | 13.64      | 32.78      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 77  
01-U-E-5-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.3224G | 117.81   | Inf      | -Inf   | 110.58 | 3    | Vertical  | 121     | 2.48   | -       | 33.04 | 6.69 | 32.50 |  |  |  |
| AV   | 5.3224G | 109.44   | Inf      | -Inf   | 102.21 | 3    | Vertical  | 121     | 2.48   | -       | 33.04 | 6.69 | 32.50 |  |  |  |
| PK   | 5.356G  | 69.74    | 74.00    | -4.26  | 62.40  | 3    | Vertical  | 121     | 2.48   | -       | 33.12 | 6.71 | 32.49 |  |  |  |
| AV   | 5.35G   | 53.83    | 54.00    | -0.17  | 46.52  | 3    | Vertical  | 121     | 2.48   | -       | 33.10 | 6.71 | 32.50 |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX

EUT\_Z\_2TX  
Setting 77  
01-U-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.325G       | 107.10            | Inf               | -Inf           | 99.86         | 3           | Horizontal | 62             | 2.02          | -       | 33.05      | 6.69       | 32.50      |  |  |  |
| AV   | 5.3252G      | 97.60             | Inf               | -Inf           | 90.36         | 3           | Horizontal | 62             | 2.02          | -       | 33.05      | 6.69       | 32.50      |  |  |  |
| PK   | 5.3552G      | 65.07             | 74.00             | -8.93          | 57.73         | 3           | Horizontal | 62             | 2.02          | -       | 33.12      | 6.71       | 32.49      |  |  |  |
| AV   | 5.3502G      | 48.29             | 54.00             | -5.71          | 40.98         | 3           | Horizontal | 62             | 2.02          | -       | 33.10      | 6.71       | 32.50      |  |  |  |

## 5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

## 5320MHz\_TX




EUT\_Z\_2TX  
Setting 77  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.63638G    | 57.29             | 74.00             | -16.71         | 39.57         | 3           | Vertical  | 105            | 1.73          | -       | 39.17      | 10.97      | 32.42      |  |  |  |
| AV   | 10.63786G    | 46.80             | 54.00             | -7.20          | 29.07         | 3           | Vertical  | 105            | 1.73          | -       | 39.18      | 10.97      | 32.42      |  |  |  |
| PK   | 15.95756G    | 60.44             | 74.00             | -13.56         | 41.11         | 3           | Vertical  | 4              | 1.92          | -       | 38.47      | 13.65      | 32.79      |  |  |  |
| AV   | 15.95682G    | 49.20             | 54.00             | -4.80          | 29.87         | 3           | Vertical  | 4              | 1.92          | -       | 38.47      | 13.65      | 32.79      |  |  |  |

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




EUT\_Z\_2TX  
Setting 77  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 10.6463G     | 57.31             | 74.00             | -16.69         | 39.56         | 3           | Horizontal | 183            | 2.00          | -       | 39.19      | 10.98      | 32.42      |  |  |  |
| AV   | 10.63916G    | 46.75             | 54.00             | -7.25          | 29.02         | 3           | Horizontal | 183            | 2.00          | -       | 39.18      | 10.97      | 32.42      |  |  |  |
| PK   | 15.95002G    | 60.63             | 74.00             | -13.37         | 41.27         | 3           | Horizontal | 251            | 1.55          | -       | 38.50      | 13.65      | 32.79      |  |  |  |
| AV   | 15.9555G     | 48.88             | 54.00             | -5.12          | 29.54         | 3           | Horizontal | 251            | 1.55          | -       | 38.48      | 13.65      | 32.79      |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




EUT\_Z\_2TX  
Setting 78  
01-U-E-5-6

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 5.4584G | 67.87    | 74.00    | -6.13  | 59.95  | 3    | Vertical  | 118     | 2.58   | -       | 33.55 | 6.84 | 32.47 |  |  |  |
| AV   | 5.4586G | 53.46    | 54.00    | -0.54  | 45.54  | 3    | Vertical  | 118     | 2.58   | -       | 33.55 | 6.84 | 32.47 |  |  |  |
| PK   | 5.4686G | 66.06    | 68.20    | -2.14  | 58.06  | 3    | Vertical  | 118     | 2.58   | -       | 33.61 | 6.86 | 32.47 |  |  |  |
| PK   | 5.4984G | 117.89   | Inf      | -Inf   | 109.65 | 3    | Vertical  | 118     | 2.58   | -       | 33.79 | 6.91 | 32.46 |  |  |  |
| AV   | 5.4982G | 109.82   | Inf      | -Inf   | 101.58 | 3    | Vertical  | 118     | 2.58   | -       | 33.79 | 6.91 | 32.46 |  |  |  |

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX



EUT\_Z\_2TX  
Setting 78  
01-U-E-5-6

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 5.4594G      | 57.42             | 74.00             | -16.58         | 49.49         | 3           | Horizontal | 329            | 2.20          | -       | 33.56      | 6.84       | 32.47      |  |  |  |
| AV   | 5.4598G      | 47.12             | 54.00             | -6.88          | 39.19         | 3           | Horizontal | 329            | 2.20          | -       | 33.56      | 6.84       | 32.47      |  |  |  |
| PK   | 5.4692G      | 58.56             | 68.20             | -9.64          | 50.55         | 3           | Horizontal | 329            | 2.20          | -       | 33.62      | 6.86       | 32.47      |  |  |  |
| PK   | 5.4946G      | 106.42            | Inf               | -Inf           | 98.20         | 3           | Horizontal | 329            | 2.20          | -       | 33.77      | 6.91       | 32.46      |  |  |  |
| AV   | 5.495G       | 98.02             | Inf               | -Inf           | 89.80         | 3           | Horizontal | 329            | 2.20          | -       | 33.77      | 6.91       | 32.46      |  |  |  |