


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 78
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99708G	58.20	74.00	-15.80	40.18	3	Vertical	76	1.44	-	39.11	11.34	32.43			
AV	10.99098G	47.13	54.00	-6.87	29.11	3	Vertical	76	1.44	-	39.12	11.33	32.43			
PK	16.4998G	61.92	68.20	-6.28	40.99	3	Vertical	330	1.73	-	39.60	13.79	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 78
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00934G	58.00	74.00	-16.00	40.00	3	Horizontal	342	1.73	-	39.08	11.35	32.43			
AV	11.00874G	47.58	54.00	-6.42	29.58	3	Horizontal	342	1.73	-	39.08	11.35	32.43			
PK	16.49358G	61.94	68.20	-6.26	41.04	3	Horizontal	8	1.94	-	39.57	13.79	32.46			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 96
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4512G	62.41	74.00	-11.59	54.55	3	Vertical	118	2.52	-	33.51	6.82	32.47			
AV	5.4556G	50.59	54.00	-3.41	42.70	3	Vertical	118	2.52	-	33.53	6.83	32.47			
PK	5.466G	65.44	68.20	-2.76	57.46	3	Vertical	118	2.52	-	33.60	6.85	32.47			
PK	5.574G	122.28	Inf	-Inf	113.79	3	Vertical	118	2.52	-	33.90	7.05	32.46			
AV	5.5788G	113.19	Inf	-Inf	104.69	3	Vertical	118	2.52	-	33.90	7.06	32.46			
PK	5.7252G	58.72	68.20	-9.48	49.81	3	Vertical	118	2.52	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 96
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4504G	56.23	74.00	-17.77	48.38	3	Horizontal	138	2.28	-	33.50	6.82	32.47			
AV	5.45G	45.74	54.00	-8.26	37.89	3	Horizontal	138	2.28	-	33.50	6.82	32.47			
PK	5.4632G	56.66	68.20	-11.54	48.70	3	Horizontal	138	2.28	-	33.58	6.85	32.47			
PK	5.5836G	111.21	Inf	-Inf	102.70	3	Horizontal	138	2.28	-	33.90	7.07	32.46			
AV	5.5732G	102.37	Inf	-Inf	93.88	3	Horizontal	138	2.28	-	33.90	7.05	32.46			
PK	5.7616G	57.34	68.20	-10.86	48.37	3	Horizontal	138	2.28	-	34.12	7.30	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 96
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15492G	58.17	74.00	-15.83	40.35	3	Vertical	349	3.00	-	38.80	11.50	32.48			
AV	11.15238G	47.27	54.00	-6.73	29.45	3	Vertical	349	3.00	-	38.80	11.50	32.48			
PK	16.74302G	62.36	68.20	-5.84	40.80	3	Vertical	24	2.10	-	39.97	13.87	32.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 96
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1541G	57.84	74.00	-16.16	40.02	3	Horizontal	188	1.41	-	38.80	11.50	32.48			
AV	11.15392G	46.87	54.00	-7.13	29.05	3	Horizontal	188	1.41	-	38.80	11.50	32.48			
PK	16.74336G	62.34	68.20	-5.86	40.78	3	Horizontal	88	1.80	-	39.97	13.87	32.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Z_2TX
Setting 64
02-D-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.706G	110.68	Inf	-Inf	98.87	3	Vertical	133	2.95	-	34.00	8.05	30.24			
AV	5.6962G	102.41	Inf	-Inf	90.62	3	Vertical	133	2.95	-	34.00	8.03	30.24			
PK	5.7264G	68.11	68.20	-0.09	56.26	3	Vertical	133	2.95	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 64
02-D-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6968G	101.29	Inf	-Inf	89.50	3	Horizontal	208	1.96	-	34.00	8.03	30.24			
AV	5.6972G	92.28	Inf	-Inf	80.49	3	Horizontal	208	1.96	-	34.00	8.03	30.24			
PK	5.7262G	61.33	68.20	-6.87	49.48	3	Horizontal	208	1.96	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Z_2TX
Setting 64
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4018G	58.85	74.00	-15.15	40.55	3	Vertical	245	1.57	-	39.10	11.75	32.55			
AV	11.4017G	47.28	54.00	-6.72	28.98	3	Vertical	245	1.57	-	39.10	11.75	32.55			
PK	17.10692G	64.04	68.20	-4.16	40.97	3	Vertical	33	1.48	-	41.11	13.97	32.01			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Z_2TX
Setting 64
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4028G	58.15	74.00	-15.85	39.86	3	Horizontal	44	1.92	-	39.09	11.75	32.55			
AV	11.40858G	47.31	54.00	-6.69	29.02	3	Horizontal	44	1.92	-	39.08	11.76	32.55			
PK	17.09744G	62.96	68.20	-5.24	39.92	3	Horizontal	144	1.41	-	41.09	13.97	32.02			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 96
01-U-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3488G	57.86	68.20	-10.34	50.56	3	Vertical	65	1.80	-	33.10	6.70	32.50					
PK	5.4512G	63.33	74.00	-10.67	55.47	3	Vertical	65	1.80	-	33.51	6.82	32.47					
PK	5.4672G	64.06	68.20	-4.14	56.08	3	Vertical	65	1.80	-	33.60	6.85	32.47					
AV	5.46G	51.89	54.00	-2.11	43.96	3	Vertical	65	1.80	-	33.56	6.84	32.47					
PK	5.7208G	118.16	Inf	-Inf	109.26	3	Vertical	65	1.80	-	34.10	7.25	32.45					
AV	5.716G	108.66	Inf	-Inf	99.77	3	Vertical	65	1.80	-	34.10	7.24	32.45					
PK	5.872G	66.87	68.20	-1.33	57.29	3	Vertical	65	1.80	-	34.63	7.40	32.45					

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 96
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3408G	56.64	68.20	-11.56	49.36	3	Horizontal	344	2.55	-	33.08	6.70	32.50			
PK	5.4248G	57.89	74.00	-16.11	50.19	3	Horizontal	344	2.55	-	33.40	6.78	32.48			
PK	5.4696G	59.00	68.20	-9.20	50.99	3	Horizontal	344	2.55	-	33.62	6.86	32.47			
AV	5.4528G	47.03	54.00	-6.97	39.15	3	Horizontal	344	2.55	-	33.52	6.83	32.47			
PK	5.7184G	110.52	Inf	-Inf	101.62	3	Horizontal	344	2.55	-	34.10	7.25	32.45			
AV	5.7176G	101.39	Inf	-Inf	92.49	3	Horizontal	344	2.55	-	34.10	7.25	32.45			
PK	5.8504G	60.60	68.20	-7.60	51.16	3	Horizontal	344	2.55	-	34.50	7.39	32.45			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 96
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4443G	58.28	74.00	-15.72	40.04	3	Vertical	194	1.61	-	39.01	11.79	32.56			
AV	11.44426G	47.34	54.00	-6.66	29.10	3	Vertical	194	1.61	-	39.01	11.79	32.56			
PK	17.1531G	63.68	68.20	-4.52	40.47	3	Vertical	101	1.86	-	41.21	13.98	31.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 96
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44168G	58.75	74.00	-15.25	40.50	3	Horizontal	38	1.91	-	39.02	11.79	32.56			
AV	11.44202G	47.68	54.00	-6.32	29.43	3	Horizontal	38	1.91	-	39.02	11.79	32.56			
PK	17.16158G	63.59	68.20	-4.61	40.36	3	Horizontal	234	1.73	-	41.22	13.99	31.98			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 95
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	60.11	74.00	-13.89	53.21	3	Vertical	122	2.37	-	32.80	6.64	32.54			
AV	5.15G	47.88	54.00	-6.12	40.98	3	Vertical	122	2.37	-	32.80	6.64	32.54			
PK	5.2568G	121.02	Inf	-Inf	113.97	3	Vertical	122	2.37	-	32.91	6.66	32.52			
AV	5.2612G	109.77	Inf	-Inf	102.71	3	Vertical	122	2.37	-	32.92	6.66	32.52			
PK	5.3548G	67.29	74.00	-6.71	59.95	3	Vertical	122	2.37	-	33.12	6.71	32.49			
AV	5.3512G	53.92	54.00	-0.08	46.61	3	Vertical	122	2.37	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5260MHz_TX

EUT_Z_2TX
Setting 95
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	55.25	74.00	-18.75	48.37	3	Horizontal	61	2.27	-	32.79	6.64	32.55			
AV	5.1304G	43.53	54.00	-10.47	36.68	3	Horizontal	61	2.27	-	32.76	6.64	32.55			
PK	5.2588G	111.25	Inf	-Inf	104.19	3	Horizontal	61	2.27	-	32.92	6.66	32.52			
AV	5.2676G	99.88	Inf	-Inf	92.80	3	Horizontal	61	2.27	-	32.94	6.66	32.52			
PK	5.3512G	60.18	74.00	-13.82	52.87	3	Horizontal	61	2.27	-	33.10	6.71	32.50			
AV	5.35G	47.79	54.00	-6.21	40.48	3	Horizontal	61	2.27	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 95
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5242G	57.85	68.20	-10.35	40.36	3	Vertical	253	1.80	-	39.05	10.85	32.41			
PK	15.78398G	60.97	74.00	-13.03	41.71	3	Vertical	216	1.02	-	38.40	13.63	32.77			
AV	15.78782G	48.74	54.00	-5.26	29.48	3	Vertical	216	1.02	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Z_2TX
Setting 95
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52126G	57.11	68.20	-11.09	39.63	3	Horizontal	324	2.36	-	39.04	10.85	32.41			
PK	15.77536G	60.95	74.00	-13.05	41.68	3	Horizontal	271	2.93	-	38.40	13.63	32.76			
AV	15.77064G	48.82	54.00	-5.18	29.55	3	Horizontal	271	2.93	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_TX
Setting 82
01-U-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.29775G	119.64	Inf	-Inf	112.47	3	Vertical	119	2.54	-	33.00	6.68	32.51			
AV	5.2965G	108.01	Inf	-Inf	100.85	3	Vertical	119	2.54	-	32.99	6.68	32.51			
PK	5.3505G	66.68	74.00	-7.32	59.37	3	Vertical	119	2.54	-	33.10	6.71	32.50			
AV	5.35G	52.54	54.00	-1.46	45.23	3	Vertical	119	2.54	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5300MHz_TX

EUT_Z_2TX
Setting 82
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.29875G	107.24	Inf	-Inf	100.07	3	Horizontal	64	2.19	-	33.00	6.68	32.51			
AV	5.301G	96.11	Inf	-Inf	88.94	3	Horizontal	64	2.19	-	33.00	6.68	32.51			
PK	5.35275G	58.12	74.00	-15.88	50.80	3	Horizontal	64	2.19	-	33.11	6.71	32.50			
AV	5.351G	46.02	54.00	-7.98	38.71	3	Horizontal	64	2.19	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 82
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60798G	57.04	74.00	-16.96	39.39	3	Vertical	224	1.67	-	39.12	10.94	32.41			
AV	10.60398G	45.39	54.00	-8.61	27.75	3	Vertical	224	1.67	-	39.11	10.94	32.41			
PK	15.89132G	60.17	74.00	-13.83	40.74	3	Vertical	118	1.91	-	38.57	13.64	32.78			
AV	15.89826G	48.81	54.00	-5.19	29.36	3	Vertical	118	1.91	-	38.59	13.64	32.78			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Z_2TX
Setting 82
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60502G	56.79	74.00	-17.21	39.15	3	Horizontal	213	1.51	-	39.11	10.94	32.41			
AV	10.60934G	45.64	54.00	-8.36	27.99	3	Horizontal	213	1.51	-	39.12	10.94	32.41			
PK	15.90474G	60.96	74.00	-13.04	41.51	3	Horizontal	146	1.44	-	38.59	13.64	32.78			
AV	15.89694G	48.79	54.00	-5.21	29.34	3	Horizontal	146	1.44	-	38.59	13.64	32.78			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 77
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3282G	117.60	Inf	-Inf	110.35	3	Vertical	120	2.60	-	33.06	6.69	32.50			
AV	5.3278G	106.03	Inf	-Inf	98.78	3	Vertical	120	2.60	-	33.06	6.69	32.50			
PK	5.3566G	66.30	74.00	-7.70	58.95	3	Vertical	120	2.60	-	33.13	6.71	32.49			
AV	5.3604G	51.76	54.00	-2.24	44.40	3	Vertical	120	2.60	-	33.14	6.71	32.49			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5320MHz_TX

EUT_Z_2TX
Setting 77
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3254G	105.50	Inf	-Inf	98.26	3	Horizontal	64	1.80	-	33.05	6.69	32.50			
AV	5.321G	94.28	Inf	-Inf	87.05	3	Horizontal	64	1.80	-	33.04	6.69	32.50			
PK	5.3598G	57.55	74.00	-16.45	50.19	3	Horizontal	64	1.80	-	33.14	6.71	32.49			
AV	5.3602G	45.28	54.00	-8.72	37.92	3	Horizontal	64	1.80	-	33.14	6.71	32.49			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 77
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64354G	57.23	74.00	-16.77	39.48	3	Vertical	70	1.64	-	39.19	10.98	32.42			
AV	10.6487G	45.84	54.00	-8.16	28.08	3	Vertical	70	1.64	-	39.20	10.98	32.42			
PK	15.96326G	60.19	74.00	-13.81	40.88	3	Vertical	104	1.40	-	38.45	13.65	32.79			
AV	15.9523G	48.68	54.00	-5.32	29.33	3	Vertical	104	1.40	-	38.49	13.65	32.79			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Z_2TX
Setting 77
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63204G	58.21	74.00	-15.79	40.51	3	Horizontal	167	2.00	-	39.16	10.96	32.42			
AV	10.63208G	45.74	54.00	-8.26	28.04	3	Horizontal	167	2.00	-	39.16	10.96	32.42			
PK	15.95838G	60.54	74.00	-13.46	41.21	3	Horizontal	304	1.67	-	38.47	13.65	32.79			
AV	15.95428G	48.40	54.00	-5.60	29.06	3	Horizontal	304	1.67	-	38.48	13.65	32.79			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Z_2TX
Setting 77
01-U-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4588G	65.60	74.00	-8.40	57.68	3	Vertical	118	2.46	-	33.55	6.84	32.47			
AV	5.4598G	53.20	54.00	-0.80	45.27	3	Vertical	118	2.46	-	33.56	6.84	32.47			
PK	5.47G	65.68	68.20	-2.52	57.67	3	Vertical	118	2.46	-	33.62	6.86	32.47			
PK	5.4986G	117.56	Inf	-Inf	109.32	3	Vertical	118	2.46	-	33.79	6.91	32.46			
AV	5.5018G	106.37	Inf	-Inf	98.11	3	Vertical	118	2.46	-	33.80	6.92	32.46			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 77
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4582G	59.53	74.00	-14.47	51.61	3	Horizontal	94	2.60	-	33.55	6.84	32.47			
AV	5.4598G	46.28	54.00	-7.72	38.35	3	Horizontal	94	2.60	-	33.56	6.84	32.47			
PK	5.4682G	58.19	68.20	-10.01	50.19	3	Horizontal	94	2.60	-	33.61	6.86	32.47			
PK	5.495G	107.98	Inf	-Inf	99.76	3	Horizontal	94	2.60	-	33.77	6.91	32.46			
AV	5.4924G	96.10	Inf	-Inf	87.91	3	Horizontal	94	2.60	-	33.75	6.90	32.46			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 77
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99658G	58.33	74.00	-15.67	40.31	3	Vertical	53	1.87	-	39.11	11.34	32.43			
AV	10.9982G	46.84	54.00	-7.16	28.83	3	Vertical	53	1.87	-	39.10	11.34	32.43			
PK	16.50852G	61.73	68.20	-6.47	40.78	3	Vertical	13	1.93	-	39.60	13.80	32.45			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX

EUT_Z_2TX
Setting 77
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00304G	58.59	74.00	-15.41	40.59	3	Horizontal	186	1.86	-	39.09	11.34	32.43			
AV	10.99962G	46.23	54.00	-7.77	28.22	3	Horizontal	186	1.86	-	39.10	11.34	32.43			
PK	16.50732G	61.93	68.20	-6.27	40.98	3	Horizontal	336	1.96	-	39.60	13.80	32.45			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Z_2TX
Setting 96
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4448G	66.24	74.00	-7.76	58.42	3	Vertical	122	2.92	-	33.48	6.81	32.47
PK	5.47G	66.30	68.20	-1.90	58.29	3	Vertical	122	2.92	-	33.62	6.86	32.47
AV	5.4596G	51.74	54.00	-2.26	43.81	3	Vertical	122	2.92	-	33.56	6.84	32.47
PK	5.5708G	121.84	Inf	-Inf	113.35	3	Vertical	122	2.92	-	33.90	7.05	32.46
AV	5.5892G	110.18	Inf	-Inf	101.66	3	Vertical	122	2.92	-	33.90	7.08	32.46
PK	5.7252G	60.04	68.20	-8.16	51.13	3	Vertical	122	2.92	-	34.10	7.26	32.45

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 96
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4384G	57.54	74.00	-16.46	49.76	3	Horizontal	136	1.00	-	33.45	6.80	32.47			
PK	5.47G	56.96	68.20	-11.24	48.95	3	Horizontal	136	1.00	-	33.62	6.86	32.47			
AV	5.4592G	45.32	54.00	-8.68	37.39	3	Horizontal	136	1.00	-	33.56	6.84	32.47			
PK	5.5712G	111.33	Inf	-Inf	102.84	3	Horizontal	136	1.00	-	33.90	7.05	32.46			
AV	5.5792G	99.66	Inf	-Inf	91.16	3	Horizontal	136	1.00	-	33.90	7.06	32.46			
PK	5.7784G	56.98	68.20	-11.22	47.95	3	Horizontal	136	1.00	-	34.16	7.32	32.45			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 96
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16015G	57.96	74.00	-16.04	40.14	3	Vertical	9	1.80	-	38.80	11.50	32.48			
AV	11.16061G	46.07	54.00	-7.93	28.25	3	Vertical	9	1.80	-	38.80	11.50	32.48			
PK	16.74472G	62.05	68.20	-6.15	40.47	3	Vertical	358	1.80	-	39.98	13.87	32.27			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5580MHz_TX

EUT_Z_2TX
Setting 96
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1634G	57.85	74.00	-16.15	40.02	3	Horizontal	292	1.03	-	38.80	11.51	32.48			
AV	11.15938G	46.17	54.00	-7.83	28.35	3	Horizontal	292	1.03	-	38.80	11.50	32.48			
PK	16.73625G	62.25	68.20	-5.95	40.72	3	Horizontal	338	1.80	-	39.95	13.86	32.28			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 61
02-D-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7062G	109.89	Inf	-Inf	98.08	3	Vertical	128	2.92	-	34.00	8.05	30.24			
AV	5.696G	98.50	Inf	-Inf	86.71	3	Vertical	128	2.92	-	34.00	8.03	30.24			
PK	5.7256G	67.95	68.20	-0.25	56.10	3	Vertical	128	2.92	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Z_2TX
Setting 61
02-D-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6988G	101.06	Inf	-Inf	89.27	3	Horizontal	285	2.12	-	34.00	8.03	30.24			
AV	5.6922G	89.04	Inf	-Inf	77.26	3	Horizontal	285	2.12	-	34.00	8.02	30.24			
PK	5.7264G	60.17	68.20	-8.03	48.32	3	Horizontal	285	2.12	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT Z_2TX
Setting 61
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40119G	58.27	74.00	-15.73	39.97	3	Vertical	170	1.61	-	39.10	11.75	32.55			
AV	11.39895G	46.48	54.00	-7.52	28.18	3	Vertical	170	1.61	-	39.10	11.75	32.55			
PK	17.09989G	63.71	68.20	-4.49	40.66	3	Vertical	118	1.63	-	41.10	13.97	32.02			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5700MHz_TX

EUT_Z_2TX
Setting 61
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39772G	58.35	74.00	-15.65	40.05	3	Horizontal	105	1.92	-	39.10	11.75	32.55			
AV	11.39655G	46.38	54.00	-7.62	28.09	3	Horizontal	105	1.92	-	39.10	11.74	32.55			
PK	17.10289G	63.38	68.20	-4.82	40.31	3	Horizontal	355	1.95	-	41.11	13.97	32.01			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 97
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3264G	60.01	68.20	-8.19	52.77	3	Vertical	61	1.80	-	33.05	6.69	32.50			
PK	5.4368G	66.28	74.00	-7.72	58.51	3	Vertical	61	1.80	-	33.45	6.80	32.48			
PK	5.468G	65.35	68.20	-2.85	57.35	3	Vertical	61	1.80	-	33.61	6.86	32.47			
AV	5.46G	50.83	54.00	-3.17	42.90	3	Vertical	61	1.80	-	33.56	6.84	32.47			
PK	5.7264G	115.74	Inf	-Inf	106.83	3	Vertical	61	1.80	-	34.10	7.26	32.45			
AV	5.724G	105.03	Inf	-Inf	96.13	3	Vertical	61	1.80	-	34.10	7.25	32.45			
PK	5.8504G	67.91	68.20	-0.29	58.47	3	Vertical	61	1.80	-	34.50	7.39	32.45			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 97
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.348G	55.40	68.20	-12.80	48.10	3	Horizontal	207	2.29	-	33.10	6.70	32.50			
PK	5.4456G	56.55	74.00	-17.45	48.73	3	Horizontal	207	2.29	-	33.48	6.81	32.47			
AV	5.4312G	44.84	54.00	-9.16	37.11	3	Horizontal	207	2.29	-	33.42	6.79	32.48			
PK	5.4632G	55.76	68.20	-12.44	47.80	3	Horizontal	207	2.29	-	33.58	6.85	32.47			
PK	5.724G	109.79	Inf	-Inf	100.89	3	Horizontal	207	2.29	-	34.10	7.25	32.45			
AV	5.7152G	97.65	Inf	-Inf	88.76	3	Horizontal	207	2.29	-	34.10	7.24	32.45			
PK	5.8552G	59.18	68.20	-9.02	49.71	3	Horizontal	207	2.29	-	34.53	7.39	32.45			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 97
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43965G	58.67	74.00	-15.33	40.42	3	Vertical	282	1.92	-	39.02	11.79	32.56			
AV	11.43701G	46.65	54.00	-7.35	28.39	3	Vertical	282	1.92	-	39.03	11.79	32.56			
PK	17.16355G	62.81	68.20	-5.39	39.57	3	Vertical	234	1.94	-	41.23	13.99	31.98			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 97
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44213G	58.87	74.00	-15.13	40.62	3	Horizontal	146	1.49	-	39.02	11.79	32.56			
AV	11.43628G	46.63	54.00	-7.37	28.37	3	Horizontal	146	1.49	-	39.03	11.79	32.56			
PK	17.15739G	64.35	68.20	-3.85	41.13	3	Horizontal	26	1.50	-	41.21	13.99	31.98			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 80
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1446G	57.77	74.00	-16.23	50.89	3	Vertical	122	2.41	-	32.79	6.64	32.55			
AV	5.1497G	46.64	54.00	-7.36	39.74	3	Vertical	122	2.41	-	32.80	6.64	32.54			
PK	5.2589G	116.42	Inf	-Inf	109.36	3	Vertical	122	2.41	-	32.92	6.66	32.52			
AV	5.264G	104.63	Inf	-Inf	97.56	3	Vertical	122	2.41	-	32.93	6.66	32.52			
PK	5.3507G	67.85	74.00	-6.15	60.54	3	Vertical	122	2.41	-	33.10	6.71	32.50			
AV	5.351G	53.87	54.00	-0.13	46.56	3	Vertical	122	2.41	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 80
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1401G	55.17	74.00	-18.83	48.30	3	Horizontal	63	2.30	-	32.78	6.64	32.55			
AV	5.1491G	43.32	54.00	-10.68	36.42	3	Horizontal	63	2.30	-	32.80	6.64	32.54			
PK	5.2745G	106.17	Inf	-Inf	99.06	3	Horizontal	63	2.30	-	32.95	6.67	32.51			
AV	5.2733G	93.90	Inf	-Inf	86.79	3	Horizontal	63	2.30	-	32.95	6.67	32.51			
PK	5.3534G	60.79	74.00	-13.21	53.47	3	Horizontal	63	2.30	-	33.11	6.71	32.50			
AV	5.3513G	47.60	54.00	-6.40	40.28	3	Horizontal	63	2.30	-	33.11	6.71	32.50			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 80
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54431G	57.54	68.20	-10.66	39.98	3	Vertical	33	1.71	-	39.09	10.88	32.41			
PK	15.80794G	60.38	74.00	-13.62	41.12	3	Vertical	107	2.00	-	38.40	13.63	32.77			
AV	15.80616G	48.57	54.00	-5.43	29.31	3	Vertical	107	2.00	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Z_2TX
Setting 80
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54358G	57.16	68.20	-11.04	39.61	3	Horizontal	131	1.80	-	39.09	10.87	32.41			
PK	15.81115G	60.58	74.00	-13.42	41.32	3	Horizontal	336	1.54	-	38.40	13.63	32.77			
AV	15.8147G	48.39	54.00	-5.61	29.13	3	Horizontal	336	1.54	-	38.40	13.63	32.77			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 73
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2989G	114.51	Inf	-Inf	107.34	3	Vertical	119	2.54	-	33.00	6.68	32.51			
AV	5.3001G	102.82	Inf	-Inf	95.65	3	Vertical	119	2.54	-	33.00	6.68	32.51			
PK	5.3541G	62.53	74.00	-11.47	55.20	3	Vertical	119	2.54	-	33.12	6.71	32.50			
AV	5.3508G	51.41	54.00	-2.59	44.10	3	Vertical	119	2.54	-	33.10	6.71	32.50			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 73
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2935G	103.32	Inf	-Inf	96.16	3	Horizontal	62	2.26	-	32.99	6.68	32.51			
AV	5.2947G	91.77	Inf	-Inf	84.61	3	Horizontal	62	2.26	-	32.99	6.68	32.51			
PK	5.4048G	56.97	74.00	-17.03	49.39	3	Horizontal	62	2.26	-	33.32	6.74	32.48			
AV	5.358G	45.55	54.00	-8.45	38.20	3	Horizontal	62	2.26	-	33.13	6.71	32.49			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 73
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61676G	57.33	74.00	-16.67	39.66	3	Vertical	264	1.97	-	39.13	10.95	32.41			
AV	10.62184G	45.78	54.00	-8.22	28.10	3	Vertical	264	1.97	-	39.14	10.95	32.41			
PK	15.93393G	60.53	74.00	-13.47	41.15	3	Vertical	215	1.88	-	38.53	13.64	32.79			
AV	15.93031G	48.41	54.00	-5.59	29.02	3	Vertical	215	1.88	-	38.54	13.64	32.79			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Z_2TX
Setting 73
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61725G	57.48	74.00	-16.52	39.81	3	Horizontal	190	1.63	-	39.13	10.95	32.41			
AV	10.6178G	45.52	54.00	-8.48	27.84	3	Horizontal	190	1.63	-	39.14	10.95	32.41			
PK	15.93065G	61.09	74.00	-12.91	41.70	3	Horizontal	360	1.80	-	38.54	13.64	32.79			
AV	15.93038G	48.35	54.00	-5.65	28.96	3	Horizontal	360	1.80	-	38.54	13.64	32.79			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
Setting 76
01-U-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4587G	64.68	74.00	-9.32	56.76	3	Vertical	119	2.44	-	33.55	6.84	32.47			
AV	5.4596G	52.52	54.00	-1.48	44.59	3	Vertical	119	2.44	-	33.56	6.84	32.47			
PK	5.4692G	67.99	68.20	-0.21	59.98	3	Vertical	119	2.44	-	33.62	6.86	32.47			
PK	5.4947G	115.79	Inf	-Inf	107.57	3	Vertical	119	2.44	-	33.77	6.91	32.46			
AV	5.4953G	103.68	Inf	-Inf	95.46	3	Vertical	119	2.44	-	33.77	6.91	32.46			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
Setting 76
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45G	57.95	74.00	-16.05	50.10	3	Horizontal	94	2.58	-	33.50	6.82	32.47			
AV	5.4575G	46.38	54.00	-7.62	38.46	3	Horizontal	94	2.58	-	33.55	6.84	32.47			
PK	5.4677G	58.82	68.20	-9.38	50.82	3	Horizontal	94	2.58	-	33.61	6.86	32.47			
PK	5.5052G	105.02	Inf	-Inf	96.75	3	Horizontal	94	2.58	-	33.81	6.92	32.46			
AV	5.5136G	93.62	Inf	-Inf	85.31	3	Horizontal	94	2.58	-	33.83	6.94	32.46			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
Setting 76
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01769G	58.47	74.00	-15.53	40.49	3	Vertical	239	1.94	-	39.06	11.36	32.44			
AV	11.01768G	46.03	54.00	-7.97	28.05	3	Vertical	239	1.94	-	39.06	11.36	32.44			
PK	16.52554G	61.34	68.20	-6.86	40.38	3	Vertical	334	1.37	-	39.60	13.80	32.44			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX

EUT_Z_2TX
Setting 76
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02335G	58.35	74.00	-15.65	40.38	3	Horizontal	140	1.43	-	39.05	11.36	32.44			
AV	11.02237G	46.33	54.00	-7.67	28.35	3	Horizontal	140	1.43	-	39.06	11.36	32.44			
PK	16.53454G	61.72	68.20	-6.48	40.74	3	Horizontal	278	1.37	-	39.60	13.81	32.43			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX

EUT_Z_2TX
Setting 84
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	67.85	74.00	-6.15	59.93	3	Vertical	121	2.97	-	33.55	6.84	32.47
AV	5.4592G	53.37	54.00	-0.63	45.44	3	Vertical	121	2.97	-	33.56	6.84	32.47
PK	5.4628G	67.55	68.20	-0.65	59.59	3	Vertical	121	2.97	-	33.58	6.85	32.47
PK	5.5664G	116.19	Inf	-Inf	107.71	3	Vertical	121	2.97	-	33.90	7.04	32.46
AV	5.5432G	105.17	Inf	-Inf	96.75	3	Vertical	121	2.97	-	33.89	6.99	32.46
PK	5.7392G	58.11	68.20	-10.09	49.19	3	Vertical	121	2.97	-	34.10	7.27	32.45

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT_Z_2TX
Setting 84
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	61.51	74.00	-12.49	53.59	3	Horizontal	98	2.56	-	33.55	6.84	32.47
AV	5.4592G	47.63	54.00	-6.37	39.70	3	Horizontal	98	2.56	-	33.56	6.84	32.47
PK	5.4652G	62.40	68.20	-5.80	54.43	3	Horizontal	98	2.56	-	33.59	6.85	32.47
PK	5.5548G	108.11	Inf	-Inf	99.65	3	Horizontal	98	2.56	-	33.90	7.02	32.46
AV	5.548G	95.54	Inf	-Inf	87.10	3	Horizontal	98	2.56	-	33.90	7.00	32.46
PK	5.748G	57.32	68.20	-10.88	48.39	3	Horizontal	98	2.56	-	34.10	7.28	32.45

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX

EUT_Z_2TX
Setting 84
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10016G	58.04	74.00	-15.96	40.06	3	Vertical	197	1.70	-	39.00	11.44	32.46			
AV	11.09749G	46.06	54.00	-7.94	28.08	3	Vertical	197	1.70	-	39.00	11.44	32.46			
PK	16.65472G	61.63	68.20	-6.57	40.33	3	Vertical	30	1.69	-	39.80	13.84	32.34			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX

EUT_Z_2TX
Setting 84
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.09856G	57.69	74.00	-16.31	39.71	3	Horizontal	10	1.80	-	39.00	11.44	32.46			
AV	11.09691G	45.87	54.00	-8.13	27.89	3	Horizontal	10	1.80	-	39.00	11.44	32.46			
PK	16.65362G	62.02	68.20	-6.18	40.72	3	Horizontal	280	1.43	-	39.80	13.84	32.34			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 78
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6631G	113.78	Inf	-Inf	105.02	3	Vertical	123	2.80	-	34.03	7.18	32.45			
AV	5.6628G	102.49	Inf	-Inf	93.73	3	Vertical	123	2.80	-	34.03	7.18	32.45			
PK	5.7255G	66.68	68.20	-1.52	57.77	3	Vertical	123	2.80	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 78
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.664G	104.32	Inf	-Inf	95.56	3	Horizontal	136	2.55	-	34.03	7.18	32.45			
AV	5.664G	92.90	Inf	-Inf	84.14	3	Horizontal	136	2.55	-	34.03	7.18	32.45			
PK	5.7282G	59.41	68.20	-8.79	50.50	3	Horizontal	136	2.55	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 78
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33675G	58.57	74.00	-15.43	40.35	3	Vertical	160	1.47	-	39.07	11.68	32.53			
AV	11.33662G	46.58	54.00	-7.42	28.36	3	Vertical	160	1.47	-	39.07	11.68	32.53			
PK	17.00509G	63.84	68.20	-4.36	41.35	3	Vertical	147	1.64	-	40.63	13.94	32.08			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX

EUT_Z_2TX
Setting 78
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33579G	58.33	74.00	-15.67	40.11	3	Horizontal	124	1.81	-	39.07	11.68	32.53			
AV	11.33568G	46.35	54.00	-7.65	28.13	3	Horizontal	124	1.81	-	39.07	11.68	32.53			
PK	17.00857G	63.55	68.20	-4.65	41.03	3	Horizontal	120	1.54	-	40.65	13.94	32.07			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 95
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2969G	55.94	68.20	-12.26	48.78	3	Vertical	68	1.80	-	32.99	6.68	32.51			
PK	5.4562G	61.94	74.00	-12.06	54.04	3	Vertical	68	1.80	-	33.54	6.83	32.47			
AV	5.4463G	47.46	54.00	-6.54	39.62	3	Vertical	68	1.80	-	33.49	6.82	32.47			
PK	5.4688G	60.40	68.20	-7.80	52.40	3	Vertical	68	1.80	-	33.61	6.86	32.47			
PK	5.701G	114.92	Inf	-Inf	106.04	3	Vertical	68	1.80	-	34.10	7.23	32.45			
AV	5.6956G	103.78	Inf	-Inf	94.92	3	Vertical	68	1.80	-	34.09	7.22	32.45			
PK	5.8594G	67.52	68.20	-0.68	58.02	3	Vertical	68	1.80	-	34.56	7.39	32.45			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 95
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3491G	55.51	68.20	-12.69	48.21	3	Horizontal	346	2.36	-	33.10	6.70	32.50			
PK	5.4571G	57.63	74.00	-16.37	49.72	3	Horizontal	346	2.36	-	33.54	6.84	32.47			
AV	5.4481G	44.95	54.00	-9.05	37.11	3	Horizontal	346	2.36	-	33.49	6.82	32.47			
PK	5.4643G	57.66	68.20	-10.54	49.69	3	Horizontal	346	2.36	-	33.59	6.85	32.47			
PK	5.6965G	108.03	Inf	-Inf	99.17	3	Horizontal	346	2.36	-	34.09	7.22	32.45			
AV	5.7001G	95.53	Inf	-Inf	86.65	3	Horizontal	346	2.36	-	34.10	7.23	32.45			
PK	5.8513G	61.15	68.20	-7.05	51.70	3	Horizontal	346	2.36	-	34.51	7.39	32.45			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 95
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41615G	58.33	74.00	-15.67	40.05	3	Vertical	284	3.00	-	39.07	11.76	32.55			
AV	11.41842G	46.75	54.00	-7.25	28.48	3	Vertical	284	3.00	-	39.06	11.77	32.56			
PK	17.13299G	64.36	68.20	-3.84	41.20	3	Vertical	174	1.80	-	41.17	13.98	31.99			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 95
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41839G	58.48	74.00	-15.52	40.21	3	Horizontal	344	1.80	-	39.06	11.77	32.56			
AV	11.42441G	46.87	54.00	-7.13	28.61	3	Horizontal	344	1.80	-	39.05	11.77	32.56			
PK	17.13443G	63.97	68.20	-4.23	40.81	3	Horizontal	286	1.80	-	41.17	13.98	31.99			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 74
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1365G	57.78	74.00	-16.22	50.92	3	Vertical	120	2.52	-	32.77	6.64	32.55			
AV	5.1485G	46.25	54.00	-7.75	39.35	3	Vertical	120	2.52	-	32.80	6.64	32.54			
PK	5.2945G	111.87	Inf	-Inf	104.71	3	Vertical	120	2.52	-	32.99	6.68	32.51			
AV	5.301G	100.53	Inf	-Inf	93.36	3	Vertical	120	2.52	-	33.00	6.68	32.51			
PK	5.353G	64.63	74.00	-9.37	57.31	3	Vertical	120	2.52	-	33.11	6.71	32.50			
AV	5.3885G	53.06	54.00	-0.94	45.58	3	Vertical	120	2.52	-	33.25	6.72	32.49			
PK	5.517G	60.53	68.20	-7.67	52.21	3	Vertical	120	2.52	-	33.83	6.95	32.46			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 74
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	55.13	74.00	-18.87	48.24	3	Horizontal	62	2.26	-	32.79	6.64	32.54			
AV	5.128G	43.19	54.00	-10.81	36.34	3	Horizontal	62	2.26	-	32.76	6.64	32.55			
PK	5.2995G	101.73	Inf	-Inf	94.56	3	Horizontal	62	2.26	-	33.00	6.68	32.51			
AV	5.297G	89.33	Inf	-Inf	82.17	3	Horizontal	62	2.26	-	32.99	6.68	32.51			
PK	5.37G	59.13	74.00	-14.87	51.72	3	Horizontal	62	2.26	-	33.18	6.72	32.49			
AV	5.3795G	46.69	54.00	-7.31	39.24	3	Horizontal	62	2.26	-	33.22	6.72	32.49			
PK	5.5135G	57.17	68.20	-11.03	48.86	3	Horizontal	62	2.26	-	33.83	6.94	32.46			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 74
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5849G	57.60	68.20	-10.60	39.99	3	Vertical	165	1.80	-	39.10	10.92	32.41			
PK	15.86683G	61.56	74.00	-12.44	42.23	3	Vertical	83	1.80	-	38.47	13.64	32.78			
AV	15.8696G	48.74	54.00	-5.26	29.40	3	Vertical	83	1.80	-	38.48	13.64	32.78			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Z_2TX
Setting 74
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58375G	57.14	68.20	-11.06	39.53	3	Horizontal	80	1.99	-	39.10	10.92	32.41			
PK	15.87226G	60.00	74.00	-14.00	40.65	3	Horizontal	169	1.57	-	38.49	13.64	32.78			
AV	15.86662G	48.70	54.00	-5.30	29.37	3	Horizontal	169	1.57	-	38.47	13.64	32.78			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX

EUT_Z_2TX
Setting 78
02-D-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	57.98	68.20	-10.22	46.61	3	Vertical	118	2.46	-	33.90	7.70	30.23
PK	5.4385G	66.97	74.00	-7.03	55.59	3	Vertical	118	2.46	-	33.90	7.76	30.28
AV	5.449G	53.85	54.00	-0.15	42.46	3	Vertical	118	2.46	-	33.90	7.77	30.28
PK	5.4685G	66.34	68.20	-1.86	54.91	3	Vertical	118	2.46	-	33.94	7.78	30.29
PK	5.5345G	110.19	Inf	-Inf	98.60	3	Vertical	118	2.46	-	34.07	7.82	30.30
AV	5.545G	97.64	Inf	-Inf	86.01	3	Vertical	118	2.46	-	34.09	7.83	30.29
PK	5.735G	57.69	68.20	-10.51	45.82	3	Vertical	118	2.46	-	34.00	8.10	30.23

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Z_2TX
Setting 78
02-D-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.337G	56.30	68.20	-11.90	44.97	3	Horizontal	285	2.14	-	33.87	7.69	30.23			
PK	5.438G	57.66	74.00	-16.34	46.28	3	Horizontal	285	2.14	-	33.90	7.76	30.28			
AV	5.4385G	47.09	54.00	-6.91	35.71	3	Horizontal	285	2.14	-	33.90	7.76	30.28			
PK	5.468G	58.06	68.20	-10.14	46.63	3	Horizontal	285	2.14	-	33.94	7.78	30.29			
PK	5.502G	98.46	Inf	-Inf	86.97	3	Horizontal	285	2.14	-	34.00	7.80	30.31			
AV	5.519G	86.75	Inf	-Inf	75.20	3	Horizontal	285	2.14	-	34.04	7.81	30.30			
PK	5.7785G	56.15	68.20	-12.05	44.19	3	Horizontal	285	2.14	-	34.00	8.17	30.21			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX

EUT_Z_2TX
Setting 78
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06406G	58.09	74.00	-15.91	40.13	3	Vertical	197	1.80	-	39.00	11.41	32.45			
AV	11.06131G	46.33	54.00	-7.67	28.38	3	Vertical	197	1.80	-	39.00	11.40	32.45			
PK	16.59065G	61.60	68.20	-6.60	40.57	3	Vertical	100	2.59	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX

EUT_Z_2TX
Setting 78
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.06305G	57.73	74.00	-16.27	39.78	3	Horizontal	0	1.80	-	39.00	11.40	32.45			
AV	11.0634G	46.18	54.00	-7.82	28.23	3	Horizontal	0	1.80	-	39.00	11.40	32.45			
PK	16.58603G	62.07	68.20	-6.13	41.04	3	Horizontal	200	1.80	-	39.60	13.82	32.39			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT_Z_2TX
Setting 79
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	65.87	74.00	-8.13	57.97	3	Vertical	119	2.38	-	33.54	6.83	32.47
AV	5.4575G	53.76	54.00	-0.24	45.84	3	Vertical	119	2.38	-	33.55	6.84	32.47
PK	5.463G	67.88	68.20	-0.32	59.92	3	Vertical	119	2.38	-	33.58	6.85	32.47
PK	5.5915G	112.12	Inf	-Inf	103.60	3	Vertical	119	2.38	-	33.90	7.08	32.46
AV	5.622G	101.41	Inf	-Inf	92.80	3	Vertical	119	2.38	-	33.94	7.13	32.46
PK	5.729G	66.57	68.20	-1.63	57.66	3	Vertical	119	2.38	-	34.10	7.26	32.45

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX

EUT_Z_2TX
Setting 79
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4475G	57.58	74.00	-16.42	49.74	3	Horizontal	139	1.02	-	33.49	6.82	32.47			
AV	5.4565G	46.13	54.00	-7.87	38.23	3	Horizontal	139	1.02	-	33.54	6.83	32.47			
PK	5.466G	58.88	68.20	-9.32	50.90	3	Horizontal	139	1.02	-	33.60	6.85	32.47			
PK	5.6115G	102.40	Inf	-Inf	93.83	3	Horizontal	139	1.02	-	33.92	7.11	32.46			
AV	5.621G	90.81	Inf	-Inf	82.20	3	Horizontal	139	1.02	-	33.94	7.13	32.46			
PK	5.726G	61.62	68.20	-6.58	52.71	3	Horizontal	139	1.02	-	34.10	7.26	32.45			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX

EUT_Z_2TX
Setting 79
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21999G	57.72	74.00	-16.28	39.82	3	Vertical	289	1.87	-	38.84	11.56	32.50			
AV	11.22154G	46.44	54.00	-7.56	28.53	3	Vertical	289	1.87	-	38.84	11.57	32.50			
PK	16.83304G	63.42	68.20	-4.78	41.41	3	Vertical	163	1.61	-	40.33	13.89	32.21			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX

EUT_Z_2TX
Setting 79
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2185G	57.60	74.00	-16.40	39.70	3	Horizontal	65	1.53	-	38.84	11.56	32.50			
AV	11.22294G	46.35	54.00	-7.65	28.43	3	Horizontal	65	1.53	-	38.85	11.57	32.50			
PK	16.83179G	62.85	68.20	-5.35	40.84	3	Horizontal	302	1.60	-	40.33	13.89	32.21			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 87
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3396G	58.28	68.20	-9.92	51.00	3	Vertical	72	2.99	-	33.08	6.70	32.50			
PK	5.4596G	64.63	74.00	-9.37	56.70	3	Vertical	72	2.99	-	33.56	6.84	32.47			
AV	5.4588G	51.93	54.00	-2.07	44.01	3	Vertical	72	2.99	-	33.55	6.84	32.47			
PK	5.4684G	67.35	68.20	-0.85	59.35	3	Vertical	72	2.99	-	33.61	6.86	32.47			
PK	5.706G	112.56	Inf	-Inf	103.68	3	Vertical	72	2.99	-	34.10	7.23	32.45			
AV	5.6692G	100.35	Inf	-Inf	91.57	3	Vertical	72	2.99	-	34.04	7.19	32.45			
PK	5.8548G	66.39	68.20	-1.81	56.92	3	Vertical	72	2.99	-	34.53	7.39	32.45			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 87
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3292G	55.56	68.20	-12.64	48.31	3	Horizontal	134	2.55	-	33.06	6.69	32.50			
PK	5.4204G	56.44	74.00	-17.56	48.77	3	Horizontal	134	2.55	-	33.38	6.77	32.48			
PK	5.4628G	56.74	68.20	-11.46	48.78	3	Horizontal	134	2.55	-	33.58	6.85	32.47			
AV	5.4588G	44.95	54.00	-9.05	37.03	3	Horizontal	134	2.55	-	33.55	6.84	32.47			
PK	5.694G	104.05	Inf	-Inf	95.19	3	Horizontal	134	2.55	-	34.09	7.22	32.45			
AV	5.6588G	92.47	Inf	-Inf	83.73	3	Horizontal	134	2.55	-	34.02	7.17	32.45			
PK	5.8532G	59.96	68.20	-8.24	50.50	3	Horizontal	134	2.55	-	34.52	7.39	32.45			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 87
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3759G	58.85	74.00	-15.15	40.57	3	Vertical	203	1.80	-	39.10	11.72	32.54			
AV	11.37598G	46.72	54.00	-7.28	28.44	3	Vertical	203	1.80	-	39.10	11.72	32.54			
PK	17.06695G	64.05	68.20	-4.15	41.16	3	Vertical	19	2.78	-	40.97	13.96	32.04			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Z_2TX
Setting 87
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38339G	58.86	74.00	-15.14	40.58	3	Horizontal	168	2.58	-	39.10	11.73	32.55			
AV	11.38035G	46.57	54.00	-7.43	28.28	3	Horizontal	168	2.58	-	39.10	11.73	32.54			
PK	17.06985G	63.88	68.20	-4.32	40.98	3	Horizontal	332	1.80	-	40.98	13.96	32.04			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 67
02-D-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	64.36	74.00	-9.64	53.31	3	Vertical	112	2.42	-	33.59	7.58	30.12
AV	5.15G	49.74	54.00	-4.26	38.69	3	Vertical	112	2.42	-	33.60	7.58	30.13
PK	5.2732G	105.15	Inf	-Inf	93.95	3	Vertical	112	2.42	-	33.75	7.64	30.19
AV	5.2692G	92.60	Inf	-Inf	81.41	3	Vertical	112	2.42	-	33.74	7.64	30.19
PK	5.3588G	70.30	74.00	-3.70	58.93	3	Vertical	112	2.42	-	33.90	7.71	30.24
AV	5.3716G	52.85	54.00	-1.15	41.47	3	Vertical	112	2.42	-	33.90	7.72	30.24
PK	5.4652G	59.91	68.20	-8.29	48.49	3	Vertical	112	2.42	-	33.93	7.78	30.29

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 67
02-D-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	58.12	74.00	-15.88	47.08	3	Horizontal	281	2.41	-	33.59	7.58	30.13			
AV	5.1148G	45.61	54.00	-8.39	34.62	3	Horizontal	281	2.41	-	33.53	7.57	30.11			
PK	5.2796G	94.97	Inf	-Inf	83.76	3	Horizontal	281	2.41	-	33.76	7.65	30.20			
AV	5.2692G	82.92	Inf	-Inf	71.73	3	Horizontal	281	2.41	-	33.74	7.64	30.19			
PK	5.398G	59.51	74.00	-14.49	48.13	3	Horizontal	281	2.41	-	33.90	7.74	30.26			
AV	5.3748G	45.71	54.00	-8.29	34.33	3	Horizontal	281	2.41	-	33.90	7.72	30.24			
PK	5.53G	55.72	68.20	-12.48	44.14	3	Horizontal	281	2.41	-	34.06	7.82	30.30			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 67
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50094G	56.80	68.20	-11.40	39.38	3	Vertical	343	2.46	-	39.00	10.83	32.41			
PK	15.74617G	61.21	74.00	-12.79	41.97	3	Vertical	217	1.60	-	38.38	13.62	32.76			
AV	15.75346G	49.30	54.00	-4.70	30.03	3	Vertical	217	1.60	-	38.40	13.63	32.76			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 67
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49594G	57.42	68.20	-10.78	40.02	3	Horizontal	102	1.80	-	38.98	10.83	32.41			
PK	15.74684G	61.38	74.00	-12.62	42.13	3	Horizontal	0	2.32	-	38.39	13.62	32.76			
AV	15.74539G	49.00	54.00	-5.00	29.76	3	Horizontal	0	2.32	-	38.38	13.62	32.76			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 68
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3316G	61.63	68.20	-6.57	65.61	3	Vertical	273	1.03	-	31.33	8.47	43.78
PK	5.4572G	66.82	74.00	-7.18	70.36	3	Vertical	273	1.03	-	31.63	8.55	43.72
AV	5.442G	49.77	54.00	-4.23	53.40	3	Vertical	273	1.03	-	31.57	8.53	43.73
PK	5.4684G	67.84	68.20	-0.36	71.33	3	Vertical	273	1.03	-	31.67	8.56	43.72
PK	5.6332G	105.44	Inf	-Inf	108.55	3	Vertical	273	1.03	-	31.73	8.73	43.57
AV	5.6468G	94.64	Inf	-Inf	97.65	3	Vertical	273	1.03	-	31.79	8.75	43.55
PK	5.7532G	66.69	68.20	-1.51	69.18	3	Vertical	273	1.03	-	32.10	8.86	43.45

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX




EUT_Z_2TX
Setting 68
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3316G	52.45	68.20	-15.75	56.43	3	Horizontal	342	1.01	-	31.33	8.47	43.78			
PK	5.4476G	59.27	74.00	-14.73	62.87	3	Horizontal	342	1.01	-	31.59	8.54	43.73			
PK	5.4676G	59.06	68.20	-9.14	62.55	3	Horizontal	342	1.01	-	31.67	8.56	43.72			
AV	5.4596G	42.96	54.00	-11.04	46.49	3	Horizontal	342	1.01	-	31.64	8.55	43.72			
PK	5.51G	95.65	Inf	-Inf	98.95	3	Horizontal	342	1.01	-	31.78	8.61	43.69			
AV	5.5092G	83.82	Inf	-Inf	87.13	3	Horizontal	342	1.01	-	31.78	8.60	43.69			
PK	5.7284G	55.43	68.20	-12.77	58.01	3	Horizontal	342	1.01	-	32.06	8.83	43.47			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX

EUT_Z_2TX
Setting 68
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13637G	57.68	74.00	-16.32	39.82	3	Vertical	56	1.80	-	38.85	11.48	32.47			
AV	11.14163G	46.04	54.00	-7.96	28.20	3	Vertical	56	1.80	-	38.83	11.48	32.47			
PK	16.70965G	62.91	68.20	-5.29	41.51	3	Vertical	231	1.02	-	39.84	13.86	32.30			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX

EUT_Z_2TX
Setting 68
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13785G	58.24	74.00	-15.76	40.38	3	Horizontal	227	1.22	-	38.85	11.48	32.47			
AV	11.14464G	46.01	54.00	-7.99	28.17	3	Horizontal	227	1.22	-	38.82	11.49	32.47			
PK	16.7057G	62.80	68.20	-5.40	41.43	3	Horizontal	22	1.80	-	39.82	13.85	32.30			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 91
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1382G	56.32	74.00	-17.68	49.78	3	Vertical	266	1.14	-	33.50	6.76	33.72			
AV	5.1499G	45.62	54.00	-8.38	39.06	3	Vertical	266	1.14	-	33.50	6.78	33.72			
PK	5.2624G	114.95	Inf	-Inf	108.02	3	Vertical	266	1.14	-	33.82	6.86	33.75			
AV	5.2636G	106.67	Inf	-Inf	99.73	3	Vertical	266	1.14	-	33.83	6.86	33.75			
PK	5.3542G	58.20	74.00	-15.80	51.38	3	Vertical	266	1.14	-	33.72	6.87	33.77			
AV	5.3575G	46.82	54.00	-7.18	39.99	3	Vertical	266	1.14	-	33.73	6.87	33.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 91
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1481G	60.15	74.00	-13.85	53.60	3	Horizontal	274	1.60	-	33.50	6.77	33.72			
AV	5.1499G	48.25	54.00	-5.75	41.69	3	Horizontal	274	1.60	-	33.50	6.78	33.72			
PK	5.2612G	123.88	Inf	-Inf	116.95	3	Horizontal	274	1.60	-	33.82	6.86	33.75			
AV	5.2618G	115.56	Inf	-Inf	108.63	3	Horizontal	274	1.60	-	33.82	6.86	33.75			
PK	5.3512G	68.35	74.00	-5.65	61.55	3	Horizontal	274	1.60	-	33.70	6.87	33.77			
AV	5.3503G	53.81	54.00	-0.19	47.01	3	Horizontal	274	1.60	-	33.70	6.87	33.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 91
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53338G	53.61	68.20	-14.59	69.95	3	Vertical	110	1.41	-	38.30	12.05	66.69			
PK	15.77982G	54.32	74.00	-19.68	66.16	3	Vertical	79	2.95	-	37.44	14.64	63.92			
AV	15.77238G	43.75	54.00	-10.25	55.57	3	Vertical	79	2.95	-	37.46	14.63	63.91			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 91
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52174G	54.12	68.20	-14.08	70.49	3	Horizontal	126	1.46	-	38.30	12.04	66.71			
PK	15.7791G	54.86	74.00	-19.14	66.70	3	Horizontal	69	1.80	-	37.44	14.64	63.92			
AV	15.78024G	44.14	54.00	-9.86	55.98	3	Horizontal	69	1.80	-	37.44	14.64	63.92			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 81
06-E-5-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2924G	113.93	Inf	-Inf	106.95	3	Vertical	317	2.48	-	33.88	6.86	33.76			
AV	5.2922G	105.37	Inf	-Inf	98.39	3	Vertical	317	2.48	-	33.88	6.86	33.76			
PK	5.3518G	60.22	74.00	-13.78	53.41	3	Vertical	317	2.48	-	33.71	6.87	33.77			
AV	5.351G	49.03	54.00	-4.97	42.23	3	Vertical	317	2.48	-	33.70	6.87	33.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 81
06-E-5-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3012G	121.82	Inf	-Inf	114.81	3	Horizontal	271	1.59	-	33.90	6.87	33.76				
AV	5.3014G	113.36	Inf	-Inf	106.36	3	Horizontal	271	1.59	-	33.89	6.87	33.76				
PK	5.3514G	65.70	74.00	-8.30	58.89	3	Horizontal	271	1.59	-	33.71	6.87	33.77				
AV	5.35G	53.99	54.00	-0.01	47.19	3	Horizontal	271	1.59	-	33.70	6.87	33.77				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 81
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60843G	53.64	74.00	-20.36	69.78	3	Vertical	360	1.80	-	38.40	12.08	66.62			
AV	10.6027G	42.41	54.00	-11.59	58.55	3	Vertical	360	1.80	-	38.40	12.08	66.62			
PK	15.91074G	56.08	74.00	-17.92	67.64	3	Vertical	67	2.26	-	37.66	14.75	63.97			
AV	15.90153G	44.24	54.00	-9.76	55.77	3	Vertical	67	2.26	-	37.69	14.74	63.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 81
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61038G	53.31	74.00	-20.69	69.43	3	Horizontal	297	1.75	-	38.40	12.09	66.61			
AV	10.60339G	42.81	54.00	-11.19	58.95	3	Horizontal	297	1.75	-	38.40	12.08	66.62			
PK	15.89817G	56.04	74.00	-17.96	67.57	3	Horizontal	26	2.09	-	37.69	14.74	63.96			
AV	15.89451G	44.60	54.00	-9.40	56.14	3	Horizontal	26	2.09	-	37.68	14.74	63.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT_Y_4TX
Setting 76
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3152G	112.78	Inf	-Inf	105.83	3	Vertical	324	2.13	-	33.84	6.87	33.76			
AV	5.3146G	103.69	Inf	-Inf	96.74	3	Vertical	324	2.13	-	33.84	6.87	33.76			
PK	5.3556G	60.04	74.00	-13.96	53.22	3	Vertical	324	2.13	-	33.72	6.87	33.77			
AV	5.3518G	47.25	54.00	-6.75	40.44	3	Vertical	324	2.13	-	33.71	6.87	33.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX

EUT_Y_4TX
Setting 76
06-E-5-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3208G	120.09	Inf	-Inf	113.16	3	Horizontal	273	1.53	-	33.82	6.87	33.76			
AV	5.3216G	111.45	Inf	-Inf	104.53	3	Horizontal	273	1.53	-	33.81	6.87	33.76			
PK	5.3566G	70.51	74.00	-3.49	63.68	3	Horizontal	273	1.53	-	33.73	6.87	33.77			
AV	5.3506G	53.86	54.00	-0.14	47.06	3	Horizontal	273	1.53	-	33.70	6.87	33.77			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 76
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62815G	53.19	74.00	-20.81	69.28	3	Vertical	26	1.80	-	38.40	12.10	66.59			
AV	10.63277G	42.18	54.00	-11.82	58.27	3	Vertical	26	1.80	-	38.40	12.10	66.59			
PK	15.94986G	55.02	74.00	-18.98	66.71	3	Vertical	212	1.80	-	37.50	14.79	63.98			
AV	15.95751G	43.86	54.00	-10.14	55.55	3	Vertical	212	1.80	-	37.50	14.79	63.98			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 76
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65089G	53.43	74.00	-20.57	69.49	3	Horizontal	0	1.80	-	38.40	12.11	66.57			
AV	10.62992G	42.05	54.00	-11.95	58.14	3	Horizontal	0	1.80	-	38.40	12.10	66.59			
PK	15.97491G	55.28	74.00	-18.72	66.96	3	Horizontal	352	1.80	-	37.50	14.81	63.99			
AV	15.95292G	43.97	54.00	-10.03	55.66	3	Horizontal	352	1.80	-	37.50	14.79	63.98			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 76
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4594G	60.22	74.00	-13.78	53.25	3	Vertical	342	2.48	-	33.88	6.89	33.80			
AV	5.4588G	48.77	54.00	-5.23	41.80	3	Vertical	342	2.48	-	33.88	6.89	33.80			
PK	5.4602G	60.30	68.20	-7.90	53.33	3	Vertical	342	2.48	-	33.88	6.89	33.80			
PK	5.5018G	113.27	Inf	-Inf	106.38	3	Vertical	342	2.48	-	33.80	6.90	33.81			
AV	5.5026G	104.74	Inf	-Inf	97.85	3	Vertical	342	2.48	-	33.80	6.90	33.81			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 76
06-E-S-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.45714G	64.86	74.00	-9.14	57.88	3	Horizontal	272	2.29	-	33.89	6.89	33.80			
AV	5.45834G	52.66	54.00	-1.34	45.69	3	Horizontal	272	2.29	-	33.88	6.89	33.80			
PK	5.46974G	67.97	68.20	-0.23	61.02	3	Horizontal	272	2.29	-	33.86	6.89	33.80			
PK	5.49254G	121.41	Inf	-Inf	114.52	3	Horizontal	272	2.29	-	33.81	6.89	33.81			
AV	5.49254G	112.88	Inf	-Inf	105.99	3	Horizontal	272	2.29	-	33.81	6.89	33.81			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX

EUT_Y_4TX
Setting 76
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00027G	53.62	74.00	-20.38	69.12	3	Vertical	147	1.66	-	38.40	12.29	66.19			
AV	10.99814G	42.36	54.00	-11.64	57.87	3	Vertical	147	1.66	-	38.40	12.28	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX

EUT_Y_4TX
Setting 76
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.99001G	53.63	74.00	-20.37	69.15	3	Horizontal	231	2.06	-	38.40	12.28	66.20			
AV	10.9874G	42.68	54.00	-11.32	58.20	3	Horizontal	231	2.06	-	38.40	12.28	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 95
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4476G	59.15	74.00	-14.85	52.16	3	Vertical	338	2.20	-	33.90	6.89	33.80			
AV	5.4276G	46.85	54.00	-7.15	39.86	3	Vertical	338	2.20	-	33.90	6.88	33.79			
PK	5.468G	59.87	68.20	-8.33	52.92	3	Vertical	338	2.20	-	33.86	6.89	33.80			
PK	5.5836G	117.76	Inf	-Inf	110.98	3	Vertical	338	2.20	-	33.67	6.91	33.80			
AV	5.5844G	108.14	Inf	-Inf	101.37	3	Vertical	338	2.20	-	33.66	6.91	33.80			
PK	5.7264G	56.45	68.20	-11.75	49.50	3	Vertical	338	2.20	-	33.65	7.08	33.78			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 95
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4592G	64.16	74.00	-9.84	57.19	3	Horizontal	14	1.79	-	33.88	6.89	33.80			
AV	5.4528G	51.08	54.00	-2.92	44.10	3	Horizontal	14	1.79	-	33.89	6.89	33.80			
PK	5.468G	64.92	68.20	-3.28	57.97	3	Horizontal	14	1.79	-	33.86	6.89	33.80			
PK	5.5868G	124.10	Inf	-Inf	117.34	3	Horizontal	14	1.79	-	33.65	6.91	33.80			
AV	5.5864G	115.38	Inf	-Inf	108.62	3	Horizontal	14	1.79	-	33.65	6.91	33.80			
PK	5.7336G	62.99	68.20	-5.21	56.01	3	Horizontal	14	1.79	-	33.67	7.09	33.78			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 95
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15811G	53.28	74.00	-20.72	68.61	3	Vertical	76	1.80	-	38.50	12.36	66.19			
AV	11.1729G	42.25	54.00	-11.75	57.57	3	Vertical	76	1.80	-	38.50	12.37	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




EUT_V_4TX
Setting 95
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15829G	53.83	74.00	-20.17	69.16	3	Horizontal	126	2.11	-	38.50	12.36	66.19			
AV	11.17221G	42.16	54.00	-11.84	57.48	3	Horizontal	126	2.11	-	38.50	12.37	66.19			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 58
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7051G	114.00	Inf	-Inf	116.67	3	Vertical	41	2.80	-	32.01	8.81	43.49			
AV	5.7041G	105.17	Inf	-Inf	107.85	3	Vertical	41	2.80	-	32.01	8.81	43.50			
PK	5.727G	65.27	68.20	-2.93	67.86	3	Vertical	41	2.80	-	32.05	8.83	43.47			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




EUT Y_4TX
Setting 58
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.703G	115.29	Inf	-Inf	117.97	3	Horizontal	45	2.34	-	32.01	8.81	43.50			
AV	5.7034G	106.05	Inf	-Inf	108.73	3	Horizontal	45	2.34	-	32.01	8.81	43.50			
PK	5.7255G	67.94	68.20	-0.26	70.53	3	Horizontal	45	2.34	-	32.05	8.83	43.47			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT Y_4TX
Setting 58
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4033G	54.43	74.00	-19.57	69.43	3	Vertical	182	1.80	-	38.71	12.49	66.20			
AV	11.39463G	43.48	54.00	-10.52	58.50	3	Vertical	182	1.80	-	38.70	12.48	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 58
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38587G	53.80	74.00	-20.20	68.82	3	Horizontal	236	2.57	-	38.70	12.48	66.20			
AV	11.40909G	43.31	54.00	-10.69	58.30	3	Horizontal	236	2.57	-	38.72	12.49	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 92
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4236G	55.50	74.00	-18.50	48.51	3	Vertical	261	1.78	-	33.90	6.88	33.79			
PK	5.4638G	55.85	68.20	-12.35	48.89	3	Vertical	261	1.78	-	33.87	6.89	33.80			
AV	5.45G	46.05	54.00	-7.95	39.06	3	Vertical	261	1.78	-	33.90	6.89	33.80			
PK	5.7266G	113.10	Inf	-Inf	106.15	3	Vertical	261	1.78	-	33.65	7.08	33.78			
AV	5.7242G	104.22	Inf	-Inf	97.27	3	Vertical	261	1.78	-	33.65	7.08	33.78			
PK	5.9552G	56.53	68.20	-11.67	48.60	3	Vertical	261	1.78	-	34.40	7.29	33.76			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 92
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.447G	56.99	74.00	-17.01	50.00	3	Horizontal	10	1.78	-	33.90	6.89	33.80			
AV	5.4266G	47.01	54.00	-6.99	40.02	3	Horizontal	10	1.78	-	33.90	6.88	33.79			
PK	5.4608G	56.76	68.20	-11.44	49.79	3	Horizontal	10	1.78	-	33.88	6.89	33.80			
PK	5.7266G	122.79	Inf	-Inf	115.84	3	Horizontal	10	1.78	-	33.65	7.08	33.78			
AV	5.7272G	113.74	Inf	-Inf	106.79	3	Horizontal	10	1.78	-	33.65	7.08	33.78			
PK	5.861G	62.16	68.20	-6.04	54.77	3	Horizontal	10	1.78	-	33.94	7.22	33.77			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_V_4TX
Setting 92
02-D-L-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.44291G	54.35	74.00	-19.65	69.25	3	Vertical	64	1.79	-	38.79	12.51	66.20			
AV	11.44531G	43.83	54.00	-10.17	58.73	3	Vertical	64	1.79	-	38.79	12.51	66.20			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_V_4TX
Setting 92
02-D-L-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44267G	54.67	74.00	-19.33	69.57	3	Horizontal	128	1.69	-	38.79	12.51	66.20			
AV	11.43841G	44.06	54.00	-9.94	58.97	3	Horizontal	128	1.69	-	38.78	12.51	66.20			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX

EUT Y_4TX
Setting 90
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1205G	55.74	74.00	-18.26	49.22	3	Vertical	321	2.69	-	33.50	6.73	33.71			
AV	5.1385G	45.70	54.00	-8.30	39.16	3	Vertical	321	2.69	-	33.50	6.76	33.72			
PK	5.2663G	117.41	Inf	-Inf	110.47	3	Vertical	321	2.69	-	33.83	6.86	33.75			
AV	5.2663G	106.38	Inf	-Inf	99.44	3	Vertical	321	2.69	-	33.83	6.86	33.75			
PK	5.3569G	59.94	74.00	-14.06	53.11	3	Vertical	321	2.69	-	33.73	6.87	33.77			
AV	5.3587G	48.18	54.00	-5.82	41.35	3	Vertical	321	2.69	-	33.73	6.87	33.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 90
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1493G	61.22	74.00	-12.78	54.66	3	Horizontal	267	1.73	-	33.50	6.78	33.72			
AV	5.143G	48.31	54.00	-5.69	41.76	3	Horizontal	267	1.73	-	33.50	6.77	33.72			
PK	5.2657G	127.00	Inf	-Inf	120.06	3	Horizontal	267	1.73	-	33.83	6.86	33.75			
AV	5.2606G	115.11	Inf	-Inf	108.18	3	Horizontal	267	1.73	-	33.82	6.86	33.75			
PK	5.3515G	68.75	74.00	-5.25	61.94	3	Horizontal	267	1.73	-	33.71	6.87	33.77			
AV	5.3515G	53.88	54.00	-0.12	47.07	3	Horizontal	267	1.73	-	33.71	6.87	33.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET90
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.51477G	58.47	68.20	-9.73	44.01	3	Vertical	347	2.00	90	38.13	11.23	34.90			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5260MHz_TX

EUT_Y_4TX
SET90
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52619G	58.22	68.20	-9.98	43.74	3	Horizontal	239	1.80	90	38.15	11.23	34.90			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 78
06-E-5-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3064G	115.28	Inf	-Inf	108.30	3	Vertical	318	2.53	-	33.87	6.87	33.76			
AV	5.3012G	104.77	Inf	-Inf	97.76	3	Vertical	318	2.53	-	33.90	6.87	33.76			
PK	5.3514G	58.97	74.00	-15.03	52.16	3	Vertical	318	2.53	-	33.71	6.87	33.77			
AV	5.3512G	47.71	54.00	-6.29	40.91	3	Vertical	318	2.53	-	33.70	6.87	33.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Y_4TX
Setting 78
06-E-5-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2956G	123.51	Inf	-Inf	116.52	3	Horizontal	267	1.79	-	33.89	6.86	33.76			
AV	5.3058G	112.15	Inf	-Inf	105.16	3	Horizontal	267	1.79	-	33.88	6.87	33.76			
PK	5.3508G	66.92	74.00	-7.08	60.12	3	Horizontal	267	1.79	-	33.70	6.87	33.77			
AV	5.3514G	53.84	54.00	-0.16	47.03	3	Horizontal	267	1.79	-	33.71	6.87	33.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
SET 78
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.61215G	58.74	74.00	-15.26	44.19	3	Vertical	169	2.78	78	38.20	11.27	34.92			
AV	10.61455G	48.50	54.00	-5.50	33.95	3	Vertical	169	2.78	78	38.20	11.27	34.92			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5300MHz_TX

EUT_Y_4TX
SET 78
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61123G	58.79	74.00	-15.21	44.24	3	Horizontal	12	1.80	78	38.20	11.27	34.92			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
Setting 77
04-D-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3242G	111.03	Inf	-Inf	115.06	3	Vertical	46	2.93	-	31.30	8.46	43.79				
AV	5.3258G	99.46	Inf	-Inf	103.49	3	Vertical	46	2.93	-	31.30	8.46	43.79				
PK	5.3606G	61.94	74.00	-12.06	65.83	3	Vertical	46	2.93	-	31.40	8.48	43.77				
AV	5.3606G	47.45	54.00	-6.55	51.34	3	Vertical	46	2.93	-	31.40	8.48	43.77				

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX

EUT Y_4TX
Setting 77
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3259G	119.64	Inf	-Inf	123.67	3	Horizontal	293	1.80	-	31.30	8.46	43.79			
AV	5.321G	108.87	Inf	-Inf	112.92	3	Horizontal	293	1.80	-	31.28	8.46	43.79			
PK	5.3509G	69.73	74.00	-4.27	73.63	3	Horizontal	293	1.80	-	31.40	8.47	43.77			
AV	5.3509G	53.46	54.00	-0.54	57.36	3	Horizontal	293	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5320MHz_TX




EUT Y_4TX
SET 77
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.65586G	59.40	74.00	-14.60	44.84	3	Vertical	45	1.80	70	38.20	11.29	34.93			
AV	10.62733G	49.03	54.00	-4.97	34.48	3	Vertical	45	1.80	70	38.20	11.27	34.92			

5.25-5.35GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5320MHz_TX

EUT Y_4TX
SET 77
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.6398G	59.02	74.00	-14.98	44.47	3	Horizontal	322	2.53	70	38.20	11.28	34.93			
AV	10.64172G	48.91	54.00	-5.09	34.36	3	Horizontal	322	2.53	70	38.20	11.28	34.93			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
Setting 73
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4598G	58.69	74.00	-15.31	51.72	3	Vertical	336	2.34	-	33.88	6.89	33.80			
AV	5.4556G	47.26	54.00	-6.74	40.28	3	Vertical	336	2.34	-	33.89	6.89	33.80			
PK	5.4684G	59.22	68.20	-8.98	52.27	3	Vertical	336	2.34	-	33.86	6.89	33.80			
PK	5.5054G	112.78	Inf	-Inf	105.89	3	Vertical	336	2.34	-	33.80	6.90	33.81			
AV	5.5058G	102.04	Inf	-Inf	95.15	3	Vertical	336	2.34	-	33.80	6.90	33.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 73
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.456G	67.60	74.00	-6.40	60.62	3	Horizontal	266	1.80	-	33.89	6.89	33.80			
AV	5.4556G	53.79	54.00	-0.21	46.81	3	Horizontal	266	1.80	-	33.89	6.89	33.80			
PK	5.4606G	65.45	68.20	-2.75	58.48	3	Horizontal	266	1.80	-	33.88	6.89	33.80			
PK	5.5006G	122.06	Inf	-Inf	115.17	3	Horizontal	266	1.80	-	33.80	6.90	33.81			
AV	5.5012G	111.79	Inf	-Inf	104.90	3	Horizontal	266	1.80	-	33.80	6.90	33.81			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
SET 73
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0193G	58.18	74.00	-15.82	43.40	3	Vertical	185	1.80	73	38.34	11.43	34.99			
AV	11.00691G	48.79	54.00	-5.21	34.04	3	Vertical	185	1.80	73	38.31	11.43	34.99			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5500MHz_TX

EUT_Y_4TX
SET 73
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.00919G	57.83	74.00	-16.17	43.07	3	Horizontal	126	1.33	73	38.32	11.43	34.99			
AV	11.00504G	48.30	54.00	-5.70	33.55	3	Horizontal	126	1.33	73	38.31	11.43	34.99			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 92
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4508G	57.27	74.00	-16.73	50.28	3	Vertical	254	1.96	-	33.90	6.89	33.80			
AV	5.4432G	46.75	54.00	-7.25	39.76	3	Vertical	254	1.96	-	33.90	6.89	33.80			
PK	5.466G	58.33	68.20	-9.87	51.37	3	Vertical	254	1.96	-	33.87	6.89	33.80			
PK	5.5788G	115.21	Inf	-Inf	108.42	3	Vertical	254	1.96	-	33.68	6.91	33.80			
AV	5.574G	105.42	Inf	-Inf	98.61	3	Vertical	254	1.96	-	33.70	6.91	33.80			
PK	5.7604G	55.66	68.20	-12.54	48.59	3	Vertical	254	1.96	-	33.72	7.13	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 92
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4544G	63.66	74.00	-10.34	56.68	3	Horizontal	269	1.80	-	33.89	6.89	33.80			
AV	5.4576G	52.09	54.00	-1.91	45.12	3	Horizontal	269	1.80	-	33.88	6.89	33.80			
PK	5.468G	67.96	68.20	-0.24	61.01	3	Horizontal	269	1.80	-	33.86	6.89	33.80			
PK	5.586G	126.72	Inf	-Inf	119.95	3	Horizontal	269	1.80	-	33.66	6.91	33.80			
AV	5.576G	115.18	Inf	-Inf	108.37	3	Horizontal	269	1.80	-	33.70	6.91	33.80			
PK	5.7284G	61.76	68.20	-6.44	54.80	3	Horizontal	269	1.80	-	33.66	7.08	33.78			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
SET 92
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16228G	57.78	74.00	-16.22	42.90	3	Vertical	162	1.79	92	38.42	11.49	35.03			
AV	11.17179G	48.23	54.00	-5.77	33.33	3	Vertical	162	1.79	92	38.44	11.49	35.03			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
SET 92
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.15509G	57.86	74.00	-16.14	42.98	3	Horizontal	258	1.85	92	38.41	11.49	35.02			
AV	11.17319G	48.21	54.00	-5.79	33.29	3	Horizontal	258	1.85	92	38.45	11.50	35.03			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 52
02-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6971G	109.81	Inf	-Inf	98.02	3	Vertical	13	2.90	-	34.00	8.03	30.24			
AV	5.6922G	97.70	Inf	-Inf	85.92	3	Vertical	13	2.90	-	34.00	8.02	30.24			
PK	5.725G	60.46	68.20	-7.74	48.61	3	Vertical	13	2.90	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 52
02-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.706G	114.61	Inf	-Inf	102.80	3	Horizontal	304	1.62	-	34.00	8.05	30.24			
AV	5.6959G	102.66	Inf	-Inf	90.87	3	Horizontal	304	1.62	-	34.00	8.03	30.24			
PK	5.7261G	67.31	68.20	-0.89	55.46	3	Horizontal	304	1.62	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
SET 52
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39197G	59.52	74.00	-14.48	44.34	3	Vertical	254	1.80	51	38.68	11.58	35.08			
AV	11.39708G	49.86	54.00	-4.14	34.66	3	Vertical	254	1.80	51	38.69	11.59	35.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
SET 52
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.3976G	59.38	74.00	-14.62	44.17	3	Horizontal	287	2.32	51	38.70	11.59	35.08			
AV	11.40703G	49.87	54.00	-4.13	34.65	3	Horizontal	287	2.32	51	38.71	11.59	35.08			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 92
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4338G	56.48	74.00	-17.52	49.48	3	Vertical	345	2.92	-	33.90	6.89	33.79			
AV	5.435G	46.03	54.00	-7.97	39.03	3	Vertical	345	2.92	-	33.90	6.89	33.79			
PK	5.4632G	55.42	68.20	-12.78	48.46	3	Vertical	345	2.92	-	33.87	6.89	33.80			
PK	5.7122G	116.90	Inf	-Inf	110.00	3	Vertical	345	2.92	-	33.62	7.06	33.78			
AV	5.717G	108.16	Inf	-Inf	101.24	3	Vertical	345	2.92	-	33.63	7.07	33.78			
PK	5.8586G	60.53	68.20	-7.67	53.15	3	Vertical	345	2.92	-	33.93	7.22	33.77			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 92
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	58.57	74.00	-15.43	51.60	3	Horizontal	5	2.11	-	33.88	6.89	33.80			
AV	5.429G	47.18	54.00	-6.82	40.19	3	Horizontal	5	2.11	-	33.90	6.88	33.79			
PK	5.4602G	58.57	68.20	-9.63	51.60	3	Horizontal	5	2.11	-	33.88	6.89	33.80			
PK	5.7182G	125.37	Inf	-Inf	118.44	3	Horizontal	5	2.11	-	33.64	7.07	33.78			
AV	5.7134G	114.07	Inf	-Inf	107.16	3	Horizontal	5	2.11	-	33.63	7.06	33.78			
PK	5.861G	67.96	68.20	-0.24	60.57	3	Horizontal	5	2.11	-	33.94	7.22	33.77			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
SET 92
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43596G	58.77	74.00	-15.23	43.49	3	Vertical	351	2.60	92	38.77	11.60	35.09			
AV	11.43836G	49.10	54.00	-4.90	33.81	3	Vertical	351	2.60	92	38.78	11.60	35.09			

5.47-5.725GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_V_4TX
SET 92
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.42302G	58.41	74.00	-15.59	43.14	3	Horizontal	161	1.80	92	38.75	11.60	35.08			
AV	11.43017G	49.72	54.00	-4.28	34.44	3	Horizontal	161	1.80	92	38.76	11.60	35.08			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Y_4TX
Setting 76
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1368G	55.60	74.00	-18.40	49.06	3	Vertical	313	2.55	-	33.50	6.76	33.72			
AV	5.1395G	45.50	54.00	-8.50	38.96	3	Vertical	313	2.55	-	33.50	6.76	33.72			
PK	5.2766G	112.38	Inf	-Inf	105.42	3	Vertical	313	2.55	-	33.85	6.86	33.75			
AV	5.2862G	101.31	Inf	-Inf	94.33	3	Vertical	313	2.55	-	33.87	6.86	33.75			
PK	5.351G	58.07	74.00	-15.93	51.27	3	Vertical	313	2.55	-	33.70	6.87	33.77			
AV	5.3513G	48.02	54.00	-5.98	41.21	3	Vertical	313	2.55	-	33.71	6.87	33.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 76
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1407G	58.06	74.00	-15.94	51.52	3	Horizontal	262	1.73	-	33.50	6.76	33.72			
AV	5.1452G	47.47	54.00	-6.53	40.92	3	Horizontal	262	1.73	-	33.50	6.77	33.72			
PK	5.2856G	120.17	Inf	-Inf	113.19	3	Horizontal	262	1.73	-	33.87	6.86	33.75			
AV	5.2655G	109.13	Inf	-Inf	102.19	3	Horizontal	262	1.73	-	33.83	6.86	33.75			
PK	5.3513G	65.53	74.00	-8.47	58.72	3	Horizontal	262	1.73	-	33.71	6.87	33.77			
AV	5.351G	53.89	54.00	-0.11	47.09	3	Horizontal	262	1.73	-	33.70	6.87	33.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 76
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52681G	58.60	68.20	-9.60	44.12	3	Vertical	96	1.80	76	38.15	11.23	34.90			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5270MHz_TX

EUT_Y_4TX
SET 76
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52042G	58.20	68.20	-10.00	43.73	3	Horizontal	84	1.80	76	38.14	11.23	34.90			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 75
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3106G	108.85	Inf	-Inf	112.94	3	Vertical	348	2.74	-	31.24	8.46	43.79			
AV	5.311G	97.50	Inf	-Inf	101.59	3	Vertical	348	2.74	-	31.24	8.46	43.79			
PK	5.3516G	58.38	74.00	-15.62	62.28	3	Vertical	348	2.74	-	31.40	8.47	43.77			
AV	5.3512G	46.21	54.00	-7.79	50.11	3	Vertical	348	2.74	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 75
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.311G	118.45	Inf	-Inf	122.54	3	Horizontal	292	1.80	-	31.24	8.46	43.79
AV	5.3158G	105.96	Inf	-Inf	110.03	3	Horizontal	292	1.80	-	31.26	8.46	43.79
PK	5.3506G	66.08	74.00	-7.92	69.98	3	Horizontal	292	1.80	-	31.40	8.47	43.77
AV	5.356G	53.26	54.00	-0.74	57.16	3	Horizontal	292	1.80	-	31.40	8.47	43.77

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 75
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.63103G	58.91	74.00	-15.09	44.35	3	Vertical	345	1.89	71	38.20	11.28	34.92			
AV	10.65461G	49.01	54.00	-4.99	34.45	3	Vertical	345	1.89	71	38.20	11.29	34.93			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5310MHz_TX

EUT Y_4TX
SET 75
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65509G	58.85	74.00	-15.15	44.29	3	Horizontal	51	1.17	71	38.20	11.29	34.93			
AV	10.63135G	48.77	54.00	-5.23	34.21	3	Horizontal	51	1.17	71	38.20	11.28	34.92			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 73
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4576G	58.67	74.00	-15.33	62.21	3	Vertical	16	2.95	-	31.63	8.55	43.72			
AV	5.4576G	46.99	54.00	-7.01	50.53	3	Vertical	16	2.95	-	31.63	8.55	43.72			
PK	5.4674G	62.16	68.20	-6.04	65.65	3	Vertical	16	2.95	-	31.67	8.56	43.72			
PK	5.4972G	111.35	Inf	-Inf	114.67	3	Vertical	16	2.95	-	31.79	8.59	43.70			
AV	5.4972G	99.37	Inf	-Inf	102.69	3	Vertical	16	2.95	-	31.79	8.59	43.70			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 73
04-D-G-4-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4566G	63.29	74.00	-10.71	66.83	3	Horizontal	298	2.24	-	31.63	8.55	43.72			
AV	5.4566G	51.26	54.00	-2.74	54.80	3	Horizontal	298	2.24	-	31.63	8.55	43.72			
PK	5.466G	67.88	68.20	-0.32	71.38	3	Horizontal	298	2.24	-	31.66	8.56	43.72			
PK	5.5012G	117.34	Inf	-Inf	120.64	3	Horizontal	298	2.24	-	31.80	8.60	43.70			
AV	5.5014G	105.53	Inf	-Inf	108.83	3	Horizontal	298	2.24	-	31.80	8.60	43.70			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
SET 73
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.98987G	58.30	74.00	-15.70	43.57	3	Vertical	31	1.80	68	38.30	11.42	34.99			
AV	11.04526G	48.22	54.00	-5.78	33.39	3	Vertical	31	1.80	68	38.39	11.44	35.00			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
SET 73
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00577G	57.82	74.00	-16.18	43.07	3	Horizontal	1	1.40	68	38.31	11.43	34.99			
AV	10.98779G	48.36	54.00	-5.64	33.63	3	Horizontal	1	1.40	68	38.30	11.42	34.99			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
Setting 77
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4546G	57.84	74.00	-16.16	50.32	3	Vertical	12	2.67	-	34.60	7.79	34.87			
AV	5.4576G	49.17	54.00	-4.83	41.65	3	Vertical	12	2.67	-	34.60	7.79	34.87			
PK	5.4681G	62.58	68.20	-5.62	55.08	3	Vertical	12	2.67	-	34.60	7.77	34.87			
PK	5.5425G	113.32	Inf	-Inf	105.99	3	Vertical	12	2.67	-	34.52	7.68	34.87			
AV	5.5323G	102.38	Inf	-Inf	95.02	3	Vertical	12	2.67	-	34.54	7.69	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
Setting 77
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4546G	62.78	74.00	-11.22	55.26	3	Horizontal	302	1.93	-	34.60	7.79	34.87			
AV	5.4558G	53.99	54.00	-0.01	46.47	3	Horizontal	302	1.93	-	34.60	7.79	34.87			
PK	5.4657G	66.12	68.20	-2.08	58.61	3	Horizontal	302	1.93	-	34.60	7.78	34.87			
PK	5.5512G	121.52	Inf	-Inf	114.23	3	Horizontal	302	1.93	-	34.50	7.67	34.88			
AV	5.5359G	110.93	Inf	-Inf	103.58	3	Horizontal	302	1.93	-	34.53	7.69	34.87			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
SET 77
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.08729G	58.02	74.00	-15.98	43.10	3	Vertical	27	1.33	77	38.47	11.46	35.01			
AV	11.0964G	48.52	54.00	-5.48	33.58	3	Vertical	27	1.33	77	38.49	11.46	35.01			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
SET 77
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11582G	58.55	74.00	-15.45	43.63	3	Horizontal	163	1.80	77	38.47	11.47	35.02			
AV	11.07834G	48.56	54.00	-5.44	33.65	3	Horizontal	163	1.80	77	38.46	11.46	35.01			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 71
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6568G	110.72	Inf	-Inf	103.63	3	Vertical	17	2.95	-	34.29	7.71	34.91			
AV	5.6568G	100.63	Inf	-Inf	93.54	3	Vertical	17	2.95	-	34.29	7.71	34.91			
PK	5.7252G	61.69	68.20	-6.51	54.59	3	Vertical	17	2.95	-	34.20	7.83	34.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
Setting 71
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6559G	117.22	Inf	-Inf	110.13	3	Horizontal	302	1.83	-	34.29	7.71	34.91			
AV	5.6658G	108.06	Inf	-Inf	100.97	3	Horizontal	302	1.83	-	34.27	7.73	34.91			
PK	5.7252G	68.02	68.20	-0.18	60.92	3	Horizontal	302	1.83	-	34.20	7.83	34.93			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
SET 71
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.36542G	58.81	74.00	-15.19	43.68	3	Vertical	196	1.94	71	38.63	11.57	35.07			
AV	11.33297G	49.20	54.00	-4.80	34.13	3	Vertical	196	1.94	71	38.57	11.56	35.06			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
SET 71
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.37493G	58.74	74.00	-15.26	43.58	3	Horizontal	75	1.80	71	38.65	11.58	35.07			
AV	11.36597G	49.02	54.00	-4.98	33.89	3	Horizontal	75	1.80	71	38.63	11.57	35.07			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 86
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4586G	57.09	74.00	-16.91	49.57	3	Vertical	32	2.91	-	34.60	7.79	34.87			
AV	5.4598G	47.75	54.00	-6.25	40.23	3	Vertical	32	2.91	-	34.60	7.79	34.87			
PK	5.4646G	56.04	68.20	-12.16	48.53	3	Vertical	32	2.91	-	34.60	7.78	34.87			
PK	5.7082G	114.44	Inf	-Inf	107.36	3	Vertical	32	2.91	-	34.20	7.80	34.92			
AV	5.7034G	105.23	Inf	-Inf	98.16	3	Vertical	32	2.91	-	34.20	7.79	34.92			
PK	5.854G	60.99	68.20	-7.21	53.62	3	Vertical	32	2.91	-	34.32	8.02	34.97			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 86
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4454G	59.59	74.00	-14.41	52.05	3	Horizontal	44	1.80	-	34.61	7.80	34.87			
AV	5.455G	49.55	54.00	-4.45	42.03	3	Horizontal	44	1.80	-	34.60	7.79	34.87			
PK	5.4646G	59.44	68.20	-8.76	51.93	3	Horizontal	44	1.80	-	34.60	7.78	34.87			
PK	5.7082G	119.62	Inf	-Inf	112.54	3	Horizontal	44	1.80	-	34.20	7.80	34.92			
AV	5.7034G	109.59	Inf	-Inf	102.52	3	Horizontal	44	1.80	-	34.20	7.79	34.92			
PK	5.851G	67.48	68.20	-0.72	60.14	3	Horizontal	44	1.80	-	34.30	8.01	34.97			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
SET 86
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38587G	59.11	74.00	-14.89	43.93	3	Vertical	64	1.24	86	38.67	11.58	35.07			
AV	11.39483G	49.46	54.00	-4.54	34.27	3	Vertical	64	1.24	86	38.69	11.58	35.08			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
SET 86
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4212G	59.67	74.00	-14.33	44.41	3	Horizontal	334	1.57	86	38.74	11.60	35.08			
AV	11.39123G	49.98	54.00	-4.02	34.80	3	Horizontal	334	1.57	86	38.68	11.58	35.08			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 74
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1405G	55.97	74.00	-18.03	59.52	3	Vertical	344	2.75	-	31.94	8.39	43.88			
AV	5.149G	44.59	54.00	-9.41	48.09	3	Vertical	344	2.75	-	31.99	8.39	43.88			
PK	5.2915G	107.32	Inf	-Inf	111.44	3	Vertical	344	2.75	-	31.23	8.45	43.80			
AV	5.301G	95.45	Inf	-Inf	99.59	3	Vertical	344	2.75	-	31.20	8.46	43.80			
PK	5.351G	59.57	74.00	-14.43	63.47	3	Vertical	344	2.75	-	31.40	8.47	43.77			
AV	5.361G	47.75	54.00	-6.25	51.64	3	Vertical	344	2.75	-	31.40	8.48	43.77			
PK	5.4905G	56.37	68.20	-11.83	59.72	3	Vertical	344	2.75	-	31.76	8.59	43.70			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 74
04-D-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	58.88	74.00	-15.12	62.36	3	Horizontal	297	1.80	-	32.00	8.39	43.87
AV	5.145G	47.42	54.00	-6.58	50.94	3	Horizontal	297	1.80	-	31.97	8.39	43.88
PK	5.286G	114.25	Inf	-Inf	118.35	3	Horizontal	297	1.80	-	31.26	8.45	43.81
AV	5.3005G	102.43	Inf	-Inf	106.57	3	Horizontal	297	1.80	-	31.20	8.46	43.80
PK	5.366G	64.91	74.00	-9.09	68.80	3	Horizontal	297	1.80	-	31.40	8.48	43.77
AV	5.3555G	53.56	54.00	-0.44	57.46	3	Horizontal	297	1.80	-	31.40	8.47	43.77
PK	5.4625G	57.88	68.20	-10.32	61.39	3	Horizontal	297	1.80	-	31.65	8.56	43.72

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX

EUT Y_4TX
SET 74
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61341G	58.75	74.00	-15.25	44.20	3	Vertical	280	1.80	68	38.20	11.27	34.92			
AV	10.62268G	48.44	54.00	-5.56	33.89	3	Vertical	280	1.80	68	38.20	11.27	34.92			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5290MHz_TX

EUT Y_4TX
SET 74
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61309G	59.70	74.00	-14.30	45.15	3	Horizontal	157	1.80	68	38.20	11.27	34.92			
AV	10.65225G	48.54	54.00	-5.46	33.99	3	Horizontal	157	1.80	68	38.20	11.28	34.93			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5530MHz_TX

EUT_Y_4TX
Setting 64
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	51.13	68.20	-17.07	55.10	3	Vertical	17	2.94	-	31.34	8.47	43.78
PK	5.458G	56.66	74.00	-17.34	60.20	3	Vertical	17	2.94	-	31.63	8.55	43.72
AV	5.4575G	46.40	54.00	-7.60	49.94	3	Vertical	17	2.94	-	31.63	8.55	43.72
PK	5.4625G	57.68	68.20	-10.52	61.19	3	Vertical	17	2.94	-	31.65	8.56	43.72
PK	5.507G	106.50	Inf	-Inf	109.80	3	Vertical	17	2.94	-	31.79	8.60	43.69
AV	5.517G	94.76	Inf	-Inf	98.06	3	Vertical	17	2.94	-	31.77	8.61	43.68
PK	5.734G	49.98	68.20	-18.22	52.54	3	Vertical	17	2.94	-	32.07	8.84	43.47

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_V_4TX
Setting 64
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.335G	53.74	68.20	-14.46	57.71	3	Horizontal	301	1.80	-	31.34	8.47	43.78			
PK	5.456G	64.82	74.00	-9.18	68.37	3	Horizontal	301	1.80	-	31.62	8.55	43.72			
AV	5.4555G	53.62	54.00	-0.38	57.17	3	Horizontal	301	1.80	-	31.62	8.55	43.72			
PK	5.4665G	67.92	68.20	-0.28	71.41	3	Horizontal	301	1.80	-	31.67	8.56	43.72			
PK	5.551G	112.74	Inf	-Inf	116.04	3	Horizontal	301	1.80	-	31.70	8.65	43.65			
AV	5.5165G	100.46	Inf	-Inf	103.76	3	Horizontal	301	1.80	-	31.77	8.61	43.68			
PK	5.763G	53.06	68.20	-15.14	55.53	3	Horizontal	301	1.80	-	32.10	8.87	43.44			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 64
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10939G	57.66	74.00	-16.34	42.72	3	Vertical	315	1.80	57	38.48	11.47	35.01			
AV	11.1356G	48.49	54.00	-5.51	33.60	3	Vertical	315	1.80	57	38.43	11.48	35.02			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
SET 64
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.05473G	57.71	74.00	-16.29	42.85	3	Horizontal	190	2.58	57	38.41	11.45	35.00			
AV	10.99191G	48.13	54.00	-5.87	33.40	3	Horizontal	190	2.58	57	38.30	11.42	34.99			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT Y_4TX
Setting 73
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	57.25	74.00	-16.75	49.73	3	Vertical	14	2.94	-	34.60	7.79	34.87
AV	5.4572G	48.05	54.00	-5.95	40.53	3	Vertical	14	2.94	-	34.60	7.79	34.87
PK	5.4672G	58.51	68.20	-9.69	51.00	3	Vertical	14	2.94	-	34.60	7.78	34.87
PK	5.6372G	110.39	Inf	-Inf	103.31	3	Vertical	14	2.94	-	34.30	7.68	34.90
AV	5.6224G	100.03	Inf	-Inf	92.98	3	Vertical	14	2.94	-	34.30	7.65	34.90
PK	5.7456G	58.73	68.20	-9.47	51.60	3	Vertical	14	2.94	-	34.20	7.86	34.93

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Y_4TX
Setting 73
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	62.05	74.00	-11.95	54.53	3	Horizontal	303	2.02	-	34.60	7.79	34.87			
AV	5.4592G	53.77	54.00	-0.23	46.25	3	Horizontal	303	2.02	-	34.60	7.79	34.87			
PK	5.4612G	62.84	68.20	-5.36	55.33	3	Horizontal	303	2.02	-	34.60	7.78	34.87			
PK	5.6056G	116.27	Inf	-Inf	109.24	3	Horizontal	303	2.02	-	34.30	7.62	34.89			
AV	5.6212G	106.88	Inf	-Inf	99.83	3	Horizontal	303	2.02	-	34.30	7.65	34.90			
PK	5.7316G	66.49	68.20	-1.71	59.38	3	Horizontal	303	2.02	-	34.20	7.84	34.93			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
SET 73
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.17844G	58.07	74.00	-15.93	43.14	3	Vertical	153	1.57	73	38.46	11.50	35.03			
AV	11.29209G	48.59	54.00	-5.41	33.60	3	Vertical	153	1.57	73	38.50	11.54	35.05			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Y_4TX
SET 73
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.27371G	58.16	74.00	-15.84	43.17	3	Horizontal	281	1.80	73	38.50	11.54	35.05			
AV	11.29465G	49.20	54.00	-4.80	34.21	3	Horizontal	281	1.80	73	38.50	11.54	35.05			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 77
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	57.40	74.00	-16.60	49.88	3	Vertical	11	2.94	-	34.60	7.79	34.87			
AV	5.4572G	47.43	54.00	-6.57	39.91	3	Vertical	11	2.94	-	34.60	7.79	34.87			
PK	5.4668G	56.73	68.20	-11.47	49.22	3	Vertical	11	2.94	-	34.60	7.78	34.87			
PK	5.6678G	110.08	Inf	-Inf	103.00	3	Vertical	11	2.94	-	34.26	7.73	34.91			
AV	5.6726G	100.60	Inf	-Inf	93.52	3	Vertical	11	2.94	-	34.25	7.74	34.91			
PK	5.8526G	59.29	68.20	-8.91	51.93	3	Vertical	11	2.94	-	34.31	8.02	34.97			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 77
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	60.69	74.00	-13.31	53.17	3	Horizontal	39	1.93	-	34.60	7.79	34.87
AV	5.4584G	50.62	54.00	-3.38	43.10	3	Horizontal	39	1.93	-	34.60	7.79	34.87
PK	5.4638G	60.13	68.20	-8.07	52.62	3	Horizontal	39	1.93	-	34.60	7.78	34.87
PK	5.7038G	117.05	Inf	-Inf	109.98	3	Horizontal	39	1.93	-	34.20	7.79	34.92
AV	5.6834G	107.49	Inf	-Inf	100.42	3	Horizontal	39	1.93	-	34.23	7.76	34.92
PK	5.8544G	68.12	68.20	-0.08	60.75	3	Horizontal	39	1.93	-	34.32	8.02	34.97

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
SET 77
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.30232G	58.80	74.00	-15.20	43.81	3	Vertical	347	1.63	77	38.50	11.55	35.06			
AV	11.39902G	49.60	54.00	-4.40	34.39	3	Vertical	347	1.63	77	38.70	11.59	35.08			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
SET 77
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.35698G	58.95	74.00	-15.05	43.84	3	Horizontal	93	2.30	77	38.61	11.57	35.07			
AV	11.40302G	49.83	54.00	-4.17	34.61	3	Horizontal	93	2.30	77	38.71	11.59	35.08			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
Setting 60
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1452G	61.83	74.00	-12.17	65.35	3	Vertical	335	2.93	-	31.97	8.39	43.88			
AV	5.142G	45.86	54.00	-8.14	49.40	3	Vertical	335	2.93	-	31.95	8.39	43.88			
PK	5.222G	100.75	Inf	-Inf	104.59	3	Vertical	335	2.93	-	31.57	8.43	43.84			
AV	5.222G	88.90	Inf	-Inf	92.74	3	Vertical	335	2.93	-	31.57	8.43	43.84			
PK	5.3564G	65.64	74.00	-8.36	69.54	3	Vertical	335	2.93	-	31.40	8.47	43.77			
AV	5.3564G	43.28	54.00	-10.72	47.18	3	Vertical	335	2.93	-	31.40	8.47	43.77			
PK	5.466G	52.29	68.20	-15.91	55.79	3	Vertical	335	2.93	-	31.66	8.56	43.72			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_4TX
Setting 60
04-E-E-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	66.04	74.00	-7.96	69.52	3	Horizontal	299	1.80	-	32.00	8.39	43.87			
AV	5.15G	51.27	54.00	-2.73	54.75	3	Horizontal	299	1.80	-	32.00	8.39	43.87			
PK	5.3108G	108.30	Inf	-Inf	112.39	3	Horizontal	299	1.80	-	31.24	8.46	43.79			
AV	5.326G	96.97	Inf	-Inf	101.00	3	Horizontal	299	1.80	-	31.30	8.46	43.79			
PK	5.3532G	73.89	74.00	-0.11	77.79	3	Horizontal	299	1.80	-	31.40	8.47	43.77			
AV	5.3604G	51.87	54.00	-2.13	55.76	3	Horizontal	299	1.80	-	31.40	8.48	43.77			
PK	5.4612G	60.36	68.20	-7.84	63.89	3	Horizontal	299	1.80	-	31.64	8.55	43.72			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 60
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61221G	57.69	74.00	-16.31	43.14	3	Vertical	62	1.06	50	38.20	11.27	34.92			
AV	10.63011G	48.72	54.00	-5.28	34.16	3	Vertical	62	1.06	50	38.20	11.28	34.92			

5.25-5.35GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 60
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.61688G	57.29	74.00	-16.71	42.74	3	Horizontal	1	2.34	50	38.20	11.27	34.92			
AV	10.64705G	48.52	54.00	-5.48	33.97	3	Horizontal	1	2.34	50	38.20	11.28	34.93			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX


5570MHz_TX

EUT_Y_4TX
Setting 58
03-P-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3372G	57.73	68.20	-10.47	50.37	3	Vertical	341	3.00	-	34.47	7.78	34.89			
PK	5.4588G	61.83	74.00	-12.17	54.31	3	Vertical	341	3.00	-	34.60	7.79	34.87			
AV	5.4492G	48.97	54.00	-5.03	41.44	3	Vertical	341	3.00	-	34.60	7.80	34.87			
PK	5.4668G	63.63	68.20	-4.57	56.12	3	Vertical	341	3.00	-	34.60	7.78	34.87			
PK	5.5988G	103.75	Inf	-Inf	96.73	3	Vertical	341	3.00	-	34.30	7.61	34.89			
AV	5.594G	92.82	Inf	-Inf	85.77	3	Vertical	341	3.00	-	34.32	7.62	34.89			
PK	5.914G	59.71	68.20	-8.49	52.05	3	Vertical	341	3.00	-	34.56	8.08	34.98			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 58
03-P-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	59.75	74.00	-14.25	52.34	3	Horizontal	57	1.69	-	34.50	7.80	34.89			
PK	5.4524G	67.72	74.00	-6.28	60.20	3	Horizontal	57	1.69	-	34.60	7.79	34.87			
AV	5.4204G	52.98	54.00	-1.02	45.37	3	Horizontal	57	1.69	-	34.66	7.83	34.88			
PK	5.47G	67.45	68.20	-0.75	59.95	3	Horizontal	57	1.69	-	34.60	7.77	34.87			
PK	5.506G	108.28	Inf	-Inf	100.82	3	Horizontal	57	1.69	-	34.59	7.73	34.86			
AV	5.506G	98.93	Inf	-Inf	91.47	3	Horizontal	57	1.69	-	34.59	7.73	34.86			
PK	5.7356G	62.49	68.20	-5.71	55.37	3	Horizontal	57	1.69	-	34.20	7.85	34.93			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 58
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.20937G	57.92	74.00	-16.08	42.95	3	Vertical	1	1.80	55	38.50	11.51	35.04			
AV	11.13041G	48.67	54.00	-5.33	33.77	3	Vertical	1	1.80	55	38.44	11.48	35.02			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT Y_4TX
SET 58
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.13455G	58.27	74.00	-15.73	43.38	3	Horizontal	291	2.41	55	38.43	11.48	35.02			
AV	11.15131G	48.72	54.00	-5.28	33.85	3	Horizontal	291	2.41	55	38.40	11.49	35.02			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
Setting 87
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1298G	55.65	74.00	-18.35	49.23	3	Vertical	341	2.42	-	33.90	7.45	34.93
AV	5.1418G	46.40	54.00	-7.60	39.96	3	Vertical	341	2.42	-	33.90	7.47	34.93
PK	5.2516G	114.91	Inf	-Inf	108.04	3	Vertical	341	2.42	-	34.11	7.67	34.91
AV	5.2522G	107.06	Inf	-Inf	100.18	3	Vertical	341	2.42	-	34.11	7.68	34.91
PK	5.356G	58.09	74.00	-15.91	50.65	3	Vertical	341	2.42	-	34.52	7.81	34.89
AV	5.3521G	48.63	54.00	-5.37	41.21	3	Vertical	341	2.42	-	34.51	7.80	34.89

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5260MHz_TX

EUT_Y_4TX
Setting 87
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1349G	58.15	74.00	-15.85	51.72	3	Horizontal	298	1.80	-	33.90	7.46	34.93
AV	5.1343G	48.87	54.00	-5.13	42.44	3	Horizontal	298	1.80	-	33.90	7.46	34.93
PK	5.2627G	121.71	Inf	-Inf	114.75	3	Horizontal	298	1.80	-	34.18	7.69	34.91
AV	5.2615G	114.14	Inf	-Inf	107.19	3	Horizontal	298	1.80	-	34.17	7.69	34.91
PK	5.3572G	64.55	74.00	-9.45	57.10	3	Horizontal	298	1.80	-	34.53	7.81	34.89
AV	5.35G	53.76	54.00	-0.24	46.35	3	Horizontal	298	1.80	-	34.50	7.80	34.89

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 87
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.52623G	58.11	68.20	-10.09	43.63	3	Vertical	1	2.29	87	38.15	11.23	34.90				

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5260MHz_TX




EUT_Y_4TX
SET 87
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50869G	57.97	68.20	-10.23	43.52	3	Horizontal	297	2.53	87	38.12	11.23	34.90			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 78
03-R-J-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.303G	112.83	Inf	-Inf	105.58	3	Vertical	357	1.03	-	34.41	7.74	34.90				
AV	5.3048G	105.29	Inf	-Inf	98.04	3	Vertical	357	1.03	-	34.41	7.74	34.90				
PK	5.3532G	57.97	74.00	-16.03	50.55	3	Vertical	357	1.03	-	34.51	7.80	34.89				
AV	5.35G	48.86	54.00	-5.14	41.45	3	Vertical	357	1.03	-	34.50	7.80	34.89				

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT_Y_4TX
Setting 78
03-R-J-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2918G	119.47	Inf	-Inf	112.30	3	Horizontal	293	2.06	-	34.35	7.72	34.90			
AV	5.2914G	111.37	Inf	-Inf	104.20	3	Horizontal	293	2.06	-	34.35	7.72	34.90			
PK	5.3546G	64.35	74.00	-9.65	56.92	3	Horizontal	293	2.06	-	34.52	7.80	34.89			
AV	5.3512G	53.91	54.00	-0.09	46.50	3	Horizontal	293	2.06	-	34.50	7.80	34.89			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5300MHz_TX

EUT Y_4TX
SET 78
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.61966G	58.50	74.00	-15.50	43.95	3	Vertical	24	1.19	78	38.20	11.27	34.92			
AV	10.60871G	48.51	54.00	-5.49	33.96	3	Vertical	24	1.19	78	38.20	11.27	34.92			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5300MHz_TX




EUT Y_4TX
SET 78
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.60836G	58.68	74.00	-15.32	44.14	3	Horizontal	1	1.80	78	38.20	11.26	34.92			
AV	10.60254G	48.22	54.00	-5.78	33.68	3	Horizontal	1	1.80	78	38.20	11.27	34.92			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 72
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3264G	111.26	Inf	-Inf	103.93	3	Vertical	352	1.01	-	34.45	7.77	34.89			
AV	5.3276G	103.67	Inf	-Inf	96.33	3	Vertical	352	1.01	-	34.46	7.77	34.89			
PK	5.3604G	59.45	74.00	-14.55	51.99	3	Vertical	352	1.01	-	34.54	7.81	34.89			
AV	5.363G	49.36	54.00	-4.64	41.89	3	Vertical	352	1.01	-	34.55	7.81	34.89			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5320MHz_TX




EUT_Y_4TX
Setting 72
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.312G	118.18	Inf	-Inf	110.91	3	Horizontal	295	2.03	-	34.42	7.75	34.90			
AV	5.3114G	109.77	Inf	-Inf	102.50	3	Horizontal	295	2.03	-	34.42	7.75	34.90			
PK	5.3618G	63.80	74.00	-10.20	56.33	3	Horizontal	295	2.03	-	34.55	7.81	34.89			
AV	5.3608G	53.87	54.00	-0.13	46.41	3	Horizontal	295	2.03	-	34.54	7.81	34.89			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5320MHz_TX

EUT_Y_4TX
SET 72
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.64879G	58.72	74.00	-15.28	44.17	3	Vertical	6	2.29	72	38.20	11.28	34.93			
AV	10.64819G	49.17	54.00	-4.83	34.62	3	Vertical	6	2.29	72	38.20	11.28	34.93			

5.25-5.35GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5320MHz_TX

EUT_Y_4TX
SET 72
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62965G	58.83	74.00	-15.17	44.27	3	Horizontal	249	1.80	72	38.20	11.28	34.92			
AV	10.65351G	49.32	54.00	-4.68	34.77	3	Horizontal	249	1.80	72	38.20	11.28	34.93			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5500MHz_TX




EUT_Y_4TX
Setting 79
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4598G	62.09	74.00	-11.91	65.62	3	Vertical	11	2.68	-	31.64	8.55	43.72			
AV	5.4598G	48.74	54.00	-5.26	52.27	3	Vertical	11	2.68	-	31.64	8.55	43.72			
PK	5.4648G	61.93	68.20	-6.27	65.43	3	Vertical	11	2.68	-	31.66	8.56	43.72			
PK	5.4978G	112.96	Inf	-Inf	116.28	3	Vertical	11	2.68	-	31.79	8.59	43.70			
AV	5.5062G	100.28	Inf	-Inf	103.58	3	Vertical	11	2.68	-	31.79	8.60	43.69			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5500MHz_TX

EUT Y_4TX
Setting 79
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4596G	67.45	74.00	-6.55	70.98	3	Horizontal	61	1.80	-	31.64	8.55	43.72			
AV	5.46G	53.56	54.00	-0.44	57.09	3	Horizontal	61	1.80	-	31.64	8.55	43.72			
PK	5.4664G	67.19	68.20	-1.01	70.68	3	Horizontal	61	1.80	-	31.67	8.56	43.72			
PK	5.5012G	113.91	Inf	-Inf	117.21	3	Horizontal	61	1.80	-	31.80	8.60	43.70			
AV	5.4922G	105.55	Inf	-Inf	108.89	3	Horizontal	61	1.80	-	31.77	8.59	43.70			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5500MHz_TX

EUT Y_4TX
SET 79
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.98597G	57.93	74.00	-16.07	43.20	3	Vertical	243	1.47	70	38.30	11.42	34.99			
AV	10.98082G	48.19	54.00	-5.81	33.46	3	Vertical	243	1.47	70	38.30	11.42	34.99			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5500MHz_TX

EUT Y_4TX
SET 79
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01898G	58.07	74.00	-15.93	43.29	3	Horizontal	264	2.18	70	38.34	11.43	34.99			
AV	10.9974G	48.47	54.00	-5.53	33.74	3	Horizontal	264	2.18	70	38.30	11.42	34.99			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
Setting 92
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4488G	58.66	74.00	-15.34	51.13	3	Vertical	15	2.88	-	34.60	7.80	34.87			
PK	5.4676G	59.41	68.20	-8.79	51.90	3	Vertical	15	2.88	-	34.60	7.78	34.87			
AV	5.4584G	49.17	54.00	-4.83	41.65	3	Vertical	15	2.88	-	34.60	7.79	34.87			
PK	5.5736G	116.11	Inf	-Inf	108.94	3	Vertical	15	2.88	-	34.41	7.64	34.88			
AV	5.5736G	107.86	Inf	-Inf	100.69	3	Vertical	15	2.88	-	34.41	7.64	34.88			
PK	5.7428G	58.16	68.20	-10.04	51.03	3	Vertical	15	2.88	-	34.20	7.86	34.93			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
Setting 92
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	63.04	74.00	-10.96	55.52	3	Horizontal	296	1.99	-	34.60	7.79	34.87			
AV	5.4584G	53.92	54.00	-0.08	46.40	3	Horizontal	296	1.99	-	34.60	7.79	34.87			
PK	5.4696G	66.63	68.20	-1.57	59.13	3	Horizontal	296	1.99	-	34.60	7.77	34.87			
PK	5.5724G	123.97	Inf	-Inf	116.80	3	Horizontal	296	1.99	-	34.41	7.64	34.88			
AV	5.5736G	115.86	Inf	-Inf	108.69	3	Horizontal	296	1.99	-	34.41	7.64	34.88			
PK	5.7316G	61.07	68.20	-7.13	53.96	3	Horizontal	296	1.99	-	34.20	7.84	34.93			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5580MHz_TX




EUT_Y_4TX
SET92
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1451G	58.68	74.00	-15.32	43.81	3	Vertical	309	2.49	92	38.41	11.48	35.02			
AV	11.17818G	48.49	54.00	-5.51	33.56	3	Vertical	309	2.49	92	38.46	11.50	35.03			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5580MHz_TX

EUT_Y_4TX
SET 92
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14725G	57.97	74.00	-16.03	43.10	3	Horizontal	1	1.80	92	38.41	11.48	35.02			
AV	11.15988G	48.45	54.00	-5.55	33.57	3	Horizontal	1	1.80	92	38.42	11.49	35.03			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT_Y_4TX
Setting 54
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.696G	107.02	Inf	-Inf	109.74	3	Vertical	12	2.88	-	31.98	8.80	43.50			
AV	5.7068G	94.88	Inf	-Inf	97.55	3	Vertical	12	2.88	-	32.01	8.81	43.49			
PK	5.7254G	59.85	68.20	-8.35	62.44	3	Vertical	12	2.88	-	32.05	8.83	43.47			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5700MHz_TX

EUT_Y_4TX
Setting 54
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7038G	113.79	Inf	-Inf	116.47	3	Horizontal	44	1.80	-	32.01	8.81	43.50			
AV	5.698G	101.34	Inf	-Inf	104.05	3	Horizontal	44	1.80	-	31.99	8.80	43.50			
PK	5.7266G	68.05	68.20	-0.15	70.64	3	Horizontal	44	1.80	-	32.05	8.83	43.47			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5700MHz_TX

EUT Y_4TX
SET 54
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39441G	59.63	74.00	-14.37	44.44	3	Vertical	100	1.80	53	38.69	11.58	35.08			
AV	11.38689G	49.63	54.00	-4.37	34.46	3	Vertical	100	1.80	53	38.67	11.58	35.08			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5700MHz_TX




EUT Y_4TX
SET 54
03-R-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39077G	59.00	74.00	-15.00	43.82	3	Horizontal	4	1.80	53	38.68	11.58	35.08			
AV	11.39644G	50.02	54.00	-3.98	34.82	3	Horizontal	4	1.80	53	38.69	11.59	35.08			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 91
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7245G	115.98	Inf	-Inf	108.88	3	Vertical	14	3.00	-	34.20	7.83	34.93			
AV	5.7135G	107.16	Inf	-Inf	100.07	3	Vertical	14	3.00	-	34.20	7.81	34.92			
PK	5.877G	58.19	68.20	-10.01	50.71	3	Vertical	14	3.00	-	34.41	8.04	34.97			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 91
03-R-J-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7265G	123.19	Inf	-Inf	116.09	3	Horizontal	39	2.02	-	34.20	7.83	34.93			
AV	5.7265G	115.13	Inf	-Inf	108.03	3	Horizontal	39	2.02	-	34.20	7.83	34.93			
PK	5.853G	66.82	68.20	-1.38	59.46	3	Horizontal	39	2.02	-	34.31	8.02	34.97			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
SET91
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42841G	59.10	74.00	-14.90	43.82	3	Vertical	358	1.80	91	38.76	11.60	35.08			
AV	11.42494G	49.10	54.00	-4.90	33.83	3	Vertical	358	1.80	91	38.75	11.60	35.08			

5.47-5.725GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
SET91
03-R-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42462G	60.25	74.00	-13.75	44.98	3	Horizontal	12	1.80	91	38.75	11.60	35.08			
AV	11.42757G	49.34	54.00	-4.66	34.06	3	Horizontal	12	1.80	91	38.76	11.60	35.08			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 73
03-R-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1473G	56.09	74.00	-17.91	49.63	3	Vertical	346	2.42	-	33.90	7.49	34.93			
AV	5.1401G	46.69	54.00	-7.31	40.25	3	Vertical	346	2.42	-	33.90	7.47	34.93			
PK	5.2628G	109.13	Inf	-Inf	102.17	3	Vertical	346	2.42	-	34.18	7.69	34.91			
AV	5.2811G	101.01	Inf	-Inf	93.91	3	Vertical	346	2.42	-	34.29	7.71	34.90			
PK	5.3543G	58.41	74.00	-15.59	50.98	3	Vertical	346	2.42	-	34.52	7.80	34.89			
AV	5.4113G	48.83	54.00	-5.17	41.18	3	Vertical	346	2.42	-	34.68	7.85	34.88			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 73
03-R-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1389G	58.66	74.00	-15.34	52.22	3	Horizontal	282	2.26	-	33.90	7.47	34.93			
AV	5.1494G	48.93	54.00	-5.07	42.47	3	Horizontal	282	2.26	-	33.90	7.49	34.93			
PK	5.2823G	116.84	Inf	-Inf	109.74	3	Horizontal	282	2.26	-	34.29	7.71	34.90			
AV	5.2811G	108.78	Inf	-Inf	101.68	3	Horizontal	282	2.26	-	34.29	7.71	34.90			
PK	5.3516G	63.28	74.00	-10.72	55.86	3	Horizontal	282	2.26	-	34.51	7.80	34.89			
AV	5.3516G	53.92	54.00	-0.08	46.50	3	Horizontal	282	2.26	-	34.51	7.80	34.89			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 73
03-R-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53201G	58.29	68.20	-9.91	43.80	3	Vertical	233	1.09	73	38.16	11.24	34.91			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
SET 73
03-R-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51243G	58.29	68.20	-9.91	43.84	3	Horizontal	263	2.58	73	38.12	11.23	34.90			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 72
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2977G	104.68	Inf	-Inf	108.82	3	Vertical	63	3.00	-	31.21	8.45	43.80			
AV	5.313G	93.04	Inf	-Inf	97.12	3	Vertical	63	3.00	-	31.25	8.46	43.79			
PK	5.3517G	54.08	74.00	-19.92	57.98	3	Vertical	63	3.00	-	31.40	8.47	43.77			
AV	5.3505G	42.23	54.00	-11.77	46.13	3	Vertical	63	3.00	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5310MHz_TX

EUT_Y_4TX
Setting 72
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.328G	112.65	Inf	-Inf	116.67	3	Horizontal	298	1.80	-	31.31	8.46	43.79			
AV	5.3109G	100.51	Inf	-Inf	104.60	3	Horizontal	298	1.80	-	31.24	8.46	43.79			
PK	5.35G	68.37	74.00	-5.63	72.27	3	Horizontal	298	1.80	-	31.40	8.47	43.77			
AV	5.3508G	53.82	54.00	-0.18	57.72	3	Horizontal	298	1.80	-	31.40	8.47	43.77			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 72
03-R-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62248G	58.37	74.00	-15.63	43.82	3	Vertical	199	1.80	68	38.20	11.27	34.92			
AV	10.65421G	48.74	54.00	-5.26	34.19	3	Vertical	199	1.80	68	38.20	11.28	34.93			

5.25-5.35GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
SET 72
03-R-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.62967G	59.08	74.00	-14.92	44.52	3	Horizontal	10	1.80	68	38.20	11.28	34.92			
AV	10.64757G	48.69	54.00	-5.31	34.14	3	Horizontal	10	1.80	68	38.20	11.28	34.93			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5510MHz_TX

EUT_Y_4TX
Setting 74
03-P-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4566G	59.48	74.00	-14.52	51.96	3	Vertical	65	1.94	-	34.60	7.79	34.87			
AV	5.4596G	49.54	54.00	-4.46	42.02	3	Vertical	65	1.94	-	34.60	7.79	34.87			
PK	5.4638G	62.42	68.20	-5.78	54.91	3	Vertical	65	1.94	-	34.60	7.78	34.87			
PK	5.4953G	107.07	Inf	-Inf	99.59	3	Vertical	65	1.94	-	34.60	7.74	34.86			
AV	5.4935G	98.25	Inf	-Inf	90.77	3	Vertical	65	1.94	-	34.60	7.74	34.86			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5510MHz_TX

EUT_Y_4TX
Setting 74
03-P-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4593G	63.74	74.00	-10.26	56.22	3	Horizontal	58	1.57	-	34.60	7.79	34.87			
AV	5.4596G	53.98	54.00	-0.02	46.46	3	Horizontal	58	1.57	-	34.60	7.79	34.87			
PK	5.47G	67.82	68.20	-0.38	60.32	3	Horizontal	58	1.57	-	34.60	7.77	34.87			
PK	5.516G	115.98	Inf	-Inf	108.55	3	Horizontal	58	1.57	-	34.57	7.72	34.86			
AV	5.5211G	106.63	Inf	-Inf	99.23	3	Horizontal	58	1.57	-	34.56	7.71	34.87			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5510MHz_TX




EUT Y_4TX
SET 74
03-R-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.04853G	57.53	74.00	-16.47	42.69	3	Vertical	54	1.80	67	38.40	11.44	35.00			
AV	10.98364G	48.04	54.00	-5.96	33.31	3	Vertical	54	1.80	67	38.30	11.42	34.99			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5510MHz_TX

EUT Y_4TX
SET 74
03-R-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01009G	58.24	74.00	-15.76	43.48	3	Horizontal	159	1.71	67	38.32	11.43	34.99			
AV	11.03782G	48.27	54.00	-5.73	33.45	3	Horizontal	159	1.71	67	38.38	11.44	35.00			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 76
03-R-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4588G	58.32	74.00	-15.68	50.80	3	Vertical	10	2.62	-	34.60	7.79	34.87			
AV	5.457G	49.30	54.00	-4.70	41.78	3	Vertical	10	2.62	-	34.60	7.79	34.87			
PK	5.466G	59.64	68.20	-8.56	52.13	3	Vertical	10	2.62	-	34.60	7.78	34.87			
PK	5.5488G	110.64	Inf	-Inf	103.34	3	Vertical	10	2.62	-	34.50	7.67	34.87			
AV	5.5473G	102.05	Inf	-Inf	94.73	3	Vertical	10	2.62	-	34.51	7.68	34.87			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
Setting 76
03-R-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4591G	62.77	74.00	-11.23	55.25	3	Horizontal	299	2.04	-	34.60	7.79	34.87			
AV	5.46G	53.77	54.00	-0.23	46.25	3	Horizontal	299	2.04	-	34.60	7.79	34.87			
PK	5.4696G	64.37	68.20	-3.83	56.87	3	Horizontal	299	2.04	-	34.60	7.77	34.87			
PK	5.5422G	117.72	Inf	-Inf	110.39	3	Horizontal	299	2.04	-	34.52	7.68	34.87			
AV	5.5428G	109.50	Inf	-Inf	102.18	3	Horizontal	299	2.04	-	34.51	7.68	34.87			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
SET 76
03-R-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.11111G	58.16	74.00	-15.84	43.22	3	Vertical	337	2.38	76	38.48	11.47	35.01			
AV	11.07714G	48.39	54.00	-5.61	33.49	3	Vertical	337	2.38	76	38.45	11.46	35.01			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5550MHz_TX

EUT_Y_4TX
SET 76
03-R-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.11918G	57.94	74.00	-16.06	43.03	3	Horizontal	279	1.80	76	38.46	11.47	35.02			
AV	11.07834G	48.36	54.00	-5.64	33.45	3	Horizontal	279	1.80	76	38.46	11.46	35.01			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 71
03-R-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.665G	108.52	Inf	-Inf	101.44	3	Vertical	11	2.94	-	34.27	7.72	34.91			
AV	5.6674G	101.00	Inf	-Inf	93.91	3	Vertical	11	2.94	-	34.27	7.73	34.91			
PK	5.7258G	61.99	68.20	-6.21	54.89	3	Vertical	11	2.94	-	34.20	7.83	34.93			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 71
03-R-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6756G	116.09	Inf	-Inf	109.01	3	Horizontal	304	1.95	-	34.25	7.74	34.91			
AV	5.6812G	107.19	Inf	-Inf	100.11	3	Horizontal	304	1.95	-	34.24	7.75	34.91			
PK	5.7258G	68.17	68.20	-0.03	61.07	3	Horizontal	304	1.95	-	34.20	7.83	34.93			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
SET 71
03-R-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37381G	59.07	74.00	-14.93	43.91	3	Vertical	8	1.80	71	38.65	11.58	35.07			
AV	11.36454G	49.47	54.00	-4.53	34.34	3	Vertical	8	1.80	71	38.63	11.57	35.07			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5670MHz_TX

EUT_Y_4TX
SET 71
03-R-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.31714G	58.92	74.00	-15.08	43.90	3	Horizontal	17	2.51	71	38.53	11.55	35.06			
AV	11.37397G	49.47	54.00	-4.53	34.31	3	Horizontal	17	2.51	71	38.65	11.58	35.07			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 87
03-R-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7088G	111.89	Inf	-Inf	104.81	3	Vertical	32	2.90	-	34.20	7.80	34.92			
AV	5.6988G	104.00	Inf	-Inf	96.94	3	Vertical	32	2.90	-	34.20	7.78	34.92			
PK	5.8572G	61.91	68.20	-6.29	54.53	3	Vertical	32	2.90	-	34.33	8.02	34.97			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 87
03-R-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6988G	118.95	Inf	-Inf	111.89	3	Horizontal	39	1.90	-	34.20	7.78	34.92			
AV	5.696G	111.34	Inf	-Inf	104.27	3	Horizontal	39	1.90	-	34.21	7.78	34.92			
PK	5.8572G	68.16	68.20	-0.04	60.78	3	Horizontal	39	1.90	-	34.33	8.02	34.97			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
SET 87
03-R-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38356G	59.46	74.00	-14.54	44.28	3	Vertical	300	1.98	87	38.67	11.58	35.07			
AV	11.42256G	49.64	54.00	-4.36	34.37	3	Vertical	300	1.98	87	38.75	11.60	35.08			

5.47-5.725GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
SET 87
03-R-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40162G	59.50	74.00	-14.50	44.29	3	Horizontal	163	2.18	87	38.70	11.59	35.08			
AV	11.41057G	49.65	54.00	-4.35	34.42	3	Horizontal	163	2.18	87	38.72	11.59	35.08			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_V_4TX
Setting 69
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	50.20	74.00	-23.80	53.77	3	Vertical	48	2.93	-	31.92	8.39	43.88
AV	5.142G	38.78	54.00	-15.22	42.32	3	Vertical	48	2.93	-	31.95	8.39	43.88
PK	5.2795G	102.71	Inf	-Inf	106.79	3	Vertical	48	2.93	-	31.28	8.45	43.81
AV	5.2745G	90.68	Inf	-Inf	94.74	3	Vertical	48	2.93	-	31.30	8.45	43.81
PK	5.3665G	54.11	74.00	-19.89	58.00	3	Vertical	48	2.93	-	31.40	8.48	43.77
AV	5.3625G	42.37	54.00	-11.63	46.26	3	Vertical	48	2.93	-	31.40	8.48	43.77
PK	5.465G	50.84	68.20	-17.36	54.34	3	Vertical	48	2.93	-	31.66	8.56	43.72

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 69
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	53.91	74.00	-20.09	57.45	3	Horizontal	288	1.80	-	31.95	8.39	43.88			
AV	5.149G	42.58	54.00	-11.42	46.08	3	Horizontal	288	1.80	-	31.99	8.39	43.88			
PK	5.293G	108.25	Inf	-Inf	112.37	3	Horizontal	288	1.80	-	31.23	8.45	43.80			
AV	5.3215G	97.02	Inf	-Inf	101.06	3	Horizontal	288	1.80	-	31.29	8.46	43.79			
PK	5.351G	66.28	74.00	-7.72	70.18	3	Horizontal	288	1.80	-	31.40	8.47	43.77			
AV	5.35G	53.81	54.00	-0.19	57.72	3	Horizontal	288	1.80	-	31.40	8.47	43.78			
PK	5.465G	54.81	68.20	-13.39	58.31	3	Horizontal	288	1.80	-	31.66	8.56	43.72			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
SET 69
03-R-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.59982G	58.04	68.20	-10.16	43.50	3	Vertical	322	1.35	66	38.20	11.26	34.92				

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5290MHz_TX




EUT Y_4TX
SET 69
03-R-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54819G	58.59	68.20	-9.61	44.06	3	Horizontal	79	1.84	66	38.20	11.24	34.91			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_V_4TX
Setting 64
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.316G	49.67	68.20	-18.53	53.74	3	Vertical	8	2.72	-	31.26	8.46	43.79			
PK	5.457G	56.86	74.00	-17.14	60.40	3	Vertical	8	2.72	-	31.63	8.55	43.72			
AV	5.458G	44.91	54.00	-9.09	48.45	3	Vertical	8	2.72	-	31.63	8.55	43.72			
PK	5.461G	56.26	68.20	-11.94	59.79	3	Vertical	8	2.72	-	31.64	8.55	43.72			
PK	5.5455G	101.80	Inf	-Inf	105.10	3	Vertical	8	2.72	-	31.71	8.64	43.65			
AV	5.56G	89.03	Inf	-Inf	92.33	3	Vertical	8	2.72	-	31.68	8.66	43.64			
PK	5.767G	51.13	68.20	-17.07	53.58	3	Vertical	8	2.72	-	32.10	8.88	43.43			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT_V_4TX
Setting 64
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.347G	55.36	68.20	-12.84	59.28	3	Horizontal	64	3.00	-	31.39	8.47	43.78			
PK	5.456G	65.35	74.00	-8.65	68.90	3	Horizontal	64	3.00	-	31.62	8.55	43.72			
AV	5.46G	53.36	54.00	-0.64	56.89	3	Horizontal	64	3.00	-	31.64	8.55	43.72			
PK	5.4675G	66.15	68.20	-2.05	69.64	3	Horizontal	64	3.00	-	31.67	8.56	43.72			
PK	5.521G	108.45	Inf	-Inf	111.75	3	Horizontal	64	3.00	-	31.76	8.62	43.68			
AV	5.5175G	96.74	Inf	-Inf	100.04	3	Horizontal	64	3.00	-	31.77	8.61	43.68			
PK	5.7425G	53.52	68.20	-14.68	56.04	3	Horizontal	64	3.00	-	32.09	8.85	43.46			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5530MHz_TX




EUT Y_4TX
SET 64
03-R-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0819G	58.29	74.00	-15.71	43.38	3	Vertical	137	1.80	57	38.46	11.46	35.01			
AV	11.08174G	48.54	54.00	-5.46	33.63	3	Vertical	137	1.80	57	38.46	11.46	35.01			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5530MHz_TX

EUT Y_4TX
SET 64
03-R-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.0437G	58.07	74.00	-15.93	43.24	3	Horizontal	163	1.19	57	38.39	11.44	35.00			
AV	11.04386G	48.18	54.00	-5.82	33.35	3	Horizontal	163	1.19	57	38.39	11.44	35.00			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT Y_4TX
Setting 72
03-R-R-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4525G	58.53	74.00	-15.47	51.01	3	Vertical	10	2.72	-	34.60	7.79	34.87			
AV	5.4585G	49.17	54.00	-4.83	41.65	3	Vertical	10	2.72	-	34.60	7.79	34.87			
PK	5.4685G	60.54	68.20	-7.66	53.04	3	Vertical	10	2.72	-	34.60	7.77	34.87			
PK	5.6215G	106.02	Inf	-Inf	98.97	3	Vertical	10	2.72	-	34.30	7.65	34.90			
AV	5.587G	97.81	Inf	-Inf	90.72	3	Vertical	10	2.72	-	34.35	7.63	34.89			
PK	5.7265G	59.92	68.20	-8.28	52.82	3	Vertical	10	2.72	-	34.20	7.83	34.93			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 72
03-R-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.46G	66.26	74.00	-7.74	58.74	3	Horizontal	299	2.04	-	34.60	7.79	34.87			
AV	5.46G	53.85	54.00	-0.15	46.33	3	Horizontal	299	2.04	-	34.60	7.79	34.87			
PK	5.4605G	65.61	68.20	-2.59	58.10	3	Horizontal	299	2.04	-	34.60	7.78	34.87			
PK	5.6035G	114.08	Inf	-Inf	107.05	3	Horizontal	299	2.04	-	34.30	7.62	34.89			
AV	5.6025G	106.18	Inf	-Inf	99.16	3	Horizontal	299	2.04	-	34.30	7.61	34.89			
PK	5.725G	65.86	68.20	-2.34	58.76	3	Horizontal	299	2.04	-	34.20	7.83	34.93			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5610MHz_TX

EUT_Y_4TX
SET 72
03-R-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.29528G	58.39	74.00	-15.61	43.40	3	Vertical	90	2.64	72	38.50	11.54	35.05			
AV	11.28106G	48.84	54.00	-5.16	33.85	3	Vertical	90	2.64	72	38.50	11.54	35.05			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5610MHz_TX

EUT_Y_4TX
SET 72
03-R-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.28266G	58.81	74.00	-15.19	43.82	3	Horizontal	284	2.50	72	38.50	11.54	35.05			
AV	11.29768G	49.03	54.00	-4.97	34.04	3	Horizontal	284	2.50	72	38.50	11.55	35.06			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 77
03-R-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	57.14	74.00	-16.86	49.62	3	Vertical	11	2.94	-	34.60	7.79	34.87
AV	5.456G	48.19	54.00	-5.81	40.67	3	Vertical	11	2.94	-	34.60	7.79	34.87
PK	5.4668G	58.15	68.20	-10.05	50.64	3	Vertical	11	2.94	-	34.60	7.78	34.87
PK	5.6738G	107.33	Inf	-Inf	100.25	3	Vertical	11	2.94	-	34.25	7.74	34.91
AV	5.672G	99.61	Inf	-Inf	92.52	3	Vertical	11	2.94	-	34.27	7.73	34.91
PK	5.8568G	59.78	68.20	-8.42	52.40	3	Vertical	11	2.94	-	34.33	8.02	34.97

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 77
03-R-R-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4554G	64.73	74.00	-9.27	57.21	3	Horizontal	38	2.00	-	34.60	7.79	34.87			
AV	5.456G	53.20	54.00	-0.80	45.68	3	Horizontal	38	2.00	-	34.60	7.79	34.87			
PK	5.4692G	61.73	68.20	-6.47	54.23	3	Horizontal	38	2.00	-	34.60	7.77	34.87			
PK	5.696G	115.43	Inf	-Inf	108.36	3	Horizontal	38	2.00	-	34.21	7.78	34.92			
AV	5.6762G	107.31	Inf	-Inf	100.23	3	Horizontal	38	2.00	-	34.25	7.74	34.91			
PK	5.8526G	68.14	68.20	-0.06	60.78	3	Horizontal	38	2.00	-	34.31	8.02	34.97			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
SET 77
03-R-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.36306G	59.21	74.00	-14.79	44.08	3	Vertical	144	1.25	77	38.63	11.57	35.07			
AV	11.3768G	49.65	54.00	-4.35	34.49	3	Vertical	144	1.25	77	38.65	11.58	35.07			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
SET 77
03-R-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.39966G	59.09	74.00	-14.91	43.88	3	Horizontal	231	1.80	77	38.70	11.59	35.08			
AV	11.40446G	49.53	54.00	-4.47	34.31	3	Horizontal	231	1.80	77	38.71	11.59	35.08			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_V_4TX
Setting 50
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	55.43	74.00	-18.57	58.98	3	Vertical	68	2.98	-	31.94	8.39	43.88
AV	5.1444G	38.88	54.00	-15.12	42.40	3	Vertical	68	2.98	-	31.97	8.39	43.88
AV	5.2268G	81.40	Inf	-Inf	85.27	3	Vertical	68	2.98	-	31.54	8.43	43.84
PK	5.3148G	94.71	Inf	-Inf	98.78	3	Vertical	68	2.98	-	31.26	8.46	43.79
PK	5.3572G	63.67	74.00	-10.33	67.56	3	Vertical	68	2.98	-	31.40	8.48	43.77
AV	5.3972G	38.34	54.00	-15.66	42.20	3	Vertical	68	2.98	-	31.40	8.49	43.75
PK	5.4668G	50.29	68.20	-17.91	53.78	3	Vertical	68	2.98	-	31.67	8.56	43.72

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX



EUT_V_4TX
Setting 50
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	67.05	74.00	-6.95	70.54	3	Horizontal	66	3.00	-	32.00	8.39	43.88			
AV	5.1476G	45.74	54.00	-8.26	49.24	3	Horizontal	66	3.00	-	31.99	8.39	43.88			
PK	5.226G	103.38	Inf	-Inf	107.25	3	Horizontal	66	3.00	-	31.54	8.43	43.84			
PK	5.3508G	73.57	74.00	-0.43	77.47	3	Horizontal	66	3.00	-	31.40	8.47	43.77			
AV	5.3268G	91.73	Inf	-Inf	95.75	3	Horizontal	66	3.00	-	31.31	8.46	43.79			
AV	5.3508G	45.20	54.00	-8.80	49.10	3	Horizontal	66	3.00	-	31.40	8.47	43.77			
PK	5.4676G	59.33	68.20	-8.87	62.82	3	Horizontal	66	3.00	-	31.67	8.56	43.72			