


5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_4TX
SET 50
03-R-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.65952G	58.62	74.00	-15.38	44.06	3	Vertical	34	2.27	45	38.20	11.29	34.93			
AV	10.65057G	48.89	54.00	-5.11	34.34	3	Vertical	34	2.27	45	38.20	11.28	34.93			

5.25-5.35GHz_802.11be EHT160_Nss4,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TX

EUT Y_4TX
SET 50
03-R-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.65675G	57.69	74.00	-16.31	43.13	3	Horizontal	16	1.77	45	38.20	11.29	34.93			
AV	10.65632G	47.98	54.00	-6.02	33.42	3	Horizontal	16	1.77	45	38.20	11.29	34.93			

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_V_4TX
Setting 52
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	51.42	68.20	-16.78	55.33	3	Vertical	11	2.68	-	31.40	8.47	43.78
PK	5.4548G	62.37	74.00	-11.63	65.92	3	Vertical	11	2.68	-	31.62	8.55	43.72
AV	5.4564G	39.76	54.00	-14.24	43.30	3	Vertical	11	2.68	-	31.63	8.55	43.72
PK	5.47G	63.49	68.20	-4.71	66.97	3	Vertical	11	2.68	-	31.68	8.56	43.72
AV	5.5132G	84.47	Inf	-Inf	87.78	3	Vertical	11	2.68	-	31.77	8.61	43.69
PK	5.6468G	96.07	Inf	-Inf	99.08	3	Vertical	11	2.68	-	31.79	8.75	43.55
PK	5.7276G	55.13	68.20	-13.07	57.71	3	Vertical	11	2.68	-	32.06	8.83	43.47

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX


5570MHz_TX

EUT_V_4TX
Setting 52
04-E-E-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3468G	55.39	68.20	-12.81	59.31	3	Horizontal	302	2.99	-	31.39	8.47	43.78			
PK	5.454G	70.21	74.00	-3.79	73.76	3	Horizontal	302	2.99	-	31.62	8.55	43.72			
AV	5.4564G	43.57	54.00	-10.43	47.11	3	Horizontal	302	2.99	-	31.63	8.55	43.72			
PK	5.466G	67.30	68.20	-0.90	70.80	3	Horizontal	302	2.99	-	31.66	8.56	43.72			
PK	5.5948G	103.90	Inf	-Inf	107.21	3	Horizontal	302	2.99	-	31.61	8.69	43.61			
AV	5.5428G	90.05	Inf	-Inf	93.36	3	Horizontal	302	2.99	-	31.71	8.64	43.66			
PK	5.7372G	61.99	68.20	-6.21	64.54	3	Horizontal	302	2.99	-	32.07	8.84	43.46			

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
SET 52
03-R-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.16002G	58.57	74.00	-15.43	43.69	3	Vertical	94	1.46	47	38.42	11.49	35.03			
AV	11.1598G	48.30	54.00	-5.70	33.42	3	Vertical	94	1.46	47	38.42	11.49	35.03			

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0)_4TX

5570MHz_TX

EUT_Y_4TX
SET 52
03-R-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.13701G	58.26	74.00	-15.74	43.37	3	Horizontal	159	1.80	47	38.43	11.48	35.02			
AV	11.14153G	48.84	54.00	-5.16	33.96	3	Horizontal	159	1.80	47	38.42	11.48	35.02			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT160_Nss2 (MCS0)_2TX	Pass	AV	5.1476G	53.97	54.00	-0.03	3	Horizontal	311	2.72	-

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 101
02-D-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1184G	61.62	74.00	-12.38	50.62	3	Vertical	107	1.77	-	33.54	7.57	30.11			
AV	5.1416G	51.29	54.00	-2.71	40.25	3	Vertical	107	1.77	-	33.58	7.58	30.12			
PK	5.2568G	123.43	Inf	-Inf	112.27	3	Vertical	107	1.77	-	33.71	7.63	30.18			
AV	5.2668G	114.35	Inf	-Inf	103.17	3	Vertical	107	1.77	-	33.73	7.64	30.19			
PK	5.366G	65.95	74.00	-8.05	54.58	3	Vertical	107	1.77	-	33.90	7.71	30.24			
AV	5.3616G	53.52	54.00	-0.48	42.15	3	Vertical	107	1.77	-	33.90	7.71	30.24			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 101
02-D-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	62.19	74.00	-11.81	51.14	3	Horizontal	40	1.75	-	33.60	7.58	30.13			
AV	5.1496G	50.25	54.00	-3.75	39.20	3	Horizontal	40	1.75	-	33.60	7.58	30.13			
PK	5.2648G	122.12	Inf	-Inf	110.94	3	Horizontal	40	1.75	-	33.73	7.64	30.19			
AV	5.2644G	113.28	Inf	-Inf	102.10	3	Horizontal	40	1.75	-	33.73	7.64	30.19			
PK	5.3596G	66.55	74.00	-7.45	55.18	3	Horizontal	40	1.75	-	33.90	7.71	30.24			
AV	5.35G	52.31	54.00	-1.69	40.94	3	Horizontal	40	1.75	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 101
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.523G	53.44	68.20	-14.76	69.81	3	Vertical	221	1.25	-	38.30	12.04	66.71			
PK	15.78025G	54.48	74.00	-19.52	66.32	3	Vertical	360	1.67	-	37.44	14.64	63.92			
AV	15.7845G	43.07	54.00	-10.93	54.92	3	Vertical	360	1.67	-	37.43	14.64	63.92			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 101
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.52105G	53.37	68.20	-14.83	69.74	3	Horizontal	250	2.74	-	38.30	12.04	66.71			
PK	15.77652G	54.42	74.00	-19.58	66.25	3	Horizontal	144	1.49	-	37.45	14.64	63.92			
AV	15.78272G	43.02	54.00	-10.98	54.87	3	Horizontal	144	1.49	-	37.43	14.64	63.92			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT Y_2TX
Setting 90
02-D-L-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3063G	116.46	Inf	-Inf	105.19	3	Vertical	107	1.73	-	33.81	7.67	30.21			
AV	5.3015G	107.84	Inf	-Inf	96.58	3	Vertical	107	1.73	-	33.80	7.67	30.21			
PK	5.3519G	69.15	74.00	-4.85	57.78	3	Vertical	107	1.73	-	33.90	7.70	30.23			
AV	5.3516G	50.85	54.00	-3.15	39.48	3	Vertical	107	1.73	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX

EUT Y_2TX
Setting 90
02-D-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2946G	119.33	Inf	-Inf	108.08	3	Horizontal	42	1.80	-	33.79	7.66	30.20			
AV	5.3045G	111.09	Inf	-Inf	99.82	3	Horizontal	42	1.80	-	33.81	7.67	30.21			
PK	5.3507G	70.02	74.00	-3.98	58.65	3	Horizontal	42	1.80	-	33.90	7.70	30.23			
AV	5.35G	53.83	54.00	-0.17	42.46	3	Horizontal	42	1.80	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 90
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60461G	53.63	74.00	-20.37	69.76	3	Vertical	60	2.84	-	38.40	12.09	66.62			
AV	10.60382G	42.26	54.00	-11.74	58.40	3	Vertical	60	2.84	-	38.40	12.08	66.62			
PK	15.90146G	55.28	74.00	-18.72	66.81	3	Vertical	343	1.13	-	37.69	14.74	63.96			
AV	15.90028G	44.43	54.00	-9.57	55.95	3	Vertical	343	1.13	-	37.70	14.74	63.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 90
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60814G	53.79	74.00	-20.21	69.91	3	Horizontal	141	1.26	-	38.40	12.09	66.61			
AV	10.60126G	42.14	54.00	-11.86	58.28	3	Horizontal	141	1.26	-	38.40	12.08	66.62			
PK	15.89818G	55.33	74.00	-18.67	66.86	3	Horizontal	55	2.85	-	37.69	14.74	63.96			
AV	15.90134G	44.14	54.00	-9.86	55.67	3	Horizontal	55	2.85	-	37.69	14.74	63.96			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT Y_2TX
Setting 78
02-D-L-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.3194G	112.14	Inf	-Inf	100.84	3	Vertical	113	2.61	-	33.84	7.68	30.22				
AV	5.3192G	104.15	Inf	-Inf	92.85	3	Vertical	113	2.61	-	33.84	7.68	30.22				
PK	5.3506G	66.83	74.00	-7.17	55.46	3	Vertical	113	2.61	-	33.90	7.70	30.23				
AV	5.3502G	50.11	54.00	-3.89	38.74	3	Vertical	113	2.61	-	33.90	7.70	30.23				

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 78
02-D-L-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.3142G	115.78	Inf	-Inf	104.48	3	Horizontal	46	1.80	-	33.83	7.68	30.21			
AV	5.3188G	107.04	Inf	-Inf	95.74	3	Horizontal	46	1.80	-	33.84	7.68	30.22			
PK	5.3504G	70.71	74.00	-3.29	59.34	3	Horizontal	46	1.80	-	33.90	7.70	30.23			
AV	5.35G	53.41	54.00	-0.59	42.04	3	Horizontal	46	1.80	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 78
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64037G	52.96	74.00	-21.04	69.04	3	Vertical	284	2.52	-	38.40	12.10	66.58			
AV	10.63555G	41.72	54.00	-12.28	57.80	3	Vertical	284	2.52	-	38.40	12.10	66.58			
PK	15.9597G	54.25	74.00	-19.75	65.93	3	Vertical	89	2.59	-	37.50	14.80	63.98			
AV	15.96395G	43.52	54.00	-10.48	55.21	3	Vertical	89	2.59	-	37.50	14.80	63.99			

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 78
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.64489G	52.90	74.00	-21.10	68.96	3	Horizontal	27	1.30	-	38.40	12.11	66.57			
AV	10.63858G	42.02	54.00	-11.98	58.10	3	Horizontal	27	1.30	-	38.40	12.10	66.58			
PK	15.96472G	55.06	74.00	-18.94	66.75	3	Horizontal	31	2.89	-	37.50	14.80	63.99			
AV	15.96319G	43.69	54.00	-10.31	55.38	3	Horizontal	31	2.89	-	37.50	14.80	63.99			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT Y_2TX
Setting 90
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4595G	59.16	74.00	-14.84	47.75	3	Vertical	13	2.34	-	33.92	7.78	30.29			
AV	5.4596G	49.07	54.00	-4.93	37.66	3	Vertical	13	2.34	-	33.92	7.78	30.29			
PK	5.4698G	62.09	68.20	-6.11	50.66	3	Vertical	13	2.34	-	33.94	7.78	30.29			
PK	5.5032G	113.61	Inf	-Inf	102.11	3	Vertical	13	2.34	-	34.01	7.80	30.31			
AV	5.5032G	104.67	Inf	-Inf	93.17	3	Vertical	13	2.34	-	34.01	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT Y_2TX
Setting 90
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4569G	62.98	74.00	-11.02	51.59	3	Horizontal	312	2.95	-	33.91	7.77	30.29			
AV	5.4574G	50.87	54.00	-3.13	39.48	3	Horizontal	312	2.95	-	33.91	7.77	30.29			
PK	5.4671G	67.54	68.20	-0.66	56.12	3	Horizontal	312	2.95	-	33.93	7.78	30.29			
PK	5.5062G	117.72	Inf	-Inf	106.22	3	Horizontal	312	2.95	-	34.01	7.80	30.31			
AV	5.5012G	108.82	Inf	-Inf	97.33	3	Horizontal	312	2.95	-	34.00	7.80	30.31			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 90
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00359G	54.09	74.00	-19.91	69.58	3	Vertical	274	1.14	-	38.41	12.29	66.19			
AV	10.9959G	42.89	54.00	-11.11	58.40	3	Vertical	274	1.14	-	38.40	12.28	66.19			
PK	16.50315G	56.31	68.20	-11.89	66.30	3	Vertical	353	1.53	-	38.82	14.93	63.74			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 90
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.9954G	54.00	74.00	-20.00	69.51	3	Horizontal	104	1.37	-	38.40	12.28	66.19			
AV	10.99861G	43.23	54.00	-10.77	58.74	3	Horizontal	104	1.37	-	38.40	12.28	66.19			
PK	16.49973G	55.90	68.20	-12.30	65.91	3	Horizontal	3	2.98	-	38.80	14.93	63.74			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 108
02-D-E-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4392G	58.93	74.00	-15.07	47.55	3	Vertical	114	1.89	-	33.90	7.76	30.28			
AV	5.4588G	48.23	54.00	-5.77	36.82	3	Vertical	114	1.89	-	33.92	7.78	30.29			
PK	5.4692G	62.34	68.20	-5.86	50.91	3	Vertical	114	1.89	-	33.94	7.78	30.29			
PK	5.5864G	120.55	Inf	-Inf	108.95	3	Vertical	114	1.89	-	34.03	7.85	30.28			
AV	5.576G	111.95	Inf	-Inf	100.33	3	Vertical	114	1.89	-	34.05	7.85	30.28			
PK	5.7324G	58.57	68.20	-9.63	46.71	3	Vertical	114	1.89	-	34.00	8.09	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT Y_2TX
Setting 108
02-D-E-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	63.44	74.00	-10.56	52.04	3	Horizontal	45	2.99	-	33.92	7.77	30.29
AV	5.4596G	52.21	54.00	-1.79	40.80	3	Horizontal	45	2.99	-	33.92	7.78	30.29
PK	5.468G	67.22	68.20	-0.98	55.79	3	Horizontal	45	2.99	-	33.94	7.78	30.29
PK	5.5812G	123.79	Inf	-Inf	112.18	3	Horizontal	45	2.99	-	34.04	7.85	30.28
AV	5.586G	115.19	Inf	-Inf	103.59	3	Horizontal	45	2.99	-	34.03	7.85	30.28
PK	5.7364G	59.66	68.20	-8.54	47.78	3	Horizontal	45	2.99	-	34.00	8.10	30.22

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.16399G	54.01	74.00	-19.99	69.33	3	Vertical	3	1.93	-	38.50	12.37	66.19			
AV	11.16394G	42.54	54.00	-11.46	57.86	3	Vertical	3	1.93	-	38.50	12.37	66.19			
PK	16.73884G	56.67	68.20	-11.53	65.71	3	Vertical	264	2.17	-	39.98	14.98	64.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.1635G	53.80	74.00	-20.20	69.12	3	Horizontal	139	2.67	-	38.50	12.37	66.19			
AV	11.15829G	42.41	54.00	-11.59	57.74	3	Horizontal	139	2.67	-	38.50	12.36	66.19			
PK	16.73597G	56.91	68.20	-11.29	65.96	3	Horizontal	284	1.79	-	39.97	14.98	64.00			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 73
02-D-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6974G	111.30	Inf	-Inf	99.51	3	Vertical	20	2.45	-	34.00	8.03	30.24				
AV	5.7027G	103.06	Inf	-Inf	91.26	3	Vertical	20	2.45	-	34.00	8.04	30.24				
PK	5.7266G	65.11	68.20	-3.09	53.26	3	Vertical	20	2.45	-	34.00	8.08	30.23				

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 73
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.695G	112.83	Inf	-Inf	101.04	3	Horizontal	52	2.92	-	34.00	8.03	30.24			
AV	5.6952G	103.93	Inf	-Inf	92.14	3	Horizontal	52	2.92	-	34.00	8.03	30.24			
PK	5.7255G	67.49	68.20	-0.71	55.64	3	Horizontal	52	2.92	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 71
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40405G	54.51	74.00	-19.49	69.51	3	Vertical	126	1.90	-	38.71	12.49	66.20			
AV	11.40434G	43.37	54.00	-10.63	58.37	3	Vertical	126	1.90	-	38.71	12.49	66.20			
PK	17.10242G	58.59	68.20	-9.61	66.40	3	Vertical	104	2.09	-	41.41	15.06	64.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 71
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.3976G	54.79	74.00	-19.21	69.80	3	Horizontal	168	2.06	-	38.70	12.49	66.20			
AV	11.40008G	43.53	54.00	-10.47	58.54	3	Horizontal	168	2.06	-	38.70	12.49	66.20			
PK	17.09656G	58.31	68.20	-9.89	66.15	3	Horizontal	20	2.12	-	41.39	15.05	64.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 108
02-D-E-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3714G	57.79	74.00	-16.21	46.41	3	Vertical	108	2.25	-	33.90	7.72	30.24			
AV	5.3973G	47.52	54.00	-6.48	36.14	3	Vertical	108	2.25	-	33.90	7.74	30.26			
PK	5.4687G	56.66	68.20	-11.54	45.23	3	Vertical	108	2.25	-	33.94	7.78	30.29			
PK	5.7263G	120.38	Inf	-Inf	108.53	3	Vertical	108	2.25	-	34.00	8.08	30.23			
AV	5.7207G	111.71	Inf	-Inf	99.87	3	Vertical	108	2.25	-	34.00	8.07	30.23			
PK	5.9314G	58.79	68.20	-9.41	46.63	3	Vertical	108	2.25	-	34.16	8.15	30.15			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
Setting 108
02-D-E-2-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4127G	57.68	74.00	-16.32	46.29	3	Horizontal	40	3.00	-	33.90	7.75	30.26			
PK	5.4624G	58.57	68.20	-9.63	47.16	3	Horizontal	40	3.00	-	33.92	7.78	30.29			
AV	5.4519G	48.83	54.00	-5.17	37.44	3	Horizontal	40	3.00	-	33.90	7.77	30.28			
PK	5.7158G	124.10	Inf	-Inf	112.27	3	Horizontal	40	3.00	-	34.00	8.06	30.23			
AV	5.7214G	114.96	Inf	-Inf	103.12	3	Horizontal	40	3.00	-	34.00	8.07	30.23			
PK	5.8558G	61.67	68.20	-6.53	49.75	3	Horizontal	40	3.00	-	33.92	8.18	30.18			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 108
02-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44456G	54.06	74.00	-19.94	68.96	3	Vertical	200	2.49	-	38.79	12.51	66.20			
AV	11.43706G	43.32	54.00	-10.68	58.24	3	Vertical	200	2.49	-	38.77	12.51	66.20			
PK	17.16134G	58.59	68.20	-9.61	66.15	3	Vertical	205	1.80	-	41.65	15.07	64.28			

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 108
02-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.43556G	54.69	74.00	-19.31	69.62	3	Horizontal	179	1.97	-	38.77	12.50	66.20			
AV	11.4481G	43.01	54.00	-10.99	57.90	3	Horizontal	179	1.97	-	38.80	12.51	66.20			
PK	17.15874G	58.80	68.20	-9.40	66.38	3	Horizontal	20	1.80	-	41.63	15.07	64.28			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5260MHz_TX

EUT Y_2TX
Setting 101
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1469G	61.18	74.00	-12.82	50.14	3	Vertical	110	1.77	-	33.59	7.58	30.13			
AV	5.1499G	47.90	54.00	-6.10	36.85	3	Vertical	110	1.77	-	33.60	7.58	30.13			
PK	5.2651G	118.30	Inf	-Inf	107.12	3	Vertical	110	1.77	-	33.73	7.64	30.19			
AV	5.2561G	106.75	Inf	-Inf	95.59	3	Vertical	110	1.77	-	33.71	7.63	30.18			
PK	5.3503G	65.35	74.00	-8.65	53.98	3	Vertical	110	1.77	-	33.90	7.70	30.23			
AV	5.3512G	51.27	54.00	-2.73	39.90	3	Vertical	110	1.77	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 101
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.07	74.00	-7.93	55.02	3	Horizontal	41	1.85	-	33.60	7.58	30.13
AV	5.1484G	50.62	54.00	-3.38	39.57	3	Horizontal	41	1.85	-	33.60	7.58	30.13
PK	5.2663G	121.99	Inf	-Inf	110.81	3	Horizontal	41	1.85	-	33.73	7.64	30.19
AV	5.2645G	110.18	Inf	-Inf	99.00	3	Horizontal	41	1.85	-	33.73	7.64	30.19
PK	5.356G	69.46	74.00	-4.54	58.09	3	Horizontal	41	1.85	-	33.90	7.71	30.24
AV	5.3506G	53.78	54.00	-0.22	42.41	3	Horizontal	41	1.85	-	33.90	7.70	30.23

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 101
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51917G	53.63	68.20	-14.57	70.00	3	Vertical	208	1.61	-	38.30	12.04	66.71			
PK	15.78399G	54.62	74.00	-19.38	66.47	3	Vertical	150	1.71	-	37.43	14.64	63.92			
AV	15.77508G	41.61	54.00	-12.39	53.43	3	Vertical	150	1.71	-	37.45	14.64	63.91			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5260MHz_TX




EUT_Y_2TX
Setting 101
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.51943G	53.65	68.20	-14.55	70.02	3	Horizontal	180	2.66	-	38.30	12.04	66.71			
PK	15.7842G	54.84	74.00	-19.16	66.69	3	Horizontal	349	1.23	-	37.43	14.64	63.92			
AV	15.78483G	41.83	54.00	-12.17	53.68	3	Horizontal	349	1.23	-	37.43	14.64	63.92			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT Y_2TX
Setting 87
02-D-C-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.302G	116.47	Inf	-Inf	105.21	3	Vertical	109	1.85	-	33.80	7.67	30.21				
AV	5.3044G	104.42	Inf	-Inf	93.15	3	Vertical	109	1.85	-	33.81	7.67	30.21				
PK	5.357G	67.44	74.00	-6.56	56.07	3	Vertical	109	1.85	-	33.90	7.71	30.24				
AV	5.3502G	50.49	54.00	-3.51	39.12	3	Vertical	109	1.85	-	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 87
02-D-C-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2924G	119.93	Inf	-Inf	108.69	3	Horizontal	42	1.80	-	33.78	7.66	30.20			
AV	5.2924G	107.27	Inf	-Inf	96.03	3	Horizontal	42	1.80	-	33.78	7.66	30.20			
PK	5.3554G	70.67	74.00	-3.33	59.29	3	Horizontal	42	1.80	-	33.90	7.71	30.23			
AV	5.3502G	53.77	54.00	-0.23	42.40	3	Horizontal	42	1.80	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 87
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60104G	52.99	74.00	-21.01	69.13	3	Vertical	114	2.24	-	38.40	12.08	66.62			
AV	10.60112G	40.67	54.00	-13.33	56.81	3	Vertical	114	2.24	-	38.40	12.08	66.62			
PK	15.89775G	55.35	74.00	-18.65	66.88	3	Vertical	139	2.74	-	37.69	14.74	63.96			
AV	15.90094G	42.99	54.00	-11.01	54.51	3	Vertical	139	2.74	-	37.70	14.74	63.96			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
Setting 87
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60389G	53.51	74.00	-20.49	69.65	3	Horizontal	344	2.90	-	38.40	12.08	66.62			
AV	10.60417G	41.19	54.00	-12.81	57.32	3	Horizontal	344	2.90	-	38.40	12.09	66.62			
PK	15.8959G	55.36	74.00	-18.64	66.90	3	Horizontal	299	1.52	-	37.68	14.74	63.96			
AV	15.90168G	42.74	54.00	-11.26	54.27	3	Horizontal	299	1.52	-	37.69	14.74	63.96			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 77
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.322G	114.28	Inf	-Inf	102.98	3	Vertical	108	2.83	-	33.84	7.68	30.22			
AV	5.3251G	101.88	Inf	-Inf	90.57	3	Vertical	108	2.83	-	33.85	7.68	30.22			
PK	5.35G	73.40	74.00	-0.60	62.03	3	Vertical	108	2.83	-	33.90	7.70	30.23			
AV	5.3505G	51.57	54.00	-2.43	40.20	3	Vertical	108	2.83	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 77
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.311G	116.87	Inf	-Inf	105.59	3	Horizontal	42	2.87	-	33.82	7.67	30.21			
AV	5.3162G	104.49	Inf	-Inf	93.19	3	Horizontal	42	2.87	-	33.83	7.68	30.21			
PK	5.3508G	73.08	74.00	-0.92	61.71	3	Horizontal	42	2.87	-	33.90	7.70	30.23			
AV	5.3509G	53.91	54.00	-0.09	42.54	3	Horizontal	42	2.87	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 77
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.63953G	53.21	74.00	-20.79	69.29	3	Vertical	356	1.14	-	38.40	12.10	66.58			
AV	10.63736G	40.37	54.00	-13.63	56.45	3	Vertical	356	1.14	-	38.40	12.10	66.58			
PK	15.95942G	55.09	74.00	-18.91	66.78	3	Vertical	66	2.66	-	37.50	14.79	63.98			
AV	15.96252G	42.21	54.00	-11.79	53.90	3	Vertical	66	2.66	-	37.50	14.80	63.99			

5.25-5.35GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
Setting 77
02-D-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.63904G	53.77	74.00	-20.23	69.85	3	Horizontal	28	1.81	-	38.40	12.10	66.58				
AV	10.63855G	40.32	54.00	-13.68	56.40	3	Horizontal	28	1.81	-	38.40	12.10	66.58				
PK	15.95513G	54.83	74.00	-19.17	66.52	3	Horizontal	197	1.97	-	37.50	14.79	63.98				
AV	15.96058G	42.14	54.00	-11.86	53.83	3	Horizontal	197	1.97	-	37.50	14.80	63.99				

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 89
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4589G	67.11	74.00	-6.89	55.70	3	Vertical	17	1.81	-	33.92	7.78	30.29			
AV	5.4596G	53.04	54.00	-0.96	41.63	3	Vertical	17	1.81	-	33.92	7.78	30.29			
PK	5.4682G	65.74	68.20	-2.46	54.31	3	Vertical	17	1.81	-	33.94	7.78	30.29			
PK	5.4951G	116.32	Inf	-Inf	104.84	3	Vertical	17	1.81	-	33.99	7.80	30.31			
AV	5.4927G	104.39	Inf	-Inf	92.91	3	Vertical	17	1.81	-	33.99	7.80	30.31			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5500MHz_TX




EUT_Y_2TX
Setting 89
02-D-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4594G	66.14	74.00	-7.86	54.73	3	Horizontal	310	2.94	-	33.92	7.78	30.29			
AV	5.4595G	53.76	54.00	-0.24	42.35	3	Horizontal	310	2.94	-	33.92	7.78	30.29			
PK	5.4606G	66.59	68.20	-1.61	55.18	3	Horizontal	310	2.94	-	33.92	7.78	30.29			
PK	5.4918G	119.18	Inf	-Inf	107.71	3	Horizontal	310	2.94	-	33.98	7.80	30.31			
AV	5.4969G	107.14	Inf	-Inf	95.66	3	Horizontal	310	2.94	-	33.99	7.80	30.31			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 89
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.00176G	53.78	74.00	-20.22	69.28	3	Vertical	24	1.98	-	38.40	12.29	66.19			
AV	11.00303G	41.42	54.00	-12.58	56.91	3	Vertical	24	1.98	-	38.41	12.29	66.19			
PK	16.50263G	57.00	68.20	-11.20	66.99	3	Vertical	76	2.43	-	38.82	14.93	63.74			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5500MHz_TX

EUT_Y_2TX
Setting 89
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.99509G	53.89	74.00	-20.11	69.41	3	Horizontal	105	1.61	-	38.40	12.28	66.20			
AV	10.99657G	41.06	54.00	-12.94	56.57	3	Horizontal	105	1.61	-	38.40	12.28	66.19			
PK	16.49768G	57.05	68.20	-11.15	67.07	3	Horizontal	26	2.62	-	38.79	14.93	63.74			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT Y_2TX
Setting 108
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.64	74.00	-11.36	51.23	3	Vertical	110	2.44	-	33.92	7.78	30.29
AV	5.46G	48.73	54.00	-5.27	37.32	3	Vertical	110	2.44	-	33.92	7.78	30.29
PK	5.4668G	64.59	68.20	-3.61	53.17	3	Vertical	110	2.44	-	33.93	7.78	30.29
PK	5.5888G	121.39	Inf	-Inf	109.80	3	Vertical	110	2.44	-	34.02	7.85	30.28
AV	5.584G	108.55	Inf	-Inf	96.95	3	Vertical	110	2.44	-	34.03	7.85	30.28
PK	5.7356G	60.02	68.20	-8.18	48.15	3	Vertical	110	2.44	-	34.00	8.10	30.23

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 108
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	66.54	74.00	-7.46	55.13	3	Horizontal	40	2.88	-	33.92	7.78	30.29
AV	5.4596G	52.34	54.00	-1.66	40.93	3	Horizontal	40	2.88	-	33.92	7.78	30.29
PK	5.4696G	67.47	68.20	-0.73	56.04	3	Horizontal	40	2.88	-	33.94	7.78	30.29
PK	5.5748G	122.69	Inf	-Inf	111.08	3	Horizontal	40	2.88	-	34.05	7.84	30.28
AV	5.5756G	111.26	Inf	-Inf	99.64	3	Horizontal	40	2.88	-	34.05	7.85	30.28
PK	5.7252G	61.16	68.20	-7.04	49.31	3	Horizontal	40	2.88	-	34.00	8.08	30.23

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5580MHz_TX

EUT_Y_2TX
Setting 108
02-D-b-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15554G	53.84	74.00	-20.16	69.17	3	Vertical	52	2.82	-	38.50	12.36	66.19			
AV	11.1604G	41.15	54.00	-12.85	56.47	3	Vertical	52	2.82	-	38.50	12.37	66.19			
PK	16.739G	56.45	68.20	-11.75	65.49	3	Vertical	233	1.72	-	39.98	14.98	64.00			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
Setting 108
02-D-b-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.15905G	53.57	74.00	-20.43	68.89	3	Horizontal	155	1.43	-	38.50	12.37	66.19			
AV	11.16285G	41.22	54.00	-12.78	56.54	3	Horizontal	155	1.43	-	38.50	12.37	66.19			
PK	16.74202G	57.25	68.20	-10.95	66.30	3	Horizontal	287	1.54	-	39.98	14.98	64.01			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 67
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.694G	110.89	Inf	-Inf	99.11	3	Vertical	20	2.42	-	34.00	8.02	30.24			
AV	5.696G	98.72	Inf	-Inf	86.93	3	Vertical	20	2.42	-	34.00	8.03	30.24			
PK	5.7257G	67.19	68.20	-1.01	55.34	3	Vertical	20	2.42	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
Setting 67
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.694G	111.80	Inf	-Inf	100.02	3	Horizontal	60	2.91	-	34.00	8.02	30.24			
AV	5.706G	100.02	Inf	-Inf	88.21	3	Horizontal	60	2.91	-	34.00	8.05	30.24			
PK	5.7252G	67.60	68.20	-0.60	55.75	3	Horizontal	60	2.91	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 65
02-D-b-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.40459G	54.86	74.00	-19.14	69.86	3	Vertical	12	2.02	-	38.71	12.49	66.20			
AV	11.40256G	42.14	54.00	-11.86	57.14	3	Vertical	12	2.02	-	38.71	12.49	66.20			
PK	17.09538G	57.81	68.20	-10.39	65.65	3	Vertical	338	1.99	-	41.39	15.05	64.28			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5700MHz_TX

EUT_Y_2TX
Setting 65
02-D-b-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39863G	54.69	74.00	-19.31	69.70	3	Horizontal	105	1.19	-	38.70	12.49	66.20			
AV	11.40196G	42.05	54.00	-11.95	57.06	3	Horizontal	105	1.19	-	38.70	12.49	66.20			
PK	17.09936G	58.74	68.20	-9.46	66.56	3	Horizontal	20	1.95	-	41.40	15.06	64.28			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 108
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4572G	57.47	74.00	-16.53	46.08	3	Vertical	110	2.35	-	33.91	7.77	30.29			
AV	5.4272G	46.30	54.00	-7.70	34.91	3	Vertical	110	2.35	-	33.90	7.76	30.27			
PK	5.4656G	56.93	68.20	-11.27	45.51	3	Vertical	110	2.35	-	33.93	7.78	30.29			
PK	5.7224G	120.88	Inf	-Inf	109.04	3	Vertical	110	2.35	-	34.00	8.07	30.23			
AV	5.7242G	109.08	Inf	-Inf	97.23	3	Vertical	110	2.35	-	34.00	8.08	30.23			
PK	5.8826G	62.54	68.20	-5.66	50.51	3	Vertical	110	2.35	-	34.03	8.17	30.17			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 108
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4344G	58.70	74.00	-15.30	47.32	3	Horizontal	43	3.00	-	33.90	7.76	30.28			
AV	5.4266G	47.40	54.00	-6.60	36.01	3	Horizontal	43	3.00	-	33.90	7.76	30.27			
PK	5.4632G	58.31	68.20	-9.89	46.89	3	Horizontal	43	3.00	-	33.93	7.78	30.29			
PK	5.7236G	123.09	Inf	-Inf	111.24	3	Horizontal	43	3.00	-	34.00	8.08	30.23			
AV	5.7128G	111.97	Inf	-Inf	100.14	3	Horizontal	43	3.00	-	34.00	8.06	30.23			
PK	5.8508G	67.17	68.20	-1.03	55.26	3	Horizontal	43	3.00	-	33.90	8.19	30.18			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 108
02-D-b-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44275G	54.86	74.00	-19.14	69.76	3	Vertical	142	1.75	-	38.79	12.51	66.20			
AV	11.44185G	41.89	54.00	-12.11	56.80	3	Vertical	142	1.75	-	38.78	12.51	66.20			
PK	17.1623G	58.60	68.20	-9.60	66.16	3	Vertical	251	2.24	-	41.65	15.07	64.28			

5.47-5.725GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 108
02-D-b-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.4426G	54.33	74.00	-19.67	69.23	3	Horizontal	354	2.79	-	38.79	12.51	66.20			
AV	11.4449G	41.73	54.00	-12.27	56.63	3	Horizontal	354	2.79	-	38.79	12.51	66.20			
PK	17.16205G	57.95	68.20	-10.25	65.51	3	Horizontal	43	1.39	-	41.65	15.07	64.28			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 84
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	64.07	74.00	-9.93	53.03	3	Vertical	110	1.76	-	33.59	7.58	30.13
AV	5.1422G	46.75	54.00	-7.25	35.71	3	Vertical	110	1.76	-	33.58	7.58	30.12
PK	5.2802G	114.47	Inf	-Inf	103.26	3	Vertical	110	1.76	-	33.76	7.65	30.20
AV	5.2832G	100.09	Inf	-Inf	88.87	3	Vertical	110	1.76	-	33.77	7.65	30.20
PK	5.3567G	69.15	74.00	-4.85	57.78	3	Vertical	110	1.76	-	33.90	7.71	30.24
AV	5.3513G	51.11	54.00	-2.89	39.74	3	Vertical	110	1.76	-	33.90	7.70	30.23

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT Y_2TX
Setting 84
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1497G	68.40	74.00	-5.60	57.35	3	Horizontal	43	1.92	-	33.60	7.58	30.13
AV	5.15G	49.32	54.00	-4.68	38.27	3	Horizontal	43	1.92	-	33.60	7.58	30.13
PK	5.273G	116.99	Inf	-Inf	105.79	3	Horizontal	43	1.92	-	33.75	7.64	30.19
AV	5.2646G	102.56	Inf	-Inf	91.38	3	Horizontal	43	1.92	-	33.73	7.64	30.19
PK	5.3642G	71.75	74.00	-2.25	60.38	3	Horizontal	43	1.92	-	33.90	7.71	30.24
AV	5.3504G	53.89	54.00	-0.11	42.52	3	Horizontal	43	1.92	-	33.90	7.70	30.23

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 84
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.53662G	53.65	68.20	-14.55	69.99	3	Vertical	216	1.91	-	38.30	12.05	66.69			
PK	15.80634G	54.48	74.00	-19.52	66.34	3	Vertical	277	1.39	-	37.41	14.66	63.93			
AV	15.81026G	40.95	54.00	-13.05	52.79	3	Vertical	277	1.39	-	37.42	14.67	63.93			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
Setting 84
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.54417G	53.38	68.20	-14.82	69.71	3	Horizontal	329	1.40	-	38.30	12.05	66.68			
PK	15.81051G	54.89	74.00	-19.11	66.73	3	Horizontal	224	2.23	-	37.42	14.67	63.93			
AV	15.80636G	40.90	54.00	-13.10	52.76	3	Horizontal	224	2.23	-	37.41	14.66	63.93			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 83
02-D-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.305G	111.96	Inf	-Inf	100.69	3	Vertical	10	2.93	-	33.81	7.67	30.21				
AV	5.3032G	97.77	Inf	-Inf	86.50	3	Vertical	10	2.93	-	33.81	7.67	30.21				
PK	5.3534G	62.52	74.00	-11.48	51.14	3	Vertical	10	2.93	-	33.90	7.71	30.23				
AV	5.3502G	49.18	54.00	-4.82	37.81	3	Vertical	10	2.93	-	33.90	7.70	30.23				

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 83
02-D-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2924G	115.26	Inf	-Inf	104.02	3	Horizontal	312	1.79	-	33.78	7.66	30.20			
AV	5.3052G	100.53	Inf	-Inf	89.26	3	Horizontal	312	1.79	-	33.81	7.67	30.21			
PK	5.35G	66.90	74.00	-7.10	55.53	3	Horizontal	312	1.79	-	33.90	7.70	30.23			
AV	5.3502G	53.59	54.00	-0.41	42.22	3	Horizontal	312	1.79	-	33.90	7.70	30.23			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 66
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6205G	53.10	74.00	-20.90	69.21	3	Vertical	68	2.58	-	38.40	12.09	66.60			
AV	10.61709G	39.70	54.00	-14.30	55.81	3	Vertical	68	2.58	-	38.40	12.09	66.60			
PK	15.9262G	55.76	74.00	-18.24	67.36	3	Vertical	256	1.15	-	37.60	14.77	63.97			
AV	15.93091G	42.09	54.00	-11.91	53.71	3	Vertical	256	1.15	-	37.58	14.77	63.97			

5.25-5.35GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
Setting 66
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6236G	53.37	74.00	-20.63	69.48	3	Horizontal	210	1.11	-	38.40	12.09	66.60			
AV	10.61818G	39.68	54.00	-14.32	55.79	3	Horizontal	210	1.11	-	38.40	12.09	66.60			
PK	15.92919G	55.68	74.00	-18.32	67.30	3	Horizontal	129	1.15	-	37.58	14.77	63.97			
AV	15.93127G	41.93	54.00	-12.07	53.56	3	Horizontal	129	1.15	-	37.57	14.77	63.97			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 87
02-D-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4542G	64.30	74.00	-9.70	52.91	3	Vertical	19	2.46	-	33.91	7.77	30.29			
PK	5.4636G	65.54	68.20	-2.66	54.12	3	Vertical	19	2.46	-	33.93	7.78	30.29			
AV	5.46G	50.45	54.00	-3.55	39.04	3	Vertical	19	2.46	-	33.92	7.78	30.29			
PK	5.5096G	113.10	Inf	-Inf	101.58	3	Vertical	19	2.46	-	34.02	7.81	30.31			
AV	5.5038G	99.25	Inf	-Inf	87.75	3	Vertical	19	2.46	-	34.01	7.80	30.31			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 87
02-D-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.4598G	67.88	74.00	-6.12	56.47	3	Horizontal	311	2.91	-	33.92	7.78	30.29			
AV	5.4588G	52.55	54.00	-1.45	41.14	3	Horizontal	311	2.91	-	33.92	7.78	30.29			
PK	5.4648G	68.04	68.20	-0.16	56.62	3	Horizontal	311	2.91	-	33.93	7.78	30.29			
PK	5.5204G	116.25	Inf	-Inf	104.70	3	Horizontal	311	2.91	-	34.04	7.81	30.30			
AV	5.5164G	102.27	Inf	-Inf	90.73	3	Horizontal	311	2.91	-	34.03	7.81	30.30			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5510MHz_TX

EUT_Y_2TX
Setting 87
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02203G	53.91	74.00	-20.09	69.36	3	Vertical	124	2.39	-	38.44	12.30	66.19			
AV	11.02436G	40.29	54.00	-13.71	55.73	3	Vertical	124	2.39	-	38.45	12.30	66.19			
PK	16.53272G	56.49	68.20	-11.71	66.33	3	Vertical	55	2.55	-	39.00	14.94	63.78			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5510MHz_TX




EUT_Y_2TX
Setting 87
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.02108G	54.03	74.00	-19.97	69.48	3	Horizontal	167	1.48	-	38.44	12.30	66.19			
AV	11.0248G	40.33	54.00	-13.67	55.77	3	Horizontal	167	1.48	-	38.45	12.30	66.19			
PK	16.53126G	56.60	68.20	-11.60	66.44	3	Horizontal	307	1.83	-	38.99	14.94	63.77			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 77
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4492G	61.65	74.00	-12.35	50.26	3	Vertical	107	2.77	-	33.90	7.77	30.28			
PK	5.4699G	64.55	68.20	-3.65	53.12	3	Vertical	107	2.77	-	33.94	7.78	30.29			
AV	5.4597G	46.40	54.00	-7.60	34.99	3	Vertical	107	2.77	-	33.92	7.78	30.29			
PK	5.5518G	112.20	Inf	-Inf	100.56	3	Vertical	107	2.77	-	34.10	7.83	30.29			
AV	5.5479G	98.34	Inf	-Inf	86.70	3	Vertical	107	2.77	-	34.10	7.83	30.29			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5550MHz_TX




EUT Y_2TX
Setting 77
02-D-B-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.457G	65.23	74.00	-8.77	53.84	3	Horizontal	43	2.91	-	33.91	7.77	30.29			
AV	5.4528G	47.64	54.00	-6.36	36.25	3	Horizontal	43	2.91	-	33.91	7.77	30.29			
PK	5.4672G	67.56	68.20	-0.64	56.14	3	Horizontal	43	2.91	-	33.93	7.78	30.29			
PK	5.5401G	115.55	Inf	-Inf	103.95	3	Horizontal	43	2.91	-	34.08	7.82	30.30			
AV	5.5431G	101.44	Inf	-Inf	89.81	3	Horizontal	43	2.91	-	34.09	7.83	30.29			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX

EUT_Y_2TX
Setting 77
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10008G	54.08	74.00	-19.92	69.33	3	Vertical	48	2.84	-	38.60	12.34	66.19			
AV	11.09718G	40.61	54.00	-13.39	55.88	3	Vertical	48	2.84	-	38.59	12.33	66.19			
PK	16.64737G	57.19	68.20	-11.01	66.35	3	Vertical	274	1.22	-	39.78	14.96	63.90			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5550MHz_TX

EUT_Y_2TX
Setting 77
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.10092G	54.04	74.00	-19.96	69.29	3	Horizontal	136	1.91	-	38.60	12.34	66.19			
AV	11.09631G	40.52	54.00	-13.48	55.79	3	Horizontal	136	1.91	-	38.59	12.33	66.19			
PK	16.64951G	56.78	68.20	-11.42	65.92	3	Horizontal	234	2.01	-	39.80	14.96	63.90			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 75
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6836G	110.47	Inf	-Inf	98.70	3	Vertical	20	2.34	-	34.00	8.01	30.24			
AV	5.668G	96.84	Inf	-Inf	85.11	3	Vertical	20	2.34	-	34.00	7.98	30.25			
PK	5.726G	67.65	68.20	-0.55	55.80	3	Vertical	20	2.34	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5670MHz_TX




EUT_Y_2TX
Setting 75
02-D-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.685G	112.49	Inf	-Inf	100.72	3	Horizontal	309	2.91	-	34.00	8.01	30.24			
AV	5.6564G	98.53	Inf	-Inf	86.82	3	Horizontal	309	2.91	-	34.00	7.96	30.25			
PK	5.7262G	67.78	68.20	-0.42	55.93	3	Horizontal	309	2.91	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 64
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34001G	54.94	74.00	-19.06	70.00	3	Vertical	184	2.08	-	38.68	12.46	66.20			
AV	11.34436G	41.23	54.00	-12.77	56.28	3	Vertical	184	2.08	-	38.69	12.46	66.20			
PK	17.00838G	58.89	68.20	-9.31	66.92	3	Vertical	78	1.08	-	41.22	15.04	64.29			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5670MHz_TX

EUT_Y_2TX
Setting 64
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.34296G	55.37	74.00	-18.63	70.42	3	Horizontal	159	2.83	-	38.69	12.46	66.20			
AV	11.34289G	41.11	54.00	-12.89	56.16	3	Horizontal	159	2.83	-	38.69	12.46	66.20			
PK	17.01139G	58.72	68.20	-9.48	66.75	3	Horizontal	232	1.29	-	41.22	15.04	64.29			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 92
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.692G	116.05	Inf	-Inf	104.27	3	Vertical	111	2.36	-	34.00	8.02	30.24			
AV	5.7036G	102.45	Inf	-Inf	90.65	3	Vertical	111	2.36	-	34.00	8.04	30.24			
PK	5.8568G	67.42	68.20	-0.78	55.49	3	Vertical	111	2.36	-	33.93	8.18	30.18			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT Y_2TX
Setting 92
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7008G	119.98	Inf	-Inf	108.18	3	Horizontal	42	3.00	-	34.00	8.04	30.24			
AV	5.7128G	104.86	Inf	-Inf	93.03	3	Horizontal	42	3.00	-	34.00	8.06	30.23			
PK	5.8504G	68.05	68.20	-0.15	56.14	3	Horizontal	42	3.00	-	33.90	8.19	30.18			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 92
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.42453G	54.64	74.00	-19.36	69.59	3	Vertical	103	1.32	-	38.75	12.50	66.20			
AV	11.41505G	40.89	54.00	-13.11	55.87	3	Vertical	103	1.32	-	38.73	12.49	66.20			
PK	17.13422G	58.60	68.20	-9.60	66.28	3	Vertical	304	2.58	-	41.54	15.06	64.28			

5.47-5.725GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 92
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.41843G	54.64	74.00	-19.36	69.60	3	Horizontal	197	2.87	-	38.74	12.50	66.20			
AV	11.41669G	41.00	54.00	-13.00	55.97	3	Horizontal	197	2.87	-	38.73	12.50	66.20			
PK	17.13043G	58.71	68.20	-9.49	66.41	3	Horizontal	176	2.64	-	41.52	15.06	64.28			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 84
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1325G	57.76	74.00	-16.24	46.73	3	Vertical	10	2.95	-	33.57	7.58	30.12
AV	5.148G	46.95	54.00	-7.05	35.90	3	Vertical	10	2.95	-	33.60	7.58	30.13
PK	5.2795G	108.24	Inf	-Inf	97.03	3	Vertical	10	2.95	-	33.76	7.65	30.20
AV	5.2785G	96.29	Inf	-Inf	85.07	3	Vertical	10	2.95	-	33.76	7.65	30.19
PK	5.3865G	61.78	74.00	-12.22	50.40	3	Vertical	10	2.95	-	33.90	7.73	30.25
AV	5.3565G	49.60	54.00	-4.40	38.23	3	Vertical	10	2.95	-	33.90	7.71	30.24
PK	5.4835G	56.55	68.20	-11.65	45.09	3	Vertical	10	2.95	-	33.97	7.79	30.30

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 84
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	60.60	74.00	-13.40	49.55	3	Horizontal	309	1.80	-	33.59	7.58	30.12
AV	5.1425G	47.99	54.00	-6.01	36.94	3	Horizontal	309	1.80	-	33.59	7.58	30.12
PK	5.26G	110.87	Inf	-Inf	99.71	3	Horizontal	309	1.80	-	33.72	7.63	30.19
AV	5.298G	98.87	Inf	-Inf	87.61	3	Horizontal	309	1.80	-	33.80	7.66	30.20
PK	5.35G	64.27	74.00	-9.73	52.90	3	Horizontal	309	1.80	-	33.90	7.70	30.23
AV	5.35G	53.66	54.00	-0.34	42.29	3	Horizontal	309	1.80	-	33.90	7.70	30.23
PK	5.497G	58.05	68.20	-10.15	46.57	3	Horizontal	309	1.80	-	33.99	7.80	30.31

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
Setting 71
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57515G	53.14	68.20	-15.06	69.37	3	Vertical	351	1.17	-	38.35	12.07	66.65			
PK	15.87355G	55.25	74.00	-18.75	66.89	3	Vertical	323	1.09	-	37.59	14.72	63.95			
AV	15.87274G	42.44	54.00	-11.56	54.08	3	Vertical	323	1.09	-	37.59	14.72	63.95			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5290MHz_TX

EUT_Y_2TX
Setting 71
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.58178G	53.56	68.20	-14.64	69.77	3	Horizontal	57	1.66	-	38.36	12.07	66.64			
PK	15.87308G	55.76	74.00	-18.24	67.40	3	Horizontal	127	2.95	-	37.59	14.72	63.95			
AV	15.87275G	42.63	54.00	-11.37	54.27	3	Horizontal	127	2.95	-	37.59	14.72	63.95			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 86
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	58.60	68.20	-9.60	47.25	3	Vertical	16	1.81	-	33.88	7.70	30.23
PK	5.4425G	64.36	74.00	-9.64	52.97	3	Vertical	16	1.81	-	33.90	7.77	30.28
PK	5.4665G	68.14	68.20	-0.06	56.72	3	Vertical	16	1.81	-	33.93	7.78	30.29
AV	5.459G	52.61	54.00	-1.39	41.20	3	Vertical	16	1.81	-	33.92	7.78	30.29
PK	5.534G	109.14	Inf	-Inf	97.55	3	Vertical	16	1.81	-	34.07	7.82	30.30
AV	5.5195G	97.22	Inf	-Inf	85.67	3	Vertical	16	1.81	-	34.04	7.81	30.30
PK	5.736G	57.47	68.20	-10.73	45.60	3	Vertical	16	1.81	-	34.00	8.10	30.23

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
Setting 86
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3375G	57.86	68.20	-10.34	46.53	3	Horizontal	313	2.91	-	33.87	7.69	30.23			
PK	5.4325G	64.41	74.00	-9.59	53.02	3	Horizontal	313	2.91	-	33.90	7.76	30.27			
PK	5.466G	67.81	68.20	-0.39	56.39	3	Horizontal	313	2.91	-	33.93	7.78	30.29			
AV	5.4595G	51.99	54.00	-2.01	40.58	3	Horizontal	313	2.91	-	33.92	7.78	30.29			
PK	5.5395G	111.76	Inf	-Inf	100.16	3	Horizontal	313	2.91	-	34.08	7.82	30.30			
AV	5.5135G	100.11	Inf	-Inf	88.58	3	Horizontal	313	2.91	-	34.03	7.81	30.31			
PK	5.7255G	58.65	68.20	-9.55	46.80	3	Horizontal	313	2.91	-	34.00	8.08	30.23			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 86
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05952G	54.61	74.00	-19.39	69.96	3	Vertical	70	1.01	-	38.52	12.32	66.19			
AV	11.05516G	41.71	54.00	-12.29	57.08	3	Vertical	70	1.01	-	38.51	12.31	66.19			
PK	16.58593G	57.21	68.20	-10.99	66.70	3	Vertical	175	2.78	-	39.39	14.95	63.83			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5530MHz_TX

EUT_Y_2TX
Setting 86
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05554G	54.62	74.00	-19.38	69.99	3	Horizontal	195	2.21	-	38.51	12.31	66.19			
AV	11.06404G	41.50	54.00	-12.50	56.84	3	Horizontal	195	2.21	-	38.53	12.32	66.19			
PK	16.59002G	56.76	68.20	-11.44	66.23	3	Horizontal	6	1.71	-	39.42	14.95	63.84			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5610MHz_TX




EUT Y_2TX
Setting 72
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4485G	60.97	74.00	-13.03	49.58	3	Vertical	110	1.87	-	33.90	7.77	30.28			
PK	5.463G	61.92	68.20	-6.28	50.50	3	Vertical	110	1.87	-	33.93	7.78	30.29			
AV	5.4585G	47.37	54.00	-6.63	35.96	3	Vertical	110	1.87	-	33.92	7.78	30.29			
PK	5.623G	107.76	Inf	-Inf	96.13	3	Vertical	110	1.87	-	34.00	7.90	30.27			
AV	5.6255G	96.05	Inf	-Inf	84.41	3	Vertical	110	1.87	-	34.00	7.90	30.26			
PK	5.737G	62.09	68.20	-6.11	50.21	3	Vertical	110	1.87	-	34.00	8.10	30.22			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 72
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4535G	62.59	74.00	-11.41	51.20	3	Horizontal	46	3.00	-	33.91	7.77	30.29			
AV	5.451G	48.64	54.00	-5.36	37.25	3	Horizontal	46	3.00	-	33.90	7.77	30.28			
PK	5.4625G	63.80	68.20	-4.40	52.39	3	Horizontal	46	3.00	-	33.92	7.78	30.29			
PK	5.5795G	110.88	Inf	-Inf	99.27	3	Horizontal	46	3.00	-	34.04	7.85	30.28			
AV	5.581G	99.07	Inf	-Inf	87.46	3	Horizontal	46	3.00	-	34.04	7.85	30.28			
PK	5.731G	66.21	68.20	-1.99	54.35	3	Horizontal	46	3.00	-	34.00	8.09	30.23			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 72
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2206G	54.15	74.00	-19.85	69.44	3	Vertical	309	2.62	-	38.50	12.40	66.19			
AV	11.22041G	41.36	54.00	-12.64	56.65	3	Vertical	309	2.62	-	38.50	12.40	66.19			
PK	16.82748G	58.08	68.20	-10.12	66.83	3	Vertical	278	1.95	-	40.35	15.00	64.10			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5610MHz_TX

EUT_Y_2TX
Setting 72
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21919G	54.56	74.00	-19.44	69.85	3	Horizontal	164	2.86	-	38.50	12.40	66.19			
AV	11.22335G	41.44	54.00	-12.56	56.73	3	Horizontal	164	2.86	-	38.50	12.40	66.19			
PK	16.83454G	58.00	68.20	-10.20	66.74	3	Horizontal	359	2.07	-	40.37	15.00	64.11			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 84
02-D-B-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4495G	59.28	74.00	-14.72	47.89	3	Vertical	113	2.68	-	33.90	7.77	30.28
AV	5.457G	47.48	54.00	-6.52	36.09	3	Vertical	113	2.68	-	33.91	7.77	30.29
PK	5.4695G	63.83	68.20	-4.37	52.40	3	Vertical	113	2.68	-	33.94	7.78	30.29
PK	5.662G	110.87	Inf	-Inf	99.15	3	Vertical	113	2.68	-	34.00	7.97	30.25
AV	5.6645G	98.75	Inf	-Inf	87.03	3	Vertical	113	2.68	-	34.00	7.97	30.25
PK	5.85G	64.81	68.20	-3.39	52.90	3	Vertical	113	2.68	-	33.90	8.19	30.18

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
Setting 84
02-D-B-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.448G	61.60	74.00	-12.40	50.21	3	Horizontal	46	2.91	-	33.90	7.77	30.28			
PK	5.4665G	63.65	68.20	-4.55	52.23	3	Horizontal	46	2.91	-	33.93	7.78	30.29			
AV	5.459G	48.70	54.00	-5.30	37.29	3	Horizontal	46	2.91	-	33.92	7.78	30.29			
PK	5.667G	114.01	Inf	-Inf	102.28	3	Horizontal	46	2.91	-	34.00	7.98	30.25			
AV	5.673G	101.75	Inf	-Inf	90.01	3	Horizontal	46	2.91	-	34.00	7.99	30.25			
PK	5.8575G	68.01	68.20	-0.19	56.08	3	Horizontal	46	2.91	-	33.93	8.18	30.18			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 84
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38406G	55.39	74.00	-18.61	70.41	3	Vertical	238	2.53	-	38.70	12.48	66.20			
AV	11.38398G	42.16	54.00	-11.84	57.18	3	Vertical	238	2.53	-	38.70	12.48	66.20			
PK	17.06943G	58.31	68.20	-9.89	66.21	3	Vertical	303	2.60	-	41.34	15.05	64.29			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_2TX
Setting 84
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38063G	54.97	74.00	-19.03	69.99	3	Horizontal	168	1.64	-	38.70	12.48	66.20			
AV	11.3814G	42.02	54.00	-11.98	57.04	3	Horizontal	168	1.64	-	38.70	12.48	66.20			
PK	17.06563G	58.61	68.20	-9.59	66.52	3	Horizontal	80	2.40	-	41.33	15.05	64.29			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 75
02-D-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1276G	69.42	74.00	-4.58	58.40	3	Vertical	15	2.95	-	33.56	7.58	30.12			
AV	5.1476G	53.54	54.00	-0.46	42.49	3	Vertical	15	2.95	-	33.60	7.58	30.13			
PK	5.2692G	102.66	Inf	-Inf	91.47	3	Vertical	15	2.95	-	33.74	7.64	30.19			
AV	5.2668G	93.10	Inf	-Inf	81.92	3	Vertical	15	2.95	-	33.73	7.64	30.19			
PK	5.3972G	64.53	74.00	-9.47	53.15	3	Vertical	15	2.95	-	33.90	7.74	30.26			
AV	5.4212G	51.20	54.00	-2.80	39.82	3	Vertical	15	2.95	-	33.90	7.75	30.27			
PK	5.4804G	57.91	68.20	-10.29	46.46	3	Vertical	15	2.95	-	33.96	7.79	30.30			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 75
02-D-I-1-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1484G	69.26	74.00	-4.74	58.21	3	Horizontal	311	2.72	-	33.60	7.58	30.13			
AV	5.1476G	53.97	54.00	-0.03	42.92	3	Horizontal	311	2.72	-	33.60	7.58	30.13			
PK	5.3228G	105.31	Inf	-Inf	94.00	3	Horizontal	311	2.72	-	33.85	7.68	30.22			
AV	5.3276G	95.30	Inf	-Inf	83.97	3	Horizontal	311	2.72	-	33.86	7.69	30.22			
AV	5.35G	52.70	54.00	-1.30	41.33	3	Horizontal	311	2.72	-	33.90	7.70	30.23			
PK	5.3852G	66.77	74.00	-7.23	55.39	3	Horizontal	311	2.72	-	33.90	7.73	30.25			
PK	5.4684G	61.25	68.20	-6.95	49.82	3	Horizontal	311	2.72	-	33.94	7.78	30.29			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 70
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49852G	53.48	68.20	-14.72	69.88	3	Vertical	126	2.79	-	38.30	12.03	66.73			
PK	15.74873G	53.44	74.00	-20.56	65.23	3	Vertical	259	2.73	-	37.50	14.61	63.90			
AV	15.75471G	42.54	54.00	-11.46	54.34	3	Vertical	259	2.73	-	37.49	14.62	63.91			

5.25-5.35GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Y_2TX
Setting 70
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50361G	53.69	68.20	-14.51	70.09	3	Horizontal	174	1.89	-	38.30	12.03	66.73			
PK	15.75239G	53.57	74.00	-20.43	65.36	3	Horizontal	237	1.04	-	37.50	14.62	63.91			
AV	15.74535G	42.43	54.00	-11.57	54.21	3	Horizontal	237	1.04	-	37.51	14.61	63.90			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 73
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3196G	61.06	68.20	-7.14	49.76	3	Vertical	19	2.60	-	33.84	7.68	30.22			
PK	5.4548G	66.36	74.00	-7.64	54.97	3	Vertical	19	2.60	-	33.91	7.77	30.29			
AV	5.4292G	51.52	54.00	-2.48	40.13	3	Vertical	19	2.60	-	33.90	7.76	30.27			
PK	5.4612G	64.84	68.20	-3.36	53.43	3	Vertical	19	2.60	-	33.92	7.78	30.29			
PK	5.5932G	103.94	Inf	-Inf	92.35	3	Vertical	19	2.60	-	34.01	7.86	30.28			
AV	5.5956G	92.39	Inf	-Inf	80.80	3	Vertical	19	2.60	-	34.01	7.86	30.28			
PK	5.7332G	61.37	68.20	-6.83	49.51	3	Vertical	19	2.60	-	34.00	8.09	30.23			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 73
02-D-I-1-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3316G	62.79	68.20	-5.41	51.46	3	Horizontal	310	3.00	-	33.86	7.69	30.22
PK	5.4388G	67.03	74.00	-6.97	55.65	3	Horizontal	310	3.00	-	33.90	7.76	30.28
AV	5.3972G	52.43	54.00	-1.57	41.05	3	Horizontal	310	3.00	-	33.90	7.74	30.26
PK	5.4668G	67.55	68.20	-0.65	56.13	3	Horizontal	310	3.00	-	33.93	7.78	30.29
PK	5.542G	105.19	Inf	-Inf	93.57	3	Horizontal	310	3.00	-	34.08	7.83	30.29
AV	5.5484G	95.56	Inf	-Inf	83.92	3	Horizontal	310	3.00	-	34.10	7.83	30.29
PK	5.7276G	62.48	68.20	-5.72	50.63	3	Horizontal	310	3.00	-	34.00	8.08	30.23

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX


5570MHz_TX

EUT_Y_2TX
Setting 69
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.136G	54.32	74.00	-19.68	69.63	3	Vertical	182	2.09	-	38.53	12.35	66.19			
AV	11.14283G	42.92	54.00	-11.08	58.24	3	Vertical	182	2.09	-	38.51	12.36	66.19			
PK	16.70504G	57.46	68.20	-10.74	66.55	3	Vertical	30	2.16	-	39.91	14.97	63.97			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0)_2TX

5570MHz_TX

EUT_Y_2TX
Setting 69
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14273G	53.74	74.00	-20.26	69.06	3	Horizontal	182	1.57	-	38.51	12.36	66.19			
AV	11.14264G	42.91	54.00	-11.09	58.23	3	Horizontal	182	1.57	-	38.51	12.36	66.19			
PK	16.70503G	56.73	68.20	-11.47	65.82	3	Horizontal	111	1.04	-	39.91	14.97	63.97			




Test Mode: Mode 4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX	Pass	PK	5.142G	73.88	74.00	-0.12	3	Vertical	293	1.77	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT Y_1TX
Setting 57
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1444G	62.44	74.00	-11.56	57.38	3	Vertical	24	1.67	-	31.88	6.90	33.72			
AV	5.1484G	47.93	54.00	-6.07	42.85	3	Vertical	24	1.67	-	31.89	6.91	33.72			
PK	5.2388G	100.26	Inf	-Inf	95.68	3	Vertical	24	1.67	-	31.37	6.95	33.74			
AV	5.2396G	89.39	Inf	-Inf	84.82	3	Vertical	24	1.67	-	31.36	6.95	33.74			
PK	5.3788G	58.12	74.00	-15.88	53.54	3	Vertical	24	1.67	-	31.36	7.00	33.78			
AV	5.3612G	46.63	54.00	-7.37	42.09	3	Vertical	24	1.67	-	31.32	6.99	33.77			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX

EUT Y_1TX
Setting 57
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	66.25	74.00	-7.75	61.17	3	Horizontal	65	2.53	-	31.89	6.91	33.72			
AV	5.1388G	51.02	54.00	-2.98	45.98	3	Horizontal	65	2.53	-	31.86	6.90	33.72			
PK	5.2316G	106.03	Inf	-Inf	101.42	3	Horizontal	65	2.53	-	31.41	6.94	33.74			
AV	5.2404G	94.20	Inf	-Inf	89.63	3	Horizontal	65	2.53	-	31.36	6.95	33.74			
PK	5.3748G	58.15	74.00	-15.85	53.58	3	Horizontal	65	2.53	-	31.35	7.00	33.78			
AV	5.3604G	46.86	54.00	-7.14	42.32	3	Horizontal	65	2.53	-	31.32	6.99	33.77			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Y_2TX
Setting 59
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	73.88	74.00	-0.12	68.83	3	Vertical	293	1.77	-	31.87	6.90	33.72			
AV	5.1468G	53.58	54.00	-0.42	48.50	3	Vertical	293	1.77	-	31.89	6.91	33.72			
PK	5.1988G	109.42	Inf	-Inf	104.61	3	Vertical	293	1.77	-	31.61	6.93	33.73			
AV	5.2356G	97.05	Inf	-Inf	92.46	3	Vertical	293	1.77	-	31.39	6.94	33.74			
PK	5.366G	58.52	74.00	-15.48	53.97	3	Vertical	293	1.77	-	31.33	7.00	33.78			
AV	5.366G	47.57	54.00	-6.43	43.02	3	Vertical	293	1.77	-	31.33	7.00	33.78			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Y_2TX
Setting 59
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	64.95	74.00	-9.05	59.89	3	Horizontal	26	1.00	-	31.88	6.90	33.72
AV	5.1444G	48.28	54.00	-5.72	43.22	3	Horizontal	26	1.00	-	31.88	6.90	33.72
PK	5.2452G	99.92	Inf	-Inf	95.38	3	Horizontal	26	1.00	-	31.33	6.95	33.74
AV	5.2388G	88.82	Inf	-Inf	84.24	3	Horizontal	26	1.00	-	31.37	6.95	33.74
PK	5.3588G	57.90	74.00	-16.10	53.36	3	Horizontal	26	1.00	-	31.32	6.99	33.77
AV	5.3644G	46.60	54.00	-7.40	42.04	3	Horizontal	26	1.00	-	31.33	7.00	33.77

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 54
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1388G	67.10	74.00	-6.90	62.06	3	Vertical	292	1.70	-	31.86	6.90	33.72			
AV	5.1412G	51.14	54.00	-2.86	46.10	3	Vertical	292	1.70	-	31.86	6.90	33.72			
PK	5.2332G	109.71	Inf	-Inf	105.11	3	Vertical	292	1.70	-	31.40	6.94	33.74			
AV	5.2388G	98.38	Inf	-Inf	93.80	3	Vertical	292	1.70	-	31.37	6.95	33.74			
PK	5.3948G	58.81	74.00	-15.19	54.19	3	Vertical	292	1.70	-	31.39	7.01	33.78			
AV	5.3612G	47.43	54.00	-6.57	42.89	3	Vertical	292	1.70	-	31.32	6.99	33.77			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 54
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1412G	65.59	74.00	-8.41	60.55	3	Horizontal	297	3.00	-	31.86	6.90	33.72			
AV	5.1412G	49.08	54.00	-4.92	44.04	3	Horizontal	297	3.00	-	31.86	6.90	33.72			
PK	5.2364G	107.91	Inf	-Inf	103.33	3	Horizontal	297	3.00	-	31.38	6.94	33.74			
AV	5.2364G	96.02	Inf	-Inf	91.44	3	Horizontal	297	3.00	-	31.38	6.94	33.74			
PK	5.3916G	57.74	74.00	-16.26	53.13	3	Horizontal	297	3.00	-	31.38	7.01	33.78			
AV	5.3596G	47.05	54.00	-6.95	42.51	3	Horizontal	297	3.00	-	31.32	6.99	33.77			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 54
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42576G	57.24	68.20	-10.96	40.95	3	Vertical	201	2.63	-	39.85	10.70	34.26			
PK	15.61536G	57.92	74.00	-16.08	40.34	3	Vertical	14	1.49	-	38.51	13.62	34.55			
AV	15.62016G	46.57	54.00	-7.43	29.01	3	Vertical	14	1.49	-	38.48	13.63	34.55			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 54
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40932G	56.89	68.20	-11.31	40.64	3	Horizontal	161	2.82	-	39.82	10.69	34.26			
PK	15.6171G	57.64	74.00	-16.36	40.07	3	Horizontal	209	1.32	-	38.50	13.62	34.55			
AV	15.62082G	46.52	54.00	-7.48	28.96	3	Horizontal	209	1.32	-	38.48	13.63	34.55			

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 57
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1388G	73.73	74.00	-0.27	68.69	3	Vertical	289	1.68	-	31.86	6.90	33.72			
AV	5.1388G	52.97	54.00	-1.03	47.93	3	Vertical	289	1.68	-	31.86	6.90	33.72			
PK	5.242G	108.08	Inf	-Inf	103.52	3	Vertical	289	1.68	-	31.35	6.95	33.74			
AV	5.238G	97.51	Inf	-Inf	92.93	3	Vertical	289	1.68	-	31.37	6.95	33.74			
PK	5.374G	58.60	74.00	-15.40	54.03	3	Vertical	289	1.68	-	31.35	7.00	33.78			
AV	5.3508G	47.52	54.00	-6.48	43.00	3	Vertical	289	1.68	-	31.30	6.99	33.77			

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 57
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1388G	71.81	74.00	-2.19	66.77	3	Horizontal	66	2.56	-	31.86	6.90	33.72			
AV	5.1356G	52.93	54.00	-1.07	47.91	3	Horizontal	66	2.56	-	31.84	6.90	33.72			
PK	5.2388G	107.17	Inf	-Inf	102.59	3	Horizontal	66	2.56	-	31.37	6.95	33.74			
AV	5.2388G	95.99	Inf	-Inf	91.41	3	Horizontal	66	2.56	-	31.37	6.95	33.74			
PK	5.3828G	58.66	74.00	-15.34	54.07	3	Horizontal	66	2.56	-	31.37	7.00	33.78			
AV	5.3524G	47.44	54.00	-6.56	42.92	3	Horizontal	66	2.56	-	31.30	6.99	33.77			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




EUT_Y_1TX
Setting 66
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	58.27	74.00	-15.73	53.20	3	Vertical	32	2.76	-	31.88	6.91	33.72			
AV	5.1468G	46.54	54.00	-7.46	41.46	3	Vertical	32	2.76	-	31.89	6.91	33.72			
PK	5.318G	103.55	Inf	-Inf	99.09	3	Vertical	32	2.76	-	31.24	6.98	33.76			
AV	5.3028G	91.87	Inf	-Inf	87.45	3	Vertical	32	2.76	-	31.21	6.97	33.76			
PK	5.3644G	69.42	74.00	-4.58	64.86	3	Vertical	32	2.76	-	31.33	7.00	33.77			
AV	5.3564G	49.53	54.00	-4.47	45.00	3	Vertical	32	2.76	-	31.31	6.99	33.77			
PK	5.4652G	57.45	68.20	-10.75	52.57	3	Vertical	32	2.76	-	31.56	7.12	33.80			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5290MHz_TX




EUT_Y_1TX
Setting 66
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	63.31	74.00	-10.69	58.22	3	Horizontal	64	2.45	-	31.90	6.91	33.72			
AV	5.1492G	47.89	54.00	-6.11	42.80	3	Horizontal	64	2.45	-	31.90	6.91	33.72			
PK	5.306G	107.70	Inf	-Inf	103.28	3	Horizontal	64	2.45	-	31.21	6.97	33.76			
AV	5.2612G	95.71	Inf	-Inf	91.23	3	Horizontal	64	2.45	-	31.28	6.95	33.75			
PK	5.3652G	73.75	74.00	-0.25	69.19	3	Horizontal	64	2.45	-	31.33	7.00	33.77			
AV	5.3596G	52.40	54.00	-1.60	47.86	3	Horizontal	64	2.45	-	31.32	6.99	33.77			
PK	5.482G	57.91	68.20	-10.29	52.94	3	Horizontal	64	2.45	-	31.63	7.15	33.81			

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT_Y_2TX
Setting 61
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1412G	63.42	74.00	-10.58	58.38	3	Vertical	293	1.80	-	31.86	6.90	33.72
AV	5.1356G	48.41	54.00	-5.59	43.39	3	Vertical	293	1.80	-	31.84	6.90	33.72
PK	5.2972G	108.50	Inf	-Inf	104.08	3	Vertical	293	1.80	-	31.21	6.97	33.76
AV	5.2972G	97.66	Inf	-Inf	93.24	3	Vertical	293	1.80	-	31.21	6.97	33.76
PK	5.362G	72.76	74.00	-1.24	68.22	3	Vertical	293	1.80	-	31.32	6.99	33.77
AV	5.3524G	53.30	54.00	-0.70	48.78	3	Vertical	293	1.80	-	31.30	6.99	33.77
PK	5.4708G	58.40	68.20	-9.80	53.49	3	Vertical	293	1.80	-	31.58	7.13	33.80

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5290MHz_TX




EUT_Y_2TX
Setting 61
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	57.32	74.00	-16.68	52.29	3	Horizontal	330	2.97	-	31.85	6.90	33.72
AV	5.1476G	46.42	54.00	-7.58	41.34	3	Horizontal	330	2.97	-	31.89	6.91	33.72
PK	5.266G	101.01	Inf	-Inf	96.53	3	Horizontal	330	2.97	-	31.27	6.96	33.75
AV	5.302G	89.85	Inf	-Inf	85.44	3	Horizontal	330	2.97	-	31.20	6.97	33.76
PK	5.354G	64.02	74.00	-9.98	59.49	3	Horizontal	330	2.97	-	31.31	6.99	33.77
AV	5.3588G	48.43	54.00	-5.57	43.89	3	Horizontal	330	2.97	-	31.32	6.99	33.77
PK	5.4836G	58.10	68.20	-10.10	53.13	3	Horizontal	330	2.97	-	31.63	7.15	33.81

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




EUT_Y_4TX
Setting 61
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1388G	63.31	74.00	-10.69	58.27	3	Vertical	287	1.68	-	31.86	6.90	33.72				
AV	5.15G	48.56	54.00	-5.44	43.47	3	Vertical	287	1.68	-	31.90	6.91	33.72				
PK	5.3036G	112.21	Inf	-Inf	107.79	3	Vertical	287	1.68	-	31.21	6.97	33.76				
AV	5.2988G	100.66	Inf	-Inf	96.25	3	Vertical	287	1.68	-	31.20	6.97	33.76				
PK	5.362G	73.34	74.00	-0.66	68.80	3	Vertical	287	1.68	-	31.32	6.99	33.77				
AV	5.3564G	53.82	54.00	-0.18	49.29	3	Vertical	287	1.68	-	31.31	6.99	33.77				
PK	5.4828G	57.76	68.20	-10.44	52.79	3	Vertical	287	1.68	-	31.63	7.15	33.81				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5290MHz_TX

EUT_Y_4TX
Setting 61
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1388G	62.67	74.00	-11.33	57.63	3	Horizontal	59	3.00	-	31.86	6.90	33.72				
AV	5.138G	47.20	54.00	-6.80	42.17	3	Horizontal	59	3.00	-	31.85	6.90	33.72				
PK	5.3012G	110.88	Inf	-Inf	106.47	3	Horizontal	59	3.00	-	31.20	6.97	33.76				
AV	5.2964G	99.84	Inf	-Inf	95.42	3	Horizontal	59	3.00	-	31.21	6.97	33.76				
PK	5.3588G	73.61	74.00	-0.39	69.07	3	Horizontal	59	3.00	-	31.32	6.99	33.77				
AV	5.3596G	52.82	54.00	-1.18	48.28	3	Horizontal	59	3.00	-	31.32	6.99	33.77				
PK	5.4676G	57.37	68.20	-10.83	52.48	3	Horizontal	59	3.00	-	31.57	7.12	33.80				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5290MHz_TX

EUT_Y_4TX
Setting 61
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5821G	57.55	68.20	-10.65	41.27	3	Vertical	166	2.68	-	39.86	10.74	34.32			
PK	15.87306G	58.78	74.00	-15.22	41.28	3	Vertical	15.5	1.80	-	38.05	13.83	34.38			
AV	15.88206G	47.02	54.00	-6.98	29.50	3	Vertical	15.5	1.80	-	38.06	13.84	34.38			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5290MHz_TX

EUT_Y_4TX
Setting 61
06-U-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57916G	57.52	68.20	-10.68	41.25	3	Horizontal	304	1.80	-	39.86	10.73	34.32			
PK	15.8619G	57.59	74.00	-16.41	40.14	3	Horizontal	169	1.99	-	38.02	13.82	34.39			
AV	15.8808G	46.67	54.00	-7.33	29.16	3	Horizontal	169	1.99	-	38.06	13.83	34.38			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX




EUT_Y_4TX
Setting 60
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	62.97	74.00	-11.03	57.94	3	Vertical	295	1.66	-	31.85	6.90	33.72
AV	5.1388G	48.10	54.00	-5.90	43.06	3	Vertical	295	1.66	-	31.86	6.90	33.72
PK	5.2972G	109.11	Inf	-Inf	104.69	3	Vertical	295	1.66	-	31.21	6.97	33.76
AV	5.3012G	98.09	Inf	-Inf	93.68	3	Vertical	295	1.66	-	31.20	6.97	33.76
PK	5.362G	72.99	74.00	-1.01	68.45	3	Vertical	295	1.66	-	31.32	6.99	33.77
AV	5.3588G	53.14	54.00	-0.86	48.60	3	Vertical	295	1.66	-	31.32	6.99	33.77
PK	5.4676G	57.66	68.20	-10.54	52.77	3	Vertical	295	1.66	-	31.57	7.12	33.80

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5290MHz_TX



EUT_Y_4TX
Setting 60
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1364G	63.44	74.00	-10.56	58.41	3	Horizontal	62	2.50	-	31.85	6.90	33.72			
AV	5.15G	47.59	54.00	-6.41	42.50	3	Horizontal	62	2.50	-	31.90	6.91	33.72			
PK	5.3196G	107.78	Inf	-Inf	103.32	3	Horizontal	62	2.50	-	31.24	6.98	33.76			
AV	5.3204G	96.88	Inf	-Inf	92.42	3	Horizontal	62	2.50	-	31.24	6.98	33.76			
PK	5.35G	69.24	74.00	-4.76	64.72	3	Horizontal	62	2.50	-	31.30	6.99	33.77			
AV	5.35G	51.68	54.00	-2.32	47.16	3	Horizontal	62	2.50	-	31.30	6.99	33.77			
PK	5.4804G	57.50	68.20	-10.70	52.54	3	Horizontal	62	2.50	-	31.62	7.14	33.80			




Test Mode: Mode 5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss4,(MCS0)_4TX	Pass	AV	5.1358G	53.90	54.00	-0.10	3	Horizontal	44	1.99	-

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5210MHz_TX




EUT Y_1TX
Setting 61
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	58.63	74.00	-15.37	53.54	3	Vertical	345	1.89	-	31.90	6.91	33.72			
AV	5.1412G	47.90	54.00	-6.10	42.86	3	Vertical	345	1.89	-	31.86	6.90	33.72			
PK	5.1964G	96.45	Inf	-Inf	91.63	3	Vertical	345	1.89	-	31.62	6.93	33.73			
AV	5.1996G	85.04	Inf	-Inf	80.24	3	Vertical	345	1.89	-	31.60	6.93	33.73			
PK	5.3908G	57.87	74.00	-16.13	53.26	3	Vertical	345	1.89	-	31.38	7.01	33.78			
AV	5.41G	47.59	54.00	-6.41	42.93	3	Vertical	345	1.89	-	31.42	7.03	33.79			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5210MHz_TX

EUT Y_1TX
Setting 61
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.62	74.00	-4.38	64.53	3	Horizontal	68	1.88	-	31.90	6.91	33.72
AV	5.1452G	53.75	54.00	-0.25	48.68	3	Horizontal	68	1.88	-	31.88	6.91	33.72
PK	5.1788G	104.65	Inf	-Inf	99.73	3	Horizontal	68	1.88	-	31.73	6.92	33.73
AV	5.1972G	93.89	Inf	-Inf	89.07	3	Horizontal	68	1.88	-	31.62	6.93	33.73
PK	5.3788G	58.86	74.00	-15.14	54.28	3	Horizontal	68	1.88	-	31.36	7.00	33.78
AV	5.4036G	47.99	54.00	-6.01	43.34	3	Horizontal	68	1.88	-	31.41	7.02	33.78

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX


5290MHz_TX

EUT_Y_1TX
Setting 65
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.094G	57.78	74.00	-16.22	52.91	3	Vertical	345	1.88	-	31.69	6.88	33.70			
AV	5.15G	47.13	54.00	-6.87	42.04	3	Vertical	345	1.88	-	31.90	6.91	33.72			
PK	5.2724G	95.57	Inf	-Inf	91.10	3	Vertical	345	1.88	-	31.26	6.96	33.75			
AV	5.2828G	85.09	Inf	-Inf	80.65	3	Vertical	345	1.88	-	31.23	6.96	33.75			
PK	5.3556G	63.82	74.00	-10.18	59.29	3	Vertical	345	1.88	-	31.31	6.99	33.77			
AV	5.3556G	49.20	54.00	-4.80	44.67	3	Vertical	345	1.88	-	31.31	6.99	33.77			
PK	5.4716G	58.26	68.20	-9.94	53.34	3	Vertical	345	1.88	-	31.59	7.13	33.80			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5290MHz_TX




EUT_Y_1TX
Setting 65
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	61.84	74.00	-12.16	56.82	3	Horizontal	76	2.71	-	31.83	6.90	33.71			
AV	5.1476G	48.20	54.00	-5.80	43.12	3	Horizontal	76	2.71	-	31.89	6.91	33.72			
PK	5.2748G	105.38	Inf	-Inf	100.92	3	Horizontal	76	2.71	-	31.25	6.96	33.75			
AV	5.2764G	94.25	Inf	-Inf	89.79	3	Horizontal	76	2.71	-	31.25	6.96	33.75			
PK	5.3508G	72.67	74.00	-1.33	68.15	3	Horizontal	76	2.71	-	31.30	6.99	33.77			
AV	5.3508G	53.70	54.00	-0.30	49.18	3	Horizontal	76	2.71	-	31.30	6.99	33.77			
PK	5.486G	59.24	68.20	-8.96	54.26	3	Horizontal	76	2.71	-	31.64	7.15	33.81			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 57
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.31G	57.86	68.20	-10.34	53.43	3	Vertical	67	1.79	-	31.22	6.97	33.76			
PK	5.437G	58.38	74.00	-15.62	53.63	3	Vertical	67	1.79	-	31.47	7.07	33.79			
AV	5.434G	47.50	54.00	-6.50	42.75	3	Vertical	67	1.79	-	31.47	7.07	33.79			
PK	5.461G	57.56	68.20	-10.64	52.71	3	Vertical	67	1.79	-	31.54	7.11	33.80			
PK	5.513G	92.43	Inf	-Inf	87.34	3	Vertical	67	1.79	-	31.70	7.20	33.81			
AV	5.499G	81.16	Inf	-Inf	76.10	3	Vertical	67	1.79	-	31.70	7.17	33.81			
PK	5.749G	58.65	68.20	-9.55	53.08	3	Vertical	67	1.79	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5530MHz_TX




EUT_Y_1TX
Setting 57
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.344G	58.03	68.20	-10.17	53.52	3	Horizontal	290	2.15	-	31.29	6.99	33.77
PK	5.433G	67.03	74.00	-6.97	62.29	3	Horizontal	290	2.15	-	31.47	7.06	33.79
PK	5.47G	66.75	68.20	-1.45	61.84	3	Horizontal	290	2.15	-	31.58	7.13	33.80
AV	5.458G	53.58	54.00	-0.42	48.74	3	Horizontal	290	2.15	-	31.53	7.11	33.80
PK	5.559G	106.69	Inf	-Inf	101.54	3	Horizontal	290	2.15	-	31.68	7.27	33.80
AV	5.559G	95.72	Inf	-Inf	90.57	3	Horizontal	290	2.15	-	31.68	7.27	33.80
PK	5.776G	59.29	68.20	-8.91	53.72	3	Horizontal	290	2.15	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX


5610MHz_TX

EUT Y_1TX
Setting 66
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	58.00	74.00	-16.00	53.21	3	Vertical	349	3.00	-	31.50	7.09	33.80
AV	5.434G	47.49	54.00	-6.51	42.74	3	Vertical	349	3.00	-	31.47	7.07	33.79
PK	5.47G	57.83	68.20	-10.37	52.92	3	Vertical	349	3.00	-	31.58	7.13	33.80
PK	5.6468G	97.14	Inf	-Inf	91.90	3	Vertical	349	3.00	-	31.69	7.34	33.79
AV	5.6476G	86.80	Inf	-Inf	81.55	3	Vertical	349	3.00	-	31.70	7.34	33.79
PK	5.746G	59.20	68.20	-9.00	53.63	3	Vertical	349	3.00	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5610MHz_TX




EUT_Y_1TX
Setting 66
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	65.61	74.00	-8.39	60.79	3	Horizontal	284	1.00	-	31.52	7.10	33.80
AV	5.4596G	49.38	54.00	-4.62	44.53	3	Horizontal	284	1.00	-	31.54	7.11	33.80
PK	5.4668G	63.07	68.20	-5.13	58.18	3	Horizontal	284	1.00	-	31.57	7.12	33.80
PK	5.6244G	110.12	Inf	-Inf	104.93	3	Horizontal	284	1.00	-	31.65	7.34	33.80
AV	5.6252G	98.44	Inf	-Inf	93.24	3	Horizontal	284	1.00	-	31.65	7.34	33.79
PK	5.742G	68.04	68.20	-0.16	62.47	3	Horizontal	284	1.00	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_1TX
Setting 74
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.45G	58.31	74.00	-15.69	53.52	3	Vertical	346	3.00	-	31.50	7.09	33.80			
AV	5.448G	47.45	54.00	-6.55	42.66	3	Vertical	346	3.00	-	31.50	7.09	33.80			
PK	5.464G	57.06	68.20	-11.14	52.18	3	Vertical	346	3.00	-	31.56	7.12	33.80			
PK	5.662G	100.59	Inf	-Inf	95.27	3	Vertical	346	3.00	-	31.77	7.34	33.79			
AV	5.658G	89.56	Inf	-Inf	84.26	3	Vertical	346	3.00	-	31.75	7.34	33.79			
PK	5.862G	59.91	68.20	-8.29	54.10	3	Vertical	346	3.00	-	32.12	7.46	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_1TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_1TX
Setting 74
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.67	74.00	-11.33	57.85	3	Horizontal	284	1.11	-	31.52	7.10	33.80
AV	5.457G	49.44	54.00	-4.56	44.61	3	Horizontal	284	1.11	-	31.53	7.10	33.80
PK	5.467G	63.05	68.20	-5.15	58.16	3	Horizontal	284	1.11	-	31.57	7.12	33.80
PK	5.693G	112.00	Inf	-Inf	106.49	3	Horizontal	284	1.11	-	31.96	7.34	33.79
AV	5.701G	100.58	Inf	-Inf	95.02	3	Horizontal	284	1.11	-	32.00	7.35	33.79
PK	5.851G	67.70	68.20	-0.50	61.93	3	Horizontal	284	1.11	-	32.10	7.44	33.77

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUT_Y_1TX
Setting 65
06-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.649G	59.41	68.20	-8.79	54.16	3	Vertical	349	3.00	-	31.70	7.34	33.79			
PK	5.804G	98.45	Inf	-Inf	92.85	3	Vertical	349	3.00	-	32.01	7.36	33.77			
AV	5.804G	87.20	Inf	-Inf	81.60	3	Vertical	349	3.00	-	32.01	7.36	33.77			
PK	5.934G	59.60	68.20	-8.60	53.50	3	Vertical	349	3.00	-	32.27	7.59	33.76			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_1TX

5775MHz_TX




EUT_Y_1TX
Setting 65
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	67.08	68.20	-1.12	61.90	3	Horizontal	286	1.01	-	31.64	7.34	33.80
PK	5.759G	110.36	Inf	-Inf	104.79	3	Horizontal	286	1.01	-	32.00	7.35	33.78
AV	5.759G	98.31	Inf	-Inf	92.74	3	Horizontal	286	1.01	-	32.00	7.35	33.78
PK	5.984G	59.46	68.20	-8.74	53.16	3	Horizontal	286	1.01	-	32.37	7.68	33.75

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 60
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1396G	57.52	74.00	-16.48	52.48	3	Vertical	341	1.80	-	31.86	6.90	33.72			
AV	5.1492G	47.11	54.00	-6.89	42.02	3	Vertical	341	1.80	-	31.90	6.91	33.72			
PK	5.2356G	91.06	Inf	-Inf	86.47	3	Vertical	341	1.80	-	31.39	6.94	33.74			
AV	5.2324G	79.85	Inf	-Inf	75.24	3	Vertical	341	1.80	-	31.41	6.94	33.74			
PK	5.4452G	58.46	74.00	-15.54	53.69	3	Vertical	341	1.80	-	31.49	7.08	33.80			
AV	5.4436G	47.87	54.00	-6.13	43.10	3	Vertical	341	1.80	-	31.49	7.08	33.80			
PK	5.5988G	58.09	68.20	-10.11	52.95	3	Vertical	341	1.80	-	31.60	7.34	33.80			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 60
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1316G	59.14	74.00	-14.86	54.12	3	Horizontal	62	2.81	-	31.83	6.90	33.71				
AV	5.1492G	48.29	54.00	-5.71	43.20	3	Horizontal	62	2.81	-	31.90	6.91	33.72				
PK	5.2772G	100.74	Inf	-Inf	96.28	3	Horizontal	62	2.81	-	31.25	6.96	33.75				
AV	5.2772G	89.03	Inf	-Inf	84.57	3	Horizontal	62	2.81	-	31.25	6.96	33.75				
PK	5.3636G	61.22	74.00	-12.78	56.66	3	Horizontal	62	2.81	-	31.33	7.00	33.77				
AV	5.402G	48.46	54.00	-5.54	43.83	3	Horizontal	62	2.81	-	31.40	7.01	33.78				
PK	5.5764G	59.01	68.20	-9.19	53.86	3	Horizontal	62	2.81	-	31.65	7.30	33.80				

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 58
06-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1476G	58.17	74.00	-15.83	53.09	3	Vertical	343	1.87	-	31.89	6.91	33.72			
AV	5.1396G	47.00	54.00	-7.00	41.96	3	Vertical	343	1.87	-	31.86	6.90	33.72			
PK	5.2772G	90.84	Inf	-Inf	86.38	3	Vertical	343	1.87	-	31.25	6.96	33.75			
AV	5.266G	79.98	Inf	-Inf	75.50	3	Vertical	343	1.87	-	31.27	6.96	33.75			
PK	5.45G	58.02	74.00	-15.98	53.23	3	Vertical	343	1.87	-	31.50	7.09	33.80			
AV	5.4324G	47.89	54.00	-6.11	43.16	3	Vertical	343	1.87	-	31.46	7.06	33.79			
PK	5.6436G	58.18	68.20	-10.02	52.94	3	Vertical	343	1.87	-	31.69	7.34	33.79			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_1TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_1TX
Setting 58
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	57.75	74.00	-16.25	52.68	3	Horizontal	59	2.82	-	31.88	6.91	33.72			
AV	5.146G	47.71	54.00	-6.29	42.64	3	Horizontal	59	2.82	-	31.88	6.91	33.72			
PK	5.2804G	100.02	Inf	-Inf	95.57	3	Horizontal	59	2.82	-	31.24	6.96	33.75			
AV	5.2756G	88.99	Inf	-Inf	84.53	3	Horizontal	59	2.82	-	31.25	6.96	33.75			
PK	5.3636G	59.14	74.00	-14.86	54.58	3	Horizontal	59	2.82	-	31.33	7.00	33.77			
AV	5.4356G	48.61	54.00	-5.39	43.86	3	Horizontal	59	2.82	-	31.47	7.07	33.79			
PK	5.6036G	58.96	68.20	-9.24	53.81	3	Horizontal	59	2.82	-	31.61	7.34	33.80			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX

5570MHz_TX




EUT_Y_1TX
Setting 58
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.282G	57.41	68.20	-10.79	52.96	3	Vertical	64	1.80	-	31.24	6.96	33.75
PK	5.4564G	57.40	74.00	-16.60	52.57	3	Vertical	64	1.80	-	31.53	7.10	33.80
AV	5.3892G	47.39	54.00	-6.61	42.78	3	Vertical	64	1.80	-	31.38	7.01	33.78
PK	5.47G	56.83	68.20	-11.37	51.92	3	Vertical	64	1.80	-	31.58	7.13	33.80
PK	5.4948G	89.66	Inf	-Inf	84.62	3	Vertical	64	1.80	-	31.68	7.17	33.81
AV	5.4932G	78.47	Inf	-Inf	73.45	3	Vertical	64	1.80	-	31.67	7.16	33.81
PK	5.9076G	59.66	68.20	-8.54	53.66	3	Vertical	64	1.80	-	32.22	7.54	33.76

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_1TX

5570MHz_TX




EUT_Y_1TX
Setting 58
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.346G	57.89	68.20	-10.31	53.38	3	Horizontal	283	1.02	-	31.29	6.99	33.77			
PK	5.4564G	63.50	74.00	-10.50	58.67	3	Horizontal	283	1.02	-	31.53	7.10	33.80			
AV	5.4468G	49.19	54.00	-4.81	44.41	3	Horizontal	283	1.02	-	31.49	7.09	33.80			
PK	5.466G	61.34	68.20	-6.86	56.46	3	Horizontal	283	1.02	-	31.56	7.12	33.80			
PK	5.6244G	103.76	Inf	-Inf	98.57	3	Horizontal	283	1.02	-	31.65	7.34	33.80			
AV	5.6292G	93.09	Inf	-Inf	87.88	3	Horizontal	283	1.02	-	31.66	7.34	33.79			
PK	5.7556G	62.05	68.20	-6.15	56.48	3	Horizontal	283	1.02	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX

5570MHz_TX




EUT_Y_1TX
Setting 60
06-U-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.3188G	57.45	68.20	-10.75	52.99	3	Vertical	63	1.79	-	31.24	6.98	33.76					
PK	5.4196G	58.26	74.00	-15.74	53.57	3	Vertical	63	1.79	-	31.44	7.04	33.79					
PK	5.4628G	57.20	68.20	-11.00	52.34	3	Vertical	63	1.79	-	31.55	7.11	33.80					
AV	5.442G	47.50	54.00	-6.50	42.73	3	Vertical	63	1.79	-	31.48	7.08	33.79					
AV	5.4932G	79.03	Inf	-Inf	74.01	3	Vertical	63	1.79	-	31.67	7.16	33.81					
PK	5.5444G	89.97	Inf	-Inf	84.82	3	Vertical	63	1.79	-	31.70	7.25	33.80					
PK	5.9668G	59.52	68.20	-8.68	53.29	3	Vertical	63	1.79	-	32.33	7.65	33.75					

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_1TX


5570MHz_TX

EUT_Y_1TX
Setting 60
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	58.21	68.20	-9.99	53.74	3	Horizontal	277	1.02	-	31.25	6.98	33.76
PK	5.4404G	63.07	74.00	-10.93	58.30	3	Horizontal	277	1.02	-	31.48	7.08	33.79
AV	5.4468G	49.11	54.00	-4.89	44.33	3	Horizontal	277	1.02	-	31.49	7.09	33.80
PK	5.466G	61.00	68.20	-7.20	56.12	3	Horizontal	277	1.02	-	31.56	7.12	33.80
PK	5.626G	104.24	Inf	-Inf	99.04	3	Horizontal	277	1.02	-	31.65	7.34	33.79
AV	5.6308G	93.33	Inf	-Inf	88.12	3	Horizontal	277	1.02	-	31.66	7.34	33.79
PK	5.7332G	60.34	68.20	-7.86	54.77	3	Horizontal	277	1.02	-	32.00	7.35	33.78

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5210MHz_TX




EUT_Z_2TX
Setting 51
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.94	74.00	-9.06	59.86	3	Vertical	109	1.99	-	31.89	6.91	33.72
AV	5.1372G	53.66	54.00	-0.34	48.63	3	Vertical	109	1.99	-	31.85	6.90	33.72
PK	5.206G	108.44	Inf	-Inf	103.68	3	Vertical	109	1.99	-	31.56	6.93	33.73
AV	5.1956G	97.19	Inf	-Inf	92.36	3	Vertical	109	1.99	-	31.63	6.93	33.73
PK	5.3532G	61.34	74.00	-12.66	56.81	3	Vertical	109	1.99	-	31.31	6.99	33.77
AV	5.3676G	48.41	54.00	-5.59	43.85	3	Vertical	109	1.99	-	31.34	7.00	33.78

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5210MHz_TX

EUT_Z_2TX
Setting 51
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.014G	57.58	74.00	-16.42	52.81	3	Horizontal	14	1.86	-	31.60	6.85	33.68
AV	5.1412G	48.10	54.00	-5.90	43.06	3	Horizontal	14	1.86	-	31.86	6.90	33.72
PK	5.1956G	97.04	Inf	-Inf	92.21	3	Horizontal	14	1.86	-	31.63	6.93	33.73
AV	5.2372G	86.65	Inf	-Inf	82.07	3	Horizontal	14	1.86	-	31.38	6.94	33.74
PK	5.3932G	57.93	74.00	-16.07	53.31	3	Horizontal	14	1.86	-	31.39	7.01	33.78
AV	5.398G	47.46	54.00	-6.54	42.83	3	Horizontal	14	1.86	-	31.40	7.01	33.78

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5290MHz_TX

EUT_Z_2TX
Setting 53
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	60.82	74.00	-13.18	55.74	3	Vertical	282	2.40	-	31.89	6.91	33.72
AV	5.1436G	48.04	54.00	-5.96	42.99	3	Vertical	282	2.40	-	31.87	6.90	33.72
PK	5.3164G	109.45	Inf	-Inf	105.00	3	Vertical	282	2.40	-	31.23	6.98	33.76
AV	5.3268G	98.20	Inf	-Inf	93.73	3	Vertical	282	2.40	-	31.25	6.98	33.76
PK	5.3532G	73.40	74.00	-0.60	68.87	3	Vertical	282	2.40	-	31.31	6.99	33.77
AV	5.3532G	53.88	54.00	-0.12	49.35	3	Vertical	282	2.40	-	31.31	6.99	33.77
PK	5.4708G	59.08	68.20	-9.12	54.17	3	Vertical	282	2.40	-	31.58	7.13	33.80

5.25-5.35GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5290MHz_TX




EUT_Z_2TX
Setting 53
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	56.86	74.00	-17.14	51.89	3	Horizontal	70.9	2.70	-	31.79	6.89	33.71
AV	5.1068G	46.95	54.00	-7.05	42.04	3	Horizontal	70.9	2.70	-	31.73	6.89	33.71
PK	5.3156G	96.36	Inf	-Inf	91.91	3	Horizontal	70.9	2.70	-	31.23	6.98	33.76
AV	5.3172G	86.02	Inf	-Inf	81.57	3	Horizontal	70.9	2.70	-	31.23	6.98	33.76
PK	5.3588G	61.85	74.00	-12.15	57.31	3	Horizontal	70.9	2.70	-	31.32	6.99	33.77
AV	5.4036G	47.88	54.00	-6.12	43.23	3	Horizontal	70.9	2.70	-	31.41	7.02	33.78
PK	5.4796G	58.33	68.20	-9.87	53.37	3	Horizontal	70.9	2.70	-	31.62	7.14	33.80

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5530MHz_TX




EUT_Z_2TX
Setting 53
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.347G	57.49	68.20	-10.71	52.98	3	Vertical	301	2.25	-	31.29	6.99	33.77			
PK	5.433G	65.97	74.00	-8.03	61.23	3	Vertical	301	2.25	-	31.47	7.06	33.79			
PK	5.467G	64.98	68.20	-3.22	60.09	3	Vertical	301	2.25	-	31.57	7.12	33.80			
AV	5.458G	53.92	54.00	-0.08	49.08	3	Vertical	301	2.25	-	31.53	7.11	33.80			
PK	5.504G	107.76	Inf	-Inf	102.69	3	Vertical	301	2.25	-	31.70	7.18	33.81			
AV	5.561G	97.09	Inf	-Inf	91.93	3	Vertical	301	2.25	-	31.68	7.28	33.80			
PK	5.754G	59.09	68.20	-9.11	53.52	3	Vertical	301	2.25	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX


5530MHz_TX

EUT_Z_2TX
Setting 53
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.292G	57.11	68.20	-11.09	52.68	3	Horizontal	70	2.67	-	31.22	6.97	33.76			
PK	5.401G	58.09	74.00	-15.91	53.46	3	Horizontal	70	2.67	-	31.40	7.01	33.78			
PK	5.466G	58.66	68.20	-9.54	53.78	3	Horizontal	70	2.67	-	31.56	7.12	33.80			
AV	5.459G	48.09	54.00	-5.91	43.24	3	Horizontal	70	2.67	-	31.54	7.11	33.80			
PK	5.519G	96.94	Inf	-Inf	91.84	3	Horizontal	70	2.67	-	31.70	7.21	33.81			
AV	5.52G	85.80	Inf	-Inf	80.70	3	Horizontal	70	2.67	-	31.70	7.21	33.81			
PK	5.728G	58.64	68.20	-9.56	53.07	3	Horizontal	70	2.67	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




EUT_Z_2TX
Setting 58
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	65.68	74.00	-8.32	60.87	3	Vertical	300	2.19	-	31.51	7.10	33.80
AV	5.4524G	50.08	54.00	-3.92	45.27	3	Vertical	300	2.19	-	31.51	7.10	33.80
PK	5.4612G	62.08	68.20	-6.12	57.23	3	Vertical	300	2.19	-	31.54	7.11	33.80
PK	5.578G	110.51	Inf	-Inf	105.37	3	Vertical	300	2.19	-	31.64	7.30	33.80
AV	5.614G	99.87	Inf	-Inf	94.70	3	Vertical	300	2.19	-	31.63	7.34	33.80
PK	5.7444G	67.82	68.20	-0.38	62.25	3	Vertical	300	2.19	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5610MHz_TX




EUT_Z_2TX
Setting 58
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4268G	57.57	74.00	-16.43	52.86	3	Horizontal	346	2.92	-	31.45	7.05	33.79
AV	5.446G	47.24	54.00	-6.76	42.46	3	Horizontal	346	2.92	-	31.49	7.09	33.80
PK	5.466G	57.04	68.20	-11.16	52.16	3	Horizontal	346	2.92	-	31.56	7.12	33.80
PK	5.6204G	97.73	Inf	-Inf	92.55	3	Horizontal	346	2.92	-	31.64	7.34	33.80
AV	5.5804G	87.25	Inf	-Inf	82.10	3	Horizontal	346	2.92	-	31.64	7.31	33.80
PK	5.7484G	58.80	68.20	-9.40	53.23	3	Horizontal	346	2.92	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 73
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	62.18	74.00	-11.82	57.39	3	Vertical	303	2.29	-	31.50	7.09	33.80
AV	5.458G	51.68	54.00	-2.32	46.84	3	Vertical	303	2.29	-	31.53	7.11	33.80
PK	5.467G	65.08	68.20	-3.12	60.19	3	Vertical	303	2.29	-	31.57	7.12	33.80
PK	5.667G	113.54	Inf	-Inf	108.19	3	Vertical	303	2.29	-	31.80	7.34	33.79
AV	5.663G	103.16	Inf	-Inf	97.83	3	Vertical	303	2.29	-	31.78	7.34	33.79
PK	5.85G	68.12	68.20	-0.08	62.35	3	Vertical	303	2.29	-	32.10	7.44	33.77

5.47-5.725GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 2_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 73
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.444G	57.49	74.00	-16.51	52.72	3	Horizontal	343	2.96	-	31.49	7.08	33.80			
PK	5.463G	57.32	68.20	-10.88	52.46	3	Horizontal	343	2.96	-	31.55	7.11	33.80			
AV	5.458G	47.30	54.00	-6.70	42.46	3	Horizontal	343	2.96	-	31.53	7.11	33.80			
PK	5.701G	101.22	Inf	-Inf	95.66	3	Horizontal	343	2.96	-	32.00	7.35	33.79			
AV	5.702G	91.37	Inf	-Inf	85.81	3	Horizontal	343	2.96	-	32.00	7.35	33.79			
PK	5.85G	62.11	68.20	-6.09	56.34	3	Horizontal	343	2.96	-	32.10	7.44	33.77			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Z_2TX
Setting 63
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	67.89	68.20	-0.31	62.69	3	Vertical	126	3.00	-	31.65	7.34	33.79
PK	5.757G	108.71	Inf	-Inf	103.14	3	Vertical	126	3.00	-	32.00	7.35	33.78
AV	5.758G	98.43	Inf	-Inf	92.86	3	Vertical	126	3.00	-	32.00	7.35	33.78
PK	5.998G	59.30	68.20	-8.90	52.94	3	Vertical	126	3.00	-	32.40	7.71	33.75

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0),RU484+RU242 MRU 3_2TX

5775MHz_TX




EUT_Z_2TX
Setting 63
06-U-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.618G	59.51	68.20	-8.69	54.33	3	Horizontal	21	1.80	-	31.64	7.34	33.80			
PK	5.764G	100.02	Inf	-Inf	94.45	3	Horizontal	21	1.80	-	32.00	7.35	33.78			
AV	5.76G	89.43	Inf	-Inf	83.86	3	Horizontal	21	1.80	-	32.00	7.35	33.78			
PK	6.023G	60.93	68.20	-7.27	54.52	3	Horizontal	21	1.80	-	32.45	7.70	33.74			

5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 61
06-U-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1412G	62.12	74.00	-11.88	57.08	3	Vertical	113	2.09	-	31.86	6.90	33.72			
AV	5.1412G	51.15	54.00	-2.85	46.11	3	Vertical	113	2.09	-	31.86	6.90	33.72			
PK	5.3092G	107.46	Inf	-Inf	103.03	3	Vertical	113	2.09	-	31.22	6.97	33.76			
AV	5.3268G	96.49	Inf	-Inf	92.02	3	Vertical	113	2.09	-	31.25	6.98	33.76			
PK	5.35G	68.09	74.00	-5.91	63.57	3	Vertical	113	2.09	-	31.30	6.99	33.77			
PK	5.4612G	59.32	68.20	-8.88	54.47	3	Vertical	113	2.09	-	31.54	7.11	33.80			
AV	5.4084G	52.42	54.00	-1.58	47.77	3	Vertical	113	2.09	-	31.42	7.02	33.79			

5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 3_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 61
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	57.32	74.00	-16.68	52.24	3	Horizontal	25	1.89	-	31.89	6.91	33.72			
AV	5.1252G	47.27	54.00	-6.73	42.28	3	Horizontal	25	1.89	-	31.80	6.90	33.71			
PK	5.266G	96.90	Inf	-Inf	92.42	3	Horizontal	25	1.89	-	31.27	6.96	33.75			
AV	5.2708G	85.28	Inf	-Inf	80.81	3	Horizontal	25	1.89	-	31.26	6.96	33.75			
PK	5.3716G	58.56	74.00	-15.44	54.00	3	Horizontal	25	1.89	-	31.34	7.00	33.78			
AV	5.4148G	48.03	54.00	-5.97	43.36	3	Horizontal	25	1.89	-	31.43	7.03	33.79			
PK	5.5956G	58.69	68.20	-9.51	53.55	3	Horizontal	25	1.89	-	31.61	7.33	33.80			

5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 58
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.098G	60.50	74.00	-13.50	55.63	3	Vertical	112	2.09	-	31.70	6.88	33.71			
AV	5.082G	50.09	54.00	-3.91	45.25	3	Vertical	112	2.09	-	31.66	6.88	33.70			
PK	5.2708G	106.65	Inf	-Inf	102.18	3	Vertical	112	2.09	-	31.26	6.96	33.75			
PK	5.3524G	64.62	74.00	-9.38	60.10	3	Vertical	112	2.09	-	31.30	6.99	33.77			
AV	5.3268G	96.51	Inf	-Inf	92.04	3	Vertical	112	2.09	-	31.25	6.98	33.76			
PK	5.4724G	59.31	68.20	-8.89	54.39	3	Vertical	112	2.09	-	31.59	7.13	33.80			
AV	5.4132G	52.50	54.00	-1.50	47.83	3	Vertical	112	2.09	-	31.43	7.03	33.79			

5.15-5.25GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 2_2TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Z_2TX
Setting 58
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.09G	57.47	74.00	-16.53	52.61	3	Horizontal	16	1.80	-	31.68	6.88	33.70			
AV	5.1348G	47.28	54.00	-6.72	42.26	3	Horizontal	16	1.80	-	31.84	6.90	33.72			
PK	5.2804G	94.73	Inf	-Inf	90.28	3	Horizontal	16	1.80	-	31.24	6.96	33.75			
AV	5.2788G	84.66	Inf	-Inf	80.21	3	Horizontal	16	1.80	-	31.24	6.96	33.75			
PK	5.386G	58.78	74.00	-15.22	54.19	3	Horizontal	16	1.80	-	31.37	7.00	33.78			
AV	5.4404G	48.27	54.00	-5.73	43.50	3	Horizontal	16	1.80	-	31.48	7.08	33.79			
PK	5.5844G	59.25	68.20	-8.95	54.11	3	Horizontal	16	1.80	-	31.63	7.31	33.80			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 6_2TX

5570MHz_TX




EUT_Z_2TX
Setting 63
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.3252G	59.35	68.20	-8.85	54.88	3	Vertical	114	2.85	-	31.25	6.98	33.76				
PK	5.4548G	63.65	74.00	-10.35	58.83	3	Vertical	114	2.85	-	31.52	7.10	33.80				
AV	5.4516G	50.75	54.00	-3.25	45.94	3	Vertical	114	2.85	-	31.51	7.10	33.80				
PK	5.47G	64.58	68.20	-3.62	59.67	3	Vertical	114	2.85	-	31.58	7.13	33.80				
PK	5.5876G	106.03	Inf	-Inf	100.89	3	Vertical	114	2.85	-	31.62	7.32	33.80				
AV	5.546G	95.45	Inf	-Inf	90.30	3	Vertical	114	2.85	-	31.70	7.25	33.80				
PK	5.7252G	60.74	68.20	-7.46	55.17	3	Vertical	114	2.85	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484+RU242 MRU 6_2TX


5570MHz_TX

EUT_Z_2TX
Setting 63
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1828G	57.19	68.20	-11.01	52.30	3	Horizontal	23	1.73	-	31.70	6.92	33.73			
PK	5.4436G	58.01	74.00	-15.99	53.24	3	Horizontal	23	1.73	-	31.49	7.08	33.80			
AV	5.4388G	47.61	54.00	-6.39	42.85	3	Horizontal	23	1.73	-	31.48	7.07	33.79			
PK	5.47G	57.15	68.20	-11.05	52.24	3	Horizontal	23	1.73	-	31.58	7.13	33.80			
PK	5.5716G	95.63	Inf	-Inf	90.48	3	Horizontal	23	1.73	-	31.66	7.29	33.80			
AV	5.5524G	85.32	Inf	-Inf	80.16	3	Horizontal	23	1.73	-	31.70	7.26	33.80			
PK	5.8884G	60.53	68.20	-7.67	54.60	3	Horizontal	23	1.73	-	32.18	7.51	33.76			

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 3_2TX


5570MHz_TX

EUT_Z_2TX
Setting 60
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2932G	59.18	68.20	-9.02	54.76	3	Vertical	114	2.85	-	31.21	6.97	33.76
PK	5.4084G	62.34	74.00	-11.66	57.69	3	Vertical	114	2.85	-	31.42	7.02	33.79
AV	5.4132G	51.50	54.00	-2.50	46.83	3	Vertical	114	2.85	-	31.43	7.03	33.79
PK	5.466G	61.76	68.20	-6.44	56.88	3	Vertical	114	2.85	-	31.56	7.12	33.80
PK	5.5364G	105.95	Inf	-Inf	100.82	3	Vertical	114	2.85	-	31.70	7.24	33.81
AV	5.5412G	96.01	Inf	-Inf	90.88	3	Vertical	114	2.85	-	31.70	7.24	33.81
PK	5.8676G	59.22	68.20	-8.98	53.38	3	Vertical	114	2.85	-	32.14	7.47	33.77

5.47-5.725GHz_802.11be EHT160_Nss2,(MCS0),RU996+RU484 MRU 3_2TX

5570MHz_TX




EUT_Z_2TX
Setting 60
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2116G	57.21	68.20	-10.99	52.49	3	Horizontal	25	1.72	-	31.53	6.93	33.74
PK	5.4564G	58.06	74.00	-15.94	53.23	3	Horizontal	25	1.72	-	31.53	7.10	33.80
AV	5.4036G	47.55	54.00	-6.45	42.90	3	Horizontal	25	1.72	-	31.41	7.02	33.78
PK	5.47G	57.83	68.20	-10.37	52.92	3	Horizontal	25	1.72	-	31.58	7.13	33.80
PK	5.5492G	96.24	Inf	-Inf	91.08	3	Horizontal	25	1.72	-	31.70	7.26	33.80
AV	5.5492G	85.32	Inf	-Inf	80.16	3	Horizontal	25	1.72	-	31.70	7.26	33.80
PK	5.7412G	59.38	68.20	-8.82	53.81	3	Horizontal	25	1.72	-	32.00	7.35	33.78

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT Y_4TX
Setting 41
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	61.01	74.00	-12.99	55.95	3	Vertical	336	3.00	-	31.88	6.90	33.72
AV	5.142G	48.12	54.00	-5.88	43.07	3	Vertical	336	3.00	-	31.87	6.90	33.72
PK	5.232G	103.12	Inf	-Inf	98.51	3	Vertical	336	3.00	-	31.41	6.94	33.74
AV	5.232G	91.49	Inf	-Inf	86.88	3	Vertical	336	3.00	-	31.41	6.94	33.74
PK	5.405G	58.83	74.00	-15.17	54.19	3	Vertical	336	3.00	-	31.41	7.02	33.79
AV	5.438G	47.55	54.00	-6.45	42.79	3	Vertical	336	3.00	-	31.48	7.07	33.79

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT Y_4TX
Setting 41
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	66.62	74.00	-7.38	61.60	3	Horizontal	38	1.97	-	31.84	6.90	33.72			
AV	5.137G	53.09	54.00	-0.91	48.06	3	Horizontal	38	1.97	-	31.85	6.90	33.72			
PK	5.183G	108.47	Inf	-Inf	103.58	3	Horizontal	38	1.97	-	31.70	6.92	33.73			
AV	5.239G	98.17	Inf	-Inf	93.59	3	Horizontal	38	1.97	-	31.37	6.95	33.74			
PK	5.425G	58.90	74.00	-15.10	54.19	3	Horizontal	38	1.97	-	31.45	7.05	33.79			
AV	5.398G	48.16	54.00	-5.84	43.53	3	Horizontal	38	1.97	-	31.40	7.01	33.78			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 41
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43494G	61.71	68.20	-6.49	41.45	3	Vertical	346	1.44	-	38.57	14.16	32.47			
PK	15.6276G	60.68	74.00	-13.32	40.27	3	Vertical	360	1.50	-	37.79	15.36	32.74			
AV	15.62526G	48.46	54.00	-5.54	28.04	3	Vertical	360	1.50	-	37.80	15.36	32.74			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5210MHz_TX

EUT_Y_4TX
Setting 41
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42888G	61.76	68.20	-6.44	41.52	3	Horizontal	88	2.13	-	38.56	14.16	32.48			
PK	15.62592G	60.16	74.00	-13.84	39.74	3	Horizontal	187	1.79	-	37.80	15.36	32.74			
AV	15.62112G	47.88	54.00	-6.12	27.44	3	Horizontal	187	1.79	-	37.82	15.36	32.74			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 51
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.046G	56.89	74.00	-17.11	52.12	3	Vertical	354	1.00	-	31.60	6.86	33.69				
AV	5.148G	46.96	54.00	-7.04	41.88	3	Vertical	354	1.00	-	31.89	6.91	33.72				
PK	5.318G	101.14	Inf	-Inf	96.68	3	Vertical	354	1.00	-	31.24	6.98	33.76				
AV	5.318G	91.41	Inf	-Inf	86.95	3	Vertical	354	1.00	-	31.24	6.98	33.76				
PK	5.356G	63.43	74.00	-10.57	58.90	3	Vertical	354	1.00	-	31.31	6.99	33.77				
AV	5.395G	47.74	54.00	-6.26	43.12	3	Vertical	354	1.00	-	31.39	7.01	33.78				
PK	5.514G	58.23	68.20	-9.97	53.14	3	Vertical	354	1.00	-	31.70	7.20	33.81				

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 51
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	59.22	74.00	-14.78	54.20	3	Horizontal	40	2.04	-	31.84	6.90	33.72			
AV	5.141G	47.61	54.00	-6.39	42.57	3	Horizontal	40	2.04	-	31.86	6.90	33.72			
PK	5.278G	113.31	Inf	-Inf	108.86	3	Horizontal	40	2.04	-	31.24	6.96	33.75			
PK	5.359G	71.73	74.00	-2.27	67.19	3	Horizontal	40	2.04	-	31.32	6.99	33.77			
AV	5.319G	102.10	Inf	-Inf	97.64	3	Horizontal	40	2.04	-	31.24	6.98	33.76			
AV	5.356G	52.99	54.00	-1.01	48.46	3	Horizontal	40	2.04	-	31.31	6.99	33.77			
PK	5.483G	59.21	68.20	-8.99	54.24	3	Horizontal	40	2.04	-	31.63	7.15	33.81			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 51
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.57124G	61.40	68.20	-6.80	40.81	3	Vertical	24	2.36	-	38.77	14.23	32.41			
PK	15.8832G	60.67	74.00	-13.33	40.48	3	Vertical	9	2.64	-	37.60	15.37	32.78			
AV	15.86604G	47.07	54.00	-6.93	26.98	3	Vertical	9	2.64	-	37.50	15.37	32.78			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5290MHz_TX

EUT_Y_4TX
Setting 51
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.59368G	62.08	68.20	-6.12	41.29	3	Horizontal	110	2.28	-	38.95	14.25	32.41			
PK	15.85656G	59.18	74.00	-14.82	39.15	3	Horizontal	95	1.47	-	37.44	15.37	32.78			
AV	15.85908G	46.75	54.00	-7.25	26.71	3	Horizontal	95	1.47	-	37.45	15.37	32.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Y_4TX
Setting 43
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.333G	57.44	68.20	-10.76	52.96	3	Vertical	345	2.85	-	31.27	6.98	33.77			
PK	5.364G	58.04	74.00	-15.96	53.48	3	Vertical	345	2.85	-	31.33	7.00	33.77			
AV	5.459G	47.68	54.00	-6.32	42.83	3	Vertical	345	2.85	-	31.54	7.11	33.80			
PK	5.461G	58.93	68.20	-9.27	54.08	3	Vertical	345	2.85	-	31.54	7.11	33.80			
AV	5.521G	91.08	Inf	-Inf	85.98	3	Vertical	345	2.85	-	31.70	7.21	33.81			
PK	5.526G	101.25	Inf	-Inf	96.14	3	Vertical	345	2.85	-	31.70	7.22	33.81			
PK	5.753G	58.19	68.20	-10.01	52.62	3	Vertical	345	2.85	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 43
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.342G	57.70	68.20	-10.50	53.20	3	Horizontal	298	2.18	-	31.28	6.99	33.77			
PK	5.46G	64.89	74.00	-9.11	60.04	3	Horizontal	298	2.18	-	31.54	7.11	33.80			
AV	5.46G	51.99	54.00	-2.01	47.14	3	Horizontal	298	2.18	-	31.54	7.11	33.80			
PK	5.462G	67.29	68.20	-0.91	62.43	3	Horizontal	298	2.18	-	31.55	7.11	33.80			
PK	5.511G	111.77	Inf	-Inf	106.69	3	Horizontal	298	2.18	-	31.70	7.19	33.81			
AV	5.561G	100.50	Inf	-Inf	95.34	3	Horizontal	298	2.18	-	31.68	7.28	33.80			
PK	5.759G	59.03	68.20	-9.17	53.46	3	Horizontal	298	2.18	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Y_4TX
Setting 43
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.05808G	56.46	74.00	-17.54	35.69	3	Vertical	251	2.13	-	38.72	14.50	32.45			
AV	11.04662G	44.80	54.00	-9.20	24.03	3	Vertical	251	2.13	-	38.71	14.50	32.44			
PK	16.58604G	61.38	68.20	-6.82	40.00	3	Vertical	235	2.24	-	38.23	15.54	32.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5530MHz_TX

EUT_Y_4TX
Setting 43
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.07002G	56.94	74.00	-17.06	36.14	3	Horizontal	126	2.05	-	38.74	14.51	32.45			
AV	11.04734G	44.42	54.00	-9.58	23.65	3	Horizontal	126	2.05	-	38.71	14.50	32.44			
PK	16.59096G	60.71	68.20	-7.49	39.34	3	Horizontal	213	1.80	-	38.22	15.54	32.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5610MHz_TX




EUT_Y_4TX
Setting 55
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4364G	57.77	74.00	-16.23	53.02	3	Vertical	3	2.60	-	31.47	7.07	33.79
PK	5.47G	58.14	68.20	-10.06	53.23	3	Vertical	3	2.60	-	31.58	7.13	33.80
AV	5.4572G	47.73	54.00	-6.27	42.90	3	Vertical	3	2.60	-	31.53	7.10	33.80
PK	5.6428G	104.88	Inf	-Inf	99.64	3	Vertical	3	2.60	-	31.69	7.34	33.79
AV	5.6228G	94.29	Inf	-Inf	89.10	3	Vertical	3	2.60	-	31.65	7.34	33.80
PK	5.7428G	59.79	68.20	-8.41	54.22	3	Vertical	3	2.60	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5610MHz_TX




EUT_Y_4TX
Setting 55
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	63.10	74.00	-10.90	58.29	3	Horizontal	49	2.05	-	31.51	7.10	33.80
AV	5.4524G	49.15	54.00	-4.85	44.34	3	Horizontal	49	2.05	-	31.51	7.10	33.80
PK	5.4612G	61.07	68.20	-7.13	56.22	3	Horizontal	49	2.05	-	31.54	7.11	33.80
PK	5.6204G	114.06	Inf	-Inf	108.88	3	Horizontal	49	2.05	-	31.64	7.34	33.80
AV	5.6204G	103.80	Inf	-Inf	98.62	3	Horizontal	49	2.05	-	31.64	7.34	33.80
PK	5.7476G	67.91	68.20	-0.29	62.34	3	Horizontal	49	2.05	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5610MHz_TX

EUT_Y_4TX
Setting 55
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.20632G	56.02	74.00	-17.98	34.90	3	Vertical	296	1.99	-	39.03	14.58	32.49			
AV	11.22888G	43.99	54.00	-10.01	22.77	3	Vertical	296	1.99	-	39.12	14.60	32.50			
PK	16.82514G	60.94	68.20	-7.26	39.15	3	Vertical	337	1.77	-	38.40	15.60	32.21			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5610MHz_TX

EUT_Y_4TX
Setting 55
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.21412G	55.98	74.00	-18.02	34.82	3	Horizontal	42	2.54	-	39.06	14.59	32.49			
AV	11.22288G	44.16	54.00	-9.84	22.98	3	Horizontal	42	2.54	-	39.09	14.59	32.50			
PK	16.84206G	58.77	68.20	-9.43	36.97	3	Horizontal	298	2.10	-	38.40	15.60	32.20			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 59
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.722G	106.98	Inf	-Inf	101.41	3	Vertical	17	3.00	-	32.00	7.35	33.78			
AV	5.702G	96.21	Inf	-Inf	90.65	3	Vertical	17	3.00	-	32.00	7.35	33.79			
PK	5.862G	59.89	68.20	-8.31	54.08	3	Vertical	17	3.00	-	32.12	7.46	33.77			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 59
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7004G	115.61	Inf	-Inf	110.05	3	Horizontal	53	2.40	-	32.00	7.35	33.79
AV	5.6996G	105.31	Inf	-Inf	99.76	3	Horizontal	53	2.40	-	32.00	7.34	33.79
PK	5.85G	66.64	68.20	-1.56	60.87	3	Horizontal	53	2.40	-	32.10	7.44	33.77

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 59
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.38432G	57.13	74.00	-16.87	35.77	3	Vertical	165	2.77	-	39.23	14.68	32.55			
AV	11.39086G	44.83	54.00	-9.17	23.48	3	Vertical	165	2.77	-	39.22	14.68	32.55			
PK	17.05584G	61.19	68.20	-7.01	38.98	3	Vertical	28	1.58	-	38.59	15.66	32.04			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 2_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT_Y_4TX
Setting 59
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.37586G	57.46	74.00	-16.54	36.07	3	Horizontal	82	1.21	-	39.25	14.68	32.54			
AV	11.38522G	45.25	54.00	-8.75	23.89	3	Horizontal	82	1.21	-	39.23	14.68	32.55			
PK	17.06196G	61.08	68.20	-7.12	38.88	3	Horizontal	46	2.38	-	38.58	15.66	32.04			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 58
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.609G	62.18	68.20	-6.02	57.02	3	Vertical	14	3.00	-	31.62	7.34	33.80
PK	5.757G	105.81	Inf	-Inf	100.24	3	Vertical	14	3.00	-	32.00	7.35	33.78
AV	5.762G	95.42	Inf	-Inf	89.85	3	Vertical	14	3.00	-	32.00	7.35	33.78
PK	5.978G	59.81	68.20	-8.39	53.53	3	Vertical	14	3.00	-	32.36	7.67	33.75

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 58
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	67.82	68.20	-0.38	62.57	3	Horizontal	50	2.01	-	31.70	7.34	33.79			
PK	5.76G	114.75	Inf	-Inf	109.18	3	Horizontal	50	2.01	-	32.00	7.35	33.78			
AV	5.76G	103.99	Inf	-Inf	98.42	3	Horizontal	50	2.01	-	32.00	7.35	33.78			
PK	5.964G	59.55	68.20	-8.65	53.32	3	Horizontal	50	2.01	-	32.33	7.65	33.75			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 58
01-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.5455G	57.01	74.00	-16.99	35.93	3	Vertical	257	2.29	-	38.91	14.77	32.60			
AV	11.5416G	44.86	54.00	-9.14	23.77	3	Vertical	257	2.29	-	38.92	14.77	32.60			
PK	17.31636G	60.26	68.20	-7.94	37.31	3	Vertical	312	2.47	-	39.10	15.73	31.88			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0),RU484+RU242 MRU 3_4TX


5775MHz_TX

EUT_Y_4TX
Setting 58
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53884G	56.40	74.00	-17.60	35.31	3	Horizontal	219	2.18	-	38.92	14.77	32.60			
AV	11.54196G	44.93	54.00	-9.07	23.84	3	Horizontal	219	2.18	-	38.92	14.77	32.60			
PK	17.31324G	60.20	68.20	-8.00	37.27	3	Horizontal	356	1.86	-	39.08	15.73	31.88			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 53
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.131G	57.40	74.00	-16.60	52.39	3	Vertical	353	1.00	-	31.82	6.90	33.71			
AV	5.1408G	46.93	54.00	-7.07	41.89	3	Vertical	353	1.00	-	31.86	6.90	33.72			
PK	5.3074G	99.64	Inf	-Inf	95.22	3	Vertical	353	1.00	-	31.21	6.97	33.76			
AV	5.313G	88.96	Inf	-Inf	84.51	3	Vertical	353	1.00	-	31.23	6.98	33.76			
PK	5.4544G	58.03	74.00	-15.97	53.21	3	Vertical	353	1.00	-	31.52	7.10	33.80			
AV	5.418G	48.08	54.00	-5.92	43.39	3	Vertical	353	1.00	-	31.44	7.04	33.79			
PK	5.5818G	58.83	68.20	-9.37	53.68	3	Vertical	353	1.00	-	31.64	7.31	33.80			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 53
06-U-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1436G	62.87	74.00	-11.13	57.82	3	Horizontal	40	1.99	-	31.87	6.90	33.72					
AV	5.138G	51.74	54.00	-2.26	46.71	3	Horizontal	40	1.99	-	31.85	6.90	33.72					
PK	5.2738G	109.52	Inf	-Inf	105.06	3	Horizontal	40	1.99	-	31.25	6.96	33.75					
AV	5.3088G	99.05	Inf	-Inf	94.62	3	Horizontal	40	1.99	-	31.22	6.97	33.76					
PK	5.3634G	65.29	74.00	-8.71	60.73	3	Horizontal	40	1.99	-	31.33	7.00	33.77					
AV	5.3998G	52.58	54.00	-1.42	47.95	3	Horizontal	40	1.99	-	31.40	7.01	33.78					
PK	5.4936G	59.82	68.20	-8.38	54.80	3	Horizontal	40	1.99	-	31.67	7.16	33.81					

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_4TX
Setting 53
01-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.50978G	56.37	68.20	-11.83	35.98	3	Vertical	108	1.90	-	38.60	14.20	32.41			
PK	15.73722G	60.22	74.00	-13.78	39.74	3	Vertical	200	2.45	-	37.87	15.37	32.76			
AV	15.7383G	48.15	54.00	-5.85	27.66	3	Vertical	200	2.45	-	37.88	15.37	32.76			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 3_4TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_4TX
Setting 53
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5021G	56.75	68.20	-11.45	36.36	3	Horizontal	267	2.27	-	38.60	14.20	32.41			
PK	15.74928G	59.13	74.00	-14.87	38.62	3	Horizontal	23	2.05	-	37.90	15.37	32.76			
AV	15.74916G	47.70	54.00	-6.30	27.19	3	Horizontal	23	2.05	-	37.90	15.37	32.76			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 51
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1352G	57.63	74.00	-16.37	52.61	3	Vertical	355	1.01	-	31.84	6.90	33.72			
AV	5.145G	47.13	54.00	-6.87	42.06	3	Vertical	355	1.01	-	31.88	6.91	33.72			
PK	5.313G	99.50	Inf	-Inf	95.05	3	Vertical	355	1.01	-	31.23	6.98	33.76			
AV	5.313G	89.01	Inf	-Inf	84.56	3	Vertical	355	1.01	-	31.23	6.98	33.76			
PK	5.4054G	58.45	74.00	-15.55	53.81	3	Vertical	355	1.01	-	31.41	7.02	33.79			
AV	5.4138G	48.12	54.00	-5.88	43.45	3	Vertical	355	1.01	-	31.43	7.03	33.79			
PK	5.579G	58.83	68.20	-9.37	53.68	3	Vertical	355	1.01	-	31.64	7.31	33.80			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_4TX
Setting 51
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1492G	60.63	74.00	-13.37	55.54	3	Horizontal	38	1.80	-	31.90	6.91	33.72			
AV	5.1436G	50.52	54.00	-3.48	45.47	3	Horizontal	38	1.80	-	31.87	6.90	33.72			
PK	5.3088G	108.52	Inf	-Inf	104.09	3	Horizontal	38	1.80	-	31.22	6.97	33.76			
AV	5.3088G	98.16	Inf	-Inf	93.73	3	Horizontal	38	1.80	-	31.22	6.97	33.76			
PK	5.3536G	63.32	74.00	-10.68	58.79	3	Horizontal	38	1.80	-	31.31	6.99	33.77			
AV	5.3984G	52.34	54.00	-1.66	47.71	3	Horizontal	38	1.80	-	31.40	7.01	33.78			
PK	5.5216G	59.82	68.20	-8.38	54.72	3	Horizontal	38	1.80	-	31.70	7.21	33.81			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_4TX
Setting 51
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4973G	56.61	68.20	-11.59	36.23	3	Vertical	234	1.01	-	38.60	14.19	32.41			
PK	15.74406G	60.94	74.00	-13.06	40.44	3	Vertical	16	1.19	-	37.89	15.37	32.76			
AV	15.74124G	48.82	54.00	-5.18	28.33	3	Vertical	16	1.19	-	37.88	15.37	32.76			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 2_4TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_4TX
Setting 51
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4898G	56.54	68.20	-11.66	36.17	3	Horizontal	22	1.41	-	38.60	14.19	32.42			
PK	15.74046G	59.50	74.00	-14.50	39.01	3	Horizontal	320	2.38	-	37.88	15.37	32.76			
AV	15.73848G	48.63	54.00	-5.37	28.14	3	Horizontal	320	2.38	-	37.88	15.37	32.76			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

5570MHz_TX




EUT_Y_4TX
Setting 53
06-U-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.2312G	57.18	68.20	-11.02	52.57	3	Vertical	5	2.61	-	31.41	6.94	33.74			
PK	5.4034G	58.30	74.00	-15.70	53.65	3	Vertical	5	2.61	-	31.41	7.02	33.78			
PK	5.4692G	57.73	68.20	-10.47	52.83	3	Vertical	5	2.61	-	31.58	7.12	33.80			
AV	5.4384G	47.83	54.00	-6.17	43.07	3	Vertical	5	2.61	-	31.48	7.07	33.79			
PK	5.5126G	99.59	Inf	-Inf	94.50	3	Vertical	5	2.61	-	31.70	7.20	33.81			
AV	5.633G	89.60	Inf	-Inf	84.38	3	Vertical	5	2.61	-	31.67	7.34	33.79			
PK	5.92G	59.49	68.20	-8.71	53.44	3	Vertical	5	2.61	-	32.24	7.57	33.76			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX

5570MHz_TX




EUT_Y_4TX
Setting 53
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3166G	57.80	68.20	-10.40	53.35	3	Horizontal	305	2.15	-	31.23	6.98	33.76			
PK	5.4412G	60.69	74.00	-13.31	55.92	3	Horizontal	305	2.15	-	31.48	7.08	33.79			
PK	5.4608G	59.98	68.20	-8.22	55.13	3	Horizontal	305	2.15	-	31.54	7.11	33.80			
AV	5.4552G	50.61	54.00	-3.39	45.79	3	Horizontal	305	2.15	-	31.52	7.10	33.80			
PK	5.5518G	110.04	Inf	-Inf	104.88	3	Horizontal	305	2.15	-	31.70	7.26	33.80			
AV	5.5868G	99.02	Inf	-Inf	93.87	3	Horizontal	305	2.15	-	31.63	7.32	33.80			
PK	5.7324G	61.63	68.20	-6.57	56.06	3	Horizontal	305	2.15	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


5570MHz_TX

EUT_Y_4TX
Setting 53
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12818G	57.41	74.00	-16.59	36.48	3	Vertical	56	1.07	-	38.86	14.54	32.47			
AV	11.12614G	44.37	54.00	-9.63	23.45	3	Vertical	56	1.07	-	38.85	14.54	32.47			
PK	16.7133G	60.13	68.20	-8.07	38.39	3	Vertical	209	2.24	-	38.47	15.57	32.30			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484+RU242 MRU 6_4TX


5570MHz_TX

EUT_Y_4TX
Setting 53
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.14354G	56.47	74.00	-17.53	35.50	3	Horizontal	193	2.48	-	38.89	14.55	32.47			
AV	11.13328G	44.27	54.00	-9.73	23.33	3	Horizontal	193	2.48	-	38.87	14.54	32.47			
PK	16.70982G	58.94	68.20	-9.26	37.19	3	Horizontal	44	2.70	-	38.48	15.57	32.30			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




EUT_Y_4TX
Setting 50
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.2872G	58.19	68.20	-10.01	53.75	3	Vertical	5	2.62	-	31.23	6.96	33.75			
PK	5.4426G	58.47	74.00	-15.53	53.70	3	Vertical	5	2.62	-	31.49	7.08	33.80			
AV	5.4398G	47.81	54.00	-6.19	43.04	3	Vertical	5	2.62	-	31.48	7.08	33.79			
PK	5.4622G	57.64	68.20	-10.56	52.78	3	Vertical	5	2.62	-	31.55	7.11	33.80			
PK	5.6274G	99.45	Inf	-Inf	94.25	3	Vertical	5	2.62	-	31.65	7.34	33.79			
AV	5.633G	89.54	Inf	-Inf	84.32	3	Vertical	5	2.62	-	31.67	7.34	33.79			
PK	5.8584G	58.67	68.20	-9.53	52.86	3	Vertical	5	2.62	-	32.12	7.46	33.77			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX




EUT_Y_4TX
Setting 50
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3278G	58.09	68.20	-10.11	53.62	3	Horizontal	301	2.08	-	31.26	6.98	33.77			
PK	5.4356G	61.03	74.00	-12.97	56.28	3	Horizontal	301	2.08	-	31.47	7.07	33.79			
AV	5.4258G	50.68	54.00	-3.32	45.97	3	Horizontal	301	2.08	-	31.45	7.05	33.79			
PK	5.47G	60.01	68.20	-8.19	55.10	3	Horizontal	301	2.08	-	31.58	7.13	33.80			
PK	5.556G	108.94	Inf	-Inf	103.78	3	Horizontal	301	2.08	-	31.69	7.27	33.80			
AV	5.5518G	99.25	Inf	-Inf	94.09	3	Horizontal	301	2.08	-	31.70	7.26	33.80			
PK	5.8122G	59.85	68.20	-8.35	54.23	3	Horizontal	301	2.08	-	32.02	7.37	33.77			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5570MHz_TX

EUT_Y_4TX
Setting 50
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13418G	60.09	74.00	-13.91	39.15	3	Vertical	124	1.93	-	38.87	14.54	32.47			
AV	11.14762G	47.46	54.00	-6.54	26.48	3	Vertical	124	1.93	-	38.90	14.55	32.47			
PK	16.71846G	60.94	68.20	-7.26	39.20	3	Vertical	27	1.34	-	38.46	15.57	32.29			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0),RU996+RU484 MRU 3_4TX


5570MHz_TX

EUT_Y_4TX
Setting 50
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13112G	60.74	74.00	-13.26	39.81	3	Horizontal	217	1.99	-	38.86	14.54	32.47			
AV	11.1421G	48.32	54.00	-5.68	27.36	3	Horizontal	217	1.99	-	38.88	14.55	32.47			
PK	16.6986G	60.13	68.20	-8.07	38.37	3	Horizontal	130	1.33	-	38.50	15.57	32.31			

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 41
06-U-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1344G	59.78	74.00	-14.22	54.75	3	Vertical	349	3.00	-	31.84	6.90	33.71					
AV	5.1344G	47.90	54.00	-6.10	42.87	3	Vertical	349	3.00	-	31.84	6.90	33.71					
PK	5.2408G	97.30	Inf	-Inf	92.73	3	Vertical	349	3.00	-	31.36	6.95	33.74					
AV	5.2394G	87.54	Inf	-Inf	82.97	3	Vertical	349	3.00	-	31.36	6.95	33.74					
PK	5.3892G	58.08	74.00	-15.92	53.47	3	Vertical	349	3.00	-	31.38	7.01	33.78					
AV	5.4578G	47.60	54.00	-6.40	42.76	3	Vertical	349	3.00	-	31.53	7.11	33.80					
PK	5.5306G	58.69	68.20	-9.51	53.57	3	Vertical	349	3.00	-	31.70	7.23	33.81					

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5210MHz_TX




EUT_Y_4TX
Setting 41
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1358G	68.44	74.00	-5.56	63.42	3	Horizontal	44	1.99	-	31.84	6.90	33.72
AV	5.1358G	53.90	54.00	-0.10	48.88	3	Horizontal	44	1.99	-	31.84	6.90	33.72
PK	5.2366G	105.98	Inf	-Inf	101.40	3	Horizontal	44	1.99	-	31.38	6.94	33.74
AV	5.2352G	95.86	Inf	-Inf	91.27	3	Horizontal	44	1.99	-	31.39	6.94	33.74
PK	5.4046G	59.39	74.00	-14.61	54.75	3	Horizontal	44	1.99	-	31.41	7.02	33.79
AV	5.413G	48.31	54.00	-5.69	43.64	3	Horizontal	44	1.99	-	31.43	7.03	33.79
PK	5.4872G	58.22	68.20	-9.98	53.23	3	Horizontal	44	1.99	-	31.65	7.15	33.81

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 41
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	57.41	74.00	-16.59	52.39	3	Vertical	352	1.00	-	31.83	6.90	33.71			
AV	5.1428G	46.94	54.00	-7.06	41.89	3	Vertical	352	1.00	-	31.87	6.90	33.72			
PK	5.314G	99.58	Inf	-Inf	95.13	3	Vertical	352	1.00	-	31.23	6.98	33.76			
AV	5.318G	89.43	Inf	-Inf	84.97	3	Vertical	352	1.00	-	31.24	6.98	33.76			
PK	5.3556G	64.04	74.00	-9.96	59.51	3	Vertical	352	1.00	-	31.31	6.99	33.77			
AV	5.3588G	48.96	54.00	-5.04	44.42	3	Vertical	352	1.00	-	31.32	6.99	33.77			
PK	5.4828G	57.76	68.20	-10.44	52.79	3	Vertical	352	1.00	-	31.63	7.15	33.81			

5.25-5.35GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5290MHz_TX




EUT_Y_4TX
Setting 52
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	59.22	74.00	-14.78	54.20	3	Horizontal	49	2.00	-	31.84	6.90	33.72
AV	5.1356G	47.90	54.00	-6.10	42.88	3	Horizontal	49	2.00	-	31.84	6.90	33.72
PK	5.2844G	109.31	Inf	-Inf	104.87	3	Horizontal	49	2.00	-	31.23	6.96	33.75
AV	5.314G	98.72	Inf	-Inf	94.27	3	Horizontal	49	2.00	-	31.23	6.98	33.76
PK	5.354G	73.53	74.00	-0.47	69.00	3	Horizontal	49	2.00	-	31.31	6.99	33.77
AV	5.354G	53.55	54.00	-0.45	49.02	3	Horizontal	49	2.00	-	31.31	6.99	33.77
PK	5.4812G	58.56	68.20	-9.64	53.61	3	Horizontal	49	2.00	-	31.62	7.14	33.81

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 44
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.28G	57.37	68.20	-10.83	52.92	3	Vertical	6	2.72	-	31.24	6.96	33.75			
PK	5.456G	59.05	74.00	-14.95	54.23	3	Vertical	6	2.72	-	31.52	7.10	33.80			
AV	5.458G	48.22	54.00	-5.78	43.38	3	Vertical	6	2.72	-	31.53	7.11	33.80			
PK	5.464G	58.03	68.20	-10.17	53.15	3	Vertical	6	2.72	-	31.56	7.12	33.80			
PK	5.522G	98.84	Inf	-Inf	93.74	3	Vertical	6	2.72	-	31.70	7.21	33.81			
AV	5.514G	88.39	Inf	-Inf	83.30	3	Vertical	6	2.72	-	31.70	7.20	33.81			
PK	5.76G	58.33	68.20	-9.87	52.76	3	Vertical	6	2.72	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5530MHz_TX




EUT_Y_4TX
Setting 44
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.345G	58.38	68.20	-9.82	53.87	3	Horizontal	37	1.96	-	31.29	6.99	33.77				
PK	5.456G	66.07	74.00	-7.93	61.25	3	Horizontal	37	1.96	-	31.52	7.10	33.80				
AV	5.456G	53.83	54.00	-0.17	49.01	3	Horizontal	37	1.96	-	31.52	7.10	33.80				
PK	5.461G	62.84	68.20	-5.36	57.99	3	Horizontal	37	1.96	-	31.54	7.11	33.80				
PK	5.523G	107.58	Inf	-Inf	102.48	3	Horizontal	37	1.96	-	31.70	7.21	33.81				
AV	5.519G	97.51	Inf	-Inf	92.41	3	Horizontal	37	1.96	-	31.70	7.21	33.81				
PK	5.751G	58.87	68.20	-9.33	53.30	3	Horizontal	37	1.96	-	32.00	7.35	33.78				

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5610MHz_TX




EUT Y_4TX
Setting 54
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	58.51	74.00	-15.49	53.69	3	Vertical	3	2.70	-	31.52	7.10	33.80
AV	5.427G	47.54	54.00	-6.46	42.83	3	Vertical	3	2.70	-	31.45	7.05	33.79
PK	5.468G	57.39	68.20	-10.81	52.50	3	Vertical	3	2.70	-	31.57	7.12	33.80
PK	5.617G	102.03	Inf	-Inf	96.86	3	Vertical	3	2.70	-	31.63	7.34	33.80
AV	5.618G	91.40	Inf	-Inf	86.22	3	Vertical	3	2.70	-	31.64	7.34	33.80
PK	5.792G	59.48	68.20	-8.72	53.90	3	Vertical	3	2.70	-	32.00	7.35	33.77

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX


5610MHz_TX

EUT Y_4TX
Setting 54
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.453G	62.16	74.00	-11.84	57.35	3	Horizontal	50	2.14	-	31.51	7.10	33.80			
AV	5.454G	49.00	54.00	-5.00	44.18	3	Horizontal	50	2.14	-	31.52	7.10	33.80			
PK	5.47G	61.22	68.20	-6.98	56.31	3	Horizontal	50	2.14	-	31.58	7.13	33.80			
PK	5.631G	111.03	Inf	-Inf	105.82	3	Horizontal	50	2.14	-	31.66	7.34	33.79			
AV	5.636G	101.01	Inf	-Inf	95.79	3	Horizontal	50	2.14	-	31.67	7.34	33.79			
PK	5.732G	65.88	68.20	-2.32	60.31	3	Horizontal	50	2.14	-	32.00	7.35	33.78			

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 60
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	57.21	74.00	-16.79	52.46	3	Vertical	16	3.00	-	31.47	7.07	33.79
AV	5.4428G	47.36	54.00	-6.64	42.59	3	Vertical	16	3.00	-	31.49	7.08	33.80
PK	5.4656G	57.68	68.20	-10.52	52.80	3	Vertical	16	3.00	-	31.56	7.12	33.80
PK	5.7032G	104.90	Inf	-Inf	99.34	3	Vertical	16	3.00	-	32.00	7.35	33.79
AV	5.7044G	93.99	Inf	-Inf	88.43	3	Vertical	16	3.00	-	32.00	7.35	33.79
PK	5.8964G	60.36	68.20	-7.84	54.41	3	Vertical	16	3.00	-	32.19	7.52	33.76

5.47-5.725GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 2_4TX


5690MHz Straddle 5.47-5.725GHz_TX

EUT Y_4TX
Setting 60
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	59.54	74.00	-14.46	54.79	3	Horizontal	47	2.09	-	31.47	7.07	33.79
PK	5.4692G	62.42	68.20	-5.78	57.52	3	Horizontal	47	2.09	-	31.58	7.12	33.80
AV	5.4548G	48.71	54.00	-5.29	43.89	3	Horizontal	47	2.09	-	31.52	7.10	33.80
PK	5.6948G	113.41	Inf	-Inf	107.89	3	Horizontal	47	2.09	-	31.97	7.34	33.79
AV	5.6936G	102.82	Inf	-Inf	97.31	3	Horizontal	47	2.09	-	31.96	7.34	33.79
PK	5.8532G	65.49	68.20	-2.71	59.70	3	Horizontal	47	2.09	-	32.11	7.45	33.77

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 58
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.609G	60.92	68.20	-7.28	55.76	3	Vertical	18	2.99	-	31.62	7.34	33.80			
PK	5.768G	103.94	Inf	-Inf	98.37	3	Vertical	18	2.99	-	32.00	7.35	33.78			
AV	5.769G	92.58	Inf	-Inf	87.01	3	Vertical	18	2.99	-	32.00	7.35	33.78			
PK	5.942G	59.30	68.20	-8.90	53.17	3	Vertical	18	2.99	-	32.28	7.61	33.76			

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0),RU484+RU242 MRU 3_4TX

5775MHz_TX




EUT_Y_4TX
Setting 58
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.615G	67.75	68.20	-0.45	62.58	3	Horizontal	54	2.16	-	31.63	7.34	33.80			
PK	5.743G	113.10	Inf	-Inf	107.53	3	Horizontal	54	2.16	-	32.00	7.35	33.78			
AV	5.745G	101.86	Inf	-Inf	96.29	3	Horizontal	54	2.16	-	32.00	7.35	33.78			
PK	5.987G	59.68	68.20	-8.52	53.37	3	Horizontal	54	2.16	-	32.37	7.69	33.75			

5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 42
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0028G	57.39	74.00	-16.61	52.63	3	Vertical	347	3.00	-	31.60	6.84	33.68
AV	5.0604G	47.20	54.00	-6.80	42.41	3	Vertical	347	3.00	-	31.62	6.87	33.70
PK	5.3148G	96.54	Inf	-Inf	92.09	3	Vertical	347	3.00	-	31.23	6.98	33.76
AV	5.2764G	84.88	Inf	-Inf	80.42	3	Vertical	347	3.00	-	31.25	6.96	33.75
PK	5.4396G	58.80	74.00	-15.20	54.03	3	Vertical	347	3.00	-	31.48	7.08	33.79
AV	5.4492G	47.73	54.00	-6.27	42.94	3	Vertical	347	3.00	-	31.50	7.09	33.80
PK	5.4876G	58.58	68.20	-9.62	53.59	3	Vertical	347	3.00	-	31.65	7.15	33.81

5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 3_4TX


5250MHz Straddle 5.15-5.25GHz_TX

EUT_Y_4TX
Setting 42
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	58.27	74.00	-15.73	53.18	3	Horizontal	45	2.04	-	31.90	6.91	33.72
AV	5.1492G	48.10	54.00	-5.90	43.01	3	Horizontal	45	2.04	-	31.90	6.91	33.72
PK	5.2764G	103.14	Inf	-Inf	98.68	3	Horizontal	45	2.04	-	31.25	6.96	33.75
AV	5.3172G	93.20	Inf	-Inf	88.75	3	Horizontal	45	2.04	-	31.23	6.98	33.76
PK	5.4108G	59.15	74.00	-14.85	54.49	3	Horizontal	45	2.04	-	31.42	7.03	33.79
AV	5.418G	49.04	54.00	-4.96	44.35	3	Horizontal	45	2.04	-	31.44	7.04	33.79
PK	5.5428G	58.87	68.20	-9.33	53.72	3	Horizontal	45	2.04	-	31.70	7.25	33.80

5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 40
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.0544G	57.73	74.00	-16.27	52.95	3	Vertical	356	1.00	-	31.61	6.86	33.69			
AV	5.1348G	47.05	54.00	-6.95	42.03	3	Vertical	356	1.00	-	31.84	6.90	33.72			
PK	5.3268G	93.38	Inf	-Inf	88.91	3	Vertical	356	1.00	-	31.25	6.98	33.76			
AV	5.3172G	83.63	Inf	-Inf	79.18	3	Vertical	356	1.00	-	31.23	6.98	33.76			
PK	5.3976G	58.25	74.00	-15.75	53.62	3	Vertical	356	1.00	-	31.40	7.01	33.78			
AV	5.4156G	47.75	54.00	-6.25	43.07	3	Vertical	356	1.00	-	31.43	7.04	33.79			
PK	5.532G	59.11	68.20	-9.09	53.99	3	Vertical	356	1.00	-	31.70	7.23	33.81			

5.15-5.25GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 2_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 40
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	58.23	74.00	-15.77	53.15	3	Horizontal	43	1.96	-	31.89	6.91	33.72
AV	5.1372G	47.78	54.00	-6.22	42.75	3	Horizontal	43	1.96	-	31.85	6.90	33.72
PK	5.2788G	103.41	Inf	-Inf	98.96	3	Horizontal	43	1.96	-	31.24	6.96	33.75
AV	5.3172G	93.43	Inf	-Inf	88.98	3	Horizontal	43	1.96	-	31.23	6.98	33.76
PK	5.4192G	59.05	74.00	-14.95	54.36	3	Horizontal	43	1.96	-	31.44	7.04	33.79
AV	5.4204G	49.76	54.00	-4.24	45.07	3	Horizontal	43	1.96	-	31.44	7.04	33.79
PK	5.4624G	59.51	68.20	-8.69	54.65	3	Horizontal	43	1.96	-	31.55	7.11	33.80

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 6_4TX


5570MHz_TX

EUT_Y_4TX
Setting 46
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3444G	57.02	68.20	-11.18	52.51	3	Vertical	17	2.77	-	31.29	6.99	33.77
PK	5.4308G	57.85	74.00	-16.15	53.12	3	Vertical	17	2.77	-	31.46	7.06	33.79
PK	5.4668G	57.47	68.20	-10.73	52.58	3	Vertical	17	2.77	-	31.57	7.12	33.80
AV	5.4524G	47.44	54.00	-6.56	42.63	3	Vertical	17	2.77	-	31.51	7.10	33.80
PK	5.5448G	94.99	Inf	-Inf	89.84	3	Vertical	17	2.77	-	31.70	7.25	33.80
AV	5.5472G	85.46	Inf	-Inf	80.31	3	Vertical	17	2.77	-	31.70	7.25	33.80
PK	5.8436G	58.70	68.20	-9.50	52.95	3	Vertical	17	2.77	-	32.09	7.43	33.77

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484+RU242 MRU 6_4TX


5570MHz_TX

EUT_Y_4TX
Setting 46
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3408G	57.91	68.20	-10.29	53.41	3	Horizontal	52	2.08	-	31.28	6.99	33.77
PK	5.42G	58.77	74.00	-15.23	54.08	3	Horizontal	52	2.08	-	31.44	7.04	33.79
AV	5.4356G	48.33	54.00	-5.67	43.58	3	Horizontal	52	2.08	-	31.47	7.07	33.79
PK	5.462G	58.81	68.20	-9.39	53.95	3	Horizontal	52	2.08	-	31.55	7.11	33.80
PK	5.6312G	103.72	Inf	-Inf	98.51	3	Horizontal	52	2.08	-	31.66	7.34	33.79
AV	5.6324G	93.95	Inf	-Inf	88.74	3	Horizontal	52	2.08	-	31.66	7.34	33.79
PK	5.7332G	59.17	68.20	-9.03	53.60	3	Horizontal	52	2.08	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 3_4TX


5570MHz_TX

EUT_Y_4TX
Setting 44
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3288G	57.58	68.20	-10.62	53.11	3	Vertical	15	2.75	-	31.26	6.98	33.77
PK	5.384G	58.85	74.00	-15.15	54.26	3	Vertical	15	2.75	-	31.37	7.00	33.78
AV	5.408G	47.48	54.00	-6.52	42.83	3	Vertical	15	2.75	-	31.42	7.02	33.79
PK	5.468G	57.26	68.20	-10.94	52.37	3	Vertical	15	2.75	-	31.57	7.12	33.80
PK	5.5436G	96.02	Inf	-Inf	90.87	3	Vertical	15	2.75	-	31.70	7.25	33.80
AV	5.5472G	86.24	Inf	-Inf	81.09	3	Vertical	15	2.75	-	31.70	7.25	33.80
PK	5.774G	58.84	68.20	-9.36	53.27	3	Vertical	15	2.75	-	32.00	7.35	33.78

5.47-5.725GHz_802.11be EHT160_Nss4,(MCS0),RU996+RU484 MRU 3_4TX

5570MHz_TX

EUT_Y_4TX
Setting 44
06-U-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3468G	57.94	68.20	-10.26	53.43	3	Horizontal	57	2.10	-	31.29	6.99	33.77
PK	5.438G	58.99	74.00	-15.01	54.23	3	Horizontal	57	2.10	-	31.48	7.07	33.79
AV	5.4152G	48.85	54.00	-5.15	44.17	3	Horizontal	57	2.10	-	31.43	7.04	33.79
PK	5.4668G	58.67	68.20	-9.53	53.78	3	Horizontal	57	2.10	-	31.57	7.12	33.80
PK	5.6288G	105.57	Inf	-Inf	100.36	3	Horizontal	57	2.10	-	31.66	7.34	33.79
AV	5.6312G	94.99	Inf	-Inf	89.78	3	Horizontal	57	2.10	-	31.66	7.34	33.79
PK	5.7332G	59.12	68.20	-9.08	53.55	3	Horizontal	57	2.10	-	32.00	7.35	33.78