


2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 90
06-E-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.461G	118.65	Inf	-Inf	118.63	3	Vertical	343	2.35	-	28.60	4.73	33.31			
AV	2.4612G	114.59	Inf	-Inf	114.57	3	Vertical	343	2.35	-	28.60	4.73	33.31			
PK	2.4836G	60.30	74.00	-13.70	60.06	3	Vertical	343	2.35	-	28.80	4.77	33.33			
AV	2.4835G	53.37	54.00	-0.63	53.13	3	Vertical	343	2.35	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 90
06-E-R-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4631G	112.14	Inf	-Inf	112.11	3	Horizontal	329	1.54	-	28.60	4.74	33.31				
AV	2.4612G	108.13	Inf	-Inf	108.11	3	Horizontal	329	1.54	-	28.60	4.73	33.31				
PK	2.486G	56.76	74.00	-17.24	56.51	3	Horizontal	329	1.54	-	28.80	4.78	33.33				
AV	2.4835G	47.10	54.00	-6.90	46.86	3	Horizontal	329	1.54	-	28.80	4.77	33.33				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 90
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.924G	53.74	74.00	-20.26	47.65	3	Vertical	285	1.51	-	33.20	6.56	33.67				
AV	4.92402G	42.28	54.00	-11.72	36.19	3	Vertical	285	1.51	-	33.20	6.56	33.67				
PK	7.38769G	55.19	74.00	-18.81	42.80	3	Vertical	36	2.29	-	37.32	8.64	33.57				
AV	7.38712G	41.52	54.00	-12.48	29.12	3	Vertical	36	2.29	-	37.33	8.64	33.57				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 90
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92323G	49.22	74.00	-24.78	43.13	3	Horizontal	92	1.76	-	33.20	6.56	33.67			
AV	4.92382G	38.05	54.00	-15.95	31.96	3	Horizontal	92	1.76	-	33.20	6.56	33.67			
PK	7.38435G	55.11	74.00	-18.89	42.71	3	Horizontal	211	2.57	-	37.33	8.64	33.57			
AV	7.38566G	41.59	54.00	-12.41	29.19	3	Horizontal	211	2.57	-	37.33	8.64	33.57			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 83
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	65.87	74.00	-8.13	66.90	3	Vertical	360	1.57	-	28.40	5.43	34.86			
AV	2.39G	52.03	54.00	-1.97	53.06	3	Vertical	360	1.57	-	28.40	5.43	34.86			
PK	2.4162G	117.93	Inf	-Inf	118.98	3	Vertical	360	1.57	-	28.36	5.46	34.87			
AV	2.4161G	109.43	Inf	-Inf	110.48	3	Vertical	360	1.57	-	28.36	5.46	34.87			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 83
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3897G	66.68	74.00	-7.32	67.71	3	Horizontal	349	1.79	-	28.40	5.43	34.86			
AV	2.3895G	51.83	54.00	-2.17	52.87	3	Horizontal	349	1.79	-	28.39	5.43	34.86			
PK	2.4184G	117.55	Inf	-Inf	118.59	3	Horizontal	349	1.79	-	28.38	5.46	34.88			
AV	2.4137G	108.97	Inf	-Inf	110.04	3	Horizontal	349	1.79	-	28.34	5.46	34.87			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 68
06-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82175G	49.03	74.00	-24.97	43.15	3	Vertical	292	2.74	-	33.00	6.55	33.67			
AV	4.8242G	37.27	54.00	-16.73	31.39	3	Vertical	292	2.74	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 68
06-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82556G	48.59	74.00	-25.41	42.71	3	Horizontal	206	1.38	-	33.00	6.55	33.67			
AV	4.8231G	37.24	54.00	-16.76	31.36	3	Horizontal	206	1.38	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT Y_2TX
Setting 77
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	65.39	74.00	-8.61	65.61	3	Vertical	0	1.24	-	28.40	4.62	33.24			
AV	2.39G	49.97	54.00	-4.03	50.19	3	Vertical	0	1.24	-	28.40	4.62	33.24			
PK	2.4116G	116.05	Inf	-Inf	116.14	3	Vertical	0	1.24	-	28.52	4.65	33.26			
AV	2.416G	107.16	Inf	-Inf	107.21	3	Vertical	0	1.24	-	28.56	4.66	33.27			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT Y_2TX
Setting 77
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	71.43	74.00	-2.57	71.66	3	Horizontal	359	2.83	-	28.39	4.62	33.24			
AV	2.3896G	53.85	54.00	-0.15	54.08	3	Horizontal	359	2.83	-	28.39	4.62	33.24			
PK	2.4138G	115.92	Inf	-Inf	115.99	3	Horizontal	359	2.83	-	28.54	4.65	33.26			
AV	2.4186G	107.94	Inf	-Inf	107.96	3	Horizontal	359	2.83	-	28.59	4.66	33.27			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 89
02-R-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	69.49	74.00	-4.51	69.73	3	Vertical	0	2.28	-	28.38	4.62	33.24			
AV	2.3888G	52.54	54.00	-1.46	52.78	3	Vertical	0	2.28	-	28.38	4.62	33.24			
PK	2.4396G	120.12	Inf	-Inf	120.11	3	Vertical	0	2.28	-	28.60	4.70	33.29			
AV	2.4338G	111.00	Inf	-Inf	110.93	3	Vertical	0	2.28	-	28.66	4.69	33.28			
PK	2.4838G	73.61	74.00	-0.39	73.37	3	Vertical	0	2.28	-	28.80	4.77	33.33			
AV	2.4844G	53.08	54.00	-0.92	52.84	3	Vertical	0	2.28	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 89
02-R-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	69.20	74.00	-4.80	69.44	3	Horizontal	357	2.76	-	28.38	4.62	33.24
AV	2.3892G	53.17	54.00	-0.83	53.41	3	Horizontal	357	2.76	-	28.38	4.62	33.24
PK	2.4338G	122.16	Inf	-Inf	122.09	3	Horizontal	357	2.76	-	28.66	4.69	33.28
AV	2.4338G	111.77	Inf	-Inf	111.70	3	Horizontal	357	2.76	-	28.66	4.69	33.28
PK	2.4838G	73.96	74.00	-0.04	73.72	3	Horizontal	357	2.76	-	28.80	4.77	33.33
AV	2.4846G	52.83	54.00	-1.17	52.59	3	Horizontal	357	2.76	-	28.80	4.77	33.33

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 89
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87691G	48.66	74.00	-25.34	42.67	3	Vertical	201	2.93	-	33.11	6.55	33.67			
AV	4.8696G	37.30	54.00	-16.70	31.34	3	Vertical	201	2.93	-	33.08	6.55	33.67			
PK	7.3152G	54.62	74.00	-19.38	42.25	3	Vertical	193	2.76	-	37.33	8.58	33.54			
AV	7.31526G	42.78	54.00	-11.22	30.41	3	Vertical	193	2.76	-	37.33	8.58	33.54			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 89
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87367G	48.41	74.00	-25.59	42.44	3	Horizontal	260	1.87	-	33.09	6.55	33.67				
AV	4.87038G	37.18	54.00	-16.82	31.22	3	Horizontal	260	1.87	-	33.08	6.55	33.67				
PK	7.31502G	54.70	74.00	-19.30	42.33	3	Horizontal	184	2.23	-	37.33	8.58	33.54				
AV	7.31547G	43.06	54.00	-10.94	30.69	3	Horizontal	184	2.23	-	37.33	8.58	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_Y_2TX
Setting 75
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4514G	114.56	Inf	-Inf	114.63	3	Vertical	0	2.10	-	28.51	4.72	33.30				
AV	2.4514G	106.18	Inf	-Inf	106.25	3	Vertical	0	2.10	-	28.51	4.72	33.30				
PK	2.4862G	68.60	74.00	-5.40	68.35	3	Vertical	0	2.10	-	28.80	4.78	33.33				
AV	2.4858G	50.96	54.00	-3.04	50.71	3	Vertical	0	2.10	-	28.80	4.78	33.33				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT Y_2TX
Setting 75
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.454G	114.40	Inf	-Inf	114.44	3	Horizontal	0	2.77	-	28.54	4.72	33.30			
AV	2.4536G	106.04	Inf	-Inf	106.08	3	Horizontal	0	2.77	-	28.54	4.72	33.30			
PK	2.484G	70.24	74.00	-3.76	70.00	3	Horizontal	0	2.77	-	28.80	4.77	33.33			
AV	2.4838G	53.22	54.00	-0.78	52.98	3	Horizontal	0	2.77	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 84
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4565G	118.28	Inf	-Inf	119.37	3	Vertical	356	1.02	-	28.30	5.51	34.90			
AV	2.4566G	109.73	Inf	-Inf	110.82	3	Vertical	356	1.02	-	28.30	5.51	34.90			
PK	2.4835G	68.80	74.00	-5.20	69.77	3	Vertical	356	1.02	-	28.40	5.54	34.91			
AV	2.4835G	53.51	54.00	-0.49	54.48	3	Vertical	356	1.02	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 84
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4636G	116.97	Inf	-Inf	118.01	3	Horizontal	360	1.73	-	28.34	5.52	34.90			
AV	2.4635G	108.16	Inf	-Inf	109.20	3	Horizontal	360	1.73	-	28.34	5.52	34.90			
PK	2.4841G	66.37	74.00	-7.63	67.34	3	Horizontal	360	1.73	-	28.40	5.54	34.91			
AV	2.484G	52.33	54.00	-1.67	53.30	3	Horizontal	360	1.73	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 68
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92503G	49.22	74.00	-24.78	43.13	3	Vertical	39	1.43	-	33.20	6.56	33.67				
AV	4.92333G	37.69	54.00	-16.31	31.60	3	Vertical	39	1.43	-	33.20	6.56	33.67				
PK	7.30799G	54.22	74.00	-19.78	41.87	3	Vertical	222	2.93	-	37.32	8.57	33.54				
AV	7.31558G	43.02	54.00	-10.98	30.65	3	Vertical	222	2.93	-	37.33	8.58	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 68
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9227G	49.18	74.00	-24.82	43.09	3	Horizontal	132	1.64	-	33.20	6.56	33.67			
AV	4.92451G	37.93	54.00	-16.07	31.84	3	Horizontal	132	1.64	-	33.20	6.56	33.67			
PK	7.38876G	55.66	74.00	-18.34	43.27	3	Horizontal	331	2.32	-	37.32	8.64	33.57			
AV	7.38614G	43.46	54.00	-10.54	31.06	3	Horizontal	331	2.32	-	37.33	8.64	33.57			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 83
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3892G	65.61	74.00	-8.39	66.65	3	Vertical	6	1.80	-	28.39	5.43	34.86			
AV	2.39G	52.62	54.00	-1.38	53.65	3	Vertical	6	1.80	-	28.40	5.43	34.86			
PK	2.4109G	116.88	Inf	-Inf	117.99	3	Vertical	6	1.80	-	28.31	5.45	34.87			
AV	2.4165G	105.99	Inf	-Inf	107.04	3	Vertical	6	1.80	-	28.36	5.46	34.87			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 83
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3897G	67.60	74.00	-6.40	68.63	3	Horizontal	355	2.51	-	28.40	5.43	34.86			
AV	2.39G	53.28	54.00	-0.72	54.31	3	Horizontal	355	2.51	-	28.40	5.43	34.86			
PK	2.4157G	118.14	Inf	-Inf	119.19	3	Horizontal	355	2.51	-	28.36	5.46	34.87			
AV	2.4134G	107.29	Inf	-Inf	108.37	3	Horizontal	355	2.51	-	28.33	5.46	34.87			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 65
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82531G	48.46	74.00	-25.54	42.58	3	Vertical	158	2.45	-	33.00	6.55	33.67			
AV	4.82323G	36.23	54.00	-17.77	30.35	3	Vertical	158	2.45	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 65
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82421G	48.50	74.00	-25.50	42.62	3	Horizontal	284	1.18	-	33.00	6.55	33.67			
AV	4.82573G	35.96	54.00	-18.04	30.08	3	Horizontal	284	1.18	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 73
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	72.02	74.00	-1.98	72.26	3	Vertical	6	1.20	-	28.38	4.62	33.24			
AV	2.3894G	50.49	54.00	-3.51	50.72	3	Vertical	6	1.20	-	28.39	4.62	33.24			
PK	2.422G	116.98	Inf	-Inf	116.96	3	Vertical	6	1.20	-	28.62	4.67	33.27			
AV	2.4116G	104.79	Inf	-Inf	104.88	3	Vertical	6	1.20	-	28.52	4.65	33.26			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 73
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	73.59	74.00	-0.41	73.81	3	Horizontal	0	2.84	-	28.40	4.62	33.24			
AV	2.39G	51.89	54.00	-2.11	52.11	3	Horizontal	0	2.84	-	28.40	4.62	33.24			
PK	2.413G	117.55	Inf	-Inf	117.63	3	Horizontal	0	2.84	-	28.53	4.65	33.26			
AV	2.4178G	104.96	Inf	-Inf	104.99	3	Horizontal	0	2.84	-	28.58	4.66	33.27			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 86
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	71.48	74.00	-2.52	71.70	3	Vertical	356	2.35	-	28.40	4.62	33.24
AV	2.3898G	52.63	54.00	-1.37	52.85	3	Vertical	356	2.35	-	28.40	4.62	33.24
PK	2.436G	120.42	Inf	-Inf	120.37	3	Vertical	356	2.35	-	28.64	4.69	33.28
AV	2.4328G	108.30	Inf	-Inf	108.22	3	Vertical	356	2.35	-	28.67	4.69	33.28
PK	2.4842G	72.07	74.00	-1.93	71.83	3	Vertical	356	2.35	-	28.80	4.77	33.33
AV	2.4835G	53.83	54.00	-0.17	53.59	3	Vertical	356	2.35	-	28.80	4.77	33.33

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
SET 86
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	72.93	74.00	-1.07	73.15	3	Horizontal	351	2.78	-	28.40	4.62	33.24
AV	2.39G	53.73	54.00	-0.27	53.95	3	Horizontal	351	2.78	-	28.40	4.62	33.24
PK	2.429G	119.94	Inf	-Inf	119.85	3	Horizontal	351	2.78	-	28.69	4.68	33.28
AV	2.4328G	108.35	Inf	-Inf	108.27	3	Horizontal	351	2.78	-	28.67	4.69	33.28
PK	2.4852G	72.07	74.00	-1.93	71.83	3	Horizontal	351	2.78	-	28.80	4.77	33.33
AV	2.4835G	53.72	54.00	-0.28	53.48	3	Horizontal	351	2.78	-	28.80	4.77	33.33

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 86
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86943G	48.68	74.00	-25.32	42.72	3	Vertical	298	1.57	-	33.08	6.55	33.67				
AV	4.87287G	36.22	54.00	-17.78	30.25	3	Vertical	298	1.57	-	33.09	6.55	33.67				
PK	7.31586G	53.91	74.00	-20.09	41.54	3	Vertical	58	1.89	-	37.33	8.58	33.54				
AV	7.31044G	41.88	54.00	-12.12	29.53	3	Vertical	58	1.89	-	37.32	8.57	33.54				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 86
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87886G	48.03	74.00	-25.97	42.03	3	Horizontal	169	2.74	-	33.12	6.55	33.67			
AV	4.87836G	36.10	54.00	-17.90	30.11	3	Horizontal	169	2.74	-	33.11	6.55	33.67			
PK	7.31556G	53.86	74.00	-20.14	41.49	3	Horizontal	287	1.58	-	37.33	8.58	33.54			
AV	7.31545G	41.68	54.00	-12.32	29.31	3	Horizontal	287	1.58	-	37.33	8.58	33.54			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
Setting 72
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4518G	115.78	Inf	-Inf	115.84	3	Vertical	3	1.20	-	28.52	4.72	33.30			
AV	2.4514G	103.34	Inf	-Inf	103.41	3	Vertical	3	1.20	-	28.51	4.72	33.30			
PK	2.484G	72.49	74.00	-1.51	72.25	3	Vertical	3	1.20	-	28.80	4.77	33.33			
AV	2.484G	52.02	54.00	-1.98	51.78	3	Vertical	3	1.20	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
Setting 72
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.448G	115.46	Inf	-Inf	115.52	3	Horizontal	14	2.71	-	28.52	4.71	33.29			
AV	2.4504G	103.76	Inf	-Inf	103.84	3	Horizontal	14	2.71	-	28.50	4.72	33.30			
PK	2.4835G	71.81	74.00	-2.19	71.57	3	Horizontal	14	2.71	-	28.80	4.77	33.33			
AV	2.4835G	52.06	54.00	-1.94	51.82	3	Horizontal	14	2.71	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 80
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4609G	115.62	Inf	-Inf	116.70	3	Vertical	360	1.80	-	28.31	5.51	34.90			
AV	2.466G	104.47	Inf	-Inf	105.49	3	Vertical	360	1.80	-	28.36	5.52	34.90			
PK	2.486G	68.75	74.00	-5.25	69.72	3	Vertical	360	1.80	-	28.40	5.54	34.91			
AV	2.484G	52.90	54.00	-1.10	53.87	3	Vertical	360	1.80	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 80
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4677G	115.61	Inf	-Inf	116.61	3	Horizontal	357	2.96	-	28.38	5.52	34.90			
AV	2.4687G	104.52	Inf	-Inf	105.51	3	Horizontal	357	2.96	-	28.39	5.52	34.90			
PK	2.4865G	69.49	74.00	-4.51	70.46	3	Horizontal	357	2.96	-	28.40	5.54	34.91			
AV	2.4838G	53.54	54.00	-0.46	54.51	3	Horizontal	357	2.96	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 66
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92153G	48.55	74.00	-25.45	42.46	3	Vertical	36	1.02	-	33.20	6.56	33.67				
AV	4.92121G	36.25	54.00	-17.75	30.16	3	Vertical	36	1.02	-	33.20	6.56	33.67				
PK	7.386G	54.60	74.00	-19.40	42.20	3	Vertical	187	2.72	-	37.33	8.64	33.57				
AV	7.3842G	42.04	54.00	-11.96	29.64	3	Vertical	187	2.72	-	37.33	8.64	33.57				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 66
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9266G	48.33	74.00	-25.67	42.24	3	Horizontal	212	2.95	-	33.20	6.56	33.67				
AV	4.92081G	36.17	54.00	-17.83	30.08	3	Horizontal	212	2.95	-	33.20	6.56	33.67				
PK	7.38408G	55.09	74.00	-18.91	42.69	3	Horizontal	260	1.43	-	37.33	8.64	33.57				
AV	7.38859G	42.20	54.00	-11.80	29.81	3	Horizontal	260	1.43	-	37.32	8.64	33.57				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET 88
108\88\105\97\96\88
-19.44\2.01\18.91\8.62\10.35\1.86

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.3879G	59.40	74.00	-14.60	59.66	3	Vertical	184	1.48	88	28.36	4.62	33.24			
AV	2.3882G	52.14	54.00	-1.86	52.40	3	Vertical	184	1.48	88	28.36	4.62	33.24			
PK	2.413G	119.26	Inf	-Inf	119.34	3	Vertical	184	1.48	88	28.53	4.65	33.26			
AV	2.4112G	115.39	Inf	-Inf	115.49	3	Vertical	184	1.48	88	28.51	4.65	33.26			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
SET88
88
4.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3885G	58.96	74.00	-15.04	59.21	3	Horizontal	162	2.88	88	28.37	4.62	33.24				
AV	2.3876G	49.81	54.00	-4.19	50.08	3	Horizontal	162	2.88	88	28.35	4.62	33.24				
PK	2.413G	120.47	Inf	-Inf	120.55	3	Horizontal	162	2.88	88	28.53	4.65	33.26				
AV	2.4112G	116.55	Inf	-Inf	116.65	3	Horizontal	162	2.88	88	28.51	4.65	33.26				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 88
06-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82149G	48.30	74.00	-25.70	42.42	3	Vertical	93	2.93	-	33.00	6.55	33.67			
AV	4.82272G	35.06	54.00	-18.94	29.18	3	Vertical	93	2.93	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 88
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82561G	48.69	74.00	-25.31	42.81	3	Horizontal	24	2.43	-	33.00	6.55	33.67			
AV	4.82337G	35.02	54.00	-18.98	29.14	3	Horizontal	24	2.43	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2417MHz_TX




EUT_Y_4TX
Setting 90
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	58.16	74.00	-15.84	58.38	3	Vertical	356	1.52	-	28.40	4.62	33.24			
AV	2.39G	51.83	54.00	-2.17	52.05	3	Vertical	356	1.52	-	28.40	4.62	33.24			
PK	2.418G	119.34	Inf	-Inf	119.37	3	Vertical	356	1.52	-	28.58	4.66	33.27			
AV	2.4162G	115.53	Inf	-Inf	115.58	3	Vertical	356	1.52	-	28.56	4.66	33.27			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2417MHz_TX




EUT_Y_4TX
Setting 90
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	59.33	74.00	-14.67	59.55	3	Horizontal	353	2.80	-	28.40	4.62	33.24
AV	2.39G	51.78	54.00	-2.22	52.00	3	Horizontal	353	2.80	-	28.40	4.62	33.24
PK	2.418G	120.67	Inf	-Inf	120.70	3	Horizontal	353	2.80	-	28.58	4.66	33.27
AV	2.4162G	116.73	Inf	-Inf	116.78	3	Horizontal	353	2.80	-	28.56	4.66	33.27

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 100
90\108\99\103\101\100
11.38\2.51\4.87\2.64\1.37\2.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	59.14	74.00	-14.86	59.38	3	Vertical	185	1.06	100	28.38	4.62	33.24
AV	2.38868G	51.76	54.00	-2.24	52.01	3	Vertical	185	1.06	100	28.37	4.62	33.24
PK	2.43604G	120.73	Inf	-Inf	120.68	3	Vertical	185	1.06	100	28.64	4.69	33.28
AV	2.4362G	116.88	Inf	-Inf	116.83	3	Vertical	185	1.06	100	28.64	4.69	33.28
PK	2.4835G	57.12	74.00	-16.88	56.88	3	Vertical	185	1.06	100	28.80	4.77	33.33
AV	2.4835G	49.23	54.00	-4.77	48.99	3	Vertical	185	1.06	100	28.80	4.77	33.33

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
SET 99
100\98\99
-0.82\5.23\1.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38964G	59.19	74.00	-14.81	59.42	3	Horizontal	164	2.82	99	28.39	4.62	33.24
AV	2.38868G	51.73	54.00	-2.27	51.98	3	Horizontal	164	2.82	99	28.37	4.62	33.24
PK	2.43604G	121.47	Inf	-Inf	121.42	3	Horizontal	164	2.82	99	28.64	4.69	33.28
AV	2.4362G	117.34	Inf	-Inf	117.29	3	Horizontal	164	2.82	99	28.64	4.69	33.28
PK	2.4835G	57.87	74.00	-16.13	57.63	3	Horizontal	164	2.82	99	28.80	4.77	33.33
AV	2.4835G	52.42	54.00	-1.58	52.18	3	Horizontal	164	2.82	99	28.80	4.77	33.33

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 99
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87403G	53.12	74.00	-20.88	47.14	3	Vertical	348	1.99	-	33.10	6.55	33.67				
AV	4.87396G	46.15	54.00	-7.85	40.17	3	Vertical	348	1.99	-	33.10	6.55	33.67				
PK	7.31063G	56.45	74.00	-17.55	44.10	3	Vertical	356	1.80	-	37.32	8.57	33.54				
AV	7.31015G	45.08	54.00	-8.92	32.73	3	Vertical	356	1.80	-	37.32	8.57	33.54				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 99
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87384G	49.78	74.00	-24.22	43.80	3	Horizontal	297	2.08	-	33.10	6.55	33.67				
AV	4.87396G	39.26	54.00	-14.74	33.28	3	Horizontal	297	2.08	-	33.10	6.55	33.67				
PK	7.30969G	56.26	74.00	-17.74	43.91	3	Horizontal	305	1.80	-	37.32	8.57	33.54				
AV	7.31018G	44.42	54.00	-9.58	32.07	3	Horizontal	305	1.80	-	37.32	8.57	33.54				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
Setting 90
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.456G	118.31	Inf	-Inf	118.32	3	Vertical	14	1.80	-	28.56	4.73	33.30				
AV	2.4562G	114.54	Inf	-Inf	114.55	3	Vertical	14	1.80	-	28.56	4.73	33.30				
PK	2.4835G	60.26	74.00	-13.74	60.02	3	Vertical	14	1.80	-	28.80	4.77	33.33				
AV	2.4835G	51.84	54.00	-2.16	51.60	3	Vertical	14	1.80	-	28.80	4.77	33.33				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
Setting 90
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.456G	118.11	Inf	-Inf	118.12	3	Horizontal	360	1.80	-	28.56	4.73	33.30			
AV	2.4562G	114.35	Inf	-Inf	114.36	3	Horizontal	360	1.80	-	28.56	4.73	33.30			
PK	2.4835G	57.36	74.00	-16.64	57.12	3	Horizontal	360	1.80	-	28.80	4.77	33.33			
AV	2.4835G	48.45	54.00	-5.55	48.21	3	Horizontal	360	1.80	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET90
90
0.37

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.461G	117.87	Inf	-Inf	117.85	3	Vertical	185	1.45	90	28.60	4.73	33.31				
AV	2.4612G	114.24	Inf	-Inf	114.22	3	Vertical	185	1.45	90	28.60	4.73	33.31				
PK	2.4835G	59.07	74.00	-14.93	58.83	3	Vertical	185	1.45	90	28.80	4.77	33.33				
AV	2.4835G	53.63	54.00	-0.37	53.39	3	Vertical	185	1.45	90	28.80	4.77	33.33				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
SET 90
90
0.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.4629G	119.31	Inf	-Inf	119.28	3	Horizontal	166	2.76	90	28.60	4.74	33.31				
AV	2.4612G	115.50	Inf	-Inf	115.48	3	Horizontal	166	2.76	90	28.60	4.73	33.31				
PK	2.4836G	59.33	74.00	-14.67	59.09	3	Horizontal	166	2.76	90	28.80	4.77	33.33				
AV	2.4835G	53.25	54.00	-0.75	53.01	3	Horizontal	166	2.76	90	28.80	4.77	33.33				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 90
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92408G	48.51	74.00	-25.49	42.42	3	Vertical	30	1.63	-	33.20	6.56	33.67				
AV	4.92595G	35.30	54.00	-18.70	29.21	3	Vertical	30	1.63	-	33.20	6.56	33.67				
PK	7.38296G	54.56	74.00	-19.44	42.16	3	Vertical	46	2.77	-	37.33	8.64	33.57				
AV	7.38646G	41.17	54.00	-12.83	28.77	3	Vertical	46	2.77	-	37.33	8.64	33.57				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 90
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9212G	49.38	74.00	-24.62	43.29	3	Horizontal	84	1.22	-	33.20	6.56	33.67				
AV	4.92622G	35.33	54.00	-18.67	29.24	3	Horizontal	84	1.22	-	33.20	6.56	33.67				
PK	7.38793G	54.50	74.00	-19.50	42.11	3	Horizontal	162	2.20	-	37.32	8.64	33.57				
AV	7.38863G	41.38	54.00	-12.62	28.99	3	Horizontal	162	2.20	-	37.32	8.64	33.57				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 76
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	61.96	74.00	-12.04	62.99	3	Vertical	11	1.02	-	28.40	5.43	34.86			
AV	2.3899G	49.43	54.00	-4.57	50.46	3	Vertical	11	1.02	-	28.40	5.43	34.86			
PK	2.4143G	119.00	Inf	-Inf	120.07	3	Vertical	11	1.02	-	28.34	5.46	34.87			
AV	2.4133G	109.86	Inf	-Inf	110.94	3	Vertical	11	1.02	-	28.33	5.46	34.87			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 76
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3899G	66.03	74.00	-7.97	67.06	3	Horizontal	350	2.21	-	28.40	5.43	34.86			
AV	2.39G	53.41	54.00	-0.59	54.44	3	Horizontal	350	2.21	-	28.40	5.43	34.86			
PK	2.4135G	119.43	Inf	-Inf	120.50	3	Horizontal	350	2.21	-	28.34	5.46	34.87			
AV	2.4133G	110.72	Inf	-Inf	111.80	3	Horizontal	350	2.21	-	28.33	5.46	34.87			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 62
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82055G	48.35	74.00	-25.65	42.47	3	Vertical	83	2.59	-	33.00	6.55	33.67			
AV	4.82694G	37.14	54.00	-16.86	31.26	3	Vertical	83	2.59	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2412MHz_TX




EUT_V_4TX
Setting 62
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82049G	48.79	74.00	-25.21	42.91	3	Horizontal	103	1.12	-	33.00	6.55	33.67			
AV	4.81957G	36.98	54.00	-17.02	31.10	3	Horizontal	103	1.12	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_Y_4TX
Setting 79
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	69.25	74.00	-4.75	69.47	3	Vertical	20	1.00	-	28.40	4.62	33.24			
AV	2.39G	51.76	54.00	-2.24	51.98	3	Vertical	20	1.00	-	28.40	4.62	33.24			
PK	2.4198G	118.54	Inf	-Inf	118.55	3	Vertical	20	1.00	-	28.60	4.66	33.27			
AV	2.4194G	109.64	Inf	-Inf	109.66	3	Vertical	20	1.00	-	28.59	4.66	33.27			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2417MHz_TX




EUT_Y_4TX
Setting 79
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3882G	71.75	74.00	-2.25	72.01	3	Horizontal	360	2.55	-	28.36	4.62	33.24			
AV	2.3872G	53.75	54.00	-0.25	54.03	3	Horizontal	360	2.55	-	28.34	4.62	33.24			
PK	2.4196G	118.97	Inf	-Inf	118.98	3	Horizontal	360	2.55	-	28.60	4.66	33.27			
AV	2.4186G	110.45	Inf	-Inf	110.47	3	Horizontal	360	2.55	-	28.59	4.66	33.27			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 84
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	68.19	74.00	-5.81	68.42	3	Vertical	3	1.68	-	28.39	4.62	33.24
AV	2.3894G	53.16	54.00	-0.84	53.39	3	Vertical	3	1.68	-	28.39	4.62	33.24
PK	2.43G	123.90	Inf	-Inf	123.80	3	Vertical	3	1.68	-	28.70	4.68	33.28
AV	2.4296G	113.38	Inf	-Inf	113.28	3	Vertical	3	1.68	-	28.70	4.68	33.28
PK	2.4836G	70.85	74.00	-3.15	70.61	3	Vertical	3	1.68	-	28.80	4.77	33.33
AV	2.4836G	52.04	54.00	-1.96	51.80	3	Vertical	3	1.68	-	28.80	4.77	33.33

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 84
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	67.60	74.00	-6.40	67.84	3	Horizontal	354	1.80	-	28.38	4.62	33.24			
AV	2.3892G	50.72	54.00	-3.28	50.96	3	Horizontal	354	1.80	-	28.38	4.62	33.24			
PK	2.4388G	123.54	Inf	-Inf	123.52	3	Horizontal	354	1.80	-	28.61	4.70	33.29			
AV	2.4384G	112.91	Inf	-Inf	112.88	3	Horizontal	354	1.80	-	28.62	4.70	33.29			
PK	2.4848G	66.88	74.00	-7.12	66.64	3	Horizontal	354	1.80	-	28.80	4.77	33.33			
AV	2.4844G	52.59	54.00	-1.41	52.35	3	Horizontal	354	1.80	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 84
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87695G	48.62	74.00	-25.38	42.63	3	Vertical	85	2.27	-	33.11	6.55	33.67			
AV	4.87025G	37.02	54.00	-16.98	31.06	3	Vertical	85	2.27	-	33.08	6.55	33.67			
PK	7.314G	54.70	74.00	-19.30	42.33	3	Vertical	195	1.14	-	37.33	8.58	33.54			
AV	7.31243G	42.84	54.00	-11.16	30.48	3	Vertical	195	1.14	-	37.32	8.58	33.54			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 84
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.8771G	48.47	74.00	-25.53	42.48	3	Horizontal	243	2.29	-	33.11	6.55	33.67				
AV	4.87463G	37.03	54.00	-16.97	31.05	3	Horizontal	243	2.29	-	33.10	6.55	33.67				
PK	7.3099G	54.60	74.00	-19.40	42.25	3	Horizontal	40	1.77	-	37.32	8.57	33.54				
AV	7.31377G	42.86	54.00	-11.14	30.49	3	Horizontal	40	1.77	-	37.33	8.58	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
Setting 74
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4512G	116.47	Inf	-Inf	116.54	3	Vertical	14	1.84	-	28.51	4.72	33.30				
AV	2.45G	107.77	Inf	-Inf	107.86	3	Vertical	14	1.84	-	28.50	4.71	33.30				
PK	2.4858G	66.91	74.00	-7.09	66.66	3	Vertical	14	1.84	-	28.80	4.78	33.33				
AV	2.4835G	51.09	54.00	-2.91	50.85	3	Vertical	14	1.84	-	28.80	4.77	33.33				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2457MHz_TX




EUT_Y_4TX
Setting 74
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4508G	116.92	Inf	-Inf	116.99	3	Horizontal	12	2.81	-	28.51	4.72	33.30			
AV	2.45G	108.48	Inf	-Inf	108.57	3	Horizontal	12	2.81	-	28.50	4.71	33.30			
PK	2.4838G	72.14	74.00	-1.86	71.90	3	Horizontal	12	2.81	-	28.80	4.77	33.33			
AV	2.4846G	53.58	54.00	-0.42	53.34	3	Horizontal	12	2.81	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 80
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4548G	119.11	Inf	-Inf	120.20	3	Vertical	4	1.78	-	28.30	5.51	34.90			
AV	2.4544G	110.28	Inf	-Inf	111.37	3	Vertical	4	1.78	-	28.30	5.51	34.90			
PK	2.4838G	68.39	74.00	-5.61	69.36	3	Vertical	4	1.78	-	28.40	5.54	34.91			
AV	2.4835G	53.67	54.00	-0.33	54.64	3	Vertical	4	1.78	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 80
03-G-B-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4635G	120.14	Inf	-Inf	121.18	3	Horizontal	352	2.15	-	28.34	5.52	34.90			
AV	2.4634G	111.38	Inf	-Inf	112.43	3	Horizontal	352	2.15	-	28.33	5.52	34.90			
PK	2.4839G	66.57	74.00	-7.43	67.54	3	Horizontal	352	2.15	-	28.40	5.54	34.91			
AV	2.4838G	52.01	54.00	-1.99	52.98	3	Horizontal	352	2.15	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 67
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.91987G	48.83	74.00	-25.17	42.74	3	Vertical	297	2.75	-	33.20	6.56	33.67			
AV	4.92406G	37.48	54.00	-16.52	31.39	3	Vertical	297	2.75	-	33.20	6.56	33.67			
PK	7.38392G	54.45	74.00	-19.55	42.05	3	Vertical	328	2.09	-	37.33	8.64	33.57			
AV	7.38898G	43.59	54.00	-10.41	31.20	3	Vertical	328	2.09	-	37.32	8.64	33.57			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 67
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92561G	48.72	74.00	-25.28	42.63	3	Horizontal	306	2.61	-	33.20	6.56	33.67			
AV	4.92434G	37.69	54.00	-16.31	31.60	3	Horizontal	306	2.61	-	33.20	6.56	33.67			
PK	7.38853G	55.00	74.00	-19.00	42.61	3	Horizontal	175	2.22	-	37.32	8.64	33.57			
AV	7.38826G	43.26	54.00	-10.74	30.87	3	Horizontal	175	2.22	-	37.32	8.64	33.57			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 74
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.389G	66.28	74.00	-7.72	67.32	3	Vertical	4	1.80	-	28.39	5.43	34.86			
AV	2.39G	51.30	54.00	-2.70	52.33	3	Vertical	4	1.80	-	28.40	5.43	34.86			
PK	2.4185G	118.63	Inf	-Inf	119.67	3	Vertical	4	1.80	-	28.38	5.46	34.88			
AV	2.4136G	107.12	Inf	-Inf	108.19	3	Vertical	4	1.80	-	28.34	5.46	34.87			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 74
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3897G	70.29	74.00	-3.71	71.32	3	Horizontal	2	2.49	-	28.40	5.43	34.86
AV	2.3894G	53.81	54.00	-0.19	54.85	3	Horizontal	2	2.49	-	28.39	5.43	34.86
PK	2.4189G	119.75	Inf	-Inf	120.78	3	Horizontal	2	2.49	-	28.39	5.46	34.88
AV	2.4148G	108.01	Inf	-Inf	109.07	3	Horizontal	2	2.49	-	28.35	5.46	34.87

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_V_4TX
Setting 59
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.82353G	48.81	74.00	-25.19	42.93	3	Vertical	345.4	1.80	-	33.00	6.55	33.67			
AV	4.82353G	36.27	54.00	-17.73	30.39	3	Vertical	345.4	1.80	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 59
06-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.81984G	48.54	74.00	-25.46	42.66	3	Horizontal	158	2.33	-	33.00	6.55	33.67			
AV	4.8235G	35.88	54.00	-18.12	30.00	3	Horizontal	158	2.33	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_Y_4TX
Setting 84
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	67.43	74.00	-6.57	68.46	3	Vertical	355	1.00	-	28.40	5.43	34.86			
AV	2.3893G	52.94	54.00	-1.06	53.98	3	Vertical	355	1.00	-	28.39	5.43	34.86			
PK	2.4255G	120.82	Inf	-Inf	121.83	3	Vertical	355	1.00	-	28.40	5.47	34.88			
AV	2.411G	109.49	Inf	-Inf	110.60	3	Vertical	355	1.00	-	28.31	5.45	34.87			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2417MHz_TX




EUT_Y_4TX
Setting 84
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3899G	66.51	74.00	-7.49	67.54	3	Horizontal	355	2.24	-	28.40	5.43	34.86			
AV	2.39G	53.70	54.00	-0.30	54.73	3	Horizontal	355	2.24	-	28.40	5.43	34.86			
PK	2.4227G	121.19	Inf	-Inf	122.20	3	Horizontal	355	2.24	-	28.40	5.47	34.88			
AV	2.4212G	109.67	Inf	-Inf	110.68	3	Horizontal	355	2.24	-	28.40	5.47	34.88			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 84
90\79\92\86\83\84\85\84
-5.25\4.47\ -6.99\ -1.63\1.79\0.51\ -0.44\0.27

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.38884G	72.46	74.00	-1.54	72.70	3	Vertical	180	2.11	84	28.38	4.62	33.24			
AV	2.38836G	53.73	54.00	-0.27	53.98	3	Vertical	180	2.11	84	28.37	4.62	33.24			
PK	2.4434G	119.83	Inf	-Inf	119.85	3	Vertical	180	2.11	84	28.57	4.70	33.29			
AV	2.43844G	109.02	Inf	-Inf	108.99	3	Vertical	180	2.11	84	28.62	4.70	33.29			
PK	2.48372G	72.54	74.00	-1.46	72.30	3	Vertical	180	2.11	84	28.80	4.77	33.33			
AV	2.4835G	53.61	54.00	-0.39	53.37	3	Vertical	180	2.11	84	28.80	4.77	33.33			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 84
84
0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	2.3874G	70.17	74.00	-3.83	70.44	3	Horizontal	165	2.84	84	28.35	4.62	33.24
AV	2.38756G	52.90	54.00	-1.10	53.17	3	Horizontal	165	2.84	84	28.35	4.62	33.24
PK	2.4322G	120.44	Inf	-Inf	120.36	3	Horizontal	165	2.84	84	28.68	4.68	33.28
AV	2.4322G	109.78	Inf	-Inf	109.70	3	Horizontal	165	2.84	84	28.68	4.68	33.28
PK	2.48372G	72.40	74.00	-1.60	72.16	3	Horizontal	165	2.84	84	28.80	4.77	33.33
AV	2.4835G	53.86	54.00	-0.14	53.62	3	Horizontal	165	2.84	84	28.80	4.77	33.33

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 84
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87654G	47.91	74.00	-26.09	41.92	3	Vertical	62	1.50	-	33.11	6.55	33.67				
AV	4.87029G	36.02	54.00	-17.98	30.06	3	Vertical	62	1.50	-	33.08	6.55	33.67				
PK	7.31473G	53.64	74.00	-20.36	41.27	3	Vertical	176	1.85	-	37.33	8.58	33.54				
AV	7.31352G	41.58	54.00	-12.42	29.21	3	Vertical	176	1.85	-	37.33	8.58	33.54				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 84
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86979G	48.48	74.00	-25.52	42.52	3	Horizontal	70	1.81	-	33.08	6.55	33.67				
AV	4.87867G	35.91	54.00	-18.09	29.92	3	Horizontal	70	1.81	-	33.11	6.55	33.67				
PK	7.3106G	54.26	74.00	-19.74	41.91	3	Horizontal	180	1.42	-	37.32	8.57	33.54				
AV	7.31565G	41.74	54.00	-12.26	29.37	3	Horizontal	180	1.42	-	37.33	8.58	33.54				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_Y_4TX
Setting 76
03-G-J-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4486G	118.56	Inf	-Inf	119.64	3	Vertical	186	1.80	-	28.31	5.50	34.89				
AV	2.4534G	108.80	Inf	-Inf	109.89	3	Vertical	186	1.80	-	28.30	5.50	34.89				
PK	2.4836G	70.20	74.00	-3.80	71.17	3	Vertical	186	1.80	-	28.40	5.54	34.91				
AV	2.4835G	53.85	54.00	-0.15	54.82	3	Vertical	186	1.80	-	28.40	5.54	34.91				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2457MHz_TX




EUT_Y_4TX
Setting 76
03-G-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4528G	119.37	Inf	-Inf	120.46	3	Horizontal	174	2.43	-	28.30	5.50	34.89			
AV	2.4524G	109.13	Inf	-Inf	110.22	3	Horizontal	174	2.43	-	28.30	5.50	34.89			
PK	2.4835G	64.29	74.00	-9.71	65.26	3	Horizontal	174	2.43	-	28.40	5.54	34.91			
AV	2.4835G	51.66	54.00	-2.34	52.63	3	Horizontal	174	2.43	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 65
03-G-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4664G	116.77	Inf	-Inf	117.79	3	Vertical	179	1.80	-	28.36	5.52	34.90			
AV	2.4662G	106.49	Inf	-Inf	107.51	3	Vertical	179	1.80	-	28.36	5.52	34.90			
PK	2.4849G	66.17	74.00	-7.83	67.14	3	Vertical	179	1.80	-	28.40	5.54	34.91			
AV	2.4845G	53.51	54.00	-0.49	54.48	3	Vertical	179	1.80	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 65
03-G-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4574G	117.45	Inf	-Inf	118.54	3	Horizontal	175	2.64	-	28.30	5.51	34.90			
AV	2.4673G	107.18	Inf	-Inf	108.19	3	Horizontal	175	2.64	-	28.37	5.52	34.90			
PK	2.4855G	66.96	74.00	-7.04	67.93	3	Horizontal	175	2.64	-	28.40	5.54	34.91			
AV	2.4857G	53.98	54.00	-0.02	54.95	3	Horizontal	175	2.64	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 57
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.91999G	48.35	74.00	-25.65	42.26	3	Vertical	189	1.87	-	33.20	6.56	33.67				
AV	4.92265G	36.17	54.00	-17.83	30.08	3	Vertical	189	1.87	-	33.20	6.56	33.67				
PK	7.38303G	54.18	74.00	-19.82	41.78	3	Vertical	274	2.68	-	37.33	8.64	33.57				
AV	7.38663G	42.04	54.00	-11.96	29.64	3	Vertical	274	2.68	-	37.33	8.64	33.57				

2.4-2.4835GHz_802.11be EHT20_Nss1,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 57
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92077G	48.95	74.00	-25.05	42.86	3	Horizontal	159	1.56	-	33.20	6.56	33.67			
AV	4.92733G	36.18	54.00	-17.82	30.09	3	Horizontal	159	1.56	-	33.20	6.56	33.67			
PK	7.38877G	54.35	74.00	-19.65	41.96	3	Horizontal	188	2.41	-	37.32	8.64	33.57			
AV	7.38781G	42.11	54.00	-11.89	29.72	3	Horizontal	188	2.41	-	37.32	8.64	33.57			

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT Y_4TX
Setting 71
03-G-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3887G	63.59	74.00	-10.41	64.63	3	Vertical	179	1.86	-	28.39	5.43	34.86
AV	2.39G	52.44	54.00	-1.56	53.47	3	Vertical	179	1.86	-	28.40	5.43	34.86
PK	2.4059G	117.10	Inf	-Inf	118.22	3	Vertical	179	1.86	-	28.30	5.45	34.87
AV	2.4201G	106.85	Inf	-Inf	107.87	3	Vertical	179	1.86	-	28.40	5.46	34.88

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 71
03-G-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	64.62	74.00	-9.38	65.66	3	Horizontal	179	2.52	-	28.39	5.43	34.86			
AV	2.39G	53.75	54.00	-0.25	54.78	3	Horizontal	179	2.52	-	28.40	5.43	34.86			
PK	2.4098G	117.42	Inf	-Inf	118.54	3	Horizontal	179	2.52	-	28.30	5.45	34.87			
AV	2.4154G	107.59	Inf	-Inf	108.65	3	Horizontal	179	2.52	-	28.35	5.46	34.87			

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT_V_4TX
Setting 62
06-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82811G	48.22	74.00	-25.78	42.34	3	Vertical	287	1.47	-	33.00	6.55	33.67			
AV	4.82309G	35.83	54.00	-18.17	29.95	3	Vertical	287	1.47	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2412MHz_TX




EUT_Y_4TX
Setting 62
06-E-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82815G	48.57	74.00	-25.43	42.69	3	Horizontal	66	1.01	-	33.00	6.55	33.67			
AV	4.8233G	35.97	54.00	-18.03	30.09	3	Horizontal	66	1.01	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2417MHz_TX




EUT Y_4TX
Setting 82
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	62.29	74.00	-11.71	63.32	3	Vertical	177	1.83	-	28.40	5.43	34.86
AV	2.3898G	51.67	54.00	-2.33	52.70	3	Vertical	177	1.83	-	28.40	5.43	34.86
PK	2.4222G	119.30	Inf	-Inf	120.31	3	Vertical	177	1.83	-	28.40	5.47	34.88
AV	2.421G	108.27	Inf	-Inf	109.28	3	Vertical	177	1.83	-	28.40	5.47	34.88
PK	2.4835G	57.53	74.00	-16.47	58.50	3	Vertical	177	1.83	-	28.40	5.54	34.91
AV	2.4835G	44.20	54.00	-9.80	45.17	3	Vertical	177	1.83	-	28.40	5.54	34.91

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2417MHz_TX




EUT_Y_4TX
Setting 82
03-G-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	61.68	74.00	-12.32	62.71	3	Horizontal	176	2.22	-	28.40	5.43	34.86
AV	2.3894G	53.79	54.00	-0.21	54.83	3	Horizontal	176	2.22	-	28.39	5.43	34.86
PK	2.4194G	119.67	Inf	-Inf	120.70	3	Horizontal	176	2.22	-	28.39	5.46	34.88
AV	2.4146G	108.22	Inf	-Inf	109.28	3	Horizontal	176	2.22	-	28.35	5.46	34.87
PK	2.4842G	56.56	74.00	-17.44	57.53	3	Horizontal	176	2.22	-	28.40	5.54	34.91
AV	2.4835G	44.54	54.00	-9.46	45.51	3	Horizontal	176	2.22	-	28.40	5.54	34.91

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 83
90\80\85\83\84\83
-4.99\3.73\0.93\0.93\0.05\0.87

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	2.38948G	67.76	74.00	-6.24	67.99	3	Vertical	167	2.38	83	28.39	4.62	33.24
AV	2.38932G	52.02	54.00	-1.98	52.25	3	Vertical	167	2.38	83	28.39	4.62	33.24
PK	2.4314G	118.86	Inf	-Inf	118.77	3	Vertical	167	2.38	83	28.69	4.68	33.28
AV	2.43412G	107.10	Inf	-Inf	107.03	3	Vertical	167	2.38	83	28.66	4.69	33.28
PK	2.48388G	68.55	74.00	-5.45	68.31	3	Vertical	167	2.38	83	28.80	4.77	33.33
AV	2.4835G	53.13	54.00	-0.87	52.89	3	Vertical	167	2.38	83	28.80	4.77	33.33

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
SET 83
83
0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.38916G	68.63	74.00	-5.37	68.87	3	Horizontal	171	2.86	83	28.38	4.62	33.24
AV	2.38996G	53.37	54.00	-0.63	53.59	3	Horizontal	171	2.86	83	28.40	4.62	33.24
PK	2.4282G	118.75	Inf	-Inf	118.67	3	Horizontal	171	2.86	83	28.68	4.68	33.28
AV	2.43636G	106.90	Inf	-Inf	106.85	3	Horizontal	171	2.86	83	28.64	4.69	33.28
PK	2.485G	66.44	74.00	-7.56	66.20	3	Horizontal	171	2.86	83	28.80	4.77	33.33
AV	2.48388G	53.07	54.00	-0.93	52.83	3	Horizontal	171	2.86	83	28.80	4.77	33.33

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 83
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87749G	47.69	74.00	-26.31	41.70	3	Vertical	12	1.62	-	33.11	6.55	33.67				
AV	4.87052G	35.76	54.00	-18.24	29.80	3	Vertical	12	1.62	-	33.08	6.55	33.67				
PK	7.31318G	54.65	74.00	-19.35	42.28	3	Vertical	290	2.07	-	37.33	8.58	33.54				
AV	7.31288G	41.82	54.00	-12.18	29.45	3	Vertical	290	2.07	-	37.33	8.58	33.54				

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2437MHz_TX




EUT_Y_4TX
Setting 83
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.87836G	48.89	74.00	-25.11	42.90	3	Horizontal	144	2.57	-	33.11	6.55	33.67			
AV	4.87012G	35.93	54.00	-18.07	29.97	3	Horizontal	144	2.57	-	33.08	6.55	33.67			
PK	7.3101G	54.42	74.00	-19.58	42.07	3	Horizontal	325	2.25	-	37.32	8.57	33.54			
AV	7.31182G	41.83	54.00	-12.17	29.47	3	Horizontal	325	2.25	-	37.32	8.58	33.54			

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2457MHz_TX




EUT_Y_4TX
Setting 78
03-G-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4512G	118.58	Inf	-Inf	119.67	3	Vertical	184	1.62	-	28.30	5.50	34.89			
AV	2.449G	108.54	Inf	-Inf	109.62	3	Vertical	184	1.62	-	28.31	5.50	34.89			
PK	2.4838G	65.63	74.00	-8.37	66.60	3	Vertical	184	1.62	-	28.40	5.54	34.91			
AV	2.4835G	53.20	54.00	-0.80	54.17	3	Vertical	184	1.62	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2457MHz_TX




EUT_Y_4TX
Setting 78
03-G-J-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4622G	118.65	Inf	-Inf	119.72	3	Horizontal	179	2.42	-	28.32	5.51	34.90			
AV	2.4604G	108.75	Inf	-Inf	109.84	3	Horizontal	179	2.42	-	28.30	5.51	34.90			
PK	2.4836G	66.34	74.00	-7.66	67.31	3	Horizontal	179	2.42	-	28.40	5.54	34.91			
AV	2.4835G	53.82	54.00	-0.18	54.79	3	Horizontal	179	2.42	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 73
03-G-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4547G	116.87	Inf	-Inf	117.96	3	Vertical	188	1.80	-	28.30	5.51	34.90
AV	2.4543G	106.55	Inf	-Inf	107.64	3	Vertical	188	1.80	-	28.30	5.51	34.90
PK	2.487G	64.98	74.00	-9.02	65.95	3	Vertical	188	1.80	-	28.40	5.54	34.91
AV	2.4836G	53.44	54.00	-0.56	54.41	3	Vertical	188	1.80	-	28.40	5.54	34.91

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 73
03-G-J-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.4534G	116.99	Inf	-Inf	118.08	3	Horizontal	184	2.46	-	28.30	5.50	34.89				
AV	2.4554G	107.09	Inf	-Inf	108.18	3	Horizontal	184	2.46	-	28.30	5.51	34.90				
PK	2.4839G	66.17	74.00	-7.83	67.14	3	Horizontal	184	2.46	-	28.40	5.54	34.91				
AV	2.4836G	53.94	54.00	-0.06	54.91	3	Horizontal	184	2.46	-	28.40	5.54	34.91				

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2462MHz_TX




EUT_Y_4TX
Setting 62
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92137G	48.95	74.00	-25.05	42.86	3	Vertical	137	1.10	-	33.20	6.56	33.67				
AV	4.92435G	36.19	54.00	-17.81	30.10	3	Vertical	137	1.10	-	33.20	6.56	33.67				
PK	7.38702G	55.41	74.00	-18.59	43.01	3	Vertical	102	2.69	-	37.33	8.64	33.57				
AV	7.38626G	41.99	54.00	-12.01	29.59	3	Vertical	102	2.69	-	37.33	8.64	33.57				

2.4-2.4835GHz_802.11be EHT20_Nss4,(MCS0)_4TX

2462MHz_TX



EUT_Y_4TX
Setting 62
06-E-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.92203G	48.33	74.00	-25.67	42.24	3	Horizontal	259	1.54	-	33.20	6.56	33.67			
AV	4.92716G	36.15	54.00	-17.85	30.06	3	Horizontal	259	1.54	-	33.20	6.56	33.67			
PK	7.39048G	55.18	74.00	-18.82	42.79	3	Horizontal	345.4	1.80	-	37.32	8.64	33.57			
AV	7.38577G	42.36	54.00	-11.64	29.96	3	Horizontal	345.4	1.80	-	37.33	8.64	33.57			




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	AV	2.3898G	53.93	54.00	-0.07	3	Vertical	20.3	2.26	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 90
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3898G	60.04	74.00	-13.96	60.26	3	Vertical	36	2.04	-	28.40	4.62	33.24				
AV	2.3892G	52.02	54.00	-1.98	52.26	3	Vertical	36	2.04	-	28.38	4.62	33.24				
PK	2.413G	119.16	Inf	-Inf	119.24	3	Vertical	36	2.04	-	28.53	4.65	33.26				
AV	2.4112G	115.39	Inf	-Inf	115.49	3	Vertical	36	2.04	-	28.51	4.65	33.26				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 90
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3896G	60.05	74.00	-13.95	60.28	3	Horizontal	14	2.52	-	28.39	4.62	33.24			
AV	2.3892G	52.72	54.00	-1.28	52.96	3	Horizontal	14	2.52	-	28.38	4.62	33.24			
PK	2.411G	119.09	Inf	-Inf	119.19	3	Horizontal	14	2.52	-	28.51	4.65	33.26			
AV	2.4112G	115.44	Inf	-Inf	115.54	3	Horizontal	14	2.52	-	28.51	4.65	33.26			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 90
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8586G	46.87	74.00	-27.13	40.96	3	Vertical	292	2.85	-	33.03	6.55	33.67			
AV	4.8368G	33.66	54.00	-20.34	27.78	3	Vertical	292	2.85	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 90
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.8088G	46.82	74.00	-27.18	40.93	3	Horizontal	211	1.73	-	33.00	6.55	33.66			
AV	4.817G	33.50	54.00	-20.50	27.62	3	Horizontal	211	1.73	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 108
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3886G	59.41	74.00	-14.59	59.66	3	Vertical	358	1.40	-	28.37	4.62	33.24			
AV	2.3886G	51.70	54.00	-2.30	51.95	3	Vertical	358	1.40	-	28.37	4.62	33.24			
PK	2.4362G	123.03	Inf	-Inf	122.98	3	Vertical	358	1.40	-	28.64	4.69	33.28			
AV	2.4362G	118.23	Inf	-Inf	118.18	3	Vertical	358	1.40	-	28.64	4.69	33.28			
PK	2.4835G	57.88	74.00	-16.12	57.64	3	Vertical	358	1.40	-	28.80	4.77	33.33			
AV	2.4835G	50.13	54.00	-3.87	49.89	3	Vertical	358	1.40	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 108
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3886G	57.95	74.00	-16.05	58.20	3	Horizontal	13	2.75	-	28.37	4.62	33.24			
AV	2.3882G	49.93	54.00	-4.07	50.19	3	Horizontal	13	2.75	-	28.36	4.62	33.24			
PK	2.4362G	122.88	Inf	-Inf	122.83	3	Horizontal	13	2.75	-	28.64	4.69	33.28			
AV	2.4362G	118.16	Inf	-Inf	118.11	3	Horizontal	13	2.75	-	28.64	4.69	33.28			
PK	2.4835G	57.10	74.00	-16.90	56.86	3	Horizontal	13	2.75	-	28.80	4.77	33.33			
AV	2.4835G	48.77	54.00	-5.23	48.53	3	Horizontal	13	2.75	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 108
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87394G	48.36	74.00	-25.64	42.38	3	Vertical	2	1.62	-	33.10	6.55	33.67				
AV	4.87396G	38.03	54.00	-15.97	32.05	3	Vertical	2	1.62	-	33.10	6.55	33.67				
PK	7.31117G	56.54	74.00	-17.46	44.19	3	Vertical	2	1.80	-	37.32	8.57	33.54				
AV	7.31018G	47.01	54.00	-6.99	34.66	3	Vertical	2	1.80	-	37.32	8.57	33.54				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 108
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.87388G	47.75	74.00	-26.25	41.77	3	Horizontal	0	1.99	-	33.10	6.55	33.67				
AV	4.87388G	36.21	54.00	-17.79	30.23	3	Horizontal	0	1.99	-	33.10	6.55	33.67				
PK	7.3114G	56.17	74.00	-17.83	43.82	3	Horizontal	357	1.85	-	37.32	8.57	33.54				
AV	7.3116G	45.75	54.00	-8.25	33.40	3	Horizontal	357	1.85	-	37.32	8.57	33.54				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 87
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	2.463G	118.50	Inf	-Inf	118.47	3	Vertical	356	2.03	-	28.60	4.74	33.31				
AV	2.4612G	114.78	Inf	-Inf	114.76	3	Vertical	356	2.03	-	28.60	4.73	33.31				
PK	2.4835G	60.51	74.00	-13.49	60.27	3	Vertical	356	2.03	-	28.80	4.77	33.33				
AV	2.4835G	53.31	54.00	-0.69	53.07	3	Vertical	356	2.03	-	28.80	4.77	33.33				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 87
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.463G	118.07	Inf	-Inf	118.04	3	Horizontal	15	2.72	-	28.60	4.74	33.31			
AV	2.4612G	114.28	Inf	-Inf	114.26	3	Horizontal	15	2.72	-	28.60	4.73	33.31			
PK	2.4835G	59.59	74.00	-14.41	59.35	3	Horizontal	15	2.72	-	28.80	4.77	33.33			
AV	2.4835G	52.43	54.00	-1.57	52.19	3	Horizontal	15	2.72	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 87
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.9546G	47.12	74.00	-26.88	41.04	3	Vertical	290	1.41	-	33.20	6.56	33.68				
AV	4.9152G	33.87	54.00	-20.13	27.78	3	Vertical	290	1.41	-	33.20	6.56	33.67				
PK	7.3922G	53.46	74.00	-20.54	41.07	3	Vertical	142	2.48	-	37.32	8.64	33.57				
AV	7.405G	40.24	54.00	-13.76	27.85	3	Vertical	142	2.48	-	37.31	8.66	33.58				

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 87
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9096G	47.04	74.00	-26.96	40.95	3	Horizontal	45	2.87	-	33.20	6.56	33.67			
AV	4.904G	33.90	54.00	-20.10	27.81	3	Horizontal	45	2.87	-	33.20	6.56	33.67			
PK	7.405G	53.08	74.00	-20.92	40.69	3	Horizontal	338	1.01	-	37.31	8.66	33.58			
AV	7.405G	40.39	54.00	-13.61	28.00	3	Horizontal	338	1.01	-	37.31	8.66	33.58			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 74
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	69.98	74.00	-4.02	70.20	3	Vertical	26	1.83	-	28.40	4.62	33.24
AV	2.3896G	53.57	54.00	-0.43	53.80	3	Vertical	26	1.83	-	28.39	4.62	33.24
PK	2.4182G	115.73	Inf	-Inf	115.76	3	Vertical	26	1.83	-	28.58	4.66	33.27
AV	2.4136G	107.02	Inf	-Inf	107.09	3	Vertical	26	1.83	-	28.54	4.65	33.26

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 74
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	69.87	74.00	-4.13	70.09	3	Horizontal	18	2.09	-	28.40	4.62	33.24			
AV	2.3898G	53.63	54.00	-0.37	53.85	3	Horizontal	18	2.09	-	28.40	4.62	33.24			
PK	2.4164G	115.11	Inf	-Inf	115.16	3	Horizontal	18	2.09	-	28.56	4.66	33.27			
AV	2.4164G	106.68	Inf	-Inf	106.73	3	Horizontal	18	2.09	-	28.56	4.66	33.27			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 74
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.7976G	47.37	74.00	-26.63	41.48	3	Vertical	194	1.60	-	33.00	6.55	33.66			
AV	4.8598G	36.30	54.00	-17.70	30.38	3	Vertical	194	1.60	-	33.04	6.55	33.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 74
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.8652G	47.25	74.00	-26.75	41.31	3	Horizontal	132	2.29	-	33.06	6.55	33.67			
AV	4.8436G	36.11	54.00	-17.89	30.23	3	Horizontal	132	2.29	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT Y_2TX
Setting 76
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3878G	73.11	74.00	-0.89	73.37	3	Vertical	31	2.20	-	28.36	4.62	33.24			
AV	2.3886G	52.25	54.00	-1.75	52.50	3	Vertical	31	2.20	-	28.37	4.62	33.24			
PK	2.4226G	115.90	Inf	-Inf	115.87	3	Vertical	31	2.20	-	28.63	4.67	33.27			
AV	2.4224G	107.18	Inf	-Inf	107.16	3	Vertical	31	2.20	-	28.62	4.67	33.27			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 76
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3882G	73.69	74.00	-0.31	73.95	3	Horizontal	12	2.53	-	28.36	4.62	33.24			
AV	2.3888G	50.59	54.00	-3.41	50.83	3	Horizontal	12	2.53	-	28.38	4.62	33.24			
PK	2.4128G	115.28	Inf	-Inf	115.36	3	Horizontal	12	2.53	-	28.53	4.65	33.26			
AV	2.4132G	106.95	Inf	-Inf	107.03	3	Horizontal	12	2.53	-	28.53	4.65	33.26			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 91
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3878G	63.59	74.00	-10.41	63.85	3	Vertical	24	2.00	-	28.36	4.62	33.24			
AV	2.3894G	48.29	54.00	-5.71	48.52	3	Vertical	24	2.00	-	28.39	4.62	33.24			
PK	2.4434G	119.72	Inf	-Inf	119.74	3	Vertical	24	2.00	-	28.57	4.70	33.29			
AV	2.4338G	110.87	Inf	-Inf	110.80	3	Vertical	24	2.00	-	28.66	4.69	33.28			
PK	2.4846G	70.34	74.00	-3.66	70.10	3	Vertical	24	2.00	-	28.80	4.77	33.33			
AV	2.4842G	53.85	54.00	-0.15	53.61	3	Vertical	24	2.00	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 91
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3898G	61.52	74.00	-12.48	61.74	3	Horizontal	26	2.45	-	28.40	4.62	33.24			
AV	2.3898G	48.79	54.00	-5.21	49.01	3	Horizontal	26	2.45	-	28.40	4.62	33.24			
PK	2.4362G	118.24	Inf	-Inf	118.19	3	Horizontal	26	2.45	-	28.64	4.69	33.28			
AV	2.4354G	109.73	Inf	-Inf	109.67	3	Horizontal	26	2.45	-	28.65	4.69	33.28			
PK	2.4838G	66.85	74.00	-7.15	66.61	3	Horizontal	26	2.45	-	28.80	4.77	33.33			
AV	2.4858G	51.11	54.00	-2.89	50.86	3	Horizontal	26	2.45	-	28.80	4.78	33.33			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 91
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.875G	46.82	74.00	-27.18	40.84	3	Vertical	70	2.03	-	33.10	6.55	33.67				
AV	4.8806G	35.94	54.00	-18.06	29.94	3	Vertical	70	2.03	-	33.12	6.55	33.67				
PK	7.31012G	53.89	74.00	-20.11	41.54	3	Vertical	2	1.17	-	37.32	8.57	33.54				
AV	7.31556G	43.26	54.00	-10.74	30.89	3	Vertical	2	1.17	-	37.33	8.58	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 91
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86748G	47.11	74.00	-26.89	41.16	3	Horizontal	306	1.28	-	33.07	6.55	33.67				
AV	4.88112G	36.14	54.00	-17.86	30.14	3	Horizontal	306	1.28	-	33.12	6.55	33.67				
PK	7.3186G	54.24	74.00	-19.76	41.86	3	Horizontal	326	2.29	-	37.34	8.58	33.54				
AV	7.31388G	43.43	54.00	-10.57	31.06	3	Horizontal	326	2.29	-	37.33	8.58	33.54				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT Y_2TX
Setting 76
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4634G	116.48	Inf	-Inf	116.45	3	Vertical	27	2.21	-	28.60	4.74	33.31			
AV	2.4586G	108.06	Inf	-Inf	108.04	3	Vertical	27	2.21	-	28.59	4.73	33.30			
PK	2.4835G	72.27	74.00	-1.73	72.03	3	Vertical	27	2.21	-	28.80	4.77	33.33			
AV	2.4838G	53.07	54.00	-0.93	52.83	3	Vertical	27	2.21	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT Y_2TX
Setting 76
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.46G	115.05	Inf	-Inf	115.02	3	Horizontal	29	2.21	-	28.60	4.73	33.30			
AV	2.46G	106.71	Inf	-Inf	106.68	3	Horizontal	29	2.21	-	28.60	4.73	33.30			
PK	2.485G	67.95	74.00	-6.05	67.71	3	Horizontal	29	2.21	-	28.80	4.77	33.33			
AV	2.4835G	51.02	54.00	-2.98	50.78	3	Horizontal	29	2.21	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT Y_2TX
Setting 72
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	2.3634G	56.84	74.00	-17.16	23.63	3	Vertical	1	2.23	-	27.60	5.61	-				
AV	2.387G	46.89	54.00	-7.11	13.76	3	Vertical	1	2.23	-	27.50	5.63	-				
PK	2.4606G	114.34	Inf	-Inf	81.16	3	Vertical	1	2.23	-	27.49	5.69	-				
AV	2.4658G	105.60	Inf	-Inf	72.46	3	Vertical	1	2.23	-	27.44	5.70	-				
PK	2.4836G	64.29	74.00	-9.71	31.01	3	Vertical	1	2.23	-	27.57	5.71	-				
AV	2.4844G	51.90	54.00	-2.10	18.60	3	Vertical	1	2.23	-	27.59	5.71	-				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 72
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.365G	56.74	74.00	-17.26	23.53	3	Horizontal	14.9	2.10	-	27.60	5.61	-			
AV	2.3884G	46.77	54.00	-7.23	13.64	3	Horizontal	14.9	2.10	-	27.50	5.63	-			
PK	2.4664G	114.12	Inf	-Inf	80.98	3	Horizontal	14.9	2.10	-	27.44	5.70	-			
AV	2.4666G	105.30	Inf	-Inf	72.17	3	Horizontal	14.9	2.10	-	27.43	5.70	-			
PK	2.4844G	65.46	74.00	-8.54	32.16	3	Horizontal	14.9	2.10	-	27.59	5.71	-			
AV	2.4846G	53.74	54.00	-0.26	20.44	3	Horizontal	14.9	2.10	-	27.59	5.71	-			

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 72
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.92536G	46.96	74.00	-27.04	40.87	3	Vertical	153	1.92	-	33.20	6.56	33.67				
AV	4.9174G	36.09	54.00	-17.91	30.00	3	Vertical	153	1.92	-	33.20	6.56	33.67				
PK	7.37688G	53.17	74.00	-20.83	40.76	3	Vertical	5	2.97	-	37.35	8.63	33.57				
AV	7.37872G	42.46	54.00	-11.54	30.06	3	Vertical	5	2.97	-	37.34	8.63	33.57				

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 72
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.91984G	46.71	74.00	-27.29	40.62	3	Horizontal	261	2.79	-	33.20	6.56	33.67			
AV	4.9184G	36.10	54.00	-17.90	30.01	3	Horizontal	261	2.79	-	33.20	6.56	33.67			
PK	7.3814G	53.21	74.00	-20.79	40.81	3	Horizontal	254	2.59	-	37.34	8.63	33.57			
AV	7.37628G	42.66	54.00	-11.34	30.25	3	Horizontal	254	2.59	-	37.35	8.63	33.57			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 68
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3892G	66.35	74.00	-7.65	33.22	3	Vertical	20.3	2.26	-	27.50	5.63	-			
AV	2.3898G	53.93	54.00	-0.07	20.80	3	Vertical	20.3	2.26	-	27.50	5.63	-			
PK	2.421G	113.38	Inf	-Inf	80.22	3	Vertical	20.3	2.26	-	27.50	5.66	-			
AV	2.4154G	101.97	Inf	-Inf	68.82	3	Vertical	20.3	2.26	-	27.50	5.65	-			
PK	2.4848G	57.56	74.00	-16.44	24.25	3	Vertical	20.3	2.26	-	27.60	5.71	-			
AV	2.4878G	47.22	54.00	-6.78	13.85	3	Vertical	20.3	2.26	-	27.66	5.71	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 68
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3892G	61.92	74.00	-12.08	28.79	3	Horizontal	11.3	2.58	-	27.50	5.63	-			
AV	2.3892G	51.27	54.00	-2.73	18.14	3	Horizontal	11.3	2.58	-	27.50	5.63	-			
PK	2.4092G	112.55	Inf	-Inf	79.40	3	Horizontal	11.3	2.58	-	27.50	5.65	-			
AV	2.411G	101.71	Inf	-Inf	68.56	3	Horizontal	11.3	2.58	-	27.50	5.65	-			
PK	2.4842G	57.83	74.00	-16.17	24.54	3	Horizontal	11.3	2.58	-	27.58	5.71	-			
AV	2.4888G	47.31	54.00	-6.69	13.91	3	Horizontal	11.3	2.58	-	27.68	5.72	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 68
06-E-G-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	4.82628G	46.87	74.00	-27.13	40.99	3	Vertical	216	2.83	-	33.00	6.55	33.67			
AV	4.82924G	36.33	54.00	-17.67	30.45	3	Vertical	216	2.83	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2412MHz_TX




EUT_Y_2TX
Setting 68
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.81416G	46.96	74.00	-27.04	41.08	3	Horizontal	99	2.82	-	33.00	6.55	33.67			
AV	4.8272G	36.24	54.00	-17.76	30.36	3	Horizontal	99	2.82	-	33.00	6.55	33.67			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 81
03-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.39G	66.31	74.00	-7.69	67.34	3	Vertical	15	1.69	-	28.40	5.43	34.86			
AV	2.39G	51.44	54.00	-2.56	52.47	3	Vertical	15	1.69	-	28.40	5.43	34.86			
PK	2.4206G	117.07	Inf	-Inf	118.09	3	Vertical	15	1.69	-	28.40	5.46	34.88			
AV	2.4182G	108.33	Inf	-Inf	109.37	3	Vertical	15	1.69	-	28.38	5.46	34.88			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 81
03-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	66.98	74.00	-7.02	68.02	3	Horizontal	26	2.25	-	28.39	5.43	34.86			
AV	2.3894G	53.85	54.00	-0.15	54.89	3	Horizontal	26	2.25	-	28.39	5.43	34.86			
PK	2.414G	117.43	Inf	-Inf	118.50	3	Horizontal	26	2.25	-	28.34	5.46	34.87			
AV	2.4196G	108.20	Inf	-Inf	109.22	3	Horizontal	26	2.25	-	28.40	5.46	34.88			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 88
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3882G	68.06	74.00	-5.94	68.32	3	Vertical	350	1.80	-	28.36	4.62	33.24			
AV	2.3898G	49.68	54.00	-4.32	49.90	3	Vertical	350	1.80	-	28.40	4.62	33.24			
PK	2.4438G	119.20	Inf	-Inf	119.23	3	Vertical	350	1.80	-	28.56	4.70	33.29			
AV	2.4362G	108.35	Inf	-Inf	108.30	3	Vertical	350	1.80	-	28.64	4.69	33.28			
PK	2.485G	72.29	74.00	-1.71	72.05	3	Vertical	350	1.80	-	28.80	4.77	33.33			
AV	2.4835G	53.89	54.00	-0.11	53.65	3	Vertical	350	1.80	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 88
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3894G	66.14	74.00	-7.86	66.37	3	Horizontal	24	1.79	-	28.39	4.62	33.24			
AV	2.3898G	49.80	54.00	-4.20	50.02	3	Horizontal	24	1.79	-	28.40	4.62	33.24			
PK	2.4362G	118.09	Inf	-Inf	118.04	3	Horizontal	24	1.79	-	28.64	4.69	33.28			
AV	2.4362G	107.00	Inf	-Inf	106.95	3	Horizontal	24	1.79	-	28.64	4.69	33.28			
PK	2.4838G	70.55	74.00	-3.45	70.31	3	Horizontal	24	1.79	-	28.80	4.77	33.33			
AV	2.4835G	52.32	54.00	-1.68	52.08	3	Horizontal	24	1.79	-	28.80	4.77	33.33			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 88
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.86832G	46.94	74.00	-27.06	40.99	3	Vertical	213	2.80	-	33.07	6.55	33.67				
AV	4.86976G	36.22	54.00	-17.78	30.26	3	Vertical	213	2.80	-	33.08	6.55	33.67				
PK	7.321G	54.14	74.00	-19.86	41.76	3	Vertical	346	1.92	-	37.34	8.58	33.54				
AV	7.31636G	43.71	54.00	-10.29	31.34	3	Vertical	346	1.92	-	37.33	8.58	33.54				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2437MHz_TX




EUT_Y_2TX
Setting 88
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	4.88148G	47.30	74.00	-26.70	41.29	3	Horizontal	45	2.29	-	33.13	6.55	33.67				
AV	4.87996G	36.14	54.00	-17.86	30.14	3	Horizontal	45	2.29	-	33.12	6.55	33.67				
PK	7.31916G	54.90	74.00	-19.10	42.52	3	Horizontal	163	2.82	-	37.34	8.58	33.54				
AV	7.31012G	43.40	54.00	-10.60	31.05	3	Horizontal	163	2.82	-	37.32	8.57	33.54				

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
Setting 77
03-P-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	2.4662G	116.82	Inf	-Inf	117.84	3	Vertical	17	2.26	-	28.36	5.52	34.90			
AV	2.4582G	108.39	Inf	-Inf	109.48	3	Vertical	17	2.26	-	28.30	5.51	34.90			
PK	2.4836G	67.66	74.00	-6.34	68.63	3	Vertical	17	2.26	-	28.40	5.54	34.91			
AV	2.4835G	53.78	54.00	-0.22	54.75	3	Vertical	17	2.26	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2457MHz_TX




EUT_Y_2TX
Setting 77
03-P-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.4608G	116.75	Inf	-Inf	117.83	3	Horizontal	22	2.40	-	28.31	5.51	34.90			
AV	2.4558G	107.29	Inf	-Inf	108.38	3	Horizontal	22	2.40	-	28.30	5.51	34.90			
PK	2.4836G	61.63	74.00	-12.37	62.60	3	Horizontal	22	2.40	-	28.40	5.54	34.91			
AV	2.4835G	51.45	54.00	-2.55	52.42	3	Horizontal	22	2.40	-	28.40	5.54	34.91			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 72
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.3684G	57.11	74.00	-16.89	23.90	3	Vertical	4.7	2.39	-	27.60	5.61	-			
AV	2.3878G	46.88	54.00	-7.12	13.75	3	Vertical	4.7	2.39	-	27.50	5.63	-			
PK	2.4626G	112.31	Inf	-Inf	79.15	3	Vertical	4.7	2.39	-	27.47	5.69	-			
AV	2.4674G	101.62	Inf	-Inf	68.49	3	Vertical	4.7	2.39	-	27.43	5.70	-			
PK	2.4846G	63.26	74.00	-10.74	29.96	3	Vertical	4.7	2.39	-	27.59	5.71	-			
AV	2.4835G	53.86	54.00	-0.14	20.58	3	Vertical	4.7	2.39	-	27.57	5.71	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 72
04-E-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	2.376G	57.50	74.00	-16.50	24.34	3	Horizontal	3.4	2.05	-	27.54	5.62	-			
AV	2.3768G	46.54	54.00	-7.46	13.39	3	Horizontal	3.4	2.05	-	27.53	5.62	-			
PK	2.4614G	112.77	Inf	-Inf	79.59	3	Horizontal	3.4	2.05	-	27.49	5.69	-			
AV	2.4636G	101.53	Inf	-Inf	68.38	3	Horizontal	3.4	2.05	-	27.46	5.69	-			
PK	2.4842G	64.21	74.00	-9.79	30.92	3	Horizontal	3.4	2.05	-	27.58	5.71	-			
AV	2.4838G	53.26	54.00	-0.74	19.97	3	Horizontal	3.4	2.05	-	27.58	5.71	-			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 72
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.9264G	47.04	74.00	-26.96	40.95	3	Vertical	220	2.62	-	33.20	6.56	33.67			
AV	4.91644G	36.56	54.00	-17.44	30.47	3	Vertical	220	2.62	-	33.20	6.56	33.67			
PK	7.39136G	53.01	74.00	-20.99	40.62	3	Vertical	192	2.14	-	37.32	8.64	33.57			
AV	7.38384G	42.55	54.00	-11.45	30.15	3	Vertical	192	2.14	-	37.33	8.64	33.57			

2.4-2.4835GHz_802.11be EHT20_Nss2,(MCS0)_2TX

2462MHz_TX



EUT Y_2TX
Setting 72
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	4.91452G	46.75	74.00	-27.25	40.66	3	Horizontal	237	1.26	-	33.20	6.56	33.67			
AV	4.928G	36.52	54.00	-17.48	30.43	3	Horizontal	237	1.26	-	33.20	6.56	33.67			
PK	7.38972G	53.41	74.00	-20.59	41.02	3	Horizontal	235	2.33	-	37.32	8.64	33.57			
AV	7.3844G	42.29	54.00	-11.71	29.89	3	Horizontal	235	2.33	-	37.33	8.64	33.57			