


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

20/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

20/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

20/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

20/09/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

20/09/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

20/09/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

20/09/2025



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.26	-3.26	-3.26



Test Mode: Mode 8

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	2.84

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	10.44	-0.29	0.18	2.76	12.56
5200MHz	Pass	10.44	-0.26	0.22	2.84	12.56
5240MHz	Pass	10.44	-0.29	0.02	2.77	12.56

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

20/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
2.76	2.76	-0.29	0.18

Sum
Port 1
Port 2


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

20/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
2.84	2.84	-0.26	0.22


Sum
Port 1
Port 2

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

20/09/2025



Test Mode: Mode 9

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	1.95
802.11be EHT40_Nss2,(MCS0)_2TX	-0.85
802.11be EHT80_Nss2,(MCS0)_2TX	-3.96

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	7.43	-1.13	-0.79	1.92	15.57
5200MHz	Pass	7.43	-1.31	-0.82	1.91	15.57
5240MHz	Pass	7.43	-1.16	-0.90	1.95	15.57
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	7.43	-3.90	-3.75	-0.85	15.57
5230MHz	Pass	7.43	-3.89	-3.57	-0.86	15.57
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	7.43	-7.22	-6.69	-3.96	15.57

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

20/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.92	1.92	-1.13	-0.79

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

20/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.91	1.91	-1.31	-0.82

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

20/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.95	1.95	-1.16	-0.90


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

20/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.85	-0.85	-3.90	-3.75


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

20/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.86	-0.86	-3.89	-3.57

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

20/09/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.96	-3.96	-7.22	-6.69

Sum
Port 1
Port 2

Test Mode: Mode 10

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_4TX	2.56
802.11be EHT20_Nss1,(MCS0)_4TX	1.22
802.11be EHT40_Nss1,(MCS0)_4TX	-1.46
802.11be EHT80_Nss1,(MCS0)_4TX	-4.43

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	13.53	-3.53	-2.95	-3.75	-2.45	2.56	9.47
5200MHz	Pass	13.53	-3.86	-4.02	-3.87	-2.14	2.42	9.47
5240MHz	Pass	13.53	-3.90	-3.49	-3.45	-2.49	2.33	9.47
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	13.53	-5.15	-4.56	-5.18	-3.88	1.22	9.47
5200MHz	Pass	13.53	-5.25	-4.54	-5.14	-3.95	1.18	9.47
5240MHz	Pass	13.53	-5.06	-4.70	-5.18	-3.87	1.13	9.47
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	13.53	-7.36	-7.41	-8.18	-6.81	-1.46	9.47
5230MHz	Pass	13.53	-7.75	-7.47	-8.03	-6.93	-1.64	9.47
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	13.53	-10.65	-10.47	-10.67	-9.81	-4.43	9.47

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

22/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

22/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

22/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5180MHz

22/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5200MHz

22/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5240MHz

22/09/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5190MHz

22/09/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5230MHz

22/09/2025




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5210MHz

22/09/2025



Test Mode: Mode 11

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss4,(MCS0)_4TX	1.27
802.11be EHT40_Nss4,(MCS0)_4TX	-1.63
802.11be EHT80_Nss4,(MCS0)_4TX	-4.46

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.51	-5.35	-4.77	-5.05	-4.02	1.15	15.49
5200MHz	Pass	7.51	-4.80	-5.06	-4.94	-3.94	1.27	15.49
5240MHz	Pass	7.51	-5.55	-4.70	-5.25	-3.55	1.21	15.49
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.51	-8.07	-7.34	-7.97	-6.74	-1.66	15.49
5230MHz	Pass	7.51	-7.51	-7.81	-7.94	-6.81	-1.63	15.49
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.51	-11.25	-10.33	-10.41	-9.57	-4.46	15.49


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5180MHz

22/09/2025




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5200MHz

22/09/2025




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5240MHz

22/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.21	1.21	-5.55	-4.70	-5.25	-3.55


5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5190MHz

22/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-1.66	-1.66	-8.07	-7.34	-7.97	-6.74

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5230MHz

22/09/2025




5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5210MHz

22/09/2025



Test Mode: Mode 12

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	9.95
802.11a_Nss1,(6Mbps)_2TX	12.78
802.11a_Nss1,(6Mbps)_4TX	12.97
802.11be EHT20_Nss1,(MCS0)_1TX	8.25
802.11be EHT20_Nss2,(MCS0)_2TX	11.49
802.11be EHT20_Nss1,(MCS0)_4TX	12.97
802.11be EHT20_Nss4,(MCS0)_4TX	14.31
802.11be EHT40_Nss1,(MCS0)_1TX	4.52
802.11be EHT40_Nss2,(MCS0)_2TX	7.52
802.11be EHT40_Nss1,(MCS0)_4TX	7.14
802.11be EHT40_Nss4,(MCS0)_4TX	8.83
802.11be EHT80_Nss1,(MCS0)_1TX	-0.07
802.11be EHT80_Nss2,(MCS0)_2TX	4.37
802.11be EHT80_Nss1,(MCS0)_4TX	0.53
802.11be EHT80_Nss4,(MCS0)_4TX	1.27

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.46	6.50				6.50	17.00
5200MHz	Pass	3.46	9.95				9.95	17.00
5240MHz	Pass	3.46	9.77				9.77	17.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.46	7.42				7.42	17.00
5200MHz	Pass	3.46	8.22				8.22	17.00
5240MHz	Pass	3.46	8.25				8.25	17.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5190MHz	Pass	3.46	3.12				3.12	17.00
5230MHz	Pass	3.46	4.52				4.52	17.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5210MHz	Pass	3.46	-0.07				-0.07	17.00
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.93	7.92	8.39			11.17	16.07
5200MHz	Pass	6.93	9.08	9.04			11.86	16.07
5240MHz	Pass	6.93	9.74	9.86			12.78	16.07
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.93	6.80	7.39			10.12	17.00
5200MHz	Pass	3.93	7.19	7.15			10.07	17.00
5240MHz	Pass	3.93	8.63	8.62			11.49	17.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	3.93	4.57	4.52			7.52	17.00
5230MHz	Pass	3.93	2.63	2.66			5.63	17.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	3.93	1.29	1.52			4.37	17.00
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.98	6.54	6.78	7.01	6.92	12.52	13.02
5200MHz	Pass	9.98	6.89	7.26	7.47	7.19	12.93	13.02
5240MHz	Pass	9.98	6.96	7.31	7.29	7.37	12.97	13.02
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.98	3.40	3.71	3.50	3.94	9.53	13.02
5200MHz	Pass	9.98	6.67	7.10	7.18	7.07	12.88	13.02
5240MHz	Pass	9.98	6.90	7.22	7.02	7.07	12.97	13.02
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	9.98	-1.26	-0.97	-1.72	-1.15	4.67	13.02
5230MHz	Pass	9.98	1.20	1.17	0.88	1.45	7.14	13.02
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	9.98	-5.85	-5.37	-5.38	-4.76	0.53	13.02
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.98	5.90	5.92	6.18	6.43	12.01	17.00
5200MHz	Pass	3.98	8.01	8.13	8.33	8.11	14.06	17.00
5240MHz	Pass	3.98	8.19	8.32	8.53	8.64	14.31	17.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	3.98	-0.47	0.00	-0.70	-0.28	5.53	17.00
5230MHz	Pass	3.98	2.96	2.90	2.64	2.98	8.83	17.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	3.98	-4.95	-4.62	-4.84	-4.19	1.27	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

19/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.50	6.50	6.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

19/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.95	9.95	9.95

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

19/09/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.77	9.77	9.77

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

19/09/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.42	7.42	7.42

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

19/09/2025




Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.22	8.22	8.22

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

19/09/2025



Sum	PD	Port 1
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.25	8.25	8.25


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

19/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.12	3.12	3.12


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

19/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.52	4.52	4.52

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

19/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

19/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

19/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.85	11.86	9.08	9.04

Sum
Port 1
Port 2


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

19/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.78	12.78	9.74	9.86

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

19/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.12	10.12	6.80	7.39

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

19/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.07	10.07	7.19	7.15

Sum
Port 1
Port 2

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

19/09/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
11.49	11.49	8.63	8.62

Sum ☐

Port 1 ☐

Port 2 ☐

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

19/09/2025

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
7.52	7.52	4.57	4.52

Sum ☐

Port 1 ☐


Port 2 ☐

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

19/09/2025




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

19/09/2025



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

19/09/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.52	12.52	6.54	6.78	7.01	6.92

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

19/09/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.93	12.93	6.89	7.26	7.47	7.19


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

19/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.97	12.97	6.96	7.31	7.29	7.37

Sum
Port 1
Port 2
Port 3
Port 4


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5180MHz

19/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.53	9.53	3.40	3.71	3.50	3.94

Sum
Port 1
Port 2
Port 3
Port 4


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5200MHz

19/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.88	12.88	6.67	7.10	7.18	7.07


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5240MHz

19/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.97	12.97	6.90	7.22	7.02	7.07


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5190MHz

19/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.67	4.67	-1.26	-0.97	-1.72	-1.15


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5230MHz

19/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.14	7.14	1.20	1.17	0.88	1.45


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5210MHz

19/09/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
0.53	0.53	-5.85	-5.37	-5.38	-4.76


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5180MHz

19/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
12.01	12.01	5.90	5.92	6.18	6.43


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5200MHz

19/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.06	14.06	8.01	8.13	8.33	8.11


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5240MHz

19/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.31	14.31	8.19	8.32	8.53	8.64


5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5190MHz

19/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.53	5.53	-0.47	0.00	-0.70	-0.28


5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5230MHz

19/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.83	8.83	2.96	2.90	2.64	2.98

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5210MHz

19/09/2025



Test Mode: Mode 13

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	8.54
802.11be EHT20_Nss1,(MCS0)_1TX	7.42
802.11be EHT40_Nss1,(MCS0)_1TX	4.52
802.11be EHT80_Nss1,(MCS0)_1TX	-0.07

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	3.46	6.50	6.50	17.00
5200MHz	Pass	3.46	8.46	8.46	17.00
5240MHz	Pass	3.46	8.54	8.54	17.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	3.46	7.42	7.42	17.00
5200MHz	Pass	3.46	7.38	7.38	17.00
5240MHz	Pass	3.46	7.35	7.35	17.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	3.46	3.12	3.12	17.00
5230MHz	Pass	3.46	4.52	4.52	17.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	3.46	-0.07	-0.07	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

19/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.50	6.50	6.50


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

02/10/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.46	8.46	8.46

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

02/10/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.54	8.54	8.54

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

19/09/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.42	7.42	7.42

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

02/10/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

02/10/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

19/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
100m
Detector Type
RMS




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

19/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

19/09/2025



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.07	-0.07	-0.07



Test Mode: Mode 14

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	8.07

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	6.93	5.23	4.92	8.07	16.07
5200MHz	Pass	6.93	5.14	5.19	8.01	16.07
5240MHz	Pass	6.93	4.92	4.93	7.85	16.07


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

02/10/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

02/10/2025



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

02/10/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.85	7.85	4.92	4.93

Test Mode: Mode 15

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	6.31
802.11be EHT40_Nss2,(MCS0)_2TX	3.48
802.11be EHT80_Nss2,(MCS0)_2TX	0.67

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	3.93	3.36	3.30	6.29	17.00
5200MHz	Pass	3.93	3.33	3.09	6.14	17.00
5240MHz	Pass	3.93	3.49	3.24	6.31	17.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	3.93	0.71	0.22	3.33	17.00
5230MHz	Pass	3.93	0.83	0.30	3.48	17.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	3.93	-2.18	-2.25	0.67	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

02/10/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.29	6.29	3.36	3.30

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

02/10/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.14	6.14	3.33	3.09

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

02/10/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
6.31	6.31	3.49	3.24

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

02/10/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
3.33	3.33	0.71	0.22

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

02/10/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.48	3.48	0.83	0.30

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

02/10/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.67	0.67	-2.18	-2.25

Sum
Port 1
Port 2

Test Mode: Mode 16

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_4TX	6.59
802.11be EHT20_Nss1,(MCS0)_4TX	5.50
802.11be EHT40_Nss1,(MCS0)_4TX	2.65
802.11be EHT80_Nss1,(MCS0)_4TX	-0.21

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.98	0.55	0.80	1.20	1.00	6.59	13.02
5200MHz	Pass	9.98	0.78	0.31	0.51	0.78	6.35	13.02
5240MHz	Pass	9.98	0.80	0.63	0.60	1.24	6.55	13.02
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.98	-0.54	-0.54	-0.56	0.04	5.50	13.02
5200MHz	Pass	9.98	-0.35	-0.61	-0.98	-0.05	5.39	13.02
5240MHz	Pass	9.98	-0.68	-0.41	-0.79	-0.09	5.42	13.02
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	9.98	-3.20	-3.63	-3.68	-3.13	2.47	13.02
5230MHz	Pass	9.98	-2.98	-3.37	-3.75	-3.05	2.65	13.02
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	9.98	-6.14	-6.29	-6.24	-5.70	-0.21	13.02

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

02/10/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

02/10/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

02/10/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.55	6.55	0.80	0.63	0.60	1.24


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5180MHz

02/10/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.50	5.50	-0.54	-0.54	-0.56	0.04

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5200MHz

02/10/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5240MHz

02/10/2025



5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5190MHz

02/10/2025

CF (Hz)
5.19G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.47	2.47	-3.20	-3.63	-3.68	-3.13

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5230MHz

02/10/2025

CF (Hz)
5.23G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.65	2.65	-2.98	-3.37	-3.75	-3.05

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5210MHz

02/10/2025



Test Mode: Mode 17

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss4,(MCS0)_4TX	6.43
802.11be EHT40_Nss4,(MCS0)_4TX	3.44
802.11be EHT80_Nss4,(MCS0)_4TX	0.59

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.98	0.55	0.21	0.25	0.81	6.42	17.00
5200MHz	Pass	3.98	0.18	0.11	0.04	0.87	6.21	17.00
5240MHz	Pass	3.98	0.48	0.55	0.22	0.79	6.43	17.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	3.98	-2.19	-2.49	-2.93	-2.55	3.36	17.00
5230MHz	Pass	3.98	-2.17	-2.52	-2.92	-2.52	3.44	17.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	3.98	-5.22	-5.35	-5.34	-5.32	0.59	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5180MHz

02/10/2025




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5200MHz

02/10/2025




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5240MHz

02/10/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
6.43	6.43	0.48	0.55	0.22	0.79


5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5190MHz

02/10/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
3.36	3.36	-2.19	-2.49	-2.93	-2.55


5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5230MHz

02/10/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.44	3.44	-2.17	-2.52	-2.92	-2.52


5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5210MHz

02/10/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.59	0.59	-5.22	-5.35	-5.34	-5.32

Test Mode: Mode 18

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.89
802.11be EHT20_Nss1,(MCS0)_1TX	4.98
802.11be EHT40_Nss1,(MCS0)_1TX	2.00
802.11be EHT80_Nss1,(MCS0)_1TX	-0.84

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	3.46	5.76	5.76	17.00
5200MHz	Pass	3.46	5.83	5.83	17.00
5240MHz	Pass	3.46	5.89	5.89	17.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	3.46	4.67	4.67	17.00
5200MHz	Pass	3.46	4.56	4.56	17.00
5240MHz	Pass	3.46	4.98	4.98	17.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	3.46	2.00	2.00	17.00
5230MHz	Pass	3.46	1.89	1.89	17.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	3.46	-0.84	-0.84	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

20/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

20/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

20/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

20/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

20/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.56	4.56	4.56

Port 1


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

20/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.98	4.98	4.98


Port 1

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

20/09/2025




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.00	2.00	2.00

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

20/09/2025




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.89	1.89	1.89

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

20/09/2025



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.84	-0.84	-0.84



Test Mode: Mode 19

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	5.31

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	6.93	2.17	2.41	5.18	16.07
5200MHz	Pass	6.93	1.80	2.52	5.14	16.07
5240MHz	Pass	6.93	2.02	2.86	5.31	16.07

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

20/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.18	5.18	2.17	2.41

Sum
Port 1
Port 2


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

20/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.14	5.14	1.80	2.52


Sum
Port 1
Port 2

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

20/09/2025



Test Mode: Mode 20

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	4.48
802.11be EHT40_Nss2,(MCS0)_2TX	1.57
802.11be EHT80_Nss2,(MCS0)_2TX	-1.42

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	3.93	1.11	1.49	4.26	17.00
5200MHz	Pass	3.93	1.27	1.63	4.33	17.00
5240MHz	Pass	3.93	1.36	1.65	4.48	17.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	3.93	-1.58	-1.23	1.54	17.00
5230MHz	Pass	3.93	-1.36	-1.35	1.57	17.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	3.93	-4.55	-4.16	-1.42	17.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

20/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
4.26	4.26	1.11	1.49

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

20/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
4.33	4.33	1.27	1.63

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

20/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.48	4.48	1.36	1.65

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

20/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.54	1.54	-1.58	-1.23

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

20/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
1.57	1.57	-1.36	-1.35

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

20/09/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
-1.42	-1.42	-4.55	-4.16

Sum
Port 1
Port 2

Test Mode: Mode 21

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_4TX	4.09
802.11be EHT20_Nss1,(MCS0)_4TX	2.84
802.11be EHT40_Nss1,(MCS0)_4TX	-0.08
802.11be EHT80_Nss1,(MCS0)_4TX	-3.03

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.98	-2.09	-1.87	-2.24	-1.07	4.09	13.02
5200MHz	Pass	9.98	-2.47	-2.05	-2.59	-1.09	3.88	13.02
5240MHz	Pass	9.98	-2.40	-2.06	-2.75	-1.06	3.79	13.02
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.98	-3.46	-3.03	-3.69	-2.34	2.72	13.02
5200MHz	Pass	9.98	-3.76	-3.19	-3.72	-2.47	2.68	13.02
5240MHz	Pass	9.98	-3.61	-2.95	-3.50	-2.09	2.84	13.02
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	9.98	-6.51	-5.94	-6.44	-5.53	-0.12	13.02
5230MHz	Pass	9.98	-6.35	-5.93	-6.69	-5.14	-0.08	13.02
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	9.98	-9.47	-9.07	-9.21	-8.18	-3.03	13.02


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

22/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

22/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

22/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5180MHz

22/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5200MHz

22/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5240MHz

22/09/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5190MHz

22/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.12	-0.12	-6.51	-5.94	-6.44	-5.53


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5230MHz

22/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.08	-0.08	-6.35	-5.93	-6.69	-5.14

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5210MHz

22/09/2025



Test Mode: Mode 22

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss4,(MCS0)_4TX	3.91
802.11be EHT40_Nss4,(MCS0)_4TX	0.76
802.11be EHT80_Nss4,(MCS0)_4TX	-2.07

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.98	-2.38	-1.87	-2.42	-1.38	3.91	17.00
5200MHz	Pass	3.98	-2.60	-2.15	-2.51	-1.44	3.82	17.00
5240MHz	Pass	3.98	-2.64	-2.03	-2.49	-1.51	3.79	17.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	3.98	-5.26	-4.91	-5.54	-4.90	0.75	17.00
5230MHz	Pass	3.98	-5.46	-5.21	-5.53	-4.55	0.76	17.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	3.98	-8.77	-8.09	-8.26	-7.20	-2.07	17.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5180MHz

22/09/2025




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5200MHz

22/09/2025




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5240MHz

22/09/2025




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5190MHz

22/09/2025




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5230MHz

22/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.76	0.76	-5.46	-5.21	-5.53	-4.55


5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5210MHz

22/09/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.07	-2.07	-8.77	-8.09	-8.26	-7.20

Test Mode: Mode 23

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	9.99
802.11a_Nss1,(6Mbps)_2TX	12.43
802.11a_Nss1,(6Mbps)_4TX	10.72
802.11be EHT20_Nss1,(MCS0)_1TX	9.58
802.11be EHT20_Nss2,(MCS0)_2TX	11.51
802.11be EHT20_Nss1,(MCS0)_4TX	10.78
802.11be EHT20_Nss4,(MCS0)_4TX	14.70
802.11be EHT40_Nss1,(MCS0)_1TX	3.32
802.11be EHT40_Nss2,(MCS0)_2TX	6.95
802.11be EHT40_Nss1,(MCS0)_4TX	9.89
802.11be EHT40_Nss4,(MCS0)_4TX	9.89
802.11be EHT80_Nss1,(MCS0)_1TX	0.33
802.11be EHT80_Nss2,(MCS0)_2TX	0.96
802.11be EHT80_Nss1,(MCS0)_4TX	1.98
802.11be EHT80_Nss4,(MCS0)_4TX	2.95
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	8.85
802.11a_Nss1,(6Mbps)_2TX	12.08
802.11a_Nss1,(6Mbps)_4TX	14.25
802.11be EHT20_Nss1,(MCS0)_1TX	8.73
802.11be EHT20_Nss2,(MCS0)_2TX	10.59
802.11be EHT20_Nss1,(MCS0)_4TX	13.41
802.11be EHT20_Nss4,(MCS0)_4TX	13.45
802.11be EHT40_Nss1,(MCS0)_1TX	4.30
802.11be EHT40_Nss2,(MCS0)_2TX	7.20
802.11be EHT40_Nss1,(MCS0)_4TX	9.63
802.11be EHT40_Nss4,(MCS0)_4TX	9.64
802.11be EHT80_Nss1,(MCS0)_1TX	-0.64
802.11be EHT80_Nss2,(MCS0)_2TX	1.78
802.11be EHT80_Nss1,(MCS0)_4TX	3.94
802.11be EHT80_Nss4,(MCS0)_4TX	3.88

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.15	7.57				7.57	16.85
5200MHz	Pass	6.15	9.99				9.99	16.85
5240MHz	Pass	6.15	9.54				9.54	16.85
5745MHz	Pass	6.15	8.36				8.36	29.85
5785MHz	Pass	6.15	8.85				8.85	29.85
5825MHz	Pass	6.15	7.77				7.77	29.85
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.15	7.42				7.42	16.85
5200MHz	Pass	6.15	9.58				9.58	16.85
5240MHz	Pass	6.15	9.30				9.30	16.85
5745MHz	Pass	6.15	7.82				7.82	29.85
5785MHz	Pass	6.15	8.73				8.73	29.85
5825MHz	Pass	6.15	7.51				7.51	29.85
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5190MHz	Pass	6.15	2.63				2.63	16.85
5230MHz	Pass	6.15	3.32				3.32	16.85
5755MHz	Pass	6.15	2.24				2.24	29.85
5795MHz	Pass	6.15	4.30				4.30	29.85
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.15	0.33				0.33	16.85
5775MHz	Pass	6.15	-0.64				-0.64	29.85
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.16	6.70	7.52			10.10	13.84
5200MHz	Pass	9.16	8.95	9.57			12.19	13.84
5240MHz	Pass	9.16	9.06	9.81			12.43	13.84
5745MHz	Pass	9.16	7.53	8.82			11.23	26.84
5785MHz	Pass	9.16	8.26	9.85			12.08	26.84
5825MHz	Pass	9.16	7.85	8.61			10.98	26.84
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.15	5.45	6.41			8.80	16.85
5200MHz	Pass	6.15	7.46	7.93			10.62	16.85
5240MHz	Pass	6.15	8.22	8.87			11.51	16.85
5745MHz	Pass	6.15	6.69	7.96			10.31	29.85
5785MHz	Pass	6.15	7.06	8.18			10.59	29.85
5825MHz	Pass	6.15	6.82	7.77			10.28	29.85
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	6.15	2.00	2.92			5.42	16.85
5230MHz	Pass	6.15	3.52	4.44			6.95	16.85
5755MHz	Pass	6.15	1.92	3.01			5.42	29.85
5795MHz	Pass	6.15	3.55	4.88			7.20	29.85
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.15	-2.14	-1.80			0.96	16.85
5775MHz	Pass	6.15	-1.15	-1.17			1.78	29.85
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	12.20	4.30	5.14	5.02	4.90	10.71	10.80
5200MHz	Pass	12.20	4.53	4.91	5.19	5.13	10.72	10.80
5240MHz	Pass	12.20	3.97	4.73	5.00	5.16	10.62	10.80
5745MHz	Pass	12.20	7.46	8.48	8.05	8.32	13.70	23.80
5785MHz	Pass	12.20	8.52	8.85	8.38	8.48	14.25	23.80
5825MHz	Pass	12.20	7.60	8.42	8.02	8.49	13.77	23.80
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	12.20	4.15	5.04	5.03	4.82	10.66	10.80
5200MHz	Pass	12.20	4.44	4.95	5.18	5.17	10.78	10.80
5240MHz	Pass	12.20	4.26	4.92	4.96	5.09	10.70	10.80

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5745MHz	Pass	12.20	5.76	6.62	6.47	6.29	12.15	23.80
5785MHz	Pass	12.20	7.20	8.01	7.47	7.70	13.41	23.80
5825MHz	Pass	12.20	6.73	7.49	7.27	7.26	13.10	23.80
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	12.20	0.74	1.40	1.33	1.52	7.13	10.80
5230MHz	Pass	12.20	3.24	4.13	4.09	4.36	9.89	10.80
5755MHz	Pass	12.20	1.13	2.57	2.01	2.17	7.89	23.80
5795MHz	Pass	12.20	2.95	4.15	3.80	4.01	9.63	23.80
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	12.20	-4.61	-4.11	-3.73	-3.31	1.98	10.80
5775MHz	Pass	12.20	-2.04	-2.02	-1.80	-1.96	3.94	23.80
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.18	4.49	5.37	5.28	5.14	10.97	16.82
5200MHz	Pass	6.18	6.69	7.35	7.66	7.62	13.28	16.82
5240MHz	Pass	6.18	8.12	8.84	9.00	8.89	14.70	16.82
5745MHz	Pass	6.18	6.62	7.46	7.09	7.13	12.90	29.82
5785MHz	Pass	6.18	7.15	8.02	7.57	7.81	13.45	29.82
5825MHz	Pass	6.18	6.80	7.34	7.22	7.27	13.00	29.82
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	6.18	-0.38	0.44	0.48	0.74	6.26	16.82
5230MHz	Pass	6.18	3.30	4.10	4.09	4.48	9.89	16.82
5755MHz	Pass	6.18	1.48	2.70	2.28	2.41	8.11	29.82
5795MHz	Pass	6.18	2.88	4.05	3.84	4.01	9.64	29.82
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.18	-3.55	-3.05	-2.59	-2.50	2.95	16.82
5775MHz	Pass	6.18	-2.20	-2.11	-1.80	-2.03	3.88	29.82

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

17/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

17/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

17/09/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5745MHz

17/09/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5785MHz

17/09/2025




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.85	8.85	8.85

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5825MHz

17/09/2025




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.77	7.77	7.77

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

17/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

17/09/2025



5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

17/09/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
9.30	9.30	9.30

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5745MHz

17/09/2025

CF (Hz)
5.745G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
7.82	7.82	7.82


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5785MHz

17/09/2025

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.73	8.73	8.73


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5825MHz

17/09/2025

CF (Hz)
5.825G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.51	7.51	7.51


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

17/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.63	2.63	2.63


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

17/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.32	3.32	3.32


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5755MHz

17/09/2025

CF (Hz)
5.755G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.24	2.24	2.24


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5795MHz

17/09/2025

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.30	4.30	4.30

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

17/09/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5775MHz

17/09/2025



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

17/09/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
10.10	10.10	6.70	7.52

Sum 

Port 1 

Port 2 

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

17/09/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
12.19	12.19	8.95	9.57

Sum 

Port 1 

Port 2 

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

17/09/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.43	12.43	9.06	9.81

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

17/09/2025

CF (Hz)
5.745G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.23	11.23	7.53	8.82


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

17/09/2025

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
12.08	12.08	8.26	9.85

Sum
Port 1
Port 2


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

17/09/2025

CF (Hz)
5.825G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
10.98	10.98	7.85	8.61

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

17/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
8.80	8.80	5.45	6.41

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

17/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
10.62	10.62	7.46	7.93

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

17/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.51	11.51	8.22	8.87

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5745MHz

17/09/2025

CF (Hz)
5.745G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.31	10.31	6.69	7.96

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5785MHz

17/09/2025

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
10.59	10.59	7.06	8.18

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5825MHz

17/09/2025

CF (Hz)
5.825G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
10.28	10.28	6.82	7.77


Sum
Port 1
Port 2

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

17/09/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.42	5.42	2.00	2.92

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

17/09/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.95	6.95	3.52	4.44


5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5755MHz

17/09/2025

CF (Hz)
5.755G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.42	5.42	1.92	3.01

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5795MHz

17/09/2025

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.20	7.20	3.55	4.88

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

17/09/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
0.96	0.96	-2.14	-1.80

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5775MHz

17/09/2025

CF (Hz)
5.775G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
1.78	1.78	-1.15	-1.17


Sum
Port 1
Port 2

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

17/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

17/09/2025



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

17/09/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
10.62	10.62	3.97	4.73	5.00	5.16

Sum

Port 1

Port 2

Port 3

Port 4

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5745MHz

17/09/2025

CF (Hz)
5.745G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
13.70	13.70	7.46	8.48	8.05	8.32

Sum

Port 1

Port 2

Port 3

Port 4


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5785MHz

18/09/2025

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.25	14.25	8.52	8.85	8.38	8.48

Sum
Port 1
Port 2
Port 3
Port 4


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5825MHz

17/09/2025

CF (Hz)
5.825G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.77	13.77	7.60	8.42	8.02	8.49


Sum
Port 1
Port 2
Port 3
Port 4

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5180MHz

17/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5200MHz

17/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5240MHz

18/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
10.70	10.70	4.26	4.92	4.96	5.09


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5745MHz

18/09/2025

CF (Hz)
5.745G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
12.15	12.15	5.76	6.62	6.47	6.29

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5785MHz

18/09/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5825MHz

18/09/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5190MHz

18/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.13	7.13	0.74	1.40	1.33	1.52

Sum
Port 1
Port 2
Port 3
Port 4


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5230MHz

18/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.89	9.89	3.24	4.13	4.09	4.36

Sum
Port 1
Port 2
Port 3
Port 4


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5755MHz

18/09/2025

CF (Hz)
5.755G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.89	7.89	1.13	2.57	2.01	2.17


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5795MHz

18/09/2025

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.63	9.63	2.95	4.15	3.80	4.01

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5210MHz

18/09/2025

CF (Hz)
5.21G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.98	1.98	-4.61	-4.11	-3.73	-3.31

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5775MHz

18/09/2025

CF (Hz)
5.775G


Span (Hz)
120M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
3.94	3.94	-2.04	-2.02	-1.80	-1.96


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5180MHz

18/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.97	10.97	4.49	5.37	5.28	5.14


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5200MHz

18/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.28	13.28	6.69	7.35	7.66	7.62


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5240MHz

18/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.70	14.70	8.12	8.84	9.00	8.89

Sum
Port 1
Port 2
Port 3
Port 4


5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5745MHz

18/09/2025

CF (Hz)
5.745G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.90	12.90	6.62	7.46	7.09	7.13


Sum
Port 1
Port 2
Port 3
Port 4

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5785MHz

18/09/2025




5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5825MHz

18/09/2025




5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5190MHz

18/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.26	6.26	-0.38	0.44	0.48	0.74


5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5230MHz

18/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.89	9.89	3.30	4.10	4.09	4.48


5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5755MHz

18/09/2025

CF (Hz)
5.755G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.11	8.11	1.48	2.70	2.28	2.41


5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5795MHz

18/09/2025

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
9.64	9.64	2.88	4.05	3.84	4.01


5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5210MHz

18/09/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.95	2.95	-3.55	-3.05	-2.59	-2.50


5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5775MHz

18/09/2025

CF (Hz)
5.775G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.88	3.88	-2.20	-2.11	-1.80	-2.03

Test Mode: Mode 24

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.77
802.11be EHT20_Nss1,(MCS0)_1TX	4.40
802.11be EHT40_Nss1,(MCS0)_1TX	1.48
802.11be EHT80_Nss1,(MCS0)_1TX	-1.35

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	6.15	5.73	5.73	16.85
5200MHz	Pass	6.15	5.77	5.77	16.85
5240MHz	Pass	6.15	5.32	5.32	16.85
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	6.15	4.39	4.39	16.85
5200MHz	Pass	6.15	4.38	4.38	16.85
5240MHz	Pass	6.15	4.40	4.40	16.85
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	6.15	1.48	1.48	16.85
5230MHz	Pass	6.15	1.42	1.42	16.85
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	6.15	-1.35	-1.35	16.85

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

02/10/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

02/10/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

02/10/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.32	5.32	5.32

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

02/10/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.39	4.39	4.39

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

02/10/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

02/10/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

02/10/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

02/10/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

02/10/2025



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.35	-1.35	-1.35



Test Mode: Mode 25

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	5.38

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	9.16	2.26	2.46	5.17	13.84
5200MHz	Pass	9.16	2.35	2.51	5.38	13.84
5240MHz	Pass	9.16	2.23	2.43	5.05	13.84

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

02/10/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.17	5.17	2.26	2.46


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

02/10/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.38	5.38	2.35	2.51

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

02/10/2025



Test Mode: Mode 26

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	4.26
802.11be EHT40_Nss2,(MCS0)_2TX	1.35
802.11be EHT80_Nss2,(MCS0)_2TX	-1.35

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	6.15	1.07	1.48	4.26	16.85
5200MHz	Pass	6.15	1.07	1.15	4.08	16.85
5240MHz	Pass	6.15	1.19	1.38	4.15	16.85
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	6.15	-1.73	-1.69	1.13	16.85
5230MHz	Pass	6.15	-1.73	-1.55	1.35	16.85
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	6.15	-4.30	-4.36	-1.35	16.85

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

02/10/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.26	4.26	1.07	1.48

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

02/10/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.08	4.08	1.07	1.15

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

02/10/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.15	4.15	1.19	1.38

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

02/10/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.13	1.13	-1.73	-1.69


Sum
Port 1
Port 2

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

02/10/2025




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

02/10/2025



Test Mode: Mode 27

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_4TX	5.04
802.11be EHT20_Nss1,(MCS0)_4TX	3.96
802.11be EHT40_Nss1,(MCS0)_4TX	1.04
802.11be EHT80_Nss1,(MCS0)_4TX	-1.84

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	12.20	-0.78	-0.85	-0.34	-1.16	4.99	10.80
5200MHz	Pass	12.20	-1.16	-0.80	-0.63	-1.06	4.73	10.80
5240MHz	Pass	12.20	-0.98	-0.67	-0.66	-1.00	5.04	10.80
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	12.20	-2.28	-2.05	-1.86	-2.28	3.73	10.80
5200MHz	Pass	12.20	-2.36	-2.19	-1.75	-2.13	3.85	10.80
5240MHz	Pass	12.20	-2.16	-2.07	-1.77	-1.95	3.96	10.80
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	12.20	-5.15	-4.91	-4.63	-4.76	1.01	10.80
5230MHz	Pass	12.20	-5.10	-4.90	-4.86	-4.56	1.04	10.80
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	12.20	-7.97	-7.99	-7.46	-7.59	-1.84	10.80


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

02/10/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

02/10/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

02/10/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5180MHz

02/10/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5200MHz

02/10/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5240MHz

02/10/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5190MHz

02/10/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.01	1.01	-5.15	-4.91	-4.63	-4.76


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5230MHz

02/10/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.04	1.04	-5.10	-4.90	-4.86	-4.56

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5210MHz

02/10/2025





Test Mode: Mode 28

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss4,(MCS0)_4TX	4.27
802.11be EHT40_Nss4,(MCS0)_4TX	1.55
802.11be EHT80_Nss4,(MCS0)_4TX	-1.56

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.18	-1.80	-1.72	-1.30	-1.70	4.27	16.82
5200MHz	Pass	6.18	-1.71	-1.80	-1.26	-1.79	4.23	16.82
5240MHz	Pass	6.18	-1.61	-1.88	-1.39	-1.77	4.21	16.82
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	6.18	-4.69	-4.91	-4.43	-4.58	1.30	16.82
5230MHz	Pass	6.18	-4.59	-4.49	-4.04	-4.36	1.55	16.82
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.18	-7.95	-7.68	-7.14	-7.26	-1.56	16.82


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5180MHz

02/10/2025




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5200MHz

02/10/2025




5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5240MHz

02/10/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.21	4.21	-1.61	-1.88	-1.39	-1.77


5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5190MHz

02/10/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.30	1.30	-4.69	-4.91	-4.43	-4.58


5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5230MHz

02/10/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.55	1.55	-4.59	-4.49	-4.04	-4.36


5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5210MHz

02/10/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-1.56	-1.56	-7.95	-7.68	-7.14	-7.26

Test Mode: Mode 29

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	3.69
802.11be EHT20_Nss1,(MCS0)_1TX	2.50
802.11be EHT40_Nss1,(MCS0)_1TX	-0.42
802.11be EHT80_Nss1,(MCS0)_1TX	-3.59

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	6.15	3.69	3.69	16.85
5200MHz	Pass	6.15	3.40	3.40	16.85
5240MHz	Pass	6.15	3.53	3.53	16.85
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	6.15	2.50	2.50	16.85
5200MHz	Pass	6.15	2.31	2.31	16.85
5240MHz	Pass	6.15	2.38	2.38	16.85
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	6.15	-0.59	-0.59	16.85
5230MHz	Pass	6.15	-0.42	-0.42	16.85
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	6.15	-3.59	-3.59	16.85


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

22/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

22/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

22/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.53	3.53	3.53


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

22/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.50	2.50	2.50

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

22/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

22/09/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

22/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.59	-0.59	-0.59

Port 1


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

22/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.42	-0.42	-0.42


Port 1

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

22/09/2025



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.59	-3.59	-3.59



Test Mode: Mode 30

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	3.61

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	9.16	0.21	0.77	3.45	13.84
5200MHz	Pass	9.16	0.13	0.82	3.49	13.84
5240MHz	Pass	9.16	0.21	1.08	3.61	13.84


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

22/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

22/09/2025



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

22/09/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.61	3.61	0.21	1.08

Test Mode: Mode 31

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss2,(MCS0)_2TX	2.21
802.11be EHT40_Nss2,(MCS0)_2TX	-0.75
802.11be EHT80_Nss2,(MCS0)_2TX	-3.50

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	6.15	-1.04	-0.42	2.17	16.85
5200MHz	Pass	6.15	-0.95	-0.51	2.11	16.85
5240MHz	Pass	6.15	-0.85	-0.55	2.21	16.85
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	6.15	-3.91	-3.48	-0.79	16.85
5230MHz	Pass	6.15	-3.94	-3.55	-0.75	16.85
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	6.15	-6.73	-6.31	-3.50	16.85

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

22/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
2.17	2.17	-1.04	-0.42

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

22/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
2.11	2.11	-0.95	-0.51


Sum
Port 1
Port 2

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

22/09/2025




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

22/09/2025




5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

22/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.75	-0.75	-3.94	-3.55

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

22/09/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.50	-3.50	-6.73	-6.31

Sum
Port 1
Port 2

Test Mode: Mode 32

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_4TX	3.43
802.11be EHT20_Nss1,(MCS0)_4TX	2.17
802.11be EHT40_Nss1,(MCS0)_4TX	-0.77
802.11be EHT80_Nss1,(MCS0)_4TX	-3.83

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	12.20	-2.59	-2.63	-1.80	-2.65	3.41	10.80
5200MHz	Pass	12.20	-3.21	-3.14	-1.89	-2.56	3.14	10.80
5240MHz	Pass	12.20	-2.56	-2.61	-2.02	-2.27	3.43	10.80
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	12.20	-4.23	-3.69	-3.27	-4.01	2.09	10.80
5200MHz	Pass	12.20	-4.48	-3.95	-3.14	-4.16	1.91	10.80
5240MHz	Pass	12.20	-4.47	-3.91	-3.43	-3.25	2.17	10.80
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	12.20	-6.90	-6.57	-6.42	-6.90	-0.77	10.80
5230MHz	Pass	12.20	-7.31	-7.00	-6.13	-6.97	-0.87	10.80
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	12.20	-10.49	-9.76	-8.94	-9.97	-3.83	10.80

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


Inf = There's no restriction for the limit.

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

22/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

22/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

22/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.43	3.43	-2.56	-2.61	-2.02	-2.27


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5180MHz

22/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.09	2.09	-4.23	-3.69	-3.27	-4.01

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5200MHz

22/09/2025




5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5240MHz

22/09/2025




5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5190MHz

22/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.77	-0.77	-6.90	-6.57	-6.42	-6.90

Sum
Port 1
Port 2
Port 3
Port 4


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5230MHz

22/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.87	-0.87	-7.31	-7.00	-6.13	-6.97


Sum
Port 1
Port 2
Port 3
Port 4

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5210MHz

22/09/2025



Test Mode: Mode 33

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11be EHT20_Nss4,(MCS0)_4TX	2.61
802.11be EHT40_Nss4,(MCS0)_4TX	-0.47
802.11be EHT80_Nss4,(MCS0)_4TX	-3.20

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.18	-3.77	-3.83	-2.93	-2.67	2.61	16.82
5200MHz	Pass	6.18	-4.77	-4.36	-3.77	-3.76	1.77	16.82
5240MHz	Pass	6.18	-4.15	-3.67	-2.79	-2.97	2.55	16.82
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	6.18	-7.05	-6.45	-6.28	-5.89	-0.47	16.82
5230MHz	Pass	6.18	-6.98	-6.57	-6.27	-5.92	-0.51	16.82
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	6.18	-9.52	-9.63	-8.68	-8.68	-3.20	16.82

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5180MHz

22/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.61	2.61	-3.77	-3.83	-2.93	-2.67


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5200MHz

23/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.77	1.77	-4.77	-4.36	-3.77	-3.76


5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5240MHz

22/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.55	2.55	-4.15	-3.67	-2.79	-2.97


5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5190MHz

22/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.47	-0.47	-7.05	-6.45	-6.28	-5.89


5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5230MHz

22/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.51	-0.51	-6.98	-6.57	-6.27	-5.92


5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5210MHz

23/09/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.20	-3.20	-9.52	-9.63	-8.68	-8.68

Test Mode: Mode 34

Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	10.46
802.11a_Nss1,(6Mbps)_2TX	12.47
802.11a_Nss1,(6Mbps)_4TX	13.34
802.11be EHT20_Nss1,(MCS0)_1TX	8.91
802.11be EHT20_Nss2,(MCS0)_2TX	11.48
802.11be EHT20_Nss1,(MCS0)_4TX	13.31
802.11be EHT20_Nss4,(MCS0)_4TX	14.58
802.11be EHT40_Nss1,(MCS0)_1TX	4.79
802.11be EHT40_Nss2,(MCS0)_2TX	7.92
802.11be EHT40_Nss1,(MCS0)_4TX	9.03
802.11be EHT40_Nss4,(MCS0)_4TX	9.46
802.11be EHT80_Nss1,(MCS0)_1TX	0.37
802.11be EHT80_Nss2,(MCS0)_2TX	2.86
802.11be EHT80_Nss1,(MCS0)_4TX	3.79
802.11be EHT80_Nss4,(MCS0)_4TX	4.78
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	9.11
802.11a_Nss1,(6Mbps)_2TX	11.42
802.11a_Nss1,(6Mbps)_4TX	14.05
802.11be EHT20_Nss1,(MCS0)_1TX	8.10
802.11be EHT20_Nss2,(MCS0)_2TX	10.85
802.11be EHT20_Nss1,(MCS0)_4TX	13.07
802.11be EHT20_Nss4,(MCS0)_4TX	13.62
802.11be EHT40_Nss1,(MCS0)_1TX	4.47
802.11be EHT40_Nss2,(MCS0)_2TX	7.55
802.11be EHT40_Nss1,(MCS0)_4TX	9.64
802.11be EHT40_Nss4,(MCS0)_4TX	9.84
802.11be EHT80_Nss1,(MCS0)_1TX	-0.49
802.11be EHT80_Nss2,(MCS0)_2TX	1.51
802.11be EHT80_Nss1,(MCS0)_4TX	3.73
802.11be EHT80_Nss4,(MCS0)_4TX	4.18

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.56	8.35				8.35	17.00
5200MHz	Pass	3.56	10.46				10.46	17.00
5240MHz	Pass	3.56	9.81				9.81	17.00
5745MHz	Pass	3.56	8.69				8.69	30.00
5785MHz	Pass	3.56	9.11				9.11	30.00
5825MHz	Pass	3.56	8.49				8.49	30.00
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.56	7.38				7.38	17.00
5200MHz	Pass	3.56	8.91				8.91	17.00
5240MHz	Pass	3.56	8.51				8.51	17.00
5745MHz	Pass	3.56	7.39				7.39	30.00
5785MHz	Pass	3.56	8.10				8.10	30.00
5825MHz	Pass	3.56	7.26				7.26	30.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5190MHz	Pass	3.56	3.39				3.39	17.00
5230MHz	Pass	3.56	4.79				4.79	17.00
5755MHz	Pass	3.56	2.64				2.64	30.00
5795MHz	Pass	3.56	4.47				4.47	30.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5210MHz	Pass	3.56	0.37				0.37	17.00
5775MHz	Pass	3.56	-0.49				-0.49	30.00
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	6.67	6.77	7.60			10.22	16.33
5200MHz	Pass	6.67	8.86	9.96			12.25	16.33
5240MHz	Pass	6.67	9.15	9.88			12.47	16.33
5745MHz	Pass	6.67	7.76	9.19			11.42	29.33
5785MHz	Pass	6.67	7.96	8.77			11.30	29.33
5825MHz	Pass	6.67	7.88	8.66			11.20	29.33
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.66	5.69	6.81			9.17	17.00
5200MHz	Pass	3.66	8.22	8.98			11.48	17.00
5240MHz	Pass	3.66	8.21	8.89			11.43	17.00
5745MHz	Pass	3.66	6.69	7.96			10.24	30.00
5785MHz	Pass	3.66	7.35	8.44			10.85	30.00
5825MHz	Pass	3.66	6.84	7.48			10.08	30.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	3.66	1.67	2.65			5.04	17.00
5230MHz	Pass	3.66	4.48	5.42			7.92	17.00
5755MHz	Pass	3.66	2.12	3.67			5.94	30.00
5795MHz	Pass	3.66	3.97	5.05			7.55	30.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	3.66	-0.39	0.23			2.86	17.00
5775MHz	Pass	3.66	-1.49	-1.44			1.51	30.00
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.56	6.39	7.15	7.65	7.05	12.84	13.44
5200MHz	Pass	9.56	6.66	7.84	7.64	7.92	13.26	13.44
5240MHz	Pass	9.56	6.68	7.77	7.97	7.69	13.34	13.44
5745MHz	Pass	9.56	7.27	8.00	7.97	7.47	13.20	26.44
5785MHz	Pass	9.56	7.55	8.82	8.34	8.60	14.05	26.44
5825MHz	Pass	9.56	7.63	8.23	8.39	7.94	13.67	26.44
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	9.56	5.37	6.46	6.47	6.25	12.05	13.44
5200MHz	Pass	9.56	6.24	6.94	7.18	7.19	12.82	13.44
5240MHz	Pass	9.56	6.77	7.58	7.69	7.50	13.31	13.44

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
5745MHz	Pass	9.56	5.39	6.33	6.18	5.90	11.85	26.44
5785MHz	Pass	9.56	6.48	7.38	6.99	7.31	12.88	26.44
5825MHz	Pass	9.56	6.72	7.38	7.32	7.25	13.07	26.44
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	9.56	1.07	1.63	1.60	1.82	7.38	13.44
5230MHz	Pass	9.56	2.47	3.22	3.21	3.45	9.03	13.44
5755MHz	Pass	9.56	0.82	2.09	1.76	1.94	7.51	26.44
5795MHz	Pass	9.56	3.03	4.14	3.93	4.04	9.64	26.44
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	9.56	-2.62	-2.23	-1.89	-1.65	3.79	13.44
5775MHz	Pass	9.56	-2.31	-2.11	-1.97	-2.18	3.73	26.44
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5180MHz	Pass	3.54	5.75	6.67	6.84	6.53	12.31	17.00
5200MHz	Pass	3.54	6.62	7.38	7.61	7.60	13.23	17.00
5240MHz	Pass	3.54	8.19	8.90	8.93	8.89	14.58	17.00
5745MHz	Pass	3.54	6.77	7.42	7.02	7.03	12.86	30.00
5785MHz	Pass	3.54	7.28	8.00	7.79	7.87	13.62	30.00
5825MHz	Pass	3.54	6.74	7.37	7.20	7.25	13.05	30.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5190MHz	Pass	3.54	1.25	2.23	2.06	2.24	7.88	17.00
5230MHz	Pass	3.54	2.67	3.61	3.66	4.00	9.46	17.00
5755MHz	Pass	3.54	1.52	2.77	2.42	2.36	8.13	30.00
5795MHz	Pass	3.54	3.19	4.38	4.02	4.14	9.84	30.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-
5210MHz	Pass	3.54	-1.77	-1.25	-0.84	-0.65	4.78	17.00
5775MHz	Pass	3.54	-2.07	-1.84	-1.50	-1.56	4.18	30.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5180MHz

17/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.35	8.35	8.35


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5200MHz

17/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.46	10.46	10.46

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5240MHz

17/09/2025




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.81	9.81	9.81

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5745MHz

17/09/2025




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.69	8.69	8.69

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5785MHz

17/09/2025




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.11	9.11	9.11

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

PSD

5825MHz

17/09/2025



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.49	8.49	8.49


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5180MHz

17/09/2025

CF (Hz)
5.18G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.38	7.38	7.38


5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5200MHz

17/09/2025

CF (Hz)
5.2G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.91	8.91	8.91

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5240MHz

17/09/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5745MHz

17/09/2025




5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5785MHz

17/09/2025

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.10	8.10	8.10


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5825MHz

17/09/2025

CF (Hz)
5.825G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.26	7.26	7.26


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5190MHz

17/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.39	3.39	3.39


5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5230MHz

17/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.79	4.79	4.79


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5755MHz

17/09/2025

CF (Hz)
5.755G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.64	2.64	2.64


5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5795MHz

17/09/2025

CF (Hz)
5.795G
Span (Hz)
60M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.47	4.47	4.47

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5210MHz

17/09/2025




5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5775MHz

17/09/2025



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5180MHz

17/09/2025

CF (Hz)
5.18G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.22	10.22	6.77	7.60

Sum ☐

Port 1 ☐

Port 2 ☐

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5200MHz

17/09/2025

CF (Hz)
5.2G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.25	12.25	8.86	9.96

Sum ☐

Port 1 ☐

Port 2 ☐

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5240MHz

17/09/2025

CF (Hz)
5.24G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.47	12.47	9.15	9.88

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5745MHz

17/09/2025

CF (Hz)
5.745G


Span (Hz)
30M

RBW (Hz)
500k

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.42	11.42	7.76	9.19


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5785MHz

17/09/2025

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.30	11.30	7.96	8.77

Sum
Port 1
Port 2


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

PSD

5825MHz

17/09/2025

CF (Hz)
5.825G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.20	11.20	7.88	8.66


Sum
Port 1
Port 2

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5180MHz

17/09/2025




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5200MHz

17/09/2025




5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5240MHz

17/09/2025

CF (Hz)
5.24G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.43	11.43	8.21	8.89

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5745MHz

17/09/2025

CF (Hz)
5.745G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.24	10.24	6.69	7.96

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5785MHz

17/09/2025

CF (Hz)
5.785G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.85	10.85	7.35	8.44

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5825MHz

17/09/2025

CF (Hz)
5.825G
Span (Hz)
30M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.08	10.08	6.84	7.48

Sum
Port 1
Port 2


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5190MHz

17/09/2025

CF (Hz)
5.19G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
5.04	5.04	1.67	2.65


5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5230MHz

17/09/2025

CF (Hz)
5.23G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
7.92	7.92	4.48	5.42

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5755MHz

17/09/2025




5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5795MHz

17/09/2025




5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

17/09/2025

CF (Hz)
5.21G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.86	2.86	-0.39	0.23

Sum
Port 1
Port 2


5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5775MHz

17/09/2025

CF (Hz)
5.775G
Span (Hz)
120M
RBW (Hz)
500k
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.51	1.51	-1.49	-1.44


Sum
Port 1
Port 2

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5180MHz

17/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5200MHz

17/09/2025




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5240MHz

17/09/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5745MHz

17/09/2025




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5785MHz

17/09/2025



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

PSD

5825MHz

17/09/2025

