


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
Setting 67
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1475G	61.84	74.00	-12.16	55.38	3	Vertical	348	1.63	-	33.90	7.49	34.93			
AV	5.1475G	53.76	54.00	-0.24	47.30	3	Vertical	348	1.63	-	33.90	7.49	34.93			
PK	5.193G	111.10	Inf	-Inf	104.36	3	Vertical	348	1.63	-	34.07	7.59	34.92			
AV	5.238G	101.65	Inf	-Inf	94.80	3	Vertical	348	1.63	-	34.10	7.66	34.91			
PK	5.3575G	59.04	74.00	-14.96	51.59	3	Vertical	348	1.63	-	34.53	7.81	34.89			
AV	5.3715G	49.79	54.00	-4.21	42.27	3	Vertical	348	1.63	-	34.59	7.82	34.89			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 67
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	61.86	74.00	-12.14	55.41	3	Horizontal	357	1.86	-	33.90	7.48	34.93
AV	5.149G	53.16	54.00	-0.84	46.70	3	Horizontal	357	1.86	-	33.90	7.49	34.93
PK	5.2195G	109.99	Inf	-Inf	103.18	3	Horizontal	357	1.86	-	34.10	7.63	34.92
AV	5.2395G	101.48	Inf	-Inf	94.63	3	Horizontal	357	1.86	-	34.10	7.66	34.91
PK	5.367G	59.01	74.00	-14.99	51.51	3	Horizontal	357	1.86	-	34.57	7.82	34.89
AV	5.4155G	49.76	54.00	-4.24	42.13	3	Horizontal	357	1.86	-	34.67	7.84	34.88

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 67
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.40518G	42.75	68.20	-25.45	59.26	3	Vertical	317	2.30	-	38.90	11.28	66.69				

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 67
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.40773G	44.55	68.20	-23.65	61.05	3	Horizontal	2	1.80	-	38.90	11.29	66.69				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
SET 72
80\47\84\66\75\71\73\74\73\72
-8.18\9.67\14.28\6.36\1.80\3.19\0.66\0.96\0.11\1.26

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6502G	67.09	68.35	-1.26	60.59	3	Vertical	336	1.80	72	33.00	8.41	34.91				
PK	5.7558G	111.69	Inf	-Inf	104.49	3	Vertical	336	1.80	72	33.62	8.44	34.86				
AV	5.7456G	102.37	Inf	-Inf	95.22	3	Vertical	336	1.80	72	33.58	8.43	34.86				
PK	6.0168G	59.28	68.20	-8.92	51.26	3	Vertical	336	1.80	72	34.20	8.55	34.73				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
SET 72
72
2.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6442G	65.84	68.20	-2.36	59.36	3	Horizontal	335	1.80	72	32.99	8.40	34.91				
PK	5.7594G	113.26	Inf	-Inf	106.04	3	Horizontal	335	1.80	72	33.64	8.44	34.86				
AV	5.7444G	102.77	Inf	-Inf	95.62	3	Horizontal	335	1.80	72	33.58	8.43	34.86				
PK	5.943G	59.99	68.20	-8.21	52.06	3	Horizontal	335	1.80	72	34.19	8.51	34.77				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
Setting 72
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.54211G	49.14	74.00	-24.86	64.56	3	Vertical	312	1.80	-	38.85	11.89	66.16			
AV	11.54211G	39.15	54.00	-14.85	54.57	3	Vertical	312	1.80	-	38.85	11.89	66.16			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 72
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.53557G	45.40	74.00	-28.60	60.80	3	Horizontal	38	1.80	-	38.89	11.88	66.17			
AV	11.54565G	36.09	54.00	-17.91	51.53	3	Horizontal	38	1.80	-	38.83	11.89	66.16			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
Setting 77
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1446G	64.96	74.00	-9.04	58.51	3	Vertical	360	1.72	-	33.90	7.48	34.93			
AV	5.1478G	53.76	54.00	-0.24	47.30	3	Vertical	360	1.72	-	33.90	7.49	34.93			
PK	5.1848G	117.02	Inf	-Inf	110.33	3	Vertical	360	1.72	-	34.04	7.57	34.92			
AV	5.185G	108.56	Inf	-Inf	101.87	3	Vertical	360	1.72	-	34.04	7.57	34.92			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1432G	67.52	74.00	-6.48	61.07	3	Horizontal	353	1.76	-	33.90	7.48	34.93			
AV	5.15G	53.69	54.00	-0.31	47.23	3	Horizontal	353	1.76	-	33.90	7.49	34.93			
PK	5.1822G	114.89	Inf	-Inf	108.21	3	Horizontal	353	1.76	-	34.03	7.57	34.92			
AV	5.1786G	106.26	Inf	-Inf	99.61	3	Horizontal	353	1.76	-	34.01	7.56	34.92			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.35745G	50.01	68.20	-18.19	66.52	3	Vertical	46	1.80	-	38.90	11.26	66.67				

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.36885G	51.96	68.20	-16.24	68.46	3	Horizontal	304	1.80	-	38.90	11.27	66.67				

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 78
80\76\78
-0.78\1.26\0.41

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1496G	63.80	74.00	-10.20	57.74	3	Vertical	351	1.80	78	33.10	8.07	35.11			
AV	5.1498G	53.59	54.00	-0.41	47.53	3	Vertical	351	1.80	78	33.10	8.07	35.11			
PK	5.2044G	121.68	Inf	-Inf	115.58	3	Vertical	351	1.80	78	33.09	8.10	35.09			
AV	5.205G	113.14	Inf	-Inf	107.04	3	Vertical	351	1.80	78	33.09	8.10	35.09			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
SET 78
78
0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	64.42	74.00	-9.58	58.36	3	Horizontal	357	1.80	78	33.10	8.07	35.11			
AV	5.1496G	53.82	54.00	-0.18	47.76	3	Horizontal	357	1.80	78	33.10	8.07	35.11			
PK	5.2078G	120.88	Inf	-Inf	114.79	3	Horizontal	357	1.80	78	33.08	8.10	35.09			
AV	5.1988G	112.64	Inf	-Inf	106.53	3	Horizontal	357	1.80	78	33.10	8.10	35.09			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
Setting 78
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39685G	52.76	68.20	-15.44	69.27	3	Vertical	357	1.80	-	38.90	11.28	66.69			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_V_4TX
Setting 78
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.39065G	53.62	68.20	-14.58	70.12	3	Horizontal	304	1.80	-	38.90	11.28	66.68				

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 84
80\83\84
0.92\0.77\0.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1497G	62.74	74.00	-11.26	56.68	3	Vertical	351	1.80	84	33.10	8.07	35.11				
AV	5.1476G	52.21	54.00	-1.79	46.15	3	Vertical	351	1.80	84	33.10	8.07	35.11				
PK	5.2445G	125.10	Inf	-Inf	119.04	3	Vertical	351	1.80	84	33.01	8.12	35.07				
AV	5.2448G	116.48	Inf	-Inf	110.42	3	Vertical	351	1.80	84	33.01	8.12	35.07				
PK	5.3552G	64.78	74.00	-9.22	58.72	3	Vertical	351	1.80	84	32.90	8.19	35.03				
AV	5.3555G	53.66	54.00	-0.34	47.60	3	Vertical	351	1.80	84	32.90	8.19	35.03				

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 84
84
0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	62.82	74.00	-11.18	56.76	3	Horizontal	358	1.80	84	33.10	8.07	35.11			
AV	5.1494G	52.21	54.00	-1.79	46.15	3	Horizontal	358	1.80	84	33.10	8.07	35.11			
PK	5.2442G	123.00	Inf	-Inf	116.94	3	Horizontal	358	1.80	84	33.01	8.12	35.07			
AV	5.2388G	114.85	Inf	-Inf	108.78	3	Horizontal	358	1.80	84	33.02	8.12	35.07			
PK	5.351G	63.97	74.00	-10.03	57.92	3	Horizontal	358	1.80	84	32.90	8.18	35.03			
AV	5.3675G	53.61	54.00	-0.39	47.55	3	Horizontal	358	1.80	84	32.90	8.19	35.03			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
Setting 84
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47675G	53.37	68.20	-14.83	69.92	3	Vertical	347	1.80	-	38.85	11.32	66.72			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_V_4TX
Setting 84
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.4684G	52.37	68.20	-15.83	68.91	3	Horizontal	2	1.80	-	38.86	11.32	66.72				

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 84
80\104\76\90\83\86\85\84
6.05\ -18.22\6.89\ -17.90\3.84\ -3.08\ -1.08\2.54

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4462G	47.02	54.00	-6.98	40.87	3	Vertical	328	1.80	84	32.90	8.25	35.00				
PK	5.6496G	65.66	68.20	-2.54	59.17	3	Vertical	328	1.80	84	33.00	8.40	34.91				
PK	5.7498G	119.91	Inf	-Inf	112.74	3	Vertical	328	1.80	84	33.60	8.43	34.86				
AV	5.7486G	110.18	Inf	-Inf	103.02	3	Vertical	328	1.80	84	33.59	8.43	34.86				
PK	5.931G	58.76	68.20	-9.44	50.86	3	Vertical	328	1.80	84	34.16	8.51	34.77				

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
SET 84
84
2.55

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4474G	47.96	54.00	-6.04	41.81	3	Horizontal	334	1.80	84	32.90	8.25	35.00				
PK	5.6502G	65.80	68.35	-2.55	59.30	3	Horizontal	334	1.80	84	33.00	8.41	34.91				
PK	5.742G	120.86	Inf	-Inf	113.72	3	Horizontal	334	1.80	84	33.57	8.43	34.86				
AV	5.7426G	110.80	Inf	-Inf	103.66	3	Horizontal	334	1.80	84	33.57	8.43	34.86				
PK	5.9778G	58.98	68.20	-9.22	51.00	3	Horizontal	334	1.80	84	34.20	8.53	34.75				

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 84
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49002G	61.01	74.00	-12.99	55.31	3	Vertical	309	1.02	-	39.10	11.86	45.26			
AV	11.49003G	50.12	54.00	-3.88	44.42	3	Vertical	309	1.02	-	39.10	11.86	45.26			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 84
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48622G	56.74	74.00	-17.26	51.04	3	Horizontal	35	1.80	-	39.10	11.86	45.26			
AV	11.48619G	47.18	54.00	-6.82	41.48	3	Horizontal	35	1.80	-	39.10	11.86	45.26			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
SET 89
80\108\76\92\84\88\90\89
8.99\ -14.45\9.04\ -12.23\9.22\6.15\ -3.94\1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.64154G	66.90	68.20	-1.30	60.43	3	Vertical	328	1.80	89	32.98	8.40	34.91				
PK	5.78976G	120.74	Inf	-Inf	113.37	3	Vertical	328	1.80	89	33.76	8.45	34.84				
AV	5.78855G	111.07	Inf	-Inf	103.71	3	Vertical	328	1.80	89	33.75	8.45	34.84				
PK	5.97489G	58.77	68.20	-9.43	50.79	3	Vertical	328	1.80	89	34.20	8.53	34.75				

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
SET 89
89
5.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.64698G	62.60	68.20	-5.60	56.12	3	Horizontal	338	1.80	89	32.99	8.40	34.91				
PK	5.7825G	121.18	Inf	-Inf	113.85	3	Horizontal	338	1.80	89	33.73	8.44	34.84				
AV	5.7825G	111.46	Inf	-Inf	104.13	3	Horizontal	338	1.80	89	33.73	8.44	34.84				
PK	5.94101G	59.00	68.20	-9.20	51.08	3	Horizontal	338	1.80	89	34.18	8.51	34.77				

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT Y_4TX
Setting 89
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56807G	63.40	74.00	-10.60	58.00	3	Vertical	310	1.03	-	38.76	11.90	45.26			
AV	11.56802G	52.44	54.00	-1.56	47.04	3	Vertical	310	1.03	-	38.76	11.90	45.26			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 89
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57351G	59.15	74.00	-14.85	53.76	3	Horizontal	354	1.80	-	38.75	11.90	45.26			
AV	11.57357G	49.74	54.00	-4.26	44.35	3	Horizontal	354	1.80	-	38.75	11.90	45.26			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 88
80\108\76\92\84\88\90\89\88
8.63\ -10.17\9.12\ -8.88\9.21\8.94\ -7.37\ -7.76\8.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6024G	59.42	68.20	-8.78	53.06	3	Vertical	0	1.80	88	32.90	8.39	34.93			
PK	5.8274G	117.42	Inf	-Inf	109.93	3	Vertical	0	1.80	88	33.85	8.46	34.82			
AV	5.8262G	107.75	Inf	-Inf	100.26	3	Vertical	0	1.80	88	33.85	8.46	34.82			
PK	6.0542G	58.79	68.20	-9.41	50.74	3	Vertical	0	1.80	88	34.19	8.56	34.70			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
SET 88
88
4.74

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6342G	63.46	68.20	-4.74	57.01	3	Horizontal	342	1.80	88	32.97	8.40	34.92				
PK	5.8202G	119.81	Inf	-Inf	112.34	3	Horizontal	342	1.80	88	33.84	8.46	34.83				
AV	5.8208G	109.80	Inf	-Inf	102.33	3	Horizontal	342	1.80	88	33.84	8.46	34.83				
PK	5.9642G	59.46	68.20	-8.74	51.50	3	Horizontal	342	1.80	88	34.20	8.52	34.76				

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 88
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64438G	63.59	74.00	-10.41	58.40	3	Vertical	310	1.02	-	38.52	11.94	45.27			
AV	11.64433G	52.60	54.00	-1.40	47.41	3	Vertical	310	1.02	-	38.52	11.94	45.27			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 88
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.63542G	58.75	74.00	-15.25	53.52	3	Horizontal	314	1.80	-	38.56	11.94	45.27			
AV	11.6377G	50.21	54.00	-3.79	44.99	3	Horizontal	314	1.80	-	38.55	11.94	45.27			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 70
05-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1498G	64.90	74.00	-9.10	58.84	3	Vertical	349	1.80	-	33.10	8.07	35.11				
AV	5.1498G	53.30	54.00	-0.70	47.24	3	Vertical	349	1.80	-	33.10	8.07	35.11				
PK	5.1954G	112.27	Inf	-Inf	106.16	3	Vertical	349	1.80	-	33.10	8.10	35.09				
AV	5.1938G	102.61	Inf	-Inf	96.50	3	Vertical	349	1.80	-	33.10	8.10	35.09				

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 70
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	65.71	74.00	-8.29	59.65	3	Horizontal	352	1.80	-	33.10	8.07	35.11			
AV	5.15G	53.67	54.00	-0.33	47.61	3	Horizontal	352	1.80	-	33.10	8.07	35.11			
PK	5.1994G	110.98	Inf	-Inf	104.87	3	Horizontal	352	1.80	-	33.10	8.10	35.09			
AV	5.2046G	100.17	Inf	-Inf	94.07	3	Horizontal	352	1.80	-	33.09	8.10	35.09			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 70
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.3764G	50.90	68.20	-17.30	46.21	3	Vertical	0	1.80	-	38.90	11.27	45.48				

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 70
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.37094G	51.80	68.20	-16.40	47.10	3	Horizontal	307	1.80	-	38.90	11.27	45.47				

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 74
80\70\75\77\76\75
-2.26\1.79\0.77\0.26\0.15\1.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1486G	62.98	74.00	-11.02	56.92	3	Vertical	350	1.80	75	33.10	8.07	35.11			
AV	5.1496G	52.99	54.00	-1.01	46.93	3	Vertical	350	1.80	75	33.10	8.07	35.11			
PK	5.2354G	119.79	Inf	-Inf	113.72	3	Vertical	350	1.80	75	33.03	8.12	35.08			
AV	5.236G	110.14	Inf	-Inf	104.07	3	Vertical	350	1.80	75	33.03	8.12	35.08			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
SET 74
75\74
-0.15\0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	65.56	74.00	-8.44	59.50	3	Horizontal	358	1.80	74	33.10	8.07	35.11			
AV	5.1498G	53.59	54.00	-0.41	47.53	3	Horizontal	358	1.80	74	33.10	8.07	35.11			
PK	5.2344G	117.98	Inf	-Inf	111.91	3	Horizontal	358	1.80	74	33.03	8.12	35.08			
AV	5.229G	107.96	Inf	-Inf	101.88	3	Horizontal	358	1.80	74	33.04	8.12	35.08			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 74
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45052G	50.77	68.20	-17.43	46.07	3	Vertical	351	1.80	-	38.90	11.31	45.51			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 74
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.45268G	51.12	68.20	-17.08	46.44	3	Horizontal	306	1.01	-	38.89	11.31	45.52				

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 76
80\57\84\71\77\79\78\77
-5.74\7.42\7.05\6.75\0.88\4.41\2.06\0.74

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
AV	5.4592G	47.27	54.00	-6.73	41.08	3	Vertical	338	1.80	77	32.92	8.26	34.99			
PK	5.638G	67.46	68.20	-0.74	60.99	3	Vertical	338	1.80	77	32.98	8.40	34.91			
PK	5.7376G	115.05	Inf	-Inf	107.94	3	Vertical	338	1.80	77	33.55	8.43	34.87			
AV	5.7376G	105.80	Inf	-Inf	98.69	3	Vertical	338	1.80	77	33.55	8.43	34.87			
PK	5.9794G	58.90	68.20	-9.30	50.92	3	Vertical	338	1.80	77	34.20	8.53	34.75			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
SET 76
77.76
-0.07,1.46

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
AV	5.4556G	47.40	54.00	-6.60	41.23	3	Horizontal	334	1.80	76	32.91	8.26	35.00				
PK	5.6518G	68.07	69.53	-1.46	61.56	3	Horizontal	334	1.80	76	33.01	8.41	34.91				
PK	5.7514G	115.36	Inf	-Inf	108.17	3	Horizontal	334	1.80	76	33.61	8.44	34.86				
AV	5.7526G	106.64	Inf	-Inf	99.45	3	Horizontal	334	1.80	76	33.61	8.44	34.86				
PK	5.9968G	58.30	68.20	-9.90	50.30	3	Horizontal	334	1.80	76	34.20	8.54	34.74				

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT Y_4TX
Setting 76
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50628G	56.47	74.00	-17.53	50.78	3	Vertical	311	1.80	-	39.06	11.87	45.24			
AV	11.50667G	46.64	54.00	-7.36	40.95	3	Vertical	311	1.80	-	39.06	11.87	45.24			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 76
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.52269G	51.85	74.00	-22.15	46.26	3	Horizontal	33	1.80	-	38.96	11.88	45.25			
AV	11.5103G	42.36	54.00	-11.64	36.69	3	Horizontal	33	1.80	-	39.04	11.87	45.24			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
SET 85
80\104\76\90\83\86\85
6.13\ -19.29\8.86\ -13.59\3.17\ -1.44\0.84

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6402G	67.36	68.20	-0.84	60.89	3	Vertical	325	1.80	85	32.98	8.40	34.91			
PK	5.7974G	116.28	Inf	-Inf	108.88	3	Vertical	325	1.80	85	33.79	8.45	34.84			
AV	5.7986G	107.46	Inf	-Inf	100.06	3	Vertical	325	1.80	85	33.79	8.45	34.84			
PK	5.9966G	58.37	68.20	-9.83	50.37	3	Vertical	325	1.80	85	34.20	8.54	34.74			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
SET 85
85
0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6528G	70.10	70.27	-0.17	63.58	3	Horizontal	333	1.80	85	33.02	8.41	34.91			
PK	5.7914G	116.57	Inf	-Inf	109.19	3	Horizontal	333	1.80	85	33.77	8.45	34.84			
AV	5.7926G	108.18	Inf	-Inf	100.80	3	Horizontal	333	1.80	85	33.77	8.45	34.84			
PK	6.0914G	58.55	68.20	-9.65	50.52	3	Horizontal	333	1.80	85	34.12	8.58	34.67			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 85
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58622G	57.94	74.00	-16.06	52.56	3	Vertical	315	1.80	-	38.73	11.91	45.26			
AV	11.58658G	49.85	54.00	-4.15	44.47	3	Vertical	315	1.80	-	38.73	11.91	45.26			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 85
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59492G	56.79	74.00	-17.21	51.42	3	Horizontal	354	1.80	-	38.71	11.92	45.26			
AV	11.59495G	46.67	54.00	-7.33	41.30	3	Horizontal	354	1.80	-	38.71	11.92	45.26			

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 71
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1485G	62.13	74.00	-11.87	55.67	3	Vertical	348	1.80	-	33.90	7.49	34.93			
AV	5.135G	53.66	54.00	-0.34	47.23	3	Vertical	348	1.80	-	33.90	7.46	34.93			
PK	5.2355G	110.31	Inf	-Inf	103.47	3	Vertical	348	1.80	-	34.10	7.65	34.91			
AV	5.235G	100.67	Inf	-Inf	93.83	3	Vertical	348	1.80	-	34.10	7.65	34.91			
PK	5.3615G	59.09	74.00	-14.91	51.62	3	Vertical	348	1.80	-	34.55	7.81	34.89			
AV	5.3875G	50.63	54.00	-3.37	43.02	3	Vertical	348	1.80	-	34.65	7.84	34.88			

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 71
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	64.05	74.00	-9.95	57.62	3	Horizontal	354	1.74	-	33.90	7.46	34.93
AV	5.121G	53.97	54.00	-0.03	47.59	3	Horizontal	354	1.74	-	33.90	7.42	34.94
PK	5.2425G	107.70	Inf	-Inf	100.85	3	Horizontal	354	1.74	-	34.10	7.66	34.91
AV	5.241G	99.41	Inf	-Inf	92.56	3	Horizontal	354	1.74	-	34.10	7.66	34.91
PK	5.3635G	59.63	74.00	-14.37	52.16	3	Horizontal	354	1.74	-	34.55	7.81	34.89
AV	5.36G	50.18	54.00	-3.82	42.72	3	Horizontal	354	1.74	-	34.54	7.81	34.89

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 71
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.41538G	47.71	68.20	-20.49	43.02	3	Vertical	24	1.80	-	38.90	11.29	45.50				

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 71
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.42873G	47.43	68.20	-20.77	42.73	3	Horizontal	307	1.80	-	38.90	11.30	45.50				

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 74
05-R-G-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6385G	65.29	68.20	-2.91	58.82	3	Vertical	354	1.80	-	32.98	8.40	34.91			
PK	5.7385G	112.16	Inf	-Inf	105.05	3	Vertical	354	1.80	-	33.55	8.43	34.87			
AV	5.7375G	103.29	Inf	-Inf	96.18	3	Vertical	354	1.80	-	33.55	8.43	34.87			
PK	5.966G	58.96	68.20	-9.24	51.00	3	Vertical	354	1.80	-	34.20	8.52	34.76			

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 74
05-R-G-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6325G	67.44	68.20	-0.76	60.99	3	Horizontal	0	1.80	-	32.97	8.40	34.92			
PK	5.7715G	114.05	Inf	-Inf	106.77	3	Horizontal	0	1.80	-	33.69	8.44	34.85			
AV	5.752G	105.04	Inf	-Inf	97.85	3	Horizontal	0	1.80	-	33.61	8.44	34.86			
PK	5.9525G	59.21	68.20	-8.99	51.25	3	Horizontal	0	1.80	-	34.20	8.52	34.76			

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT Y_4TX
Setting 74
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56045G	52.49	74.00	-21.51	47.06	3	Vertical	311	1.01	-	38.78	11.90	45.25			
AV	11.5603G	44.31	54.00	-9.69	38.88	3	Vertical	311	1.01	-	38.78	11.90	45.25			

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX



EUT_Y_4TX
Setting 74
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.56275G	50.01	74.00	-23.99	44.60	3	Horizontal	311	1.80	-	38.77	11.90	45.26			
AV	11.5604G	41.28	54.00	-12.72	35.85	3	Horizontal	311	1.80	-	38.78	11.90	45.25			




Test Mode: Mode 5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.98	54.00	-0.02	3	Horizontal	355	1.77	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 76
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	72.18	74.00	-1.82	65.62	3	Vertical	12	1.80	-	33.50	6.78	33.72			
AV	5.15G	52.77	54.00	-1.23	46.21	3	Vertical	12	1.80	-	33.50	6.78	33.72			
PK	5.1864G	117.26	Inf	-Inf	110.51	3	Vertical	12	1.80	-	33.65	6.83	33.73			
AV	5.186G	108.82	Inf	-Inf	102.08	3	Vertical	12	1.80	-	33.64	6.83	33.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 76
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	73.78	74.00	-0.22	67.22	3	Horizontal	2	1.78	-	33.50	6.78	33.72			
AV	5.1496G	53.57	54.00	-0.43	47.01	3	Horizontal	2	1.78	-	33.50	6.78	33.72			
PK	5.1864G	118.06	Inf	-Inf	111.31	3	Horizontal	2	1.78	-	33.65	6.83	33.73			
AV	5.1764G	109.19	Inf	-Inf	102.49	3	Horizontal	2	1.78	-	33.61	6.82	33.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 76
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35658G	54.26	68.20	-13.94	70.72	3	Vertical	347	1.80	-	39.20	11.01	66.67			
PK	15.53526G	47.82	74.00	-26.18	59.69	3	Vertical	3	1.65	-	38.86	13.09	63.82			
AV	15.54042G	36.83	54.00	-17.17	48.72	3	Vertical	3	1.65	-	38.84	13.10	63.83			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 76
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35646G	54.27	68.20	-13.93	70.73	3	Horizontal	198	2.47	-	39.20	11.01	66.67			
PK	15.53262G	47.86	74.00	-26.14	59.72	3	Horizontal	357	2.08	-	38.87	13.09	63.82			
AV	15.54174G	36.76	54.00	-17.24	48.66	3	Horizontal	357	2.08	-	38.83	13.10	63.83			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 89
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	68.60	74.00	-5.40	62.04	3	Vertical	0	1.58	-	33.50	6.78	33.72			
AV	5.1484G	52.68	54.00	-1.32	46.12	3	Vertical	0	1.58	-	33.50	6.78	33.72			
PK	5.1944G	120.55	Inf	-Inf	113.76	3	Vertical	0	1.58	-	33.68	6.84	33.73			
AV	5.1944G	111.77	Inf	-Inf	104.98	3	Vertical	0	1.58	-	33.68	6.84	33.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 89
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14G	69.71	74.00	-4.29	63.17	3	Horizontal	4	1.80	-	33.50	6.76	33.72			
AV	5.15G	53.73	54.00	-0.27	47.17	3	Horizontal	4	1.80	-	33.50	6.78	33.72			
PK	5.206G	121.76	Inf	-Inf	114.93	3	Horizontal	4	1.80	-	33.71	6.85	33.73			
AV	5.2012G	112.72	Inf	-Inf	105.90	3	Horizontal	4	1.80	-	33.70	6.85	33.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 89
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40564G	45.38	68.20	-22.82	61.83	3	Vertical	87	1.85	-	39.20	11.04	66.69			
PK	15.59604G	47.89	74.00	-26.11	59.80	3	Vertical	236	1.94	-	38.80	13.14	63.85			
AV	15.60102G	37.75	54.00	-16.25	49.66	3	Vertical	236	1.94	-	38.80	13.14	63.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 89
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3937G	46.10	68.20	-22.10	62.55	3	Horizontal	150	2.14	-	39.20	11.04	66.69			
PK	15.60054G	47.88	74.00	-26.12	59.79	3	Horizontal	212	2.73	-	38.80	13.14	63.85			
AV	15.60594G	37.51	54.00	-16.49	49.41	3	Horizontal	212	2.73	-	38.81	13.14	63.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 104
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1422G	65.55	74.00	-8.45	59.00	3	Vertical	352	1.79	-	33.50	6.77	33.72			
AV	5.1482G	52.97	54.00	-1.03	46.42	3	Vertical	352	1.79	-	33.50	6.77	33.72			
PK	5.243G	126.12	Inf	-Inf	119.21	3	Vertical	352	1.79	-	33.79	6.86	33.74			
AV	5.2436G	116.53	Inf	-Inf	109.62	3	Vertical	352	1.79	-	33.79	6.86	33.74			
PK	5.3576G	66.06	74.00	-7.94	59.23	3	Vertical	352	1.79	-	33.73	6.87	33.77			
AV	5.351G	51.69	54.00	-2.31	44.89	3	Vertical	352	1.79	-	33.70	6.87	33.77			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 104
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	68.72	74.00	-5.28	62.16	3	Horizontal	360	1.75	-	33.50	6.78	33.72			
AV	5.1488G	53.85	54.00	-0.15	47.29	3	Horizontal	360	1.75	-	33.50	6.78	33.72			
PK	5.2388G	125.40	Inf	-Inf	118.50	3	Horizontal	360	1.75	-	33.78	6.86	33.74			
AV	5.2388G	116.73	Inf	-Inf	109.83	3	Horizontal	360	1.75	-	33.78	6.86	33.74			
PK	5.3642G	65.57	74.00	-8.43	58.71	3	Horizontal	360	1.75	-	33.76	6.87	33.77			
AV	5.3546G	52.02	54.00	-1.98	45.20	3	Horizontal	360	1.75	-	33.72	6.87	33.77			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 104
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47448G	45.55	68.20	-22.65	61.93	3	Vertical	201	2.33	-	39.25	11.09	66.72			
PK	15.71232G	45.01	74.00	-28.99	56.71	3	Vertical	306	2.08	-	38.97	13.22	63.89			
AV	15.71856G	34.28	54.00	-19.72	45.94	3	Vertical	306	2.08	-	39.01	13.22	63.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 104
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47286G	44.60	68.20	-23.60	60.98	3	Horizontal	332	2.07	-	39.25	11.09	66.72			
PK	15.71508G	44.39	74.00	-29.61	56.07	3	Horizontal	60	2.68	-	38.99	13.22	63.89			
AV	15.71394G	33.78	54.00	-20.22	45.47	3	Horizontal	60	2.68	-	38.98	13.22	63.89			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 73
06-E-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	69.30	74.00	-4.70	62.74	3	Vertical	6	1.80	-	33.50	6.78	33.72			
AV	5.15G	51.47	54.00	-2.53	44.91	3	Vertical	6	1.80	-	33.50	6.78	33.72			
PK	5.1884G	117.11	Inf	-Inf	110.36	3	Vertical	6	1.80	-	33.65	6.83	33.73			
AV	5.176G	104.84	Inf	-Inf	98.15	3	Vertical	6	1.80	-	33.60	6.82	33.73			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT Y_2TX
Setting 73
06-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	71.16	74.00	-2.84	64.60	3	Horizontal	351	1.72	-	33.50	6.78	33.72			
AV	5.1496G	53.31	54.00	-0.69	46.75	3	Horizontal	351	1.72	-	33.50	6.78	33.72			
PK	5.174G	117.50	Inf	-Inf	110.82	3	Horizontal	351	1.72	-	33.60	6.81	33.73			
AV	5.1768G	106.74	Inf	-Inf	100.04	3	Horizontal	351	1.72	-	33.61	6.82	33.73			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 73
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35706G	45.85	68.20	-22.35	62.31	3	Vertical	134	2.63	-	39.20	11.01	66.67			
PK	15.5298G	45.81	74.00	-28.19	57.66	3	Vertical	63	1.56	-	38.88	13.09	63.82			
AV	15.52572G	34.87	54.00	-19.13	46.70	3	Vertical	63	1.56	-	38.90	13.09	63.82			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 73
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36642G	45.58	68.20	-22.62	62.03	3	Horizontal	57	1.42	-	39.20	11.02	66.67			
PK	15.55494G	45.74	74.00	-28.26	57.66	3	Horizontal	85	1.81	-	38.80	13.11	63.83			
AV	15.5253G	34.72	54.00	-19.28	46.55	3	Horizontal	85	1.81	-	38.90	13.09	63.82			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
Setting 84
06-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	68.96	74.00	-5.04	62.40	3	Vertical	9	2.04	-	33.50	6.78	33.72			
AV	5.1488G	53.18	54.00	-0.82	46.62	3	Vertical	9	2.04	-	33.50	6.78	33.72			
PK	5.1912G	119.94	Inf	-Inf	113.17	3	Vertical	9	2.04	-	33.66	6.84	33.73			
AV	5.2092G	108.85	Inf	-Inf	102.01	3	Vertical	9	2.04	-	33.72	6.85	33.73			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT Y_2TX
Setting 84
06-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	72.55	74.00	-1.45	66.00	3	Horizontal	349	1.80	-	33.50	6.77	33.72			
AV	5.1488G	53.63	54.00	-0.37	47.07	3	Horizontal	349	1.80	-	33.50	6.78	33.72			
PK	5.208G	120.90	Inf	-Inf	114.06	3	Horizontal	349	1.80	-	33.72	6.85	33.73			
AV	5.2068G	110.19	Inf	-Inf	103.36	3	Horizontal	349	1.80	-	33.71	6.85	33.73			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 84
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38794G	44.35	68.20	-23.85	60.80	3	Vertical	37	2.62	-	39.20	11.03	66.68			
PK	15.59934G	46.17	74.00	-27.83	58.08	3	Vertical	74	1.78	-	38.80	13.14	63.85			
AV	15.6003G	34.81	54.00	-19.19	46.72	3	Vertical	74	1.78	-	38.80	13.14	63.85			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 84
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38596G	44.19	68.20	-24.01	60.64	3	Horizontal	177	1.24	-	39.20	11.03	66.68			
PK	15.60054G	45.19	74.00	-28.81	57.10	3	Horizontal	169	2.32	-	38.80	13.14	63.85			
AV	15.6042G	34.83	54.00	-19.17	46.73	3	Horizontal	169	2.32	-	38.81	13.14	63.85			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 98
06-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	66.35	74.00	-7.65	59.79	3	Vertical	350	1.84	-	33.50	6.78	33.72			
AV	5.1494G	53.40	54.00	-0.60	46.84	3	Vertical	350	1.84	-	33.50	6.78	33.72			
PK	5.2388G	123.75	Inf	-Inf	116.85	3	Vertical	350	1.84	-	33.78	6.86	33.74			
AV	5.2472G	112.47	Inf	-Inf	105.56	3	Vertical	350	1.84	-	33.79	6.86	33.74			
PK	5.3546G	62.96	74.00	-11.04	56.14	3	Vertical	350	1.84	-	33.72	6.87	33.77			
AV	5.3528G	50.45	54.00	-3.55	43.64	3	Vertical	350	1.84	-	33.71	6.87	33.77			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 98
06-E-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.58	74.00	-7.42	60.02	3	Horizontal	353	1.75	-	33.50	6.78	33.72
AV	5.1494G	53.03	54.00	-0.97	46.47	3	Horizontal	353	1.75	-	33.50	6.78	33.72
PK	5.2424G	124.20	Inf	-Inf	117.30	3	Horizontal	353	1.75	-	33.78	6.86	33.74
AV	5.2442G	113.13	Inf	-Inf	106.22	3	Horizontal	353	1.75	-	33.79	6.86	33.74
PK	5.351G	63.80	74.00	-10.20	57.00	3	Horizontal	353	1.75	-	33.70	6.87	33.77
AV	5.3534G	50.66	54.00	-3.34	43.85	3	Horizontal	353	1.75	-	33.71	6.87	33.77

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 98
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48378G	48.40	68.20	-19.80	64.76	3	Vertical	332	1.80	-	39.27	11.09	66.72			
PK	15.71616G	49.04	74.00	-24.96	60.71	3	Vertical	340	1.66	-	39.00	13.22	63.89			
AV	15.71076G	38.75	54.00	-15.25	50.46	3	Vertical	340	1.66	-	38.96	13.22	63.89			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 98
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4761G	48.48	68.20	-19.72	64.86	3	Horizontal	316	1.88	-	39.25	11.09	66.72			
PK	15.7224G	50.02	74.00	-23.98	61.65	3	Horizontal	20	1.70	-	39.03	13.23	63.89			
AV	15.72264G	40.27	54.00	-13.73	51.89	3	Horizontal	20	1.70	-	39.04	13.23	63.89			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 71
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	63.34	74.00	-10.66	56.88	3	Vertical	13	1.80	-	33.90	7.49	34.93
AV	5.1484G	53.76	54.00	-0.24	47.30	3	Vertical	13	1.80	-	33.90	7.49	34.93
PK	5.1888G	114.77	Inf	-Inf	108.05	3	Vertical	13	1.80	-	34.06	7.58	34.92
AV	5.1976G	104.28	Inf	-Inf	97.51	3	Vertical	13	1.80	-	34.09	7.60	34.92

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 71
03-P-G-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.148G	63.15	74.00	-10.85	56.69	3	Horizontal	356	1.80	-	33.90	7.49	34.93			
AV	5.15G	53.76	54.00	-0.24	47.30	3	Horizontal	356	1.80	-	33.90	7.49	34.93			
PK	5.2064G	114.72	Inf	-Inf	107.92	3	Horizontal	356	1.80	-	34.10	7.62	34.92			
AV	5.2052G	105.62	Inf	-Inf	98.82	3	Horizontal	356	1.80	-	34.10	7.62	34.92			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 67
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38666G	45.39	68.20	-22.81	61.84	3	Vertical	18	1.74	-	39.20	11.03	66.68			
PK	15.55782G	46.02	74.00	-27.98	57.94	3	Vertical	156	1.69	-	38.80	13.11	63.83			
AV	15.58146G	35.08	54.00	-18.92	46.99	3	Vertical	156	1.69	-	38.80	13.13	63.84			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 67
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37358G	44.30	68.20	-23.90	60.76	3	Horizontal	129	2.45	-	39.20	11.02	66.68			
PK	15.56862G	46.14	74.00	-27.86	58.06	3	Horizontal	304	2.76	-	38.80	13.12	63.84			
AV	15.55962G	35.34	54.00	-18.66	47.26	3	Horizontal	304	2.76	-	38.80	13.11	63.83			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 76
06-E-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1478G	66.16	74.00	-7.84	59.61	3	Vertical	347	1.80	-	33.50	6.77	33.72			
AV	5.1484G	51.66	54.00	-2.34	45.10	3	Vertical	347	1.80	-	33.50	6.78	33.72			
PK	5.2342G	115.38	Inf	-Inf	108.49	3	Vertical	347	1.80	-	33.77	6.86	33.74			
AV	5.2366G	105.09	Inf	-Inf	98.20	3	Vertical	347	1.80	-	33.77	6.86	33.74			
PK	5.3638G	59.72	74.00	-14.28	52.86	3	Vertical	347	1.80	-	33.76	6.87	33.77			
AV	5.3512G	48.96	54.00	-5.04	42.16	3	Vertical	347	1.80	-	33.70	6.87	33.77			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 76
06-E-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	68.47	74.00	-5.53	61.91	3	Horizontal	346	1.80	-	33.50	6.78	33.72			
AV	5.15G	53.72	54.00	-0.28	47.16	3	Horizontal	346	1.80	-	33.50	6.78	33.72			
PK	5.2294G	116.70	Inf	-Inf	109.83	3	Horizontal	346	1.80	-	33.76	6.85	33.74			
AV	5.2378G	105.51	Inf	-Inf	98.61	3	Horizontal	346	1.80	-	33.78	6.86	33.74			
PK	5.3602G	60.29	74.00	-13.71	53.45	3	Horizontal	346	1.80	-	33.74	6.87	33.77			
AV	5.356G	49.12	54.00	-4.88	42.30	3	Horizontal	346	1.80	-	33.72	6.87	33.77			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 76
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46414G	44.84	68.20	-23.36	61.24	3	Vertical	249	2.64	-	39.23	11.08	66.71			
PK	15.70206G	44.73	74.00	-29.27	56.50	3	Vertical	84	1.91	-	38.91	13.21	63.89			
AV	15.7023G	34.04	54.00	-19.96	45.81	3	Vertical	84	1.91	-	38.91	13.21	63.89			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 76
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.44854G	44.97	68.20	-23.23	61.41	3	Horizontal	109	1.35	-	39.20	11.07	66.71			
PK	15.68448G	45.41	74.00	-28.59	57.19	3	Horizontal	294	1.00	-	38.90	13.20	63.88			
AV	15.69876G	34.04	54.00	-19.96	45.82	3	Horizontal	294	1.00	-	38.90	13.21	63.89			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 71
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.64	74.00	-12.36	55.18	3	Vertical	355	1.80	-	33.90	7.49	34.93
AV	5.15G	52.67	54.00	-1.33	46.21	3	Vertical	355	1.80	-	33.90	7.49	34.93
PK	5.233G	110.46	Inf	-Inf	103.62	3	Vertical	355	1.80	-	34.10	7.65	34.91
AV	5.224G	102.26	Inf	-Inf	95.44	3	Vertical	355	1.80	-	34.10	7.64	34.92
PK	5.371G	60.85	74.00	-13.15	53.34	3	Vertical	355	1.80	-	34.58	7.82	34.89
AV	5.358G	51.35	54.00	-2.65	43.90	3	Vertical	355	1.80	-	34.53	7.81	34.89

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 71
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.134G	62.00	74.00	-12.00	55.58	3	Horizontal	355	1.77	-	33.90	7.45	34.93			
AV	5.15G	53.98	54.00	-0.02	47.52	3	Horizontal	355	1.77	-	33.90	7.49	34.93			
PK	5.216G	110.90	Inf	-Inf	104.09	3	Horizontal	355	1.77	-	34.10	7.63	34.92			
AV	5.225G	103.26	Inf	-Inf	96.43	3	Horizontal	355	1.77	-	34.10	7.64	34.91			
PK	5.37G	60.49	74.00	-13.51	52.98	3	Horizontal	355	1.77	-	34.58	7.82	34.89			
AV	5.364G	51.09	54.00	-2.91	43.60	3	Horizontal	355	1.77	-	34.56	7.82	34.89			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 67
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.43308G	44.75	68.20	-23.45	61.19	3	Vertical	325	1.45	-	39.20	11.06	66.70			
PK	15.62514G	45.76	74.00	-28.24	57.61	3	Vertical	186	1.99	-	38.85	13.16	63.86			
AV	15.6165G	35.36	54.00	-18.64	47.23	3	Vertical	186	1.99	-	38.83	13.15	63.85			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
Setting 67
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42678G	43.94	68.20	-24.26	60.38	3	Horizontal	28	1.92	-	39.20	11.06	66.70			
PK	15.6201G	46.05	74.00	-27.95	57.92	3	Horizontal	250	1.20	-	38.84	13.15	63.86			
AV	15.61674G	35.98	54.00	-18.02	47.85	3	Horizontal	250	1.20	-	38.83	13.15	63.85			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 97
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	68.02	68.20	-0.18	61.33	3	Vertical	356	1.90	-	33.50	6.98	33.79			
PK	5.75G	123.70	Inf	-Inf	116.67	3	Vertical	356	1.90	-	33.70	7.11	33.78			
AV	5.75G	115.55	Inf	-Inf	108.52	3	Vertical	356	1.90	-	33.70	7.11	33.78			
PK	5.978G	62.05	68.20	-6.15	54.10	3	Vertical	356	1.90	-	34.40	7.30	33.75			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 97
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.653G	69.74	70.42	-0.68	63.04	3	Horizontal	10	1.95	-	33.51	6.98	33.79			
PK	5.743G	124.68	Inf	-Inf	117.67	3	Horizontal	10	1.95	-	33.69	7.10	33.78			
AV	5.738G	116.12	Inf	-Inf	109.12	3	Horizontal	10	1.95	-	33.68	7.10	33.78			
PK	5.929G	62.77	68.20	-5.43	54.99	3	Horizontal	10	1.95	-	34.27	7.27	33.76			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 97
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48508G	46.00	74.00	-28.00	60.15	3	Vertical	250	1.83	-	40.30	11.75	66.20			
AV	11.50458G	35.34	54.00	-18.66	49.47	3	Vertical	250	1.83	-	40.31	11.76	66.20			
PK	17.22864G	50.13	68.20	-18.07	58.16	3	Vertical	50	1.92	-	42.41	13.84	64.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 97
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50026G	46.00	74.00	-28.00	60.14	3	Horizontal	190	1.15	-	40.30	11.76	66.20			
AV	11.50446G	35.13	54.00	-18.87	49.26	3	Horizontal	190	1.15	-	40.31	11.76	66.20			
PK	17.23944G	50.31	68.20	-17.89	58.29	3	Horizontal	137	1.69	-	42.46	13.84	64.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.653G	64.54	70.42	-5.88	57.84	3	Vertical	346	1.98	-	33.51	6.98	33.79			
PK	5.782G	126.11	Inf	-Inf	118.97	3	Vertical	346	1.98	-	33.76	7.16	33.78			
AV	5.792G	116.65	Inf	-Inf	109.47	3	Vertical	346	1.98	-	33.78	7.17	33.77			
PK	5.948G	63.17	68.20	-5.03	55.26	3	Vertical	346	1.98	-	34.39	7.28	33.76			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
06-E-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.653G	64.71	70.42	-5.71	58.01	3	Horizontal	10	1.80	-	33.51	6.98	33.79			
PK	5.782G	125.66	Inf	-Inf	118.52	3	Horizontal	10	1.80	-	33.76	7.16	33.78			
AV	5.782G	117.05	Inf	-Inf	109.91	3	Horizontal	10	1.80	-	33.76	7.16	33.78			
PK	5.929G	62.48	68.20	-5.72	54.70	3	Horizontal	10	1.80	-	34.27	7.27	33.76			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5847G	47.13	74.00	-26.87	61.11	3	Vertical	353	3.00	-	40.33	11.81	66.12			
AV	11.5841G	35.98	54.00	-18.02	49.96	3	Vertical	353	3.00	-	40.33	11.81	66.12			
PK	17.3598G	51.46	68.20	-16.74	58.67	3	Vertical	360	1.80	-	43.18	13.88	64.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT Y_2TX
Setting 108
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58278G	46.74	74.00	-27.26	60.73	3	Horizontal	184	1.80	-	40.33	11.81	66.13			
AV	11.56556G	36.42	54.00	-17.58	50.39	3	Horizontal	184	1.80	-	40.37	11.80	66.14			
PK	17.35446G	51.29	68.20	-16.91	58.54	3	Horizontal	47	1.37	-	43.14	13.88	64.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 106
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.649G	61.11	68.20	-7.09	54.42	3	Vertical	356	1.86	-	33.50	6.98	33.79				
PK	5.824G	126.44	Inf	-Inf	119.16	3	Vertical	356	1.86	-	33.85	7.20	33.77				
AV	5.824G	117.37	Inf	-Inf	110.09	3	Vertical	356	1.86	-	33.85	7.20	33.77				
PK	5.923G	69.06	69.68	-0.62	61.31	3	Vertical	356	1.86	-	34.24	7.27	33.76				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 106
06-E-G-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.637G	60.80	68.20	-7.40	54.10	3	Horizontal	11	1.85	-	33.53	6.96	33.79			
PK	5.827G	125.94	Inf	-Inf	118.66	3	Horizontal	11	1.85	-	33.85	7.20	33.77			
AV	5.827G	117.30	Inf	-Inf	110.02	3	Horizontal	11	1.85	-	33.85	7.20	33.77			
PK	5.942G	67.28	68.20	-0.92	59.41	3	Horizontal	11	1.85	-	34.35	7.28	33.76			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 106
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64994G	47.83	74.00	-26.17	61.85	3	Vertical	210	2.28	-	40.20	11.85	66.07			
AV	11.63908G	35.97	54.00	-18.03	49.97	3	Vertical	210	2.28	-	40.22	11.85	66.07			
PK	17.48106G	51.57	68.20	-16.63	57.82	3	Vertical	288	1.84	-	44.09	13.92	64.26			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 106
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64196G	46.97	74.00	-27.03	60.97	3	Horizontal	85	2.61	-	40.22	11.85	66.07			
AV	11.6413G	35.98	54.00	-18.02	49.98	3	Horizontal	85	2.61	-	40.22	11.85	66.07			
PK	17.48454G	51.68	68.20	-16.52	57.91	3	Horizontal	10	2.02	-	44.11	13.92	64.26			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 94
06-E-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.64G	66.70	68.20	-1.50	60.01	3	Vertical	339	1.80	-	33.52	6.96	33.79			
PK	5.753G	123.00	Inf	-Inf	115.95	3	Vertical	339	1.80	-	33.71	7.12	33.78			
AV	5.751G	112.54	Inf	-Inf	105.51	3	Vertical	339	1.80	-	33.70	7.11	33.78			
PK	5.976G	59.05	68.20	-9.15	51.10	3	Vertical	339	1.80	-	34.40	7.30	33.75			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 94
06-E-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.647G	68.12	68.20	-0.08	61.43	3	Horizontal	4	1.98	-	33.51	6.97	33.79			
PK	5.754G	124.53	Inf	-Inf	117.48	3	Horizontal	4	1.98	-	33.71	7.12	33.78			
AV	5.754G	113.36	Inf	-Inf	106.31	3	Horizontal	4	1.98	-	33.71	7.12	33.78			
PK	5.949G	59.93	68.20	-8.27	52.02	3	Horizontal	4	1.98	-	34.39	7.28	33.76			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 94
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50356G	46.19	74.00	-27.81	60.32	3	Vertical	22	2.37	-	40.31	11.76	66.20			
AV	11.49816G	35.55	54.00	-18.45	49.70	3	Vertical	22	2.37	-	40.30	11.75	66.20			
PK	17.22162G	50.13	68.20	-18.07	58.18	3	Vertical	202	2.22	-	42.39	13.84	64.28			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 94
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49444G	45.78	74.00	-28.22	59.93	3	Horizontal	255	2.09	-	40.30	11.75	66.20			
AV	11.49888G	35.69	54.00	-18.31	49.84	3	Horizontal	255	2.09	-	40.30	11.75	66.20			
PK	17.23044G	49.82	68.20	-18.38	57.84	3	Horizontal	124	1.23	-	42.42	13.84	64.28			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
06-E-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	61.37	68.20	-6.83	54.69	3	Vertical	342	1.80	-	33.50	6.97	33.79
PK	5.781G	125.86	Inf	-Inf	118.73	3	Vertical	342	1.80	-	33.76	7.15	33.78
AV	5.787G	113.67	Inf	-Inf	106.52	3	Vertical	342	1.80	-	33.77	7.16	33.78
PK	5.926G	61.22	68.20	-6.98	53.45	3	Vertical	342	1.80	-	34.26	7.27	33.76

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
06-E-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	62.95	68.20	-5.25	56.26	3	Horizontal	9	1.80	-	33.51	6.97	33.79
PK	5.789G	125.43	Inf	-Inf	118.26	3	Horizontal	9	1.80	-	33.78	7.17	33.78
AV	5.789G	114.48	Inf	-Inf	107.31	3	Horizontal	9	1.80	-	33.78	7.17	33.78
PK	5.926G	63.60	68.20	-4.60	55.83	3	Horizontal	9	1.80	-	34.26	7.27	33.76

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX

EUT Y_2TX
Setting 108
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56976G	47.38	74.00	-26.62	61.36	3	Vertical	340	1.80	-	40.36	11.80	66.14			
AV	11.5838G	36.27	54.00	-17.73	50.25	3	Vertical	340	1.80	-	40.33	11.81	66.12			
PK	17.36322G	50.85	68.20	-17.35	58.03	3	Vertical	359	1.95	-	43.21	13.88	64.27			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56148G	47.62	74.00	-26.38	61.59	3	Horizontal	274	1.80	-	40.38	11.79	66.14			
AV	11.57984G	36.08	54.00	-17.92	50.06	3	Horizontal	274	1.80	-	40.34	11.81	66.13			
PK	17.3568G	51.44	68.20	-16.76	58.68	3	Horizontal	0	1.80	-	43.15	13.88	64.27			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 98
06-E-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.636G	57.54	68.20	-10.66	50.84	3	Vertical	342	2.04	-	33.53	6.96	33.79			
PK	5.821G	125.26	Inf	-Inf	118.00	3	Vertical	342	2.04	-	33.84	7.19	33.77			
AV	5.821G	113.81	Inf	-Inf	106.55	3	Vertical	342	2.04	-	33.84	7.19	33.77			
PK	5.938G	67.26	68.20	-0.94	59.41	3	Vertical	342	2.04	-	34.33	7.28	33.76			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 98
06-E-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	58.02	68.20	-10.18	51.32	3	Horizontal	6	1.91	-	33.57	6.93	33.80
PK	5.816G	126.28	Inf	-Inf	119.03	3	Horizontal	6	1.91	-	33.83	7.19	33.77
AV	5.817G	114.58	Inf	-Inf	107.33	3	Horizontal	6	1.91	-	33.83	7.19	33.77
PK	5.932G	68.09	68.20	-0.11	60.29	3	Horizontal	6	1.91	-	34.29	7.27	33.76

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 98
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66014G	47.11	74.00	-26.89	61.11	3	Vertical	158	1.73	-	40.20	11.86	66.06			
AV	11.63668G	36.23	54.00	-17.77	50.24	3	Vertical	158	1.73	-	40.23	11.84	66.08			
PK	17.46252G	51.57	68.20	-16.63	57.93	3	Vertical	200	2.19	-	43.98	13.92	64.26			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 98
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64664G	46.44	74.00	-27.56	60.45	3	Horizontal	12	1.28	-	40.21	11.85	66.07			
AV	11.63722G	36.27	54.00	-17.73	50.28	3	Horizontal	12	1.28	-	40.23	11.84	66.08			
PK	17.46546G	50.90	68.20	-17.30	57.25	3	Horizontal	193	2.93	-	43.99	13.92	64.26			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 80
06-E-R-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.653G	69.33	70.42	-1.09	62.63	3	Vertical	336	1.80	-	33.51	6.98	33.79
PK	5.771G	116.72	Inf	-Inf	109.62	3	Vertical	336	1.80	-	33.74	7.14	33.78
AV	5.76G	106.49	Inf	-Inf	99.42	3	Vertical	336	1.80	-	33.72	7.13	33.78
PK	5.938G	60.01	68.20	-8.19	52.16	3	Vertical	336	1.80	-	34.33	7.28	33.76

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 80
06-E-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.69	68.20	-0.51	61.00	3	Horizontal	359	2.00	-	33.50	6.98	33.79
PK	5.753G	118.06	Inf	-Inf	111.01	3	Horizontal	359	2.00	-	33.71	7.12	33.78
AV	5.761G	106.98	Inf	-Inf	99.91	3	Horizontal	359	2.00	-	33.72	7.13	33.78
PK	5.934G	59.42	68.20	-8.78	51.61	3	Horizontal	359	2.00	-	34.30	7.27	33.76

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 80
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51714G	47.36	74.00	-26.64	61.44	3	Vertical	60	2.22	-	40.33	11.77	66.18			
AV	11.5154G	35.63	54.00	-18.37	49.72	3	Vertical	60	2.22	-	40.33	11.77	66.19			
PK	17.27688G	50.38	68.20	-17.82	58.19	3	Vertical	173	2.28	-	42.61	13.85	64.27			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 80
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.52338G	46.55	74.00	-27.45	60.61	3	Horizontal	20	1.16	-	40.35	11.77	66.18			
AV	11.51366G	35.63	54.00	-18.37	49.73	3	Horizontal	20	1.16	-	40.33	11.76	66.19			
PK	17.26536G	50.46	68.20	-17.74	58.32	3	Horizontal	271	2.03	-	42.56	13.85	64.27			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 87
06-E-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	65.45	68.20	-2.75	58.76	3	Vertical	334	2.07	-	33.50	6.98	33.79			
PK	5.797G	119.92	Inf	-Inf	112.72	3	Vertical	334	2.07	-	33.79	7.18	33.77			
AV	5.793G	108.60	Inf	-Inf	101.41	3	Vertical	334	2.07	-	33.79	7.17	33.77			
PK	5.924G	68.52	68.94	-0.42	60.77	3	Vertical	334	2.07	-	34.24	7.27	33.76			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 87
06-E-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	66.11	68.20	-2.09	59.42	3	Horizontal	359	1.93	-	33.50	6.98	33.79			
PK	5.787G	120.45	Inf	-Inf	113.30	3	Horizontal	359	1.93	-	33.77	7.16	33.78			
AV	5.787G	109.31	Inf	-Inf	102.16	3	Horizontal	359	1.93	-	33.77	7.16	33.78			
PK	5.923G	69.00	69.68	-0.68	61.25	3	Horizontal	359	1.93	-	34.24	7.27	33.76			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 87
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.60272G	47.47	74.00	-26.53	61.47	3	Vertical	48	1.80	-	40.29	11.82	66.11			
AV	11.60026G	36.45	54.00	-17.55	50.44	3	Vertical	48	1.80	-	40.30	11.82	66.11			
PK	17.39772G	52.19	68.20	-16.01	59.08	3	Vertical	197	1.80	-	43.48	13.90	64.27			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 87
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5954G	48.24	74.00	-25.76	62.22	3	Horizontal	360.1	1.80	-	40.31	11.82	66.11			
AV	11.6047G	36.59	54.00	-17.41	50.59	3	Horizontal	360.1	1.80	-	40.29	11.82	66.11			
PK	17.37882G	51.35	68.20	-16.85	58.40	3	Horizontal	106	1.80	-	43.33	13.89	64.27			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 86
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.24	68.20	-0.96	60.15	3	Vertical	0	1.75	-	34.30	7.69	34.90
PK	5.747G	115.61	Inf	-Inf	108.47	3	Vertical	0	1.75	-	34.20	7.87	34.93
AV	5.789G	107.11	Inf	-Inf	99.92	3	Vertical	0	1.75	-	34.20	7.94	34.95
PK	5.929G	64.45	68.20	-3.75	56.72	3	Vertical	0	1.75	-	34.62	8.10	34.99

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 86
03-P-G-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.70	68.20	-0.50	60.61	3	Horizontal	7	1.80	-	34.30	7.69	34.90
PK	5.761G	115.30	Inf	-Inf	108.15	3	Horizontal	7	1.80	-	34.20	7.89	34.94
AV	5.759G	107.24	Inf	-Inf	100.09	3	Horizontal	7	1.80	-	34.20	7.89	34.94
PK	5.933G	64.51	68.20	-3.69	56.77	3	Horizontal	7	1.80	-	34.63	8.10	34.99

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 71
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53524G	46.38	74.00	-27.62	60.40	3	Vertical	139	2.49	-	40.37	11.78	66.17			
AV	11.54382G	35.89	54.00	-18.11	49.88	3	Vertical	139	2.49	-	40.39	11.78	66.16			
PK	17.3373G	51.19	68.20	-17.01	58.59	3	Vertical	61	2.10	-	43.00	13.87	64.27			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX

EUT_Y_2TX
Setting 71
06-E-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.53842G	47.04	74.00	-26.96	61.05	3	Horizontal	291	1.67	-	40.38	11.78	66.17			
AV	11.55954G	36.11	54.00	-17.89	50.09	3	Horizontal	291	1.67	-	40.38	11.79	66.15			
PK	17.33502G	50.84	68.20	-17.36	58.26	3	Horizontal	97	1.31	-	42.98	13.87	64.27			