


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

11/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

01/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

01/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

02/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

01/10/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

02/10/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

02/10/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

11/10/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

11/10/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

01/10/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

02/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

11/10/2025



6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

01/10/2025

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.558452G	10.10	6.6186G	-18.17	-10.02	-8.15	1
6.571198G	10.28	6.50955G	-16.13	-9.77	-6.36	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

01/10/2025

CF (Hz)
6.685G


Span (Hz)
200M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.678452G	10.38	6.7425G	-16.44	-9.72	-6.72	1
6.680301G	10.12	6.62925G	-16.97	-9.89	-7.08	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

01/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.840101G	9.41	6.79515G	-18.97	-10.62	-8.35	1
6.848499G	8.83	6.8959G	-21.86	-11.29	-10.57	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

02/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.974G	4.86	6.142G	-39.89	-34.82	-5.07	1
5.95701G	4.19	6.1254G	-39.16	-35.76	-3.40	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

11/10/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

01/10/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

01/10/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

02/10/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

01/10/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15901G	5.81	6.4876G	-39.56	-34.07	-5.49	1
6.21159G	5.80	6.5664G	-40.88	-33.88	-7.00	2


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

01/10/2025

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.40998G	6.44	6.5106G	-22.40	-14.58	-7.82	1
6.40758G	6.43	6.5134G	-23.83	-13.70	-10.13	2

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

02/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

02/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

02/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

02/10/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.416275G	3.72	6.4346G	-28.17	-19.67	-8.50	1
6.420024G	3.34	6.44755G	-36.63	-36.25	-0.38	2
6.411276G	3.84	6.4478G	-42.58	-35.41	-7.17	3
6.417499G	3.66	6.434625G	-29.44	-22.17	-7.27	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

02/10/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.527477G	6.60	6.510025G	-24.45	-13.86	-10.59	1
6.537499G	5.70	6.51395G	-24.75	-14.35	-10.40	2
6.533725G	7.01	6.511475G	-23.97	-13.02	-10.95	3
6.5363G	7.21	6.5127G	-22.00	-12.82	-9.18	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

02/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

02/10/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

11/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

03/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

03/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

03/10/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9725G	3.86	5.94G	-22.46	-16.20	-6.26	1
5.9737G	3.29	6.1118G	-41.18	-36.71	-4.47	2
5.9723G	4.10	6.1187G	-39.70	-35.90	-3.80	3
5.9763G	4.79	6.143G	-40.39	-35.12	-5.27	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

03/10/2025

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2372G	10.48	6.33G	-18.62	-9.52	-9.10	1
6.2172G	10.06	6.3247G	-21.05	-9.94	-11.11	2
6.2138G	10.99	6.3334G	-18.62	-9.03	-9.59	3
6.2213G	10.74	6.1192G	-18.32	-9.27	-9.05	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

11/10/2025

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3764G	5.16	6.5803G	-39.60	-34.59	-5.01	1
6.4012G	4.15	6.5315G	-36.05	-35.68	-0.37	2
6.3964G	4.16	6.5316G	-38.45	-35.84	-2.61	3
6.3997G	5.40	6.4788G	-22.33	-16.78	-5.55	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

03/10/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6136G	10.43	6.5162G	-17.90	-9.57	-8.33	1
6.6142G	9.93	6.7327G	-17.96	-10.07	-7.89	2
6.6163G	10.42	6.7349G	-18.31	-9.58	-8.73	3
6.6131G	10.90	6.7365G	-16.15	-9.10	-7.05	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

03/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

01/10/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

11/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

11/10/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.528727G	5.19	6.513075G	-25.38	-15.19	-10.19	1
6.53365G	5.19	6.55365G	-24.27	-14.97	-9.30	2
6.539924G	5.69	6.51255G	-25.17	-14.39	-10.78	3
6.533725G	5.74	6.510475G	-26.59	-14.32	-12.27	4


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

03/10/2025

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688727G	11.06	6.7277G	-20.32	-9.23	-11.09	1
6.693725G	10.65	6.666775G	-19.98	-9.38	-10.60	2
6.689976G	10.69	6.7247G	-18.67	-9.39	-9.28	3
6.688777G	11.10	6.663G	-19.06	-9.03	-10.03	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

11/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

03/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

03/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

11/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

03/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

03/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

03/10/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

03/10/2025




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

01/10/2025

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
3M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60102G	2.64	6.9586G	-42.34	-37.35	-4.99	1
6.63821G	2.86	7.0244G	-40.47	-37.11	-3.36	2
6.60202G	3.53	6.9968G	-37.19	-36.47	-0.72	3
6.63741G	3.70	6.9684G	-37.70	-36.28	-1.42	4


5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

MASK

6105MHz_TX

03/10/2025

CF (Hz)
6.105G
Span (Hz)
1.6G
RBW (Hz)
5M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06941G	3.86	6.7846G	-44.37	-36.13	-8.24	1
6.13419G	4.00	6.705G	-40.70	-35.73	-4.97	2
6.13979G	4.39	6.7554G	-41.94	-35.09	-6.85	3
6.13619G	4.96	6.7798G	-40.64	-34.84	-5.80	4


Test Mode: Mode 29

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

08/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

08/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

08/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

11/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

08/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

08/10/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

02/10/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

08/10/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

08/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

08/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

08/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

02/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

01/10/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

01/10/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

MASK

6105MHz_TX

02/10/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06781G	5.82	6.891G	-38.15	-32.98	-5.17	1

Test Mode: Mode 30


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

09/10/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.957474G	1.36	5.9389G	-29.49	-20.88	-8.61	1
5.95375G	1.83	5.940875G	-27.53	-19.20	-8.33	2


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

09/10/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.191151G	3.14	6.1785G	-26.74	-17.82	-8.92	1
6.199974G	3.03	6.1763G	-29.32	-19.97	-9.35	2

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

09/10/2025

CF (Hz)
6.415G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412501G	3.13	6.4345G	-28.20	-18.86	-9.34	1
6.408702G	2.65	6.434375G	-29.02	-20.77	-8.25	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

09/10/2025

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.537499G	3.25	6.5673G	-39.66	-36.62	-3.04	1
6.533675G	3.36	6.55425G	-30.65	-20.08	-10.57	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

09/10/2025

CF (Hz)
6.695G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.693725G	3.40	6.7399G	-48.80	-36.60	-12.20	1
6.691226G	3.08	6.662575G	-43.35	-35.94	-7.41	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

09/10/2025

CF (Hz)
6.855G


Span (Hz)
100M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.852476G	3.57	6.887475G	-39.85	-36.40	-3.45	1
6.857499G	2.84	6.836025G	-30.38	-21.04	-9.34	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

09/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9724G	1.94	5.9404G	-25.12	-18.09	-7.03	1
5.9707G	1.62	5.9364G	-27.12	-18.71	-8.41	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

09/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2174G	2.11	6.1827G	-26.74	-17.90	-8.84	1
6.2122G	1.82	6.1827G	-26.75	-18.26	-8.49	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

09/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3987G	2.03	6.5087G	-45.21	-37.76	-7.45	1
6.3975G	1.67	6.4283G	-27.33	-18.38	-8.95	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

09/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6134G	3.43	6.748G	-41.79	-36.45	-5.34	1
6.6115G	2.99	6.7522G	-42.74	-37.01	-5.73	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

MASK

6105MHz_TX

09/10/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.06941G	0.84	6.6002G	-43.59	-39.16	-4.43	1
6.14979G	1.03	6.5962G	-42.81	-38.97	-3.84	2

Test Mode: Mode 31


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

09/10/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.956175G	0.66	5.93985G	-28.89	-19.52	-9.37	1
5.952551G	0.60	5.939725G	-28.16	-19.49	-8.67	2
5.957424G	0.52	5.938G	-29.89	-20.69	-9.20	3
5.958749G	1.22	5.93915G	-28.41	-19.43	-8.98	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

09/10/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.191276G	-0.97	6.1756G	-32.53	-22.23	-10.30	1
6.201223G	-0.69	6.21285G	-32.84	-23.86	-8.98	2
6.201248G	-0.69	6.1781G	-31.05	-23.90	-7.15	3
6.199999G	-0.45	6.176425G	-32.01	-22.76	-9.25	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

09/10/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.412551G	1.16	6.429925G	-28.31	-19.43	-8.88	1
6.413625G	0.50	6.3994G	-28.65	-19.68	-8.97	2
6.421248G	0.39	6.3961G	-30.87	-20.96	-9.91	3
6.419974G	0.51	6.42975G	-28.82	-19.98	-8.84	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

09/10/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.529951G	1.25	6.51965G	-29.74	-19.49	-10.25	1
6.537499G	0.92	6.54995G	-27.83	-19.14	-8.69	2
6.53365G	1.56	6.518775G	-29.07	-20.12	-8.95	3
6.539974G	1.17	6.551425G	-29.02	-20.29	-8.73	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

09/10/2025

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.688752G	-0.31	6.712175G	-32.85	-22.86	-9.99	1
6.693675G	-0.91	6.674975G	-33.56	-25.68	-7.88	2
6.688727G	-0.16	6.6782G	-31.37	-23.50	-7.87	3
6.6962G	0.48	6.674225G	-33.69	-25.76	-7.93	4

Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

09/10/2025

CF (Hz)
6.855G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.853725G	0.16	6.838625G	-31.52	-22.86	-8.66	1
6.850076G	-1.16	6.8381G	-31.95	-23.30	-8.65	2
6.857424G	-0.63	6.8365G	-33.06	-25.11	-7.95	3
6.8537G	0.68	6.8365G	-31.10	-24.10	-7.00	4

Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

09/10/2025

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.953703G	-0.54	5.9357G	-29.08	-21.10	-7.98	1
5.960001G	-0.10	5.9353G	-28.11	-21.50	-6.61	2
5.961151G	-0.07	5.93635G	-28.55	-20.36	-8.19	3
5.960001G	0.10	5.9355G	-28.61	-21.54	-7.07	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

09/10/2025

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.200101G	-0.63	6.1757G	-30.18	-22.46	-7.72	1
6.209899G	-0.64	6.2337G	-31.06	-22.33	-8.73	2
6.208749G	-0.01	6.17105G	-32.49	-20.72	-11.77	3
6.209549G	-0.42	6.1756G	-29.68	-22.27	-7.41	4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

09/10/2025

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.411148G	-0.26	6.43525G	-30.69	-22.41	-8.28	1
6.399901G	-0.39	6.3758G	-29.68	-21.41	-8.27	2
6.400001G	-0.34	6.3755G	-30.04	-22.34	-7.70	3
6.411298G	0.28	6.43565G	-30.31	-22.12	-8.19	4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

09/10/2025

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.559901G	-0.06	6.53545G	-29.76	-20.66	-9.10	1
6.573748G	-0.44	6.5424G	-27.69	-20.52	-7.17	2
6.567549G	0.46	6.5328G	-29.84	-20.12	-9.72	3
6.568649G	0.52	6.53525G	-29.25	-21.48	-7.77	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

09/10/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95651G	-0.67	5.9367G	-28.48	-21.03	-7.45	1
5.9722G	-0.87	5.9394G	-28.90	-20.90	-8.00	2
5.9733G	-0.23	5.9393G	-27.87	-20.36	-7.51	3
5.9723G	0.68	5.9396G	-27.44	-19.35	-8.09	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

09/10/2025

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2376G	-0.46	6.18G	-29.46	-20.50	-8.96	1
6.2129G	-0.56	6.1829G	-27.38	-20.57	-6.81	2
6.2113G	-0.18	6.1825G	-27.62	-20.19	-7.43	3
6.2162G	-0.31	6.1692G	-30.76	-22.72	-8.04	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

09/10/2025

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3984G	0.32	6.4276G	-28.45	-19.71	-8.74	1
6.3999G	-0.47	6.4286G	-28.62	-20.54	-8.08	2
6.3961G	-0.71	6.3426G	-29.32	-20.72	-8.60	3
6.3961G	-0.03	6.4281G	-27.98	-20.11	-7.87	4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

09/10/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.617G	-0.14	6.5821G	-28.65	-20.20	-8.45	1
6.6109G	-0.53	6.5693G	-30.52	-22.55	-7.97	2
6.6123G	0.27	6.5811G	-28.11	-19.86	-8.25	3
6.616G	0.65	6.5802G	-27.77	-19.48	-8.29	4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

09/10/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94842G	-0.93	6.2682G	-49.74	-40.30	-9.44	1
6.10018G	0.10	6.2708G	-49.26	-39.75	-9.51	2
5.94882G	-0.04	6.2694G	-49.00	-39.31	-9.69	3
6.10158G	-0.32	6.2676G	-48.70	-39.61	-9.09	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

09/10/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.16081G	-0.67	5.9414G	-48.74	-40.20	-8.54	1
6.20959G	-0.58	5.9384G	-46.08	-40.45	-5.63	2
6.15881G	0.20	5.94G	-46.40	-39.44	-6.96	3
6.15761G	-0.12	6.4286G	-48.59	-39.55	-9.04	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

09/10/2025

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42038G	-0.20	6.5886G	-48.37	-39.73	-8.64	1
6.40179G	-0.13	6.5884G	-47.10	-39.53	-7.57	2
6.40738G	-0.33	6.1026G	-47.96	-39.59	-8.37	3
6.42058G	0.40	6.5876G	-47.69	-38.98	-8.71	4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

09/10/2025

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63901G	-0.14	6.9152G	-48.61	-40.14	-8.47	1
6.64061G	-0.04	6.9488G	-47.19	-40.04	-7.15	2
6.60761G	0.17	6.9258G	-44.86	-39.75	-5.11	3
6.63841G	0.32	6.9236G	-47.75	-39.68	-8.07	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

09/10/2025



Test Mode: Mode 32


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

09/10/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.959974G	-1.04	5.937725G	-32.19	-24.27	-7.92	1
5.953675G	-0.84	5.93805G	-30.40	-23.48	-6.92	2
5.95365G	-1.51	5.938075G	-31.54	-25.07	-6.47	3
5.962473G	-0.55	5.938025G	-31.17	-22.33	-8.84	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

09/10/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.201298G	-0.90	6.17855G	-30.70	-21.87	-8.83	1
6.1937G	-0.61	6.21435G	-33.96	-25.63	-8.33	2
6.201223G	-1.05	6.177525G	-31.88	-23.51	-8.37	3
6.191176G	-0.44	6.178175G	-31.08	-21.58	-9.50	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

09/10/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

09/10/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

09/10/2025

CF (Hz)
5.965G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.959051G	-0.79	5.93575G	-29.52	-21.30	-8.22	1
5.957502G	-0.67	5.93285G	-29.67	-20.93	-8.74	2
5.959951G	-0.46	5.93565G	-27.96	-20.98	-6.98	3
5.960051G	0.08	5.9356G	-28.95	-21.53	-7.42	4


5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

09/10/2025

CF (Hz)
6.205G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.207499G	-0.91	6.1759G	-30.19	-21.23	-8.96	1
6.208599G	-0.88	6.23545G	-31.52	-23.10	-8.42	2
6.209949G	-0.10	6.1755G	-29.72	-22.13	-7.59	3
6.197452G	-0.54	6.1758G	-29.26	-22.34	-6.92	4

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

09/10/2025

CF (Hz)
5.985G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9711G	-0.66	5.936G	-28.42	-21.29	-7.13	1
5.95391G	-1.13	5.94G	-28.70	-21.21	-7.49	2
5.9732G	-0.59	5.9357G	-28.85	-21.02	-7.83	3
5.973G	0.29	5.9346G	-29.44	-19.96	-9.48	4


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

09/10/2025

CF (Hz)
6.225G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2154G	-0.45	6.1803G	-28.75	-20.62	-8.13	1
6.2109G	-0.68	6.1765G	-30.55	-21.07	-9.48	2
6.2165G	-0.31	6.1806G	-28.88	-20.54	-8.34	3
6.2138G	-0.33	6.1758G	-30.36	-20.62	-9.74	4


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

09/10/2025

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

09/10/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

09/10/2025

CF (Hz)
6.345G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42138G	-0.46	6.5968G	-49.71	-40.41	-9.30	1
6.40798G	-0.46	6.1002G	-45.96	-39.60	-6.36	2
6.40978G	-0.45	6.5884G	-48.09	-39.85	-8.24	3
6.40838G	0.14	6.6056G	-48.86	-39.86	-9.00	4


6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

09/10/2025

CF (Hz)
6.665G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63841G	-0.54	6.9688G	-48.96	-40.54	-8.42	1
6.63961G	-0.32	6.958G	-46.47	-40.15	-6.32	2
6.63861G	0.24	6.9554G	-45.20	-39.60	-5.60	3
6.63721G	0.26	6.9606G	-47.86	-39.74	-8.12	4

5.925-6.425GHz_802.11be EHT320_Nss4_(MCS0)_4TX

MASK

6105MHz_TX

09/10/2025



Test Mode: Mode 33

Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	6.419999G	2.35	6.394725G	-31.06	-23.65	-7.41	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	6.208699G	2.75	6.1753G	-27.67	-20.03	-7.64	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.3981G	2.82	6.5102G	-43.74	-37.18	-6.56	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.16041G	3.09	6.4928G	-39.89	-36.91	-2.98	1
802.11be EHT320_Nss1,(MCS0)_1TX	Pass	6.07021G	4.09	6.7582G	-41.30	-35.90	-5.40	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	Pass	6.848727G	0.91	6.838175G	-29.79	-21.52	-8.27	1
802.11be EHT40_Nss1,(MCS0)_1TX	Pass	6.553753G	1.42	6.53535G	-28.90	-20.59	-8.31	1
802.11be EHT80_Nss1,(MCS0)_1TX	Pass	6.6964G	1.18	6.662G	-26.89	-18.92	-7.97	1
802.11be EHT160_Nss1,(MCS0)_1TX	Pass	6.64241G	1.47	6.9484G	-44.72	-38.53	-6.19	1

Result


Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.953725G	2.66	5.940275G	-27.06	-19.07	-7.99	1
6195MHz	Pass	6.197474G	2.60	6.1744G	-31.10	-23.22	-7.88	1
6415MHz	Pass	6.419999G	2.35	6.394725G	-31.06	-23.65	-7.41	1
6535MHz	Pass	6.529901G	2.71	6.54995G	-27.09	-18.10	-8.99	1
6695MHz	Pass	6.689976G	1.03	6.678175G	-30.78	-21.82	-8.96	1
6855MHz	Pass	6.848727G	0.91	6.838175G	-29.79	-21.52	-8.27	1
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.960101G	3.17	5.9339G	-26.38	-17.90	-8.48	1
6205MHz	Pass	6.208699G	2.75	6.1753G	-27.67	-20.03	-7.64	1
6405MHz	Pass	6.419946G	3.28	6.4356G	-27.61	-19.10	-8.51	1
6565MHz	Pass	6.553753G	1.42	6.53535G	-28.90	-20.59	-8.31	1
6685MHz	Pass	6.676302G	1.32	6.6553G	-29.51	-20.68	-8.83	1
6845MHz	Pass	6.847449G	1.43	6.81535G	-29.40	-19.35	-10.05	1
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.9722G	2.97	5.936G	-25.61	-17.71	-7.90	1
6225MHz	Pass	6.2175G	2.80	6.3518G	-45.53	-37.20	-8.33	1
6385MHz	Pass	6.3981G	2.82	6.5102G	-43.74	-37.18	-6.56	1
6625MHz	Pass	6.6136G	1.51	6.5718G	-29.48	-20.04	-9.44	1
6705MHz	Pass	6.6964G	1.18	6.662G	-26.89	-18.92	-7.97	1
6785MHz	Pass	6.7764G	1.62	6.7423G	-26.77	-18.43	-8.34	1
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.05019G	2.98	6.3182G	-41.99	-36.96	-5.03	1
6185MHz	Pass	6.16041G	3.09	6.4928G	-39.89	-36.91	-2.98	1
6345MHz	Pass	6.42098G	3.19	6.6074G	-40.70	-36.59	-4.11	1
6665MHz	Pass	6.64241G	1.47	6.9484G	-44.72	-38.53	-6.19	1
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-
6105MHz	Pass	6.07021G	4.09	6.7582G	-41.30	-35.90	-5.40	1

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

5955MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6195MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6415MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6535MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

5965MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6205MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6405MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6565MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

5985MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6225MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6385MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6025MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6185MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6345MHz_TX

09/10/2025





6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK


6665MHz_TX

09/10/2025





Test Mode: Mode 34




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

09/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417474G	1.76	6.431525G	-27.92	-19.55	-8.37	1
6.411276G	0.93	6.431225G	-28.80	-19.39	-9.41	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

09/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5338G	0.18	6.5496G	-29.17	-20.29	-8.88	1
6.533775G	-0.00	6.552025G	-30.70	-21.13	-9.57	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

09/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3999G	0.56	6.5071G	-47.63	-39.15	-8.48	1
6.3938G	0.05	6.4276G	-28.27	-19.95	-8.32	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

09/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6172G	-0.85	6.5826G	-29.21	-20.86	-8.35	1
6.6141G	-1.21	6.5815G	-29.39	-21.35	-8.04	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6025MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6185MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6345MHz_TX

09/10/2025





6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

09/10/2025





Test Mode: Mode 35


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

5955MHz_TX

09/10/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958724G	-1.98	5.972325G	-32.80	-23.55	-9.25	1
5.958749G	-1.72	5.938025G	-31.51	-23.02	-8.49	2
5.951176G	-2.31	5.938875G	-32.18	-23.90	-8.28	3
5.95375G	-1.62	5.9373G	-32.45	-24.17	-8.28	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6195MHz_TX

09/10/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1963G	-3.48	6.178125G	-33.67	-26.82	-6.85	1
6.197499G	-2.62	6.178075G	-33.77	-26.24	-7.53	2
6.198749G	-3.31	6.176725G	-34.41	-26.46	-7.95	3
6.191201G	-3.26	6.17635G	-35.48	-27.54	-7.94	4


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

09/10/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.417449G	-2.66	6.43215G	-33.79	-24.66	-9.13	1
6.419974G	-3.17	6.39645G	-34.98	-28.09	-6.89	2
6.422473G	-3.19	6.43G	-32.59	-24.12	-8.47	3
6.419974G	-3.28	6.433925G	-36.22	-28.93	-7.29	4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

09/10/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.537424G	-3.96	6.516225G	-37.31	-28.42	-8.89	1
6.537499G	-4.81	6.5499G	-34.08	-26.49	-7.59	2
6.541223G	-4.45	6.5165G	-37.22	-29.03	-8.19	3
6.528677G	-4.99	6.518075G	-36.03	-27.85	-8.18	4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

09/10/2025



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

09/10/2025

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.957402G	-2.95	5.93385G	-32.87	-22.95	-9.92	1
5.948754G	-2.95	5.93285G	-32.66	-23.24	-9.42	2
5.960101G	-2.47	5.93565G	-30.92	-22.97	-7.95	3
5.967549G	-2.60	5.9358G	-31.45	-24.42	-7.03	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

10/10/2025

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.213698G	-2.99	6.1759G	-32.07	-23.45	-8.62	1
6.213698G	-3.20	6.17545G	-32.81	-25.20	-7.61	2
6.201201G	-2.57	6.17545G	-32.65	-23.42	-9.23	3
6.213698G	-3.17	6.1758G	-32.34	-24.99	-7.35	4

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

10/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

10/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

10/10/2025

CF (Hz)
6.685G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

10/10/2025

CF (Hz)
6.845G
Span (Hz)
200M
RBW (Hz)
500k
VBW (Hz)
2M
Sweep Time (s)
20m
Detector Type
RMS




Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

10/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9729G	-3.01	5.9356G	-31.13	-23.74	-7.39	1
5.95381G	-3.67	5.9392G	-31.46	-23.74	-7.72	2
5.9713G	-2.97	5.939G	-30.45	-23.18	-7.27	3
5.9712G	-2.51	5.9363G	-31.41	-23.11	-8.30	4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

10/10/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2138G	-2.87	6.1679G	-33.97	-25.12	-8.85	1
6.2134G	-3.17	6.1806G	-31.88	-23.27	-8.61	2
6.2161G	-2.88	6.1825G	-30.46	-22.89	-7.57	3
6.2161G	-2.90	6.1697G	-33.04	-24.52	-8.52	4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

10/10/2025

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41559G	-2.59	6.4283G	-31.32	-22.60	-8.72	1
6.3984G	-3.10	6.4297G	-32.39	-23.17	-9.22	2
6.3963G	-3.66	6.4278G	-32.14	-23.73	-8.41	3
6.4024G	-3.18	6.43G	-32.38	-23.18	-9.20	4

Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

10/10/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6138G	-4.24	6.5708G	-35.20	-25.95	-9.25	1
6.6106G	-5.01	6.5695G	-35.11	-26.94	-8.17	2
6.6177G	-4.31	6.5822G	-31.77	-24.35	-7.42	3
6.6137G	-4.50	6.5829G	-31.01	-23.70	-7.31	4


Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

10/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

10/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

10/10/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.96282G	-3.66	6.2698G	-51.25	-43.36	-7.89	1
6.10058G	-2.45	6.2672G	-50.30	-41.68	-8.62	2
5.94822G	-2.58	6.2684G	-50.89	-42.08	-8.81	3
6.10098G	-3.35	6.2682G	-50.84	-42.91	-7.93	4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

10/10/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15761G	-3.19	5.94G	-50.28	-43.02	-7.26	1
6.20979G	-2.72	6.4284G	-49.87	-42.22	-7.65	2
6.15961G	-2.63	5.9422G	-49.96	-42.23	-7.73	3
6.15801G	-2.71	6.4278G	-50.44	-42.22	-8.22	4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

10/10/2025

CF (Hz)
6.345G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41998G	-2.85	6.5886G	-50.03	-42.47	-7.56	1
6.40299G	-3.34	6.5886G	-50.14	-42.87	-7.27	2
6.40698G	-3.03	6.5898G	-50.21	-42.54	-7.67	3
6.40778G	-2.78	6.5876G	-49.80	-41.97	-7.83	4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

10/10/2025

CF (Hz)
6.665G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.64201G	-4.72	7.0006G	-49.74	-44.72	-5.02	1
6.63941G	-4.77	7.0068G	-49.83	-44.77	-5.06	2
6.63761G	-4.59	7.0056G	-49.76	-44.59	-5.17	3
6.63561G	-4.73	7.009G	-49.62	-44.73	-4.89	4

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

MASK

6105MHz_TX

10/10/2025



Test Mode: Mode 36


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

5955MHz_TX

10/10/2025

CF (Hz)
5.955G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.952451G	-1.79	5.938175G	-32.57	-23.28	-9.29	1
5.959949G	-1.05	5.937925G	-31.42	-23.50	-7.92	2
5.953675G	-2.07	5.93815G	-32.64	-23.35	-9.29	3
5.953675G	-1.13	5.94025G	-30.09	-21.84	-8.25	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6195MHz_TX

10/10/2025

CF (Hz)
6.195G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.190051G	-3.17	6.177425G	-34.03	-24.31	-9.72	1
6.198749G	-3.14	6.2136G	-35.38	-28.49	-6.89	2
6.201223G	-2.78	6.17805G	-33.44	-26.00	-7.44	3
6.202498G	-2.99	6.1785G	-33.87	-24.54	-9.33	4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6415MHz_TX

10/10/2025

CF (Hz)
6.415G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4162G	-1.70	6.43525G	-35.89	-26.54	-9.35	1
6.409976G	-3.00	6.398075G	-33.80	-25.37	-8.43	2
6.422473G	-3.32	6.398G	-33.62	-25.38	-8.24	3
6.421248G	-2.97	6.430325G	-33.61	-23.15	-10.46	4


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6535MHz_TX

10/10/2025

CF (Hz)
6.535G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.536225G	-3.67	6.55275G	-35.58	-24.17	-11.41	1
6.5337G	-4.16	6.51745G	-35.62	-27.83	-7.79	2
6.542473G	-3.86	6.518075G	-34.93	-27.87	-7.06	3
6.542448G	-3.90	6.518975G	-34.67	-25.74	-8.93	4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

10/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

10/10/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

5965MHz_TX

10/10/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6205MHz_TX

10/10/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6405MHz_TX

10/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6565MHz_TX

10/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

10/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

10/10/2025




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

5985MHz_TX

10/10/2025




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6225MHz_TX

10/10/2025




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6385MHz_TX

10/10/2025

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3991G	-2.37	6.3405G	-31.64	-22.38	-9.26	1
6.3934G	-2.85	6.4281G	-30.66	-22.89	-7.77	2
6.3985G	-3.27	6.3412G	-32.38	-23.34	-9.04	3
6.3994G	-2.67	6.4288G	-31.54	-22.71	-8.83	4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

10/10/2025

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6138G	-3.46	6.7845G	-53.49	-43.46	-10.03	1
6.6129G	-4.36	6.5762G	-33.09	-25.13	-7.96	2
6.6114G	-3.70	6.5365G	-41.22	-32.02	-9.20	3
6.6121G	-3.41	6.5818G	-31.86	-23.42	-8.44	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

10/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

10/10/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6025MHz_TX

10/10/2025

CF (Hz)
6.025G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.94842G	-3.18	6.2674G	-50.65	-42.63	-8.02	1
6.10158G	-2.06	6.2706G	-50.46	-41.41	-9.05	2
5.94942G	-2.06	6.2696G	-50.80	-41.64	-9.16	3
6.08818G	-2.87	6.2674G	-50.22	-42.22	-8.00	4


5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6185MHz_TX

10/10/2025

CF (Hz)
6.185G
Span (Hz)
800M
RBW (Hz)
2M
VBW (Hz)
10M
Sweep Time (s)
20m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.11022G	-3.03	5.9428G	-49.99	-42.26	-7.73	1
6.21119G	-2.84	5.94G	-49.95	-42.57	-7.38	2
6.15961G	-2.15	5.9416G	-49.68	-41.74	-7.94	3
6.16121G	-2.66	6.4286G	-50.48	-42.19	-8.29	4

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6345MHz_TX

10/10/2025




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

10/10/2025




5.925-6.425GHz_802.11be EHT320_Nss4_(MCS0)_4TX

MASK

6105MHz_TX

10/10/2025




Test Mode: Mode 37

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

5955MHz_TX

08/10/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6195MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6415MHz_TX

11/10/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6535MHz_TX

11/10/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

5965MHz_TX

09/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.969999G	4.16	5.99595G	-24.41	-16.78	-7.63	1
5.969899G	5.11	5.9921G	-22.38	-15.36	-7.02	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6205MHz_TX

09/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.209449G	9.18	6.1643G	-19.15	-10.94	-8.21	1
6.211098G	9.93	6.1573G	-18.65	-10.22	-8.43	2

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6405MHz_TX

11/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.407749G	9.23	6.36385G	-18.94	-10.78	-8.16	1
6.409899G	9.63	6.35745G	-19.30	-10.39	-8.91	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6565MHz_TX

09/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.56305G	9.52	6.519G	-18.60	-10.54	-8.06	1
6.559751G	9.86	6.5155G	-20.26	-10.18	-10.08	2

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

09/10/2025



5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

5985MHz_TX

09/10/2025

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9975G	4.36	6.0535G	-27.68	-20.24	-7.44	1
5.9913G	4.96	6.0756G	-31.30	-24.19	-7.11	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6225MHz_TX

09/10/2025

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2335G	6.19	6.151G	-21.61	-15.18	-6.43	1
6.2138G	7.21	6.1272G	-19.93	-13.34	-6.59	2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6385MHz_TX

09/10/2025




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3728G	9.52	6.2873G	-20.27	-10.87	-9.40	1
6.3768G	9.85	6.2935G	-17.19	-10.31	-6.88	2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

09/10/2025



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.613G	9.08	6.7112G	-18.89	-11.05	-7.84	1
6.6119G	10.15	6.5228G	-20.03	-9.85	-10.18	2