


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5985MHz

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW



6225MHz

09/10/2025





5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
6385MHz

09/10/2025


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
6625MHz

09/10/2025





6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

6705MHz

09/10/2025





6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW



6785MHz

09/10/2025





5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6025MHz

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6185MHz

09/10/2025





5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6345MHz

09/10/2025


6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6665MHz

09/10/2025





5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

EBW

6105MHz

09/10/2025



Test Mode: Mode 38

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.925-6.425GHz	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	30.03M	19.214M	19M2D1D	25.465M	19.174M
802.11be EHT40_Nss2,(MCS0)_2TX	47.08M	37.935M	37M9D1D	42.02M	37.859M
802.11be EHT80_Nss2,(MCS0)_2TX	89.1M	77.506M	77M5D1D	82.72M	77.376M
802.11be EHT160_Nss2,(MCS0)_2TX	165M	156.252M	156MD1D	163.68M	155.974M
802.11be EHT320_Nss2,(MCS0)_2TX	326.48M	315.068M	315MD1D	326.48M	314.963M
6.525-6.875GHz	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	35.915M	19.213M	19M2D1D	26.29M	19.164M
802.11be EHT40_Nss2,(MCS0)_2TX	48.95M	37.942M	37M9D1D	41.8M	37.872M
802.11be EHT80_Nss2,(MCS0)_2TX	95.7M	77.487M	77M5D1D	82.94M	77.331M
802.11be EHT160_Nss2,(MCS0)_2TX	164.56M	156.203M	156MD1D	163.68M	156.017M

Max-N dB = Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth


Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5955MHz	Pass	320M	27.5M	19.191M	26.07M	19.214M
6195MHz	Pass	320M	30.03M	19.197M	26.07M	19.211M
6415MHz	Pass	320M	25.905M	19.174M	25.465M	19.209M
6535MHz	Pass	320M	27.94M	19.164M	35.915M	19.213M
6695MHz	Pass	320M	26.29M	19.189M	28.71M	19.201M
6855MHz	Pass	320M	31.295M	19.211M	26.73M	19.186M
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5965MHz	Pass	320M	47.08M	37.921M	46.2M	37.929M
6205MHz	Pass	320M	44.11M	37.887M	44.99M	37.863M
6405MHz	Pass	320M	44M	37.859M	42.02M	37.935M
6565MHz	Pass	320M	44.66M	37.896M	44.99M	37.884M
6685MHz	Pass	320M	44.22M	37.901M	48.95M	37.872M
6845MHz	Pass	320M	44.55M	37.942M	41.8M	37.912M
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5985MHz	Pass	320M	87.34M	77.506M	89.1M	77.455M
6225MHz	Pass	320M	83.82M	77.414M	87.56M	77.408M
6385MHz	Pass	320M	82.72M	77.44M	84.26M	77.376M
6625MHz	Pass	320M	83.6M	77.384M	85.8M	77.331M
6705MHz	Pass	320M	82.94M	77.487M	84.48M	77.43M
6785MHz	Pass	320M	95.7M	77.466M	84.48M	77.421M
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
6025MHz	Pass	320M	165M	156.252M	163.68M	155.974M
6185MHz	Pass	320M	164.12M	156.187M	164.56M	156.101M
6345MHz	Pass	320M	164.12M	156.136M	164.56M	156.19M
6665MHz	Pass	320M	163.68M	156.203M	164.56M	156.017M
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-
6105MHz	Pass	320M	326.48M	314.963M	326.48M	315.068M


Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5955MHz

09/10/2025



5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
6195MHz

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
6415MHz

09/10/2025


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
6535MHz

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

6695MHz

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW



6855MHz

09/10/2025





5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
5965MHz

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
6205MHz

09/10/2025





5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
6405MHz

09/10/2025


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
6565MHz

09/10/2025





6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

6685MHz

09/10/2025





6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

6845MHz

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5985MHz

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

6225MHz

09/10/2025





5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

6385MHz

09/10/2025





6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

6625MHz

09/10/2025





6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

6705MHz

09/10/2025





6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW



6785MHz

09/10/2025





5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6025MHz

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6185MHz

09/10/2025





5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6345MHz

09/10/2025


6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX
EBW
6665MHz

09/10/2025





5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

EBW

6105MHz

09/10/2025



Test Mode: Mode 39

Summary

Mode	Max-N dB (Hz)	Max-OBW (Hz)	ITU-Code	Min-N dB (Hz)	Min-OBW (Hz)
5.925-6.425GHz	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	29.755M	19.202M	19M2D1D	25.685M	19.177M
802.11be EHT40_Nss2,(MCS0)_2TX	54.01M	37.947M	37M9D1D	44.55M	37.857M
802.11be EHT80_Nss2,(MCS0)_2TX	93.94M	77.489M	77M5D1D	81.84M	77.311M
802.11be EHT160_Nss2,(MCS0)_2TX	165.44M	156.381M	156MD1D	163.68M	156.132M
802.11be EHT320_Nss2,(MCS0)_2TX	327.36M	315.592M	316MD1D	325.6M	315.312M
6.525-6.875GHz	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	29.37M	19.2M	19M2D1D	23.98M	19.149M
802.11be EHT40_Nss2,(MCS0)_2TX	53.9M	37.97M	38M0D1D	44.77M	37.888M
802.11be EHT80_Nss2,(MCS0)_2TX	87.34M	77.469M	77M5D1D	84.04M	77.355M
802.11be EHT160_Nss2,(MCS0)_2TX	164.56M	156.398M	156MD1D	164.12M	156.156M

Max-N dB = Maximum 26dB down bandwidth for other band;
 Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Maximum 26dB down bandwidth for other band;
 Min-OBW = Minimum 99% occupied bandwidth



Result

Mode	Result	Limit (Hz)	Port 1-N dB (Hz)	Port 1-OBW (Hz)	Port 2-N dB (Hz)	Port 2-OBW (Hz)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5955MHz	Pass	320M	28.765M	19.196M	29.755M	19.186M
6195MHz	Pass	320M	26.895M	19.202M	25.685M	19.194M
6415MHz	Pass	320M	28.985M	19.177M	28.545M	19.201M
6535MHz	Pass	320M	29.37M	19.194M	25.135M	19.194M
6695MHz	Pass	320M	28.875M	19.149M	25.19M	19.173M
6855MHz	Pass	320M	25.08M	19.156M	23.98M	19.2M
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5965MHz	Pass	320M	54.01M	37.947M	54.01M	37.918M
6205MHz	Pass	320M	48.95M	37.933M	53.9M	37.897M
6405MHz	Pass	320M	44.55M	37.943M	44.99M	37.857M
6565MHz	Pass	320M	49.17M	37.91M	47.85M	37.888M
6685MHz	Pass	320M	53.9M	37.97M	53.9M	37.912M
6845MHz	Pass	320M	44.77M	37.914M	49.28M	37.953M
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5985MHz	Pass	320M	89.54M	77.48M	93.94M	77.373M
6225MHz	Pass	320M	83.82M	77.468M	85.36M	77.311M
6385MHz	Pass	320M	81.84M	77.489M	82.28M	77.431M
6625MHz	Pass	320M	86.02M	77.469M	87.34M	77.438M
6705MHz	Pass	320M	84.92M	77.376M	84.7M	77.355M
6785MHz	Pass	320M	84.04M	77.377M	84.48M	77.37M
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-
6025MHz	Pass	320M	164.56M	156.381M	164.56M	156.132M
6185MHz	Pass	320M	163.68M	156.306M	164.56M	156.292M
6345MHz	Pass	320M	164.12M	156.348M	165.44M	156.288M
6665MHz	Pass	320M	164.12M	156.398M	164.56M	156.156M
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-
6105MHz	Pass	320M	327.36M	315.592M	325.6M	315.312M



Port X-N dB = Port X 6dB down bandwidth for 5.725-5.85GHz band / 26dB down bandwidth for other band
Port X-OBW = Port X 99% occupied bandwidth

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
5955MHz

09/10/2025


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX
EBW
6195MHz

09/10/2025





5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

6415MHz

09/10/2025





6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

6535MHz

09/10/2025





6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW

6695MHz

09/10/2025





6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

EBW



6855MHz

09/10/2025





5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
5965MHz

09/10/2025


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
6205MHz

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW

6405MHz

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

EBW



6565MHz

09/10/2025





6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
6685MHz

09/10/2025


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX
EBW
6845MHz

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

5985MHz

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW



6225MHz

09/10/2025





5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
6385MHz

09/10/2025


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX
EBW
6625MHz

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

6705MHz

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

EBW

6785MHz

09/10/2025





5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

6025MHz

09/10/2025





5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

6185MHz

09/10/2025





5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

6345MHz

09/10/2025





6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

EBW

6665MHz

09/10/2025




5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

EBW

6105MHz

09/10/2025





Test Mode: Mode 1

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	23.72	0.23550	31.60	1.44544
802.11be EHT20_Nss1,(MCS0)_2TX	23.57	0.22751	31.45	1.39637
802.11be EHT20_Nss2,(MCS0)_2TX	26.58	0.45499	34.41	2.76058
802.11be EHT20_Nss1,(MCS0)_4TX	22.80	0.19055	30.78	1.19674
802.11be EHT20_Nss4,(MCS0)_4TX	28.04	0.63680	35.90	3.89045
802.11be EHT20-BF_Nss1,(MCS0)_2TX	23.57	0.22751	34.41	2.76058
802.11be EHT20-BF_Nss1,(MCS0)_4TX	22.07	0.16106	35.95	3.93550
802.11be EHT40_Nss1,(MCS0)_1TX	22.73	0.18750	30.61	1.15080
802.11be EHT40_Nss1,(MCS0)_2TX	22.86	0.19320	30.74	1.18577
802.11be EHT40_Nss2,(MCS0)_2TX	25.87	0.38637	33.70	2.34423
802.11be EHT40_Nss1,(MCS0)_4TX	25.57	0.36058	33.55	2.26464
802.11be EHT40_Nss4,(MCS0)_4TX	28.08	0.64269	35.94	3.92645
802.11be EHT40-BF_Nss1,(MCS0)_2TX	22.86	0.19320	33.70	2.34423
802.11be EHT40-BF_Nss1,(MCS0)_4TX	22.04	0.15996	35.92	3.90841
802.11be EHT80_Nss1,(MCS0)_1TX	23.35	0.21627	31.23	1.32739
802.11be EHT80_Nss1,(MCS0)_2TX	23.32	0.21478	31.20	1.31826
802.11be EHT80_Nss2,(MCS0)_2TX	26.33	0.42954	34.16	2.60615
802.11be EHT80_Nss1,(MCS0)_4TX	27.92	0.61944	35.90	3.89045
802.11be EHT80_Nss4,(MCS0)_4TX	28.12	0.64863	35.98	3.96278
802.11be EHT80-BF_Nss1,(MCS0)_2TX	23.32	0.21478	34.16	2.60615
802.11be EHT80-BF_Nss1,(MCS0)_4TX	22.09	0.16181	35.97	3.95367
802.11be EHT160_Nss1,(MCS0)_1TX	20.81	0.12050	28.69	0.73961
802.11be EHT160_Nss1,(MCS0)_2TX	20.12	0.10280	28.00	0.63096
802.11be EHT160_Nss2,(MCS0)_2TX	23.13	0.20559	30.96	1.24738
802.11be EHT160_Nss1,(MCS0)_4TX	25.66	0.36813	33.64	2.31206
802.11be EHT160_Nss4,(MCS0)_4TX	25.70	0.37154	33.56	2.26986
802.11be EHT160-BF_Nss1,(MCS0)_2TX	20.12	0.10280	30.96	1.24738
802.11be EHT160-BF_Nss1,(MCS0)_4TX	21.97	0.15740	35.85	3.84592

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.88	21.32				21.32	29.20	36.00
6695MHz	Pass	7.88	23.03				23.03	30.91	36.00
6855MHz	Pass	7.88	23.72				23.72	31.60	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.88	21.41				21.41	29.29	36.00
6685MHz	Pass	7.88	22.73				22.73	30.61	36.00
6845MHz	Pass	7.88	22.72				22.72	30.60	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.88	21.75				21.75	29.63	36.00
6705MHz	Pass	7.88	22.93				22.93	30.81	36.00
6785MHz	Pass	7.88	23.35				23.35	31.23	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.88	20.81				20.81	28.69	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.88	18.33	19.41			21.91	29.79	36.00
6695MHz	Pass	7.88	19.91	20.63			23.30	31.18	36.00
6855MHz	Pass	7.88	20.53	20.58			23.57	31.45	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.88	17.83	19.25			21.61	29.49	36.00
6685MHz	Pass	7.88	19.3	20.34			22.86	30.74	36.00
6845MHz	Pass	7.88	19.71	19.65			22.69	30.57	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.88	18.5	19.73			22.17	30.05	36.00
6705MHz	Pass	7.88	19.6	20.41			23.03	30.91	36.00
6785MHz	Pass	7.88	20.15	20.46			23.32	31.20	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.88	17.35	16.86			20.12	28.00	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.83	21.34	22.42			24.92	32.75	36.00
6695MHz	Pass	7.83	22.92	23.64			26.31	34.14	36.00
6855MHz	Pass	7.83	23.54	23.59			26.58	34.41	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.83	20.84	22.26			24.62	32.45	36.00
6685MHz	Pass	7.83	22.31	23.35			25.87	33.70	36.00
6845MHz	Pass	7.83	22.72	22.66			25.70	33.53	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.83	21.51	22.74			25.18	33.01	36.00
6705MHz	Pass	7.83	22.61	23.42			26.04	33.87	36.00
6785MHz	Pass	7.83	23.16	23.47			26.33	34.16	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.83	20.36	19.87			23.13	30.96	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.98	16.97	16.92	16.58	16.64	22.80	30.78	36.00
6695MHz	Pass	7.98	16.92	16.83	16.36	16.78	22.75	30.73	36.00
6855MHz	Pass	7.98	17.18	16.95	16.25	16.35	22.72	30.70	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.98	19.89	19.81	19.33	19.08	25.56	33.54	36.00
6685MHz	Pass	7.98	19.96	19.86	19.23	19.06	25.57	33.55	36.00
6845MHz	Pass	7.98	19.66	19.98	19.04	19.36	25.54	33.52	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.98	20.94	22.25	22.33	21.69	27.86	35.84	36.00
6705MHz	Pass	7.98	22.27	21.58	21.52	21.84	27.83	35.81	36.00
6785MHz	Pass	7.98	22.23	21.84	21.59	21.93	27.92	35.90	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-



Average Power

Appendix C.1

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6665MHz	Pass	7.98	20.18	19.67	18.84	19.77	25.66	33.64	36.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.86	20.58	21.84	21.88	21.36	27.47	35.33	36.00
6695MHz	Pass	7.86	22.12	21.97	21.88	21.94	28.00	35.86	36.00
6855MHz	Pass	7.86	22.65	21.98	21.56	21.81	28.04	35.90	36.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.86	20.42	21.81	21.78	21.21	27.36	35.22	36.00
6685MHz	Pass	7.86	21.98	22.27	22.02	21.95	28.08	35.94	36.00
6845MHz	Pass	7.86	22.35	22.48	21.67	21.44	28.03	35.89	36.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.86	20.87	22.26	22.32	21.58	27.82	35.68	36.00
6705MHz	Pass	7.86	22.29	21.95	21.83	22.25	28.10	35.96	36.00
6785MHz	Pass	7.86	22.57	22.08	21.87	21.82	28.12	35.98	36.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.86	20.16	19.71	18.86	19.87	25.70	33.56	36.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	10.84	18.33	19.41			21.91	32.75	36.00
6695MHz	Pass	10.84	19.91	20.63			23.30	34.14	36.00
6855MHz	Pass	10.84	20.53	20.58			23.57	34.41	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	10.84	17.83	19.25			21.61	32.45	36.00
6685MHz	Pass	10.84	19.3	20.34			22.86	33.70	36.00
6845MHz	Pass	10.84	19.71	19.65			22.69	33.53	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	10.84	18.5	19.73			22.17	33.01	36.00
6705MHz	Pass	10.84	19.6	20.41			23.03	33.87	36.00
6785MHz	Pass	10.84	20.15	20.46			23.32	34.16	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	10.84	17.35	16.86			20.12	30.96	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	13.88	15.97	16.01	15.72	15.88	21.92	35.80	36.00
6695MHz	Pass	13.88	16.17	16.14	15.85	16.02	22.07	35.95	36.00
6855MHz	Pass	13.88	16.71	15.97	15.52	15.75	22.03	35.91	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	13.88	16.24	16.43	15.67	15.52	22.00	35.88	36.00
6685MHz	Pass	13.88	16.06	16.25	15.72	15.55	21.92	35.80	36.00
6845MHz	Pass	13.88	16.03	16.43	15.71	15.88	22.04	35.92	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	13.88	16.34	15.69	15.65	15.75	21.89	35.77	36.00
6705MHz	Pass	13.88	16.24	15.74	15.67	15.86	21.90	35.78	36.00
6785MHz	Pass	13.88	16.32	15.98	15.87	16.09	22.09	35.97	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	13.88	16.36	15.83	15.31	16.23	21.97	35.85	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 2

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	16.34	0.04305	24.22/20.86	0.26424/0.121899
802.11be EHT40_Nss1,(MCS0)_1TX	16.29	0.04256	24.17/20.81	0.26122/0.120504
802.11be EHT80_Nss1,(MCS0)_1TX	16.43	0.04395	24.31/20.95	0.26977/0.124451
802.11be EHT160_Nss1,(MCS0)_1TX	16.45	0.04416	24.33/20.97	0.27102/0.125026

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6595MHz	Pass	7.88/4.52	16.34	16.34	24.22/20.86	36.00/21.00
6695MHz	Pass	7.88/4.52	16.27	16.27	24.15/20.79	36.00/21.00
6855MHz	Pass	7.88/4.52	16.26	16.26	24.14/20.78	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6605MHz	Pass	7.88/4.52	16.29	16.29	24.17/20.81	36.00/21.00
6685MHz	Pass	7.88/4.52	16.25	16.25	24.13/20.77	36.00/21.00
6845MHz	Pass	7.88/4.52	16.28	16.28	24.16/20.80	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6625MHz	Pass	7.88/4.52	16.43	16.43	24.31/20.95	36.00/21.00
6705MHz	Pass	7.88/4.52	16.39	16.39	24.27/20.91	36.00/21.00
6785MHz	Pass	7.88/4.52	16.36	16.36	24.24/20.88	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6665MHz	Pass	7.88/4.52	16.45	16.45	24.33/20.97	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 3

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	13.71	0.02350	21.59/18.23	0.14421/0.066527
802.11be EHT20-BF_Nss1,(MCS0)_2TX	13.71	0.02350	24.55/20.86	0.28510/0.121899
802.11be EHT40_Nss1,(MCS0)_2TX	13.71	0.02350	21.59/18.23	0.14421/0.066527
802.11be EHT40-BF_Nss1,(MCS0)_2TX	13.71	0.02350	24.55/20.86	0.28510/0.121899
802.11be EHT80_Nss1,(MCS0)_2TX	13.69	0.02339	21.57/18.21	0.14355/0.066222
802.11be EHT80-BF_Nss1,(MCS0)_2TX	13.69	0.02339	24.53/20.84	0.28379/0.121339
802.11be EHT160_Nss1,(MCS0)_2TX	13.71	0.02350	21.59/18.23	0.14421/0.066527
802.11be EHT160-BF_Nss1,(MCS0)_2TX	13.71	0.02350	24.55/20.86	0.28510/0.121899

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	7.88/4.52	10.47	10.76	13.63	21.51/18.15	36.00/21.00
6695MHz	Pass	7.88/4.52	10.58	10.71	13.66	21.54/18.18	36.00/21.00
6855MHz	Pass	7.88/4.52	10.77	10.62	13.71	21.59/18.23	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	7.88/4.52	10.4	10.87	13.65	21.53/18.17	36.00/21.00
6685MHz	Pass	7.88/4.52	10.48	10.73	13.62	21.50/18.14	36.00/21.00
6845MHz	Pass	7.88/4.52	10.55	10.84	13.71	21.59/18.23	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	7.88/4.52	10.77	10.58	13.69	21.57/18.21	36.00/21.00
6705MHz	Pass	7.88/4.52	10.8	10.46	13.64	21.52/18.16	36.00/21.00
6785MHz	Pass	7.88/4.52	10.66	10.58	13.63	21.51/18.15	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	7.88/4.52	10.78	10.61	13.71	21.59/18.23	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	10.84/7.15	10.47	10.76	13.63	24.47/20.78	36.00/21.00
6695MHz	Pass	10.84/7.15	10.58	10.71	13.66	24.50/20.81	36.00/21.00
6855MHz	Pass	10.84/7.15	10.77	10.62	13.71	24.55/20.86	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	10.84/7.15	10.4	10.87	13.65	24.49/20.80	36.00/21.00
6685MHz	Pass	10.84/7.15	10.48	10.73	13.62	24.46/20.77	36.00/21.00
6845MHz	Pass	10.84/7.15	10.55	10.84	13.71	24.55/20.86	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	10.84/7.15	10.77	10.58	13.69	24.53/20.84	36.00/21.00
6705MHz	Pass	10.84/7.15	10.8	10.46	13.64	24.48/20.79	36.00/21.00
6785MHz	Pass	10.84/7.15	10.66	10.58	13.63	24.47/20.78	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	10.84/7.15	10.78	10.61	13.71	24.55/20.86	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 4

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	16.72	0.04699	24.55/20.87	0.28510/0.122180
802.11be EHT40_Nss2,(MCS0)_2TX	16.72	0.04699	24.55/20.87	0.28510/0.122180
802.11be EHT80_Nss2,(MCS0)_2TX	16.70	0.04677	24.53/20.85	0.28379/0.121619
802.11be EHT160_Nss2,(MCS0)_2TX	16.72	0.04699	24.55/20.87	0.28510/0.122180

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	7.83/4.15	13.48	13.77	16.64	24.47/20.79	36.00/21.00
6695MHz	Pass	7.83/4.15	13.59	13.72	16.67	24.50/20.82	36.00/21.00
6855MHz	Pass	7.83/4.15	13.78	13.63	16.72	24.55/20.87	36.00/21.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	7.83/4.15	13.41	13.88	16.66	24.49/20.81	36.00/21.00
6685MHz	Pass	7.83/4.15	13.49	13.74	16.63	24.46/20.78	36.00/21.00
6845MHz	Pass	7.83/4.15	13.56	13.85	16.72	24.55/20.87	36.00/21.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	7.83/4.15	13.78	13.59	16.70	24.53/20.85	36.00/21.00
6705MHz	Pass	7.83/4.15	13.81	13.47	16.65	24.48/20.80	36.00/21.00
6785MHz	Pass	7.83/4.15	13.67	13.59	16.64	24.47/20.79	36.00/21.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	7.83/4.15	13.79	13.62	16.72	24.55/20.87	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 5

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	16.38	0.04345	24.36/20.97	0.27290/0.125026
802.11be EHT20-BF_Nss1,(MCS0)_4TX	10.90	0.01230	24.78/20.96	0.30061/0.124738
802.11be EHT40_Nss1,(MCS0)_4TX	16.28	0.04246	24.26/20.87	0.26669/0.122180
802.11be EHT40-BF_Nss1,(MCS0)_4TX	10.90	0.01230	24.78/20.96	0.30061/0.124738
802.11be EHT80_Nss1,(MCS0)_4TX	16.38	0.04345	24.36/20.97	0.27290/0.125026
802.11be EHT80-BF_Nss1,(MCS0)_4TX	10.87	0.01222	24.75/20.93	0.29854/0.123880
802.11be EHT160_Nss1,(MCS0)_4TX	16.37	0.04335	24.35/20.96	0.27227/0.124738
802.11be EHT160-BF_Nss1,(MCS0)_4TX	10.90	0.01230	24.78/20.96	0.30061/0.124738

Result

Mode	Result	DG	Port 1	Port 2	Port 3	Port 4	Total Power	EIRP / EIRP [Phi 30°]	EIRP Limit / EIRP Limit [Phi 30°]
		(dBi)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.98/4.59	10.33	10.43	10.13	10.54	16.38	24.36/20.97	36.00/21.00
6695MHz	Pass	7.98/4.59	10.09	10.39	9.87	10.45	16.23	24.21/20.82	36.00/21.00
6855MHz	Pass	7.98/4.59	10.42	10.51	9.82	10.01	16.22	24.20/20.81	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.98/4.59	10.24	10.85	9.85	9.97	16.27	24.25/20.86	36.00/21.00
6685MHz	Pass	7.98/4.59	10.03	10.86	9.89	10.12	16.26	24.24/20.85	36.00/21.00
6845MHz	Pass	7.98/4.59	10.21	10.71	9.78	10.28	16.28	24.26/20.87	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.98/4.59	10.49	10.18	10.15	10.38	16.32	24.30/20.91	36.00/21.00
6705MHz	Pass	7.98/4.59	10.42	10.14	10.01	10.71	16.35	24.33/20.94	36.00/21.00
6785MHz	Pass	7.98/4.59	10.45	10.62	10.03	10.31	16.38	24.36/20.97	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.98/4.59	10.55	10.32	9.62	10.81	16.37	24.35/20.96	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	13.88/10.06	4.51	4.83	4.66	5.05	10.79	24.67/20.85	36.00/21.00
6695MHz	Pass	13.88/10.06	4.59	4.98	4.55	5.34	10.90	24.78/20.96	36.00/21.00
6855MHz	Pass	13.88/10.06	4.81	5.03	4.39	4.92	10.81	24.69/20.87	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	13.88/10.06	4.48	5.29	4.51	4.78	10.80	24.68/20.86	36.00/21.00
6685MHz	Pass	13.88/10.06	4.85	5.47	4.33	4.79	10.90	24.78/20.96	36.00/21.00
6845MHz	Pass	13.88/10.06	4.50	5.45	4.26	4.71	10.77	24.65/20.83	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	13.88/10.06	4.87	4.76	4.51	4.96	10.80	24.68/20.86	36.00/21.00
6705MHz	Pass	13.88/10.06	4.83	4.89	4.21	4.85	10.72	24.60/20.78	36.00/21.00
6785MHz	Pass	13.88/10.06	4.81	5.16	4.33	5.06	10.87	24.75/20.93	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	13.88/10.06	5.21	4.83	4.16	5.23	10.90	24.78/20.96	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 6

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	16.83	0.04819	24.69/20.88	0.29444/0.122462
802.11be EHT40_Nss4,(MCS0)_4TX	16.89	0.04887	24.75/20.94	0.29854/0.124165
802.11be EHT80_Nss4,(MCS0)_4TX	16.93	0.04932	24.79/20.98	0.30130/0.125314
802.11be EHT160_Nss4,(MCS0)_4TX	16.91	0.04909	24.77/20.96	0.29992/0.124738

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.86/4.05	10.75	10.91	10.41	10.97	16.79	24.65/20.84	36.00/21.00
6695MHz	Pass	7.86/4.05	10.71	11.09	10.62	10.82	16.83	24.69/20.88	36.00/21.00
6855MHz	Pass	7.86/4.05	10.82	10.96	10.48	10.66	16.75	24.61/20.80	36.00/21.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.86/4.05	10.81	11.29	10.37	10.49	16.78	24.64/20.83	36.00/21.00
6685MHz	Pass	7.86/4.05	10.71	11.37	10.49	10.65	16.84	24.70/20.89	36.00/21.00
6845MHz	Pass	7.86/4.05	10.92	11.47	10.27	10.73	16.89	24.75/20.94	36.00/21.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.86/4.05	11.03	10.78	10.53	10.91	16.84	24.70/20.89	36.00/21.00
6705MHz	Pass	7.86/4.05	11.07	10.82	10.65	11.03	16.92	24.78/20.97	36.00/21.00
6785MHz	Pass	7.86/4.05	10.96	11.08	10.69	10.88	16.93	24.79/20.98	36.00/21.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.86/4.05	11.07	10.95	10.21	11.26	16.91	24.77/20.96	36.00/21.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.



Test Mode: Mode 7

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	14.42	0.02767	22.30/20.96	0.16982/0.124738
802.11be EHT40_Nss1,(MCS0)_1TX	14.41	0.02761	22.29/20.95	0.16943/0.124451
802.11be EHT80_Nss1,(MCS0)_1TX	14.43	0.02773	22.31/20.97	0.17022/0.125026
802.11be EHT160_Nss1,(MCS0)_1TX	14.43	0.02773	22.31/20.97	0.17022/0.125026

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6595MHz	Pass	7.88/6.54	14.28	14.28	22.16/20.82	36.00/21.00
6695MHz	Pass	7.88/6.54	14.39	14.39	22.27/20.93	36.00/21.00
6855MHz	Pass	7.88/6.54	14.42	14.42	22.30/20.96	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6605MHz	Pass	7.88/6.54	14.36	14.36	22.24/20.90	36.00/21.00
6685MHz	Pass	7.88/6.54	14.26	14.26	22.14/20.80	36.00/21.00
6845MHz	Pass	7.88/6.54	14.41	14.41	22.29/20.95	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6625MHz	Pass	7.88/6.54	14.43	14.43	22.31/20.97	36.00/21.00
6705MHz	Pass	7.88/6.54	14.29	14.29	22.17/20.83	36.00/21.00
6785MHz	Pass	7.88/6.54	14.42	14.42	22.30/20.96	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6665MHz	Pass	7.88/6.54	14.43	14.43	22.31/20.97	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 8

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	11.48	0.01406	19.36/18.02	0.08630/0.063387
802.11be EHT20-BF_Nss1,(MCS0)_2TX	11.48	0.01406	22.32/20.93	0.17061/0.123880
802.11be EHT40_Nss1,(MCS0)_2TX	11.53	0.01422	19.41/18.07	0.08730/0.064121
802.11be EHT40-BF_Nss1,(MCS0)_2TX	11.53	0.01422	22.37/20.98	0.17258/0.125314
802.11be EHT80_Nss1,(MCS0)_2TX	11.49	0.01409	19.37/18.03	0.08650/0.063533
802.11be EHT80-BF_Nss1,(MCS0)_2TX	11.49	0.01409	22.33/20.94	0.17100/0.124165
802.11be EHT160_Nss1,(MCS0)_2TX	11.52	0.01419	19.40/18.06	0.08710/0.063973
802.11be EHT160-BF_Nss1,(MCS0)_2TX	11.52	0.01419	22.36/20.97	0.17219/0.125026

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	7.88/6.54	8.24	8.58	11.42	19.30/17.96	36.00/21.00
6695MHz	Pass	7.88/6.54	8.33	8.6	11.48	19.36/18.02	36.00/21.00
6855MHz	Pass	7.88/6.54	8.42	8.35	11.40	19.28/17.94	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	7.88/6.54	8.06	8.9	11.51	19.39/18.05	36.00/21.00
6685MHz	Pass	7.88/6.54	8.25	8.77	11.53	19.41/18.07	36.00/21.00
6845MHz	Pass	7.88/6.54	8.32	8.7	11.52	19.40/18.06	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	7.88/6.54	8.45	8.4	11.44	19.32/17.98	36.00/21.00
6705MHz	Pass	7.88/6.54	8.5	8.34	11.43	19.31/17.97	36.00/21.00
6785MHz	Pass	7.88/6.54	8.36	8.6	11.49	19.37/18.03	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	7.88/6.54	8.54	8.47	11.52	19.40/18.06	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	10.84/9.45	8.24	8.58	11.42	22.26/20.87	36.00/21.00
6695MHz	Pass	10.84/9.45	8.33	8.6	11.48	22.32/20.93	36.00/21.00
6855MHz	Pass	10.84/9.45	8.42	8.35	11.40	22.24/20.85	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	10.84/9.45	8.06	8.9	11.51	22.35/20.96	36.00/21.00
6685MHz	Pass	10.84/9.45	8.25	8.77	11.53	22.37/20.98	36.00/21.00
6845MHz	Pass	10.84/9.45	8.32	8.7	11.52	22.36/20.97	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	10.84/9.45	8.45	8.4	11.44	22.28/20.89	36.00/21.00
6705MHz	Pass	10.84/9.45	8.5	8.34	11.43	22.27/20.88	36.00/21.00
6785MHz	Pass	10.84/9.45	8.36	8.6	11.49	22.33/20.94	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	10.84/9.45	8.54	8.47	11.52	22.36/20.97	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 9

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	14.49	0.02812	22.32/20.93	0.17061/0.123880
802.11be EHT40_Nss2,(MCS0)_2TX	14.54	0.02844	22.37/20.98	0.17258/0.125314
802.11be EHT80_Nss2,(MCS0)_2TX	14.50	0.02818	22.33/20.94	0.17100/0.124165
802.11be EHT160_Nss2,(MCS0)_2TX	14.53	0.02838	22.36/20.97	0.17219/0.125026

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	7.83/6.44	11.25	11.59	14.43	22.26/20.87	36.00/21.00
6695MHz	Pass	7.83/6.44	11.34	11.61	14.49	22.32/20.93	36.00/21.00
6855MHz	Pass	7.83/6.44	11.43	11.36	14.41	22.24/20.85	36.00/21.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	7.83/6.44	11.07	11.91	14.52	22.35/20.96	36.00/21.00
6685MHz	Pass	7.83/6.44	11.26	11.78	14.54	22.37/20.98	36.00/21.00
6845MHz	Pass	7.83/6.44	11.33	11.71	14.53	22.36/20.97	36.00/21.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	7.83/6.44	11.46	11.41	14.45	22.28/20.89	36.00/21.00
6705MHz	Pass	7.83/6.44	11.51	11.35	14.44	22.27/20.88	36.00/21.00
6785MHz	Pass	7.83/6.44	11.37	11.61	14.50	22.33/20.94	36.00/21.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	7.83/6.44	11.55	11.48	14.53	22.36/20.97	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 10

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	14.35	0.02723	22.33/20.89	0.17100/0.122744
802.11be EHT20-BF_Nss1,(MCS0)_4TX	8.61	0.00726	22.49/20.95	0.17742/0.124451
802.11be EHT40_Nss1,(MCS0)_4TX	14.42	0.02767	22.40/20.96	0.17378/0.124738
802.11be EHT40-BF_Nss1,(MCS0)_4TX	8.64	0.00731	22.52/20.98	0.17865/0.125314
802.11be EHT80_Nss1,(MCS0)_4TX	14.34	0.02716	22.32/20.88	0.17061/0.122462
802.11be EHT80-BF_Nss1,(MCS0)_4TX	8.64	0.00731	22.52/20.98	0.17865/0.125314
802.11be EHT160_Nss1,(MCS0)_4TX	14.39	0.02748	22.37/20.93	0.17258/0.123880
802.11be EHT160-BF_Nss1,(MCS0)_4TX	8.44	0.00698	22.32/20.78	0.17061/0.119674

Result

Mode	Result	DG	Port 1	Port 2	Port 3	Port 4	Total Power	EIRP / EIRP [Phi 30°]	EIRP Limit / EIRP Limit [Phi 30°]
		(dBi)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.98/6.54	8.08	8.58	8.09	8.53	14.35	22.33/20.89	36.00/21.00
6695MHz	Pass	7.98/6.54	8.03	8.55	8.13	8.33	14.29	22.27/20.83	36.00/21.00
6855MHz	Pass	7.98/6.54	8.59	8.36	8.01	8.05	14.28	22.26/20.82	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.98/6.54	8.25	8.88	7.94	7.82	14.26	22.24/20.80	36.00/21.00
6685MHz	Pass	7.98/6.54	8.36	8.49	7.92	8.26	14.28	22.26/20.82	36.00/21.00
6845MHz	Pass	7.98/6.54	8.27	8.81	8.11	8.39	14.42	22.40/20.96	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.98/6.54	8.17	8.02	8.07	8.59	14.24	22.22/20.78	36.00/21.00
6705MHz	Pass	7.98/6.54	8.57	8.09	8.03	8.55	14.34	22.32/20.88	36.00/21.00
6785MHz	Pass	7.98/6.54	8.42	8.20	8.06	8.14	14.23	22.21/20.77	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.98/6.54	8.73	8.03	7.77	8.86	14.39	22.37/20.93	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	13.88/12.34	2.71	2.41	2.16	2.80	8.55	22.43/20.89	36.00/21.00
6695MHz	Pass	13.88/12.34	2.51	2.41	2.48	2.92	8.61	22.49/20.95	36.00/21.00
6855MHz	Pass	13.88/12.34	2.62	2.61	2.13	2.45	8.48	22.36/20.82	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	13.88/12.34	2.43	2.64	2.32	2.36	8.46	22.34/20.80	36.00/21.00
6685MHz	Pass	13.88/12.34	2.47	3.02	2.43	2.52	8.64	22.52/20.98	36.00/21.00
6845MHz	Pass	13.88/12.34	2.54	3.04	1.87	2.35	8.49	22.37/20.83	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	13.88/12.34	2.65	2.35	2.15	2.78	8.51	22.39/20.85	36.00/21.00
6705MHz	Pass	13.88/12.34	2.62	2.49	2.12	2.82	8.54	22.42/20.88	36.00/21.00
6785MHz	Pass	13.88/12.34	2.47	3.03	2.02	2.88	8.64	22.52/20.98	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	13.88/12.34	2.63	2.32	1.89	2.78	8.44	22.32/20.78	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 11

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	14.66	0.02924	22.52/20.98	0.17865/0.125314
802.11be EHT40_Nss4,(MCS0)_4TX	14.53	0.02838	22.39/20.85	0.17338/0.121619
802.11be EHT80_Nss4,(MCS0)_4TX	14.61	0.02891	22.47/20.93	0.17660/0.123880
802.11be EHT160_Nss4,(MCS0)_4TX	14.60	0.02884	22.46/20.92	0.17620/0.123595

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.86/6.32	8.22	8.71	8.33	8.41	14.44	22.30/20.76	36.00/21.00
6695MHz	Pass	7.86/6.32	8.26	8.83	8.38	8.70	14.57	22.43/20.89	36.00/21.00
6855MHz	Pass	7.86/6.32	8.84	8.92	8.12	8.63	14.66	22.52/20.98	36.00/21.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.86/6.32	8.14	9.29	8.37	8.04	14.51	22.37/20.83	36.00/21.00
6685MHz	Pass	7.86/6.32	8.53	8.73	8.24	8.51	14.53	22.39/20.85	36.00/21.00
6845MHz	Pass	7.86/6.32	8.32	8.81	8.13	8.42	14.45	22.31/20.77	36.00/21.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.86/6.32	8.27	8.48	8.19	8.78	14.46	22.32/20.78	36.00/21.00
6705MHz	Pass	7.86/6.32	8.82	8.19	8.38	8.88	14.60	22.46/20.92	36.00/21.00
6785MHz	Pass	7.86/6.32	8.65	8.48	8.29	8.93	14.61	22.47/20.93	36.00/21.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.86/6.32	8.83	8.62	7.85	8.93	14.60	22.46/20.92	36.00/21.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.



Test Mode: Mode 12

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	23.72	0.23550	28.18	0.65766
802.11be EHT20_Nss1,(MCS0)_2TX	23.57	0.22751	28.13	0.65013
802.11be EHT20_Nss2,(MCS0)_2TX	26.58	0.45499	31.09	1.28529
802.11be EHT20_Nss1,(MCS0)_4TX	26.36	0.43251	30.92	1.23595
802.11be EHT20_Nss4,(MCS0)_4TX	28.82	0.76208	32.91	1.95434
802.11be EHT20-BF_Nss1,(MCS0)_2TX	23.57	0.22751	31.09	1.28529
802.11be EHT20-BF_Nss1,(MCS0)_4TX	25.89	0.38815	35.98	3.96278
802.11be EHT40_Nss1,(MCS0)_1TX	22.73	0.18750	27.19	0.52360
802.11be EHT40_Nss1,(MCS0)_2TX	22.86	0.19320	27.42	0.55208
802.11be EHT40_Nss2,(MCS0)_2TX	25.87	0.38637	30.38	1.09144
802.11be EHT40_Nss1,(MCS0)_4TX	28.56	0.71779	33.12	2.05116
802.11be EHT40_Nss4,(MCS0)_4TX	28.59	0.72277	32.68	1.85353
802.11be EHT40-BF_Nss1,(MCS0)_2TX	22.86	0.19320	30.38	1.09144
802.11be EHT40-BF_Nss1,(MCS0)_4TX	25.83	0.38282	35.92	3.90841
802.11be EHT80_Nss1,(MCS0)_1TX	23.35	0.21627	27.81	0.60395
802.11be EHT80_Nss1,(MCS0)_2TX	23.32	0.21478	27.88	0.61376
802.11be EHT80_Nss2,(MCS0)_2TX	26.33	0.42954	30.84	1.21339
802.11be EHT80_Nss1,(MCS0)_4TX	28.65	0.73282	33.21	2.09411
802.11be EHT80_Nss4,(MCS0)_4TX	28.68	0.73790	32.77	1.89234
802.11be EHT80-BF_Nss1,(MCS0)_2TX	23.32	0.21478	30.84	1.21339
802.11be EHT80-BF_Nss1,(MCS0)_4TX	25.84	0.38371	35.93	3.91742
802.11be EHT160_Nss1,(MCS0)_1TX	20.81	0.12050	25.27	0.33651
802.11be EHT160_Nss1,(MCS0)_2TX	20.12	0.10280	24.68	0.29376
802.11be EHT160_Nss2,(MCS0)_2TX	23.13	0.20559	27.64	0.58076
802.11be EHT160_Nss1,(MCS0)_4TX	25.66	0.36813	30.22	1.05196
802.11be EHT160_Nss4,(MCS0)_4TX	25.70	0.37154	29.79	0.95280
802.11be EHT160-BF_Nss1,(MCS0)_2TX	20.12	0.10280	27.64	0.58076
802.11be EHT160-BF_Nss1,(MCS0)_4TX	25.66	0.36813	35.75	3.75837

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	4.46	21.32				21.32	25.78	36.00
6695MHz	Pass	4.46	23.03				23.03	27.49	36.00
6855MHz	Pass	4.46	23.72				23.72	28.18	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	4.46	21.41				21.41	25.87	36.00
6685MHz	Pass	4.46	22.73				22.73	27.19	36.00
6845MHz	Pass	4.46	22.72				22.72	27.18	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.46	21.75				21.75	26.21	36.00
6705MHz	Pass	4.46	22.93				22.93	27.39	36.00
6785MHz	Pass	4.46	23.35				23.35	27.81	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	4.46	20.81				20.81	25.27	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	4.56	18.33	19.41			21.91	26.47	36.00
6695MHz	Pass	4.56	19.91	20.63			23.30	27.86	36.00
6855MHz	Pass	4.56	20.53	20.58			23.57	28.13	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	4.56	17.83	19.25			21.61	26.17	36.00
6685MHz	Pass	4.56	19.3	20.34			22.86	27.42	36.00
6845MHz	Pass	4.56	19.71	19.65			22.69	27.25	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.56	18.5	19.73			22.17	26.73	36.00
6705MHz	Pass	4.56	19.6	20.41			23.03	27.59	36.00
6785MHz	Pass	4.56	20.15	20.46			23.32	27.88	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	4.56	17.35	16.86			20.12	24.68	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	4.51	21.34	22.42			24.92	29.43	36.00
6695MHz	Pass	4.51	22.92	23.64			26.31	30.82	36.00
6855MHz	Pass	4.51	23.54	23.59			26.58	31.09	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	4.51	20.84	22.26			24.62	29.13	36.00
6685MHz	Pass	4.51	22.31	23.35			25.87	30.38	36.00
6845MHz	Pass	4.51	22.72	22.66			25.70	30.21	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.51	21.51	22.74			25.18	29.69	36.00
6705MHz	Pass	4.51	22.61	23.42			26.04	30.55	36.00
6785MHz	Pass	4.51	23.16	23.47			26.33	30.84	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	4.51	20.36	19.87			23.13	27.64	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	4.56	20.63	20.34	20.02	20.31	26.35	30.91	36.00
6695MHz	Pass	4.56	20.58	20.36	19.78	20.19	26.26	30.82	36.00
6855MHz	Pass	4.56	21.05	20.66	19.57	19.92	26.36	30.92	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	4.56	20.55	21.97	22.02	21.47	27.56	32.12	36.00
6685MHz	Pass	4.56	22.01	22.88	23.14	22.03	28.56	33.12	36.00
6845MHz	Pass	4.56	22.52	22.62	21.77	21.47	28.14	32.70	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.56	20.94	22.25	22.33	21.69	27.86	32.42	36.00
6705MHz	Pass	4.56	22.01	22.95	23.16	21.84	28.55	33.11	36.00
6785MHz	Pass	4.56	22.54	22.91	23.31	21.59	28.65	33.21	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-



Average Power

Appendix C.12

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6665MHz	Pass	4.56	20.18	19.67	18.84	19.77	25.66	30.22	36.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	4.09	20.58	21.84	21.88	21.36	27.47	31.56	36.00
6695MHz	Pass	4.09	22.31	23.13	23.36	22.29	28.82	32.91	36.00
6855MHz	Pass	4.09	22.89	22.91	23.31	21.83	28.79	32.88	36.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	4.09	20.42	21.81	21.78	21.21	27.36	31.45	36.00
6685MHz	Pass	4.09	21.88	23.01	23.18	22.05	28.59	32.68	36.00
6845MHz	Pass	4.09	22.35	22.48	21.67	21.44	28.03	32.12	36.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.09	20.87	22.26	22.32	21.58	27.82	31.91	36.00
6705MHz	Pass	4.09	22.07	22.95	23.22	21.88	28.59	32.68	36.00
6785MHz	Pass	4.09	22.48	22.93	23.33	21.72	28.68	32.77	36.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	4.09	20.16	19.71	18.86	19.87	25.70	29.79	36.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.52	18.33	19.41			21.91	29.43	36.00
6695MHz	Pass	7.52	19.91	20.63			23.30	30.82	36.00
6855MHz	Pass	7.52	20.53	20.58			23.57	31.09	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.52	17.83	19.25			21.61	29.13	36.00
6685MHz	Pass	7.52	19.3	20.34			22.86	30.38	36.00
6845MHz	Pass	7.52	19.71	19.65			22.69	30.21	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.52	18.5	19.73			22.17	29.69	36.00
6705MHz	Pass	7.52	19.6	20.41			23.03	30.55	36.00
6785MHz	Pass	7.52	20.15	20.46			23.32	30.84	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.52	17.35	16.86			20.12	27.64	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	10.09	20.03	19.7	19.56	19.79	25.79	35.88	36.00
6695MHz	Pass	10.09	20.21	20.02	19.42	19.78	25.89	35.98	36.00
6855MHz	Pass	10.09	20.27	19.87	18.93	19.43	25.67	35.76	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	10.09	20.19	20.13	19.49	19.37	25.83	35.92	36.00
6685MHz	Pass	10.09	20.31	20.04	19.48	19.18	25.80	35.89	36.00
6845MHz	Pass	10.09	20.05	20.33	19.24	19.51	25.82	35.91	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	10.09	20.38	19.63	19.46	19.64	25.81	35.90	36.00
6705MHz	Pass	10.09	20.47	19.6	19.36	19.77	25.84	35.93	36.00
6785MHz	Pass	10.09	20.04	19.89	19.37	19.65	25.77	35.86	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	10.09	20.18	19.67	18.84	19.77	25.66	35.75	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 13

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	19.62	0.09162	24.08/20.96	0.25586/0.124738
802.11be EHT40_Nss1,(MCS0)_1TX	19.62	0.09162	24.08/20.96	0.25586/0.124738
802.11be EHT80_Nss1,(MCS0)_1TX	19.64	0.09204	24.10/20.98	0.25704/0.125314
802.11be EHT160_Nss1,(MCS0)_1TX	19.49	0.08892	23.95/20.83	0.24831/0.121060

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6595MHz	Pass	4.46/1.34	19.62	19.62	24.08/20.96	36.00/21.00
6695MHz	Pass	4.46/1.34	19.42	19.42	23.88/20.76	36.00/21.00
6855MHz	Pass	4.46/1.34	19.45	19.45	23.91/20.79	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6605MHz	Pass	4.46/1.34	19.48	19.48	23.94/20.82	36.00/21.00
6685MHz	Pass	4.46/1.34	19.60	19.60	24.06/20.94	36.00/21.00
6845MHz	Pass	4.46/1.34	19.62	19.62	24.08/20.96	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6625MHz	Pass	4.46/1.34	19.64	19.64	24.10/20.98	36.00/21.00
6705MHz	Pass	4.46/1.34	19.43	19.43	23.89/20.77	36.00/21.00
6785MHz	Pass	4.46/1.34	19.47	19.47	23.93/20.81	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6665MHz	Pass	4.46/1.34	19.49	19.49	23.95/20.83	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 14

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	16.66	0.04634	21.22/18.00	0.13243/0.063096
802.11be EHT20-BF_Nss1,(MCS0)_2TX	16.66	0.04634	24.18/20.93	0.26182/0.123880
802.11be EHT40_Nss1,(MCS0)_2TX	16.56	0.04529	21.12/17.90	0.12942/0.061660
802.11be EHT40-BF_Nss1,(MCS0)_2TX	16.56	0.04529	24.08/20.83	0.25586/0.121060
802.11be EHT80_Nss1,(MCS0)_2TX	16.67	0.04645	21.23/18.01	0.13274/0.063241
802.11be EHT80-BF_Nss1,(MCS0)_2TX	16.67	0.04645	24.19/20.94	0.26242/0.124165
802.11be EHT160_Nss1,(MCS0)_2TX	16.50	0.04467	21.06/17.84	0.12764/0.060814
802.11be EHT160-BF_Nss1,(MCS0)_2TX	16.50	0.04467	24.02/20.77	0.25235/0.119399

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	4.56/1.34	13.73	13.51	16.63	21.19/17.97	36.00/21.00
6695MHz	Pass	4.56/1.34	13.62	13.68	16.66	21.22/18.00	36.00/21.00
6855MHz	Pass	4.56/1.34	13.77	13.25	16.53	21.09/17.87	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	4.56/1.34	13.42	13.58	16.51	21.07/17.85	36.00/21.00
6685MHz	Pass	4.56/1.34	13.42	13.6	16.52	21.08/17.86	36.00/21.00
6845MHz	Pass	4.56/1.34	13.53	13.56	16.56	21.12/17.90	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	4.56/1.34	13.81	13.23	16.54	21.10/17.88	36.00/21.00
6705MHz	Pass	4.56/1.34	13.72	13.26	16.51	21.07/17.85	36.00/21.00
6785MHz	Pass	4.56/1.34	13.74	13.57	16.67	21.23/18.01	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	4.56/1.34	13.75	13.22	16.50	21.06/17.84	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	7.52/4.27	13.73	13.51	16.63	24.15/20.90	36.00/21.00
6695MHz	Pass	7.52/4.27	13.62	13.68	16.66	24.18/20.93	36.00/21.00
6855MHz	Pass	7.52/4.27	13.77	13.25	16.53	24.05/20.80	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	7.52/4.27	13.42	13.58	16.51	24.03/20.78	36.00/21.00
6685MHz	Pass	7.52/4.27	13.42	13.6	16.52	24.04/20.79	36.00/21.00
6845MHz	Pass	7.52/4.27	13.53	13.56	16.56	24.08/20.83	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	7.52/4.27	13.81	13.23	16.54	24.06/20.81	36.00/21.00
6705MHz	Pass	7.52/4.27	13.72	13.26	16.51	24.03/20.78	36.00/21.00
6785MHz	Pass	7.52/4.27	13.74	13.57	16.67	24.19/20.94	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	7.52/4.27	13.75	13.22	16.50	24.02/20.77	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 15

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	19.67	0.09268	24.18/20.93	0.26182/0.123880
802.11be EHT40_Nss2,(MCS0)_2TX	19.57	0.09057	24.08/20.83	0.25586/0.121060
802.11be EHT80_Nss2,(MCS0)_2TX	19.68	0.09290	24.19/20.94	0.26242/0.124165
802.11be EHT160_Nss2,(MCS0)_2TX	19.51	0.08933	24.02/20.77	0.25235/0.119399

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	4.51/1.26	16.74	16.52	19.64	24.15/20.90	36.00/21.00
6695MHz	Pass	4.51/1.26	16.63	16.69	19.67	24.18/20.93	36.00/21.00
6855MHz	Pass	4.51/1.26	16.78	16.26	19.54	24.05/20.80	36.00/21.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	4.51/1.26	16.43	16.59	19.52	24.03/20.78	36.00/21.00
6685MHz	Pass	4.51/1.26	16.43	16.61	19.53	24.04/20.79	36.00/21.00
6845MHz	Pass	4.51/1.26	16.54	16.57	19.57	24.08/20.83	36.00/21.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	4.51/1.26	16.82	16.24	19.55	24.06/20.81	36.00/21.00
6705MHz	Pass	4.51/1.26	16.73	16.27	19.52	24.03/20.78	36.00/21.00
6785MHz	Pass	4.51/1.26	16.75	16.58	19.68	24.19/20.94	36.00/21.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	4.51/1.26	16.76	16.23	19.51	24.02/20.77	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 16

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	19.62	0.09162	24.18/20.96	0.26182/0.124738
802.11be EHT20-BF_Nss1,(MCS0)_4TX	14.42	0.02767	24.51/20.97	0.28249/0.125026
802.11be EHT40_Nss1,(MCS0)_4TX	19.56	0.09036	24.12/20.90	0.25823/0.123027
802.11be EHT40-BF_Nss1,(MCS0)_4TX	14.43	0.02773	24.52/20.98	0.28314/0.125314
802.11be EHT80_Nss1,(MCS0)_4TX	19.64	0.09204	24.20/20.98	0.26303/0.125314
802.11be EHT80-BF_Nss1,(MCS0)_4TX	14.30	0.02692	24.39/20.85	0.27479/0.121619
802.11be EHT160_Nss1,(MCS0)_4TX	19.63	0.09183	24.19/20.97	0.26242/0.125026
802.11be EHT160-BF_Nss1,(MCS0)_4TX	14.31	0.02698	24.40/20.86	0.27542/0.121899

Result

Mode	Result	DG	Port 1	Port 2	Port 3	Port 4	Total Power	EIRP / EIRP [Phi 30°]	EIRP Limit / EIRP Limit [Phi 30°]
		(dBi)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	4.56/1.34	13.73	13.59	13.43	13.61	19.61	24.17/20.95	36.00/21.00
6695MHz	Pass	4.56/1.34	13.61	13.74	13.42	13.64	19.62	24.18/20.96	36.00/21.00
6855MHz	Pass	4.56/1.34	14.01	13.42	13.17	13.33	19.51	24.07/20.85	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	4.56/1.34	13.69	13.93	13.17	13.26	19.54	24.10/20.88	36.00/21.00
6685MHz	Pass	4.56/1.34	13.72	13.91	13.02	13.35	19.53	24.09/20.87	36.00/21.00
6845MHz	Pass	4.56/1.34	13.52	13.90	13.12	13.58	19.56	24.12/20.90	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.56/1.34	13.73	13.22	13.26	13.49	19.45	24.01/20.79	36.00/21.00
6705MHz	Pass	4.56/1.34	13.95	13.36	13.29	13.84	19.64	24.20/20.98	36.00/21.00
6785MHz	Pass	4.56/1.34	13.71	13.56	13.31	13.67	19.59	24.15/20.93	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	4.56/1.34	13.92	13.51	13.09	13.88	19.63	24.19/20.97	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	10.09/6.55	8.33	8.48	8.35	8.43	14.42	24.51/20.97	36.00/21.00
6695MHz	Pass	10.09/6.55	8.23	8.16	8.33	8.17	14.24	24.33/20.79	36.00/21.00
6855MHz	Pass	10.09/6.55	8.18	8.34	8.22	8.26	14.27	24.36/20.82	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	10.09/6.55	8.32	8.65	8.18	8.42	14.42	24.51/20.97	36.00/21.00
6685MHz	Pass	10.09/6.55	8.29	8.94	8.04	8.33	14.43	24.52/20.98	36.00/21.00
6845MHz	Pass	10.09/6.55	8.38	8.35	8.24	8.46	14.38	24.47/20.93	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	10.09/6.55	8.56	7.72	8.06	8.61	14.27	24.36/20.82	36.00/21.00
6705MHz	Pass	10.09/6.55	8.47	7.87	8.07	8.66	14.30	24.39/20.85	36.00/21.00
6785MHz	Pass	10.09/6.55	8.27	7.95	8.09	8.56	14.24	24.33/20.79	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	10.09/6.55	8.42	8.27	7.65	8.76	14.31	24.40/20.86	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 17

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	20.34	0.10814	24.43/20.91	0.27733/0.123310
802.11be EHT40_Nss4,(MCS0)_4TX	20.40	0.10965	24.49/20.97	0.28119/0.125026
802.11be EHT80_Nss4,(MCS0)_4TX	20.32	0.10765	24.41/20.89	0.27606/0.122744
802.11be EHT160_Nss4,(MCS0)_4TX	20.34	0.10814	24.43/20.91	0.27733/0.123310

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	4.09/0.57	14.45	14.13	14.27	14.22	20.29	24.38/20.86	36.00/21.00
6695MHz	Pass	4.09/0.57	14.51	14.38	13.91	14.41	20.33	24.42/20.90	36.00/21.00
6855MHz	Pass	4.09/0.57	14.79	14.27	14.05	14.12	20.34	24.43/20.91	36.00/21.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	4.09/0.57	14.39	14.47	13.81	14.05	20.21	24.30/20.78	36.00/21.00
6685MHz	Pass	4.09/0.57	14.46	14.82	14.05	14.15	20.40	24.49/20.97	36.00/21.00
6845MHz	Pass	4.09/0.57	14.36	14.42	14.03	14.11	20.25	24.34/20.82	36.00/21.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.09/0.57	14.56	14.12	14.06	14.45	20.32	24.41/20.89	36.00/21.00
6705MHz	Pass	4.09/0.57	14.72	14.08	14.03	14.28	20.31	24.40/20.88	36.00/21.00
6785MHz	Pass	4.09/0.57	14.51	14.24	13.78	14.29	20.23	24.32/20.80	36.00/21.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	4.09/0.57	14.71	14.23	13.63	14.61	20.34	24.43/20.91	36.00/21.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.



Test Mode: Mode 18

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	17.66	0.05834	22.12/20.90	0.16293/0.123027
802.11be EHT40_Nss1,(MCS0)_1TX	17.69	0.05875	22.15/20.93	0.16406/0.123880
802.11be EHT80_Nss1,(MCS0)_1TX	17.65	0.05821	22.11/20.89	0.16255/0.122744
802.11be EHT160_Nss1,(MCS0)_1TX	17.64	0.05808	22.10/20.88	0.16218/0.122462

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6595MHz	Pass	4.46/3.24	17.54	17.54	22.00/20.78	36.00/21.00
6695MHz	Pass	4.46/3.24	17.52	17.52	21.98/20.76	36.00/21.00
6855MHz	Pass	4.46/3.24	17.66	17.66	22.12/20.90	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6605MHz	Pass	4.46/3.24	17.63	17.63	22.09/20.87	36.00/21.00
6685MHz	Pass	4.46/3.24	17.55	17.55	22.01/20.79	36.00/21.00
6845MHz	Pass	4.46/3.24	17.69	17.69	22.15/20.93	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6625MHz	Pass	4.46/3.24	17.65	17.65	22.11/20.89	36.00/21.00
6705MHz	Pass	4.46/3.24	17.57	17.57	22.03/20.81	36.00/21.00
6785MHz	Pass	4.46/3.24	17.61	17.61	22.07/20.85	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6665MHz	Pass	4.46/3.24	17.64	17.64	22.10/20.88	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 19

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	14.65	0.02917	19.21/17.98	0.08337/0.062806
802.11be EHT20-BF_Nss1,(MCS0)_2TX	14.65	0.02917	22.17/20.95	0.16482/0.124451
802.11be EHT40_Nss1,(MCS0)_2TX	14.62	0.02897	19.18/17.95	0.08279/0.062373
802.11be EHT40-BF_Nss1,(MCS0)_2TX	14.62	0.02897	22.14/20.92	0.16368/0.123595
802.11be EHT80_Nss1,(MCS0)_2TX	14.60	0.02884	19.16/17.93	0.08241/0.062087
802.11be EHT80-BF_Nss1,(MCS0)_2TX	14.60	0.02884	22.12/20.90	0.16293/0.123027
802.11be EHT160_Nss1,(MCS0)_2TX	14.68	0.02938	19.24/18.01	0.08395/0.063241
802.11be EHT160-BF_Nss1,(MCS0)_2TX	14.68	0.02938	22.20/20.98	0.16596/0.125314

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	4.56/3.33	11.62	11.5	14.57	19.13/17.90	36.00/21.00
6695MHz	Pass	4.56/3.33	11.61	11.57	14.60	19.16/17.93	36.00/21.00
6855MHz	Pass	4.56/3.33	11.8	11.47	14.65	19.21/17.98	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	4.56/3.33	11.32	11.88	14.62	19.18/17.95	36.00/21.00
6685MHz	Pass	4.56/3.33	11.3	11.74	14.54	19.10/17.87	36.00/21.00
6845MHz	Pass	4.56/3.33	11.48	11.71	14.61	19.17/17.94	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	4.56/3.33	11.77	11.26	14.53	19.09/17.86	36.00/21.00
6705MHz	Pass	4.56/3.33	11.86	11.24	14.57	19.13/17.90	36.00/21.00
6785MHz	Pass	4.56/3.33	11.62	11.55	14.60	19.16/17.93	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	4.56/3.33	11.95	11.36	14.68	19.24/18.01	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	7.52/6.30	11.62	11.5	14.57	22.09/20.87	36.00/21.00
6695MHz	Pass	7.52/6.30	11.61	11.57	14.60	22.12/20.90	36.00/21.00
6855MHz	Pass	7.52/6.30	11.8	11.47	14.65	22.17/20.95	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	7.52/6.30	11.32	11.88	14.62	22.14/20.92	36.00/21.00
6685MHz	Pass	7.52/6.30	11.3	11.74	14.54	22.06/20.84	36.00/21.00
6845MHz	Pass	7.52/6.30	11.48	11.71	14.61	22.13/20.91	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	7.52/6.30	11.77	11.26	14.53	22.05/20.83	36.00/21.00
6705MHz	Pass	7.52/6.30	11.86	11.24	14.57	22.09/20.87	36.00/21.00
6785MHz	Pass	7.52/6.30	11.62	11.55	14.60	22.12/20.90	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	7.52/6.30	11.95	11.36	14.68	22.20/20.98	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 20

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	17.66	0.05834	22.17/20.95	0.16482/0.124451
802.11be EHT40_Nss2,(MCS0)_2TX	17.63	0.05794	22.14/20.92	0.16368/0.123595
802.11be EHT80_Nss2,(MCS0)_2TX	17.61	0.05768	22.12/20.90	0.16293/0.123027
802.11be EHT160_Nss2,(MCS0)_2TX	17.69	0.05875	22.20/20.98	0.16596/0.125314

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	4.51/3.29	14.63	14.51	17.58	22.09/20.87	36.00/21.00
6695MHz	Pass	4.51/3.29	14.62	14.58	17.61	22.12/20.90	36.00/21.00
6855MHz	Pass	4.51/3.29	14.81	14.48	17.66	22.17/20.95	36.00/21.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	4.51/3.29	14.33	14.89	17.63	22.14/20.92	36.00/21.00
6685MHz	Pass	4.51/3.29	14.31	14.75	17.55	22.06/20.84	36.00/21.00
6845MHz	Pass	4.51/3.29	14.49	14.72	17.62	22.13/20.91	36.00/21.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	4.51/3.29	14.78	14.27	17.54	22.05/20.83	36.00/21.00
6705MHz	Pass	4.51/3.29	14.87	14.25	17.58	22.09/20.87	36.00/21.00
6785MHz	Pass	4.51/3.29	14.63	14.56	17.61	22.12/20.90	36.00/21.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	4.51/3.29	14.96	14.37	17.69	22.20/20.98	36.00/21.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.



Test Mode: Mode 21

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	17.52	0.05649	22.08/20.85	0.16144/0.121619
802.11be EHT20-BF_Nss1,(MCS0)_4TX	11.97	0.01574	22.06/20.97	0.16069/0.125026
802.11be EHT40_Nss1,(MCS0)_4TX	17.49	0.05610	22.05/20.82	0.16032/0.120781
802.11be EHT40-BF_Nss1,(MCS0)_4TX	11.97	0.01574	22.06/20.97	0.16069/0.125026
802.11be EHT80_Nss1,(MCS0)_4TX	17.63	0.05794	22.19/20.96	0.16558/0.124738
802.11be EHT80-BF_Nss1,(MCS0)_4TX	11.94	0.01563	22.03/20.94	0.15959/0.124165
802.11be EHT160_Nss1,(MCS0)_4TX	17.63	0.05794	22.19/20.96	0.16558/0.124738
802.11be EHT160-BF_Nss1,(MCS0)_4TX	11.87	0.01538	21.96/20.87	0.15704/0.122180

**Result**

Mode	Result	DG	Port 1	Port 2	Port 3	Port 4	Total Power	EIRP / EIRP [Phi 30°]	EIRP Limit / EIRP Limit [Phi 30°]
		(dBi)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	4.56/3.33	11.43	11.46	11.38	11.57	17.48	22.04/20.81	36.00/21.00
6695MHz	Pass	4.56/3.33	11.33	11.58	11.34	11.72	17.52	22.08/20.85	36.00/21.00
6855MHz	Pass	4.56/3.33	11.79	11.56	11.26	11.36	17.52	22.08/20.85	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	4.56/3.33	11.51	11.81	11.21	11.18	17.46	22.02/20.79	36.00/21.00
6685MHz	Pass	4.56/3.33	11.41	11.79	11.19	11.23	17.43	21.99/20.76	36.00/21.00
6845MHz	Pass	4.56/3.33	11.59	11.61	11.24	11.41	17.49	22.05/20.82	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.56/3.33	11.73	11.45	11.42	11.82	17.63	22.19/20.96	36.00/21.00
6705MHz	Pass	4.56/3.33	11.95	11.15	11.28	11.68	17.55	22.11/20.88	36.00/21.00
6785MHz	Pass	4.56/3.33	11.65	11.53	11.35	11.67	17.57	22.13/20.90	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	4.56/3.33	11.78	11.63	10.97	12.01	17.63	22.19/20.96	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	10.09/9.00	5.85	6.03	5.87	6.05	11.97	22.06/20.97	36.00/21.00
6695MHz	Pass	10.09/9.00	5.96	5.92	5.76	6.11	11.96	22.05/20.96	36.00/21.00
6855MHz	Pass	10.09/9.00	5.76	5.87	5.52	5.82	11.77	21.86/20.77	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	10.09/9.00	5.92	6.02	5.67	5.82	11.88	21.97/20.88	36.00/21.00
6685MHz	Pass	10.09/9.00	5.96	6.12	5.65	6.06	11.97	22.06/20.97	36.00/21.00
6845MHz	Pass	10.09/9.00	5.71	5.91	5.65	5.84	11.80	21.89/20.80	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	10.09/9.00	5.67	5.74	5.81	6.29	11.91	22.00/20.91	36.00/21.00
6705MHz	Pass	10.09/9.00	5.99	5.47	5.68	6.27	11.88	21.97/20.88	36.00/21.00
6785MHz	Pass	10.09/9.00	5.81	6.02	5.67	6.18	11.94	22.03/20.94	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	10.09/9.00	5.98	5.52	5.02	6.69	11.87	21.96/20.87	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 22

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	17.91	0.06180	22.00/20.89	0.15849/0.122744
802.11be EHT40_Nss4,(MCS0)_4TX	17.99	0.06295	22.08/20.97	0.16144/0.125026
802.11be EHT80_Nss4,(MCS0)_4TX	17.94	0.06223	22.03/20.92	0.15959/0.123595
802.11be EHT160_Nss4,(MCS0)_4TX	17.84	0.06081	21.93/20.82	0.15596/0.120781

Result

Mode	Result	DG	Port 1	Port 2	Port 3	Port 4	Total Power	EIRP / EIRP [Phi 30°]	EIRP Limit / EIRP Limit [Phi 30°]
		(dBi)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)	(dBm)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	4.09/2.98	11.75	11.85	11.74	11.91	17.83	21.92/20.81	36.00/21.00
6695MHz	Pass	4.09/2.98	11.92	12.11	11.57	11.94	17.91	22.00/20.89	36.00/21.00
6855MHz	Pass	4.09/2.98	12.08	11.82	11.63	11.79	17.85	21.94/20.83	36.00/21.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	4.09/2.98	11.81	12.16	11.58	11.67	17.83	21.92/20.81	36.00/21.00
6685MHz	Pass	4.09/2.98	12.04	12.38	11.59	11.82	17.99	22.08/20.97	36.00/21.00
6845MHz	Pass	4.09/2.98	11.77	12.01	11.53	11.81	17.80	21.89/20.78	36.00/21.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.09/2.98	11.89	11.79	11.67	11.85	17.82	21.91/20.80	36.00/21.00
6705MHz	Pass	4.09/2.98	12.14	11.79	11.66	12.06	17.94	22.03/20.92	36.00/21.00
6785MHz	Pass	4.09/2.98	11.89	11.87	11.69	11.98	17.88	21.97/20.86	36.00/21.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	4.09/2.98	11.92	11.78	11.34	12.19	17.84	21.93/20.82	36.00/21.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.



Test Mode: Mode 23

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	25.46	0.35156	32.65	1.84077
802.11be EHT20_Nss1,(MCS0)_2TX	25.38	0.34514	32.57	1.80717
802.11be EHT20_Nss2,(MCS0)_2TX	28.39	0.69024	35.24	3.34195
802.11be EHT20_Nss1,(MCS0)_4TX	23.79	0.23933	30.98	1.25314
802.11be EHT20_Nss4,(MCS0)_4TX	29.08	0.80910	35.80	3.80189
802.11be EHT20-BF_Nss1,(MCS0)_2TX	25.38	0.34514	35.24	3.34195
802.11be EHT20-BF_Nss1,(MCS0)_4TX	23.22	0.20989	35.96	3.94457
802.11be EHT40_Nss1,(MCS0)_1TX	25.30	0.33884	32.49	1.77419
802.11be EHT40_Nss1,(MCS0)_2TX	25.24	0.33420	32.43	1.74985
802.11be EHT40_Nss2,(MCS0)_2TX	28.25	0.66834	35.10	3.23594
802.11be EHT40_Nss1,(MCS0)_4TX	26.41	0.43752	33.60	2.29087
802.11be EHT40_Nss4,(MCS0)_4TX	29.09	0.81096	35.81	3.81066
802.11be EHT40-BF_Nss1,(MCS0)_2TX	25.24	0.33420	35.10	3.23594
802.11be EHT40-BF_Nss1,(MCS0)_4TX	23.23	0.21038	35.97	3.95367
802.11be EHT80_Nss1,(MCS0)_1TX	25.45	0.35075	32.64	1.83654
802.11be EHT80_Nss1,(MCS0)_2TX	25.32	0.34041	32.51	1.78238
802.11be EHT80_Nss2,(MCS0)_2TX	28.33	0.68077	35.18	3.29610
802.11be EHT80_Nss1,(MCS0)_4TX	27.84	0.60814	35.03	3.18420
802.11be EHT80_Nss4,(MCS0)_4TX	29.08	0.80910	35.80	3.80189
802.11be EHT80-BF_Nss1,(MCS0)_2TX	25.32	0.34041	35.18	3.29610
802.11be EHT80-BF_Nss1,(MCS0)_4TX	23.18	0.20797	35.92	3.90841
802.11be EHT160_Nss1,(MCS0)_1TX	22.39	0.17338	29.58	0.90782
802.11be EHT160_Nss1,(MCS0)_2TX	22.04	0.15996	29.23	0.83753
802.11be EHT160_Nss2,(MCS0)_2TX	25.05	0.31989	31.90	1.54882
802.11be EHT160_Nss1,(MCS0)_4TX	27.27	0.53333	34.46	2.79254
802.11be EHT160_Nss4,(MCS0)_4TX	26.51	0.44771	33.23	2.10378
802.11be EHT160-BF_Nss1,(MCS0)_2TX	22.04	0.15996	31.90	1.54882
802.11be EHT160-BF_Nss1,(MCS0)_4TX	23.23	0.21038	35.97	3.95367
802.11be EHT320_Nss1,(MCS0)_1TX	21.55	0.14289	28.74	0.74817
802.11be EHT320_Nss1,(MCS0)_2TX	20.12	0.10280	27.31	0.53827
802.11be EHT320_Nss2,(MCS0)_2TX	23.13	0.20559	29.98	0.99541
802.11be EHT320_Nss1,(MCS0)_4TX	25.72	0.37325	32.91	1.95434
802.11be EHT320_Nss4,(MCS0)_4TX	25.96	0.39446	32.68	1.85353
802.11be EHT320-BF_Nss1,(MCS0)_2TX	20.12	0.10280	29.98	0.99541
802.11be EHT320-BF_Nss1,(MCS0)_4TX	23.20	0.20893	35.94	3.92645
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	25.43	0.34914	32.62	1.82810
802.11be EHT20_Nss1,(MCS0)_2TX	25.24	0.33420	32.43	1.74985
802.11be EHT20_Nss2,(MCS0)_2TX	28.25	0.66834	35.10	3.23594
802.11be EHT20_Nss1,(MCS0)_4TX	23.73	0.23605	30.92	1.23595
802.11be EHT20_Nss4,(MCS0)_4TX	29.08	0.80910	35.80	3.80189
802.11be EHT20-BF_Nss1,(MCS0)_2TX	25.24	0.33420	35.10	3.23594
802.11be EHT20-BF_Nss1,(MCS0)_4TX	23.19	0.20845	35.93	3.91742
802.11be EHT40_Nss1,(MCS0)_1TX	25.18	0.32961	32.37	1.72584
802.11be EHT40_Nss1,(MCS0)_2TX	25.11	0.32434	32.30	1.69824
802.11be EHT40_Nss2,(MCS0)_2TX	28.12	0.64863	34.97	3.14051
802.11be EHT40_Nss1,(MCS0)_4TX	26.53	0.44978	33.72	2.35505
802.11be EHT40_Nss4,(MCS0)_4TX	29.11	0.81470	35.83	3.82825
802.11be EHT40-BF_Nss1,(MCS0)_2TX	25.11	0.32434	34.97	3.14051
802.11be EHT40-BF_Nss1,(MCS0)_4TX	23.18	0.20797	35.92	3.90841
802.11be EHT80_Nss1,(MCS0)_1TX	25.36	0.34356	32.55	1.79887
802.11be EHT80_Nss1,(MCS0)_2TX	25.07	0.32137	32.26	1.68267
802.11be EHT80_Nss2,(MCS0)_2TX	28.08	0.64269	34.93	3.11172

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
802.11be EHT80_Nss1,(MCS0)_4TX	27.37	0.54576	34.56	2.85759
802.11be EHT80_Nss4,(MCS0)_4TX	29.18	0.82794	35.90	3.89045
802.11be EHT80-BF_Nss1,(MCS0)_2TX	25.07	0.32137	34.93	3.11172
802.11be EHT80-BF_Nss1,(MCS0)_4TX	23.18	0.20797	35.92	3.90841
802.11be EHT160_Nss1,(MCS0)_1TX	21.00	0.12589	28.19	0.65917
802.11be EHT160_Nss1,(MCS0)_2TX	21.07	0.12794	28.26	0.66988
802.11be EHT160_Nss2,(MCS0)_2TX	24.08	0.25586	30.93	1.23880
802.11be EHT160_Nss1,(MCS0)_4TX	26.50	0.44668	33.69	2.33884
802.11be EHT160_Nss4,(MCS0)_4TX	26.36	0.43251	33.08	2.03236
802.11be EHT160-BF_Nss1,(MCS0)_2TX	21.07	0.12794	30.93	1.23880
802.11be EHT160-BF_Nss1,(MCS0)_4TX	23.13	0.20559	35.87	3.86367

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.19	22.76				22.76	29.95	36.00
6195MHz	Pass	7.19	25.46				25.46	32.65	36.00
6415MHz	Pass	7.19	23.29				23.29	30.48	36.00
6535MHz	Pass	7.19	22.26				22.26	29.45	36.00
6695MHz	Pass	7.19	25.43				25.43	32.62	36.00
6855MHz	Pass	7.19	25.25				25.25	32.44	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.19	22.1				22.10	29.29	36.00
6205MHz	Pass	7.19	25.3				25.30	32.49	36.00
6405MHz	Pass	7.19	23.38				23.38	30.57	36.00
6565MHz	Pass	7.19	25.18				25.18	32.37	36.00
6685MHz	Pass	7.19	25.09				25.09	32.28	36.00
6845MHz	Pass	7.19	23.81				23.81	31.00	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.19	22.45				22.45	29.64	36.00
6225MHz	Pass	7.19	25.45				25.45	32.64	36.00
6385MHz	Pass	7.19	23.49				23.49	30.68	36.00
6625MHz	Pass	7.19	25.36				25.36	32.55	36.00
6705MHz	Pass	7.19	25.16				25.16	32.35	36.00
6785MHz	Pass	7.19	25.11				25.11	32.30	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.19	21.04				21.04	28.23	36.00
6185MHz	Pass	7.19	21.66				21.66	28.85	36.00
6345MHz	Pass	7.19	22.39				22.39	29.58	36.00
6665MHz	Pass	7.19	21				21.00	28.19	36.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.19	21.55				21.55	28.74	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.19	18.73	18.46			21.61	28.80	36.00
6195MHz	Pass	7.19	22.28	22.45			25.38	32.57	36.00
6415MHz	Pass	7.19	19.86	19.73			22.81	30.00	36.00
6535MHz	Pass	7.19	19.07	18.82			21.96	29.15	36.00
6695MHz	Pass	7.19	22.49	21.95			25.24	32.43	36.00
6855MHz	Pass	7.19	22.24	21.7			24.99	32.18	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.19	18.73	18.56			21.66	28.85	36.00
6205MHz	Pass	7.19	22.42	22.04			25.24	32.43	36.00
6405MHz	Pass	7.19	20.26	20.14			23.21	30.40	36.00
6565MHz	Pass	7.19	21.85	22.15			25.01	32.20	36.00
6685MHz	Pass	7.19	22.21	21.99			25.11	32.30	36.00
6845MHz	Pass	7.19	21.13	20.58			23.87	31.06	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.19	18.89	18.4			21.66	28.85	36.00
6225MHz	Pass	7.19	22.54	22.06			25.32	32.51	36.00
6385MHz	Pass	7.19	20.12	19.44			22.80	29.99	36.00
6625MHz	Pass	7.19	22.09	22.03			25.07	32.26	36.00
6705MHz	Pass	7.19	22.07	21.93			25.01	32.20	36.00
6785MHz	Pass	7.19	21.92	21.84			24.89	32.08	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.19	16.39	17.17			19.81	27.00	36.00
6185MHz	Pass	7.19	18.19	18.33			21.27	28.46	36.00
6345MHz	Pass	7.19	19.13	18.92			22.04	29.23	36.00
6665MHz	Pass	7.19	18.12	18			21.07	28.26	36.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-



Average Power

Appendix C.23

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	7.19	17.23	16.98			20.12	27.31	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	6.85	21.74	21.47			24.62	31.47	36.00
6195MHz	Pass	6.85	25.29	25.46			28.39	35.24	36.00
6415MHz	Pass	6.85	22.87	22.74			25.82	32.67	36.00
6535MHz	Pass	6.85	22.08	21.83			24.97	31.82	36.00
6695MHz	Pass	6.85	25.5	24.96			28.25	35.10	36.00
6855MHz	Pass	6.85	25.25	24.71			28.00	34.85	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	6.85	21.74	21.57			24.67	31.52	36.00
6205MHz	Pass	6.85	25.43	25.05			28.25	35.10	36.00
6405MHz	Pass	6.85	23.27	23.15			26.22	33.07	36.00
6565MHz	Pass	6.85	24.86	25.16			28.02	34.87	36.00
6685MHz	Pass	6.85	25.22	25			28.12	34.97	36.00
6845MHz	Pass	6.85	24.14	23.59			26.88	33.73	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.85	21.9	21.41			24.67	31.52	36.00
6225MHz	Pass	6.85	25.55	25.07			28.33	35.18	36.00
6385MHz	Pass	6.85	23.13	22.45			25.81	32.66	36.00
6625MHz	Pass	6.85	25.1	25.04			28.08	34.93	36.00
6705MHz	Pass	6.85	25.08	24.94			28.02	34.87	36.00
6785MHz	Pass	6.85	24.93	24.85			27.90	34.75	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.85	19.4	20.18			22.82	29.67	36.00
6185MHz	Pass	6.85	21.2	21.34			24.28	31.13	36.00
6345MHz	Pass	6.85	22.14	21.93			25.05	31.90	36.00
6665MHz	Pass	6.85	21.13	21.01			24.08	30.93	36.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.85	20.24	19.99			23.13	29.98	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.19	17.72	17.55	17.43	18.32	23.79	30.98	36.00
6195MHz	Pass	7.19	17.24	17.49	17.66	17.91	23.60	30.79	36.00
6415MHz	Pass	7.19	18.08	17.15	17.51	17.49	23.59	30.78	36.00
6535MHz	Pass	7.19	17.84	17.3	18.02	17.66	23.73	30.92	36.00
6695MHz	Pass	7.19	17.67	17.13	17.5	18.07	23.63	30.82	36.00
6855MHz	Pass	7.19	17.96	16.73	17.36	18.48	23.70	30.89	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.19	20.04	19.86	20.32	21.03	26.36	33.55	36.00
6205MHz	Pass	7.19	20.07	19.8	20.91	20.68	26.41	33.60	36.00
6405MHz	Pass	7.19	20.01	20.14	20.23	20.97	26.37	33.56	36.00
6565MHz	Pass	7.19	20.21	19.93	20.79	21.03	26.53	33.72	36.00
6685MHz	Pass	7.19	20.17	19.09	19.96	20.57	26.00	33.19	36.00
6845MHz	Pass	7.19	20.06	19.52	20.74	21.4	26.51	33.70	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.19	20.83	20.64	21.2	21.97	27.21	34.40	36.00
6225MHz	Pass	7.19	21.66	21.09	21.92	22.5	27.84	35.03	36.00
6385MHz	Pass	7.19	21.83	21.06	20.77	22.09	27.49	34.68	36.00
6625MHz	Pass	7.19	20.84	20.45	21.04	21.87	27.10	34.29	36.00
6705MHz	Pass	7.19	20.03	19.77	20.49	21.12	26.40	33.59	36.00
6785MHz	Pass	7.19	21.54	20.57	21.06	22.09	27.37	34.56	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.19	18.98	19.88	19.91	19.71	25.66	32.85	36.00
6185MHz	Pass	7.19	20.06	20.03	20.72	21.1	26.52	33.71	36.00
6345MHz	Pass	7.19	21.03	20.83	21.31	21.77	27.27	34.46	36.00
6665MHz	Pass	7.19	19.87	20.35	20.67	20.97	26.50	33.69	36.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-



Average Power

Appendix C.23

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	7.19	19.32	19.25	19.98	20.17	25.72	32.91	36.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	6.72	21.35	20.91	21.25	22.36	27.52	34.24	36.00
6195MHz	Pass	6.72	22.79	22.73	23.12	23.49	29.06	35.78	36.00
6415MHz	Pass	6.72	22.86	22.71	23.03	23.59	29.08	35.80	36.00
6535MHz	Pass	6.72	21.85	21.71	22.07	22.29	28.01	34.73	36.00
6695MHz	Pass	6.72	22.66	22.24	23.08	24.04	29.08	35.80	36.00
6855MHz	Pass	6.72	22.86	22.49	22.58	23.98	29.04	35.76	36.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	6.72	21.13	20.38	21.48	21.98	27.30	34.02	36.00
6205MHz	Pass	6.72	22.78	22.23	23.37	23.74	29.09	35.81	36.00
6405MHz	Pass	6.72	22.06	22.14	22.37	23.63	28.62	35.34	36.00
6565MHz	Pass	6.72	22.63	22.55	23.31	23.74	29.11	35.83	36.00
6685MHz	Pass	6.72	22.98	22.15	22.96	23.92	29.07	35.79	36.00
6845MHz	Pass	6.72	22.54	22.25	23.08	23.97	29.03	35.75	36.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.72	20.82	20.62	21.13	21.96	27.18	33.90	36.00
6225MHz	Pass	6.72	22.96	22.16	23.14	23.83	29.08	35.80	36.00
6385MHz	Pass	6.72	22.71	22.04	21.87	23.29	28.54	35.26	36.00
6625MHz	Pass	6.72	22.7	22.4	23.24	24.02	29.16	35.88	36.00
6705MHz	Pass	6.72	22.81	22.45	23.19	24.04	29.18	35.90	36.00
6785MHz	Pass	6.72	23.06	22.41	22.95	23.98	29.16	35.88	36.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.72	19.36	20.14	20.17	20.23	26.01	32.73	36.00
6185MHz	Pass	6.72	19.38	19.66	20.16	20.29	25.91	32.63	36.00
6345MHz	Pass	6.72	20.16	20.39	20.34	21.02	26.51	33.23	36.00
6665MHz	Pass	6.72	19.82	20.02	20.58	20.84	26.36	33.08	36.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.72	19.68	19.66	20.06	20.31	25.96	32.68	36.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	9.86	18.73	18.46			21.61	31.47	36.00
6195MHz	Pass	9.86	22.28	22.45			25.38	35.24	36.00
6415MHz	Pass	9.86	19.86	19.73			22.81	32.67	36.00
6535MHz	Pass	9.86	19.07	18.82			21.96	31.82	36.00
6695MHz	Pass	9.86	22.49	21.95			25.24	35.10	36.00
6855MHz	Pass	9.86	22.24	21.7			24.99	34.85	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	9.86	18.73	18.56			21.66	31.52	36.00
6205MHz	Pass	9.86	22.42	22.04			25.24	35.10	36.00
6405MHz	Pass	9.86	20.26	20.14			23.21	33.07	36.00
6565MHz	Pass	9.86	21.85	22.15			25.01	34.87	36.00
6685MHz	Pass	9.86	22.21	21.99			25.11	34.97	36.00
6845MHz	Pass	9.86	21.13	20.58			23.87	33.73	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	9.86	18.89	18.4			21.66	31.52	36.00
6225MHz	Pass	9.86	22.54	22.06			25.32	35.18	36.00
6385MHz	Pass	9.86	20.12	19.44			22.80	32.66	36.00
6625MHz	Pass	9.86	22.09	22.03			25.07	34.93	36.00
6705MHz	Pass	9.86	22.07	21.93			25.01	34.87	36.00
6785MHz	Pass	9.86	21.92	21.84			24.89	34.75	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	9.86	16.39	17.17			19.81	29.67	36.00
6185MHz	Pass	9.86	18.19	18.33			21.27	31.13	36.00
6345MHz	Pass	9.86	19.13	18.92			22.04	31.90	36.00
6665MHz	Pass	9.86	18.12	18			21.07	30.93	36.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	9.86	17.23	16.98			20.12	29.98	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	12.74	16.83	17.02	16.83	17.72	23.14	35.88	36.00
6195MHz	Pass	12.74	17.04	17.19	17.2	17.36	23.22	35.96	36.00
6415MHz	Pass	12.74	17.4	16.74	16.95	16.85	23.01	35.75	36.00
6535MHz	Pass	12.74	17.26	16.86	17.51	17	23.19	35.93	36.00
6695MHz	Pass	12.74	17.08	16.66	17.08	17.57	23.13	35.87	36.00
6855MHz	Pass	12.74	17.28	16.48	16.82	17.91	23.18	35.92	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	12.74	16.93	16.93	17.25	17.67	23.23	35.97	36.00
6205MHz	Pass	12.74	16.86	16.76	17.66	17.34	23.19	35.93	36.00
6405MHz	Pass	12.74	17.01	17.07	17.21	17.51	23.22	35.96	36.00
6565MHz	Pass	12.74	16.89	16.61	17.54	17.51	23.18	35.92	36.00
6685MHz	Pass	12.74	17.23	16.37	17.02	17.57	23.09	35.83	36.00
6845MHz	Pass	12.74	16.8	16.32	17.13	17.67	23.03	35.77	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	12.74	16.76	16.6	16.9	17.64	23.01	35.75	36.00
6225MHz	Pass	12.74	17	16.76	17.06	17.26	23.04	35.78	36.00
6385MHz	Pass	12.74	17.65	16.92	16.58	17.41	23.18	35.92	36.00
6625MHz	Pass	12.74	16.93	16.58	17.23	17.53	23.10	35.84	36.00
6705MHz	Pass	12.74	17.09	16.6	17.28	17.59	23.18	35.92	36.00
6785MHz	Pass	12.74	17.47	16.63	17	17.16	23.10	35.84	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	12.74	16.81	17.35	17.39	17.09	23.19	35.93	36.00
6185MHz	Pass	12.74	16.81	17.05	17.5	17.45	23.23	35.97	36.00
6345MHz	Pass	12.74	16.97	16.93	16.89	17.25	23.03	35.77	36.00
6665MHz	Pass	12.74	16.84	16.98	17.23	17.38	23.13	35.87	36.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	12.74	17.07	16.98	17.4	17.25	23.20	35.94	36.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.



Test Mode: Mode 24

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	17.33	0.05408	24.52/20.90	0.28314/0.123027
802.11be EHT40_Nss1,(MCS0)_1TX	17.28	0.05346	24.47/20.85	0.27990/0.121619
802.11be EHT80_Nss1,(MCS0)_1TX	17.39	0.05483	24.58/20.96	0.28708/0.124738
802.11be EHT160_Nss1,(MCS0)_1TX	17.25	0.05309	24.44/20.82	0.27797/0.120781
802.11be EHT320_Nss1,(MCS0)_1TX	17.28	0.05346	24.47/20.85	0.27990/0.121619
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	18.39	0.06902	25.58/20.93	0.36141/0.123880
802.11be EHT40_Nss1,(MCS0)_1TX	18.42	0.06950	25.61/20.96	0.36392/0.124738
802.11be EHT80_Nss1,(MCS0)_1TX	18.40	0.06918	25.59/20.94	0.36224/0.124165
802.11be EHT160_Nss1,(MCS0)_1TX	18.26	0.06699	25.45/20.80	0.35075/0.120226

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	7.19/3.57	17.33	17.33	24.52/20.90	36.00/21.00
6195MHz	Pass	7.19/3.57	17.19	17.19	24.38/20.76	36.00/21.00
6415MHz	Pass	7.19/3.57	17.33	17.33	24.52/20.90	36.00/21.00
6535MHz	Pass	7.19/2.54	18.29	18.29	25.48/20.83	36.00/21.00
6695MHz	Pass	7.19/2.54	18.39	18.39	25.58/20.93	36.00/21.00
6855MHz	Pass	7.19/2.54	18.34	18.34	25.53/20.88	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	7.19/3.57	17.28	17.28	24.47/20.85	36.00/21.00
6205MHz	Pass	7.19/3.57	17.20	17.20	24.39/20.77	36.00/21.00
6405MHz	Pass	7.19/3.57	17.20	17.20	24.39/20.77	36.00/21.00
6565MHz	Pass	7.19/2.54	18.31	18.31	25.50/20.85	36.00/21.00
6685MHz	Pass	7.19/2.54	18.40	18.40	25.59/20.94	36.00/21.00
6845MHz	Pass	7.19/2.54	18.42	18.42	25.61/20.96	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	7.19/3.57	17.38	17.38	24.57/20.95	36.00/21.00
6225MHz	Pass	7.19/3.57	17.36	17.36	24.55/20.93	36.00/21.00
6385MHz	Pass	7.19/3.57	17.39	17.39	24.58/20.96	36.00/21.00
6625MHz	Pass	7.19/2.54	18.40	18.40	25.59/20.94	36.00/21.00
6705MHz	Pass	7.19/2.54	18.33	18.33	25.52/20.87	36.00/21.00
6785MHz	Pass	7.19/2.54	18.31	18.31	25.50/20.85	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	7.19/3.57	17.19	17.19	24.38/20.76	36.00/21.00
6185MHz	Pass	7.19/3.57	17.25	17.25	24.44/20.82	36.00/21.00
6345MHz	Pass	7.19/3.57	17.22	17.22	24.41/20.79	36.00/21.00
6665MHz	Pass	7.19/2.54	18.26	18.26	25.45/20.80	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6105MHz	Pass	7.19/3.57	17.28	17.28	24.47/20.85	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 25

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	14.75	0.02985	21.94/18.32	0.15631/0.067920
802.11be EHT20-BF_Nss1,(MCS0)_2TX	14.75	0.02985	24.61/20.88	0.28907/0.122462
802.11be EHT40_Nss1,(MCS0)_2TX	14.78	0.03006	21.97/18.35	0.15740/0.068391
802.11be EHT40-BF_Nss1,(MCS0)_2TX	14.78	0.03006	24.64/20.91	0.29107/0.123310
802.11be EHT80_Nss1,(MCS0)_2TX	14.78	0.03006	21.97/18.35	0.15740/0.068391
802.11be EHT80-BF_Nss1,(MCS0)_2TX	14.78	0.03006	24.64/20.91	0.29107/0.123310
802.11be EHT160_Nss1,(MCS0)_2TX	14.74	0.02979	21.93/18.31	0.15596/0.067764
802.11be EHT160-BF_Nss1,(MCS0)_2TX	14.74	0.02979	24.60/20.87	0.28840/0.122180
802.11be EHT320_Nss1,(MCS0)_2TX	14.73	0.02972	21.92/18.30	0.15560/0.067608
802.11be EHT320-BF_Nss1,(MCS0)_2TX	14.73	0.02972	24.59/20.86	0.28774/0.121899
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	15.86	0.03855	23.05/18.40	0.20184/0.069183
802.11be EHT20-BF_Nss1,(MCS0)_2TX	15.86	0.03855	25.72/20.92	0.37325/0.123595
802.11be EHT40_Nss1,(MCS0)_2TX	15.79	0.03793	22.98/18.33	0.19861/0.068077
802.11be EHT40-BF_Nss1,(MCS0)_2TX	15.79	0.03793	25.65/20.85	0.36728/0.121619
802.11be EHT80_Nss1,(MCS0)_2TX	15.83	0.03828	23.02/18.37	0.20045/0.068707
802.11be EHT80-BF_Nss1,(MCS0)_2TX	15.83	0.03828	25.69/20.89	0.37068/0.122744
802.11be EHT160_Nss1,(MCS0)_2TX	15.70	0.03715	22.89/18.24	0.19454/0.066681
802.11be EHT160-BF_Nss1,(MCS0)_2TX	15.70	0.03715	25.56/20.76	0.35975/0.119124

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	7.19/3.57	11.76	11.72	14.75	21.94/18.32	36.00/21.00
6195MHz	Pass	7.19/3.57	11.71	11.65	14.69	21.88/18.26	36.00/21.00
6415MHz	Pass	7.19/3.57	11.87	11.43	14.67	21.86/18.24	36.00/21.00
6535MHz	Pass	7.19/2.54	12.99	12.71	15.86	23.05/18.40	36.00/21.00
6695MHz	Pass	7.19/2.54	12.75	12.73	15.75	22.94/18.29	36.00/21.00
6855MHz	Pass	7.19/2.54	12.99	12.33	15.68	22.87/18.22	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	7.19/3.57	11.75	11.55	14.66	21.85/18.23	36.00/21.00
6205MHz	Pass	7.19/3.57	11.68	11.55	14.63	21.82/18.20	36.00/21.00
6405MHz	Pass	7.19/3.57	11.73	11.8	14.78	21.97/18.35	36.00/21.00
6565MHz	Pass	7.19/2.54	12.9	12.56	15.74	22.93/18.28	36.00/21.00
6685MHz	Pass	7.19/2.54	13.04	12.36	15.72	22.91/18.26	36.00/21.00
6845MHz	Pass	7.19/2.54	12.77	12.79	15.79	22.98/18.33	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	7.19/3.57	11.79	11.64	14.73	21.92/18.30	36.00/21.00
6225MHz	Pass	7.19/3.57	11.91	11.62	14.78	21.97/18.35	36.00/21.00
6385MHz	Pass	7.19/3.57	11.9	11.28	14.61	21.80/18.18	36.00/21.00
6625MHz	Pass	7.19/2.54	13.02	12.6	15.83	23.02/18.37	36.00/21.00
6705MHz	Pass	7.19/2.54	12.92	12.54	15.74	22.93/18.28	36.00/21.00
6785MHz	Pass	7.19/2.54	13.14	12.24	15.72	22.91/18.26	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	7.19/3.57	11.25	11.95	14.62	21.81/18.19	36.00/21.00
6185MHz	Pass	7.19/3.57	11.53	11.92	14.74	21.93/18.31	36.00/21.00
6345MHz	Pass	7.19/3.57	11.74	11.63	14.70	21.89/18.27	36.00/21.00
6665MHz	Pass	7.19/2.54	12.66	12.71	15.70	22.89/18.24	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	7.19/3.57	11.71	11.73	14.73	21.92/18.30	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	9.86/6.13	11.76	11.72	14.75	24.61/20.88	36.00/21.00
6195MHz	Pass	9.86/6.13	11.71	11.65	14.69	24.55/20.82	36.00/21.00
6415MHz	Pass	9.86/6.13	11.87	11.43	14.67	24.53/20.80	36.00/21.00
6535MHz	Pass	9.86/5.06	12.99	12.71	15.86	25.72/20.92	36.00/21.00
6695MHz	Pass	9.86/5.06	12.75	12.73	15.75	25.61/20.81	36.00/21.00
6855MHz	Pass	9.86/5.06	12.99	12.33	15.68	25.54/20.74	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	9.86/6.13	11.75	11.55	14.66	24.52/20.79	36.00/21.00
6205MHz	Pass	9.86/6.13	11.68	11.55	14.63	24.49/20.76	36.00/21.00
6405MHz	Pass	9.86/6.13	11.73	11.8	14.78	24.64/20.91	36.00/21.00
6565MHz	Pass	9.86/5.06	12.9	12.56	15.74	25.60/20.80	36.00/21.00
6685MHz	Pass	9.86/5.06	13.04	12.36	15.72	25.58/20.78	36.00/21.00
6845MHz	Pass	9.86/5.06	12.77	12.79	15.79	25.65/20.85	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	9.86/6.13	11.79	11.64	14.73	24.59/20.86	36.00/21.00
6225MHz	Pass	9.86/6.13	11.91	11.62	14.78	24.64/20.91	36.00/21.00
6385MHz	Pass	9.86/6.13	11.9	11.28	14.61	24.47/20.74	36.00/21.00
6625MHz	Pass	9.86/5.06	13.02	12.6	15.83	25.69/20.89	36.00/21.00
6705MHz	Pass	9.86/5.06	12.92	12.54	15.74	25.60/20.80	36.00/21.00
6785MHz	Pass	9.86/5.06	13.14	12.24	15.72	25.58/20.78	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	9.86/6.13	11.25	11.95	14.62	24.48/20.75	36.00/21.00
6185MHz	Pass	9.86/6.13	11.53	11.92	14.74	24.60/20.87	36.00/21.00
6345MHz	Pass	9.86/6.13	11.74	11.63	14.70	24.56/20.83	36.00/21.00
6665MHz	Pass	9.86/5.06	12.66	12.71	15.70	25.56/20.76	36.00/21.00



Average Power

Appendix C.25

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	9.86/6.13	11.71	11.73	14.73	24.59/20.86	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 26

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	17.76	0.05970	24.61/20.89	0.28907/0.122744
802.11be EHT40_Nss2,(MCS0)_2TX	17.79	0.06012	24.64/20.92	0.29107/0.123595
802.11be EHT80_Nss2,(MCS0)_2TX	17.79	0.06012	24.64/20.92	0.29107/0.123595
802.11be EHT160_Nss2,(MCS0)_2TX	17.75	0.05957	24.60/20.88	0.28840/0.122462
802.11be EHT320_Nss2,(MCS0)_2TX	17.74	0.05943	24.59/20.87	0.28774/0.122180
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	18.87	0.07709	25.72/20.94	0.37325/0.124165
802.11be EHT40_Nss2,(MCS0)_2TX	18.80	0.07586	25.65/20.87	0.36728/0.122180
802.11be EHT80_Nss2,(MCS0)_2TX	18.84	0.07656	25.69/20.91	0.37068/0.123310
802.11be EHT160_Nss2,(MCS0)_2TX	18.71	0.07430	25.56/20.78	0.35975/0.119674

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	6.85/3.13	14.77	14.73	17.76	24.61/20.89	36.00/21.00
6195MHz	Pass	6.85/3.13	14.72	14.66	17.70	24.55/20.83	36.00/21.00
6415MHz	Pass	6.85/3.13	14.88	14.44	17.68	24.53/20.81	36.00/21.00
6535MHz	Pass	6.85/2.07	16.00	15.72	18.87	25.72/20.94	36.00/21.00
6695MHz	Pass	6.85/2.07	15.76	15.74	18.76	25.61/20.83	36.00/21.00
6855MHz	Pass	6.85/2.07	16.00	15.34	18.69	25.54/20.76	36.00/21.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	6.85/3.13	14.76	14.56	17.67	24.52/20.80	36.00/21.00
6205MHz	Pass	6.85/3.13	14.69	14.56	17.64	24.49/20.77	36.00/21.00
6405MHz	Pass	6.85/3.13	14.74	14.81	17.79	24.64/20.92	36.00/21.00
6565MHz	Pass	6.85/2.07	15.91	15.57	18.75	25.60/20.82	36.00/21.00
6685MHz	Pass	6.85/2.07	16.05	15.37	18.73	25.58/20.80	36.00/21.00
6845MHz	Pass	6.85/2.07	15.78	15.80	18.80	25.65/20.87	36.00/21.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	6.85/3.13	14.80	14.65	17.74	24.59/20.87	36.00/21.00
6225MHz	Pass	6.85/3.13	14.92	14.63	17.79	24.64/20.92	36.00/21.00
6385MHz	Pass	6.85/3.13	14.91	14.29	17.62	24.47/20.75	36.00/21.00
6625MHz	Pass	6.85/2.07	16.03	15.61	18.84	25.69/20.91	36.00/21.00
6705MHz	Pass	6.85/2.07	15.93	15.55	18.75	25.60/20.82	36.00/21.00
6785MHz	Pass	6.85/2.07	16.15	15.25	18.73	25.58/20.80	36.00/21.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	6.85/3.13	14.26	14.96	17.63	24.48/20.76	36.00/21.00
6185MHz	Pass	6.85/3.13	14.54	14.93	17.75	24.60/20.88	36.00/21.00
6345MHz	Pass	6.85/3.13	14.75	14.64	17.71	24.56/20.84	36.00/21.00
6665MHz	Pass	6.85/2.07	15.67	15.72	18.71	25.56/20.78	36.00/21.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	6.85/3.13	14.72	14.74	17.74	24.59/20.87	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 27

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	17.15	0.05188	24.34/20.93	0.27164/0.123880
802.11be EHT20-BF_Nss1,(MCS0)_4TX	11.89	0.01545	24.63/20.89	0.29040/0.122744
802.11be EHT40_Nss1,(MCS0)_4TX	17.16	0.05200	24.35/20.94	0.27227/0.124165
802.11be EHT40-BF_Nss1,(MCS0)_4TX	11.88	0.01542	24.62/20.88	0.28973/0.122462
802.11be EHT80_Nss1,(MCS0)_4TX	17.13	0.05164	24.32/20.91	0.27040/0.123310
802.11be EHT80-BF_Nss1,(MCS0)_4TX	11.88	0.01542	24.62/20.88	0.28973/0.122462
802.11be EHT160_Nss1,(MCS0)_4TX	17.11	0.05140	24.30/20.89	0.26915/0.122744
802.11be EHT160-BF_Nss1,(MCS0)_4TX	11.79	0.01510	24.53/20.79	0.28379/0.119950
802.11be EHT320_Nss1,(MCS0)_4TX	17.06	0.05082	24.25/20.84	0.26607/0.121339
802.11be EHT320-BF_Nss1,(MCS0)_4TX	11.82	0.01521	24.56/20.82	0.28576/0.120781
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	18.37	0.06871	25.56/20.91	0.35975/0.123310
802.11be EHT20-BF_Nss1,(MCS0)_4TX	13.34	0.02158	26.08/20.85	0.40551/0.121619
802.11be EHT40_Nss1,(MCS0)_4TX	18.33	0.06808	25.52/20.87	0.35645/0.122180
802.11be EHT40-BF_Nss1,(MCS0)_4TX	13.40	0.02188	26.14/20.91	0.41115/0.123310
802.11be EHT80_Nss1,(MCS0)_4TX	18.34	0.06823	25.53/20.88	0.35727/0.122462
802.11be EHT80-BF_Nss1,(MCS0)_4TX	13.38	0.02178	26.12/20.89	0.40926/0.122744
802.11be EHT160_Nss1,(MCS0)_4TX	18.22	0.06637	25.41/20.76	0.34754/0.119124
802.11be EHT160-BF_Nss1,(MCS0)_4TX	13.07	0.02028	25.81/20.58	0.38107/0.114288



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.19/3.78	11.10	11.23	10.43	11.15	17.01	24.20/20.79	36.00/21.00
6195MHz	Pass	7.19/3.78	11.35	11.19	10.94	10.70	17.07	24.26/20.85	36.00/21.00
6415MHz	Pass	7.19/3.78	12.00	10.90	10.89	10.58	17.15	24.34/20.93	36.00/21.00
6535MHz	Pass	7.19/2.54	12.69	12.08	12.52	12.09	18.37	25.56/20.91	36.00/21.00
6695MHz	Pass	7.19/2.54	12.31	12.02	12.21	12.29	18.23	25.42/20.77	36.00/21.00
6855MHz	Pass	7.19/2.54	12.72	11.91	11.98	12.56	18.33	25.52/20.87	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.19/3.78	11.04	11.08	10.97	10.91	17.02	24.21/20.80	36.00/21.00
6205MHz	Pass	7.19/3.78	10.94	10.84	11.30	10.72	16.98	24.17/20.76	36.00/21.00
6405MHz	Pass	7.19/3.78	11.39	11.18	10.90	11.09	17.16	24.35/20.94	36.00/21.00
6565MHz	Pass	7.19/2.54	12.22	11.69	12.65	12.18	18.22	25.41/20.76	36.00/21.00
6685MHz	Pass	7.19/2.54	12.69	11.90	12.09	12.52	18.33	25.52/20.87	36.00/21.00
6845MHz	Pass	7.19/2.54	12.08	11.80	12.45	12.41	18.21	25.40/20.75	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.19/3.78	11.22	10.93	10.82	11.44	17.13	24.32/20.91	36.00/21.00
6225MHz	Pass	7.19/3.78	11.48	10.99	10.96	11.00	17.13	24.32/20.91	36.00/21.00
6385MHz	Pass	7.19/3.78	11.81	11.14	10.26	10.75	17.05	24.24/20.83	36.00/21.00
6625MHz	Pass	7.19/2.54	12.39	11.92	12.33	12.10	18.21	25.40/20.75	36.00/21.00
6705MHz	Pass	7.19/2.54	12.34	11.95	12.31	12.25	18.24	25.43/20.78	36.00/21.00
6785MHz	Pass	7.19/2.54	12.80	11.99	12.00	12.45	18.34	25.53/20.88	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.19/3.78	10.60	11.41	11.27	10.56	17.00	24.19/20.78	36.00/21.00
6185MHz	Pass	7.19/3.78	11.02	11.10	11.24	11.00	17.11	24.30/20.89	36.00/21.00
6345MHz	Pass	7.19/3.78	11.26	10.90	10.72	10.89	16.97	24.16/20.75	36.00/21.00
6665MHz	Pass	7.19/2.54	12.27	12.22	12.20	12.09	18.22	25.41/20.76	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.19/3.78	11.27	11.15	11.04	10.68	17.06	24.25/20.84	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	12.74/9.00	6.01	6.55	5.08	5.69	11.89	24.63/20.89	36.00/21.00
6195MHz	Pass	12.74/9.00	6.08	6.06	5.49	5.44	11.80	24.54/20.80	36.00/21.00
6415MHz	Pass	12.74/9.00	6.64	5.87	5.66	5.17	11.89	24.63/20.89	36.00/21.00
6535MHz	Pass	12.74/7.51	7.70	7.19	7.77	6.48	13.34	26.08/20.85	36.00/21.00
6695MHz	Pass	12.74/7.51	7.69	6.83	7.52	6.93	13.28	26.02/20.79	36.00/21.00
6855MHz	Pass	12.74/7.51	7.95	6.85	7.06	7.31	13.33	26.07/20.84	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	12.74/9.00	5.79	5.64	6.10	5.49	11.78	24.52/20.78	36.00/21.00
6205MHz	Pass	12.74/9.00	5.94	5.80	5.53	5.63	11.75	24.49/20.75	36.00/21.00
6405MHz	Pass	12.74/9.00	6.24	5.60	5.75	5.82	11.88	24.62/20.88	36.00/21.00
6565MHz	Pass	12.74/7.51	7.60	7.24	7.62	6.91	13.37	26.11/20.88	36.00/21.00
6685MHz	Pass	12.74/7.51	7.84	7.14	7.35	7.12	13.39	26.13/20.90	36.00/21.00
6845MHz	Pass	12.74/7.51	7.35	7.33	7.61	7.21	13.40	26.14/20.91	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	12.74/9.00	6.03	5.46	5.82	5.70	11.78	24.52/20.78	36.00/21.00
6225MHz	Pass	12.74/9.00	6.11	5.91	5.91	5.35	11.85	24.59/20.85	36.00/21.00
6385MHz	Pass	12.74/9.00	6.94	5.73	5.04	5.49	11.88	24.62/20.88	36.00/21.00
6625MHz	Pass	12.74/7.51	7.21	6.99	7.55	7.26	13.28	26.02/20.79	36.00/21.00
6705MHz	Pass	12.74/7.51	7.36	7.05	7.87	7.10	13.38	26.12/20.89	36.00/21.00
6785MHz	Pass	12.74/7.51	8.12	6.95	6.90	7.10	13.32	26.06/20.83	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	12.74/9.00	5.42	6.12	5.90	5.26	11.71	24.45/20.71	36.00/21.00
6185MHz	Pass	12.74/9.00	5.69	5.70	5.95	5.73	11.79	24.53/20.79	36.00/21.00
6345MHz	Pass	12.74/9.00	6.00	5.81	5.46	5.39	11.69	24.43/20.69	36.00/21.00
6665MHz	Pass	12.74/7.51	7.68	6.79	6.93	6.72	13.07	25.81/20.58	36.00/21.00



Average Power

Appendix C.27

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	12.74/9.00	5.89	6.03	5.51	5.77	11.82	24.56/20.82	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 28

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	17.95	0.06237	24.67/20.96	0.29309/0.124738
802.11be EHT40_Nss4,(MCS0)_4TX	17.92	0.06194	24.64/20.93	0.29107/0.123880
802.11be EHT80_Nss4,(MCS0)_4TX	17.89	0.06152	24.61/20.90	0.28907/0.123027
802.11be EHT160_Nss4,(MCS0)_4TX	17.90	0.06166	24.62/20.91	0.28973/0.123310
802.11be EHT320_Nss4,(MCS0)_4TX	17.75	0.05957	24.47/20.76	0.27990/0.119124
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	19.32	0.08551	26.04/20.92	0.40179/0.123595
802.11be EHT40_Nss4,(MCS0)_4TX	19.37	0.08650	26.09/20.97	0.40644/0.125026
802.11be EHT80_Nss4,(MCS0)_4TX	19.30	0.08511	26.02/20.90	0.39994/0.123027
802.11be EHT160_Nss4,(MCS0)_4TX	19.33	0.08570	26.05/20.93	0.40272/0.123880

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	6.72/3.01	11.90	12.04	11.47	12.10	17.90	24.62/20.91	36.00/21.00
6195MHz	Pass	6.72/3.01	12.01	11.78	11.86	11.65	17.85	24.57/20.86	36.00/21.00
6415MHz	Pass	6.72/3.01	12.59	11.75	11.88	11.41	17.95	24.67/20.96	36.00/21.00
6535MHz	Pass	6.72/1.60	13.62	13.03	13.60	12.89	19.32	26.04/20.92	36.00/21.00
6695MHz	Pass	6.72/1.60	13.37	13.03	13.31	13.44	19.31	26.03/20.91	36.00/21.00
6855MHz	Pass	6.72/1.60	13.55	12.83	12.88	13.72	19.28	26.00/20.88	36.00/21.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	6.72/3.01	12.04	11.56	11.88	12.10	17.92	24.64/20.93	36.00/21.00
6205MHz	Pass	6.72/3.01	11.67	11.39	12.55	11.44	17.81	24.53/20.82	36.00/21.00
6405MHz	Pass	6.72/3.01	12.01	12.05	11.71	11.81	17.92	24.64/20.93	36.00/21.00
6565MHz	Pass	6.72/1.60	13.29	13.21	13.60	13.28	19.37	26.09/20.97	36.00/21.00
6685MHz	Pass	6.72/1.60	13.63	12.78	13.27	13.41	19.30	26.02/20.90	36.00/21.00
6845MHz	Pass	6.72/1.60	13.02	12.75	13.35	13.58	19.21	25.93/20.81	36.00/21.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.72/3.01	11.97	11.52	11.50	11.94	17.76	24.48/20.77	36.00/21.00
6225MHz	Pass	6.72/3.01	12.04	11.66	11.62	11.57	17.75	24.47/20.76	36.00/21.00
6385MHz	Pass	6.72/3.01	12.54	11.95	11.17	11.69	17.89	24.61/20.90	36.00/21.00
6625MHz	Pass	6.72/1.60	13.42	12.83	13.41	13.30	19.27	25.99/20.87	36.00/21.00
6705MHz	Pass	6.72/1.60	13.44	12.82	13.28	13.21	19.21	25.93/20.81	36.00/21.00
6785MHz	Pass	6.72/1.60	13.88	12.90	12.98	13.27	19.30	26.02/20.90	36.00/21.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.72/3.01	11.27	12.24	11.94	11.55	17.79	24.51/20.80	36.00/21.00
6185MHz	Pass	6.72/3.01	11.73	11.88	12.09	11.64	17.86	24.58/20.87	36.00/21.00
6345MHz	Pass	6.72/3.01	12.09	11.87	11.94	11.59	17.90	24.62/20.91	36.00/21.00
6665MHz	Pass	6.72/1.60	13.30	13.26	13.43	13.23	19.33	26.05/20.93	36.00/21.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.72/3.01	11.76	11.92	11.62	11.63	17.75	24.47/20.76	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 29

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	14.24	0.02655	21.43/20.97	0.13900/0.125026
802.11be EHT40_Nss1,(MCS0)_1TX	14.15	0.02600	21.34/20.88	0.13614/0.122462
802.11be EHT80_Nss1,(MCS0)_1TX	14.15	0.02600	21.34/20.88	0.13614/0.122462
802.11be EHT160_Nss1,(MCS0)_1TX	14.24	0.02655	21.43/20.97	0.13900/0.125026
802.11be EHT320_Nss1,(MCS0)_1TX	14.22	0.02642	21.41/20.95	0.13836/0.124451
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	16.04	0.04018	23.23/20.81	0.21038/0.120504
802.11be EHT40_Nss1,(MCS0)_1TX	16.08	0.04055	23.27/20.85	0.21232/0.121619
802.11be EHT80_Nss1,(MCS0)_1TX	16.12	0.04093	23.31/20.89	0.21429/0.122744
802.11be EHT160_Nss1,(MCS0)_1TX	15.95	0.03936	23.14/20.72	0.20606/0.118032

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	7.19/6.73	14.12	14.12	21.31/20.85	36.00/21.00
6195MHz	Pass	7.19/6.73	14.24	14.24	21.43/20.97	36.00/21.00
6415MHz	Pass	7.19/6.73	14.17	14.17	21.36/20.90	36.00/21.00
6535MHz	Pass	7.19/4.77	15.95	15.95	23.14/20.72	36.00/21.00
6695MHz	Pass	7.19/4.77	16.04	16.04	23.23/20.81	36.00/21.00
6855MHz	Pass	7.19/4.77	16.04	16.04	23.23/20.81	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	7.19/6.73	14.13	14.13	21.32/20.86	36.00/21.00
6205MHz	Pass	7.19/6.73	14.03	14.03	21.22/20.76	36.00/21.00
6405MHz	Pass	7.19/6.73	14.15	14.15	21.34/20.88	36.00/21.00
6565MHz	Pass	7.19/4.77	16.05	16.05	23.24/20.82	36.00/21.00
6685MHz	Pass	7.19/4.77	15.99	15.99	23.18/20.76	36.00/21.00
6845MHz	Pass	7.19/4.77	16.08	16.08	23.27/20.85	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	7.19/6.73	14.03	14.03	21.22/20.76	36.00/21.00
6225MHz	Pass	7.19/6.73	14.15	14.15	21.34/20.88	36.00/21.00
6385MHz	Pass	7.19/6.73	14.03	14.03	21.22/20.76	36.00/21.00
6625MHz	Pass	7.19/4.77	16.01	16.01	23.20/20.78	36.00/21.00
6705MHz	Pass	7.19/4.77	15.98	15.98	23.17/20.75	36.00/21.00
6785MHz	Pass	7.19/4.77	16.12	16.12	23.31/20.89	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	7.19/6.73	14.09	14.09	21.28/20.82	36.00/21.00
6185MHz	Pass	7.19/6.73	14.03	14.03	21.22/20.76	36.00/21.00
6345MHz	Pass	7.19/6.73	14.24	14.24	21.43/20.97	36.00/21.00
6665MHz	Pass	7.19/4.77	15.95	15.95	23.14/20.72	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6105MHz	Pass	7.19/6.73	14.22	14.22	21.41/20.95	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 30

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	11.31	0.01352	18.50/18.04	0.07079/0.063680
802.11be EHT20-BF_Nss1,(MCS0)_2TX	11.31	0.01352	21.17/20.93	0.13092/0.123880
802.11be EHT40_Nss1,(MCS0)_2TX	11.35	0.01365	18.54/18.08	0.07145/0.064269
802.11be EHT40-BF_Nss1,(MCS0)_2TX	11.35	0.01365	21.21/20.97	0.13213/0.125026
802.11be EHT80_Nss1,(MCS0)_2TX	11.33	0.01358	18.52/18.06	0.07112/0.063973
802.11be EHT80-BF_Nss1,(MCS0)_2TX	11.33	0.01358	21.19/20.95	0.13152/0.124451
802.11be EHT160_Nss1,(MCS0)_2TX	11.34	0.01361	18.53/18.07	0.07129/0.064121
802.11be EHT160-BF_Nss1,(MCS0)_2TX	11.34	0.01361	21.20/20.96	0.13183/0.124738
802.11be EHT320_Nss1,(MCS0)_2TX	11.31	0.01352	18.50/18.04	0.07079/0.063680
802.11be EHT320-BF_Nss1,(MCS0)_2TX	11.31	0.01352	21.17/20.93	0.13092/0.123880
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	13.16	0.02070	20.35/17.93	0.10839/0.062087
802.11be EHT20-BF_Nss1,(MCS0)_2TX	13.16	0.02070	23.02/20.85	0.20045/0.121619
802.11be EHT40_Nss1,(MCS0)_2TX	13.27	0.02123	20.46/18.04	0.11117/0.063680
802.11be EHT40-BF_Nss1,(MCS0)_2TX	13.27	0.02123	23.13/20.96	0.20559/0.124738
802.11be EHT80_Nss1,(MCS0)_2TX	13.29	0.02133	20.48/18.06	0.11169/0.063973
802.11be EHT80-BF_Nss1,(MCS0)_2TX	13.29	0.02133	23.15/20.98	0.20654/0.125314
802.11be EHT160_Nss1,(MCS0)_2TX	13.17	0.02075	20.36/17.94	0.10864/0.062230
802.11be EHT160-BF_Nss1,(MCS0)_2TX	13.17	0.02075	23.03/20.86	0.20091/0.121899

Result

Mode	Result	DG Gain [Power] / Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	7.19/6.73	8.25	8.17	11.22	18.41/17.95	36.00/21.00
6195MHz	Pass	7.19/6.73	8.29	8.29	11.30	18.49/18.03	36.00/21.00
6415MHz	Pass	7.19/6.73	8.77	7.78	11.31	18.50/18.04	36.00/21.00
6535MHz	Pass	7.19/4.77	10.21	10.09	13.16	20.35/17.93	36.00/21.00
6695MHz	Pass	7.19/4.77	10.37	9.86	13.13	20.32/17.90	36.00/21.00
6855MHz	Pass	7.19/4.77	10.29	9.84	13.08	20.27/17.85	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	7.19/6.73	8.33	8.27	11.31	18.50/18.04	36.00/21.00
6205MHz	Pass	7.19/6.73	8.18	8.12	11.16	18.35/17.89	36.00/21.00
6405MHz	Pass	7.19/6.73	8.25	8.42	11.35	18.54/18.08	36.00/21.00
6565MHz	Pass	7.19/4.77	10.32	10.04	13.19	20.38/17.96	36.00/21.00
6685MHz	Pass	7.19/4.77	10.42	9.69	13.08	20.27/17.85	36.00/21.00
6845MHz	Pass	7.19/4.77	10.26	10.25	13.27	20.46/18.04	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	7.19/6.73	8.37	8.27	11.33	18.52/18.06	36.00/21.00
6225MHz	Pass	7.19/6.73	8.44	8.07	11.27	18.46/18.00	36.00/21.00
6385MHz	Pass	7.19/6.73	8.47	7.94	11.22	18.41/17.95	36.00/21.00
6625MHz	Pass	7.19/4.77	10.35	9.85	13.12	20.31/17.89	36.00/21.00
6705MHz	Pass	7.19/4.77	10.4	9.8	13.12	20.31/17.89	36.00/21.00
6785MHz	Pass	7.19/4.77	10.82	9.67	13.29	20.48/18.06	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	7.19/6.73	7.77	8.71	11.28	18.47/18.01	36.00/21.00
6185MHz	Pass	7.19/6.73	8.2	8.45	11.34	18.53/18.07	36.00/21.00
6345MHz	Pass	7.19/6.73	8.33	7.96	11.16	18.35/17.89	36.00/21.00
6665MHz	Pass	7.19/4.77	10.26	10.06	13.17	20.36/17.94	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	7.19/6.73	8.34	8.25	11.31	18.50/18.04	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	9.86/9.62	8.25	8.17	11.22	21.08/20.84	36.00/21.00
6195MHz	Pass	9.86/9.62	8.29	8.29	11.30	21.16/20.92	36.00/21.00
6415MHz	Pass	9.86/9.62	8.77	7.78	11.31	21.17/20.93	36.00/21.00
6535MHz	Pass	9.86/7.69	10.21	10.09	13.16	23.02/20.85	36.00/21.00
6695MHz	Pass	9.86/7.69	10.37	9.86	13.13	22.99/20.82	36.00/21.00
6855MHz	Pass	9.86/7.69	10.29	9.84	13.08	22.94/20.77	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	9.86/9.62	8.33	8.27	11.31	21.17/20.93	36.00/21.00
6205MHz	Pass	9.86/9.62	8.18	8.12	11.16	21.02/20.78	36.00/21.00
6405MHz	Pass	9.86/9.62	8.25	8.42	11.35	21.21/20.97	36.00/21.00
6565MHz	Pass	9.86/7.69	10.32	10.04	13.19	23.05/20.88	36.00/21.00
6685MHz	Pass	9.86/7.69	10.42	9.69	13.08	22.94/20.77	36.00/21.00
6845MHz	Pass	9.86/7.69	10.26	10.25	13.27	23.13/20.96	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	9.86/9.62	8.37	8.27	11.33	21.19/20.95	36.00/21.00
6225MHz	Pass	9.86/9.62	8.44	8.07	11.27	21.13/20.89	36.00/21.00
6385MHz	Pass	9.86/9.62	8.47	7.94	11.22	21.08/20.84	36.00/21.00
6625MHz	Pass	9.86/7.69	10.35	9.85	13.12	22.98/20.81	36.00/21.00
6705MHz	Pass	9.86/7.69	10.4	9.8	13.12	22.98/20.81	36.00/21.00
6785MHz	Pass	9.86/7.69	10.82	9.67	13.29	23.15/20.98	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	9.86/9.62	7.77	8.71	11.28	21.14/20.90	36.00/21.00
6185MHz	Pass	9.86/9.62	8.2	8.45	11.34	21.20/20.96	36.00/21.00
6345MHz	Pass	9.86/9.62	8.33	7.96	11.16	21.02/20.78	36.00/21.00
6665MHz	Pass	9.86/7.69	10.26	10.06	13.17	23.03/20.86	36.00/21.00



Average Power

Appendix C.30

Mode	Result	DG Gain [Power] / Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	9.86/9.62	8.34	8.25	11.31	21.17/20.93	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 31

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	14.32	0.02704	21.17/20.93	0.13092/0.123880
802.11be EHT40_Nss2,(MCS0)_2TX	14.36	0.02729	21.21/20.97	0.13213/0.125026
802.11be EHT80_Nss2,(MCS0)_2TX	14.34	0.02716	21.19/20.95	0.13152/0.124451
802.11be EHT160_Nss2,(MCS0)_2TX	14.35	0.02723	21.20/20.96	0.13183/0.124738
802.11be EHT320_Nss2,(MCS0)_2TX	14.32	0.02704	21.17/20.93	0.13092/0.123880
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	16.17	0.04140	23.02/20.85	0.20045/0.121619
802.11be EHT40_Nss2,(MCS0)_2TX	16.28	0.04246	23.13/20.96	0.20559/0.124738
802.11be EHT80_Nss2,(MCS0)_2TX	16.30	0.04266	23.15/20.98	0.20654/0.125314
802.11be EHT160_Nss2,(MCS0)_2TX	16.18	0.04150	23.03/20.86	0.20091/0.121899

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	6.85/6.61	11.26	11.18	14.23	21.08/20.84	36.00/21.00
6195MHz	Pass	6.85/6.61	11.30	11.30	14.31	21.16/20.92	36.00/21.00
6415MHz	Pass	6.85/6.61	11.78	10.79	14.32	21.17/20.93	36.00/21.00
6535MHz	Pass	6.85/4.68	13.22	13.10	16.17	23.02/20.85	36.00/21.00
6695MHz	Pass	6.85/4.68	13.38	12.87	16.14	22.99/20.82	36.00/21.00
6855MHz	Pass	6.85/4.68	13.30	12.85	16.09	22.94/20.77	36.00/21.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	6.85/6.61	11.34	11.28	14.32	21.17/20.93	36.00/21.00
6205MHz	Pass	6.85/6.61	11.19	11.13	14.17	21.02/20.78	36.00/21.00
6405MHz	Pass	6.85/6.61	11.26	11.43	14.36	21.21/20.97	36.00/21.00
6565MHz	Pass	6.85/4.68	13.33	13.05	16.20	23.05/20.88	36.00/21.00
6685MHz	Pass	6.85/4.68	13.43	12.70	16.09	22.94/20.77	36.00/21.00
6845MHz	Pass	6.85/4.68	13.27	13.26	16.28	23.13/20.96	36.00/21.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	6.85/6.61	11.38	11.28	14.34	21.19/20.95	36.00/21.00
6225MHz	Pass	6.85/6.61	11.45	11.08	14.28	21.13/20.89	36.00/21.00
6385MHz	Pass	6.85/6.61	11.48	10.95	14.23	21.08/20.84	36.00/21.00
6625MHz	Pass	6.85/4.68	13.36	12.86	16.13	22.98/20.81	36.00/21.00
6705MHz	Pass	6.85/4.68	13.41	12.81	16.13	22.98/20.81	36.00/21.00
6785MHz	Pass	6.85/4.68	13.83	12.68	16.30	23.15/20.98	36.00/21.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	6.85/6.61	10.78	11.72	14.29	21.14/20.90	36.00/21.00
6185MHz	Pass	6.85/6.61	11.21	11.46	14.35	21.20/20.96	36.00/21.00
6345MHz	Pass	6.85/6.61	11.34	10.97	14.17	21.02/20.78	36.00/21.00
6665MHz	Pass	6.85/4.68	13.27	13.07	16.18	23.03/20.86	36.00/21.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	6.85/6.61	11.35	11.26	14.32	21.17/20.93	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 32

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	14.18	0.02618	21.37/20.91	0.13709/0.123310
802.11be EHT20-BF_Nss1,(MCS0)_4TX	8.46	0.00701	21.20/20.94	0.13183/0.124165
802.11be EHT40_Nss1,(MCS0)_4TX	14.19	0.02624	21.38/20.92	0.13740/0.123595
802.11be EHT40-BF_Nss1,(MCS0)_4TX	8.41	0.00693	21.15/20.89	0.13032/0.122744
802.11be EHT80_Nss1,(MCS0)_4TX	14.14	0.02594	21.33/20.87	0.13583/0.122180
802.11be EHT80-BF_Nss1,(MCS0)_4TX	8.43	0.00697	21.17/20.91	0.13092/0.123310
802.11be EHT160_Nss1,(MCS0)_4TX	14.16	0.02606	21.35/20.89	0.13646/0.122744
802.11be EHT160-BF_Nss1,(MCS0)_4TX	8.43	0.00697	21.17/20.91	0.13092/0.123310
802.11be EHT320_Nss1,(MCS0)_4TX	14.09	0.02564	21.28/20.82	0.13428/0.120781
802.11be EHT320-BF_Nss1,(MCS0)_4TX	8.28	0.00673	21.02/20.76	0.12647/0.119124
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	15.77	0.03776	22.96/20.85	0.19770/0.121619
802.11be EHT20-BF_Nss1,(MCS0)_4TX	10.05	0.01012	22.79/20.87	0.19011/0.122180
802.11be EHT40_Nss1,(MCS0)_4TX	15.72	0.03733	22.91/20.80	0.19543/0.120226
802.11be EHT40-BF_Nss1,(MCS0)_4TX	9.99	0.00998	22.73/20.81	0.18750/0.120504
802.11be EHT80_Nss1,(MCS0)_4TX	15.85	0.03846	23.04/20.93	0.20137/0.123880
802.11be EHT80-BF_Nss1,(MCS0)_4TX	10.06	0.01014	22.80/20.88	0.19055/0.122462
802.11be EHT160_Nss1,(MCS0)_4TX	15.78	0.03784	22.97/20.86	0.19815/0.121899
802.11be EHT160-BF_Nss1,(MCS0)_4TX	10.12	0.01028	22.86/20.94	0.19320/0.124165



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.19/6.73	8.30	8.56	7.49	8.23	14.18	21.37/20.91	36.00/21.00
6195MHz	Pass	7.19/6.73	8.15	8.30	8.06	7.98	14.14	21.33/20.87	36.00/21.00
6415MHz	Pass	7.19/6.73	8.87	7.96	8.30	7.36	14.18	21.37/20.91	36.00/21.00
6535MHz	Pass	7.19/5.08	9.97	9.49	10.20	8.97	15.70	22.89/20.78	36.00/21.00
6695MHz	Pass	7.19/5.08	10.08	9.32	9.72	9.57	15.70	22.89/20.78	36.00/21.00
6855MHz	Pass	7.19/5.08	10.26	9.37	9.28	10.00	15.77	22.96/20.85	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.19/6.73	7.73	8.32	8.27	8.09	14.13	21.32/20.86	36.00/21.00
6205MHz	Pass	7.19/6.73	8.23	8.03	8.29	8.01	14.16	21.35/20.89	36.00/21.00
6405MHz	Pass	7.19/6.73	8.44	8.15	8.01	8.07	14.19	21.38/20.92	36.00/21.00
6565MHz	Pass	7.19/5.08	9.91	9.40	9.95	9.42	15.70	22.89/20.78	36.00/21.00
6685MHz	Pass	7.19/5.08	9.93	9.60	9.43	9.63	15.67	22.86/20.75	36.00/21.00
6845MHz	Pass	7.19/5.08	9.67	9.60	9.94	9.56	15.72	22.91/20.80	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.19/6.73	8.29	8.22	8.06	7.85	14.13	21.32/20.86	36.00/21.00
6225MHz	Pass	7.19/6.73	8.29	8.09	8.40	7.65	14.14	21.33/20.87	36.00/21.00
6385MHz	Pass	7.19/6.73	9.00	8.15	7.56	7.61	14.14	21.33/20.87	36.00/21.00
6625MHz	Pass	7.19/5.08	9.67	9.40	10.01	9.73	15.73	22.92/20.81	36.00/21.00
6705MHz	Pass	7.19/5.08	10.08	9.21	10.12	9.84	15.85	23.04/20.93	36.00/21.00
6785MHz	Pass	7.19/5.08	10.63	9.29	9.31	9.58	15.76	22.95/20.84	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.19/6.73	7.70	8.76	8.10	7.56	14.08	21.27/20.81	36.00/21.00
6185MHz	Pass	7.19/6.73	7.97	8.48	8.24	7.85	14.16	21.35/20.89	36.00/21.00
6345MHz	Pass	7.19/6.73	8.45	8.19	7.82	7.79	14.09	21.28/20.82	36.00/21.00
6665MHz	Pass	7.19/5.08	10.03	9.81	9.56	9.64	15.78	22.97/20.86	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.19/6.73	7.96	8.27	8.13	7.90	14.09	21.28/20.82	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	12.74/12.48	2.29	2.91	2.00	2.49	8.46	21.20/20.94	36.00/21.00
6195MHz	Pass	12.74/12.48	2.55	2.54	2.04	1.93	8.29	21.03/20.77	36.00/21.00
6415MHz	Pass	12.74/12.48	2.92	2.40	2.65	1.60	8.44	21.18/20.92	36.00/21.00
6535MHz	Pass	12.74/10.82	4.02	3.62	4.09	3.26	9.78	22.52/20.60	36.00/21.00
6695MHz	Pass	12.74/10.82	4.29	3.59	4.40	3.77	10.05	22.79/20.87	36.00/21.00
6855MHz	Pass	12.74/10.82	4.80	3.57	3.63	3.96	10.04	22.78/20.86	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	12.74/12.48	2.45	2.55	2.41	2.14	8.41	21.15/20.89	36.00/21.00
6205MHz	Pass	12.74/12.48	2.44	2.36	2.37	1.86	8.28	21.02/20.76	36.00/21.00
6405MHz	Pass	12.74/12.48	2.79	1.87	2.39	2.37	8.39	21.13/20.87	36.00/21.00
6565MHz	Pass	12.74/10.82	4.16	3.80	4.13	3.51	9.93	22.67/20.75	36.00/21.00
6685MHz	Pass	12.74/10.82	4.37	3.77	4.05	3.64	9.99	22.73/20.81	36.00/21.00
6845MHz	Pass	12.74/10.82	4.06	3.83	4.26	3.72	9.99	22.73/20.81	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	12.74/12.48	2.63	2.22	2.50	2.28	8.43	21.17/20.91	36.00/21.00
6225MHz	Pass	12.74/12.48	2.53	2.34	2.45	1.73	8.29	21.03/20.77	36.00/21.00
6385MHz	Pass	12.74/12.48	2.89	2.19	2.08	1.95	8.31	21.05/20.79	36.00/21.00
6625MHz	Pass	12.74/10.82	4.12	3.79	4.20	4.04	10.06	22.80/20.88	36.00/21.00
6705MHz	Pass	12.74/10.82	3.97	3.92	4.20	3.83	10.00	22.74/20.82	36.00/21.00
6785MHz	Pass	12.74/10.82	4.78	3.73	3.63	3.87	10.05	22.79/20.87	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	12.74/12.48	2.05	2.87	2.59	2.09	8.43	21.17/20.91	36.00/21.00
6185MHz	Pass	12.74/12.48	2.23	2.54	2.59	2.14	8.40	21.14/20.88	36.00/21.00
6345MHz	Pass	12.74/12.48	2.54	2.42	2.20	2.13	8.35	21.09/20.83	36.00/21.00
6665MHz	Pass	12.74/10.82	4.51	4.01	3.91	3.92	10.12	22.86/20.94	36.00/21.00



Average Power

Appendix C.32

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	12.74/12.48	2.47	2.07	2.11	2.39	8.28	21.02/20.76	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 33

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	14.48	0.02805	21.20/20.94	0.13183/0.124165
802.11be EHT40_Nss4,(MCS0)_4TX	14.48	0.02805	21.20/20.94	0.13183/0.124165
802.11be EHT80_Nss4,(MCS0)_4TX	14.51	0.02825	21.23/20.97	0.13274/0.125026
802.11be EHT160_Nss4,(MCS0)_4TX	14.44	0.02780	21.16/20.90	0.13062/0.123027
802.11be EHT320_Nss4,(MCS0)_4TX	14.46	0.02793	21.18/20.92	0.13122/0.123595
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	16.15	0.04121	22.87/20.96	0.19364/0.124738
802.11be EHT40_Nss4,(MCS0)_4TX	16.07	0.04046	22.79/20.88	0.19011/0.122462
802.11be EHT80_Nss4,(MCS0)_4TX	16.16	0.04130	22.88/20.97	0.19409/0.125026
802.11be EHT160_Nss4,(MCS0)_4TX	15.97	0.03954	22.69/20.78	0.18578/0.119674

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	6.72/6.46	8.39	8.82	7.63	8.35	14.34	21.06/20.80	36.00/21.00
6195MHz	Pass	6.72/6.46	8.06	8.42	8.68	7.97	14.31	21.03/20.77	36.00/21.00
6415MHz	Pass	6.72/6.46	8.92	8.61	8.53	7.68	14.48	21.20/20.94	36.00/21.00
6535MHz	Pass	6.72/4.81	10.52	9.85	10.48	9.37	16.10	22.82/20.91	36.00/21.00
6695MHz	Pass	6.72/4.81	10.33	9.97	10.18	10.04	16.15	22.87/20.96	36.00/21.00
6855MHz	Pass	6.72/4.81	10.61	9.45	9.38	10.30	15.99	22.71/20.80	36.00/21.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	6.72/6.46	8.10	8.72	8.77	8.19	14.48	21.20/20.94	36.00/21.00
6205MHz	Pass	6.72/6.46	8.71	8.67	8.34	8.06	14.47	21.19/20.93	36.00/21.00
6405MHz	Pass	6.72/6.46	8.30	8.44	8.30	8.27	14.35	21.07/20.81	36.00/21.00
6565MHz	Pass	6.72/4.81	10.39	9.18	10.38	9.86	16.00	22.72/20.81	36.00/21.00
6685MHz	Pass	6.72/4.81	10.41	9.72	9.98	9.78	16.00	22.72/20.81	36.00/21.00
6845MHz	Pass	6.72/4.81	10.10	9.77	10.31	9.99	16.07	22.79/20.88	36.00/21.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.72/6.46	8.43	8.50	8.20	8.51	14.43	21.15/20.89	36.00/21.00
6225MHz	Pass	6.72/6.46	8.95	8.12	8.73	8.11	14.51	21.23/20.97	36.00/21.00
6385MHz	Pass	6.72/6.46	9.23	8.39	7.77	8.29	14.47	21.19/20.93	36.00/21.00
6625MHz	Pass	6.72/4.81	10.15	9.73	10.27	9.58	15.96	22.68/20.77	36.00/21.00
6705MHz	Pass	6.72/4.81	10.38	9.88	10.10	10.17	16.16	22.88/20.97	36.00/21.00
6785MHz	Pass	6.72/4.81	10.92	9.74	9.75	10.03	16.16	22.88/20.97	36.00/21.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.72/6.46	8.20	8.74	8.61	8.06	14.43	21.15/20.89	36.00/21.00
6185MHz	Pass	6.72/6.46	8.32	8.73	8.50	8.11	14.44	21.16/20.90	36.00/21.00
6345MHz	Pass	6.72/6.46	8.81	8.59	8.18	8.05	14.44	21.16/20.90	36.00/21.00
6665MHz	Pass	6.72/4.81	10.12	9.91	10.10	9.65	15.97	22.69/20.78	36.00/21.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.72/6.46	8.10	8.64	8.23	8.77	14.46	21.18/20.92	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 34

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	25.46	0.35156	27.43	0.55335
802.11be EHT20_Nss1,(MCS0)_2TX	25.38	0.34514	27.35	0.54325
802.11be EHT20_Nss2,(MCS0)_2TX	28.39	0.69024	30.12	1.02802
802.11be EHT20_Nss1,(MCS0)_4TX	27.48	0.55976	29.45	0.88105
802.11be EHT20_Nss4,(MCS0)_4TX	30.42	1.10154	31.95	1.56675
802.11be EHT20-BF_Nss1,(MCS0)_2TX	25.38	0.34514	30.11	1.02565
802.11be EHT20-BF_Nss1,(MCS0)_4TX	27.48	0.55976	35.02	3.17687
802.11be EHT40_Nss1,(MCS0)_1TX	25.30	0.33884	27.27	0.53333
802.11be EHT40_Nss1,(MCS0)_2TX	25.24	0.33420	27.21	0.52602
802.11be EHT40_Nss2,(MCS0)_2TX	28.25	0.66834	29.98	0.99541
802.11be EHT40_Nss1,(MCS0)_4TX	31.04	1.27057	33.01	1.99986
802.11be EHT40_Nss4,(MCS0)_4TX	31.02	1.26474	32.55	1.79887
802.11be EHT40-BF_Nss1,(MCS0)_2TX	25.24	0.33420	29.97	0.99312
802.11be EHT40-BF_Nss1,(MCS0)_4TX	28.32	0.67920	35.86	3.85478
802.11be EHT80_Nss1,(MCS0)_1TX	25.45	0.35075	27.42	0.55208
802.11be EHT80_Nss1,(MCS0)_2TX	25.32	0.34041	27.29	0.53580
802.11be EHT80_Nss2,(MCS0)_2TX	28.33	0.68077	30.06	1.01391
802.11be EHT80_Nss1,(MCS0)_4TX	31.00	1.25893	32.97	1.98153
802.11be EHT80_Nss4,(MCS0)_4TX	30.98	1.25314	32.51	1.78238
802.11be EHT80-BF_Nss1,(MCS0)_2TX	25.32	0.34041	30.05	1.01158
802.11be EHT80-BF_Nss1,(MCS0)_4TX	28.43	0.69663	35.97	3.95367
802.11be EHT160_Nss1,(MCS0)_1TX	22.39	0.17338	24.36	0.27290
802.11be EHT160_Nss1,(MCS0)_2TX	22.04	0.15996	24.01	0.25177
802.11be EHT160_Nss2,(MCS0)_2TX	25.05	0.31989	26.78	0.47643
802.11be EHT160_Nss1,(MCS0)_4TX	27.27	0.53333	29.24	0.83946
802.11be EHT160_Nss4,(MCS0)_4TX	27.13	0.51642	28.66	0.73451
802.11be EHT160-BF_Nss1,(MCS0)_2TX	22.04	0.15996	26.77	0.47534
802.11be EHT160-BF_Nss1,(MCS0)_4TX	27.27	0.53333	34.81	3.02691
802.11be EHT320_Nss1,(MCS0)_1TX	22.03	0.15959	24.00	0.25119
802.11be EHT320_Nss1,(MCS0)_2TX	20.91	0.12331	22.88	0.19409
802.11be EHT320_Nss2,(MCS0)_2TX	23.92	0.24660	25.65	0.36728
802.11be EHT320_Nss1,(MCS0)_4TX	25.80	0.38019	27.77	0.59841
802.11be EHT320_Nss4,(MCS0)_4TX	26.05	0.40272	27.58	0.57280
802.11be EHT320-BF_Nss1,(MCS0)_2TX	20.91	0.12331	25.64	0.36644
802.11be EHT320-BF_Nss1,(MCS0)_4TX	25.80	0.38019	33.34	2.15774
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	25.43	0.34914	27.40	0.54954
802.11be EHT20_Nss1,(MCS0)_2TX	25.24	0.33420	27.21	0.52602
802.11be EHT20_Nss2,(MCS0)_2TX	28.25	0.66834	29.98	0.99541
802.11be EHT20_Nss1,(MCS0)_4TX	28.89	0.77446	30.86	1.21899
802.11be EHT20_Nss4,(MCS0)_4TX	31.14	1.30017	32.67	1.84927
802.11be EHT20-BF_Nss1,(MCS0)_2TX	25.24	0.33420	29.97	0.99312
802.11be EHT20-BF_Nss1,(MCS0)_4TX	28.43	0.69663	35.97	3.95367
802.11be EHT40_Nss1,(MCS0)_1TX	25.18	0.32961	27.15	0.51880
802.11be EHT40_Nss1,(MCS0)_2TX	25.11	0.32434	27.08	0.51050
802.11be EHT40_Nss2,(MCS0)_2TX	28.12	0.64863	29.85	0.96605
802.11be EHT40_Nss1,(MCS0)_4TX	30.85	1.21619	32.82	1.91426
802.11be EHT40_Nss4,(MCS0)_4TX	30.99	1.25603	32.52	1.78649
802.11be EHT40-BF_Nss1,(MCS0)_2TX	25.11	0.32434	29.84	0.96383
802.11be EHT40-BF_Nss1,(MCS0)_4TX	28.43	0.69663	35.97	3.95367
802.11be EHT80_Nss1,(MCS0)_1TX	25.36	0.34356	27.33	0.54075
802.11be EHT80_Nss1,(MCS0)_2TX	25.07	0.32137	27.04	0.50582
802.11be EHT80_Nss2,(MCS0)_2TX	28.08	0.64269	29.81	0.95719

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
802.11be EHT80_Nss1,(MCS0)_4TX	30.86	1.21899	32.83	1.91867
802.11be EHT80_Nss4,(MCS0)_4TX	30.98	1.25314	32.51	1.78238
802.11be EHT80-BF_Nss1,(MCS0)_2TX	25.07	0.32137	29.80	0.95499
802.11be EHT80-BF_Nss1,(MCS0)_4TX	28.43	0.69663	35.97	3.95367
802.11be EHT160_Nss1,(MCS0)_1TX	21.00	0.12589	22.97	0.19815
802.11be EHT160_Nss1,(MCS0)_2TX	21.07	0.12794	23.04	0.20137
802.11be EHT160_Nss2,(MCS0)_2TX	24.08	0.25586	25.81	0.38107
802.11be EHT160_Nss1,(MCS0)_4TX	26.50	0.44668	28.47	0.70307
802.11be EHT160_Nss4,(MCS0)_4TX	26.36	0.43251	27.89	0.61518
802.11be EHT160-BF_Nss1,(MCS0)_2TX	21.07	0.12794	25.80	0.38019
802.11be EHT160-BF_Nss1,(MCS0)_4TX	26.50	0.44668	34.04	2.53513

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.97	23.56				23.56	25.53	36.00
6195MHz	Pass	1.97	25.46				25.46	27.43	36.00
6415MHz	Pass	1.97	23.29				23.29	25.26	36.00
6535MHz	Pass	1.97	22.26				22.26	24.23	36.00
6695MHz	Pass	1.97	25.43				25.43	27.40	36.00
6855MHz	Pass	1.97	25.25				25.25	27.22	36.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.97	22.35				22.35	24.32	36.00
6205MHz	Pass	1.97	25.3				25.30	27.27	36.00
6405MHz	Pass	1.97	23.38				23.38	25.35	36.00
6565MHz	Pass	1.97	25.18				25.18	27.15	36.00
6685MHz	Pass	1.97	25.09				25.09	27.06	36.00
6845MHz	Pass	1.97	23.81				23.81	25.78	36.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.97	22.82				22.82	24.79	36.00
6225MHz	Pass	1.97	25.45				25.45	27.42	36.00
6385MHz	Pass	1.97	23.49				23.49	25.46	36.00
6625MHz	Pass	1.97	25.36				25.36	27.33	36.00
6705MHz	Pass	1.97	25.16				25.16	27.13	36.00
6785MHz	Pass	1.97	25.11				25.11	27.08	36.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.97	21.87				21.87	23.84	36.00
6185MHz	Pass	1.97	21.66				21.66	23.63	36.00
6345MHz	Pass	1.97	22.39				22.39	24.36	36.00
6665MHz	Pass	1.97	21				21.00	22.97	36.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	1.97	22.03				22.03	24.00	36.00
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.97	19.21	19.38			22.31	24.28	36.00
6195MHz	Pass	1.97	22.28	22.45			25.38	27.35	36.00
6415MHz	Pass	1.97	19.86	19.73			22.81	24.78	36.00
6535MHz	Pass	1.97	19.07	18.82			21.96	23.93	36.00
6695MHz	Pass	1.97	22.49	21.95			25.24	27.21	36.00
6855MHz	Pass	1.97	22.24	21.7			24.99	26.96	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.97	18.84	18.8			21.83	23.80	36.00
6205MHz	Pass	1.97	22.42	22.04			25.24	27.21	36.00
6405MHz	Pass	1.97	20.26	20.14			23.21	25.18	36.00
6565MHz	Pass	1.97	21.85	22.15			25.01	26.98	36.00
6685MHz	Pass	1.97	22.21	21.99			25.11	27.08	36.00
6845MHz	Pass	1.97	21.13	20.58			23.87	25.84	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.97	19.04	18.58			21.83	23.80	36.00
6225MHz	Pass	1.97	22.54	22.06			25.32	27.29	36.00
6385MHz	Pass	1.97	20.12	19.44			22.80	24.77	36.00
6625MHz	Pass	1.97	22.09	22.03			25.07	27.04	36.00
6705MHz	Pass	1.97	22.07	21.93			25.01	26.98	36.00
6785MHz	Pass	1.97	21.92	21.84			24.89	26.86	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.97	17.21	17.92			20.59	22.56	36.00
6185MHz	Pass	1.97	18.19	18.33			21.27	23.24	36.00
6345MHz	Pass	1.97	19.13	18.92			22.04	24.01	36.00
6665MHz	Pass	1.97	18.12	18			21.07	23.04	36.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-



Average Power

Appendix C.34

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	1.97	17.94	17.85			20.91	22.88	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.73	22.22	22.39			25.32	27.05	36.00
6195MHz	Pass	1.73	25.29	25.46			28.39	30.12	36.00
6415MHz	Pass	1.73	22.87	22.74			25.82	27.55	36.00
6535MHz	Pass	1.73	22.08	21.83			24.97	26.70	36.00
6695MHz	Pass	1.73	25.5	24.96			28.25	29.98	36.00
6855MHz	Pass	1.73	25.25	24.71			28.00	29.73	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.73	21.85	21.81			24.84	26.57	36.00
6205MHz	Pass	1.73	25.43	25.05			28.25	29.98	36.00
6405MHz	Pass	1.73	23.27	23.15			26.22	27.95	36.00
6565MHz	Pass	1.73	24.86	25.16			28.02	29.75	36.00
6685MHz	Pass	1.73	25.22	25			28.12	29.85	36.00
6845MHz	Pass	1.73	24.14	23.59			26.88	28.61	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.73	22.05	21.59			24.84	26.57	36.00
6225MHz	Pass	1.73	25.55	25.07			28.33	30.06	36.00
6385MHz	Pass	1.73	23.13	22.45			25.81	27.54	36.00
6625MHz	Pass	1.73	25.1	25.04			28.08	29.81	36.00
6705MHz	Pass	1.73	25.08	24.94			28.02	29.75	36.00
6785MHz	Pass	1.73	24.93	24.85			27.90	29.63	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.73	20.22	20.93			23.60	25.33	36.00
6185MHz	Pass	1.73	21.2	21.34			24.28	26.01	36.00
6345MHz	Pass	1.73	22.14	21.93			25.05	26.78	36.00
6665MHz	Pass	1.73	21.13	21.01			24.08	25.81	36.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	1.73	20.95	20.86			23.92	25.65	36.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.97	20.52	20.19	20.34	21.55	26.70	28.67	36.00
6195MHz	Pass	1.97	20.08	20.52	20.84	21.18	26.69	28.66	36.00
6415MHz	Pass	1.97	21.51	21.2	21.33	21.76	27.48	29.45	36.00
6535MHz	Pass	1.97	22.69	22.08	23.13	23.35	28.86	30.83	36.00
6695MHz	Pass	1.97	22.23	21.94	22.64	23.67	28.69	30.66	36.00
6855MHz	Pass	1.97	22.76	22.33	22.37	23.85	28.89	30.86	36.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.97	20.61	20.21	21.05	21.78	26.97	28.94	36.00
6205MHz	Pass	1.97	24.95	24.73	25.35	25.02	31.04	33.01	36.00
6405MHz	Pass	1.97	22.02	22.05	22.28	23.42	28.50	30.47	36.00
6565MHz	Pass	1.97	24.41	24.86	24.8	25.16	30.84	32.81	36.00
6685MHz	Pass	1.97	24.86	24.62	24.76	25.08	30.85	32.82	36.00
6845MHz	Pass	1.97	22.24	22.12	22.87	24.05	28.91	30.88	36.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.97	20.84	20.73	21.09	21.93	27.19	29.16	36.00
6225MHz	Pass	1.97	24.93	24.33	25.34	25.25	31.00	32.97	36.00
6385MHz	Pass	1.97	22.91	21.96	21.93	23.34	28.60	30.57	36.00
6625MHz	Pass	1.97	24.79	24.48	24.86	25.21	30.86	32.83	36.00
6705MHz	Pass	1.97	24.68	24.62	24.81	25.22	30.86	32.83	36.00
6785MHz	Pass	1.97	24.46	24.36	24.41	24.83	30.54	32.51	36.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.97	18.99	19.87	19.8	19.88	25.67	27.64	36.00
6185MHz	Pass	1.97	20.52	21	21.54	21.56	27.20	29.17	36.00
6345MHz	Pass	1.97	21.03	20.83	21.31	21.77	27.27	29.24	36.00
6665MHz	Pass	1.97	19.87	20.35	20.67	20.97	26.50	28.47	36.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-



Average Power

Appendix C.34

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	1.97	19.44	19.5	19.97	20.16	25.80	27.77	36.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.53	21.46	21.21	21.58	22.41	27.71	29.24	36.00
6195MHz	Pass	1.53	23.85	24	24.24	25.33	30.42	31.95	36.00
6415MHz	Pass	1.53	23.11	22.87	23.22	23.75	29.27	30.80	36.00
6535MHz	Pass	1.53	21.85	21.71	22.07	22.29	28.01	29.54	36.00
6695MHz	Pass	1.53	25.1	24.81	25.1	25.45	31.14	32.67	36.00
6855MHz	Pass	1.53	24.86	24.45	24.42	24.91	30.69	32.22	36.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.53	21.03	21.17	21.78	22.73	27.75	29.28	36.00
6205MHz	Pass	1.53	24.88	24.75	25.45	24.87	31.02	32.55	36.00
6405MHz	Pass	1.53	22.06	22.14	22.37	23.63	28.62	30.15	36.00
6565MHz	Pass	1.53	24.51	25.1	24.69	25.08	30.87	32.40	36.00
6685MHz	Pass	1.53	24.67	24.8	25.13	25.27	30.99	32.52	36.00
6845MHz	Pass	1.53	24.56	24.38	24.15	24.53	30.43	31.96	36.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.53	20.85	20.67	21.06	21.89	27.16	28.69	36.00
6225MHz	Pass	1.53	24.99	24.35	25.42	25.01	30.98	32.51	36.00
6385MHz	Pass	1.53	22.71	22.04	21.87	23.29	28.54	30.07	36.00
6625MHz	Pass	1.53	24.93	24.53	25.06	25.3	30.98	32.51	36.00
6705MHz	Pass	1.53	24.73	24.54	24.73	25.11	30.80	32.33	36.00
6785MHz	Pass	1.53	24.54	24.47	24.42	24.78	30.58	32.11	36.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.53	19.5	20.42	20.6	20.58	26.32	27.85	36.00
6185MHz	Pass	1.53	20.41	20.99	21.41	21.54	27.13	28.66	36.00
6345MHz	Pass	1.53	20.33	20.59	20.55	21.26	26.72	28.25	36.00
6665MHz	Pass	1.53	19.82	20.02	20.58	20.84	26.36	27.89	36.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	1.53	19.83	19.51	20.12	20.58	26.05	27.58	36.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	4.73	19.21	19.38			22.31	27.04	36.00
6195MHz	Pass	4.73	22.28	22.45			25.38	30.11	36.00
6415MHz	Pass	4.73	19.86	19.73			22.81	27.54	36.00
6535MHz	Pass	4.73	19.07	18.82			21.96	26.69	36.00
6695MHz	Pass	4.73	22.49	21.95			25.24	29.97	36.00
6855MHz	Pass	4.73	22.24	21.7			24.99	29.72	36.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	4.73	18.84	18.8			21.83	26.56	36.00
6205MHz	Pass	4.73	22.42	22.04			25.24	29.97	36.00
6405MHz	Pass	4.73	20.26	20.14			23.21	27.94	36.00
6565MHz	Pass	4.73	21.85	22.15			25.01	29.74	36.00
6685MHz	Pass	4.73	22.21	21.99			25.11	29.84	36.00
6845MHz	Pass	4.73	21.13	20.58			23.87	28.60	36.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	4.73	19.04	18.58			21.83	26.56	36.00
6225MHz	Pass	4.73	22.54	22.06			25.32	30.05	36.00
6385MHz	Pass	4.73	20.12	19.44			22.80	27.53	36.00
6625MHz	Pass	4.73	22.09	22.03			25.07	29.80	36.00
6705MHz	Pass	4.73	22.07	21.93			25.01	29.74	36.00
6785MHz	Pass	4.73	21.92	21.84			24.89	29.62	36.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	4.73	17.21	17.92			20.59	25.32	36.00
6185MHz	Pass	4.73	18.19	18.33			21.27	26.00	36.00
6345MHz	Pass	4.73	19.13	18.92			22.04	26.77	36.00
6665MHz	Pass	4.73	18.12	18			21.07	25.80	36.00
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	4.73	17.94	17.85			20.91	25.64	36.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.54	20.52	20.19	20.34	21.55	26.70	34.24	36.00
6195MHz	Pass	7.54	20.08	20.52	20.84	21.18	26.69	34.23	36.00
6415MHz	Pass	7.54	21.51	21.2	21.33	21.76	27.48	35.02	36.00
6535MHz	Pass	7.54	22.13	21.63	22.56	22.7	28.30	35.84	36.00
6695MHz	Pass	7.54	22.15	21.64	22.25	23.41	28.43	35.97	36.00
6855MHz	Pass	7.54	22.28	21.8	21.95	23.16	28.35	35.89	36.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.54	20.61	20.21	21.05	21.78	26.97	34.51	36.00
6205MHz	Pass	7.54	22.09	21.53	22.76	22.7	28.32	35.86	36.00
6405MHz	Pass	7.54	21.69	21.81	22	23.17	28.23	35.77	36.00
6565MHz	Pass	7.54	21.69	21.84	22.57	22.97	28.32	35.86	36.00
6685MHz	Pass	7.54	22.45	21.51	22.32	23.19	28.43	35.97	36.00
6845MHz	Pass	7.54	21.83	21.34	22.23	23.26	28.24	35.78	36.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.54	20.84	20.73	21.09	21.93	27.19	34.73	36.00
6225MHz	Pass	7.54	22.23	21.67	22.5	23.09	28.42	35.96	36.00
6385MHz	Pass	7.54	22.73	21.76	21.75	23.22	28.43	35.97	36.00
6625MHz	Pass	7.54	21.99	21.81	22.49	23.22	28.43	35.97	36.00
6705MHz	Pass	7.54	21.76	21.48	22.41	23.07	28.24	35.78	36.00
6785MHz	Pass	7.54	22.39	21.62	21.97	23.12	28.33	35.87	36.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.54	18.99	19.87	19.8	19.88	25.67	33.21	36.00
6185MHz	Pass	7.54	20.52	21	21.54	21.56	27.20	34.74	36.00
6345MHz	Pass	7.54	21.03	20.83	21.31	21.77	27.27	34.81	36.00
6665MHz	Pass	7.54	19.87	20.35	20.67	20.97	26.50	34.04	36.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.54	19.44	19.5	19.97	20.16	25.80	33.34	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 35

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	22.35	0.17179	24.32/20.91	0.27040/0.123310
802.11be EHT40_Nss1,(MCS0)_1TX	22.35	0.17179	24.32/20.91	0.27040/0.123310
802.11be EHT80_Nss1,(MCS0)_1TX	22.40	0.17378	24.37/20.96	0.27353/0.124738
802.11be EHT160_Nss1,(MCS0)_1TX	22.39	0.17338	24.36/20.95	0.27290/0.124451
802.11be EHT320_Nss1,(MCS0)_1TX	22.03	0.15959	24.00/20.59	0.25119/0.114551
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	24.54	0.28445	26.51/20.76	0.44771/0.119124
802.11be EHT40_Nss1,(MCS0)_1TX	24.63	0.29040	26.60/20.85	0.45709/0.121619
802.11be EHT80_Nss1,(MCS0)_1TX	24.55	0.28510	26.52/20.77	0.44875/0.119399
802.11be EHT160_Nss1,(MCS0)_1TX	21.00	0.12589	22.97/17.22	0.19815/0.052723

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	1.97/-1.44	22.35	22.35	24.32/20.91	36.00/21.00
6195MHz	Pass	1.97/-1.44	22.29	22.29	24.26/20.85	36.00/21.00
6415MHz	Pass	1.97/-1.44	22.20	22.20	24.17/20.76	36.00/21.00
6535MHz	Pass	1.97/-3.78	22.26	22.26	24.23/18.48	36.00/21.00
6695MHz	Pass	1.97/-3.78	24.41	24.41	26.38/20.63	36.00/21.00
6855MHz	Pass	1.97/-3.78	24.54	24.54	26.51/20.76	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	1.97/-1.44	22.35	22.35	24.32/20.91	36.00/21.00
6205MHz	Pass	1.97/-1.44	22.19	22.19	24.16/20.75	36.00/21.00
6405MHz	Pass	1.97/-1.44	22.23	22.23	24.20/20.79	36.00/21.00
6565MHz	Pass	1.97/-3.78	24.58	24.58	26.55/20.80	36.00/21.00
6685MHz	Pass	1.97/-3.78	24.63	24.63	26.60/20.85	36.00/21.00
6845MHz	Pass	1.97/-3.78	23.81	23.81	25.78/20.03	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	1.97/-1.44	22.23	22.23	24.20/20.79	36.00/21.00
6225MHz	Pass	1.97/-1.44	22.13	22.13	24.10/20.69	36.00/21.00
6385MHz	Pass	1.97/-1.44	22.40	22.40	24.37/20.96	36.00/21.00
6625MHz	Pass	1.97/-3.78	24.48	24.48	26.45/20.70	36.00/21.00
6705MHz	Pass	1.97/-3.78	24.39	24.39	26.36/20.61	36.00/21.00
6785MHz	Pass	1.97/-3.78	24.55	24.55	26.52/20.77	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	1.97/-1.44	21.87	21.87	23.84/20.43	36.00/21.00
6185MHz	Pass	1.97/-1.44	21.66	21.66	23.63/20.22	36.00/21.00
6345MHz	Pass	1.97/-1.44	22.39	22.39	24.36/20.95	36.00/21.00
6665MHz	Pass	1.97/-3.78	21.00	21.00	22.97/17.22	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6105MHz	Pass	1.97/-1.44	22.03	22.03	24.00/20.59	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 36

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	19.06	0.08054	21.03/18.07	0.12677/0.064121
802.11be EHT20-BF_Nss1,(MCS0)_2TX	19.06	0.08054	23.79/20.86	0.23933/0.121899
802.11be EHT40_Nss1,(MCS0)_2TX	19.10	0.08128	21.07/18.11	0.12794/0.064714
802.11be EHT40-BF_Nss1,(MCS0)_2TX	19.10	0.08128	23.83/20.90	0.24155/0.123027
802.11be EHT80_Nss1,(MCS0)_2TX	19.17	0.08260	21.14/18.18	0.13002/0.065766
802.11be EHT80-BF_Nss1,(MCS0)_2TX	19.17	0.08260	23.90/20.97	0.24547/0.125026
802.11be EHT160_Nss1,(MCS0)_2TX	19.10	0.08128	21.07/18.11	0.12794/0.064714
802.11be EHT160-BF_Nss1,(MCS0)_2TX	19.10	0.08128	23.83/20.90	0.24155/0.123027
802.11be EHT320_Nss1,(MCS0)_2TX	19.05	0.08035	21.02/18.06	0.12647/0.063973
802.11be EHT320-BF_Nss1,(MCS0)_2TX	19.05	0.08035	23.78/20.85	0.23878/0.121619
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	20.60	0.11482	22.57/18.66	0.18072/0.073451
802.11be EHT20-BF_Nss1,(MCS0)_2TX	20.60	0.11482	25.33/20.80	0.34119/0.120226
802.11be EHT40_Nss1,(MCS0)_2TX	20.70	0.11749	22.67/18.76	0.18493/0.075162
802.11be EHT40-BF_Nss1,(MCS0)_2TX	20.70	0.11749	25.43/20.90	0.34914/0.123027
802.11be EHT80_Nss1,(MCS0)_2TX	20.61	0.11508	22.58/18.67	0.18113/0.073621
802.11be EHT80-BF_Nss1,(MCS0)_2TX	20.61	0.11508	25.34/20.81	0.34198/0.120504
802.11be EHT160_Nss1,(MCS0)_2TX	20.51	0.11246	22.48/18.57	0.17701/0.071945
802.11be EHT160-BF_Nss1,(MCS0)_2TX	20.51	0.11246	25.24/20.71	0.33420/0.117761

**Result**

Mode	Result	DG Gain [Power] / Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	1.97/-0.99	15.97	15.96	18.98	20.95/17.99	36.00/21.00
6195MHz	Pass	1.97/-0.99	16.08	16.02	19.06	21.03/18.07	36.00/21.00
6415MHz	Pass	1.97/-0.99	16.44	15.62	19.06	21.03/18.07	36.00/21.00
6535MHz	Pass	1.97/-1.94	17.79	17.37	20.60	22.57/18.66	36.00/21.00
6695MHz	Pass	1.97/-1.94	17.64	17.47	20.57	22.54/18.63	36.00/21.00
6855MHz	Pass	1.97/-1.94	18.00	16.96	20.52	22.49/18.58	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	1.97/-0.99	16.02	16.12	19.08	21.05/18.09	36.00/21.00
6205MHz	Pass	1.97/-0.99	16.23	15.94	19.10	21.07/18.11	36.00/21.00
6405MHz	Pass	1.97/-0.99	15.94	16.06	19.01	20.98/18.02	36.00/21.00
6565MHz	Pass	1.97/-1.94	17.65	17.38	20.53	22.50/18.59	36.00/21.00
6685MHz	Pass	1.97/-1.94	18.02	16.90	20.51	22.48/18.57	36.00/21.00
6845MHz	Pass	1.97/-1.94	17.94	17.43	20.70	22.67/18.76	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	1.97/-0.99	16.03	15.94	19.00	20.97/18.01	36.00/21.00
6225MHz	Pass	1.97/-0.99	16.23	15.94	19.10	21.07/18.11	36.00/21.00
6385MHz	Pass	1.97/-0.99	16.51	15.77	19.17	21.14/18.18	36.00/21.00
6625MHz	Pass	1.97/-1.94	17.68	17.32	20.51	22.48/18.57	36.00/21.00
6705MHz	Pass	1.97/-1.94	17.82	17.36	20.61	22.58/18.67	36.00/21.00
6785MHz	Pass	1.97/-1.94	17.97	17.20	20.61	22.58/18.67	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	1.97/-0.99	15.56	16.52	19.08	21.05/18.09	36.00/21.00
6185MHz	Pass	1.97/-0.99	15.94	16.24	19.10	21.07/18.11	36.00/21.00
6345MHz	Pass	1.97/-0.99	16.06	15.86	18.97	20.94/17.98	36.00/21.00
6665MHz	Pass	1.97/-1.94	17.37	17.62	20.51	22.48/18.57	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	1.97/-0.99	16.09	15.98	19.05	21.02/18.06	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	4.73/1.80	15.97	15.96	18.98	23.71/20.78	36.00/21.00
6195MHz	Pass	4.73/1.80	16.08	16.02	19.06	23.79/20.86	36.00/21.00
6415MHz	Pass	4.73/1.80	16.44	15.62	19.06	23.79/20.86	36.00/21.00
6535MHz	Pass	4.73/0.20	17.79	17.37	20.60	25.33/20.80	36.00/21.00
6695MHz	Pass	4.73/0.20	17.64	17.47	20.57	25.30/20.77	36.00/21.00
6855MHz	Pass	4.73/0.20	18.00	16.96	20.52	25.25/20.72	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	4.73/1.80	16.02	16.12	19.08	23.81/20.88	36.00/21.00
6205MHz	Pass	4.73/1.80	16.23	15.94	19.10	23.83/20.90	36.00/21.00
6405MHz	Pass	4.73/1.80	15.94	16.06	19.01	23.74/20.81	36.00/21.00
6565MHz	Pass	4.73/0.20	17.65	17.38	20.53	25.26/20.73	36.00/21.00
6685MHz	Pass	4.73/0.20	18.02	16.90	20.51	25.24/20.71	36.00/21.00
6845MHz	Pass	4.73/0.20	17.94	17.43	20.70	25.43/20.90	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	4.73/1.80	16.03	15.94	19.00	23.73/20.80	36.00/21.00
6225MHz	Pass	4.73/1.80	16.23	15.94	19.10	23.83/20.90	36.00/21.00
6385MHz	Pass	4.73/1.80	16.51	15.77	19.17	23.90/20.97	36.00/21.00
6625MHz	Pass	4.73/0.20	17.68	17.32	20.51	25.24/20.71	36.00/21.00
6705MHz	Pass	4.73/0.20	17.82	17.36	20.61	25.34/20.81	36.00/21.00
6785MHz	Pass	4.73/0.20	17.97	17.20	20.61	25.34/20.81	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	4.73/1.80	15.56	16.52	19.08	23.81/20.88	36.00/21.00
6185MHz	Pass	4.73/1.80	15.94	16.24	19.10	23.83/20.90	36.00/21.00
6345MHz	Pass	4.73/1.80	16.06	15.86	18.97	23.70/20.77	36.00/21.00
6665MHz	Pass	4.73/0.20	17.37	17.62	20.51	25.24/20.71	36.00/21.00



Average Power

Appendix C.36

Mode	Result	DG Gain [Power] / Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	4.73/1.80	16.09	15.98	19.05	23.78/20.85	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 37

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	22.07	0.16106	23.80/20.86	0.23988/0.121899
802.11be EHT40_Nss2,(MCS0)_2TX	22.11	0.16255	23.84/20.90	0.24210/0.123027
802.11be EHT80_Nss2,(MCS0)_2TX	22.18	0.16520	23.91/20.97	0.24604/0.125026
802.11be EHT160_Nss2,(MCS0)_2TX	22.11	0.16255	23.84/20.90	0.24210/0.123027
802.11be EHT320_Nss2,(MCS0)_2TX	22.06	0.16069	23.79/20.85	0.23933/0.121619
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	23.61	0.22961	25.34/20.85	0.34198/0.121619
802.11be EHT40_Nss2,(MCS0)_2TX	23.71	0.23496	25.44/20.95	0.34995/0.124451
802.11be EHT80_Nss2,(MCS0)_2TX	23.62	0.23014	25.35/20.86	0.34277/0.121899
802.11be EHT160_Nss2,(MCS0)_2TX	23.52	0.22491	25.25/20.76	0.33497/0.119124

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	1.73/-1.21	18.98	18.97	21.99	23.72/20.78	36.00/21.00
6195MHz	Pass	1.73/-1.21	19.09	19.03	22.07	23.80/20.86	36.00/21.00
6415MHz	Pass	1.73/-1.21	19.45	18.63	22.07	23.80/20.86	36.00/21.00
6535MHz	Pass	1.73/-2.76	20.80	20.38	23.61	25.34/20.85	36.00/21.00
6695MHz	Pass	1.73/-2.76	20.65	20.48	23.58	25.31/20.82	36.00/21.00
6855MHz	Pass	1.73/-2.76	21.01	19.97	23.53	25.26/20.77	36.00/21.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	1.73/-1.21	19.03	19.13	22.09	23.82/20.88	36.00/21.00
6205MHz	Pass	1.73/-1.21	19.24	18.95	22.11	23.84/20.90	36.00/21.00
6405MHz	Pass	1.73/-1.21	18.95	19.07	22.02	23.75/20.81	36.00/21.00
6565MHz	Pass	1.73/-2.76	20.66	20.39	23.54	25.27/20.78	36.00/21.00
6685MHz	Pass	1.73/-2.76	21.03	19.91	23.52	25.25/20.76	36.00/21.00
6845MHz	Pass	1.73/-2.76	20.95	20.44	23.71	25.44/20.95	36.00/21.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	1.73/-1.21	19.04	18.95	22.01	23.74/20.80	36.00/21.00
6225MHz	Pass	1.73/-1.21	19.24	18.95	22.11	23.84/20.90	36.00/21.00
6385MHz	Pass	1.73/-1.21	19.52	18.78	22.18	23.91/20.97	36.00/21.00
6625MHz	Pass	1.73/-2.76	20.69	20.33	23.52	25.25/20.76	36.00/21.00
6705MHz	Pass	1.73/-2.76	20.83	20.37	23.62	25.35/20.86	36.00/21.00
6785MHz	Pass	1.73/-2.76	20.98	20.21	23.62	25.35/20.86	36.00/21.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	1.73/-1.21	18.57	19.53	22.09	23.82/20.88	36.00/21.00
6185MHz	Pass	1.73/-1.21	18.95	19.25	22.11	23.84/20.90	36.00/21.00
6345MHz	Pass	1.73/-1.21	19.07	18.87	21.98	23.71/20.77	36.00/21.00
6665MHz	Pass	1.73/-2.76	20.38	20.63	23.52	25.25/20.76	36.00/21.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	1.73/-1.21	19.10	18.99	22.06	23.79/20.85	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 38

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	21.86	0.15346	23.83/20.87	0.24155/0.122180
802.11be EHT20-BF_Nss1,(MCS0)_4TX	17.06	0.05082	24.60/20.96	0.28840/0.124738
802.11be EHT40_Nss1,(MCS0)_4TX	21.96	0.15704	23.93/20.97	0.24717/0.125026
802.11be EHT40-BF_Nss1,(MCS0)_4TX	16.95	0.04955	24.49/20.85	0.28119/0.121619
802.11be EHT80_Nss1,(MCS0)_4TX	21.90	0.15488	23.87/20.91	0.24378/0.123310
802.11be EHT80-BF_Nss1,(MCS0)_4TX	17.06	0.05082	24.60/20.96	0.28840/0.124738
802.11be EHT160_Nss1,(MCS0)_4TX	21.92	0.15560	23.89/20.93	0.24491/0.123880
802.11be EHT160-BF_Nss1,(MCS0)_4TX	17.04	0.05058	24.58/20.94	0.28708/0.124165
802.11be EHT320_Nss1,(MCS0)_4TX	21.94	0.15631	23.91/20.95	0.24604/0.124451
802.11be EHT320-BF_Nss1,(MCS0)_4TX	16.97	0.04977	24.51/20.87	0.28249/0.122180
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	22.78	0.18967	24.75/20.84	0.29854/0.121339
802.11be EHT20-BF_Nss1,(MCS0)_4TX	17.46	0.05572	25.00/20.95	0.31623/0.124451
802.11be EHT40_Nss1,(MCS0)_4TX	22.84	0.19231	24.81/20.90	0.30269/0.123027
802.11be EHT40-BF_Nss1,(MCS0)_4TX	17.43	0.05534	24.97/20.92	0.31405/0.123595
802.11be EHT80_Nss1,(MCS0)_4TX	22.82	0.19143	24.79/20.88	0.30130/0.122462
802.11be EHT80-BF_Nss1,(MCS0)_4TX	17.46	0.05572	25.00/20.95	0.31623/0.124451
802.11be EHT160_Nss1,(MCS0)_4TX	22.89	0.19454	24.86/20.95	0.30620/0.124451
802.11be EHT160-BF_Nss1,(MCS0)_4TX	17.27	0.05333	24.81/20.76	0.30269/0.119124

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.97/-0.99	15.71	15.68	15.71	16.20	21.85	23.82/20.86	36.00/21.00
6195MHz	Pass	1.97/-0.99	15.83	15.93	15.77	15.82	21.86	23.83/20.87	36.00/21.00
6415MHz	Pass	1.97/-0.99	16.13	15.50	15.84	15.52	21.78	23.75/20.79	36.00/21.00
6535MHz	Pass	1.97/-1.94	16.75	16.41	17.07	16.77	22.78	24.75/20.84	36.00/21.00
6695MHz	Pass	1.97/-1.94	16.65	16.35	16.84	17.03	22.75	24.72/20.81	36.00/21.00
6855MHz	Pass	1.97/-1.94	16.73	16.14	16.22	17.50	22.70	24.67/20.76	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.97/-0.99	15.60	15.54	15.90	16.13	21.82	23.79/20.83	36.00/21.00
6205MHz	Pass	1.97/-0.99	15.82	15.68	16.35	15.88	21.96	23.93/20.97	36.00/21.00
6405MHz	Pass	1.97/-0.99	15.78	15.54	15.71	16.14	21.82	23.79/20.83	36.00/21.00
6565MHz	Pass	1.97/-1.94	16.60	16.37	17.10	17.17	22.84	24.81/20.90	36.00/21.00
6685MHz	Pass	1.97/-1.94	16.95	16.31	16.69	17.22	22.83	24.80/20.89	36.00/21.00
6845MHz	Pass	1.97/-1.94	16.39	16.26	16.94	17.35	22.78	24.75/20.84	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.97/-0.99	15.79	15.41	15.54	16.31	21.80	23.77/20.81	36.00/21.00
6225MHz	Pass	1.97/-0.99	15.84	15.55	15.77	15.84	21.77	23.74/20.78	36.00/21.00
6385MHz	Pass	1.97/-0.99	16.40	15.84	15.19	16.00	21.90	23.87/20.91	36.00/21.00
6625MHz	Pass	1.97/-1.94	16.62	16.35	16.93	17.13	22.79	24.76/20.85	36.00/21.00
6705MHz	Pass	1.97/-1.94	16.67	16.36	16.94	17.13	22.81	24.78/20.87	36.00/21.00
6785MHz	Pass	1.97/-1.94	17.17	16.31	16.41	17.23	22.82	24.79/20.88	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.97/-0.99	15.09	16.20	15.79	15.76	21.75	23.72/20.76	36.00/21.00
6185MHz	Pass	1.97/-0.99	15.59	15.90	16.13	15.95	21.92	23.89/20.93	36.00/21.00
6345MHz	Pass	1.97/-0.99	15.90	15.41	15.86	15.97	21.81	23.78/20.82	36.00/21.00
6665MHz	Pass	1.97/-1.94	16.50	16.71	17.02	17.20	22.89	24.86/20.95	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	1.97/-0.99	15.90	15.77	15.87	16.12	21.94	23.91/20.95	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.54/3.90	11.03	11.19	10.39	11.00	16.93	24.47/20.83	36.00/21.00
6195MHz	Pass	7.54/3.90	11.10	11.22	11.07	10.75	17.06	24.60/20.96	36.00/21.00
6415MHz	Pass	7.54/3.90	11.98	10.79	10.68	10.48	17.04	24.58/20.94	36.00/21.00
6535MHz	Pass	7.54/3.49	11.66	10.99	11.48	10.87	17.28	24.82/20.77	36.00/21.00
6695MHz	Pass	7.54/3.49	11.81	11.24	11.19	11.48	17.46	25.00/20.95	36.00/21.00
6855MHz	Pass	7.54/3.49	11.64	10.79	10.98	11.80	17.34	24.88/20.83	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.54/3.90	10.95	10.90	10.80	10.81	16.89	24.43/20.79	36.00/21.00
6205MHz	Pass	7.54/3.90	10.89	10.68	11.22	10.56	16.87	24.41/20.77	36.00/21.00
6405MHz	Pass	7.54/3.90	11.23	10.98	10.70	10.80	16.95	24.49/20.85	36.00/21.00
6565MHz	Pass	7.54/3.49	11.42	11.09	11.57	11.07	17.31	24.85/20.80	36.00/21.00
6685MHz	Pass	7.54/3.49	11.76	10.89	11.39	11.45	17.40	24.94/20.89	36.00/21.00
6845MHz	Pass	7.54/3.49	11.42	11.00	11.61	11.58	17.43	24.97/20.92	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.54/3.90	11.15	10.90	10.62	11.21	17.00	24.54/20.90	36.00/21.00
6225MHz	Pass	7.54/3.90	11.35	10.93	11.02	10.82	17.06	24.60/20.96	36.00/21.00
6385MHz	Pass	7.54/3.90	11.67	11.10	9.95	10.55	16.88	24.42/20.78	36.00/21.00
6625MHz	Pass	7.54/3.49	11.45	11.01	11.35	11.24	17.29	24.83/20.78	36.00/21.00
6705MHz	Pass	7.54/3.49	11.55	11.05	11.39	11.32	17.35	24.89/20.84	36.00/21.00
6785MHz	Pass	7.54/3.49	12.21	11.06	11.05	11.33	17.46	25.00/20.95	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.54/3.90	10.67	11.37	11.10	10.70	16.99	24.53/20.89	36.00/21.00
6185MHz	Pass	7.54/3.90	10.93	10.98	11.06	10.70	16.94	24.48/20.84	36.00/21.00
6345MHz	Pass	7.54/3.90	11.32	11.05	10.74	10.93	17.04	24.58/20.94	36.00/21.00
6665MHz	Pass	7.54/3.49	11.43	11.15	11.39	11.02	17.27	24.81/20.76	36.00/21.00



Average Power

Appendix C.38

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.54/3.90	11.02	11.36	10.62	10.76	16.97	24.51/20.87	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 39

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	22.90	0.19498	24.43/20.85	0.27733/0.121619
802.11be EHT40_Nss4,(MCS0)_4TX	22.96	0.19770	24.49/20.91	0.28119/0.123310
802.11be EHT80_Nss4,(MCS0)_4TX	22.97	0.19815	24.50/20.92	0.28184/0.123595
802.11be EHT160_Nss4,(MCS0)_4TX	22.89	0.19454	24.42/20.84	0.27669/0.121339
802.11be EHT320_Nss4,(MCS0)_4TX	22.93	0.19634	24.46/20.88	0.27925/0.122462
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	23.40	0.21878	24.93/20.90	0.31117/0.123027
802.11be EHT40_Nss4,(MCS0)_4TX	23.33	0.21528	24.86/20.83	0.30620/0.121060
802.11be EHT80_Nss4,(MCS0)_4TX	23.34	0.21577	24.87/20.84	0.30690/0.121339
802.11be EHT160_Nss4,(MCS0)_4TX	23.28	0.21281	24.81/20.78	0.30269/0.119674

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.53/-2.05	16.44	16.70	16.43	17.30	22.75	24.28/20.70	36.00/21.00
6195MHz	Pass	1.53/-2.05	16.68	16.88	16.92	17.03	22.90	24.43/20.85	36.00/21.00
6415MHz	Pass	1.53/-2.05	17.15	16.65	16.76	16.66	22.83	24.36/20.78	36.00/21.00
6535MHz	Pass	1.53/-2.50	17.38	17.09	17.55	17.33	23.36	24.89/20.86	36.00/21.00
6695MHz	Pass	1.53/-2.50	17.25	16.96	17.31	17.68	23.33	24.86/20.83	36.00/21.00
6855MHz	Pass	1.53/-2.50	17.52	16.59	17.01	18.24	23.40	24.93/20.90	36.00/21.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.53/-2.05	16.77	16.45	16.79	17.08	22.80	24.33/20.75	36.00/21.00
6205MHz	Pass	1.53/-2.05	16.73	16.36	17.30	17.08	22.90	24.43/20.85	36.00/21.00
6405MHz	Pass	1.53/-2.05	16.88	16.85	16.62	17.38	22.96	24.49/20.91	36.00/21.00
6565MHz	Pass	1.53/-2.50	17.23	16.74	17.75	17.47	23.33	24.86/20.83	36.00/21.00
6685MHz	Pass	1.53/-2.50	17.29	16.40	17.20	17.98	23.27	24.80/20.77	36.00/21.00
6845MHz	Pass	1.53/-2.50	16.99	16.77	17.47	17.79	23.29	24.82/20.79	36.00/21.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.53/-2.05	16.65	16.46	16.78	17.55	22.90	24.43/20.85	36.00/21.00
6225MHz	Pass	1.53/-2.05	16.89	16.72	17.02	17.09	22.95	24.48/20.90	36.00/21.00
6385MHz	Pass	1.53/-2.05	17.43	16.75	16.41	17.12	22.97	24.50/20.92	36.00/21.00
6625MHz	Pass	1.53/-2.50	17.11	16.75	17.51	17.82	23.34	24.87/20.84	36.00/21.00
6705MHz	Pass	1.53/-2.50	17.13	16.85	17.27	17.79	23.29	24.82/20.79	36.00/21.00
6785MHz	Pass	1.53/-2.50	17.61	16.73	17.15	17.60	23.31	24.84/20.81	36.00/21.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.53/-2.05	16.30	17.04	17.11	16.87	22.86	24.39/20.81	36.00/21.00
6185MHz	Pass	1.53/-2.05	16.43	16.68	17.06	17.08	22.84	24.37/20.79	36.00/21.00
6345MHz	Pass	1.53/-2.05	16.77	16.75	16.83	17.13	22.89	24.42/20.84	36.00/21.00
6665MHz	Pass	1.53/-2.50	16.99	17.08	17.42	17.51	23.28	24.81/20.78	36.00/21.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	1.53/-2.05	16.92	16.78	17.10	16.85	22.93	24.46/20.88	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 40

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	20.34	0.10814	22.31/20.78	0.17022/0.119674
802.11be EHT40_Nss1,(MCS0)_1TX	20.44	0.11066	22.41/20.88	0.17418/0.122462
802.11be EHT80_Nss1,(MCS0)_1TX	20.40	0.10965	22.37/20.84	0.17258/0.121339
802.11be EHT160_Nss1,(MCS0)_1TX	20.47	0.11143	22.44/20.91	0.17539/0.123310
802.11be EHT320_Nss1,(MCS0)_1TX	20.31	0.10740	22.28/20.75	0.16904/0.118850
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	19.04	0.08017	21.01/20.91	0.12618/0.123310
802.11be EHT40_Nss1,(MCS0)_1TX	19.01	0.07962	20.98/20.88	0.12531/0.122462
802.11be EHT80_Nss1,(MCS0)_1TX	19.01	0.07962	20.98/20.88	0.12531/0.122462
802.11be EHT160_Nss1,(MCS0)_1TX	18.96	0.07870	20.93/20.83	0.12388/0.121060

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	1.97/0.44	20.34	20.34	22.31/20.78	36.00/21.00
6195MHz	Pass	1.97/0.44	20.33	20.33	22.30/20.77	36.00/21.00
6415MHz	Pass	1.97/0.44	20.31	20.31	22.28/20.75	36.00/21.00
6535MHz	Pass	1.97/1.87	19.04	19.04	21.01/20.91	36.00/21.00
6695MHz	Pass	1.97/1.87	18.89	18.89	20.86/20.76	36.00/21.00
6855MHz	Pass	1.97/1.87	18.94	18.94	20.91/20.81	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	1.97/0.44	20.44	20.44	22.41/20.88	36.00/21.00
6205MHz	Pass	1.97/0.44	20.29	20.29	22.26/20.73	36.00/21.00
6405MHz	Pass	1.97/0.44	20.37	20.37	22.34/20.81	36.00/21.00
6565MHz	Pass	1.97/1.87	18.92	18.92	20.89/20.79	36.00/21.00
6685MHz	Pass	1.97/1.87	18.96	18.96	20.93/20.83	36.00/21.00
6845MHz	Pass	1.97/1.87	19.01	19.01	20.98/20.88	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	1.97/0.44	20.39	20.39	22.36/20.83	36.00/21.00
6225MHz	Pass	1.97/0.44	20.31	20.31	22.28/20.75	36.00/21.00
6385MHz	Pass	1.97/0.44	20.40	20.40	22.37/20.84	36.00/21.00
6625MHz	Pass	1.97/1.87	19.01	19.01	20.98/20.88	36.00/21.00
6705MHz	Pass	1.97/1.87	18.88	18.88	20.85/20.75	36.00/21.00
6785MHz	Pass	1.97/1.87	18.99	18.99	20.96/20.86	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	1.97/0.44	20.34	20.34	22.31/20.78	36.00/21.00
6185MHz	Pass	1.97/0.44	20.37	20.37	22.34/20.81	36.00/21.00
6345MHz	Pass	1.97/0.44	20.47	20.47	22.44/20.91	36.00/21.00
6665MHz	Pass	1.97/1.87	18.96	18.96	20.93/20.83	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6105MHz	Pass	1.97/0.44	20.31	20.31	22.28/20.75	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 41

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	17.64	0.05808	19.61/18.08	0.09141/0.064269
802.11be EHT20-BF_Nss1,(MCS0)_2TX	17.64	0.05808	22.37/20.79	0.17258/0.119950
802.11be EHT40_Nss1,(MCS0)_2TX	17.79	0.06012	19.76/18.23	0.09462/0.066527
802.11be EHT40-BF_Nss1,(MCS0)_2TX	17.79	0.06012	22.52/20.94	0.17865/0.124165
802.11be EHT80_Nss1,(MCS0)_2TX	17.76	0.05970	19.73/18.20	0.09397/0.066069
802.11be EHT80-BF_Nss1,(MCS0)_2TX	17.76	0.05970	22.49/20.91	0.17742/0.123310
802.11be EHT160_Nss1,(MCS0)_2TX	17.68	0.05861	19.65/18.12	0.09226/0.064863
802.11be EHT160-BF_Nss1,(MCS0)_2TX	17.68	0.05861	22.41/20.83	0.17418/0.121060
802.11be EHT320_Nss1,(MCS0)_2TX	17.66	0.05834	19.63/18.10	0.09183/0.064565
802.11be EHT320-BF_Nss1,(MCS0)_2TX	17.66	0.05834	22.39/20.81	0.17338/0.120504
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	16.40	0.04365	18.37/18.27	0.06871/0.067143
802.11be EHT20-BF_Nss1,(MCS0)_2TX	16.40	0.04365	21.13/20.83	0.12972/0.121060
802.11be EHT40_Nss1,(MCS0)_2TX	16.52	0.04487	18.49/18.39	0.07063/0.069024
802.11be EHT40-BF_Nss1,(MCS0)_2TX	16.52	0.04487	21.25/20.95	0.13335/0.124451
802.11be EHT80_Nss1,(MCS0)_2TX	16.44	0.04406	18.41/18.31	0.06934/0.067764
802.11be EHT80-BF_Nss1,(MCS0)_2TX	16.44	0.04406	21.17/20.87	0.13092/0.122180
802.11be EHT160_Nss1,(MCS0)_2TX	16.41	0.04375	18.38/18.28	0.06887/0.067298
802.11be EHT160-BF_Nss1,(MCS0)_2TX	16.41	0.04375	21.14/20.84	0.13002/0.121339

Result

Mode	Result	DG Gain [Power] / Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	1.97/0.44	14.43	14.74	17.60	19.57/18.04	36.00/21.00
6195MHz	Pass	1.97/0.44	14.71	14.55	17.64	19.61/18.08	36.00/21.00
6415MHz	Pass	1.97/0.44	15.04	14.09	17.60	19.57/18.04	36.00/21.00
6535MHz	Pass	1.97/1.87	13.49	13.27	16.39	18.36/18.26	36.00/21.00
6695MHz	Pass	1.97/1.87	13.65	13.05	16.37	18.34/18.24	36.00/21.00
6855MHz	Pass	1.97/1.87	13.67	13.08	16.40	18.37/18.27	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	1.97/0.44	14.73	14.64	17.70	19.67/18.14	36.00/21.00
6205MHz	Pass	1.97/0.44	14.84	14.65	17.76	19.73/18.20	36.00/21.00
6405MHz	Pass	1.97/0.44	14.84	14.72	17.79	19.76/18.23	36.00/21.00
6565MHz	Pass	1.97/1.87	13.43	13.26	16.36	18.33/18.23	36.00/21.00
6685MHz	Pass	1.97/1.87	13.93	13.05	16.52	18.49/18.39	36.00/21.00
6845MHz	Pass	1.97/1.87	13.49	13.27	16.39	18.36/18.26	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	1.97/0.44	14.90	14.59	17.76	19.73/18.20	36.00/21.00
6225MHz	Pass	1.97/0.44	14.92	14.53	17.74	19.71/18.18	36.00/21.00
6385MHz	Pass	1.97/0.44	15.08	14.37	17.75	19.72/18.19	36.00/21.00
6625MHz	Pass	1.97/1.87	13.43	13.38	16.42	18.39/18.29	36.00/21.00
6705MHz	Pass	1.97/1.87	13.52	13.33	16.44	18.41/18.31	36.00/21.00
6785MHz	Pass	1.97/1.87	13.83	12.92	16.41	18.38/18.28	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	1.97/0.44	14.12	15.07	17.63	19.60/18.07	36.00/21.00
6185MHz	Pass	1.97/0.44	14.54	14.80	17.68	19.65/18.12	36.00/21.00
6345MHz	Pass	1.97/0.44	14.82	14.39	17.62	19.59/18.06	36.00/21.00
6665MHz	Pass	1.97/1.87	13.42	13.38	16.41	18.38/18.28	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	1.97/0.44	14.74	14.56	17.66	19.63/18.10	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	4.73/3.15	14.43	14.74	17.60	22.33/20.75	36.00/21.00
6195MHz	Pass	4.73/3.15	14.71	14.55	17.64	22.37/20.79	36.00/21.00
6415MHz	Pass	4.73/3.15	15.04	14.09	17.60	22.33/20.75	36.00/21.00
6535MHz	Pass	4.73/4.43	13.49	13.27	16.39	21.12/20.82	36.00/21.00
6695MHz	Pass	4.73/4.43	13.65	13.05	16.37	21.10/20.80	36.00/21.00
6855MHz	Pass	4.73/4.43	13.67	13.08	16.40	21.13/20.83	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	4.73/3.15	14.73	14.64	17.70	22.43/20.85	36.00/21.00
6205MHz	Pass	4.73/3.15	14.84	14.65	17.76	22.49/20.91	36.00/21.00
6405MHz	Pass	4.73/3.15	14.84	14.72	17.79	22.52/20.94	36.00/21.00
6565MHz	Pass	4.73/4.43	13.43	13.26	16.36	21.09/20.79	36.00/21.00
6685MHz	Pass	4.73/4.43	13.93	13.05	16.52	21.25/20.95	36.00/21.00
6845MHz	Pass	4.73/4.43	13.49	13.27	16.39	21.12/20.82	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	4.73/3.15	14.90	14.59	17.76	22.49/20.91	36.00/21.00
6225MHz	Pass	4.73/3.15	14.92	14.53	17.74	22.47/20.89	36.00/21.00
6385MHz	Pass	4.73/3.15	15.08	14.37	17.75	22.48/20.90	36.00/21.00
6625MHz	Pass	4.73/4.43	13.43	13.38	16.42	21.15/20.85	36.00/21.00
6705MHz	Pass	4.73/4.43	13.52	13.33	16.44	21.17/20.87	36.00/21.00
6785MHz	Pass	4.73/4.43	13.83	12.92	16.41	21.14/20.84	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	4.73/3.15	14.12	15.07	17.63	22.36/20.78	36.00/21.00
6185MHz	Pass	4.73/3.15	14.54	14.80	17.68	22.41/20.83	36.00/21.00
6345MHz	Pass	4.73/3.15	14.82	14.39	17.62	22.35/20.77	36.00/21.00
6665MHz	Pass	4.73/4.43	13.42	13.38	16.41	21.14/20.84	36.00/21.00



Average Power

Appendix C.41

Mode	Result	DG Gain [Power] / Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	4.73/3.15	14.74	14.56	17.66	22.39/20.81	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 42

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	20.65	0.11614	22.38/20.80	0.17298/0.120226
802.11be EHT40_Nss2,(MCS0)_2TX	20.80	0.12023	22.53/20.95	0.17906/0.124451
802.11be EHT80_Nss2,(MCS0)_2TX	20.77	0.11940	22.50/20.92	0.17783/0.123595
802.11be EHT160_Nss2,(MCS0)_2TX	20.69	0.11722	22.42/20.84	0.17458/0.121339
802.11be EHT320_Nss2,(MCS0)_2TX	20.67	0.11668	22.40/20.82	0.17378/0.120781
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	19.41	0.08730	21.14/20.84	0.13002/0.121339
802.11be EHT40_Nss2,(MCS0)_2TX	19.53	0.08974	21.26/20.96	0.13366/0.124738
802.11be EHT80_Nss2,(MCS0)_2TX	19.45	0.08810	21.18/20.88	0.13122/0.122462
802.11be EHT160_Nss2,(MCS0)_2TX	19.42	0.08750	21.15/20.85	0.13032/0.121619

Result

Mode	Result	Directional Gain [Power] / Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	1.73/0.15	17.44	17.75	20.61	22.34/20.76	36.00/21.00
6195MHz	Pass	1.73/0.15	17.72	17.56	20.65	22.38/20.80	36.00/21.00
6415MHz	Pass	1.73/0.15	18.05	17.10	20.61	22.34/20.76	36.00/21.00
6535MHz	Pass	1.73/1.43	16.50	16.28	19.40	21.13/20.83	36.00/21.00
6695MHz	Pass	1.73/1.43	16.66	16.06	19.38	21.11/20.81	36.00/21.00
6855MHz	Pass	1.73/1.43	16.68	16.09	19.41	21.14/20.84	36.00/21.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	1.73/0.15	17.74	17.65	20.71	22.44/20.86	36.00/21.00
6205MHz	Pass	1.73/0.15	17.85	17.66	20.77	22.50/20.92	36.00/21.00
6405MHz	Pass	1.73/0.15	17.85	17.73	20.80	22.53/20.95	36.00/21.00
6565MHz	Pass	1.73/1.43	16.44	16.27	19.37	21.10/20.80	36.00/21.00
6685MHz	Pass	1.73/1.43	16.94	16.06	19.53	21.26/20.96	36.00/21.00
6845MHz	Pass	1.73/1.43	16.50	16.28	19.40	21.13/20.83	36.00/21.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	1.73/0.15	17.91	17.60	20.77	22.50/20.92	36.00/21.00
6225MHz	Pass	1.73/0.15	17.93	17.54	20.75	22.48/20.90	36.00/21.00
6385MHz	Pass	1.73/0.15	18.09	17.38	20.76	22.49/20.91	36.00/21.00
6625MHz	Pass	1.73/1.43	16.44	16.39	19.43	21.16/20.86	36.00/21.00
6705MHz	Pass	1.73/1.43	16.53	16.34	19.45	21.18/20.88	36.00/21.00
6785MHz	Pass	1.73/1.43	16.84	15.93	19.42	21.15/20.85	36.00/21.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	1.73/0.15	17.13	18.08	20.64	22.37/20.79	36.00/21.00
6185MHz	Pass	1.73/0.15	17.55	17.81	20.69	22.42/20.84	36.00/21.00
6345MHz	Pass	1.73/0.15	17.83	17.40	20.63	22.36/20.78	36.00/21.00
6665MHz	Pass	1.73/1.43	16.43	16.39	19.42	21.15/20.85	36.00/21.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	1.73/0.15	17.75	17.57	20.67	22.40/20.82	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 43

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	20.47	0.11143	22.44/20.91	0.17539/0.123310
802.11be EHT20-BF_Nss1,(MCS0)_4TX	14.78	0.03006	22.32/20.97	0.17061/0.125026
802.11be EHT40_Nss1,(MCS0)_4TX	20.47	0.11143	22.44/20.91	0.17539/0.123310
802.11be EHT40-BF_Nss1,(MCS0)_4TX	14.78	0.03006	22.32/20.97	0.17061/0.125026
802.11be EHT80_Nss1,(MCS0)_4TX	20.41	0.10990	22.38/20.85	0.17298/0.121619
802.11be EHT80-BF_Nss1,(MCS0)_4TX	14.78	0.03006	22.32/20.97	0.17061/0.125026
802.11be EHT160_Nss1,(MCS0)_4TX	20.50	0.11220	22.47/20.94	0.17660/0.124165
802.11be EHT160-BF_Nss1,(MCS0)_4TX	14.78	0.03006	22.32/20.97	0.17061/0.125026
802.11be EHT320_Nss1,(MCS0)_4TX	20.51	0.11246	22.48/20.95	0.17701/0.124451
802.11be EHT320-BF_Nss1,(MCS0)_4TX	14.67	0.02931	22.21/20.86	0.16634/0.121899
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	18.99	0.07925	20.96/20.86	0.12474/0.121899
802.11be EHT20-BF_Nss1,(MCS0)_4TX	13.84	0.02421	21.38/20.89	0.13740/0.122744
802.11be EHT40_Nss1,(MCS0)_4TX	19.07	0.08072	21.04/20.94	0.12706/0.124165
802.11be EHT40-BF_Nss1,(MCS0)_4TX	13.90	0.02455	21.44/20.95	0.13932/0.124451
802.11be EHT80_Nss1,(MCS0)_4TX	19.03	0.07998	21.00/20.90	0.12589/0.123027
802.11be EHT80-BF_Nss1,(MCS0)_4TX	13.81	0.02404	21.35/20.86	0.13646/0.121899
802.11be EHT160_Nss1,(MCS0)_4TX	19.03	0.07998	21.00/20.90	0.12589/0.123027
802.11be EHT160-BF_Nss1,(MCS0)_4TX	13.78	0.02388	21.32/20.83	0.13552/0.121060

Result

Mode	Result	DG/Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.97/0.44	14.13	14.38	14.03	14.71	20.34	22.31/20.78	36.00/21.00
6195MHz	Pass	1.97/0.44	14.37	14.34	14.51	14.36	20.42	22.39/20.86	36.00/21.00
6415MHz	Pass	1.97/0.44	14.90	13.95	14.54	14.34	20.47	22.44/20.91	36.00/21.00
6535MHz	Pass	1.97/1.87	13.32	12.58	12.97	12.62	18.90	20.87/20.77	36.00/21.00
6695MHz	Pass	1.97/1.87	13.02	12.71	12.95	13.17	18.99	20.96/20.86	36.00/21.00
6855MHz	Pass	1.97/1.87	13.31	12.48	12.66	13.25	18.96	20.93/20.83	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.97/0.44	14.18	14.29	14.60	14.71	20.47	22.44/20.91	36.00/21.00
6205MHz	Pass	1.97/0.44	14.20	14.01	14.79	14.19	20.33	22.30/20.77	36.00/21.00
6405MHz	Pass	1.97/0.44	14.38	14.37	14.28	14.71	20.46	22.43/20.90	36.00/21.00
6565MHz	Pass	1.97/1.87	13.00	12.88	13.29	13.01	19.07	21.04/20.94	36.00/21.00
6685MHz	Pass	1.97/1.87	13.33	12.45	12.83	13.17	18.98	20.95/20.85	36.00/21.00
6845MHz	Pass	1.97/1.87	12.69	12.55	13.16	13.15	18.92	20.89/20.79	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.97/0.44	14.34	14.15	14.12	14.76	20.37	22.34/20.81	36.00/21.00
6225MHz	Pass	1.97/0.44	14.52	14.26	14.35	14.43	20.41	22.38/20.85	36.00/21.00
6385MHz	Pass	1.97/0.44	14.89	14.37	13.69	14.19	20.33	22.30/20.77	36.00/21.00
6625MHz	Pass	1.97/1.87	13.13	12.64	13.23	12.99	19.02	20.99/20.89	36.00/21.00
6705MHz	Pass	1.97/1.87	13.04	12.76	13.23	13.00	19.03	21.00/20.90	36.00/21.00
6785MHz	Pass	1.97/1.87	13.44	12.47	12.77	12.94	18.94	20.91/20.81	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.97/0.44	13.94	14.68	14.59	14.28	20.40	22.37/20.84	36.00/21.00
6185MHz	Pass	1.97/0.44	14.27	14.34	14.76	14.54	20.50	22.47/20.94	36.00/21.00
6345MHz	Pass	1.97/0.44	14.29	14.09	14.31	14.56	20.34	22.31/20.78	36.00/21.00
6665MHz	Pass	1.97/1.87	13.05	12.86	13.06	13.05	19.03	21.00/20.90	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	1.97/0.44	14.52	14.39	14.45	14.59	20.51	22.48/20.95	36.00/21.00
802.11be EHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.54/6.19	8.79	9.07	8.51	8.64	14.78	22.32/20.97	36.00/21.00
6195MHz	Pass	7.54/6.19	8.54	8.78	8.64	8.43	14.62	22.16/20.81	36.00/21.00
6415MHz	Pass	7.54/6.19	9.38	8.54	8.92	8.06	14.77	22.31/20.96	36.00/21.00
6535MHz	Pass	7.54/7.05	8.22	7.51	8.25	7.21	13.84	21.38/20.89	36.00/21.00
6695MHz	Pass	7.54/7.05	8.29	7.38	7.77	7.64	13.80	21.34/20.85	36.00/21.00
6855MHz	Pass	7.54/7.05	8.30	7.66	7.51	7.76	13.84	21.38/20.89	36.00/21.00
802.11be EHT40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.54/6.19	8.56	8.80	9.32	8.30	14.78	22.32/20.97	36.00/21.00
6205MHz	Pass	7.54/6.19	8.84	8.49	9.15	8.42	14.76	22.30/20.95	36.00/21.00
6405MHz	Pass	7.54/6.19	8.96	8.76	8.59	8.69	14.77	22.31/20.96	36.00/21.00
6565MHz	Pass	7.54/7.05	8.14	7.68	8.15	7.50	13.90	21.44/20.95	36.00/21.00
6685MHz	Pass	7.54/7.05	8.20	7.93	7.86	7.52	13.90	21.44/20.95	36.00/21.00
6845MHz	Pass	7.54/7.05	7.82	7.74	8.13	7.72	13.88	21.42/20.93	36.00/21.00
802.11be EHT80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.54/6.19	8.92	8.39	8.75	8.41	14.64	22.18/20.83	36.00/21.00
6225MHz	Pass	7.54/6.19	9.13	8.75	8.80	8.29	14.77	22.31/20.96	36.00/21.00
6385MHz	Pass	7.54/6.19	9.70	8.82	8.14	8.17	14.78	22.32/20.97	36.00/21.00
6625MHz	Pass	7.54/7.05	7.85	7.43	7.90	7.77	13.76	21.30/20.81	36.00/21.00
6705MHz	Pass	7.54/7.05	8.03	7.35	8.26	7.47	13.81	21.35/20.86	36.00/21.00
6785MHz	Pass	7.54/7.05	8.39	7.37	7.43	7.60	13.74	21.28/20.79	36.00/21.00
802.11be EHT160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.54/6.19	8.67	9.13	9.13	8.03	14.78	22.32/20.97	36.00/21.00
6185MHz	Pass	7.54/6.19	8.62	8.97	8.74	8.39	14.71	22.25/20.90	36.00/21.00
6345MHz	Pass	7.54/6.19	9.08	8.85	7.99	8.36	14.61	22.15/20.80	36.00/21.00



Average Power

Appendix C.43

Mode	Result	DG/Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
6665MHz	Pass	7.54/7.05	8.17	8.00	7.59	7.21	13.78	21.32/20.83	36.00/21.00
802.11be EHT320-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.54/6.19	8.50	8.90	8.78	8.40	14.67	22.21/20.86	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 44

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP/ EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	20.70	0.11749	22.23/20.87	0.16711/0.122180
802.11be EHT40_Nss4,(MCS0)_4TX	20.78	0.11967	22.31/20.95	0.17022/0.124451
802.11be EHT80_Nss4,(MCS0)_4TX	20.70	0.11749	22.23/20.87	0.16711/0.122180
802.11be EHT160_Nss4,(MCS0)_4TX	20.80	0.12023	22.33/20.97	0.17100/0.125026
802.11be EHT320_Nss4,(MCS0)_4TX	20.77	0.11940	22.30/20.94	0.16982/0.124165
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	19.81	0.09572	21.34/20.85	0.13614/0.121619
802.11be EHT40_Nss4,(MCS0)_4TX	19.92	0.09817	21.45/20.96	0.13964/0.124738
802.11be EHT80_Nss4,(MCS0)_4TX	19.80	0.09550	21.33/20.84	0.13583/0.121339
802.11be EHT160_Nss4,(MCS0)_4TX	19.89	0.09750	21.42/20.93	0.13868/0.123880

**Result**

Mode	Result	DG/Gain [Phi 30°] (dBi)	Port 1 (dBm)	Port 2 (dBm)	Port 3 (dBm)	Port 4 (dBm)	Total Power (dBm)	EIRP/ EIRP [Phi 30°] (dBm)	EIRP Limit/ EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.53/0.17	14.60	14.65	14.33	14.96	20.66	22.19/20.83	36.00/21.00
6195MHz	Pass	1.53/0.17	14.60	14.61	14.78	14.67	20.69	22.22/20.86	36.00/21.00
6415MHz	Pass	1.53/0.17	15.19	14.41	14.61	14.45	20.70	22.23/20.87	36.00/21.00
6535MHz	Pass	1.53/1.04	14.03	13.56	14.04	13.51	19.81	21.34/20.85	36.00/21.00
6695MHz	Pass	1.53/1.04	13.97	13.34	13.74	14.00	19.79	21.32/20.83	36.00/21.00
6855MHz	Pass	1.53/1.04	13.91	13.08	13.58	14.22	19.74	21.27/20.78	36.00/21.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.53/0.17	14.46	14.37	15.06	15.10	20.78	22.31/20.95	36.00/21.00
6205MHz	Pass	1.53/0.17	14.31	14.50	15.33	14.43	20.68	22.21/20.85	36.00/21.00
6405MHz	Pass	1.53/0.17	14.68	14.66	14.74	14.78	20.74	22.27/20.91	36.00/21.00
6565MHz	Pass	1.53/1.04	13.77	13.44	13.98	13.81	19.77	21.30/20.81	36.00/21.00
6685MHz	Pass	1.53/1.04	14.10	13.28	14.34	13.79	19.92	21.45/20.96	36.00/21.00
6845MHz	Pass	1.53/1.04	13.50	13.35	13.86	14.12	19.74	21.27/20.78	36.00/21.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.53/0.17	14.44	14.37	14.58	14.94	20.61	22.14/20.78	36.00/21.00
6225MHz	Pass	1.53/0.17	14.76	14.50	14.70	14.64	20.67	22.20/20.84	36.00/21.00
6385MHz	Pass	1.53/0.17	15.17	14.63	14.12	14.73	20.70	22.23/20.87	36.00/21.00
6625MHz	Pass	1.53/1.04	13.93	13.37	13.75	13.80	19.74	21.27/20.78	36.00/21.00
6705MHz	Pass	1.53/1.04	13.80	13.39	13.66	14.00	19.74	21.27/20.78	36.00/21.00
6785MHz	Pass	1.53/1.04	14.22	13.26	13.58	13.99	19.80	21.33/20.84	36.00/21.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.53/0.17	14.31	15.05	14.98	14.75	20.80	22.33/20.97	36.00/21.00
6185MHz	Pass	1.53/0.17	14.40	14.67	15.06	14.65	20.72	22.25/20.89	36.00/21.00
6345MHz	Pass	1.53/0.17	14.84	14.58	14.64	14.89	20.76	22.29/20.93	36.00/21.00
6665MHz	Pass	1.53/1.04	13.81	13.90	13.93	13.82	19.89	21.42/20.93	36.00/21.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	1.53/0.17	14.77	14.81	14.62	14.78	20.77	22.30/20.94	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 45

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	24.14	0.25942	32.94	1.96789
802.11be EHT20_Nss2,(MCS0)_2TX	27.15	0.51880	35.90	3.89045
802.11be EHT40_Nss1,(MCS0)_2TX	24.11	0.25763	32.91	1.95434
802.11be EHT40_Nss2,(MCS0)_2TX	27.12	0.51523	35.87	3.86367
802.11be EHT80_Nss1,(MCS0)_2TX	24.20	0.26303	33.00	1.99526
802.11be EHT80_Nss2,(MCS0)_2TX	27.21	0.52602	35.96	3.94457
802.11be EHT160_Nss1,(MCS0)_2TX	22.45	0.17579	31.25	1.33352
802.11be EHT160_Nss2,(MCS0)_2TX	25.46	0.35156	34.21	2.63633
802.11be EHT320_Nss1,(MCS0)_2TX	21.03	0.12677	29.83	0.96161
802.11be EHT320_Nss2,(MCS0)_2TX	24.04	0.25351	32.79	1.90108
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	24.15	0.26002	32.95	1.97242
802.11be EHT20_Nss2,(MCS0)_2TX	27.16	0.52000	35.91	3.89942
802.11be EHT40_Nss1,(MCS0)_2TX	24.20	0.26303	33.00	1.99526
802.11be EHT40_Nss2,(MCS0)_2TX	27.21	0.52602	35.96	3.94457
802.11be EHT80_Nss1,(MCS0)_2TX	24.18	0.26182	32.98	1.98609
802.11be EHT80_Nss2,(MCS0)_2TX	27.19	0.52360	35.94	3.92645
802.11be EHT160_Nss1,(MCS0)_2TX	21.93	0.15596	30.73	1.18304
802.11be EHT160_Nss2,(MCS0)_2TX	24.94	0.31189	33.69	2.33884

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	8.80	19.37	20.41	22.93	31.73	36.00
6195MHz	Pass	8.80	20.49	21.68	24.14	32.94	36.00
6415MHz	Pass	8.80	20.34	21.08	23.74	32.54	36.00
6535MHz	Pass	8.80	20.31	20.23	23.28	32.08	36.00
6695MHz	Pass	8.80	20.64	21.59	24.15	32.95	36.00
6855MHz	Pass	8.80	20.96	21.07	24.03	32.83	36.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	8.80	18.58	19.36	22.00	30.80	36.00
6205MHz	Pass	8.80	20.69	21.48	24.11	32.91	36.00
6405MHz	Pass	8.80	20.64	21.13	23.90	32.70	36.00
6565MHz	Pass	8.80	21.08	21.3	24.20	33.00	36.00
6685MHz	Pass	8.80	21.02	21.33	24.19	32.99	36.00
6845MHz	Pass	8.80	19.57	20.72	23.19	31.99	36.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	8.80	18.58	19.14	21.88	30.68	36.00
6225MHz	Pass	8.80	20.57	21.46	24.05	32.85	36.00
6385MHz	Pass	8.80	20.97	21.39	24.20	33.00	36.00
6625MHz	Pass	8.80	20.45	21.53	24.03	32.83	36.00
6705MHz	Pass	8.80	20.71	21.59	24.18	32.98	36.00
6785MHz	Pass	8.80	20.94	21.35	24.16	32.96	36.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	8.80	16.92	18.21	20.62	29.42	36.00
6185MHz	Pass	8.80	19.21	19.65	22.45	31.25	36.00
6345MHz	Pass	8.80	18.89	19.85	22.41	31.21	36.00
6665MHz	Pass	8.80	18.3	19.46	21.93	30.73	36.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	8.80	17.27	18.66	21.03	29.83	36.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	8.75	22.38	23.42	25.94	34.69	36.00
6195MHz	Pass	8.75	23.5	24.69	27.15	35.90	36.00
6415MHz	Pass	8.75	23.35	24.09	26.75	35.50	36.00
6535MHz	Pass	8.75	23.32	23.24	26.29	35.04	36.00
6695MHz	Pass	8.75	23.65	24.6	27.16	35.91	36.00
6855MHz	Pass	8.75	23.97	24.08	27.04	35.79	36.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	8.75	21.59	22.37	25.01	33.76	36.00
6205MHz	Pass	8.75	23.7	24.49	27.12	35.87	36.00
6405MHz	Pass	8.75	23.65	24.14	26.91	35.66	36.00
6565MHz	Pass	8.75	24.09	24.31	27.21	35.96	36.00
6685MHz	Pass	8.75	24.03	24.34	27.20	35.95	36.00
6845MHz	Pass	8.75	22.58	23.73	26.20	34.95	36.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	8.75	21.59	22.15	24.89	33.64	36.00
6225MHz	Pass	8.75	23.58	24.47	27.06	35.81	36.00
6385MHz	Pass	8.75	23.98	24.4	27.21	35.96	36.00
6625MHz	Pass	8.75	23.46	24.54	27.04	35.79	36.00
6705MHz	Pass	8.75	23.72	24.6	27.19	35.94	36.00
6785MHz	Pass	8.75	23.95	24.36	27.17	35.92	36.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	8.75	19.93	21.22	23.63	32.38	36.00
6185MHz	Pass	8.75	22.22	22.66	25.46	34.21	36.00
6345MHz	Pass	8.75	21.9	22.86	25.42	34.17	36.00
6665MHz	Pass	8.75	21.31	22.47	24.94	33.69	36.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-



Average Power

Appendix C.45

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
6105MHz	Pass	8.75	20.28	21.67	24.04	32.79	36.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 46

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	14.44	0.02780	23.24/18.02	0.21086/0.063387
802.11be EHT40_Nss1,(MCS0)_2TX	14.43	0.02773	23.23/18.01	0.21038/0.063241
802.11be EHT80_Nss1,(MCS0)_2TX	14.38	0.02742	23.18/17.96	0.20797/0.062517
802.11be EHT160_Nss1,(MCS0)_2TX	14.43	0.02773	23.23/18.01	0.21038/0.063241
802.11be EHT320_Nss1,(MCS0)_2TX	14.36	0.02729	23.16/17.94	0.20701/0.062230
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	14.39	0.02748	23.19/18.47	0.20845/0.070307
802.11be EHT40_Nss1,(MCS0)_2TX	14.35	0.02723	23.15/18.43	0.20654/0.069663
802.11be EHT80_Nss1,(MCS0)_2TX	14.30	0.02692	23.10/18.38	0.20417/0.068865
802.11be EHT160_Nss1,(MCS0)_2TX	14.39	0.02748	23.19/18.47	0.20845/0.070307



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	8.80/3.58	11.34	11.42	14.39	23.19/17.97	36.00/21.00
6195MHz	Pass	8.80/3.58	11.28	11.5	14.40	23.20/17.98	36.00/21.00
6415MHz	Pass	8.80/3.58	11.32	11.53	14.44	23.24/18.02	36.00/21.00
6535MHz	Pass	8.80/4.08	11.41	11.35	14.39	23.19/18.47	36.00/21.00
6695MHz	Pass	8.80/4.08	11.15	11.27	14.22	23.02/18.30	36.00/21.00
6855MHz	Pass	8.80/4.08	11.28	11.2	14.25	23.05/18.33	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	8.80/3.58	11.16	11.55	14.37	23.17/17.95	36.00/21.00
6205MHz	Pass	8.80/3.58	11.18	11.65	14.43	23.23/18.01	36.00/21.00
6405MHz	Pass	8.80/3.58	11.4	11.33	14.38	23.18/17.96	36.00/21.00
6565MHz	Pass	8.80/4.08	11.37	11.25	14.32	23.12/18.40	36.00/21.00
6685MHz	Pass	8.80/4.08	11.44	11.23	14.35	23.15/18.43	36.00/21.00
6845MHz	Pass	8.80/4.08	11.2	11.43	14.33	23.13/18.41	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	8.80/3.58	11.37	11.31	14.35	23.15/17.93	36.00/21.00
6225MHz	Pass	8.80/3.58	11.31	11.42	14.38	23.18/17.96	36.00/21.00
6385MHz	Pass	8.80/3.58	11.6	11.04	14.34	23.14/17.92	36.00/21.00
6625MHz	Pass	8.80/4.08	11.16	11.42	14.30	23.10/18.38	36.00/21.00
6705MHz	Pass	8.80/4.08	11.22	11.33	14.29	23.09/18.37	36.00/21.00
6785MHz	Pass	8.80/4.08	11.2	11.35	14.29	23.09/18.37	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	8.80/3.58	11.1	11.72	14.43	23.23/18.01	36.00/21.00
6185MHz	Pass	8.80/3.58	11.56	11.15	14.37	23.17/17.95	36.00/21.00
6345MHz	Pass	8.80/3.58	11.34	11.43	14.40	23.20/17.98	36.00/21.00
6665MHz	Pass	8.80/4.08	11.34	11.41	14.39	23.19/18.47	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	8.80/3.58	11.04	11.64	14.36	23.16/17.94	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 47

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	17.45	0.05559	26.20/20.88	0.41687/0.122462
802.11be EHT40_Nss2,(MCS0)_2TX	17.44	0.05546	26.19/20.87	0.41591/0.122180
802.11be EHT80_Nss2,(MCS0)_2TX	17.39	0.05483	26.14/20.82	0.41115/0.120781
802.11be EHT160_Nss2,(MCS0)_2TX	17.44	0.05546	26.19/20.87	0.41591/0.122180
802.11be EHT320_Nss2,(MCS0)_2TX	17.37	0.05458	26.12/20.80	0.40926/0.120226
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	17.40	0.05495	26.15/20.97	0.41210/0.125026
802.11be EHT40_Nss2,(MCS0)_2TX	17.36	0.05445	26.11/20.93	0.40832/0.123880
802.11be EHT80_Nss2,(MCS0)_2TX	17.31	0.05383	26.06/20.88	0.40365/0.122462
802.11be EHT160_Nss2,(MCS0)_2TX	17.40	0.05495	26.15/20.97	0.41210/0.125026

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	8.75/3.43	14.35	14.43	17.40	26.15/20.83	36.00/21.00
6195MHz	Pass	8.75/3.43	14.29	14.51	17.41	26.16/20.84	36.00/21.00
6415MHz	Pass	8.75/3.43	14.33	14.54	17.45	26.20/20.88	36.00/21.00
6535MHz	Pass	8.75/3.57	14.42	14.36	17.40	26.15/20.97	36.00/21.00
6695MHz	Pass	8.75/3.57	14.16	14.28	17.23	25.98/20.80	36.00/21.00
6855MHz	Pass	8.75/3.57	14.29	14.21	17.26	26.01/20.83	36.00/21.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	8.75/3.43	14.17	14.56	17.38	26.13/20.81	36.00/21.00
6205MHz	Pass	8.75/3.43	14.19	14.66	17.44	26.19/20.87	36.00/21.00
6405MHz	Pass	8.75/3.43	14.41	14.34	17.39	26.14/20.82	36.00/21.00
6565MHz	Pass	8.75/3.57	14.38	14.26	17.33	26.08/20.90	36.00/21.00
6685MHz	Pass	8.75/3.57	14.45	14.24	17.36	26.11/20.93	36.00/21.00
6845MHz	Pass	8.75/3.57	14.21	14.44	17.34	26.09/20.91	36.00/21.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	8.75/3.43	14.38	14.32	17.36	26.11/20.79	36.00/21.00
6225MHz	Pass	8.75/3.43	14.32	14.43	17.39	26.14/20.82	36.00/21.00
6385MHz	Pass	8.75/3.43	14.61	14.05	17.35	26.10/20.78	36.00/21.00
6625MHz	Pass	8.75/3.57	14.17	14.43	17.31	26.06/20.88	36.00/21.00
6705MHz	Pass	8.75/3.57	14.23	14.34	17.30	26.05/20.87	36.00/21.00
6785MHz	Pass	8.75/3.57	14.21	14.36	17.30	26.05/20.87	36.00/21.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	8.75/3.43	14.11	14.73	17.44	26.19/20.87	36.00/21.00
6185MHz	Pass	8.75/3.43	14.57	14.16	17.38	26.13/20.81	36.00/21.00
6345MHz	Pass	8.75/3.43	14.35	14.44	17.41	26.16/20.84	36.00/21.00
6665MHz	Pass	8.75/3.57	14.35	14.42	17.40	26.15/20.97	36.00/21.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	8.75/3.43	14.05	14.65	17.37	26.12/20.80	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 48

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	10.80	0.01202	19.60/18.19	0.09120/0.065917
802.11be EHT40_Nss1,(MCS0)_2TX	10.93	0.01239	19.73/18.32	0.09397/0.067920
802.11be EHT80_Nss1,(MCS0)_2TX	10.84	0.01213	19.64/18.23	0.09204/0.066527
802.11be EHT160_Nss1,(MCS0)_2TX	10.81	0.01205	19.61/18.20	0.09141/0.066069
802.11be EHT320_Nss1,(MCS0)_2TX	10.90	0.01230	19.70/18.29	0.09333/0.067453
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss1,(MCS0)_2TX	9.90	0.00977	18.70/17.88	0.07413/0.061376
802.11be EHT40_Nss1,(MCS0)_2TX	9.95	0.00989	18.75/17.93	0.07499/0.062087
802.11be EHT80_Nss1,(MCS0)_2TX	9.91	0.00979	18.71/17.89	0.07430/0.061518
802.11be EHT160_Nss1,(MCS0)_2TX	9.80	0.00955	18.60/17.78	0.07244/0.059979

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	8.80/7.39	7.84	7.73	10.80	19.60/18.19	36.00/21.00
6195MHz	Pass	8.80/7.39	7.78	7.72	10.76	19.56/18.15	36.00/21.00
6415MHz	Pass	8.80/7.39	7.94	7.62	10.79	19.59/18.18	36.00/21.00
6535MHz	Pass	8.80/7.98	7.02	6.75	9.90	18.70/17.88	36.00/21.00
6695MHz	Pass	8.80/7.98	6.97	6.61	9.80	18.60/17.78	36.00/21.00
6855MHz	Pass	8.80/7.98	7.16	6.55	9.88	18.68/17.86	36.00/21.00
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	8.80/7.39	7.9	7.64	10.78	19.58/18.17	36.00/21.00
6205MHz	Pass	8.80/7.39	7.63	7.85	10.75	19.55/18.14	36.00/21.00
6405MHz	Pass	8.80/7.39	8.02	7.82	10.93	19.73/18.32	36.00/21.00
6565MHz	Pass	8.80/7.98	7.27	6.58	9.95	18.75/17.93	36.00/21.00
6685MHz	Pass	8.80/7.98	7.3	6.52	9.94	18.74/17.92	36.00/21.00
6845MHz	Pass	8.80/7.98	7.13	6.67	9.92	18.72/17.90	36.00/21.00
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	8.80/7.39	7.84	7.6	10.73	19.53/18.12	36.00/21.00
6225MHz	Pass	8.80/7.39	7.86	7.63	10.76	19.56/18.15	36.00/21.00
6385MHz	Pass	8.80/7.39	8.2	7.42	10.84	19.64/18.23	36.00/21.00
6625MHz	Pass	8.80/7.98	7.21	6.57	9.91	18.71/17.89	36.00/21.00
6705MHz	Pass	8.80/7.98	7.13	6.41	9.80	18.60/17.78	36.00/21.00
6785MHz	Pass	8.80/7.98	7.01	6.65	9.84	18.64/17.82	36.00/21.00
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	8.80/7.39	7.88	7.71	10.81	19.61/18.20	36.00/21.00
6185MHz	Pass	8.80/7.39	8.16	7.37	10.79	19.59/18.18	36.00/21.00
6345MHz	Pass	8.80/7.39	8.02	7.55	10.80	19.60/18.19	36.00/21.00
6665MHz	Pass	8.80/7.98	7.18	6.37	9.80	18.60/17.78	36.00/21.00
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	8.80/7.39	7.82	7.7	10.77	19.57/18.16	36.00/21.00

DG = Directional Gain; Port X = Port X output power
Inf = There's no restriction for the limit.



Test Mode: Mode 49

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP / EIRP [Phi 30°] (dBm)	EIRP / EIRP [Phi 30°] (W)
5.925-6.425GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	13.81	0.02404	22.56/20.84	0.18030/0.121339
802.11be EHT40_Nss2,(MCS0)_2TX	13.94	0.02477	22.69/20.97	0.18578/0.125026
802.11be EHT80_Nss2,(MCS0)_2TX	13.85	0.02427	22.60/20.88	0.18197/0.122462
802.11be EHT160_Nss2,(MCS0)_2TX	13.82	0.02410	22.57/20.85	0.18072/0.121619
802.11be EHT320_Nss2,(MCS0)_2TX	13.78	0.02388	22.53/20.81	0.17906/0.120504
6.525-6.875GHz	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	12.91	0.01954	21.66/20.88	0.14655/0.122462
802.11be EHT40_Nss2,(MCS0)_2TX	12.96	0.01977	21.71/20.93	0.14825/0.123880
802.11be EHT80_Nss2,(MCS0)_2TX	12.92	0.01959	21.67/20.89	0.14689/0.122744
802.11be EHT160_Nss2,(MCS0)_2TX	12.81	0.01910	21.56/20.78	0.14322/0.119674

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	EIRP / EIRP [Phi 30°] (dBm)	EIRP Limit / EIRP Limit [Phi 30°] (dBm)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	8.75/7.03	10.85	10.74	13.81	22.56/20.84	36.00/21.00
6195MHz	Pass	8.75/7.03	10.79	10.73	13.77	22.52/20.80	36.00/21.00
6415MHz	Pass	8.75/7.03	10.95	10.63	13.80	22.55/20.83	36.00/21.00
6535MHz	Pass	8.75/7.97	10.03	9.76	12.91	21.66/20.88	36.00/21.00
6695MHz	Pass	8.75/7.97	9.98	9.62	12.81	21.56/20.78	36.00/21.00
6855MHz	Pass	8.75/7.97	10.17	9.56	12.89	21.64/20.86	36.00/21.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	8.75/7.03	10.91	10.65	13.79	22.54/20.82	36.00/21.00
6205MHz	Pass	8.75/7.03	10.64	10.86	13.76	22.51/20.79	36.00/21.00
6405MHz	Pass	8.75/7.03	11.03	10.83	13.94	22.69/20.97	36.00/21.00
6565MHz	Pass	8.75/7.97	10.28	9.59	12.96	21.71/20.93	36.00/21.00
6685MHz	Pass	8.75/7.97	10.31	9.53	12.95	21.70/20.92	36.00/21.00
6845MHz	Pass	8.75/7.97	10.14	9.68	12.93	21.68/20.90	36.00/21.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	8.75/7.03	10.85	10.61	13.74	22.49/20.77	36.00/21.00
6225MHz	Pass	8.75/7.03	10.87	10.64	13.77	22.52/20.80	36.00/21.00
6385MHz	Pass	8.75/7.03	11.21	10.43	13.85	22.60/20.88	36.00/21.00
6625MHz	Pass	8.75/7.97	10.22	9.58	12.92	21.67/20.89	36.00/21.00
6705MHz	Pass	8.75/7.97	10.14	9.42	12.81	21.56/20.78	36.00/21.00
6785MHz	Pass	8.75/7.97	10.02	9.66	12.85	21.60/20.82	36.00/21.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	8.75/7.03	10.89	10.72	13.82	22.57/20.85	36.00/21.00
6185MHz	Pass	8.75/7.03	11.17	10.38	13.80	22.55/20.83	36.00/21.00
6345MHz	Pass	8.75/7.03	11.03	10.56	13.81	22.56/20.84	36.00/21.00
6665MHz	Pass	8.75/7.97	10.19	9.38	12.81	21.56/20.78	36.00/21.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	8.75/7.03	10.83	10.71	13.78	22.53/20.81	36.00/21.00

DG = Directional Gain; Port X = Port X output power
 Inf = There's no restriction for the limit.

Test Mode: Mode 1

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	9.84	17.72
802.11be EHT20_Nss2,(MCS0)_2TX	12.66	20.49
802.11be EHT20_Nss1,(MCS0)_4TX	8.98	22.86
802.11be EHT20_Nss4,(MCS0)_4TX	14.32	22.18
802.11be EHT40_Nss1,(MCS0)_1TX	6.28	14.16
802.11be EHT40_Nss2,(MCS0)_2TX	9.34	17.17
802.11be EHT40_Nss1,(MCS0)_4TX	9.00	22.88
802.11be EHT40_Nss4,(MCS0)_4TX	11.38	19.24
802.11be EHT80_Nss1,(MCS0)_1TX	3.93	11.81
802.11be EHT80_Nss2,(MCS0)_2TX	6.45	14.28
802.11be EHT80_Nss1,(MCS0)_4TX	8.60	22.48
802.11be EHT80_Nss4,(MCS0)_4TX	8.47	16.33
802.11be EHT160_Nss1,(MCS0)_1TX	-0.76	7.12
802.11be EHT160_Nss2,(MCS0)_2TX	1.28	9.11
802.11be EHT160_Nss1,(MCS0)_4TX	3.57	17.45
802.11be EHT160_Nss4,(MCS0)_4TX	3.58	11.44

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.88	7.73				7.73	15.61	23.00
6695MHz	Pass	7.88	9.14				9.14	17.02	23.00
6855MHz	Pass	7.88	9.84				9.84	17.72	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.88	4.96				4.96	12.84	23.00
6685MHz	Pass	7.88	6.28				6.28	14.16	23.00
6845MHz	Pass	7.88	6.11				6.11	13.99	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.88	2.56				2.56	10.44	23.00
6705MHz	Pass	7.88	3.54				3.54	11.42	23.00
6785MHz	Pass	7.88	3.93				3.93	11.81	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.88	-0.76				-0.76	7.12	23.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.83	7.84	8.84			11.33	19.16	23.00
6695MHz	Pass	7.83	9.29	9.91			12.61	20.44	23.00
6855MHz	Pass	7.83	9.71	9.76			12.66	20.49	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.83	4.47	5.87			8.21	16.04	23.00
6685MHz	Pass	7.83	5.87	6.86			9.34	17.17	23.00
6845MHz	Pass	7.83	5.95	6.07			8.99	16.82	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.83	2.02	3.08			5.58	13.41	23.00
6705MHz	Pass	7.83	2.95	3.80			6.36	14.19	23.00
6785MHz	Pass	7.83	3.30	3.65			6.45	14.28	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.83	-1.24	-2.09			1.28	9.11	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	13.88	3.20	3.23	2.70	2.83	8.97	22.85	23.00
6695MHz	Pass	13.88	3.25	3.04	2.72	2.92	8.91	22.79	23.00
6855MHz	Pass	13.88	3.67	3.19	2.50	2.62	8.98	22.86	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	13.88	3.34	3.32	2.72	2.39	8.88	22.76	23.00
6685MHz	Pass	13.88	3.46	3.41	2.54	2.26	8.90	22.78	23.00
6845MHz	Pass	13.88	3.24	3.58	2.61	2.75	9.00	22.88	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	13.88	1.67	2.97	3.25	2.27	8.60	22.48	23.00
6705MHz	Pass	13.88	2.75	2.18	2.08	2.62	8.31	22.19	23.00
6785MHz	Pass	13.88	2.59	2.20	2.05	2.42	8.24	22.12	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	13.88	-1.49	-2.41	-2.92	-2.44	3.57	17.45	23.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.86	6.76	8.17	8.24	7.73	13.72	21.58	23.00
6695MHz	Pass	7.86	8.71	8.23	8.24	8.44	14.32	22.18	23.00
6855MHz	Pass	7.86	9.01	7.99	7.53	7.78	14.02	21.88	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.86	3.60	5.23	5.29	4.52	10.64	18.50	23.00
6685MHz	Pass	7.86	5.36	5.71	5.29	5.24	11.38	19.24	23.00
6845MHz	Pass	7.86	5.43	5.58	4.83	4.55	11.09	18.95	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.86	1.55	2.79	3.08	2.10	8.41	16.27	23.00
6705MHz	Pass	7.86	2.69	2.50	2.30	2.70	8.47	16.33	23.00
6785MHz	Pass	7.86	2.93	2.42	2.27	2.15	8.43	16.29	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6665MHz	Pass	7.86	-1.66	-2.47	-2.97	-2.38	3.58	11.44	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6595MHz

03/10/2025

CF (Hz)
6.595G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.73	7.73	7.73

Port 1


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

04/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.14	9.14	9.14

Port 1


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

03/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.84	9.84	9.84


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6605MHz

03/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.96	4.96	4.96


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6685MHz

03/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.28	6.28	6.28


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6845MHz

03/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.11	6.11	6.11


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6625MHz

03/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6705MHz

03/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6785MHz

03/10/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6665MHz

03/10/2025



6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6595MHz

03/10/2025

CF (Hz)
6.595G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.576

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.33	11.33	7.84	8.84

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

03/10/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.576

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.61	12.61	9.29	9.91


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

03/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.66	12.66	9.71	9.76

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6605MHz

03/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.391
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.21	8.21	4.47	5.87

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

03/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.391
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.34	9.34	5.87	6.86

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

03/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.391
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.99	8.99	5.95	6.07


Sum
Port 1
Port 2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

03/10/2025




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.58	5.58	2.02	3.08

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

03/10/2025



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.36	6.36	2.95	3.80


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

03/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.978
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.45	6.45	3.30	3.65

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

03/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.972
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.28	1.28	-1.24	-2.09


Sum
Port 1
Port 2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6595MHz

04/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

04/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6855MHz

04/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.98	8.98	3.67	3.19	2.50	2.62

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6605MHz

04/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.88	8.88	3.34	3.32	2.72	2.39

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

04/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.90	8.90	3.46	3.41	2.54	2.26

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6845MHz

04/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
9.00	9.00	3.24	3.58	2.61	2.75


Sum
Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

03/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

04/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

04/10/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

03/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6595MHz

03/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6695MHz

04/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6855MHz

04/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.559
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
14.02	14.02	9.01	7.99	7.53	7.78

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6605MHz

03/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.472
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
10.64	10.64	3.60	5.23	5.29	4.52


Sum
Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6685MHz

04/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6845MHz

03/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6625MHz

03/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.387
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.41	8.41	1.55	2.79	3.08	2.10

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6705MHz

04/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.387
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.47	8.47	2.69	2.50	2.30	2.70

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6785MHz

04/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.387
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.43	8.43	2.93	2.42	2.27	2.15

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6665MHz

03/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.428
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
3.58	3.58	-1.66	-2.47	-2.97	-2.38

Sum
Port 1
Port 2
Port 3
Port 4

Test Mode: Mode 2

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	2.77	10.65
802.11be EHT40_Nss1,(MCS0)_1TX	-0.22	7.66
802.11be EHT80_Nss1,(MCS0)_1TX	-2.85	5.03
802.11be EHT160_Nss1,(MCS0)_1TX	-5.35	2.53

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6595MHz	Pass	7.88	2.77	2.77	10.65	23.00
6695MHz	Pass	7.88	2.54	2.54	10.42	23.00
6855MHz	Pass	7.88	2.37	2.37	10.25	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6605MHz	Pass	7.88	-0.22	-0.22	7.66	23.00
6685MHz	Pass	7.88	-0.43	-0.43	7.45	23.00
6845MHz	Pass	7.88	-0.61	-0.61	7.27	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6625MHz	Pass	7.88	-2.85	-2.85	5.03	23.00
6705MHz	Pass	7.88	-3.15	-3.15	4.73	23.00
6785MHz	Pass	7.88	-3.19	-3.19	4.69	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6665MHz	Pass	7.88	-5.35	-5.35	2.53	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6595MHz

07/10/2025

CF (Hz)
6.595G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.576

Detector Type
RMS



6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

07/10/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.576

Detector Type
RMS




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

07/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.37	2.37	2.37


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6605MHz

08/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.22	-0.22	-0.22


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6685MHz

08/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.43	-0.43	-0.43


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6845MHz

08/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.61	-0.61	-0.61


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6625MHz

08/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.85	-2.85	-2.85


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6705MHz

08/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.15	-3.15	-3.15

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6785MHz

08/10/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6665MHz

08/10/2025



Test Mode: Mode 3

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	3.12	10.95
802.11be EHT40_Nss2,(MCS0)_2TX	0.13	7.96
802.11be EHT80_Nss2,(MCS0)_2TX	-3.01	4.82
802.11be EHT160_Nss2,(MCS0)_2TX	-5.50	2.33

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	7.83	-0.01	0.12	3.05	10.88	23.00
6695MHz	Pass	7.83	0.12	0.23	3.12	10.95	23.00
6855MHz	Pass	7.83	0.06	-0.18	2.91	10.74	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	7.83	-3.09	-2.54	0.13	7.96	23.00
6685MHz	Pass	7.83	-3.08	-2.57	0.12	7.95	23.00
6845MHz	Pass	7.83	-3.24	-2.74	-0.03	7.80	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	7.83	-5.86	-6.17	-3.01	4.82	23.00
6705MHz	Pass	7.83	-5.78	-6.26	-3.09	4.74	23.00
6785MHz	Pass	7.83	-6.13	-6.08	-3.18	4.65	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	7.83	-7.91	-8.85	-5.50	2.33	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6595MHz

08/10/2025

CF (Hz)
6.595G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
3.05	3.05	-0.01	0.12

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

08/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
3.12	3.12	0.12	0.23

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

08/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.91	2.91	0.06	-0.18


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6605MHz

08/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.391
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.13	0.13	-3.09	-2.54


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

08/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.391
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
0.12	0.12	-3.08	-2.57


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

08/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.391
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
-0.03	-0.03	-3.24	-2.74


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

08/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.978
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.01	-3.01	-5.86	-6.17

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

08/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.978
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.09	-3.09	-5.78	-6.26

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

08/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.978
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.18	-3.18	-6.13	-6.08

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

08/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.972
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.50	-5.50	-7.91	-8.85

Sum
Port 1
Port 2

Test Mode: Mode 4

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	2.85	16.73
802.11be EHT40_Nss1,(MCS0)_4TX	-0.37	13.51
802.11be EHT80_Nss1,(MCS0)_4TX	-3.14	10.74
802.11be EHT160_Nss1,(MCS0)_4TX	-5.80	8.08

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	13.88	-3.25	-2.74	-3.19	-3.18	2.85	16.73	23.00
6695MHz	Pass	13.88	-3.12	-2.98	-3.36	-3.00	2.81	16.69	23.00
6855MHz	Pass	13.88	-2.96	-3.11	-3.53	-3.39	2.70	16.58	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	13.88	-6.26	-5.66	-6.75	-6.67	-0.37	13.51	23.00
6685MHz	Pass	13.88	-6.56	-5.72	-6.77	-6.50	-0.45	13.43	23.00
6845MHz	Pass	13.88	-6.52	-5.84	-6.83	-6.41	-0.44	13.44	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	13.88	-9.03	-9.22	-9.29	-9.11	-3.20	10.68	23.00
6705MHz	Pass	13.88	-8.85	-9.19	-9.40	-8.89	-3.19	10.69	23.00
6785MHz	Pass	13.88	-8.91	-8.96	-9.36	-8.88	-3.14	10.74	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	13.88	-11.25	-11.71	-12.21	-11.38	-5.80	8.08	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6595MHz

08/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

08/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6855MHz

08/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.70	2.70	-2.96	-3.11	-3.53	-3.39

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6605MHz

08/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.37	-0.37	-6.26	-5.66	-6.75	-6.67

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

08/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.45	-0.45	-6.56	-5.72	-6.77	-6.50


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6845MHz

08/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.44	-0.44	-6.52	-5.84	-6.83	-6.41


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

08/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.20	-3.20	-9.03	-9.22	-9.29	-9.11

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

08/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.19	-3.19	-8.85	-9.19	-9.40	-8.89

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

08/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.14	-3.14	-8.91	-8.96	-9.36	-8.88

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

08/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.253
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.80	-5.80	-11.25	-11.71	-12.21	-11.38

Sum
Port 1
Port 2
Port 3
Port 4

Test Mode: Mode 5

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	3.19	11.05
802.11be EHT40_Nss4,(MCS0)_4TX	0.17	8.03
802.11be EHT80_Nss4,(MCS0)_4TX	-2.42	5.44
802.11be EHT160_Nss4,(MCS0)_4TX	-5.37	2.49

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.86	-2.94	-2.39	-2.85	-2.82	3.19	11.05	23.00
6695MHz	Pass	7.86	-2.90	-2.51	-3.07	-2.71	3.17	11.03	23.00
6855MHz	Pass	7.86	-2.72	-2.59	-3.18	-3.12	3.03	10.89	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.86	-5.87	-5.19	-6.13	-5.95	0.17	8.03	23.00
6685MHz	Pass	7.86	-6.11	-5.51	-6.33	-6.20	-0.09	7.77	23.00
6845MHz	Pass	7.86	-6.03	-5.42	-6.48	-6.02	-0.05	7.81	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.86	-8.36	-8.56	-8.70	-8.52	-2.57	5.29	23.00
6705MHz	Pass	7.86	-8.17	-8.59	-8.69	-8.26	-2.51	5.35	23.00
6785MHz	Pass	7.86	-8.20	-8.22	-8.74	-8.26	-2.42	5.44	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.86	-10.85	-11.40	-11.84	-11.09	-5.37	2.49	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6595MHz

08/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6695MHz

08/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6855MHz

08/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.559
Detector Type
RMS



Sum	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.03	3.03	-2.72	-2.59	-3.18


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6605MHz

08/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.472
Detector Type
RMS



Sum	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.17	0.17	-5.87	-5.19	-6.13


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6685MHz

08/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.472
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.09	-0.09	-6.11	-5.51	-6.33	-6.20


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6845MHz

08/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.472
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.05	-0.05	-6.03	-5.42	-6.48	-6.02

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6625MHz

08/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6705MHz

08/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6785MHz

08/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.387
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.42	-2.42	-8.20	-8.22	-8.74	-8.26

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6665MHz

08/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.428
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.37	-5.37	-10.85	-11.40	-11.84	-11.09

Sum
Port 1
Port 2
Port 3
Port 4

Test Mode: Mode 6

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	0.71	8.59
802.11be EHT40_Nss1,(MCS0)_1TX	-2.08	5.80
802.11be EHT80_Nss1,(MCS0)_1TX	-4.78	3.10
802.11be EHT160_Nss1,(MCS0)_1TX	-7.25	0.63

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6595MHz	Pass	7.88	0.63	0.63	8.51	23.00
6695MHz	Pass	7.88	0.66	0.66	8.54	23.00
6855MHz	Pass	7.88	0.71	0.71	8.59	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6605MHz	Pass	7.88	-2.08	-2.08	5.80	23.00
6685MHz	Pass	7.88	-2.37	-2.37	5.51	23.00
6845MHz	Pass	7.88	-2.32	-2.32	5.56	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6625MHz	Pass	7.88	-4.78	-4.78	3.10	23.00
6705MHz	Pass	7.88	-5.13	-5.13	2.75	23.00
6785MHz	Pass	7.88	-5.11	-5.11	2.77	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6665MHz	Pass	7.88	-7.25	-7.25	0.63	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6595MHz

08/10/2025

CF (Hz)
6.595G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.63	0.63	0.63


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

08/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.66	0.66	0.66


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

08/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
0.71	0.71	0.71


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6605MHz

08/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)
-2.08	-2.08	-2.08


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6685MHz

08/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.37	-2.37	-2.37


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6845MHz

08/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.32	-2.32	-2.32


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6625MHz

08/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.78	-4.78	-4.78


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6705MHz

08/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.13	-5.13	-5.13


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6785MHz

08/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.11	-5.11	-5.11


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6665MHz

08/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.253
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.25	-7.25	-7.25

Test Mode: Mode 7

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	1.05	8.88
802.11be EHT40_Nss2,(MCS0)_2TX	-1.92	5.91
802.11be EHT80_Nss2,(MCS0)_2TX	-5.02	2.81
802.11be EHT160_Nss2,(MCS0)_2TX	-7.65	0.18

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6595MHz	Pass	7.83	-2.21	-1.70	1.02	8.85	23.00
6695MHz	Pass	7.83	-2.01	-1.78	1.05	8.88	23.00
6855MHz	Pass	7.83	-2.17	-2.14	0.83	8.66	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6605MHz	Pass	7.83	-5.28	-4.61	-1.97	5.86	23.00
6685MHz	Pass	7.83	-5.14	-4.64	-1.92	5.91	23.00
6845MHz	Pass	7.83	-5.36	-4.87	-2.15	5.68	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6625MHz	Pass	7.83	-8.12	-8.12	-5.11	2.72	23.00
6705MHz	Pass	7.83	-7.83	-8.04	-5.02	2.81	23.00
6785MHz	Pass	7.83	-8.14	-8.10	-5.18	2.65	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6665MHz	Pass	7.83	-10.24	-10.80	-7.65	0.18	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6595MHz

08/10/2025

CF (Hz)
6.595G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.02	1.02	-2.21	-1.70

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

08/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.05	1.05	-2.01	-1.78

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

08/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.83	0.83	-2.17	-2.14


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6605MHz

08/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.391
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.97	-1.97	-5.28	-4.61


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

08/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.391
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.92	-1.92	-5.14	-4.64


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

08/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.391
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.15	-2.15	-5.36	-4.87

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

08/10/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.978

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.11	-5.11	-8.12	-8.12

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

08/10/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
2.978

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.02	-5.02	-7.83	-8.04


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

08/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.978
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.18	-5.18	-8.14	-8.10

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

08/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.972
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-7.65	-7.65	-10.24	-10.80

Sum
Port 1
Port 2

Test Mode: Mode 8

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	0.73	14.61
802.11be EHT40_Nss1,(MCS0)_4TX	-2.40	11.48
802.11be EHT80_Nss1,(MCS0)_4TX	-4.94	8.94
802.11be EHT160_Nss1,(MCS0)_4TX	-8.04	5.84

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	13.88	-5.61	-5.07	-5.63	-5.20	0.61	14.49	23.00
6695MHz	Pass	13.88	-5.59	-5.11	-5.58	-5.27	0.58	14.46	23.00
6855MHz	Pass	13.88	-5.01	-4.94	-5.62	-5.29	0.73	14.61	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	13.88	-8.27	-7.64	-8.62	-8.89	-2.40	11.48	23.00
6685MHz	Pass	13.88	-8.36	-8.23	-8.80	-8.53	-2.51	11.37	23.00
6845MHz	Pass	13.88	-8.60	-7.99	-8.73	-8.50	-2.50	11.38	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	13.88	-11.12	-10.95	-11.26	-10.86	-5.09	8.79	23.00
6705MHz	Pass	13.88	-10.65	-10.91	-11.18	-10.65	-4.94	8.94	23.00
6785MHz	Pass	13.88	-10.91	-10.61	-11.44	-10.75	-5.01	8.87	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	13.88	-13.30	-14.40	-14.35	-13.66	-8.04	5.84	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6595MHz

08/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

08/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6855MHz

08/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6605MHz

08/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

08/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6845MHz

08/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

08/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.09	-5.09	-11.12	-10.95	-11.26	-10.86

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

08/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.94	-4.94	-10.65	-10.91	-11.18	-10.65

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

08/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.01	-5.01	-10.91	-10.61	-11.44	-10.75


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

08/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.253
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-8.04	-8.04	-13.30	-14.40	-14.35	-13.66

Test Mode: Mode 9

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	1.15	9.01
802.11be EHT40_Nss4,(MCS0)_4TX	-2.02	5.84
802.11be EHT80_Nss4,(MCS0)_4TX	-4.75	3.11
802.11be EHT160_Nss4,(MCS0)_4TX	-7.37	0.49

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	7.86	-4.97	-4.51	-5.01	-4.76	1.15	9.01	23.00
6695MHz	Pass	7.86	-5.31	-4.65	-5.12	-4.99	0.96	8.82	23.00
6855MHz	Pass	7.86	-4.81	-4.63	-5.37	-5.00	1.02	8.88	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	7.86	-8.51	-7.32	-8.26	-8.57	-2.17	5.69	23.00
6685MHz	Pass	7.86	-7.83	-7.71	-8.43	-7.96	-2.02	5.84	23.00
6845MHz	Pass	7.86	-8.38	-7.90	-8.64	-8.27	-2.34	5.52	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	7.86	-10.79	-10.64	-10.96	-10.63	-4.75	3.11	23.00
6705MHz	Pass	7.86	-10.49	-11.13	-10.96	-10.46	-4.84	3.02	23.00
6785MHz	Pass	7.86	-10.84	-10.54	-11.32	-10.67	-4.87	2.99	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	7.86	-12.71	-13.40	-13.85	-13.14	-7.37	0.49	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6595MHz

08/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6695MHz

08/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6855MHz

08/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6605MHz

08/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6685MHz

08/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.472
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.02	-2.02	-7.83	-7.71	-8.43	-7.96


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6845MHz

08/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.472
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.34	-2.34	-8.38	-7.90	-8.64	-8.27


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6625MHz

08/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.387
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.75	-4.75	-10.79	-10.64	-10.96	-10.63

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6705MHz

08/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.387
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.84	-4.84	-10.49	-11.13	-10.96	-10.46

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6785MHz

08/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.387
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.87	-4.87	-10.84	-10.54	-11.32	-10.67


6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6665MHz

08/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.428
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.37	-7.37	-12.71	-13.40	-13.85	-13.14

Test Mode: Mode 10

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	9.84	14.30
802.11be EHT20_Nss2,(MCS0)_2TX	12.66	17.17
802.11be EHT20_Nss1,(MCS0)_4TX	12.75	22.84
802.11be EHT20_Nss4,(MCS0)_4TX	14.95	19.04
802.11be EHT40_Nss1,(MCS0)_1TX	6.28	10.74
802.11be EHT40_Nss2,(MCS0)_2TX	9.34	13.85
802.11be EHT40_Nss1,(MCS0)_4TX	12.13	22.22
802.11be EHT40_Nss4,(MCS0)_4TX	11.85	15.94
802.11be EHT80_Nss1,(MCS0)_1TX	3.93	8.39
802.11be EHT80_Nss2,(MCS0)_2TX	6.45	10.96
802.11be EHT80_Nss1,(MCS0)_4TX	9.17	19.26
802.11be EHT80_Nss4,(MCS0)_4TX	8.97	13.06
802.11be EHT160_Nss1,(MCS0)_1TX	-0.76	3.70
802.11be EHT160_Nss2,(MCS0)_2TX	1.28	5.79
802.11be EHT160_Nss1,(MCS0)_4TX	3.57	13.66
802.11be EHT160_Nss4,(MCS0)_4TX	3.58	7.67

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	4.46	7.73				7.73	12.19	23.00
6695MHz	Pass	4.46	9.14				9.14	13.60	23.00
6855MHz	Pass	4.46	9.84				9.84	14.30	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	4.46	4.96				4.96	9.42	23.00
6685MHz	Pass	4.46	6.28				6.28	10.74	23.00
6845MHz	Pass	4.46	6.11				6.11	10.57	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.46	2.56				2.56	7.02	23.00
6705MHz	Pass	4.46	3.54				3.54	8.00	23.00
6785MHz	Pass	4.46	3.93				3.93	8.39	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	4.46	-0.76				-0.76	3.70	23.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	4.51	7.84	8.84			11.33	15.84	23.00
6695MHz	Pass	4.51	9.29	9.91			12.61	17.12	23.00
6855MHz	Pass	4.51	9.71	9.76			12.66	17.17	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	4.51	4.47	5.87			8.21	12.72	23.00
6685MHz	Pass	4.51	5.87	6.86			9.34	13.85	23.00
6845MHz	Pass	4.51	5.95	6.07			8.99	13.50	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.51	2.02	3.08			5.58	10.09	23.00
6705MHz	Pass	4.51	2.95	3.80			6.36	10.87	23.00
6785MHz	Pass	4.51	3.30	3.65			6.45	10.96	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	4.51	-1.24	-2.09			1.28	5.79	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	10.09	7.15	6.99	6.43	6.66	12.75	22.84	23.00
6695MHz	Pass	10.09	7.13	6.89	6.24	6.76	12.70	22.79	23.00
6855MHz	Pass	10.09	7.60	7.09	6.18	6.28	12.74	22.83	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	10.09	4.02	5.54	5.52	4.97	11.01	21.10	23.00
6685MHz	Pass	10.09	5.59	6.55	6.72	5.69	12.13	22.22	23.00
6845MHz	Pass	10.09	5.95	6.01	5.20	4.82	11.48	21.57	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	10.09	1.67	2.97	3.25	2.27	8.60	18.69	23.00
6705MHz	Pass	10.09	2.59	3.67	3.86	2.61	9.17	19.26	23.00
6785MHz	Pass	10.09	2.94	3.37	3.86	2.04	9.05	19.14	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	10.09	-1.49	-2.41	-2.92	-2.44	3.57	13.66	23.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6595MHz	Pass	4.09	6.76	8.17	8.24	7.73	13.72	17.81	23.00
6695MHz	Pass	4.09	8.54	9.30	9.52	8.51	14.95	19.04	23.00
6855MHz	Pass	4.09	8.94	8.90	9.36	7.67	14.70	18.79	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6605MHz	Pass	4.09	3.60	5.23	5.29	4.52	10.64	14.73	23.00
6685MHz	Pass	4.09	5.22	6.32	6.51	5.38	11.85	15.94	23.00
6845MHz	Pass	4.09	5.43	5.58	4.83	4.55	11.09	15.18	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6625MHz	Pass	4.09	1.55	2.79	3.08	2.10	8.41	12.50	23.00
6705MHz	Pass	4.09	2.55	3.44	3.64	2.40	8.97	13.06	23.00
6785MHz	Pass	4.09	2.85	3.28	3.60	1.96	8.89	12.98	23.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6665MHz	Pass	4.09	-1.66	-2.47	-2.97	-2.38	3.58	7.67	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6595MHz

03/10/2025

CF (Hz)
6.595G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.73	7.73	7.73

Port 1


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

04/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.14	9.14	9.14

Port 1


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

03/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.84	9.84	9.84


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6605MHz

03/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.96	4.96	4.96


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6685MHz

03/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.28	6.28	6.28


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6845MHz

03/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.11	6.11	6.11

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6625MHz

03/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6705MHz

03/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6785MHz

03/10/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6665MHz

03/10/2025



6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6595MHz

03/10/2025

CF (Hz)
6.595G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.576

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.33	11.33	7.84	8.84

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

03/10/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.576

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.61	12.61	9.29	9.91

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

03/10/2025

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.576

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.66	12.66	9.71	9.76

Sum ☒

Port 1 ☒

Port 2 ☒

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6605MHz

03/10/2025

CF (Hz)
6.605G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
3.391

Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.21	8.21	4.47	5.87

Sum ☒

Port 1 ☒

Port 2 ☒


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

03/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.391
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
9.34	9.34	5.87	6.86


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

03/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.391
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.99	8.99	5.95	6.07


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

03/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.978
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.58	5.58	2.02	3.08

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

03/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
2.978
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.36	6.36	2.95	3.80


Sum
Port 1
Port 2

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

03/10/2025




Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
6.45	6.45	3.30	3.65

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

03/10/2025



Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
1.28	1.28	-1.24	-2.09


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6595MHz

03/10/2025

CF (Hz)
6.595G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
12.75	12.75	7.15	6.99	6.43	6.66

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

03/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
12.70	12.70	7.13	6.89	6.24	6.76


Sum
Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6855MHz

03/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6605MHz

03/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

03/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
12.13	12.13	5.59	6.55	6.72	5.69


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6845MHz

03/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
11.48	11.48	5.95	6.01	5.20	4.82


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

03/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.60	8.60	1.67	2.97	3.25	2.27


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

03/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.291
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.17	9.17	2.59	3.67	3.86	2.61

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

03/10/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

03/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6595MHz

03/10/2025

CF (Hz)
6.595G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.559
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
13.72	13.72	6.76	8.17	8.24	7.73

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6695MHz

03/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.559
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
14.95	14.95	8.54	9.30	9.52	8.51

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6855MHz

03/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.559
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
14.70	14.70	8.94	8.90	9.36	7.67

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6605MHz

03/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.472
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.64	10.64	3.60	5.23	5.29	4.52

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6685MHz

03/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.472
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.85	11.85	5.22	6.32	6.51	5.38

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6845MHz

03/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.472
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.09	11.09	5.43	5.58	4.83	4.55

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6625MHz

03/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.387
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.41	8.41	1.55	2.79	3.08	2.10

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6705MHz

03/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.387
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.97	8.97	2.55	3.44	3.64	2.40


Sum
Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6785MHz

03/10/2025




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6665MHz

03/10/2025



Test Mode: Mode 11

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	6.02	10.48
802.11be EHT40_Nss1,(MCS0)_1TX	2.96	7.42
802.11be EHT80_Nss1,(MCS0)_1TX	0.40	4.86
802.11be EHT160_Nss1,(MCS0)_1TX	-2.08	2.38

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6595MHz	Pass	4.46	6.02	6.02	10.48	23.00
6695MHz	Pass	4.46	5.68	5.68	10.14	23.00
6855MHz	Pass	4.46	5.79	5.79	10.25	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6605MHz	Pass	4.46	2.86	2.86	7.32	23.00
6685MHz	Pass	4.46	2.96	2.96	7.42	23.00
6845MHz	Pass	4.46	2.83	2.83	7.29	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6625MHz	Pass	4.46	0.40	0.40	4.86	23.00
6705MHz	Pass	4.46	-0.02	-0.02	4.44	23.00
6785MHz	Pass	4.46	-0.16	-0.16	4.30	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6665MHz	Pass	4.46	-2.08	-2.08	2.38	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6595MHz

04/10/2025

CF (Hz)
6.595G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.02	6.02	6.02


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

04/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.68	5.68	5.68


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

04/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.576
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.79	5.79	5.79


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6605MHz

04/10/2025

CF (Hz)
6.605G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
3.392
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.86	2.86	2.86