


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6385MHz

04/10/2025

CF (Hz)
6.385G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.36	-5.36	-10.52	-11.03	-11.69	-11.88


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

04/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-3.72	-3.72	-9.66	-10.26	-9.40	-9.64

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

04/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

04/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6025MHz

04/10/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.36	-8.36	-14.73	-13.30	-13.84	-14.73

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6185MHz

04/10/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-8.32	-8.32	-14.36	-13.93	-14.01	-14.52

Sum
Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6345MHz

04/10/2025

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

04/10/2025

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6105MHz

04/10/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-11.13	-11.13	-17.49	-16.82	-17.09	-17.04

Test Mode: Mode 27

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	1.28	8.00
802.11be EHT40_Nss4,(MCS0)_4TX	-1.36	5.36
802.11be EHT80_Nss4,(MCS0)_4TX	-4.33	2.39
802.11be EHT160_Nss4,(MCS0)_4TX	-7.03	-0.31
802.11be EHT320_Nss4,(MCS0)_4TX	-10.05	-3.33
6.525-6.875GHz	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	3.06	9.78
802.11be EHT40_Nss4,(MCS0)_4TX	0.08	6.80
802.11be EHT80_Nss4,(MCS0)_4TX	-2.53	4.19
802.11be EHT160_Nss4,(MCS0)_4TX	-5.75	0.97

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	6.72	-4.56	-4.20	-5.44	-4.70	1.19	7.91	23.00
6195MHz	Pass	6.72	-4.97	-4.69	-4.40	-5.05	1.14	7.86	23.00
6415MHz	Pass	6.72	-4.06	-4.47	-4.53	-5.40	1.28	8.00	23.00
6535MHz	Pass	6.72	-2.53	-3.12	-2.60	-3.74	2.95	9.67	23.00
6695MHz	Pass	6.72	-2.62	-2.94	-2.72	-2.84	3.06	9.78	23.00
6855MHz	Pass	6.72	-2.44	-3.33	-3.31	-2.61	2.96	9.68	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	6.72	-7.56	-7.14	-6.91	-7.46	-1.36	5.36	23.00
6205MHz	Pass	6.72	-7.26	-7.45	-7.43	-8.01	-1.62	5.10	23.00
6405MHz	Pass	6.72	-7.30	-7.58	-7.43	-7.57	-1.53	5.19	23.00
6565MHz	Pass	6.72	-5.65	-6.62	-5.70	-6.14	-0.09	6.63	23.00
6685MHz	Pass	6.72	-5.47	-6.40	-6.14	-6.27	-0.10	6.62	23.00
6845MHz	Pass	6.72	-5.89	-5.92	-5.69	-5.86	0.08	6.80	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	6.72	-10.37	-10.35	-10.50	-10.16	-4.43	2.29	23.00
6225MHz	Pass	6.72	-9.80	-10.57	-9.96	-10.61	-4.33	2.39	23.00
6385MHz	Pass	6.72	-9.42	-10.15	-10.84	-10.54	-4.34	2.38	23.00
6625MHz	Pass	6.72	-8.45	-9.05	-8.46	-9.20	-2.87	3.85	23.00
6705MHz	Pass	6.72	-8.27	-8.89	-8.28	-8.55	-2.53	4.19	23.00
6785MHz	Pass	6.72	-7.69	-8.91	-8.77	-8.64	-2.56	4.16	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	6.72	-13.46	-12.53	-13.04	-13.45	-7.24	-0.52	23.00
6185MHz	Pass	6.72	-13.26	-13.09	-13.18	-13.47	-7.32	-0.60	23.00
6345MHz	Pass	6.72	-12.51	-12.76	-13.25	-13.22	-7.03	-0.31	23.00
6665MHz	Pass	6.72	-11.55	-11.88	-11.51	-11.95	-5.75	0.97	23.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	6.72	-16.42	-15.66	-15.99	-15.82	-10.05	-3.33	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5955MHz

08/10/2025




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6195MHz

08/10/2025




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6415MHz

08/10/2025

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.28	1.28	-4.06	-4.47	-4.53	-5.40


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6535MHz

08/10/2025

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.95	2.95	-2.53	-3.12	-2.60	-3.74

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6695MHz

08/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6855MHz

08/10/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5965MHz

08/10/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-1.36	-1.36	-7.56	-7.14	-6.91	-7.46

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6205MHz

08/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-1.62	-1.62	-7.26	-7.45	-7.43	-8.01

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6685MHz

08/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
-0.10	-0.10	-5.47	-6.40	-6.14	-6.27


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6845MHz

08/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
0.08	0.08	-5.89	-5.92	-5.69	-5.86


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5985MHz

08/10/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.43	-4.43	-10.37	-10.35	-10.50	-10.16

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6225MHz

08/10/2025

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.33	-4.33	-9.80	-10.57	-9.96	-10.61

Sum
Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6385MHz

08/10/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-4.34	-4.34	-9.42	-10.15	-10.84	-10.54

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6625MHz

08/10/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.87	-2.87	-8.45	-9.05	-8.46	-9.20

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6705MHz

08/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6785MHz

08/10/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6025MHz

08/10/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.24	-7.24	-13.46	-12.53	-13.04	-13.45


5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6185MHz

08/10/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.32	-7.32	-13.26	-13.09	-13.18	-13.47


5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6345MHz

08/10/2025

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-7.03	-7.03	-12.51	-12.76	-13.25	-13.22


6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6665MHz

08/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-5.75	-5.75	-11.55	-11.88	-11.51	-11.95


5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

PSD

6105MHz

08/10/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-10.05	-10.05	-16.42	-15.66	-15.99	-15.82

Test Mode: Mode 28

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	12.21	14.18
802.11be EHT20_Nss2,(MCS0)_2TX	14.87	16.60
802.11be EHT20_Nss1,(MCS0)_4TX	13.95	21.49
802.11be EHT20_Nss4,(MCS0)_4TX	17.26	18.79
802.11be EHT40_Nss1,(MCS0)_1TX	8.90	10.87
802.11be EHT40_Nss2,(MCS0)_2TX	11.92	13.65
802.11be EHT40_Nss1,(MCS0)_4TX	14.88	22.42
802.11be EHT40_Nss4,(MCS0)_4TX	14.90	16.43
802.11be EHT80_Nss1,(MCS0)_1TX	6.24	8.21
802.11be EHT80_Nss2,(MCS0)_2TX	9.20	10.93
802.11be EHT80_Nss1,(MCS0)_4TX	12.06	19.60
802.11be EHT80_Nss4,(MCS0)_4TX	12.19	13.72
802.11be EHT160_Nss1,(MCS0)_1TX	0.63	2.60
802.11be EHT160_Nss2,(MCS0)_2TX	3.41	5.14
802.11be EHT160_Nss1,(MCS0)_4TX	5.64	13.18
802.11be EHT160_Nss4,(MCS0)_4TX	5.47	7.00
802.11be EHT320_Nss1,(MCS0)_1TX	-2.40	-0.43
802.11be EHT320_Nss2,(MCS0)_2TX	-0.47	1.26
802.11be EHT320_Nss1,(MCS0)_4TX	1.46	9.00
802.11be EHT320_Nss4,(MCS0)_4TX	1.75	3.28
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	11.85	13.82
802.11be EHT20_Nss2,(MCS0)_2TX	14.76	16.49
802.11be EHT20_Nss1,(MCS0)_4TX	15.39	22.93
802.11be EHT20_Nss4,(MCS0)_4TX	17.73	19.26
802.11be EHT40_Nss1,(MCS0)_1TX	8.79	10.76
802.11be EHT40_Nss2,(MCS0)_2TX	11.58	13.31
802.11be EHT40_Nss1,(MCS0)_4TX	14.68	22.22
802.11be EHT40_Nss4,(MCS0)_4TX	14.75	16.28
802.11be EHT80_Nss1,(MCS0)_1TX	6.32	8.29
802.11be EHT80_Nss2,(MCS0)_2TX	8.90	10.63
802.11be EHT80_Nss1,(MCS0)_4TX	11.91	19.45
802.11be EHT80_Nss4,(MCS0)_4TX	12.08	13.61
802.11be EHT160_Nss1,(MCS0)_1TX	-0.81	1.16
802.11be EHT160_Nss2,(MCS0)_2TX	2.12	3.85
802.11be EHT160_Nss1,(MCS0)_4TX	4.72	12.26
802.11be EHT160_Nss4,(MCS0)_4TX	4.77	6.30

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.97	10.19				10.19	12.16	23.00
6195MHz	Pass	1.97	12.21				12.21	14.18	23.00
6415MHz	Pass	1.97	9.97				9.97	11.94	23.00
6535MHz	Pass	1.97	8.75				8.75	10.72	23.00
6695MHz	Pass	1.97	11.85				11.85	13.82	23.00
6855MHz	Pass	1.97	11.77				11.77	13.74	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.97	6.38				6.38	8.35	23.00
6205MHz	Pass	1.97	8.90				8.90	10.87	23.00
6405MHz	Pass	1.97	7.17				7.17	9.14	23.00
6565MHz	Pass	1.97	8.79				8.79	10.76	23.00
6685MHz	Pass	1.97	8.63				8.63	10.60	23.00
6845MHz	Pass	1.97	7.71				7.71	9.68	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.97	3.87				3.87	5.84	23.00
6225MHz	Pass	1.97	6.24				6.24	8.21	23.00
6385MHz	Pass	1.97	4.40				4.40	6.37	23.00
6625MHz	Pass	1.97	6.32				6.32	8.29	23.00
6705MHz	Pass	1.97	6.02				6.02	7.99	23.00
6785MHz	Pass	1.97	6.03				6.03	8.00	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.97	0.17				0.17	2.14	23.00
6185MHz	Pass	1.97	-0.19				-0.19	1.78	23.00
6345MHz	Pass	1.97	0.63				0.63	2.60	23.00
6665MHz	Pass	1.97	-0.81				-0.81	1.16	23.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	1.97	-2.40				-2.40	-0.43	23.00
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.73	9.33	9.29			12.21	13.94	23.00
6195MHz	Pass	1.73	11.94	11.96			14.87	16.60	23.00
6415MHz	Pass	1.73	9.64	9.52			12.46	14.19	23.00
6535MHz	Pass	1.73	8.60	8.55			11.51	13.24	23.00
6695MHz	Pass	1.73	11.90	11.75			14.76	16.49	23.00
6855MHz	Pass	1.73	11.82	11.54			14.57	16.30	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.73	5.94	5.91			8.88	10.61	23.00
6205MHz	Pass	1.73	9.07	8.76			11.92	13.65	23.00
6405MHz	Pass	1.73	7.09	6.92			9.99	11.72	23.00
6565MHz	Pass	1.73	8.44	8.73			11.54	13.27	23.00
6685MHz	Pass	1.73	8.73	8.62			11.58	13.31	23.00
6845MHz	Pass	1.73	7.82	7.29			10.52	12.25	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.73	3.40	2.70			5.98	7.71	23.00
6225MHz	Pass	1.73	6.33	6.11			9.20	10.93	23.00
6385MHz	Pass	1.73	4.27	3.49			6.77	8.50	23.00
6625MHz	Pass	1.73	6.17	5.75			8.89	10.62	23.00
6705MHz	Pass	1.73	6.02	5.75			8.90	10.63	23.00
6785MHz	Pass	1.73	5.87	5.79			8.81	10.54	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.73	-1.60	-0.11			2.06	3.79	23.00
6185MHz	Pass	1.73	-0.59	-0.25			2.37	4.10	23.00
6345MHz	Pass	1.73	0.60	0.18			3.41	5.14	23.00
6665MHz	Pass	1.73	-0.73	-0.96			2.12	3.85	23.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6105MHz	Pass	1.73	-3.42	-3.27			-0.47	1.26	23.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.54	7.24	7.03	7.24	8.21	13.37	20.91	23.00
6195MHz	Pass	7.54	6.84	7.37	7.55	7.82	13.33	20.87	23.00
6415MHz	Pass	7.54	8.24	7.77	8.00	8.35	13.95	21.49	23.00
6535MHz	Pass	7.54	9.33	8.82	9.67	10.09	15.39	22.93	23.00
6695MHz	Pass	7.54	8.97	8.75	9.41	10.38	15.33	22.87	23.00
6855MHz	Pass	7.54	9.50	8.45	9.03	10.74	15.36	22.90	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.54	4.88	4.39	5.23	5.93	11.00	18.54	23.00
6205MHz	Pass	7.54	8.82	8.94	9.36	8.98	14.88	22.42	23.00
6405MHz	Pass	7.54	5.76	5.87	6.05	7.15	12.14	19.68	23.00
6565MHz	Pass	7.54	8.43	8.87	8.85	9.06	14.68	22.22	23.00
6685MHz	Pass	7.54	8.64	8.57	8.83	8.95	14.63	22.17	23.00
6845MHz	Pass	7.54	6.23	6.52	6.94	8.07	12.84	20.38	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.54	2.18	1.78	2.35	3.44	8.37	15.91	23.00
6225MHz	Pass	7.54	6.02	5.58	6.64	6.37	12.06	19.60	23.00
6385MHz	Pass	7.54	3.33	2.59	2.33	3.77	8.90	16.44	23.00
6625MHz	Pass	7.54	5.97	5.54	5.84	6.52	11.91	19.45	23.00
6705MHz	Pass	7.54	5.87	5.54	5.78	6.36	11.73	19.27	23.00
6785MHz	Pass	7.54	5.75	5.65	5.62	6.09	11.69	19.23	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.54	-2.58	-1.32	-1.69	-1.63	3.95	11.49	23.00
6185MHz	Pass	7.54	-1.04	-0.63	0.13	0.10	5.64	13.18	23.00
6345MHz	Pass	7.54	-0.60	-0.69	-0.20	0.31	5.64	13.18	23.00
6665MHz	Pass	7.54	-1.69	-1.49	-1.00	-0.70	4.72	12.26	23.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.54	-5.08	-4.51	-4.30	-3.98	1.46	9.00	23.00
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.53	8.19	8.09	8.36	9.35	14.41	15.94	23.00
6195MHz	Pass	1.53	10.66	10.99	11.33	12.12	17.26	18.79	23.00
6415MHz	Pass	1.53	9.60	9.11	9.59	10.17	15.49	17.02	23.00
6535MHz	Pass	1.53	8.19	8.04	8.47	8.72	14.24	15.77	23.00
6695MHz	Pass	1.53	11.93	11.69	11.87	12.15	17.73	19.26	23.00
6855MHz	Pass	1.53	11.62	11.37	11.37	11.69	17.44	18.97	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.53	5.27	5.08	5.81	6.56	11.61	13.14	23.00
6205MHz	Pass	1.53	8.85	8.80	9.42	8.89	14.90	16.43	23.00
6405MHz	Pass	1.53	6.01	5.82	6.04	7.38	12.24	13.77	23.00
6565MHz	Pass	1.53	8.35	8.82	8.82	9.13	14.74	16.27	23.00
6685MHz	Pass	1.53	8.84	8.63	8.92	9.04	14.75	16.28	23.00
6845MHz	Pass	1.53	8.39	8.18	8.50	8.43	14.23	15.76	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.53	2.20	1.82	2.58	3.31	8.40	9.93	23.00
6225MHz	Pass	1.53	6.24	5.66	6.72	6.43	12.19	13.72	23.00
6385MHz	Pass	1.53	3.91	3.14	2.68	4.29	9.35	10.88	23.00
6625MHz	Pass	1.53	6.08	5.52	6.14	6.69	12.08	13.61	23.00
6705MHz	Pass	1.53	5.90	5.56	5.83	6.30	11.89	13.42	23.00
6785MHz	Pass	1.53	5.72	5.61	5.57	6.10	11.72	13.25	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.53	-1.88	-0.87	-0.94	-0.93	4.66	6.19	23.00
6185MHz	Pass	1.53	-1.02	-0.61	0.10	0.06	5.47	7.00	23.00
6345MHz	Pass	1.53	-0.95	-0.83	-0.74	0.04	5.29	6.82	23.00
6665MHz	Pass	1.53	-1.84	-1.47	-0.71	-0.72	4.77	6.30	23.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
6105MHz	Pass	1.53	-4.61	-4.36	-4.08	-3.57	1.75	3.28	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Inf = There's no restriction for the limit.


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5955MHz

02/10/2025

CF (Hz)
5.955G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.19	10.19	10.19


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6195MHz

01/10/2025

CF (Hz)
6.195G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.21	12.21	12.21


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6415MHz

11/10/2025

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.97	9.97	9.97


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6535MHz

11/10/2025

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.75	8.75	8.75


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

01/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.85	11.85	11.85


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

01/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.77	11.77	11.77


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5965MHz

02/10/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.38	6.38	6.38


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6205MHz

01/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.90	8.90	8.90

5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6405MHz

11/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6565MHz

01/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6685MHz

01/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.63	8.63	8.63


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6845MHz

01/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.71	7.71	7.71


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5985MHz

02/10/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.87	3.87	3.87


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6225MHz

01/10/2025

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.24	6.24	6.24


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6385MHz

11/10/2025

CF (Hz)
6.385G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.40	4.40	4.40


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6625MHz

01/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.32	6.32	6.32

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6705MHz

01/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6785MHz

01/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6025MHz

02/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6185MHz

01/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6345MHz

01/10/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6665MHz

01/10/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

PSD

6105MHz

02/10/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

02/10/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

01/10/2025

CF (Hz)
6.195G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
14.87	14.87	11.94	11.96

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

11/10/2025

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
12.46	12.46	9.64	9.52

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

11/10/2025

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.51	11.51	8.60	8.55

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

01/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
14.76	14.76	11.90	11.75


Sum
Port 1
Port 2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

01/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

02/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

01/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.92	11.92	9.07	8.76


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

11/10/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.99	9.99	7.09	6.92


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

01/10/2025

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.54	11.54	8.44	8.73

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

01/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.58	11.58	8.73	8.62

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

01/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
10.52	10.52	7.82	7.29

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

02/10/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
5.98	5.98	3.40	2.70

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

01/10/2025

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.20	9.20	6.33	6.11

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6385MHz

11/10/2025

CF (Hz)
6.385G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.77	6.77	4.27	3.49

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

01/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.89	8.89	6.17	5.75

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

01/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.90	8.90	6.02	5.75

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

01/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.81	8.81	5.87	5.79


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6025MHz

02/10/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.06	2.06	-1.60	-0.11


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6185MHz

01/10/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.37	2.37	-0.59	-0.25

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6345MHz

01/10/2025

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.41	3.41	0.60	0.18

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

01/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.12	2.12	-0.73	-0.96


5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6105MHz

02/10/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.47	-0.47	-3.42	-3.27

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5955MHz

02/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6195MHz

02/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6415MHz

02/10/2025

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.95	13.95	8.24	7.77	8.00	8.35

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6535MHz

02/10/2025

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.39	15.39	9.33	8.82	9.67	10.09

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

02/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.33	15.33	8.97	8.75	9.41	10.38

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6855MHz

02/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
15.36	15.36	9.50	8.45	9.03	10.74

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5965MHz

03/10/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.00	11.00	4.88	4.39	5.23	5.93

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6205MHz

03/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.88	14.88	8.82	8.94	9.36	8.98

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6405MHz

11/10/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
12.14	12.14	5.76	5.87	6.05	7.15

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6565MHz

03/10/2025

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
14.68	14.68	8.43	8.87	8.85	9.06

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

03/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.63	14.63	8.64	8.57	8.83	8.95

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6845MHz

03/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.84	12.84	6.23	6.52	6.94	8.07

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5985MHz

03/10/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.37	8.37	2.18	1.78	2.35	3.44

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6225MHz

03/10/2025

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
12.06	12.06	6.02	5.58	6.64	6.37


Sum
Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6385MHz

11/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

03/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

03/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

03/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6025MHz

03/10/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
3.95	3.95	-2.58	-1.32	-1.69	-1.63

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6185MHz

03/10/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
5.64	5.64	-1.04	-0.63	0.13	0.10


Sum
Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6345MHz

01/10/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

01/10/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6105MHz

03/10/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.46	1.46	-5.08	-4.51	-4.30	-3.98


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5955MHz

03/10/2025

CF (Hz)
5.955G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.41	14.41	8.19	8.09	8.36	9.35


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6195MHz

03/10/2025

CF (Hz)
6.195G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
17.26	17.26	10.66	10.99	11.33	12.12

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6415MHz

11/10/2025

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
15.49	15.49	9.60	9.11	9.59	10.17


Sum
Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6535MHz

11/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6695MHz

03/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6855MHz

03/10/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5965MHz

03/10/2025



5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6205MHz

03/10/2025

CF (Hz)
6.205G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.90	14.90	8.85	8.80	9.42	8.89

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6405MHz

11/10/2025

CF (Hz)
6.405G


Span (Hz)
60M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.24	12.24	6.01	5.82	6.04	7.38

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6565MHz

03/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6685MHz

03/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6845MHz

03/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
14.23	14.23	8.39	8.18	8.50	8.43

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5985MHz

03/10/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.40	8.40	2.20	1.82	2.58	3.31


Sum
Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6225MHz

03/10/2025




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6385MHz

11/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6625MHz

03/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6705MHz

03/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6785MHz

03/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
11.72	11.72	5.72	5.61	5.57	6.10

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6025MHz

03/10/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.66	4.66	-1.88	-0.87	-0.94	-0.93

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6185MHz

03/10/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.47	5.47	-1.02	-0.61	0.10	0.06


5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6345MHz

03/10/2025

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.29	5.29	-0.95	-0.83	-0.74	0.04

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6665MHz

01/10/2025




5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

PSD

6105MHz

03/10/2025



Test Mode: Mode 29

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	9.15	11.12
802.11be EHT40_Nss1,(MCS0)_1TX	6.38	8.35
802.11be EHT80_Nss1,(MCS0)_1TX	3.46	5.43
802.11be EHT160_Nss1,(MCS0)_1TX	0.63	2.60
802.11be EHT320_Nss1,(MCS0)_1TX	-2.40	-0.43
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	11.28	13.25
802.11be EHT40_Nss1,(MCS0)_1TX	8.52	10.49
802.11be EHT80_Nss1,(MCS0)_1TX	5.72	7.69
802.11be EHT160_Nss1,(MCS0)_1TX	-0.81	1.16

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	1.97	9.15	9.15	11.12	23.00
6195MHz	Pass	1.97	9.11	9.11	11.08	23.00
6415MHz	Pass	1.97	9.08	9.08	11.05	23.00
6535MHz	Pass	1.97	8.75	8.75	10.72	23.00
6695MHz	Pass	1.97	11.28	11.28	13.25	23.00
6855MHz	Pass	1.97	10.39	10.39	12.36	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	1.97	6.38	6.38	8.35	23.00
6205MHz	Pass	1.97	6.11	6.11	8.08	23.00
6405MHz	Pass	1.97	6.25	6.25	8.22	23.00
6565MHz	Pass	1.97	8.37	8.37	10.34	23.00
6685MHz	Pass	1.97	8.52	8.52	10.49	23.00
6845MHz	Pass	1.97	7.71	7.71	9.68	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	1.97	3.43	3.43	5.40	23.00
6225MHz	Pass	1.97	3.34	3.34	5.31	23.00
6385MHz	Pass	1.97	3.46	3.46	5.43	23.00
6625MHz	Pass	1.97	5.72	5.72	7.69	23.00
6705MHz	Pass	1.97	5.49	5.49	7.46	23.00
6785MHz	Pass	1.97	5.20	5.20	7.17	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	1.97	0.17	0.17	2.14	23.00
6185MHz	Pass	1.97	-0.19	-0.19	1.78	23.00
6345MHz	Pass	1.97	0.63	0.63	2.60	23.00
6665MHz	Pass	1.97	-0.81	-0.81	1.16	23.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6105MHz	Pass	1.97	-2.40	-2.40	-0.43	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5955MHz

08/10/2025

CF (Hz)
5.955G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6195MHz

08/10/2025

CF (Hz)
6.195G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6415MHz

08/10/2025

CF (Hz)
6.415G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.08	9.08	9.08

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6535MHz

11/10/2025

CF (Hz)
6.535G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.75	8.75	8.75

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

08/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

08/10/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5965MHz

02/10/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.38	6.38	6.38

Port 1


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6205MHz

08/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.11	6.11	6.11

Port 1


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6405MHz

08/10/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.25	6.25	6.25


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6565MHz

08/10/2025

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.37	8.37	8.37


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6685MHz

08/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.52	8.52	8.52


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6845MHz

01/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.71	7.71	7.71


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5985MHz

09/10/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.43	3.43	3.43


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6225MHz

09/10/2025

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.34	3.34	3.34

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6385MHz

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6625MHz

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6705MHz

09/10/2025




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.49	5.49	5.49

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6785MHz

09/10/2025




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.20	5.20	5.20

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6025MHz

02/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6185MHz

01/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6345MHz

01/10/2025

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.63	0.63	0.63


6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6665MHz

01/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.81	-0.81	-0.81

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

PSD

6105MHz

02/10/2025



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.40	-2.40	-2.40

Test Mode: Mode 30

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	8.89	10.62
802.11be EHT40_Nss2,(MCS0)_2TX	6.03	7.76
802.11be EHT80_Nss2,(MCS0)_2TX	3.34	5.07
802.11be EHT160_Nss2,(MCS0)_2TX	0.64	2.37
802.11be EHT320_Nss2,(MCS0)_2TX	-2.47	-0.74
6.525-6.875GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	10.37	12.10
802.11be EHT40_Nss2,(MCS0)_2TX	7.50	9.23
802.11be EHT80_Nss2,(MCS0)_2TX	4.80	6.53
802.11be EHT160_Nss2,(MCS0)_2TX	1.92	3.65

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	1.73	5.70	5.96	8.80	10.53	23.00
6195MHz	Pass	1.73	5.92	5.86	8.78	10.51	23.00
6415MHz	Pass	1.73	6.25	5.74	8.89	10.62	23.00
6535MHz	Pass	1.73	7.61	7.26	10.33	12.06	23.00
6695MHz	Pass	1.73	7.42	7.18	10.26	11.99	23.00
6855MHz	Pass	1.73	7.86	6.93	10.37	12.10	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	1.73	3.11	3.19	6.03	7.76	23.00
6205MHz	Pass	1.73	3.10	2.93	5.90	7.63	23.00
6405MHz	Pass	1.73	3.05	3.19	5.98	7.71	23.00
6565MHz	Pass	1.73	4.45	4.26	7.29	9.02	23.00
6685MHz	Pass	1.73	4.89	3.98	7.37	9.10	23.00
6845MHz	Pass	1.73	4.79	4.23	7.50	9.23	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	1.73	0.48	-0.09	3.15	4.88	23.00
6225MHz	Pass	1.73	0.43	0.33	3.34	5.07	23.00
6385MHz	Pass	1.73	0.54	0.03	3.28	5.01	23.00
6625MHz	Pass	1.73	1.90	1.43	4.60	6.33	23.00
6705MHz	Pass	1.73	2.00	1.59	4.76	6.49	23.00
6785MHz	Pass	1.73	2.41	1.37	4.80	6.53	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	1.73	-2.91	-1.75	0.64	2.37	23.00
6185MHz	Pass	1.73	-2.60	-2.49	0.29	2.02	23.00
6345MHz	Pass	1.73	-2.27	-2.43	0.62	2.35	23.00
6665MHz	Pass	1.73	-1.12	-1.04	1.92	3.65	23.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	1.73	-5.49	-5.21	-2.47	-0.74	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

09/10/2025

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.89	8.89	6.25	5.74

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

09/10/2025

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.33	10.33	7.61	7.26

Sum
Port 1
Port 2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

09/10/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.26	10.26	7.42	7.18

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

09/10/2025

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.37	10.37	7.86	6.93


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

09/10/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.03	6.03	3.11	3.19

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

09/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.90	5.90	3.10	2.93

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

09/10/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.98	5.98	3.05	3.19

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

09/10/2025

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.29	7.29	4.45	4.26

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

09/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
7.37	7.37	4.89	3.98

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

09/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
7.50	7.50	4.79	4.23

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

09/10/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.15	3.15	0.48	-0.09

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

09/10/2025

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.34	3.34	0.43	0.33

Sum
Port 1
Port 2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6385MHz

09/10/2025

CF (Hz)
6.385G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
3.28	3.28	0.54	0.03

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

09/10/2025

CF (Hz)
6.625G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.60	4.60	1.90	1.43


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

09/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
4.76	4.76	2.00	1.59

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

09/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
4.80	4.80	2.41	1.37

Sum
Port 1
Port 2

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6025MHz

09/10/2025

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
0.64	0.64	-2.91	-1.75

Sum ☒

Port 1 ☐

Port 2 ☐

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6185MHz

09/10/2025

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum (dBm/Hz)	PD (dBm/Hz)	Port 1 (dBm/Hz)	Port 2 (dBm/Hz)
0.29	0.29	-2.60	-2.49

Sum ☒

Port 1 ☐

Port 2 ☐


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6345MHz

09/10/2025

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.62	0.62	-2.27	-2.43


6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz

09/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.92	1.92	-1.12	-1.04

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

PSD

6105MHz

09/10/2025



Sum	PD	Port 1	Port 2
(dBm/100MHz)	(dBm/100MHz)	(dBm/100MHz)	(dBm/100MHz)
-2.47	-2.47	-5.49	-5.21

Test Mode: Mode 31

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	8.49	16.03
802.11be EHT40_Nss1,(MCS0)_4TX	5.74	13.28
802.11be EHT80_Nss1,(MCS0)_4TX	3.06	10.60
802.11be EHT160_Nss1,(MCS0)_4TX	0.25	7.79
802.11be EHT320_Nss1,(MCS0)_4TX	-2.58	4.96
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	9.49	17.03
802.11be EHT40_Nss1,(MCS0)_4TX	6.68	14.22
802.11be EHT80_Nss1,(MCS0)_4TX	3.93	11.47
802.11be EHT160_Nss1,(MCS0)_4TX	0.96	8.50

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.54	2.42	2.47	2.44	2.93	8.46	16.00	23.00
6195MHz	Pass	7.54	2.50	2.69	2.61	2.72	8.49	16.03	23.00
6415MHz	Pass	7.54	3.15	2.33	2.64	2.24	8.48	16.02	23.00
6535MHz	Pass	7.54	3.67	3.34	3.92	3.60	9.49	17.03	23.00
6695MHz	Pass	7.54	3.55	3.15	3.56	3.74	9.29	16.83	23.00
6855MHz	Pass	7.54	3.50	2.90	3.31	4.17	9.35	16.89	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.54	-0.36	-0.50	0.01	0.20	5.74	13.28	23.00
6205MHz	Pass	7.54	-0.37	-0.35	0.28	-0.30	5.74	13.28	23.00
6405MHz	Pass	7.54	-0.32	-0.39	-0.43	0.19	5.68	13.22	23.00
6565MHz	Pass	7.54	0.47	0.44	1.00	0.92	6.68	14.22	23.00
6685MHz	Pass	7.54	0.71	0.30	0.74	1.23	6.68	14.22	23.00
6845MHz	Pass	7.54	0.40	0.41	0.90	1.38	6.65	14.19	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.54	-3.06	-3.49	-3.27	-2.49	2.87	10.41	23.00
6225MHz	Pass	7.54	-3.07	-3.31	-3.19	-3.16	2.70	10.24	23.00
6385MHz	Pass	7.54	-2.50	-2.89	-3.45	-2.76	3.06	10.60	23.00
6625MHz	Pass	7.54	-2.09	-2.61	-1.83	-1.71	3.85	11.39	23.00
6705MHz	Pass	7.54	-2.13	-2.52	-1.79	-1.61	3.89	11.43	23.00
6785MHz	Pass	7.54	-1.52	-2.76	-2.20	-1.66	3.93	11.47	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.54	-6.73	-5.04	-5.61	-6.01	-0.07	7.47	23.00
6185MHz	Pass	7.54	-5.99	-5.90	-5.75	-5.77	0.08	7.62	23.00
6345MHz	Pass	7.54	-5.50	-5.97	-5.75	-5.57	0.25	7.79	23.00
6665MHz	Pass	7.54	-5.14	-5.04	-4.70	-4.57	0.96	8.50	23.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.54	-8.83	-8.52	-8.66	-8.22	-2.58	4.96	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5955MHz

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6195MHz

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6415MHz

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6535MHz

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

09/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.29	9.29	3.55	3.15	3.56	3.74


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6855MHz

09/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.35	9.35	3.50	2.90	3.31	4.17


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5965MHz

09/10/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.74	5.74	-0.36	-0.50	0.01	0.20


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6205MHz

09/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.74	5.74	-0.37	-0.35	0.28	-0.30


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6405MHz

09/10/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.68	5.68	-0.32	-0.39	-0.43	0.19


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6565MHz

09/10/2025

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.68	6.68	0.47	0.44	1.00	0.92


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

09/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
6.68	6.68	0.71	0.30	0.74	1.23

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6845MHz

09/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
6.65	6.65	0.40	0.41	0.90	1.38

Sum
Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5985MHz

09/10/2025

CF (Hz)
5.985G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.87	2.87	-3.06	-3.49	-3.27	-2.49

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6225MHz

09/10/2025

CF (Hz)
6.225G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum 

Port 1 

Port 2 

Port 3 

Port 4 

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.70	2.70	-3.07	-3.31	-3.19	-3.16


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6385MHz

09/10/2025

CF (Hz)
6.385G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
3.06	3.06	-2.50	-2.89	-3.45	-2.76


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

09/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
3.85	3.85	-2.09	-2.61	-1.83	-1.71


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

09/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.89	3.89	-2.13	-2.52	-1.79	-1.61


6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

09/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.93	3.93	-1.52	-2.76	-2.20	-1.66


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6025MHz

09/10/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.07	-0.07	-6.73	-5.04	-5.61	-6.01

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6185MHz

09/10/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.08	0.08	-5.99	-5.90	-5.75	-5.77

Sum
Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6345MHz

09/10/2025

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.25	0.25	-5.50	-5.97	-5.75	-5.57

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

09/10/2025

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.96	0.96	-5.14	-5.04	-4.70	-4.57


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6105MHz

09/10/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.58	-2.58	-8.83	-8.52	-8.66	-8.22

Test Mode: Mode 32

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	9.38	10.91
802.11be EHT40_Nss4,(MCS0)_4TX	6.62	8.15
802.11be EHT80_Nss4,(MCS0)_4TX	3.88	5.41
802.11be EHT160_Nss4,(MCS0)_4TX	1.34	2.87
802.11be EHT320_Nss4,(MCS0)_4TX	-1.79	-0.26
6.525-6.875GHz	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	9.84	11.37
802.11be EHT40_Nss4,(MCS0)_4TX	6.90	8.43
802.11be EHT80_Nss4,(MCS0)_4TX	4.18	5.71
802.11be EHT160_Nss4,(MCS0)_4TX	1.39	2.92

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.53	3.16	3.36	3.08	4.11	9.36	10.89	23.00
6195MHz	Pass	1.53	3.34	3.58	3.51	3.58	9.38	10.91	23.00
6415MHz	Pass	1.53	3.90	3.08	3.16	3.23	9.23	10.76	23.00
6535MHz	Pass	1.53	4.12	3.57	4.19	3.94	9.82	11.35	23.00
6695MHz	Pass	1.53	3.63	3.28	3.89	4.19	9.65	11.18	23.00
6855MHz	Pass	1.53	4.03	3.12	3.58	4.96	9.84	11.37	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.53	0.41	0.43	0.76	1.04	6.54	8.07	23.00
6205MHz	Pass	1.53	0.31	0.27	0.94	0.60	6.45	7.98	23.00
6405MHz	Pass	1.53	0.53	0.62	0.50	1.10	6.62	8.15	23.00
6565MHz	Pass	1.53	0.70	0.50	1.44	1.37	6.90	8.43	23.00
6685MHz	Pass	1.53	1.23	0.02	0.79	1.29	6.78	8.31	23.00
6845MHz	Pass	1.53	0.63	0.24	1.16	1.75	6.84	8.37	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.53	-2.25	-2.63	-1.98	-1.35	3.88	5.41	23.00
6225MHz	Pass	1.53	-2.01	-2.33	-1.91	-1.93	3.85	5.38	23.00
6385MHz	Pass	1.53	-1.47	-2.40	-2.49	-1.83	3.84	5.37	23.00
6625MHz	Pass	1.53	-1.91	-2.38	-1.57	-1.21	4.18	5.71	23.00
6705MHz	Pass	1.53	-2.03	-2.26	-1.83	-1.44	4.08	5.61	23.00
6785MHz	Pass	1.53	-1.35	-2.33	-1.86	-1.47	4.14	5.67	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.53	-5.51	-4.23	-4.58	-4.97	1.06	2.59	23.00
6185MHz	Pass	1.53	-5.45	-5.37	-4.56	-4.86	0.87	2.40	23.00
6345MHz	Pass	1.53	-4.73	-4.83	-4.75	-4.35	1.34	2.87	23.00
6665MHz	Pass	1.53	-5.11	-4.87	-4.24	-4.16	1.39	2.92	23.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	1.53	-7.92	-7.74	-7.65	-7.40	-1.79	-0.26	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5955MHz

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6195MHz

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6415MHz

09/10/2025

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.23	9.23	3.90	3.08	3.16	3.23


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6535MHz

09/10/2025

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.82	9.82	4.12	3.57	4.19	3.94


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6695MHz

09/10/2025

CF (Hz)
6.695G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.65	9.65	3.63	3.28	3.89	4.19


6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6855MHz

09/10/2025

CF (Hz)
6.855G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
9.84	9.84	4.03	3.12	3.58	4.96


5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5965MHz

09/10/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.54	6.54	0.41	0.43	0.76	1.04


5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6205MHz

09/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.45	6.45	0.31	0.27	0.94	0.60


5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6405MHz

09/10/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.62	6.62	0.53	0.62	0.50	1.10

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6565MHz

09/10/2025

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.90	6.90	0.70	0.50	1.44	1.37


Sum
Port 1
Port 2
Port 3
Port 4

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6685MHz

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6845MHz

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5985MHz

09/10/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6225MHz

09/10/2025

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum
Port 1
Port 2
Port 3
Port 4

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6385MHz

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6625MHz

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6705MHz

09/10/2025

CF (Hz)
6.705G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.08	4.08	-2.03	-2.26	-1.83	-1.44

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6785MHz

09/10/2025

CF (Hz)
6.785G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.14	4.14	-1.35	-2.33	-1.86	-1.47

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6025MHz

09/10/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
1.06	1.06	-5.51	-4.23	-4.58	-4.97

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6185MHz

09/10/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
0.87	0.87	-5.45	-5.37	-4.56	-4.86

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6345MHz

09/10/2025

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.34	1.34	-4.73	-4.83	-4.75	-4.35


6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6665MHz

09/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.39	1.39	-5.11	-4.87	-4.24	-4.16


5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

PSD

6105MHz

09/10/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.79	-1.79	-7.92	-7.74	-7.65	-7.40

Test Mode: Mode 33

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	7.10	9.07
802.11be EHT40_Nss1,(MCS0)_1TX	4.36	6.33
802.11be EHT80_Nss1,(MCS0)_1TX	1.37	3.34
802.11be EHT160_Nss1,(MCS0)_1TX	-1.19	0.78
802.11be EHT320_Nss1,(MCS0)_1TX	-4.38	-2.41
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_1TX	5.48	7.45
802.11be EHT40_Nss1,(MCS0)_1TX	2.69	4.66
802.11be EHT80_Nss1,(MCS0)_1TX	-0.02	1.95
802.11be EHT160_Nss1,(MCS0)_1TX	-3.05	-1.08

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	1.97	7.10	7.10	9.07	23.00
6195MHz	Pass	1.97	6.78	6.78	8.75	23.00
6415MHz	Pass	1.97	6.83	6.83	8.80	23.00
6535MHz	Pass	1.97	5.48	5.48	7.45	23.00
6695MHz	Pass	1.97	5.32	5.32	7.29	23.00
6855MHz	Pass	1.97	5.27	5.27	7.24	23.00
802.11be EHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	1.97	4.36	4.36	6.33	23.00
6205MHz	Pass	1.97	3.91	3.91	5.88	23.00
6405MHz	Pass	1.97	4.34	4.34	6.31	23.00
6565MHz	Pass	1.97	2.68	2.68	4.65	23.00
6685MHz	Pass	1.97	2.48	2.48	4.45	23.00
6845MHz	Pass	1.97	2.69	2.69	4.66	23.00
802.11be EHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	1.97	1.37	1.37	3.34	23.00
6225MHz	Pass	1.97	1.37	1.37	3.34	23.00
6385MHz	Pass	1.97	1.28	1.28	3.25	23.00
6625MHz	Pass	1.97	-0.14	-0.14	1.83	23.00
6705MHz	Pass	1.97	-0.32	-0.32	1.65	23.00
6785MHz	Pass	1.97	-0.02	-0.02	1.95	23.00
802.11be EHT160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	1.97	-1.74	-1.74	0.23	23.00
6185MHz	Pass	1.97	-1.45	-1.45	0.52	23.00
6345MHz	Pass	1.97	-1.19	-1.19	0.78	23.00
6665MHz	Pass	1.97	-3.05	-3.05	-1.08	23.00
802.11be EHT320_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6105MHz	Pass	1.97	-4.38	-4.38	-2.41	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

5955MHz

09/10/2025




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
7.10	7.10	7.10

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6195MHz

09/10/2025



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.78	6.78	6.78


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6415MHz

09/10/2025

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
6.83	6.83	6.83


6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6535MHz

09/10/2025

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.48	5.48	5.48

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6695MHz

09/10/2025

CF (Hz)
6.695G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.32	5.32	5.32

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

PSD

6855MHz

09/10/2025

CF (Hz)
6.855G


Span (Hz)
30M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.27	5.27	5.27


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

5965MHz

09/10/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
4.36	4.36	4.36


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6205MHz

09/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
3.91	3.91	3.91


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6405MHz

09/10/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.34	4.34	4.34


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6565MHz

09/10/2025

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
2.68	2.68	2.68

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6685MHz

09/10/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

PSD

6845MHz

09/10/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

5985MHz

09/10/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.37	1.37	1.37


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6225MHz

09/10/2025

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.37	1.37	1.37

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6385MHz

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6625MHz

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6705MHz

09/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

PSD

6785MHz

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6025MHz

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6185MHz

09/10/2025




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6345MHz

09/10/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

PSD

6665MHz

09/10/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_1TX

PSD

6105MHz

09/10/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.38	-4.38	-4.38

Test Mode: Mode 34

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	7.31	9.04
802.11be EHT40_Nss2,(MCS0)_2TX	4.56	6.29
802.11be EHT80_Nss2,(MCS0)_2TX	1.69	3.42
802.11be EHT160_Nss2,(MCS0)_2TX	-0.9	0.83
802.11be EHT320_Nss2,(MCS0)_2TX	-4.03	-2.30
6.525-6.875GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	6.09	7.82
802.11be EHT40_Nss2,(MCS0)_2TX	3.06	4.79
802.11be EHT80_Nss2,(MCS0)_2TX	0.33	2.06
802.11be EHT160_Nss2,(MCS0)_2TX	-2.62	-0.89

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	1.73	4.40	4.28	7.21	8.94	23.00
6195MHz	Pass	1.73	4.23	4.61	7.31	9.04	23.00
6415MHz	Pass	1.73	4.63	3.86	7.18	8.91	23.00
6535MHz	Pass	1.73	3.28	2.99	6.09	7.82	23.00
6695MHz	Pass	1.73	3.07	2.73	5.83	7.56	23.00
6855MHz	Pass	1.73	3.17	2.40	5.69	7.42	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	1.73	1.64	1.63	4.56	6.29	23.00
6205MHz	Pass	1.73	1.57	1.51	4.48	6.21	23.00
6405MHz	Pass	1.73	1.48	1.38	4.41	6.14	23.00
6565MHz	Pass	1.73	0.24	-0.13	2.98	4.71	23.00
6685MHz	Pass	1.73	0.45	-0.18	3.05	4.78	23.00
6845MHz	Pass	1.73	0.30	-0.04	3.06	4.79	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	1.73	-0.99	-1.50	1.69	3.42	23.00
6225MHz	Pass	1.73	-1.07	-1.36	1.67	3.40	23.00
6385MHz	Pass	1.73	-1.09	-1.56	1.61	3.34	23.00
6625MHz	Pass	1.73	-2.39	-2.82	0.29	2.02	23.00
6705MHz	Pass	1.73	-2.37	-2.88	0.33	2.06	23.00
6785MHz	Pass	1.73	-2.20	-3.10	0.32	2.05	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	1.73	-4.96	-3.23	-1.18	0.55	23.00
6185MHz	Pass	1.73	-4.19	-4.10	-1.35	0.38	23.00
6345MHz	Pass	1.73	-3.74	-4.04	-0.90	0.83	23.00
6665MHz	Pass	1.73	-5.67	-5.55	-2.62	-0.89	23.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	1.73	-7.09	-6.82	-4.03	-2.30	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

09/10/2025

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.18	7.18	4.63	3.86

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

09/10/2025

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.09	6.09	3.28	2.99


Sum
Port 1
Port 2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

09/10/2025




Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.83	5.83	3.07	2.73

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

09/10/2025



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.69	5.69	3.17	2.40


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

09/10/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.56	4.56	1.64	1.63

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

09/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
4.48	4.48	1.57	1.51

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

09/10/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.41	4.41	1.48	1.38


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

09/10/2025

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.98	2.98	0.24	-0.13


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

09/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.05	3.05	0.45	-0.18


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

09/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.06	3.06	0.30	-0.04


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

09/10/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.69	1.69	-0.99	-1.50

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

09/10/2025

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.67	1.67	-1.07	-1.36

Sum
Port 1
Port 2

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6385MHz

09/10/2025

CF (Hz)
6.385G

Span (Hz)
10


RBW (Hz)
120M

VBW (Hz)
1M

Sweep Time (s)
3M

Detector Type
20m

RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.61	1.61	-1.09	-1.56

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6625MHz

09/10/2025

CF (Hz)
6.625G

Span (Hz)
10


RBW (Hz)
120M

VBW (Hz)
1M

Sweep Time (s)
3M

Detector Type
20m

RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.29	0.29	-2.39	-2.82

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6705MHz

09/10/2025

CF (Hz)
6.705G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.33	0.33	-2.37	-2.88

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6785MHz

09/10/2025

CF (Hz)
6.785G


Span (Hz)
120M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
0.32	0.32	-2.20	-3.10


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6025MHz

09/10/2025

CF (Hz)
6.025G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.18	-1.18	-4.96	-3.23

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6185MHz

09/10/2025

CF (Hz)
6.185G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.35	-1.35	-4.19	-4.10

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6345MHz

09/10/2025

CF (Hz)
6.345G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-0.90	-0.90	-3.74	-4.04

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

PSD

6665MHz


09/10/2025

CF (Hz)
6.665G
Span (Hz)
240M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-2.62	-2.62	-5.67	-5.55

Sum
Port 1
Port 2



Test Mode: Mode 35

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	6.88	14.42
802.11be EHT40_Nss1,(MCS0)_4TX	4.26	11.80
802.11be EHT80_Nss1,(MCS0)_4TX	1.31	8.85
802.11be EHT160_Nss1,(MCS0)_4TX	-1.48	6.06
802.11be EHT320_Nss1,(MCS0)_4TX	-4.35	3.19
6.525-6.875GHz	-	-
802.11be EHT20_Nss1,(MCS0)_4TX	5.46	13.00
802.11be EHT40_Nss1,(MCS0)_4TX	2.64	10.18
802.11be EHT80_Nss1,(MCS0)_4TX	-0.19	7.35
802.11be EHT160_Nss1,(MCS0)_4TX	-3.33	4.21

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	7.54	0.69	0.98	0.68	1.24	6.80	14.34	23.00
6195MHz	Pass	7.54	0.87	1.02	1.03	0.89	6.84	14.38	23.00
6415MHz	Pass	7.54	1.49	0.61	1.00	0.90	6.88	14.42	23.00
6535MHz	Pass	7.54	-0.09	-0.66	-0.20	-0.82	5.42	12.96	23.00
6695MHz	Pass	7.54	-0.54	-0.62	-0.48	-0.25	5.46	13.00	23.00
6855MHz	Pass	7.54	-0.23	-0.86	-0.82	-0.02	5.44	12.98	23.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	7.54	-1.85	-1.81	-1.43	-1.40	4.26	11.80	23.00
6205MHz	Pass	7.54	-2.13	-2.25	-1.58	-2.16	3.88	11.42	23.00
6405MHz	Pass	7.54	-1.81	-1.77	-1.85	-1.57	4.15	11.69	23.00
6565MHz	Pass	7.54	-3.40	-3.35	-3.16	-3.30	2.64	10.18	23.00
6685MHz	Pass	7.54	-3.03	-3.84	-3.48	-3.26	2.49	10.03	23.00
6845MHz	Pass	7.54	-3.68	-3.59	-3.10	-3.19	2.51	10.05	23.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	7.54	-4.71	-5.21	-4.86	-4.14	1.18	8.72	23.00
6225MHz	Pass	7.54	-4.59	-4.80	-4.47	-4.62	1.31	8.85	23.00
6385MHz	Pass	7.54	-4.23	-4.59	-4.96	-4.85	1.25	8.79	23.00
6625MHz	Pass	7.54	-6.04	-6.69	-5.91	-6.07	-0.19	7.35	23.00
6705MHz	Pass	7.54	-6.13	-6.40	-5.90	-6.19	-0.22	7.32	23.00
6785MHz	Pass	7.54	-5.80	-6.84	-6.36	-6.18	-0.38	7.16	23.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	7.54	-8.11	-7.08	-6.95	-7.71	-1.76	5.78	23.00
6185MHz	Pass	7.54	-7.80	-7.54	-7.16	-7.43	-1.52	6.02	23.00
6345MHz	Pass	7.54	-7.17	-7.76	-7.59	-7.07	-1.48	6.06	23.00
6665MHz	Pass	7.54	-9.14	-9.32	-9.11	-9.20	-3.33	4.21	23.00
802.11be EHT320_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	7.54	-10.38	-10.08	-10.32	-10.25	-4.35	3.19	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

5955MHz

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6195MHz

09/10/2025




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6415MHz

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6535MHz

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6695MHz

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

PSD

6855MHz

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

5965MHz

09/10/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.26	4.26	-1.85	-1.81	-1.43	-1.40

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6205MHz

10/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.88	3.88	-2.13	-2.25	-1.58	-2.16

Sum
Port 1
Port 2
Port 3
Port 4


5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6405MHz

10/10/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
4.15	4.15	-1.81	-1.77	-1.85	-1.57


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6565MHz

10/10/2025

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
2.64	2.64	-3.40	-3.35	-3.16	-3.30


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6685MHz

10/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.49	2.49	-3.03	-3.84	-3.48	-3.26


6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

PSD

6845MHz

10/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.51	2.51	-3.68	-3.59	-3.10	-3.19

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

5985MHz

10/10/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6225MHz

10/10/2025




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6385MHz

10/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6625MHz

10/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6705MHz

10/10/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

PSD

6785MHz

10/10/2025



5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6025MHz

10/10/2025

CF (Hz)
6.025G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.76	-1.76	-8.11	-7.08	-6.95	-7.71

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6185MHz

10/10/2025

CF (Hz)
6.185G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum

Port 1

Port 2

Port 3

Port 4


Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
-1.52	-1.52	-7.80	-7.54	-7.16	-7.43

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6345MHz

10/10/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

PSD

6665MHz

10/10/2025




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

PSD

6105MHz

10/10/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.35	-4.35	-10.38	-10.08	-10.32	-10.25

Test Mode: Mode 36

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	7.21	8.74
802.11be EHT40_Nss4,(MCS0)_4TX	4.57	6.10
802.11be EHT80_Nss4,(MCS0)_4TX	1.62	3.15
802.11be EHT160_Nss4,(MCS0)_4TX	-0.97	0.56
802.11be EHT320_Nss4,(MCS0)_4TX	-4.22	-2.69
6.525-6.875GHz	-	-
802.11be EHT20_Nss4,(MCS0)_4TX	6.26	7.79
802.11be EHT40_Nss4,(MCS0)_4TX	3.33	4.86
802.11be EHT80_Nss4,(MCS0)_4TX	0.53	2.06
802.11be EHT160_Nss4,(MCS0)_4TX	-2.14	-0.61

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5955MHz	Pass	1.53	1.03	1.38	1.07	1.56	7.17	8.70	23.00
6195MHz	Pass	1.53	1.27	1.27	1.40	1.22	7.07	8.60	23.00
6415MHz	Pass	1.53	1.90	1.04	1.33	1.13	7.21	8.74	23.00
6535MHz	Pass	1.53	0.61	0.12	0.46	0.23	6.21	7.74	23.00
6695MHz	Pass	1.53	0.39	0.28	0.47	0.45	6.26	7.79	23.00
6855MHz	Pass	1.53	0.40	-0.34	0.08	0.66	6.14	7.67	23.00
802.11be EHT40_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5965MHz	Pass	1.53	-1.69	-1.59	-1.09	-1.02	4.57	6.10	23.00
6205MHz	Pass	1.53	-1.83	-1.98	-1.07	-1.67	4.24	5.77	23.00
6405MHz	Pass	1.53	-1.66	-1.85	-1.67	-1.24	4.32	5.85	23.00
6565MHz	Pass	1.53	-2.64	-3.07	-2.30	-2.80	3.15	4.68	23.00
6685MHz	Pass	1.53	-2.21	-2.91	-2.41	-2.55	3.33	4.86	23.00
6845MHz	Pass	1.53	-2.95	-3.04	-2.47	-2.31	3.16	4.69	23.00
802.11be EHT80_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
5985MHz	Pass	1.53	-4.60	-4.82	-4.52	-3.95	1.45	2.98	23.00
6225MHz	Pass	1.53	-4.20	-4.49	-4.16	-4.23	1.62	3.15	23.00
6385MHz	Pass	1.53	-4.03	-4.46	-5.02	-4.33	1.54	3.07	23.00
6625MHz	Pass	1.53	-5.24	-5.82	-5.47	-5.20	0.46	1.99	23.00
6705MHz	Pass	1.53	-5.49	-5.94	-5.37	-5.21	0.43	1.96	23.00
6785MHz	Pass	1.53	-4.71	-5.84	-5.64	-5.26	0.53	2.06	23.00
802.11be EHT160_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6025MHz	Pass	1.53	-7.70	-6.57	-6.73	-7.11	-1.15	0.38	23.00
6185MHz	Pass	1.53	-7.42	-7.28	-6.92	-7.20	-1.35	0.18	23.00
6345MHz	Pass	1.53	-6.69	-7.21	-7.09	-6.68	-0.97	0.56	23.00
6665MHz	Pass	1.53	-8.29	-8.27	-7.90	-8.18	-2.14	-0.61	23.00
802.11be EHT320_Nss4,(MCS0)_4TX	-	-	-	-	-	-	-	-	-
6105MHz	Pass	1.53	-10.21	-9.94	-10.40	-9.92	-4.22	-2.69	23.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
Inf = There's no restriction for the limit.

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

5955MHz

10/10/2025




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6195MHz

10/10/2025




5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6415MHz

10/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6535MHz

10/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6695MHz

10/10/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

PSD

6855MHz

10/10/2025




5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

5965MHz

10/10/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.57	4.57	-1.69	-1.59	-1.09	-1.02


5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6205MHz

10/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.24	4.24	-1.83	-1.98	-1.07	-1.67


5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6405MHz

10/10/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.32	4.32	-1.66	-1.85	-1.67	-1.24

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6565MHz

10/10/2025

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.15	3.15	-2.64	-3.07	-2.30	-2.80

Sum
Port 1
Port 2
Port 3
Port 4


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6685MHz

10/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.33	3.33	-2.21	-2.91	-2.41	-2.55


6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

PSD

6845MHz

10/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.16	3.16	-2.95	-3.04	-2.47	-2.31


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

5985MHz

10/10/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.45	1.45	-4.60	-4.82	-4.52	-3.95


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6225MHz

10/10/2025

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
1.62	1.62	-4.20	-4.49	-4.16	-4.23


5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6385MHz

10/10/2025

CF (Hz)
6.385G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.54	1.54	-4.03	-4.46	-5.02	-4.33


6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6625MHz

10/10/2025

CF (Hz)
6.625G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.46	0.46	-5.24	-5.82	-5.47	-5.20

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6705MHz

10/10/2025




6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

PSD

6785MHz

10/10/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6025MHz

10/10/2025




5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6185MHz

10/10/2025



5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6345MHz

10/10/2025

CF (Hz)
6.345G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.97	-0.97	-6.69	-7.21	-7.09	-6.68

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

PSD

6665MHz

10/10/2025

CF (Hz)
6.665G


Span (Hz)
240M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.14	-2.14	-8.29	-8.27	-7.90	-8.18


5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

PSD

6105MHz

10/10/2025

CF (Hz)
6.105G
Span (Hz)
480M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum
Port 1
Port 2
Port 3
Port 4

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.22	-4.22	-10.21	-9.94	-10.40	-9.92

Test Mode: Mode 37

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	13.72	22.47
802.11be EHT40_Nss2,(MCS0)_2TX	10.93	19.68
802.11be EHT80_Nss2,(MCS0)_2TX	8.11	16.86
802.11be EHT160_Nss2,(MCS0)_2TX	3.60	12.35
802.11be EHT320_Nss2,(MCS0)_2TX	-0.68	8.07
6.525-6.875GHz	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	13.68	22.43
802.11be EHT40_Nss2,(MCS0)_2TX	10.92	19.67
802.11be EHT80_Nss2,(MCS0)_2TX	7.99	16.74
802.11be EHT160_Nss2,(MCS0)_2TX	3.21	11.96

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11be EHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5955MHz	Pass	8.75	9.06	9.95	12.38	21.13	23.00
6195MHz	Pass	8.75	10.08	11.42	13.72	22.47	23.00
6415MHz	Pass	8.75	10.70	10.70	13.64	22.39	23.00
6535MHz	Pass	8.75	10.21	10.17	13.19	21.94	23.00
6695MHz	Pass	8.75	10.17	11.34	13.68	22.43	23.00
6855MHz	Pass	8.75	10.22	10.76	13.45	22.20	23.00
802.11be EHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5965MHz	Pass	8.75	5.41	6.25	8.80	17.55	23.00
6205MHz	Pass	8.75	7.65	8.43	10.93	19.68	23.00
6405MHz	Pass	8.75	7.49	8.07	10.74	19.49	23.00
6565MHz	Pass	8.75	7.80	8.13	10.92	19.67	23.00
6685MHz	Pass	8.75	7.75	8.17	10.87	19.62	23.00
6845MHz	Pass	8.75	6.20	7.50	9.78	18.53	23.00
802.11be EHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
5985MHz	Pass	8.75	2.63	3.34	5.93	14.68	23.00
6225MHz	Pass	8.75	4.58	5.50	8.03	16.78	23.00
6385MHz	Pass	8.75	5.05	5.47	8.11	16.86	23.00
6625MHz	Pass	8.75	4.57	5.45	7.96	16.71	23.00
6705MHz	Pass	8.75	4.57	5.46	7.95	16.70	23.00
6785MHz	Pass	8.75	4.76	5.31	7.99	16.74	23.00
802.11be EHT160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6025MHz	Pass	8.75	-1.98	-0.64	1.75	10.50	23.00
6185MHz	Pass	8.75	0.39	0.73	3.51	12.26	23.00
6345MHz	Pass	8.75	0.07	1.21	3.60	12.35	23.00
6665MHz	Pass	8.75	-0.47	0.78	3.21	11.96	23.00
802.11be EHT320_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-
6105MHz	Pass	8.75	-4.27	-2.96	-0.68	8.07	23.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 Inf = There's no restriction for the limit.


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

5955MHz

08/10/2025

CF (Hz)
5.955G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
12.38	12.38	9.06	9.95

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6195MHz

09/10/2025

CF (Hz)
6.195G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.72	13.72	10.08	11.42

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6415MHz

11/10/2025

CF (Hz)
6.415G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.64	13.64	10.70	10.70

Sum
Port 1
Port 2


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6535MHz

11/10/2025

CF (Hz)
6.535G
Span (Hz)
30M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
13.19	13.19	10.21	10.17


Sum
Port 1
Port 2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6695MHz

09/10/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

PSD

6855MHz

09/10/2025




5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

5965MHz

09/10/2025

CF (Hz)
5.965G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.80	8.80	5.41	6.25

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6205MHz

09/10/2025

CF (Hz)
6.205G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.93	10.93	7.65	8.43

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6405MHz

11/10/2025

CF (Hz)
6.405G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.74	10.74	7.49	8.07


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6565MHz

09/10/2025

CF (Hz)
6.565G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.92	10.92	7.80	8.13


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6685MHz

09/10/2025

CF (Hz)
6.685G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
10.87	10.87	7.75	8.17


6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

PSD

6845MHz

09/10/2025

CF (Hz)
6.845G
Span (Hz)
60M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.78	9.78	6.20	7.50


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

5985MHz

09/10/2025

CF (Hz)
5.985G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
5.93	5.93	2.63	3.34

Sum
Port 1
Port 2


5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

PSD

6225MHz

09/10/2025

CF (Hz)
6.225G
Span (Hz)
120M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
20m
Detector Type
RMS



Sum	PD	Port 1	Port 2
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
8.03	8.03	4.58	5.50

Sum
Port 1
Port 2