


## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

## 2417MHz\_TX




EUT Y\_2TX  
Setting 80  
01-U-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.39G        | 69.36             | 74.00             | -4.64          | 69.96         | 3           | Horizontal | 56             | 2.24          | -       | 27.40      | 4.92       | 32.92      |  |  |  |
| AV   | 2.3897G      | 53.28             | 54.00             | -0.72          | 53.88         | 3           | Horizontal | 56             | 2.24          | -       | 27.40      | 4.92       | 32.92      |  |  |  |
| PK   | 2.4233G      | 112.53            | Inf               | -Inf           | 113.07        | 3           | Horizontal | 56             | 2.24          | -       | 27.43      | 4.94       | 32.91      |  |  |  |
| AV   | 2.4188G      | 103.46            | Inf               | -Inf           | 104.03        | 3           | Horizontal | 56             | 2.24          | -       | 27.41      | 4.93       | 32.91      |  |  |  |
| PK   | 2.4835G      | 55.09             | 74.00             | -18.91         | 55.20         | 3           | Horizontal | 56             | 2.24          | -       | 27.84      | 4.95       | 32.90      |  |  |  |
| AV   | 2.4854G      | 43.02             | 54.00             | -10.98         | 43.12         | 3           | Horizontal | 56             | 2.24          | -       | 27.85      | 4.95       | 32.90      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT Y\_2TX  
Setting 94  
01-U-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 59.33             | 74.00             | -14.67         | 59.94         | 3           | Vertical  | 346            | 1.40          | -       | 27.39      | 4.92       | 32.92      |  |  |  |
| AV   | 2.3894G      | 45.61             | 54.00             | -8.39          | 46.22         | 3           | Vertical  | 346            | 1.40          | -       | 27.39      | 4.92       | 32.92      |  |  |  |
| PK   | 2.433G       | 110.24            | Inf               | -Inf           | 110.68        | 3           | Vertical  | 346            | 1.40          | -       | 27.53      | 4.94       | 32.91      |  |  |  |
| AV   | 2.4438G      | 101.55            | Inf               | -Inf           | 101.96        | 3           | Vertical  | 346            | 1.40          | -       | 27.56      | 4.94       | 32.91      |  |  |  |
| PK   | 2.4862G      | 67.30             | 74.00             | -6.70          | 67.39         | 3           | Vertical  | 346            | 1.40          | -       | 27.86      | 4.95       | 32.90      |  |  |  |
| AV   | 2.4842G      | 51.81             | 54.00             | -2.19          | 51.92         | 3           | Vertical  | 346            | 1.40          | -       | 27.84      | 4.95       | 32.90      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

## 2437MHz\_TX




EUT Y\_2TX  
Setting 94  
01-U-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3878G      | 62.50             | 74.00             | -11.50         | 63.12         | 3           | Horizontal | 18             | 1.80          | -       | 27.38      | 4.92       | 32.92      |  |  |  |
| AV   | 2.3898G      | 46.83             | 54.00             | -7.17          | 47.43         | 3           | Horizontal | 18             | 1.80          | -       | 27.40      | 4.92       | 32.92      |  |  |  |
| PK   | 2.443G       | 114.65            | Inf               | -Inf           | 115.05        | 3           | Horizontal | 18             | 1.80          | -       | 27.57      | 4.94       | 32.91      |  |  |  |
| AV   | 2.4438G      | 106.18            | Inf               | -Inf           | 106.59        | 3           | Horizontal | 18             | 1.80          | -       | 27.56      | 4.94       | 32.91      |  |  |  |
| PK   | 2.4842G      | 71.88             | 74.00             | -2.12          | 71.99         | 3           | Horizontal | 18             | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |
| AV   | 2.4846G      | 53.31             | 54.00             | -0.69          | 53.41         | 3           | Horizontal | 18             | 1.80          | -       | 27.85      | 4.95       | 32.90      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 94  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.86542G     | 47.48             | 74.00             | -26.52         | 40.80         | 3           | Vertical  | 179            | 1.80          | -       | 32.76      | 6.49       | 32.57      |  |  |  |  |
| AV   | 4.88066G     | 36.72             | 54.00             | -17.28         | 29.97         | 3           | Vertical  | 179            | 1.80          | -       | 32.82      | 6.51       | 32.58      |  |  |  |  |
| PK   | 7.2996G      | 53.04             | 74.00             | -20.96         | 40.21         | 3           | Vertical  | 274            | 2.99          | -       | 37.50      | 7.97       | 32.64      |  |  |  |  |
| AV   | 7.3029G      | 42.24             | 54.00             | -11.76         | 29.39         | 3           | Vertical  | 274            | 2.99          | -       | 37.51      | 7.97       | 32.63      |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 94  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.87136G     | 47.09             | 74.00             | -26.91         | 40.37         | 3           | Horizontal | 351            | 2.68          | -       | 32.79      | 6.50       | 32.57      |  |  |  |  |
| AV   | 4.86032G     | 36.28             | 54.00             | -17.72         | 29.63         | 3           | Horizontal | 351            | 2.68          | -       | 32.74      | 6.48       | 32.57      |  |  |  |  |
| PK   | 7.3104G      | 53.61             | 74.00             | -20.39         | 40.75         | 3           | Horizontal | 119            | 1.80          | -       | 37.52      | 7.97       | 32.63      |  |  |  |  |
| AV   | 7.30116G     | 42.46             | 54.00             | -11.54         | 29.63         | 3           | Horizontal | 119            | 1.80          | -       | 37.50      | 7.97       | 32.64      |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

## 2457MHz\_TX




EUT\_Y\_2TX  
Setting 78  
01-U-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3862G      | 51.72             | 74.00             | -22.28         | 52.36         | 3           | Vertical  | 357            | 2.94          | -       | 27.36      | 4.92       | 32.92      |  |  |  |
| AV   | 2.385G       | 40.74             | 54.00             | -13.26         | 41.39         | 3           | Vertical  | 357            | 2.94          | -       | 27.35      | 4.92       | 32.92      |  |  |  |
| PK   | 2.4633G      | 108.37            | Inf               | -Inf           | 108.76        | 3           | Vertical  | 357            | 2.94          | -       | 27.57      | 4.95       | 32.91      |  |  |  |
| AV   | 2.4639G      | 98.76             | Inf               | -Inf           | 99.14         | 3           | Vertical  | 357            | 2.94          | -       | 27.58      | 4.95       | 32.91      |  |  |  |
| PK   | 2.484G       | 69.93             | 74.00             | -4.07          | 70.04         | 3           | Vertical  | 357            | 2.94          | -       | 27.84      | 4.95       | 32.90      |  |  |  |
| AV   | 2.484G       | 51.25             | 54.00             | -2.75          | 51.36         | 3           | Vertical  | 357            | 2.94          | -       | 27.84      | 4.95       | 32.90      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2457MHz\_TX




EUT\_Y\_2TX  
Setting 78  
01-U-E-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 2.3832G | 51.85    | 74.00    | -22.15 | 52.52  | 3    | Horizontal | 52      | 1.80   | -       | 27.33 | 4.92 | 32.92 |  |  |  |
| AV   | 2.39G   | 40.96    | 54.00    | -13.04 | 41.56  | 3    | Horizontal | 52      | 1.80   | -       | 27.40 | 4.92 | 32.92 |  |  |  |
| PK   | 2.4636G | 111.23   | Inf      | -Inf   | 111.62 | 3    | Horizontal | 52      | 1.80   | -       | 27.57 | 4.95 | 32.91 |  |  |  |
| AV   | 2.454G  | 102.45   | Inf      | -Inf   | 102.92 | 3    | Horizontal | 52      | 1.80   | -       | 27.50 | 4.94 | 32.91 |  |  |  |
| PK   | 2.4846G | 70.40    | 74.00    | -3.60  | 70.50  | 3    | Horizontal | 52      | 1.80   | -       | 27.85 | 4.95 | 32.90 |  |  |  |
| AV   | 2.484G  | 53.11    | 54.00    | -0.89  | 53.22  | 3    | Horizontal | 52      | 1.80   | -       | 27.84 | 4.95 | 32.90 |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 75  
01-U-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 51.45             | 74.00             | -22.55         | 52.06         | 3           | Vertical  | 337            | 1.80          | -       | 27.39      | 4.92       | 32.92      |  |  |  |
| AV   | 2.3888G      | 40.56             | 54.00             | -13.44         | 41.17         | 3           | Vertical  | 337            | 1.80          | -       | 27.39      | 4.92       | 32.92      |  |  |  |
| PK   | 2.4686G      | 105.03            | Inf               | -Inf           | 105.32        | 3           | Vertical  | 337            | 1.80          | -       | 27.67      | 4.95       | 32.91      |  |  |  |
| AV   | 2.4644G      | 96.65             | Inf               | -Inf           | 97.02         | 3           | Vertical  | 337            | 1.80          | -       | 27.59      | 4.95       | 32.91      |  |  |  |
| PK   | 2.4835G      | 68.55             | 74.00             | -5.45          | 68.66         | 3           | Vertical  | 337            | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |
| AV   | 2.4842G      | 50.62             | 54.00             | -3.38          | 50.73         | 3           | Vertical  | 337            | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 75  
01-U-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.387G       | 51.01             | 74.00             | -22.99         | 51.64         | 3           | Horizontal | 16             | 1.80          | -       | 27.37      | 4.92       | 32.92      |  |  |  |
| AV   | 2.3873G      | 40.58             | 54.00             | -13.42         | 41.21         | 3           | Horizontal | 16             | 1.80          | -       | 27.37      | 4.92       | 32.92      |  |  |  |
| PK   | 2.4638G      | 109.69            | Inf               | -Inf           | 110.07        | 3           | Horizontal | 16             | 1.80          | -       | 27.58      | 4.95       | 32.91      |  |  |  |
| AV   | 2.4638G      | 101.65            | Inf               | -Inf           | 102.03        | 3           | Horizontal | 16             | 1.80          | -       | 27.58      | 4.95       | 32.91      |  |  |  |
| PK   | 2.4835G      | 70.68             | 74.00             | -3.32          | 70.79         | 3           | Horizontal | 16             | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |
| AV   | 2.4835G      | 53.44             | 54.00             | -0.56          | 53.55         | 3           | Horizontal | 16             | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 75  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.91602G     | 47.02             | 74.00             | -26.98         | 40.11         | 3           | Vertical  | 358            | 2.97          | -       | 32.93      | 6.56       | 32.58      |  |  |  |  |
| AV   | 4.91594G     | 36.58             | 54.00             | -17.42         | 29.67         | 3           | Vertical  | 358            | 2.97          | -       | 32.93      | 6.56       | 32.58      |  |  |  |  |
| PK   | 7.39908G     | 53.11             | 74.00             | -20.89         | 40.11         | 3           | Vertical  | 113            | 2.53          | -       | 37.60      | 8.00       | 32.60      |  |  |  |  |
| AV   | 7.38462G     | 42.59             | 54.00             | -11.41         | 29.59         | 3           | Vertical  | 113            | 2.53          | -       | 37.60      | 8.00       | 32.60      |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

## 2462MHz\_TX




EUT\_Y\_2TX  
Setting 75  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.91386G     | 46.96             | 74.00             | -27.04         | 40.06         | 3           | Horizontal | 27             | 2.82          | -       | 32.93      | 6.55       | 32.58      |  |  |  |
| AV   | 4.91626G     | 36.49             | 54.00             | -17.51         | 29.58         | 3           | Horizontal | 27             | 2.82          | -       | 32.93      | 6.56       | 32.58      |  |  |  |
| PK   | 7.39986G     | 52.51             | 74.00             | -21.49         | 39.51         | 3           | Horizontal | 112            | 2.11          | -       | 37.60      | 8.00       | 32.60      |  |  |  |
| AV   | 7.37964G     | 42.25             | 54.00             | -11.75         | 29.27         | 3           | Horizontal | 112            | 2.11          | -       | 37.60      | 7.99       | 32.61      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 2412MHz\_TX




EUT\_Y\_2TX  
Setting 79  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 65.29             | 74.00             | -8.71          | 63.14         | 3           | Vertical  | 169            | 2.76          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.39G        | 51.04             | 54.00             | -2.96          | 48.89         | 3           | Vertical  | 169            | 2.76          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4208G      | 108.74            | Inf               | -Inf           | 106.54        | 3           | Vertical  | 169            | 2.76          | -       | 28.49      | 5.02       | 31.31      |  |  |  |
| AV   | 2.4086G      | 96.73             | Inf               | -Inf           | 94.65         | 3           | Vertical  | 169            | 2.76          | -       | 28.40      | 5.00       | 31.32      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 2412MHz\_TX




EUT\_Y\_2TX  
Setting 79  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.3896G      | 66.67             | 74.00             | -7.33          | 64.52         | 3           | Horizontal | 231            | 2.18          | -       | 28.50      | 4.98       | 31.33      |
| AV   | 2.39G        | 53.47             | 54.00             | -0.53          | 51.32         | 3           | Horizontal | 231            | 2.18          | -       | 28.50      | 4.98       | 31.33      |
| PK   | 2.4206G      | 112.46            | Inf               | -Inf           | 110.26        | 3           | Horizontal | 231            | 2.18          | -       | 28.49      | 5.02       | 31.31      |
| AV   | 2.4178G      | 99.94             | Inf               | -Inf           | 97.75         | 3           | Horizontal | 231            | 2.18          | -       | 28.48      | 5.02       | 31.31      |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2412MHz\_TX




EUT\_Y\_2TX  
Setting 79  
02-D-J-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.82384G | 48.37    | 74.00    | -25.63 | 38.14  | 3    | Vertical  | 324     | 2.27   | -       | 32.95 | 7.41 | 30.13 |  |  |  |
| AV   | 4.82404G | 35.68    | 54.00    | -18.32 | 25.45  | 3    | Vertical  | 324     | 2.27   | -       | 32.95 | 7.41 | 30.13 |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2412MHz\_TX




EUT\_Y\_2TX  
Setting 79  
02-D-J-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.82616G | 48.31    | 74.00    | -25.69 | 38.08  | 3    | Horizontal | 109     | 2.03   | -       | 32.95 | 7.41 | 30.13 |  |  |  |
| AV   | 4.83144G | 35.89    | 54.00    | -18.11 | 25.63  | 3    | Horizontal | 109     | 2.03   | -       | 32.96 | 7.42 | 30.12 |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 90  
01-U-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.3898G      | 60.67             | 74.00             | -13.33         | 61.27         | 3           | Vertical  | 351            | 1.38          | -       | 27.40      | 4.92       | 32.92      |
| AV   | 2.3898G      | 45.46             | 54.00             | -8.54          | 46.06         | 3           | Vertical  | 351            | 1.38          | -       | 27.40      | 4.92       | 32.92      |
| PK   | 2.4358G      | 110.82            | Inf               | -Inf           | 111.23        | 3           | Vertical  | 351            | 1.38          | -       | 27.56      | 4.94       | 32.91      |
| AV   | 2.441G       | 98.53             | Inf               | -Inf           | 98.91         | 3           | Vertical  | 351            | 1.38          | -       | 27.59      | 4.94       | 32.91      |
| PK   | 2.4842G      | 66.90             | 74.00             | -7.10          | 67.01         | 3           | Vertical  | 351            | 1.38          | -       | 27.84      | 4.95       | 32.90      |
| AV   | 2.4838G      | 50.61             | 54.00             | -3.39          | 50.72         | 3           | Vertical  | 351            | 1.38          | -       | 27.84      | 4.95       | 32.90      |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 90  
01-U-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 62.05             | 74.00             | -11.95         | 62.65         | 3           | Horizontal | 16             | 1.80          | -       | 27.40      | 4.92       | 32.92      |  |  |  |
| AV   | 2.3894G      | 47.83             | 54.00             | -6.17          | 48.44         | 3           | Horizontal | 16             | 1.80          | -       | 27.39      | 4.92       | 32.92      |  |  |  |
| PK   | 2.4454G      | 114.12            | Inf               | -Inf           | 114.54        | 3           | Horizontal | 16             | 1.80          | -       | 27.55      | 4.94       | 32.91      |  |  |  |
| AV   | 2.441G       | 102.00            | Inf               | -Inf           | 102.38        | 3           | Horizontal | 16             | 1.80          | -       | 27.59      | 4.94       | 32.91      |  |  |  |
| PK   | 2.4835G      | 70.02             | 74.00             | -3.98          | 70.13         | 3           | Horizontal | 16             | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |
| AV   | 2.4838G      | 53.15             | 54.00             | -0.85          | 53.26         | 3           | Horizontal | 16             | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 90  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.86984G     | 47.12             | 74.00             | -26.88         | 40.42         | 3           | Vertical  | 168            | 2.01          | -       | 32.78      | 6.49       | 32.57      |  |  |  |  |
| AV   | 4.86652G     | 35.12             | 54.00             | -18.88         | 28.43         | 3           | Vertical  | 168            | 2.01          | -       | 32.77      | 6.49       | 32.57      |  |  |  |  |
| PK   | 7.30664G     | 54.01             | 74.00             | -19.99         | 41.16         | 3           | Vertical  | 314            | 1.70          | -       | 37.51      | 7.97       | 32.63      |  |  |  |  |
| AV   | 7.31868G     | 41.42             | 54.00             | -12.58         | 28.53         | 3           | Vertical  | 314            | 1.70          | -       | 37.54      | 7.98       | 32.63      |  |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 90  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.866G       | 47.56             | 74.00             | -26.44         | 40.88         | 3           | Horizontal | 4              | 2.71          | -       | 32.76      | 6.49       | 32.57      |  |  |  |  |
| AV   | 4.88004G     | 35.43             | 54.00             | -18.57         | 28.68         | 3           | Horizontal | 4              | 2.71          | -       | 32.82      | 6.51       | 32.58      |  |  |  |  |
| PK   | 7.31444G     | 52.77             | 74.00             | -21.23         | 39.90         | 3           | Horizontal | 139            | 1.80          | -       | 37.53      | 7.97       | 32.63      |  |  |  |  |
| AV   | 7.318G       | 41.19             | 54.00             | -12.81         | 28.30         | 3           | Horizontal | 139            | 1.80          | -       | 37.54      | 7.98       | 32.63      |  |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2457MHz\_TX




EUT\_Y\_2TX  
Setting 76  
01-U-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.39G        | 51.07             | 74.00             | -22.93         | 51.67         | 3           | Vertical  | 352            | 1.30          | -       | 27.40      | 4.92       | 32.92      |  |  |  |
| AV   | 2.3883G      | 39.97             | 54.00             | -14.03         | 40.59         | 3           | Vertical  | 352            | 1.30          | -       | 27.38      | 4.92       | 32.92      |  |  |  |
| PK   | 2.4543G      | 107.80            | Inf               | -Inf           | 108.27        | 3           | Vertical  | 352            | 1.30          | -       | 27.50      | 4.94       | 32.91      |  |  |  |
| AV   | 2.4492G      | 95.61             | Inf               | -Inf           | 96.07         | 3           | Vertical  | 352            | 1.30          | -       | 27.51      | 4.94       | 32.91      |  |  |  |
| PK   | 2.4843G      | 70.84             | 74.00             | -3.16          | 70.95         | 3           | Vertical  | 352            | 1.30          | -       | 27.84      | 4.95       | 32.90      |  |  |  |
| AV   | 2.484G       | 52.15             | 54.00             | -1.85          | 52.26         | 3           | Vertical  | 352            | 1.30          | -       | 27.84      | 4.95       | 32.90      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2457MHz\_TX




EUT\_Y\_2TX  
Setting 76  
01-U-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3865G      | 51.49             | 74.00             | -22.51         | 52.13         | 3           | Horizontal | 47             | 1.80          | -       | 27.36      | 4.92       | 32.92      |  |  |  |
| AV   | 2.3889G      | 40.52             | 54.00             | -13.48         | 41.13         | 3           | Horizontal | 47             | 1.80          | -       | 27.39      | 4.92       | 32.92      |  |  |  |
| PK   | 2.4534G      | 110.78            | Inf               | -Inf           | 111.25        | 3           | Horizontal | 47             | 1.80          | -       | 27.50      | 4.94       | 32.91      |  |  |  |
| AV   | 2.4492G      | 99.39             | Inf               | -Inf           | 99.85         | 3           | Horizontal | 47             | 1.80          | -       | 27.51      | 4.94       | 32.91      |  |  |  |
| PK   | 2.4843G      | 72.17             | 74.00             | -1.83          | 72.28         | 3           | Horizontal | 47             | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |
| AV   | 2.4835G      | 53.26             | 54.00             | -0.74          | 53.37         | 3           | Horizontal | 47             | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 73  
01-U-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3885G      | 51.05             | 74.00             | -22.95         | 51.67         | 3           | Vertical  | 334            | 1.80          | -       | 27.38      | 4.92       | 32.92      |  |  |  |
| AV   | 2.3897G      | 39.95             | 54.00             | -14.05         | 40.55         | 3           | Vertical  | 334            | 1.80          | -       | 27.40      | 4.92       | 32.92      |  |  |  |
| PK   | 2.4593G      | 105.29            | Inf               | -Inf           | 105.76        | 3           | Vertical  | 334            | 1.80          | -       | 27.50      | 4.94       | 32.91      |  |  |  |
| AV   | 2.4644G      | 93.45             | Inf               | -Inf           | 93.82         | 3           | Vertical  | 334            | 1.80          | -       | 27.59      | 4.95       | 32.91      |  |  |  |
| PK   | 2.4845G      | 68.53             | 74.00             | -5.47          | 68.64         | 3           | Vertical  | 334            | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |
| AV   | 2.4835G      | 49.68             | 54.00             | -4.32          | 49.79         | 3           | Vertical  | 334            | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 73  
01-U-E-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3891G      | 50.70             | 74.00             | -23.30         | 51.31         | 3           | Horizontal | 47             | 1.80          | -       | 27.39      | 4.92       | 32.92      |  |  |  |
| AV   | 2.3882G      | 39.95             | 54.00             | -14.05         | 40.57         | 3           | Horizontal | 47             | 1.80          | -       | 27.38      | 4.92       | 32.92      |  |  |  |
| PK   | 2.465G       | 109.70            | Inf               | -Inf           | 110.06        | 3           | Horizontal | 47             | 1.80          | -       | 27.60      | 4.95       | 32.91      |  |  |  |
| AV   | 2.4539G      | 98.51             | Inf               | -Inf           | 98.98         | 3           | Horizontal | 47             | 1.80          | -       | 27.50      | 4.94       | 32.91      |  |  |  |
| PK   | 2.4839G      | 71.28             | 74.00             | -2.72          | 71.39         | 3           | Horizontal | 47             | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |
| AV   | 2.4835G      | 53.54             | 54.00             | -0.46          | 53.65         | 3           | Horizontal | 47             | 1.80          | -       | 27.84      | 4.95       | 32.90      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 73  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.934G       | 47.31             | 74.00             | -26.69         | 40.34         | 3           | Vertical  | 219            | 1.13          | -       | 32.97      | 6.58       | 32.58      |  |  |  |  |
| AV   | 4.92376G     | 35.30             | 54.00             | -18.70         | 28.36         | 3           | Vertical  | 219            | 1.13          | -       | 32.95      | 6.57       | 32.58      |  |  |  |  |
| PK   | 7.38988G     | 52.95             | 74.00             | -21.05         | 39.95         | 3           | Vertical  | 87             | 3.00          | -       | 37.60      | 8.00       | 32.60      |  |  |  |  |
| AV   | 7.38952G     | 41.48             | 54.00             | -12.52         | 28.48         | 3           | Vertical  | 87             | 3.00          | -       | 37.60      | 8.00       | 32.60      |  |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2462MHz\_TX




EUT\_Y\_2TX  
Setting 73  
01-U-E-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.92908G     | 46.91             | 74.00             | -27.09         | 39.96         | 3           | Horizontal | 85             | 2.65          | -       | 32.96      | 6.57       | 32.58      |  |  |  |
| AV   | 4.92084G     | 35.24             | 54.00             | -18.76         | 28.32         | 3           | Horizontal | 85             | 2.65          | -       | 32.94      | 6.56       | 32.58      |  |  |  |
| PK   | 7.38396G     | 53.38             | 74.00             | -20.62         | 40.38         | 3           | Horizontal | 125            | 1.07          | -       | 37.60      | 8.00       | 32.60      |  |  |  |
| AV   | 7.38304G     | 41.52             | 54.00             | -12.48         | 28.53         | 3           | Horizontal | 125            | 1.07          | -       | 37.60      | 7.99       | 32.60      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

## 2412MHz\_TX




EUT\_Y\_4TX  
Setting 89  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.3898G      | 53.59             | 74.00             | -20.41         | 51.44         | 3           | Vertical  | 19             | 3.00          | -       | 28.50      | 4.98       | 31.33      |  |  |  |  |
| AV   | 2.3896G      | 42.45             | 54.00             | -11.55         | 40.30         | 3           | Vertical  | 19             | 3.00          | -       | 28.50      | 4.98       | 31.33      |  |  |  |  |
| PK   | 2.413G       | 109.73            | Inf               | -Inf           | 107.61        | 3           | Vertical  | 19             | 3.00          | -       | 28.43      | 5.01       | 31.32      |  |  |  |  |
| AV   | 2.4112G      | 105.97            | Inf               | -Inf           | 103.87        | 3           | Vertical  | 19             | 3.00          | -       | 28.41      | 5.01       | 31.32      |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

## 2412MHz\_TX




EUT Y\_4TX  
Setting 89  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.3888G      | 58.53             | 74.00             | -15.47         | 56.38         | 3           | Horizontal | 320            | 2.38          | -       | 28.50      | 4.98       | 31.33      |  |  |  |  |
| AV   | 2.3892G      | 52.06             | 54.00             | -1.94          | 49.91         | 3           | Horizontal | 320            | 2.38          | -       | 28.50      | 4.98       | 31.33      |  |  |  |  |
| PK   | 2.413G       | 114.98            | Inf               | -Inf           | 112.86        | 3           | Horizontal | 320            | 2.38          | -       | 28.43      | 5.01       | 31.32      |  |  |  |  |
| AV   | 2.4128G      | 111.09            | Inf               | -Inf           | 108.97        | 3           | Horizontal | 320            | 2.38          | -       | 28.43      | 5.01       | 31.32      |  |  |  |  |

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

2412MHz\_TX




EUT\_Y\_4TX  
SET 89  
02-D-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.81352G | 47.07    | 74.00    | -26.93 | 36.87  | 3    | Vertical  | 9       | 1.80   | 89      | 32.93 | 7.40 | 30.13 |  |  |  |
| AV   | 4.83552G | 33.75    | 54.00    | -20.25 | 23.48  | 3    | Vertical  | 9       | 1.80   | 89      | 32.97 | 7.42 | 30.12 |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

### 2412MHz\_TX




EUT\_Y\_4TX  
SET 89  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.81688G     | 46.95             | 74.00             | -27.05         | 36.75         | 3           | Horizontal | 314            | 2.16          | 89      | 32.93      | 7.40       | 30.13      |  |  |  |
| AV   | 4.83696G     | 33.67             | 54.00             | -20.33         | 23.40         | 3           | Horizontal | 314            | 2.16          | 89      | 32.97      | 7.42       | 30.12      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

## 2437MHz\_TX




EUT\_V\_4TX  
Setting 108  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3886G      | 58.61             | 74.00             | -15.39         | 56.46         | 3           | Vertical  | 0              | 2.96          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3882G      | 52.12             | 54.00             | -1.88          | 49.97         | 3           | Vertical  | 0              | 2.96          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4378G      | 117.24            | Inf               | -Inf           | 115.10        | 3           | Vertical  | 0              | 2.96          | -       | 28.40      | 5.05       | 31.31      |  |  |  |
| AV   | 2.4378G      | 113.18            | Inf               | -Inf           | 111.04        | 3           | Vertical  | 0              | 2.96          | -       | 28.40      | 5.05       | 31.31      |  |  |  |
| PK   | 2.4854G      | 57.76             | 74.00             | -16.24         | 55.47         | 3           | Vertical  | 0              | 2.96          | -       | 28.45      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4858G      | 49.76             | 54.00             | -4.24          | 47.46         | 3           | Vertical  | 0              | 2.96          | -       | 28.46      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
Setting 108  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3886G      | 56.42             | 74.00             | -17.58         | 54.27         | 3           | Horizontal | 317            | 2.33          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3886G      | 49.71             | 54.00             | -4.29          | 47.56         | 3           | Horizontal | 317            | 2.33          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4378G      | 118.65            | Inf               | -Inf           | 116.51        | 3           | Horizontal | 317            | 2.33          | -       | 28.40      | 5.05       | 31.31      |  |  |  |
| AV   | 2.4362G      | 114.96            | Inf               | -Inf           | 112.82        | 3           | Horizontal | 317            | 2.33          | -       | 28.40      | 5.05       | 31.31      |  |  |  |
| PK   | 2.4835G      | 59.42             | 74.00             | -14.58         | 57.14         | 3           | Horizontal | 317            | 2.33          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 53.69             | 54.00             | -0.31          | 51.41         | 3           | Horizontal | 317            | 2.33          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
SET 108  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.86368G     | 46.85             | 74.00             | -27.15         | 36.47         | 3           | Vertical  | 0              | 2.24          | 98      | 33.05      | 7.44       | 30.11      |  |  |  |  |
| AV   | 4.87396G     | 35.50             | 54.00             | -18.50         | 25.06         | 3           | Vertical  | 0              | 2.24          | 98      | 33.10      | 7.45       | 30.11      |  |  |  |  |
| PK   | 7.30008G     | 52.42             | 74.00             | -21.58         | 37.79         | 3           | Vertical  | 50             | 1.53          | 98      | 36.50      | 9.02       | 30.89      |  |  |  |  |
| AV   | 7.30984G     | 40.58             | 54.00             | -13.42         | 25.93         | 3           | Vertical  | 50             | 1.53          | 98      | 36.52      | 9.02       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

## 2437MHz\_TX




EUT Y\_4TX  
SET 108  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.86944G     | 47.82             | 74.00             | -26.18         | 37.40         | 3           | Horizontal | 74             | 2.75          | 98      | 33.08      | 7.45       | 30.11      |  |  |  |  |
| AV   | 4.87396G     | 35.35             | 54.00             | -18.65         | 24.91         | 3           | Horizontal | 74             | 2.75          | 98      | 33.10      | 7.45       | 30.11      |  |  |  |  |
| PK   | 7.31004G     | 52.23             | 74.00             | -21.77         | 37.58         | 3           | Horizontal | 320            | 1.78          | 98      | 36.52      | 9.02       | 30.89      |  |  |  |  |
| AV   | 7.3116G      | 40.57             | 54.00             | -13.43         | 25.92         | 3           | Horizontal | 320            | 1.78          | 98      | 36.52      | 9.02       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUT\_Y\_4TX  
Setting 91  
02-D-G-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 2.461G  | 115.63   | Inf      | -Inf   | 113.44 | 3    | Vertical  | 0       | 3.00   | -       | 28.40 | 5.09 | 31.30 |  |  |  |
| AV   | 2.4612G | 111.75   | Inf      | -Inf   | 109.56 | 3    | Vertical  | 0       | 3.00   | -       | 28.40 | 5.09 | 31.30 |  |  |  |
| PK   | 2.4835G | 57.44    | 74.00    | -16.56 | 55.16  | 3    | Vertical  | 0       | 3.00   | -       | 28.44 | 5.13 | 31.29 |  |  |  |
| AV   | 2.4835G | 49.89    | 54.00    | -4.11  | 47.61  | 3    | Vertical  | 0       | 3.00   | -       | 28.44 | 5.13 | 31.29 |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUT\_Y\_4TX  
Setting 91  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.463G       | 115.65            | Inf               | -Inf           | 113.46        | 3           | Horizontal | 320            | 2.30          | -       | 28.40      | 5.09       | 31.30      |  |  |  |
| AV   | 2.4628G      | 111.72            | Inf               | -Inf           | 109.53        | 3           | Horizontal | 320            | 2.30          | -       | 28.40      | 5.09       | 31.30      |  |  |  |
| PK   | 2.4856G      | 59.62             | 74.00             | -14.38         | 57.32         | 3           | Horizontal | 320            | 2.30          | -       | 28.46      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4858G      | 53.52             | 54.00             | -0.48          | 51.22         | 3           | Horizontal | 320            | 2.30          | -       | 28.46      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

### 2462MHz\_TX




EUT\_Y\_4TX  
SET91  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.9098G      | 47.05             | 74.00             | -26.95         | 36.44         | 3           | Vertical  | 304            | 1.80          | 91      | 33.22      | 7.48       | 30.09      |  |  |  |  |
| AV   | 4.90568G     | 33.99             | 54.00             | -20.01         | 23.40         | 3           | Vertical  | 304            | 1.80          | 91      | 33.21      | 7.47       | 30.09      |  |  |  |  |
| PK   | 7.38144G     | 53.16             | 74.00             | -20.84         | 38.36         | 3           | Vertical  | 4              | 2.32          | 91      | 36.66      | 9.03       | 30.89      |  |  |  |  |
| AV   | 7.38436G     | 39.61             | 54.00             | -14.39         | 24.80         | 3           | Vertical  | 4              | 2.32          | 91      | 36.67      | 9.03       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_4TX

## 2462MHz\_TX




EUT\_Y\_4TX  
SET91  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.92052G     | 47.02             | 74.00             | -26.98         | 36.37         | 3           | Horizontal | 300            | 1.80          | 91      | 33.24      | 7.49       | 30.08      |  |  |  |  |
| AV   | 4.92396G     | 35.50             | 54.00             | -18.50         | 24.84         | 3           | Horizontal | 300            | 1.80          | 91      | 33.25      | 7.49       | 30.08      |  |  |  |  |
| PK   | 7.3766G      | 53.48             | 74.00             | -20.52         | 38.69         | 3           | Horizontal | 320            | 1.72          | 91      | 36.65      | 9.03       | 30.89      |  |  |  |  |
| AV   | 7.38696G     | 40.40             | 54.00             | -13.60         | 25.59         | 3           | Horizontal | 320            | 1.72          | 91      | 36.67      | 9.03       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2412MHz\_TX




EUT\_Y\_4TX  
Setting 72  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3896G      | 64.60             | 74.00             | -9.40          | 62.45         | 3           | Vertical  | 338            | 1.56          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3898G      | 50.38             | 54.00             | -3.62          | 48.23         | 3           | Vertical  | 338            | 1.56          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4148G      | 106.41            | Inf               | -Inf           | 104.27        | 3           | Vertical  | 338            | 1.56          | -       | 28.45      | 5.01       | 31.32      |  |  |  |
| AV   | 2.416G       | 97.64             | Inf               | -Inf           | 95.48         | 3           | Vertical  | 338            | 1.56          | -       | 28.46      | 5.02       | 31.32      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2412MHz\_TX




EUT\_Y\_4TX  
Setting 72  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.3898G      | 68.37             | 74.00             | -5.63          | 66.22         | 3           | Horizontal | 55             | 1.94          | -       | 28.50      | 4.98       | 31.33      |
| AV   | 2.3898G      | 53.47             | 54.00             | -0.53          | 51.32         | 3           | Horizontal | 55             | 1.94          | -       | 28.50      | 4.98       | 31.33      |
| PK   | 2.4194G      | 113.47            | Inf               | -Inf           | 111.27        | 3           | Horizontal | 55             | 1.94          | -       | 28.49      | 5.02       | 31.31      |
| AV   | 2.4188G      | 105.18            | Inf               | -Inf           | 102.98        | 3           | Horizontal | 55             | 1.94          | -       | 28.49      | 5.02       | 31.31      |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2412MHz\_TX




EUT\_Y\_4TX  
SET 72  
02-D-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.83712G | 46.93    | 74.00    | -27.07 | 36.66  | 3    | Vertical  | 349     | 1.73   | 72      | 32.97 | 7.42 | 30.12 |  |  |  |
| AV   | 4.82428G | 35.99    | 54.00    | -18.01 | 25.76  | 3    | Vertical  | 349     | 1.73   | 72      | 32.95 | 7.41 | 30.13 |  |  |  |

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

2412MHz\_TX




EUT\_Y\_4TX  
SET 72  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.80932G     | 46.60             | 74.00             | -27.40         | 36.41         | 3           | Horizontal | 175            | 2.64          | 72      | 32.92      | 7.40       | 30.13      |  |  |  |
| AV   | 4.83812G     | 36.19             | 54.00             | -17.81         | 25.91         | 3           | Horizontal | 175            | 2.64          | 72      | 32.98      | 7.42       | 30.12      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

### 2417MHz\_TX




EUT\_Y\_4TX  
Setting 78  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.3894G      | 65.79             | 74.00             | -8.21          | 63.64         | 3           | Vertical  | 3              | 2.76          | -       | 28.50      | 4.98       | 31.33      |
| AV   | 2.3898G      | 49.75             | 54.00             | -4.25          | 47.60         | 3           | Vertical  | 3              | 2.76          | -       | 28.50      | 4.98       | 31.33      |
| PK   | 2.4146G      | 113.28            | Inf               | -Inf           | 111.14        | 3           | Vertical  | 3              | 2.76          | -       | 28.45      | 5.01       | 31.32      |
| AV   | 2.4154G      | 103.95            | Inf               | -Inf           | 101.80        | 3           | Vertical  | 3              | 2.76          | -       | 28.45      | 5.02       | 31.32      |
| PK   | 2.4846G      | 52.32             | 74.00             | -21.68         | 50.03         | 3           | Vertical  | 3              | 2.76          | -       | 28.45      | 5.13       | 31.29      |
| AV   | 2.4842G      | 42.19             | 54.00             | -11.81         | 39.91         | 3           | Vertical  | 3              | 2.76          | -       | 28.44      | 5.13       | 31.29      |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2417MHz\_TX




EUT\_Y\_4TX  
Setting 78  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 72.42             | 74.00             | -1.58          | 70.27         | 3           | Horizontal | 87             | 1.77          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.389G       | 53.48             | 54.00             | -0.52          | 51.33         | 3           | Horizontal | 87             | 1.77          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4214G      | 113.35            | Inf               | -Inf           | 111.14        | 3           | Horizontal | 87             | 1.77          | -       | 28.49      | 5.03       | 31.31      |  |  |  |
| AV   | 2.4214G      | 104.73            | Inf               | -Inf           | 102.52        | 3           | Horizontal | 87             | 1.77          | -       | 28.49      | 5.03       | 31.31      |  |  |  |
| PK   | 2.485G       | 53.80             | 74.00             | -20.20         | 51.51         | 3           | Horizontal | 87             | 1.77          | -       | 28.45      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4838G      | 42.61             | 54.00             | -11.39         | 40.33         | 3           | Horizontal | 87             | 1.77          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
Setting 92  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3886G      | 60.47             | 74.00             | -13.53         | 58.32         | 3           | Vertical  | 5              | 3.00          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.389G       | 47.72             | 54.00             | -6.28          | 45.57         | 3           | Vertical  | 5              | 3.00          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4346G      | 115.31            | Inf               | -Inf           | 113.17        | 3           | Vertical  | 5              | 3.00          | -       | 28.40      | 5.05       | 31.31      |  |  |  |
| AV   | 2.4354G      | 106.28            | Inf               | -Inf           | 104.14        | 3           | Vertical  | 5              | 3.00          | -       | 28.40      | 5.05       | 31.31      |  |  |  |
| PK   | 2.485G       | 63.80             | 74.00             | -10.20         | 61.51         | 3           | Vertical  | 5              | 3.00          | -       | 28.45      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4838G      | 51.18             | 54.00             | -2.82          | 48.90         | 3           | Vertical  | 5              | 3.00          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
Setting 92  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 65.58             | 74.00             | -8.42          | 63.43         | 3           | Horizontal | 54             | 2.10          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3898G      | 49.40             | 54.00             | -4.60          | 47.25         | 3           | Horizontal | 54             | 2.10          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4446G      | 119.06            | Inf               | -Inf           | 116.90        | 3           | Horizontal | 54             | 2.10          | -       | 28.40      | 5.06       | 31.30      |  |  |  |
| AV   | 2.4446G      | 110.32            | Inf               | -Inf           | 108.16        | 3           | Horizontal | 54             | 2.10          | -       | 28.40      | 5.06       | 31.30      |  |  |  |
| PK   | 2.485G       | 70.89             | 74.00             | -3.11          | 68.60         | 3           | Horizontal | 54             | 2.10          | -       | 28.45      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4842G      | 53.41             | 54.00             | -0.59          | 51.13         | 3           | Horizontal | 54             | 2.10          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
SET 92  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.87432G     | 46.94             | 74.00             | -27.06         | 36.50         | 3           | Vertical  | 272            | 1.15          | 92      | 33.10      | 7.45       | 30.11      |  |  |  |  |
| AV   | 4.8908G      | 36.55             | 54.00             | -17.45         | 26.03         | 3           | Vertical  | 272            | 1.15          | 92      | 33.16      | 7.46       | 30.10      |  |  |  |  |
| PK   | 7.31552G     | 51.85             | 74.00             | -22.15         | 37.19         | 3           | Vertical  | 275            | 1.37          | 92      | 36.53      | 9.02       | 30.89      |  |  |  |  |
| AV   | 7.29424G     | 41.33             | 54.00             | -12.67         | 26.73         | 3           | Vertical  | 275            | 1.37          | 92      | 36.48      | 9.01       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
SET 92  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.8532G      | 47.21             | 74.00             | -26.79         | 36.88         | 3           | Horizontal | 72             | 1.80          | 92      | 33.01      | 7.43       | 30.11      |  |  |  |  |
| AV   | 4.87424G     | 36.53             | 54.00             | -17.47         | 26.09         | 3           | Horizontal | 72             | 1.80          | 92      | 33.10      | 7.45       | 30.11      |  |  |  |  |
| PK   | 7.32159G     | 51.49             | 74.00             | -22.51         | 36.82         | 3           | Horizontal | 61             | 1.67          | 92      | 36.54      | 9.02       | 30.89      |  |  |  |  |
| AV   | 7.32468G     | 41.79             | 54.00             | -12.21         | 27.11         | 3           | Horizontal | 61             | 1.67          | 92      | 36.55      | 9.02       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2457MHz\_TX




EUT Y\_4TX  
Setting 75  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3662G      | 51.07             | 74.00             | -22.93         | 49.09         | 3           | Vertical  | 3              | 1.39          | -       | 28.36      | 4.96       | 31.34      |  |  |  |
| AV   | 2.389G       | 41.20             | 54.00             | -12.80         | 39.05         | 3           | Vertical  | 3              | 1.39          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4546G      | 111.99            | Inf               | -Inf           | 109.81        | 3           | Vertical  | 3              | 1.39          | -       | 28.40      | 5.08       | 31.30      |  |  |  |
| AV   | 2.4542G      | 102.90            | Inf               | -Inf           | 100.72        | 3           | Vertical  | 3              | 1.39          | -       | 28.40      | 5.08       | 31.30      |  |  |  |
| PK   | 2.4838G      | 60.31             | 74.00             | -13.69         | 58.03         | 3           | Vertical  | 3              | 1.39          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4842G      | 46.71             | 54.00             | -7.29          | 44.43         | 3           | Vertical  | 3              | 1.39          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2457MHz\_TX




EUT\_Y\_4TX  
Setting 75  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3766G      | 51.52             | 74.00             | -22.48         | 49.41         | 3           | Horizontal | 56             | 2.06          | -       | 28.47      | 4.97       | 31.33      |  |  |  |
| AV   | 2.387G       | 41.33             | 54.00             | -12.67         | 39.18         | 3           | Horizontal | 56             | 2.06          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4642G      | 113.51            | Inf               | -Inf           | 111.31        | 3           | Horizontal | 56             | 2.06          | -       | 28.40      | 5.10       | 31.30      |  |  |  |
| AV   | 2.4646G      | 105.55            | Inf               | -Inf           | 103.34        | 3           | Horizontal | 56             | 2.06          | -       | 28.40      | 5.10       | 31.29      |  |  |  |
| PK   | 2.4835G      | 72.04             | 74.00             | -1.96          | 69.76         | 3           | Horizontal | 56             | 2.06          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4838G      | 53.50             | 54.00             | -0.50          | 51.22         | 3           | Horizontal | 56             | 2.06          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2462MHz\_TX




EUT\_Y\_4TX  
Setting 73  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.4596G      | 111.80            | Inf               | -Inf           | 109.61        | 3           | Vertical  | 10             | 2.99          | -       | 28.40      | 5.09       | 31.30      |  |  |  |
| AV   | 2.457G       | 103.05            | Inf               | -Inf           | 100.87        | 3           | Vertical  | 10             | 2.99          | -       | 28.40      | 5.08       | 31.30      |  |  |  |
| PK   | 2.4838G      | 70.02             | 74.00             | -3.98          | 67.74         | 3           | Vertical  | 10             | 2.99          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 51.86             | 54.00             | -2.14          | 49.58         | 3           | Vertical  | 10             | 2.99          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2462MHz\_TX




EUT\_Y\_4TX  
Setting 73  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.4694G      | 113.79            | Inf               | -Inf           | 111.58        | 3           | Horizontal | 53             | 2.01          | -       | 28.40      | 5.10       | 31.29      |
| AV   | 2.4692G      | 105.40            | Inf               | -Inf           | 103.19        | 3           | Horizontal | 53             | 2.01          | -       | 28.40      | 5.10       | 31.29      |
| PK   | 2.4836G      | 70.05             | 74.00             | -3.95          | 67.77         | 3           | Horizontal | 53             | 2.01          | -       | 28.44      | 5.13       | 31.29      |
| AV   | 2.4835G      | 53.73             | 54.00             | -0.27          | 51.45         | 3           | Horizontal | 53             | 2.01          | -       | 28.44      | 5.13       | 31.29      |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2462MHz\_TX




EUT\_Y\_4TX  
SET 73  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.92356G     | 47.55             | 74.00             | -26.45         | 36.89         | 3           | Vertical  | 277            | 2.50          | 73      | 33.25      | 7.49       | 30.08      |  |  |  |  |
| AV   | 4.915G       | 36.61             | 54.00             | -17.39         | 25.99         | 3           | Vertical  | 277            | 2.50          | 73      | 33.23      | 7.48       | 30.09      |  |  |  |  |
| PK   | 7.40236G     | 53.15             | 74.00             | -20.85         | 38.31         | 3           | Vertical  | 6              | 1.80          | 73      | 36.70      | 9.03       | 30.89      |  |  |  |  |
| AV   | 7.37352G     | 41.92             | 54.00             | -12.08         | 27.13         | 3           | Vertical  | 6              | 1.80          | 73      | 36.65      | 9.03       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_4TX

## 2462MHz\_TX




EUT\_Y\_4TX  
SET 73  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.91856G     | 48.06             | 74.00             | -25.94         | 37.43         | 3           | Horizontal | 208            | 1.80          | 73      | 33.24      | 7.48       | 30.09      |  |  |  |  |
| AV   | 4.91048G     | 36.57             | 54.00             | -17.43         | 25.96         | 3           | Horizontal | 208            | 1.80          | 73      | 33.22      | 7.48       | 30.09      |  |  |  |  |
| PK   | 7.37072G     | 53.11             | 74.00             | -20.89         | 38.33         | 3           | Horizontal | 28             | 1.75          | 73      | 36.64      | 9.03       | 30.89      |  |  |  |  |
| AV   | 7.37208G     | 42.39             | 54.00             | -11.61         | 27.61         | 3           | Horizontal | 28             | 1.75          | 73      | 36.64      | 9.03       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUT\_Y\_4TX  
Setting 74  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.3898G      | 65.41             | 74.00             | -8.59          | 63.26         | 3           | Vertical  | 169            | 2.77          | -       | 28.50      | 4.98       | 31.33      |
| AV   | 2.3898G      | 53.43             | 54.00             | -0.57          | 51.28         | 3           | Vertical  | 169            | 2.77          | -       | 28.50      | 4.98       | 31.33      |
| PK   | 2.417G       | 113.63            | Inf               | -Inf           | 111.45        | 3           | Vertical  | 169            | 2.77          | -       | 28.47      | 5.02       | 31.31      |
| AV   | 2.4076G      | 102.83            | Inf               | -Inf           | 100.75        | 3           | Vertical  | 169            | 2.77          | -       | 28.40      | 5.00       | 31.32      |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 2412MHz\_TX




EUT\_Y\_4TX  
Setting 74  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3886G      | 66.25             | 74.00             | -7.75          | 64.10         | 3           | Horizontal | 233            | 2.08          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3886G      | 53.92             | 54.00             | -0.08          | 51.77         | 3           | Horizontal | 233            | 2.08          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4206G      | 114.97            | Inf               | -Inf           | 112.77        | 3           | Horizontal | 233            | 2.08          | -       | 28.49      | 5.02       | 31.31      |  |  |  |
| AV   | 2.4206G      | 105.04            | Inf               | -Inf           | 102.84        | 3           | Horizontal | 233            | 2.08          | -       | 28.49      | 5.02       | 31.31      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUT\_Y\_4TX  
Setting 74  
02-D-J-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.82378G | 48.79    | 74.00    | -25.21 | 38.56  | 3    | Vertical  | 325     | 1.36   | -       | 32.95 | 7.41 | 30.13 |  |  |  |
| AV   | 4.81806G | 37.52    | 54.00    | -16.48 | 27.31  | 3    | Vertical  | 325     | 1.36   | -       | 32.94 | 7.40 | 30.13 |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 2412MHz\_TX




EUT\_Y\_4TX  
Setting 74  
02-D-J-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.82844G | 48.11    | 74.00    | -25.89 | 37.87  | 3    | Horizontal | 31      | 2.30   | -       | 32.96 | 7.41 | 30.13 |  |  |  |
| AV   | 4.82314G | 37.63    | 54.00    | -16.37 | 27.40  | 3    | Horizontal | 31      | 2.30   | -       | 32.95 | 7.41 | 30.13 |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 2417MHz\_TX




EUT Y\_4TX  
Setting 86  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.3898G      | 65.17             | 74.00             | -8.83          | 63.02         | 3           | Vertical  | 170            | 2.76          | -       | 28.50      | 4.98       | 31.33      |
| AV   | 2.3898G      | 52.30             | 54.00             | -1.70          | 50.15         | 3           | Vertical  | 170            | 2.76          | -       | 28.50      | 4.98       | 31.33      |
| PK   | 2.4126G      | 115.70            | Inf               | -Inf           | 113.58        | 3           | Vertical  | 170            | 2.76          | -       | 28.43      | 5.01       | 31.32      |
| AV   | 2.4122G      | 105.90            | Inf               | -Inf           | 103.79        | 3           | Vertical  | 170            | 2.76          | -       | 28.42      | 5.01       | 31.32      |
| PK   | 2.487G       | 53.80             | 74.00             | -20.20         | 51.49         | 3           | Vertical  | 170            | 2.76          | -       | 28.47      | 5.13       | 31.29      |
| AV   | 2.4835G      | 42.81             | 54.00             | -11.19         | 40.54         | 3           | Vertical  | 170            | 2.76          | -       | 28.43      | 5.13       | 31.29      |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 2417MHz\_TX




EUT\_Y\_4TX  
Setting 86  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 66.41             | 74.00             | -7.59          | 64.26         | 3           | Horizontal | 230            | 2.21          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3896G      | 53.52             | 54.00             | -0.48          | 51.37         | 3           | Horizontal | 230            | 2.21          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4258G      | 118.63            | Inf               | -Inf           | 116.47        | 3           | Horizontal | 230            | 2.21          | -       | 28.44      | 5.03       | 31.31      |  |  |  |
| AV   | 2.4258G      | 108.14            | Inf               | -Inf           | 105.98        | 3           | Horizontal | 230            | 2.21          | -       | 28.44      | 5.03       | 31.31      |  |  |  |
| PK   | 2.4854G      | 54.29             | 74.00             | -19.71         | 52.00         | 3           | Horizontal | 230            | 2.21          | -       | 28.45      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 44.34             | 54.00             | -9.66          | 42.06         | 3           | Horizontal | 230            | 2.21          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
Setting 87  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 64.22             | 74.00             | -9.78          | 62.07         | 3           | Vertical  | 0              | 2.79          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3898G      | 48.36             | 54.00             | -5.64          | 46.21         | 3           | Vertical  | 0              | 2.79          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4378G      | 116.43            | Inf               | -Inf           | 114.29        | 3           | Vertical  | 0              | 2.79          | -       | 28.40      | 5.05       | 31.31      |  |  |  |
| AV   | 2.4426G      | 105.32            | Inf               | -Inf           | 103.16        | 3           | Vertical  | 0              | 2.79          | -       | 28.40      | 5.06       | 31.30      |  |  |  |
| PK   | 2.4838G      | 68.41             | 74.00             | -5.59          | 66.13         | 3           | Vertical  | 0              | 2.79          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4838G      | 51.89             | 54.00             | -2.11          | 49.61         | 3           | Vertical  | 0              | 2.79          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 2437MHz\_TX




EUT\_V\_4TX  
Setting 87  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 65.92             | 74.00             | -8.08          | 63.77         | 3           | Horizontal | 57             | 2.08          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3894G      | 51.81             | 54.00             | -2.19          | 49.66         | 3           | Horizontal | 57             | 2.08          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4354G      | 119.05            | Inf               | -Inf           | 116.91        | 3           | Horizontal | 57             | 2.08          | -       | 28.40      | 5.05       | 31.31      |  |  |  |
| AV   | 2.4402G      | 108.22            | Inf               | -Inf           | 106.07        | 3           | Horizontal | 57             | 2.08          | -       | 28.40      | 5.06       | 31.31      |  |  |  |
| PK   | 2.4842G      | 72.81             | 74.00             | -1.19          | 70.53         | 3           | Horizontal | 57             | 2.08          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4842G      | 53.93             | 54.00             | -0.07          | 51.65         | 3           | Horizontal | 57             | 2.08          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
SET 87  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.8784G      | 47.02             | 74.00             | -26.98         | 36.56         | 3           | Vertical  | 281            | 1.26          | 87      | 33.11      | 7.45       | 30.10      |  |  |  |  |
| AV   | 4.87716G     | 36.53             | 54.00             | -17.47         | 26.07         | 3           | Vertical  | 281            | 1.26          | 87      | 33.11      | 7.45       | 30.10      |  |  |  |  |
| PK   | 7.30192G     | 51.74             | 74.00             | -22.26         | 37.11         | 3           | Vertical  | 64             | 2.92          | 87      | 36.50      | 9.02       | 30.89      |  |  |  |  |
| AV   | 7.30424G     | 41.44             | 54.00             | -12.56         | 26.80         | 3           | Vertical  | 64             | 2.92          | 87      | 36.51      | 9.02       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
SET 87  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.88764G     | 47.42             | 74.00             | -26.58         | 36.91         | 3           | Horizontal | 218            | 1.80          | 87      | 33.15      | 7.46       | 30.10      |  |  |  |  |
| AV   | 4.87224G     | 36.26             | 54.00             | -17.74         | 25.83         | 3           | Horizontal | 218            | 1.80          | 87      | 33.09      | 7.45       | 30.11      |  |  |  |  |
| PK   | 7.32328G     | 52.56             | 74.00             | -21.44         | 37.88         | 3           | Horizontal | 311            | 2.52          | 87      | 36.55      | 9.02       | 30.89      |  |  |  |  |
| AV   | 7.3142G      | 41.26             | 54.00             | -12.74         | 26.60         | 3           | Horizontal | 311            | 2.52          | 87      | 36.53      | 9.02       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 2457MHz\_TX




EUT Y\_4TX  
Setting 83  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3778G      | 52.96             | 74.00             | -21.04         | 50.84         | 3           | Vertical  | 179            | 2.72          | -       | 28.48      | 4.97       | 31.33      |  |  |  |
| AV   | 2.3842G      | 42.73             | 54.00             | -11.27         | 40.58         | 3           | Vertical  | 179            | 2.72          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4526G      | 115.69            | Inf               | -Inf           | 113.51        | 3           | Vertical  | 179            | 2.72          | -       | 28.40      | 5.08       | 31.30      |  |  |  |
| AV   | 2.453G       | 105.05            | Inf               | -Inf           | 102.87        | 3           | Vertical  | 179            | 2.72          | -       | 28.40      | 5.08       | 31.30      |  |  |  |
| PK   | 2.4838G      | 66.49             | 74.00             | -7.51          | 64.21         | 3           | Vertical  | 179            | 2.72          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 52.57             | 54.00             | -1.43          | 50.29         | 3           | Vertical  | 179            | 2.72          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 2457MHz\_TX




EUT\_Y\_4TX  
Setting 83  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3838G      | 52.91             | 74.00             | -21.09         | 50.76         | 3           | Horizontal | 232            | 2.03          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3886G      | 43.31             | 54.00             | -10.69         | 41.16         | 3           | Horizontal | 232            | 2.03          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4554G      | 118.37            | Inf               | -Inf           | 116.19        | 3           | Horizontal | 232            | 2.03          | -       | 28.40      | 5.08       | 31.30      |  |  |  |
| AV   | 2.4506G      | 107.73            | Inf               | -Inf           | 105.56        | 3           | Horizontal | 232            | 2.03          | -       | 28.40      | 5.07       | 31.30      |  |  |  |
| PK   | 2.4835G      | 70.32             | 74.00             | -3.68          | 68.04         | 3           | Horizontal | 232            | 2.03          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 52.65             | 54.00             | -1.35          | 50.37         | 3           | Horizontal | 232            | 2.03          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 2462MHz\_TX




EUT\_Y\_4TX  
Setting 75  
02-D-J-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 2.4574G | 113.41   | Inf      | -Inf   | 111.23 | 3    | Vertical  | 168     | 2.95   | -       | 28.40 | 5.08 | 31.30 |  |  |  |  |
| AV   | 2.4574G | 102.26   | Inf      | -Inf   | 100.08 | 3    | Vertical  | 168     | 2.95   | -       | 28.40 | 5.08 | 31.30 |  |  |  |  |
| PK   | 2.4862G | 63.90    | 74.00    | -10.10 | 61.60  | 3    | Vertical  | 168     | 2.95   | -       | 28.46 | 5.13 | 31.29 |  |  |  |  |
| AV   | 2.4862G | 50.71    | 54.00    | -3.29  | 48.41  | 3    | Vertical  | 168     | 2.95   | -       | 28.46 | 5.13 | 31.29 |  |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

### 2462MHz\_TX




EUT\_Y\_4TX  
Setting 75  
02-D-J-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 2.4708G | 116.17   | Inf      | -Inf   | 113.95 | 3    | Horizontal | 231     | 2.17   | -       | 28.40 | 5.11 | 31.29 |  |  |  |
| AV   | 2.461G  | 105.42   | Inf      | -Inf   | 103.23 | 3    | Horizontal | 231     | 2.17   | -       | 28.40 | 5.09 | 31.30 |  |  |  |
| PK   | 2.4844G | 65.60    | 74.00    | -8.40  | 63.32  | 3    | Horizontal | 231     | 2.17   | -       | 28.44 | 5.13 | 31.29 |  |  |  |
| AV   | 2.4838G | 53.94    | 54.00    | -0.06  | 51.66  | 3    | Horizontal | 231     | 2.17   | -       | 28.44 | 5.13 | 31.29 |  |  |  |

2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

2462MHz\_TX




EUT\_Y\_4TX  
Setting 75  
02-D-J-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.92106G | 48.71    | 74.00    | -25.29 | 38.06  | 3    | Vertical  | 50      | 2.20   | -       | 33.24 | 7.49 | 30.08 |  |  |  |
| AV   | 4.92816G | 37.39    | 54.00    | -16.61 | 26.72  | 3    | Vertical  | 50      | 2.20   | -       | 33.26 | 7.49 | 30.08 |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

## 2462MHz\_TX




EUT\_Y\_4TX  
Setting 75  
02-D-J-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.93014G     | 47.62             | 74.00             | -26.38         | 36.95         | 3           | Horizontal | 144            | 1.16          | -       | 33.26      | 7.49       | 30.08      |  |  |  |
| AV   | 4.91704G     | 37.41             | 54.00             | -16.59         | 26.79         | 3           | Horizontal | 144            | 1.16          | -       | 33.23      | 7.48       | 30.09      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

### 2412MHz\_TX




EUT\_Y\_4TX  
Setting 76  
02-D-J-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 2.3894G | 63.56    | 74.00    | -10.44 | 61.41  | 3    | Vertical  | 169     | 2.76   | -       | 28.50 | 4.98 | 31.33 |  |  |  |  |
| AV   | 2.39G   | 52.22    | 54.00    | -1.78  | 50.07  | 3    | Vertical  | 169     | 2.76   | -       | 28.50 | 4.98 | 31.33 |  |  |  |  |
| PK   | 2.4144G | 111.95   | Inf      | -Inf   | 109.82 | 3    | Vertical  | 169     | 2.76   | -       | 28.44 | 5.01 | 31.32 |  |  |  |  |
| AV   | 2.4092G | 99.66    | Inf      | -Inf   | 97.57  | 3    | Vertical  | 169     | 2.76   | -       | 28.40 | 5.01 | 31.32 |  |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

### 2412MHz\_TX




EUT\_Y\_4TX  
Setting 76  
02-D-J-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 2.3898G | 66.25    | 74.00    | -7.75  | 64.10  | 3    | Horizontal | 230     | 2.23   | -       | 28.50 | 4.98 | 31.33 |  |  |  |  |
| AV   | 2.39G   | 53.64    | 54.00    | -0.36  | 51.49  | 3    | Horizontal | 230     | 2.23   | -       | 28.50 | 4.98 | 31.33 |  |  |  |  |
| PK   | 2.4198G | 114.28   | Inf      | -Inf   | 112.07 | 3    | Horizontal | 230     | 2.23   | -       | 28.50 | 5.02 | 31.31 |  |  |  |  |
| AV   | 2.4158G | 102.18   | Inf      | -Inf   | 100.02 | 3    | Horizontal | 230     | 2.23   | -       | 28.46 | 5.02 | 31.32 |  |  |  |  |

2.4-2.4835GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

2412MHz\_TX




EUT\_Y\_4TX  
Setting 76  
02-D-J-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.83236G | 48.63    | 74.00    | -25.37 | 38.37  | 3    | Vertical  | 310     | 1.17   | -       | 32.96 | 7.42 | 30.12 |  |  |  |
| AV   | 4.81832G | 35.78    | 54.00    | -18.22 | 25.57  | 3    | Vertical  | 310     | 1.17   | -       | 32.94 | 7.40 | 30.13 |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

## 2412MHz\_TX




EUT\_Y\_4TX  
Setting 76  
02-D-J-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.83206G | 48.20    | 74.00    | -25.80 | 37.94  | 3    | Horizontal | 245     | 2.86   | -       | 32.96 | 7.42 | 30.12 |  |  |  |
| AV   | 4.81784G | 35.88    | 54.00    | -18.12 | 25.67  | 3    | Horizontal | 245     | 2.86   | -       | 32.94 | 7.40 | 30.13 |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
Setting 86  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 61.22             | 74.00             | -12.78         | 59.07         | 3           | Vertical  | 1              | 2.79          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3898G      | 49.63             | 54.00             | -4.37          | 47.48         | 3           | Vertical  | 1              | 2.79          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4446G      | 112.86            | Inf               | -Inf           | 110.70        | 3           | Vertical  | 1              | 2.79          | -       | 28.40      | 5.06       | 31.30      |  |  |  |
| AV   | 2.4446G      | 102.45            | Inf               | -Inf           | 100.29        | 3           | Vertical  | 1              | 2.79          | -       | 28.40      | 5.06       | 31.30      |  |  |  |
| PK   | 2.4846G      | 63.61             | 74.00             | -10.39         | 61.32         | 3           | Vertical  | 1              | 2.79          | -       | 28.45      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4842G      | 50.15             | 54.00             | -3.85          | 47.87         | 3           | Vertical  | 1              | 2.79          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
Setting 86  
02-D-G-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.389G       | 64.07             | 74.00             | -9.93          | 61.92         | 3           | Horizontal | 53             | 2.12          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3894G      | 49.35             | 54.00             | -4.65          | 47.20         | 3           | Horizontal | 53             | 2.12          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4438G      | 115.78            | Inf               | -Inf           | 113.62        | 3           | Horizontal | 53             | 2.12          | -       | 28.40      | 5.06       | 31.30      |  |  |  |
| AV   | 2.4402G      | 104.68            | Inf               | -Inf           | 102.53        | 3           | Horizontal | 53             | 2.12          | -       | 28.40      | 5.06       | 31.31      |  |  |  |
| PK   | 2.4846G      | 68.31             | 74.00             | -5.69          | 66.02         | 3           | Horizontal | 53             | 2.12          | -       | 28.45      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 52.49             | 54.00             | -1.51          | 50.21         | 3           | Horizontal | 53             | 2.12          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
SET 86  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.85904G     | 47.81             | 74.00             | -26.19         | 37.44         | 3           | Vertical  | 12             | 1.80          | 86      | 33.04      | 7.44       | 30.11      |  |  |  |  |
| AV   | 4.88496G     | 36.89             | 54.00             | -17.11         | 26.39         | 3           | Vertical  | 12             | 1.80          | 86      | 33.14      | 7.46       | 30.10      |  |  |  |  |
| PK   | 7.3066G      | 53.15             | 74.00             | -20.85         | 38.51         | 3           | Vertical  | 165            | 2.29          | 86      | 36.51      | 9.02       | 30.89      |  |  |  |  |
| AV   | 7.30168G     | 42.01             | 54.00             | -11.99         | 27.38         | 3           | Vertical  | 165            | 2.29          | 86      | 36.50      | 9.02       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

## 2437MHz\_TX




EUT\_Y\_4TX  
SET 86  
02-D-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.89396G     | 47.51             | 74.00             | -26.49         | 36.96         | 3           | Horizontal | 119            | 2.65          | 86      | 33.18      | 7.47       | 30.10      |  |  |  |  |
| AV   | 4.892G       | 36.90             | 54.00             | -17.10         | 26.37         | 3           | Horizontal | 119            | 2.65          | 86      | 33.17      | 7.46       | 30.10      |  |  |  |  |
| PK   | 7.30472G     | 52.34             | 74.00             | -21.66         | 37.70         | 3           | Horizontal | 236            | 1.80          | 86      | 36.51      | 9.02       | 30.89      |  |  |  |  |
| AV   | 7.29636G     | 41.40             | 54.00             | -12.60         | 26.79         | 3           | Horizontal | 236            | 1.80          | 86      | 36.49      | 9.01       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

### 2462MHz\_TX




EUT\_Y\_4TX  
Setting 80  
02-D-J-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 2.4574G | 112.97   | Inf      | -Inf   | 110.79 | 3    | Vertical  | 180     | 2.68   | -       | 28.40 | 5.08 | 31.30 |  |  |  |
| AV   | 2.457G  | 101.12   | Inf      | -Inf   | 98.94  | 3    | Vertical  | 180     | 2.68   | -       | 28.40 | 5.08 | 31.30 |  |  |  |
| PK   | 2.4835G | 64.64    | 74.00    | -9.36  | 62.36  | 3    | Vertical  | 180     | 2.68   | -       | 28.44 | 5.13 | 31.29 |  |  |  |
| AV   | 2.4838G | 52.04    | 54.00    | -1.96  | 49.76  | 3    | Vertical  | 180     | 2.68   | -       | 28.44 | 5.13 | 31.29 |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

### 2462MHz\_TX




EUT\_Y\_4TX  
Setting 80  
02-D-J-5-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 2.4558G | 114.62   | Inf      | -Inf   | 112.44 | 3    | Horizontal | 225     | 2.12   | -       | 28.40 | 5.08 | 31.30 |  |  |  |
| AV   | 2.4658G | 102.64   | Inf      | -Inf   | 100.43 | 3    | Horizontal | 225     | 2.12   | -       | 28.40 | 5.10 | 31.29 |  |  |  |
| PK   | 2.485G  | 66.34    | 74.00    | -7.66  | 64.05  | 3    | Horizontal | 225     | 2.12   | -       | 28.45 | 5.13 | 31.29 |  |  |  |
| AV   | 2.4835G | 53.98    | 54.00    | -0.02  | 51.70  | 3    | Horizontal | 225     | 2.12   | -       | 28.44 | 5.13 | 31.29 |  |  |  |

2.4-2.4835GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

2462MHz\_TX




EUT\_Y\_4TX  
Setting 80  
02-D-J-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.92874G     | 48.16             | 74.00             | -25.84         | 37.49         | 3           | Vertical  | 232            | 1.64          | -       | 33.26      | 7.49       | 30.08      |  |  |  |
| AV   | 4.92008G     | 36.24             | 54.00             | -17.76         | 25.60         | 3           | Vertical  | 232            | 1.64          | -       | 33.24      | 7.49       | 30.09      |  |  |  |

2.4-2.4835GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

2462MHz\_TX



EUT\_V\_4TX  
Setting 80  
02-D-J-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.92894G | 48.46    | 74.00    | -25.54 | 37.79  | 3    | Horizontal | 123     | 2.94   | -       | 33.26 | 7.49 | 30.08 |  |  |  |
| AV   | 4.93372G | 36.09    | 54.00    | -17.91 | 25.40  | 3    | Horizontal | 123     | 2.94   | -       | 33.27 | 7.50 | 30.08 |  |  |  |




Test Mode: Mode 2

**Summary**

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 2.4-2.4835GHz                  | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11be EHT20_Nss2,(MCS0)_2TX | Pass   | AV   | 2.4835G      | 53.86             | 54.00             | -0.14          | 3           | Horizontal | 133            | 2.99          | -        |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT Y\_2TX  
Setting 94  
02-R-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 2.3894G      | 57.74             | 74.00             | -16.26         | 55.59         | 3           | Vertical  | 159            | 2.44          | -       | 28.50      | 4.98       | 31.33      |  |  |  |  |
| AV   | 2.3892G      | 49.09             | 54.00             | -4.91          | 46.94         | 3           | Vertical  | 159            | 2.44          | -       | 28.50      | 4.98       | 31.33      |  |  |  |  |
| PK   | 2.413G       | 114.11            | Inf               | -Inf           | 111.99        | 3           | Vertical  | 159            | 2.44          | -       | 28.43      | 5.01       | 31.32      |  |  |  |  |
| AV   | 2.4112G      | 110.27            | Inf               | -Inf           | 108.17        | 3           | Vertical  | 159            | 2.44          | -       | 28.41      | 5.01       | 31.32      |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2412MHz\_TX




EUT\_Y\_2TX  
Setting 94  
02-R-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.389G       | 60.07             | 74.00             | -13.93         | 57.92         | 3           | Horizontal | 231            | 2.02          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3892G      | 53.82             | 54.00             | -0.18          | 51.67         | 3           | Horizontal | 231            | 2.02          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.411G       | 115.36            | Inf               | -Inf           | 113.26        | 3           | Horizontal | 231            | 2.02          | -       | 28.41      | 5.01       | 31.32      |  |  |  |
| AV   | 2.4112G      | 111.68            | Inf               | -Inf           | 109.58        | 3           | Horizontal | 231            | 2.02          | -       | 28.41      | 5.01       | 31.32      |  |  |  |

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

2412MHz\_TX




EUT\_Y\_2TX  
Setting 94  
02-D-L-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.81236G | 46.54    | 74.00    | -27.46 | 36.35  | 3    | Vertical  | 92      | 1.56   | -       | 32.92 | 7.40 | 30.13 |  |  |  |
| AV   | 4.83786G | 33.28    | 54.00    | -20.72 | 23.00  | 3    | Vertical  | 92      | 1.56   | -       | 32.98 | 7.42 | 30.12 |  |  |  |

2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

2412MHz\_TX




EUT\_Y\_2TX  
Setting 94  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.83768G     | 46.32             | 74.00             | -27.68         | 36.04         | 3           | Horizontal | 284            | 2.40          | -       | 32.98      | 7.42       | 30.12      |  |  |  |
| AV   | 4.82922G     | 33.42             | 54.00             | -20.58         | 23.18         | 3           | Horizontal | 284            | 2.40          | -       | 32.96      | 7.41       | 30.13      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

## 2417MHz\_TX




EUT Y\_2TX  
Setting 99  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3874G      | 55.54             | 74.00             | -18.46         | 53.39         | 3           | Vertical  | 68             | 2.44          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3866G      | 47.18             | 54.00             | -6.82          | 45.03         | 3           | Vertical  | 68             | 2.44          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4178G      | 113.63            | Inf               | -Inf           | 111.44        | 3           | Vertical  | 68             | 2.44          | -       | 28.48      | 5.02       | 31.31      |  |  |  |
| AV   | 2.4162G      | 109.90            | Inf               | -Inf           | 107.74        | 3           | Vertical  | 68             | 2.44          | -       | 28.46      | 5.02       | 31.32      |  |  |  |
| PK   | 2.4842G      | 52.10             | 74.00             | -21.90         | 49.82         | 3           | Vertical  | 68             | 2.44          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4846G      | 40.03             | 54.00             | -13.97         | 37.74         | 3           | Vertical  | 68             | 2.44          | -       | 28.45      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

## 2417MHz\_TX




EUT\_Y\_2TX  
Setting 99  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.3874G      | 58.49             | 74.00             | -15.51         | 56.34         | 3           | Horizontal | 148            | 2.03          | -       | 28.50      | 4.98       | 31.33      |
| AV   | 2.387G       | 52.14             | 54.00             | -1.86          | 49.99         | 3           | Horizontal | 148            | 2.03          | -       | 28.50      | 4.98       | 31.33      |
| PK   | 2.4162G      | 115.05            | Inf               | -Inf           | 112.89        | 3           | Horizontal | 148            | 2.03          | -       | 28.46      | 5.02       | 31.32      |
| AV   | 2.4162G      | 111.47            | Inf               | -Inf           | 109.31        | 3           | Horizontal | 148            | 2.03          | -       | 28.46      | 5.02       | 31.32      |
| PK   | 2.485G       | 52.74             | 74.00             | -21.26         | 50.45         | 3           | Horizontal | 148            | 2.03          | -       | 28.45      | 5.13       | 31.29      |
| AV   | 2.4838G      | 40.83             | 54.00             | -13.17         | 38.55         | 3           | Horizontal | 148            | 2.03          | -       | 28.44      | 5.13       | 31.29      |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 108  
02-R-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3882G      | 54.34             | 74.00             | -19.66         | 52.19         | 3           | Vertical  | 159            | 2.23          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3882G      | 44.11             | 54.00             | -9.89          | 41.96         | 3           | Vertical  | 159            | 2.23          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4362G      | 116.46            | Inf               | -Inf           | 114.32        | 3           | Vertical  | 159            | 2.23          | -       | 28.40      | 5.05       | 31.31      |  |  |  |
| AV   | 2.4362G      | 112.72            | Inf               | -Inf           | 110.58        | 3           | Vertical  | 159            | 2.23          | -       | 28.40      | 5.05       | 31.31      |  |  |  |
| PK   | 2.4835G      | 57.76             | 74.00             | -16.24         | 55.48         | 3           | Vertical  | 159            | 2.23          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 49.37             | 54.00             | -4.63          | 47.09         | 3           | Vertical  | 159            | 2.23          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

## 2437MHz\_TX




EUT\_Y\_2TX  
Setting 108  
02-R-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.3886G      | 56.81             | 74.00             | -17.19         | 54.66         | 3           | Horizontal | 226            | 1.98          | -       | 28.50      | 4.98       | 31.33      |
| AV   | 2.3886G      | 49.36             | 54.00             | -4.64          | 47.21         | 3           | Horizontal | 226            | 1.98          | -       | 28.50      | 4.98       | 31.33      |
| PK   | 2.4362G      | 117.79            | Inf               | -Inf           | 115.65        | 3           | Horizontal | 226            | 1.98          | -       | 28.40      | 5.05       | 31.31      |
| AV   | 2.4362G      | 114.08            | Inf               | -Inf           | 111.94        | 3           | Horizontal | 226            | 1.98          | -       | 28.40      | 5.05       | 31.31      |
| PK   | 2.4862G      | 58.44             | 74.00             | -15.56         | 56.14         | 3           | Horizontal | 226            | 1.98          | -       | 28.46      | 5.13       | 31.29      |
| AV   | 2.4858G      | 51.29             | 54.00             | -2.71          | 48.99         | 3           | Horizontal | 226            | 1.98          | -       | 28.46      | 5.13       | 31.29      |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

## 2437MHz\_TX




EUT\_Y\_2TX  
Setting 108  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.87412G     | 47.53             | 74.00             | -26.47         | 37.09         | 3           | Vertical  | 87             | 1.49          | -       | 33.10      | 7.45       | 30.11      |  |  |  |  |
| AV   | 4.87394G     | 37.57             | 54.00             | -16.43         | 27.13         | 3           | Vertical  | 87             | 1.49          | -       | 33.10      | 7.45       | 30.11      |  |  |  |  |
| PK   | 7.3119G      | 53.10             | 74.00             | -20.90         | 38.45         | 3           | Vertical  | 98             | 1.51          | -       | 36.52      | 9.02       | 30.89      |  |  |  |  |
| AV   | 7.30998G     | 42.12             | 54.00             | -11.88         | 27.47         | 3           | Vertical  | 98             | 1.51          | -       | 36.52      | 9.02       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

## 2437MHz\_TX




EUT\_Y\_2TX  
Setting 108  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.87406G     | 47.86             | 74.00             | -26.14         | 37.42         | 3           | Horizontal | 148            | 1.80          | -       | 33.10      | 7.45       | 30.11      |  |  |  |
| AV   | 4.87394G     | 35.79             | 54.00             | -18.21         | 25.35         | 3           | Horizontal | 148            | 1.80          | -       | 33.10      | 7.45       | 30.11      |  |  |  |
| PK   | 7.31022G     | 53.94             | 74.00             | -20.06         | 39.29         | 3           | Horizontal | 92             | 1.56          | -       | 36.52      | 9.02       | 30.89      |  |  |  |
| AV   | 7.31022G     | 43.54             | 54.00             | -10.46         | 28.89         | 3           | Horizontal | 92             | 1.56          | -       | 36.52      | 9.02       | 30.89      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

## 2457MHz\_TX




EUT\_Y\_2TX  
Setting 97  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3878G      | 51.74             | 74.00             | -22.26         | 49.59         | 3           | Vertical  | 67             | 2.60          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3898G      | 39.74             | 54.00             | -14.26         | 37.59         | 3           | Vertical  | 67             | 2.60          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4578G      | 113.94            | Inf               | -Inf           | 111.75        | 3           | Vertical  | 67             | 2.60          | -       | 28.40      | 5.09       | 31.30      |  |  |  |
| AV   | 2.4562G      | 110.24            | Inf               | -Inf           | 108.06        | 3           | Vertical  | 67             | 2.60          | -       | 28.40      | 5.08       | 31.30      |  |  |  |
| PK   | 2.4838G      | 59.81             | 74.00             | -14.19         | 57.53         | 3           | Vertical  | 67             | 2.60          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4838G      | 52.34             | 54.00             | -1.66          | 50.06         | 3           | Vertical  | 67             | 2.60          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

## 2457MHz\_TX




EUT\_Y\_2TX  
Setting 97  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 51.98             | 74.00             | -22.02         | 49.83         | 3           | Horizontal | 136            | 2.17          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3878G      | 39.66             | 54.00             | -14.34         | 37.51         | 3           | Horizontal | 136            | 2.17          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4578G      | 115.09            | Inf               | -Inf           | 112.90        | 3           | Horizontal | 136            | 2.17          | -       | 28.40      | 5.09       | 31.30      |  |  |  |
| AV   | 2.4562G      | 111.34            | Inf               | -Inf           | 109.16        | 3           | Horizontal | 136            | 2.17          | -       | 28.40      | 5.08       | 31.30      |  |  |  |
| PK   | 2.4835G      | 60.49             | 74.00             | -13.51         | 58.21         | 3           | Horizontal | 136            | 2.17          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4838G      | 53.81             | 54.00             | -0.19          | 51.53         | 3           | Horizontal | 136            | 2.17          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 94  
02-R-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.3884G      | 52.01             | 74.00             | -21.99         | 49.86         | 3           | Vertical  | 159            | 2.40          | -       | 28.50      | 4.98       | 31.33      |
| AV   | 2.3896G      | 40.29             | 54.00             | -13.71         | 38.14         | 3           | Vertical  | 159            | 2.40          | -       | 28.50      | 4.98       | 31.33      |
| PK   | 2.4628G      | 114.58            | Inf               | -Inf           | 112.39        | 3           | Vertical  | 159            | 2.40          | -       | 28.40      | 5.09       | 31.30      |
| AV   | 2.4612G      | 110.70            | Inf               | -Inf           | 108.51        | 3           | Vertical  | 159            | 2.40          | -       | 28.40      | 5.09       | 31.30      |
| PK   | 2.4848G      | 59.26             | 74.00             | -14.74         | 56.97         | 3           | Vertical  | 159            | 2.40          | -       | 28.45      | 5.13       | 31.29      |
| AV   | 2.4848G      | 52.01             | 54.00             | -1.99          | 49.72         | 3           | Vertical  | 159            | 2.40          | -       | 28.45      | 5.13       | 31.29      |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 94  
02-R-R-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.3896G      | 52.32             | 74.00             | -21.68         | 50.17         | 3           | Horizontal | 224            | 1.93          | -       | 28.50      | 4.98       | 31.33      |
| AV   | 2.39G        | 40.65             | 54.00             | -13.35         | 38.50         | 3           | Horizontal | 224            | 1.93          | -       | 28.50      | 4.98       | 31.33      |
| PK   | 2.4628G      | 115.92            | Inf               | -Inf           | 113.73        | 3           | Horizontal | 224            | 1.93          | -       | 28.40      | 5.09       | 31.30      |
| AV   | 2.4628G      | 112.03            | Inf               | -Inf           | 109.84        | 3           | Horizontal | 224            | 1.93          | -       | 28.40      | 5.09       | 31.30      |
| PK   | 2.4835G      | 60.16             | 74.00             | -13.84         | 57.88         | 3           | Horizontal | 224            | 1.93          | -       | 28.44      | 5.13       | 31.29      |
| AV   | 2.4888G      | 52.75             | 54.00             | -1.25          | 50.40         | 3           | Horizontal | 224            | 1.93          | -       | 28.49      | 5.14       | 31.28      |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 94  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.91884G     | 47.55             | 74.00             | -26.45         | 36.91         | 3           | Vertical  | 313            | 2.89          | -       | 33.24      | 7.49       | 30.09      |  |  |  |  |
| AV   | 4.92388G     | 33.61             | 54.00             | -20.39         | 22.95         | 3           | Vertical  | 313            | 2.89          | -       | 33.25      | 7.49       | 30.08      |  |  |  |  |
| PK   | 7.37988G     | 52.43             | 74.00             | -21.57         | 37.63         | 3           | Vertical  | 229            | 1.80          | -       | 36.66      | 9.03       | 30.89      |  |  |  |  |
| AV   | 7.39848G     | 39.27             | 54.00             | -14.73         | 24.43         | 3           | Vertical  | 229            | 1.80          | -       | 36.70      | 9.03       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11b\_Nss1,(1Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 94  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.91626G     | 46.83             | 74.00             | -27.17         | 36.21         | 3           | Horizontal | 349            | 2.99          | -       | 33.23      | 7.48       | 30.09      |  |  |  |  |
| AV   | 4.91038G     | 33.69             | 54.00             | -20.31         | 23.08         | 3           | Horizontal | 349            | 2.99          | -       | 33.22      | 7.48       | 30.09      |  |  |  |  |
| PK   | 7.3755G      | 52.47             | 74.00             | -21.53         | 37.68         | 3           | Horizontal | 229            | 1.80          | -       | 36.65      | 9.03       | 30.89      |  |  |  |  |
| AV   | 7.3746G      | 39.25             | 54.00             | -14.75         | 24.46         | 3           | Horizontal | 229            | 1.80          | -       | 36.65      | 9.03       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

## 2412MHz\_TX




EUT\_Y\_2TX  
Setting 77  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3888G      | 60.47             | 74.00             | -13.53         | 58.32         | 3           | Vertical  | 63             | 2.96          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3898G      | 47.95             | 54.00             | -6.05          | 45.80         | 3           | Vertical  | 63             | 2.96          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4184G      | 109.21            | Inf               | -Inf           | 107.02        | 3           | Vertical  | 63             | 2.96          | -       | 28.48      | 5.02       | 31.31      |  |  |  |
| AV   | 2.4136G      | 100.37            | Inf               | -Inf           | 98.24         | 3           | Vertical  | 63             | 2.96          | -       | 28.44      | 5.01       | 31.32      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2412MHz\_TX




EUT\_Y\_2TX  
Setting 77  
02-D-L-4-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|---------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 2.3898G | 68.17    | 74.00    | -5.83  | 66.02  | 3    | Horizontal | 52      | 2.28   | -       | 28.50 | 4.98 | 31.33 |  |  |  |
| AV   | 2.39G   | 53.39    | 54.00    | -0.61  | 51.24  | 3    | Horizontal | 52      | 2.28   | -       | 28.50 | 4.98 | 31.33 |  |  |  |
| PK   | 2.409G  | 112.65   | Inf      | -Inf   | 110.57 | 3    | Horizontal | 52      | 2.28   | -       | 28.40 | 5.00 | 31.32 |  |  |  |
| AV   | 2.4092G | 104.01   | Inf      | -Inf   | 101.92 | 3    | Horizontal | 52      | 2.28   | -       | 28.40 | 5.01 | 31.32 |  |  |  |

2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

2412MHz\_TX




EUT\_Y\_2TX  
Setting 77  
02-D-L-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.83402G | 46.22    | 74.00    | -27.78 | 35.95  | 3    | Vertical  | 244     | 1.47   | -       | 32.97 | 7.42 | 30.12 |  |  |  |
| AV   | 4.81386G | 35.91    | 54.00    | -18.09 | 25.71  | 3    | Vertical  | 244     | 1.47   | -       | 32.93 | 7.40 | 30.13 |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX


## 2412MHz\_TX


EUT Y\_2TX  
Setting 77  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.81116G     | 47.00             | 74.00             | -27.00         | 36.81         | 3           | Horizontal | 210            | 1.96          | -       | 32.92      | 7.40       | 30.13      |  |  |  |
| AV   | 4.83378G     | 35.87             | 54.00             | -18.13         | 25.60         | 3           | Horizontal | 210            | 1.96          | -       | 32.97      | 7.42       | 30.12      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

## 2417MHz\_TX




EUT Y\_2TX  
Setting 81  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3878G      | 64.49             | 74.00             | -9.51          | 62.34         | 3           | Vertical  | 63             | 2.95          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3886G      | 48.16             | 54.00             | -5.84          | 46.01         | 3           | Vertical  | 63             | 2.95          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4234G      | 111.09            | Inf               | -Inf           | 108.90        | 3           | Vertical  | 63             | 2.95          | -       | 28.47      | 5.03       | 31.31      |  |  |  |
| AV   | 2.4182G      | 101.87            | Inf               | -Inf           | 99.68         | 3           | Vertical  | 63             | 2.95          | -       | 28.48      | 5.02       | 31.31      |  |  |  |
| PK   | 2.4858G      | 52.61             | 74.00             | -21.39         | 50.31         | 3           | Vertical  | 63             | 2.95          | -       | 28.46      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4838G      | 42.19             | 54.00             | -11.81         | 39.91         | 3           | Vertical  | 63             | 2.95          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

## 2417MHz\_TX




EUT\_Y\_2TX  
Setting 81  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3886G      | 69.81             | 74.00             | -4.19          | 67.66         | 3           | Horizontal | 43             | 2.78          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3898G      | 53.78             | 54.00             | -0.22          | 51.63         | 3           | Horizontal | 43             | 2.78          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.415G       | 113.83            | Inf               | -Inf           | 111.69        | 3           | Horizontal | 43             | 2.78          | -       | 28.45      | 5.01       | 31.32      |  |  |  |
| AV   | 2.4098G      | 105.88            | Inf               | -Inf           | 103.79        | 3           | Horizontal | 43             | 2.78          | -       | 28.40      | 5.01       | 31.32      |  |  |  |
| PK   | 2.4882G      | 52.22             | 74.00             | -21.78         | 49.88         | 3           | Horizontal | 43             | 2.78          | -       | 28.48      | 5.14       | 31.28      |  |  |  |
| AV   | 2.4835G      | 42.30             | 54.00             | -11.70         | 40.02         | 3           | Horizontal | 43             | 2.78          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 97  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3866G      | 62.08             | 74.00             | -11.92         | 59.93         | 3           | Vertical  | 80             | 2.97          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3898G      | 47.05             | 54.00             | -6.95          | 44.90         | 3           | Vertical  | 80             | 2.97          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.433G       | 114.06            | Inf               | -Inf           | 111.93        | 3           | Vertical  | 80             | 2.97          | -       | 28.40      | 5.04       | 31.31      |  |  |  |
| AV   | 2.443G       | 105.45            | Inf               | -Inf           | 103.29        | 3           | Vertical  | 80             | 2.97          | -       | 28.40      | 5.06       | 31.30      |  |  |  |
| PK   | 2.4838G      | 68.54             | 74.00             | -5.46          | 66.26         | 3           | Vertical  | 80             | 2.97          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4846G      | 53.40             | 54.00             | -0.60          | 51.11         | 3           | Vertical  | 80             | 2.97          | -       | 28.45      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

## 2437MHz\_TX




EUT Y\_2TX  
Setting 97  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 66.91             | 74.00             | -7.09          | 64.76         | 3           | Horizontal | 47             | 2.49          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3894G      | 50.78             | 54.00             | -3.22          | 48.63         | 3           | Horizontal | 47             | 2.49          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4446G      | 117.64            | Inf               | -Inf           | 115.48        | 3           | Horizontal | 47             | 2.49          | -       | 28.40      | 5.06       | 31.30      |  |  |  |
| AV   | 2.4398G      | 108.75            | Inf               | -Inf           | 106.60        | 3           | Horizontal | 47             | 2.49          | -       | 28.40      | 5.06       | 31.31      |  |  |  |
| PK   | 2.4846G      | 70.95             | 74.00             | -3.05          | 68.66         | 3           | Horizontal | 47             | 2.49          | -       | 28.45      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 53.59             | 54.00             | -0.41          | 51.32         | 3           | Horizontal | 47             | 2.49          | -       | 28.43      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 97  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.86572G     | 47.50             | 74.00             | -26.50         | 37.11         | 3           | Vertical  | 214            | 1.93          | -       | 33.06      | 7.44       | 30.11      |  |  |  |  |
| AV   | 4.86116G     | 35.86             | 54.00             | -18.14         | 25.49         | 3           | Vertical  | 214            | 1.93          | -       | 33.04      | 7.44       | 30.11      |  |  |  |  |
| PK   | 7.30884G     | 51.47             | 74.00             | -22.53         | 36.82         | 3           | Vertical  | 15             | 1.41          | -       | 36.52      | 9.02       | 30.89      |  |  |  |  |
| AV   | 7.30764G     | 40.83             | 54.00             | -13.17         | 26.18         | 3           | Vertical  | 15             | 1.41          | -       | 36.52      | 9.02       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2437MHz\_TX




EUT\_Y\_2TX  
Setting 97  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.87658G     | 46.77             | 74.00             | -27.23         | 36.31         | 3           | Horizontal | 10             | 2.73          | -       | 33.11      | 7.45       | 30.10      |  |  |  |  |
| AV   | 4.8839G      | 36.24             | 54.00             | -17.76         | 25.74         | 3           | Horizontal | 10             | 2.73          | -       | 33.14      | 7.46       | 30.10      |  |  |  |  |
| PK   | 7.32168G     | 52.82             | 74.00             | -21.18         | 38.15         | 3           | Horizontal | 110            | 1.45          | -       | 36.54      | 9.02       | 30.89      |  |  |  |  |
| AV   | 7.30512G     | 41.09             | 54.00             | -12.91         | 26.45         | 3           | Horizontal | 110            | 1.45          | -       | 36.51      | 9.02       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2457MHz\_TX




EUT\_Y\_2TX  
Setting 85  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3734G      | 51.23             | 74.00             | -22.77         | 49.16         | 3           | Vertical  | 59             | 2.97          | -       | 28.43      | 4.97       | 31.33      |  |  |  |
| AV   | 2.3898G      | 41.18             | 54.00             | -12.82         | 39.03         | 3           | Vertical  | 59             | 2.97          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4582G      | 110.44            | Inf               | -Inf           | 108.25        | 3           | Vertical  | 59             | 2.97          | -       | 28.40      | 5.09       | 31.30      |  |  |  |
| AV   | 2.4586G      | 101.94            | Inf               | -Inf           | 99.75         | 3           | Vertical  | 59             | 2.97          | -       | 28.40      | 5.09       | 31.30      |  |  |  |
| PK   | 2.4838G      | 71.67             | 74.00             | -2.33          | 69.39         | 3           | Vertical  | 59             | 2.97          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4838G      | 52.82             | 54.00             | -1.18          | 50.54         | 3           | Vertical  | 59             | 2.97          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

## 2457MHz\_TX




EUT\_Y\_2TX  
Setting 85  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3654G      | 51.55             | 74.00             | -22.45         | 49.58         | 3           | Horizontal | 38             | 2.71          | -       | 28.35      | 4.96       | 31.34      |  |  |  |
| AV   | 2.3898G      | 41.89             | 54.00             | -12.11         | 39.74         | 3           | Horizontal | 38             | 2.71          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4546G      | 114.67            | Inf               | -Inf           | 112.49        | 3           | Horizontal | 38             | 2.71          | -       | 28.40      | 5.08       | 31.30      |  |  |  |
| AV   | 2.4494G      | 106.21            | Inf               | -Inf           | 104.04        | 3           | Horizontal | 38             | 2.71          | -       | 28.40      | 5.07       | 31.30      |  |  |  |
| PK   | 2.485G       | 70.79             | 74.00             | -3.21          | 68.50         | 3           | Horizontal | 38             | 2.71          | -       | 28.45      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4842G      | 53.36             | 54.00             | -0.64          | 51.08         | 3           | Horizontal | 38             | 2.71          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

## 2462MHz\_TX




EUT Y\_2TX  
Setting 81  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.3712G      | 51.09             | 74.00             | -22.91         | 49.05         | 3           | Vertical  | 59             | 3.00          | -       | 28.41      | 4.96       | 31.33      |
| AV   | 2.388G       | 41.13             | 54.00             | -12.87         | 38.98         | 3           | Vertical  | 59             | 3.00          | -       | 28.50      | 4.98       | 31.33      |
| PK   | 2.4588G      | 108.98            | Inf               | -Inf           | 106.79        | 3           | Vertical  | 59             | 3.00          | -       | 28.40      | 5.09       | 31.30      |
| AV   | 2.4588G      | 100.57            | Inf               | -Inf           | 98.38         | 3           | Vertical  | 59             | 3.00          | -       | 28.40      | 5.09       | 31.30      |
| PK   | 2.4835G      | 69.88             | 74.00             | -4.12          | 67.60         | 3           | Vertical  | 59             | 3.00          | -       | 28.44      | 5.13       | 31.29      |
| AV   | 2.4835G      | 50.41             | 54.00             | -3.59          | 48.13         | 3           | Vertical  | 59             | 3.00          | -       | 28.44      | 5.13       | 31.29      |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

## 2462MHz\_TX




EUT\_Y\_2TX  
Setting 81  
02-D-L-4-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.3844G      | 51.53             | 74.00             | -22.47         | 49.38         | 3           | Horizontal | 45             | 2.73          | -       | 28.50      | 4.98       | 31.33      |
| AV   | 2.3896G      | 41.64             | 54.00             | -12.36         | 39.49         | 3           | Horizontal | 45             | 2.73          | -       | 28.50      | 4.98       | 31.33      |
| PK   | 2.4596G      | 112.88            | Inf               | -Inf           | 110.69        | 3           | Horizontal | 45             | 2.73          | -       | 28.40      | 5.09       | 31.30      |
| AV   | 2.4596G      | 104.47            | Inf               | -Inf           | 102.28        | 3           | Horizontal | 45             | 2.73          | -       | 28.40      | 5.09       | 31.30      |
| PK   | 2.484G       | 71.19             | 74.00             | -2.81          | 68.91         | 3           | Horizontal | 45             | 2.73          | -       | 28.44      | 5.13       | 31.29      |
| AV   | 2.484G       | 53.64             | 54.00             | -0.36          | 51.36         | 3           | Horizontal | 45             | 2.73          | -       | 28.44      | 5.13       | 31.29      |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

### 2462MHz\_TX




EUT\_Y\_2TX  
Setting 81  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.9216G      | 46.30             | 74.00             | -27.70         | 35.65         | 3           | Vertical  | 226            | 2.72          | -       | 33.24      | 7.49       | 30.08      |  |  |  |  |
| AV   | 4.91314G     | 36.33             | 54.00             | -17.67         | 25.71         | 3           | Vertical  | 226            | 2.72          | -       | 33.23      | 7.48       | 30.09      |  |  |  |  |
| PK   | 7.3917G      | 52.71             | 74.00             | -21.29         | 37.89         | 3           | Vertical  | 348            | 2.61          | -       | 36.68      | 9.03       | 30.89      |  |  |  |  |
| AV   | 7.3977G      | 41.64             | 54.00             | -12.36         | 26.80         | 3           | Vertical  | 348            | 2.61          | -       | 36.70      | 9.03       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11g\_Nss1,(6Mbps)\_2TX

## 2462MHz\_TX




EUT\_Y\_2TX  
Setting 81  
02-D-L-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|--|
| PK   | 4.91236G     | 46.92             | 74.00             | -27.08         | 36.31         | 3           | Horizontal | 134            | 2.24          | -       | 33.22      | 7.48       | 30.09      |  |  |  |  |
| AV   | 4.9129G      | 36.14             | 54.00             | -17.86         | 25.52         | 3           | Horizontal | 134            | 2.24          | -       | 33.23      | 7.48       | 30.09      |  |  |  |  |
| PK   | 7.38156G     | 51.97             | 74.00             | -22.03         | 37.17         | 3           | Horizontal | 175            | 2.03          | -       | 36.66      | 9.03       | 30.89      |  |  |  |  |
| AV   | 7.39998G     | 42.01             | 54.00             | -11.99         | 27.17         | 3           | Horizontal | 175            | 2.03          | -       | 36.70      | 9.03       | 30.89      |  |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

### 2412MHz\_TX




EUT\_V\_2TX  
Setting 69  
01-I-E-3-10

| Type | Freq    | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |  |
|------|---------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|--|
|      | (Hz)    | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |  |
| PK   | 2.3882G | 60.14    | 74.00    | -13.86 | 60.76  | 3    | Vertical  | 158     | 2.97   | -       | 27.38 | 4.92 | 32.92 |  |  |  |  |
| AV   | 2.39G   | 50.58    | 54.00    | -3.42  | 51.18  | 3    | Vertical  | 158     | 2.97   | -       | 27.40 | 4.92 | 32.92 |  |  |  |  |
| PK   | 2.4138G | 105.36   | Inf      | -Inf   | 105.88 | 3    | Vertical  | 158     | 2.97   | -       | 27.46 | 4.93 | 32.91 |  |  |  |  |
| AV   | 2.4182G | 95.97    | Inf      | -Inf   | 96.53  | 3    | Vertical  | 158     | 2.97   | -       | 27.42 | 4.93 | 32.91 |  |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2412MHz\_TX




EUT V\_2TX  
Setting 69  
01-I-E-3-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 63.66             | 74.00             | -10.34         | 64.27         | 3           | Horizontal | 136            | 2.74          | -       | 27.39      | 4.92       | 32.92      |  |  |  |
| AV   | 2.3896G      | 53.75             | 54.00             | -0.25          | 54.35         | 3           | Horizontal | 136            | 2.74          | -       | 27.40      | 4.92       | 32.92      |  |  |  |
| PK   | 2.421G       | 109.43            | Inf               | -Inf           | 109.99        | 3           | Horizontal | 136            | 2.74          | -       | 27.41      | 4.94       | 32.91      |  |  |  |
| AV   | 2.4106G      | 99.70             | Inf               | -Inf           | 100.19        | 3           | Horizontal | 136            | 2.74          | -       | 27.49      | 4.93       | 32.91      |  |  |  |

2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

2412MHz\_TX




EUT\_V\_2TX  
Setting 69  
02-D-J-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.82812G | 47.07    | 74.00    | -26.93 | 36.83  | 3    | Vertical  | 29      | 2.26   | -       | 32.96 | 7.41 | 30.13 |  |  |  |
| AV   | 4.82678G | 36.82    | 54.00    | -17.18 | 26.59  | 3    | Vertical  | 29      | 2.26   | -       | 32.95 | 7.41 | 30.13 |  |  |  |

2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

2412MHz\_TX




EUT\_V\_2TX  
Setting 69  
02-D-J-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 4.81988G     | 48.33             | 74.00             | -25.67         | 38.11         | 3           | Horizontal | 29             | 2.05          | -       | 32.94      | 7.41       | 30.13      |  |  |  |
| AV   | 4.8284G      | 36.51             | 54.00             | -17.49         | 26.27         | 3           | Horizontal | 29             | 2.05          | -       | 32.96      | 7.41       | 30.13      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2417MHz\_TX




EUT Y\_2TX  
Setting 78  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3898G      | 65.91             | 74.00             | -8.09          | 63.76         | 3           | Vertical  | 148            | 2.95          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3894G      | 49.26             | 54.00             | -4.74          | 47.11         | 3           | Vertical  | 148            | 2.95          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4214G      | 108.89            | Inf               | -Inf           | 106.68        | 3           | Vertical  | 148            | 2.95          | -       | 28.49      | 5.03       | 31.31      |  |  |  |
| AV   | 2.4198G      | 98.31             | Inf               | -Inf           | 96.10         | 3           | Vertical  | 148            | 2.95          | -       | 28.50      | 5.02       | 31.31      |  |  |  |
| PK   | 2.4838G      | 53.82             | 74.00             | -20.18         | 51.54         | 3           | Vertical  | 148            | 2.95          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 42.54             | 54.00             | -11.46         | 40.26         | 3           | Vertical  | 148            | 2.95          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2417MHz\_TX




EUT\_Y\_2TX  
Setting 78  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 2.389G       | 71.72             | 74.00             | -2.28          | 69.57         | 3           | Horizontal | 130            | 2.77          | -       | 28.50      | 4.98       | 31.33      |
| AV   | 2.3894G      | 53.82             | 54.00             | -0.18          | 51.67         | 3           | Horizontal | 130            | 2.77          | -       | 28.50      | 4.98       | 31.33      |
| PK   | 2.4134G      | 114.84            | Inf               | -Inf           | 112.72        | 3           | Horizontal | 130            | 2.77          | -       | 28.43      | 5.01       | 31.32      |
| AV   | 2.4158G      | 103.15            | Inf               | -Inf           | 100.99        | 3           | Horizontal | 130            | 2.77          | -       | 28.46      | 5.02       | 31.32      |
| PK   | 2.4838G      | 54.89             | 74.00             | -19.11         | 52.61         | 3           | Horizontal | 130            | 2.77          | -       | 28.44      | 5.13       | 31.29      |
| AV   | 2.4858G      | 43.37             | 54.00             | -10.63         | 41.07         | 3           | Horizontal | 130            | 2.77          | -       | 28.46      | 5.13       | 31.29      |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2437MHz\_TX




EUT Y\_2TX  
Setting 91  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 64.21             | 74.00             | -9.79          | 62.06         | 3           | Vertical  | 150            | 2.95          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3894G      | 48.69             | 54.00             | -5.31          | 46.54         | 3           | Vertical  | 150            | 2.95          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4282G      | 113.36            | Inf               | -Inf           | 111.21        | 3           | Vertical  | 150            | 2.95          | -       | 28.42      | 5.04       | 31.31      |  |  |  |
| AV   | 2.4338G      | 102.77            | Inf               | -Inf           | 100.63        | 3           | Vertical  | 150            | 2.95          | -       | 28.40      | 5.05       | 31.31      |  |  |  |
| PK   | 2.4835G      | 69.12             | 74.00             | -4.88          | 66.84         | 3           | Vertical  | 150            | 2.95          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 53.52             | 54.00             | -0.48          | 51.24         | 3           | Vertical  | 150            | 2.95          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2437MHz\_TX




EUT\_Y\_2TX  
Setting 91  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3894G      | 68.50             | 74.00             | -5.50          | 66.35         | 3           | Horizontal | 133            | 2.99          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3898G      | 51.24             | 54.00             | -2.76          | 49.09         | 3           | Horizontal | 133            | 2.99          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4302G      | 116.61            | Inf               | -Inf           | 114.48        | 3           | Horizontal | 133            | 2.99          | -       | 28.40      | 5.04       | 31.31      |  |  |  |
| AV   | 2.4462G      | 106.51            | Inf               | -Inf           | 104.34        | 3           | Horizontal | 133            | 2.99          | -       | 28.40      | 5.07       | 31.30      |  |  |  |
| PK   | 2.4838G      | 70.40             | 74.00             | -3.60          | 68.12         | 3           | Horizontal | 133            | 2.99          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 53.86             | 54.00             | -0.14          | 51.58         | 3           | Horizontal | 133            | 2.99          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2437MHz\_TX




EUT\_Y\_2TX  
Setting 91  
02-D-J-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.86996G | 47.32    | 74.00    | -26.68 | 36.90  | 3    | Vertical  | 290     | 2.67   | -       | 33.08 | 7.45 | 30.11 |  |  |  |
| AV   | 4.87522G | 36.98    | 54.00    | -17.02 | 26.53  | 3    | Vertical  | 290     | 2.67   | -       | 33.10 | 7.45 | 30.10 |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2437MHz\_TX




EUT\_Y\_2TX  
Setting 91  
02-D-J-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.87024G | 47.68    | 74.00    | -26.32 | 37.26  | 3    | Horizontal | 213     | 2.97   | -       | 33.08 | 7.45 | 30.11 |  |  |  |
| AV   | 4.8764G  | 37.13    | 54.00    | -16.87 | 26.67  | 3    | Horizontal | 213     | 2.97   | -       | 33.11 | 7.45 | 30.10 |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2457MHz\_TX




EUT\_Y\_2TX  
Setting 79  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.389G       | 52.11             | 74.00             | -21.89         | 49.96         | 3           | Vertical  | 174            | 2.97          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3894G      | 41.70             | 54.00             | -12.30         | 39.55         | 3           | Vertical  | 174            | 2.97          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4486G      | 107.58            | Inf               | -Inf           | 105.41        | 3           | Vertical  | 174            | 2.97          | -       | 28.40      | 5.07       | 31.30      |  |  |  |
| AV   | 2.4494G      | 96.45             | Inf               | -Inf           | 94.28         | 3           | Vertical  | 174            | 2.97          | -       | 28.40      | 5.07       | 31.30      |  |  |  |
| PK   | 2.4842G      | 65.87             | 74.00             | -8.13          | 63.59         | 3           | Vertical  | 174            | 2.97          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4838G      | 51.71             | 54.00             | -2.29          | 49.43         | 3           | Vertical  | 174            | 2.97          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2457MHz\_TX




EUT Y\_2TX  
Setting 79  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3882G      | 52.58             | 74.00             | -21.42         | 50.43         | 3           | Horizontal | 135            | 2.73          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3886G      | 42.35             | 54.00             | -11.65         | 40.20         | 3           | Horizontal | 135            | 2.73          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| PK   | 2.4506G      | 114.20            | Inf               | -Inf           | 112.03        | 3           | Horizontal | 135            | 2.73          | -       | 28.40      | 5.07       | 31.30      |  |  |  |
| AV   | 2.4618G      | 103.26            | Inf               | -Inf           | 101.07        | 3           | Horizontal | 135            | 2.73          | -       | 28.40      | 5.09       | 31.30      |  |  |  |
| PK   | 2.4835G      | 70.70             | 74.00             | -3.30          | 68.42         | 3           | Horizontal | 135            | 2.73          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 53.84             | 54.00             | -0.16          | 51.56         | 3           | Horizontal | 135            | 2.73          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2462MHz\_TX




EUT\_Y\_2TX  
Setting 73  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3856G      | 51.90             | 74.00             | -22.10         | 49.75         | 3           | Vertical  | 201            | 1.52          | -       | 28.50      | 4.98       | 31.33      |  |  |  |
| AV   | 2.3664G      | 41.88             | 54.00             | -12.12         | 39.90         | 3           | Vertical  | 201            | 1.52          | -       | 28.36      | 4.96       | 31.34      |  |  |  |
| PK   | 2.4708G      | 98.84             | Inf               | -Inf           | 96.62         | 3           | Vertical  | 201            | 1.52          | -       | 28.40      | 5.11       | 31.29      |  |  |  |
| AV   | 2.4712G      | 87.47             | Inf               | -Inf           | 85.25         | 3           | Vertical  | 201            | 1.52          | -       | 28.40      | 5.11       | 31.29      |  |  |  |
| PK   | 2.4835G      | 61.41             | 74.00             | -12.59         | 59.13         | 3           | Vertical  | 201            | 1.52          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.4835G      | 48.46             | 54.00             | -5.54          | 46.18         | 3           | Vertical  | 201            | 1.52          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

## 2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

## 2462MHz\_TX




EUT\_Y\_2TX  
Setting 73  
02-D-J-5-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 2.3792G      | 52.43             | 74.00             | -21.57         | 50.30         | 3           | Horizontal | 140            | 2.73          | -       | 28.49      | 4.97       | 31.33      |  |  |  |
| AV   | 2.3704G      | 41.92             | 54.00             | -12.08         | 39.89         | 3           | Horizontal | 140            | 2.73          | -       | 28.40      | 4.96       | 31.33      |  |  |  |
| PK   | 2.4544G      | 111.55            | Inf               | -Inf           | 109.37        | 3           | Horizontal | 140            | 2.73          | -       | 28.40      | 5.08       | 31.30      |  |  |  |
| AV   | 2.4584G      | 101.24            | Inf               | -Inf           | 99.05         | 3           | Horizontal | 140            | 2.73          | -       | 28.40      | 5.09       | 31.30      |  |  |  |
| PK   | 2.4844G      | 72.17             | 74.00             | -1.83          | 69.89         | 3           | Horizontal | 140            | 2.73          | -       | 28.44      | 5.13       | 31.29      |  |  |  |
| AV   | 2.484G       | 53.83             | 54.00             | -0.17          | 51.55         | 3           | Horizontal | 140            | 2.73          | -       | 28.44      | 5.13       | 31.29      |  |  |  |

2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

2462MHz\_TX




EUT\_Y\_2TX  
Setting 73  
02-D-J-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.92338G | 47.95    | 74.00    | -26.05 | 37.29  | 3    | Vertical  | 184     | 1.90   | -       | 33.25 | 7.49 | 30.08 |  |  |  |
| AV   | 4.92254G | 37.21    | 54.00    | -16.79 | 26.55  | 3    | Vertical  | 184     | 1.90   | -       | 33.25 | 7.49 | 30.08 |  |  |  |

2.4-2.4835GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

2462MHz\_TX



EUT\_Y\_2TX  
Setting 73  
02-D-J-5


| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL   | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB) | (dB)  |  |  |  |
| PK   | 4.9255G  | 48.44    | 74.00    | -25.56 | 37.78  | 3    | Horizontal | 353     | 2.74   | -       | 33.25 | 7.49 | 30.08 |  |  |  |
| AV   | 4.92536G | 37.23    | 54.00    | -16.77 | 26.57  | 3    | Horizontal | 353     | 2.74   | -       | 33.25 | 7.49 | 30.08 |  |  |  |



**Summary**

| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 1 | Pass   | AV   | 1.03584G     | 25.09             | 54.00             | -28.91         | Vertical  |

### Radiated Emissions above 1GHz\_Mode 1



### Radiated Emissions above 1GHz\_Mode 1

