


5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_V_1TX
Setting 65
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.42231G	57.01	68.20	-11.19	42.89	3	Horizontal	57	1.10	-	37.90	11.19	34.97				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 79
01-U-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1493G	63.00	74.00	-11.00	56.10	3	Vertical	299	2.37	-	32.80	6.64	32.54			
AV	5.1478G	53.91	54.00	-0.09	47.01	3	Vertical	299	2.37	-	32.80	6.64	32.54			
PK	5.183G	116.73	Inf	-Inf	109.77	3	Vertical	299	2.37	-	32.87	6.63	32.54			
AV	5.1829G	109.48	Inf	-Inf	102.52	3	Vertical	299	2.37	-	32.87	6.63	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 79
01-U-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1403G	57.82	74.00	-16.18	50.95	3	Horizontal	97	2.78	-	32.78	6.64	32.55			
AV	5.15G	48.59	54.00	-5.41	41.69	3	Horizontal	97	2.78	-	32.80	6.64	32.54			
PK	5.1849G	106.56	Inf	-Inf	99.60	3	Horizontal	97	2.78	-	32.87	6.63	32.54			
AV	5.1748G	99.48	Inf	-Inf	92.53	3	Horizontal	97	2.78	-	32.85	6.64	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 79
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.3645G	56.46	68.20	-11.74	39.99	3	Vertical	6	2.37	-	38.90	11.26	33.69				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 79
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.34989G	57.52	68.20	-10.68	41.03	3	Horizontal	144	2.86	-	38.90	11.26	33.67				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 79
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14075G	64.33	74.00	-9.67	58.30	3	Vertical	300	3.00	-	33.08	8.06	35.11			
AV	5.14825G	52.88	54.00	-1.12	46.82	3	Vertical	300	3.00	-	33.10	8.07	35.11			
PK	5.199G	119.17	Inf	-Inf	113.06	3	Vertical	300	3.00	-	33.10	8.10	35.09			
AV	5.199G	112.73	Inf	-Inf	106.62	3	Vertical	300	3.00	-	33.10	8.10	35.09			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 79
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	58.12	74.00	-15.88	52.06	3	Horizontal	201	1.00	-	33.10	8.07	35.11			
AV	5.14825G	48.41	54.00	-5.59	42.35	3	Horizontal	201	1.00	-	33.10	8.07	35.11			
PK	5.206G	106.39	Inf	-Inf	100.29	3	Horizontal	201	1.00	-	33.09	8.10	35.09			
AV	5.2055G	98.86	Inf	-Inf	92.76	3	Horizontal	201	1.00	-	33.09	8.10	35.09			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 79
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.38944G	57.60	68.20	-10.60	41.16	3	Vertical	0	2.18	-	38.90	11.28	33.74				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 79
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.39418G	56.57	68.20	-11.63	40.14	3	Horizontal	360	2.12	-	38.90	11.28	33.75				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 90
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	64.07	74.00	-9.93	58.02	3	Vertical	329	3.00	-	33.09	8.07	35.11			
AV	5.149G	53.90	54.00	-0.10	47.84	3	Vertical	329	3.00	-	33.10	8.07	35.11			
PK	5.2351G	121.94	Inf	-Inf	115.87	3	Vertical	329	3.00	-	33.03	8.12	35.08			
AV	5.2442G	114.67	Inf	-Inf	108.61	3	Vertical	329	3.00	-	33.01	8.12	35.07			
PK	5.3534G	57.87	74.00	-16.13	51.82	3	Vertical	329	3.00	-	32.90	8.18	35.03			
AV	5.3527G	49.63	54.00	-4.37	43.58	3	Vertical	329	3.00	-	32.90	8.18	35.03			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 90
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1392G	56.35	74.00	-17.65	50.32	3	Horizontal	265	2.26	-	33.08	8.06	35.11			
AV	5.12415G	47.98	54.00	-6.02	42.00	3	Horizontal	265	2.26	-	33.05	8.05	35.12			
PK	5.2358G	111.02	Inf	-Inf	104.95	3	Horizontal	265	2.26	-	33.03	8.12	35.08			
AV	5.2456G	104.61	Inf	-Inf	98.54	3	Horizontal	265	2.26	-	33.01	8.13	35.07			
PK	5.35095G	56.72	74.00	-17.28	50.67	3	Horizontal	265	2.26	-	32.90	8.18	35.03			
AV	5.36425G	48.34	54.00	-5.66	42.28	3	Horizontal	265	2.26	-	32.90	8.19	35.03			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 90
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47937G	59.00	68.20	-9.20	42.74	3	Vertical	300	1.80	-	38.84	11.32	33.90			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 90
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46818G	57.07	68.20	-11.13	40.77	3	Horizontal	253	1.23	-	38.86	11.32	33.88			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 75
01-U-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	63.00	74.00	-11.00	56.10	3	Vertical	298	2.70	-	32.80	6.64	32.54			
AV	5.1405G	53.65	54.00	-0.35	46.78	3	Vertical	298	2.70	-	32.78	6.64	32.55			
PK	5.1816G	115.91	Inf	-Inf	108.96	3	Vertical	298	2.70	-	32.86	6.63	32.54			
AV	5.1837G	106.40	Inf	-Inf	99.44	3	Vertical	298	2.70	-	32.87	6.63	32.54			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 75
01-U-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	57.11	74.00	-16.89	50.21	3	Horizontal	177	2.73	-	32.80	6.64	32.54			
AV	5.1469G	47.31	54.00	-6.69	40.42	3	Horizontal	177	2.73	-	32.79	6.64	32.54			
PK	5.1735G	105.99	Inf	-Inf	99.04	3	Horizontal	177	2.73	-	32.85	6.64	32.54			
AV	5.1888G	96.52	Inf	-Inf	89.54	3	Horizontal	177	2.73	-	32.88	6.63	32.53			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 75
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.35208G	57.08	68.20	-11.12	40.59	3	Vertical	14	1.80	-	38.90	11.26	33.67				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 75
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35559G	57.78	68.20	-10.42	41.30	3	Horizontal	273	1.44	-	38.90	11.26	33.68			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 76
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14975G	70.58	74.00	-3.42	64.52	3	Vertical	329	2.34	-	33.10	8.07	35.11			
AV	5.14825G	53.97	54.00	-0.03	47.91	3	Vertical	329	2.34	-	33.10	8.07	35.11			
PK	5.199G	118.23	Inf	-Inf	112.12	3	Vertical	329	2.34	-	33.10	8.10	35.09			
AV	5.20175G	109.32	Inf	-Inf	103.21	3	Vertical	329	2.34	-	33.10	8.10	35.09			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 76
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	63.27	74.00	-10.73	57.21	3	Horizontal	176	2.31	-	33.10	8.07	35.11			
AV	5.1495G	48.71	54.00	-5.29	42.65	3	Horizontal	176	2.31	-	33.10	8.07	35.11			
PK	5.2015G	110.59	Inf	-Inf	104.48	3	Horizontal	176	2.31	-	33.10	8.10	35.09			
AV	5.207G	99.60	Inf	-Inf	93.50	3	Horizontal	176	2.31	-	33.09	8.10	35.09			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 76
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.38725G	56.93	68.20	-11.27	40.48	3	Vertical	302	1.05	-	38.90	11.28	33.73				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 76
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41365G	56.88	68.20	-11.32	40.47	3	Horizontal	94	1.95	-	38.90	11.29	33.78			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 88
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	63.99	74.00	-10.01	57.93	3	Vertical	326	2.19	-	33.10	8.07	35.11			
AV	5.149G	53.32	54.00	-0.68	47.26	3	Vertical	326	2.19	-	33.10	8.07	35.11			
PK	5.24805G	121.71	Inf	-Inf	115.65	3	Vertical	326	2.19	-	33.00	8.13	35.07			
AV	5.24385G	112.46	Inf	-Inf	106.40	3	Vertical	326	2.19	-	33.01	8.12	35.07			
PK	5.3576G	60.81	74.00	-13.19	54.75	3	Vertical	326	2.19	-	32.90	8.19	35.03			
AV	5.3562G	50.38	54.00	-3.62	44.32	3	Vertical	326	2.19	-	32.90	8.19	35.03			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 88
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	57.17	74.00	-16.83	51.12	3	Horizontal	177	2.24	-	33.09	8.07	35.11
AV	5.14585G	47.94	54.00	-6.06	41.89	3	Horizontal	177	2.24	-	33.09	8.07	35.11
PK	5.2491G	110.06	Inf	-Inf	104.00	3	Horizontal	177	2.24	-	33.00	8.13	35.07
AV	5.24805G	100.16	Inf	-Inf	94.10	3	Horizontal	177	2.24	-	33.00	8.13	35.07
PK	5.36425G	56.91	74.00	-17.09	50.85	3	Horizontal	177	2.24	-	32.90	8.19	35.03
AV	5.3702G	47.28	54.00	-6.72	41.22	3	Horizontal	177	2.24	-	32.90	8.19	35.03

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 88
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.47442G	60.18	68.20	-8.02	43.90	3	Vertical	300	1.80	-	38.85	11.32	33.89				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 88
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.47586G	58.51	68.20	-9.69	42.24	3	Horizontal	140	2.26	-	38.85	11.32	33.90				

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 67
01-U-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1454G	63.35	74.00	-10.65	56.47	3	Vertical	300	2.45	-	32.79	6.64	32.55			
AV	5.1498G	53.93	54.00	-0.07	47.03	3	Vertical	300	2.45	-	32.80	6.64	32.54			
PK	5.1834G	110.62	Inf	-Inf	103.66	3	Vertical	300	2.45	-	32.87	6.63	32.54			
AV	5.1976G	101.01	Inf	-Inf	94.01	3	Vertical	300	2.45	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 67
01-U-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	57.34	74.00	-16.66	50.45	3	Horizontal	176	2.76	-	32.79	6.64	32.54			
AV	5.1496G	47.67	54.00	-6.33	40.77	3	Horizontal	176	2.76	-	32.80	6.64	32.54			
PK	5.2044G	101.78	Inf	-Inf	94.78	3	Horizontal	176	2.76	-	32.90	6.63	32.53			
AV	5.205G	92.19	Inf	-Inf	85.19	3	Horizontal	176	2.76	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 67
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.37565G	57.18	68.20	-11.02	40.72	3	Vertical	149	1.80	-	38.90	11.27	33.71				

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 67
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.36707G	57.05	68.20	-11.15	40.59	3	Horizontal	279	2.95	-	38.90	11.26	33.70				

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 70
05-R-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1495G	66.70	74.00	-7.30	60.64	3	Vertical	325	2.17	-	33.10	8.07	35.11			
AV	5.1481G	53.40	54.00	-0.60	47.34	3	Vertical	325	2.17	-	33.10	8.07	35.11			
PK	5.2447G	114.87	Inf	-Inf	108.81	3	Vertical	325	2.17	-	33.01	8.12	35.07			
AV	5.2384G	105.38	Inf	-Inf	99.31	3	Vertical	325	2.17	-	33.02	8.12	35.07			
PK	5.35285G	60.45	74.00	-13.55	54.40	3	Vertical	325	2.17	-	32.90	8.18	35.03			
AV	5.3532G	49.24	54.00	-4.76	43.19	3	Vertical	325	2.17	-	32.90	8.18	35.03			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 70
05-R-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	57.44	74.00	-16.56	51.39	3	Horizontal	175	2.41	-	33.09	8.07	35.11			
AV	5.1362G	47.40	54.00	-6.60	41.38	3	Horizontal	175	2.41	-	33.07	8.06	35.11			
PK	5.23945G	105.23	Inf	-Inf	99.16	3	Horizontal	175	2.41	-	33.02	8.12	35.07			
AV	5.23175G	95.30	Inf	-Inf	89.22	3	Horizontal	175	2.41	-	33.04	8.12	35.08			
PK	5.3833G	57.20	74.00	-16.80	51.12	3	Horizontal	175	2.41	-	32.90	8.20	35.02			
AV	5.35565G	47.20	54.00	-6.80	41.14	3	Horizontal	175	2.41	-	32.90	8.19	35.03			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 70
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.46129G	58.57	68.20	-9.63	42.25	3	Vertical	299	1.80	-	38.88	11.31	33.87				

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 70
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.44713G	58.41	68.20	-9.79	42.04	3	Horizontal	61	1.61	-	38.90	11.31	33.84				

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 71
01-U-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	62.31	74.00	-11.69	55.43	3	Vertical	106	1.80	-	32.79	6.64	32.55
AV	5.1492G	53.53	54.00	-0.47	46.63	3	Vertical	106	1.80	-	32.80	6.64	32.54
PK	5.2188G	105.69	Inf	-Inf	98.68	3	Vertical	106	1.80	-	32.90	6.64	32.53
AV	5.2252G	97.47	Inf	-Inf	90.46	3	Vertical	106	1.80	-	32.90	6.64	32.53
PK	5.3512G	58.60	74.00	-15.40	51.29	3	Vertical	106	1.80	-	33.10	6.71	32.50
AV	5.3568G	48.31	54.00	-5.69	40.96	3	Vertical	106	1.80	-	33.13	6.71	32.49

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 71
01-U-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1324G	57.73	74.00	-16.27	50.88	3	Horizontal	177	2.88	-	32.76	6.64	32.55			
AV	5.138G	48.87	54.00	-5.13	42.00	3	Horizontal	177	2.88	-	32.78	6.64	32.55			
PK	5.242G	100.98	Inf	-Inf	93.95	3	Horizontal	177	2.88	-	32.90	6.65	32.52			
AV	5.2388G	90.73	Inf	-Inf	83.70	3	Horizontal	177	2.88	-	32.90	6.65	32.52			
PK	5.3656G	56.87	74.00	-17.13	49.49	3	Horizontal	177	2.88	-	33.16	6.71	32.49			
AV	5.3544G	47.44	54.00	-6.56	40.10	3	Horizontal	177	2.88	-	33.12	6.71	32.49			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 71
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.43179G	58.24	68.20	-9.96	41.86	3	Vertical	298	1.80	-	38.90	11.30	33.82				

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 71
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.42546G	57.59	68.20	-10.61	41.19	3	Horizontal	339	1.16	-	38.90	11.30	33.80				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 81
01-U-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	62.32	74.00	-11.68	55.43	3	Vertical	315	1.80	-	32.79	6.64	32.54			
AV	5.1481G	53.18	54.00	-0.82	46.28	3	Vertical	315	1.80	-	32.80	6.64	32.54			
PK	5.1867G	118.28	Inf	-Inf	111.32	3	Vertical	315	1.80	-	32.87	6.63	32.54			
AV	5.1868G	110.06	Inf	-Inf	103.10	3	Vertical	315	1.80	-	32.87	6.63	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 81
01-U-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1453G	61.49	74.00	-12.51	54.61	3	Horizontal	292	1.27	-	32.79	6.64	32.55			
AV	5.1491G	51.19	54.00	-2.81	44.29	3	Horizontal	292	1.27	-	32.80	6.64	32.54			
PK	5.1751G	116.45	Inf	-Inf	109.51	3	Horizontal	292	1.27	-	32.85	6.63	32.54			
AV	5.1765G	108.82	Inf	-Inf	101.88	3	Horizontal	292	1.27	-	32.85	6.63	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 81
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36249G	57.27	68.20	-10.93	43.07	3	Vertical	230	1.62	-	38.05	11.17	35.02			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 81
03-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.36105G	56.32	68.20	-11.88	42.11	3	Horizontal	64	1.97	-	38.06	11.17	35.02			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 82
60\90\65\77\83\80\81\82
7.58\ -6.48\7.65\4.95\ -0.13\1.76\1.17\0.92

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1494G	66.61	74.00	-7.39	60.15	3	Vertical	318	1.75	82	33.90	7.49	34.93				
AV	5.1476G	53.08	54.00	-0.92	46.62	3	Vertical	318	1.75	82	33.90	7.49	34.93				
PK	5.2064G	120.10	Inf	-Inf	113.30	3	Vertical	318	1.75	82	34.10	7.62	34.92				
AV	5.2076G	111.80	Inf	-Inf	105.00	3	Vertical	318	1.75	82	34.10	7.62	34.92				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
SET 82
82
1.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1484G	65.07	74.00	-8.93	58.61	3	Horizontal	61	2.80	82	33.90	7.49	34.93				
AV	5.1496G	52.10	54.00	-1.90	45.64	3	Horizontal	61	2.80	82	33.90	7.49	34.93				
PK	5.2072G	119.08	Inf	-Inf	112.28	3	Horizontal	61	2.80	82	34.10	7.62	34.92				
AV	5.2076G	112.17	Inf	-Inf	105.37	3	Horizontal	61	2.80	82	34.10	7.62	34.92				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 82
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39789G	56.80	68.20	-11.40	42.70	3	Vertical	254	2.95	-	37.91	11.18	34.99			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 82
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40188G	56.52	68.20	-11.68	42.42	3	Horizontal	177	2.12	-	37.90	11.18	34.98			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET98
80\107\94\100\97\98
6.76\ -2.27\4.12\ -0.06\1.44\0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	66.64	74.00	-7.36	60.19	3	Vertical	48	1.83	98	33.90	7.48	34.93
AV	5.1449G	53.61	54.00	-0.39	47.16	3	Vertical	48	1.83	98	33.90	7.48	34.93
PK	5.2343G	122.73	Inf	-Inf	115.89	3	Vertical	48	1.83	98	34.10	7.65	34.91
AV	5.234G	115.00	Inf	-Inf	108.16	3	Vertical	48	1.83	98	34.10	7.65	34.91
PK	5.3552G	61.90	74.00	-12.10	54.47	3	Vertical	48	1.83	98	34.52	7.80	34.89
AV	5.3537G	49.63	54.00	-4.37	42.21	3	Vertical	48	1.83	98	34.51	7.80	34.89

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
SET 97
98\97
-0.14\0.14

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1494G	67.30	74.00	-6.70	60.84	3	Horizontal	61	3.00	97	33.90	7.49	34.93			
AV	5.1497G	53.86	54.00	-0.14	47.40	3	Horizontal	61	3.00	97	33.90	7.49	34.93			
PK	5.2322G	121.87	Inf	-Inf	115.03	3	Horizontal	61	3.00	97	34.10	7.65	34.91			
AV	5.2322G	114.25	Inf	-Inf	107.41	3	Horizontal	61	3.00	97	34.10	7.65	34.91			
PK	5.3516G	65.11	74.00	-8.89	57.69	3	Horizontal	61	3.00	97	34.51	7.80	34.89			
AV	5.3513G	51.41	54.00	-2.59	43.99	3	Horizontal	61	3.00	97	34.51	7.80	34.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 97
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48079G	57.05	68.20	-11.15	42.74	3	Vertical	134	1.75	-	38.02	11.21	34.92			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 97
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47995G	56.98	68.20	-11.22	42.67	3	Horizontal	145	2.29	-	38.02	11.21	34.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
Setting 78
01-U-E-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1378G	62.55	74.00	-11.45	55.68	3	Vertical	315	1.80	-	32.78	6.64	32.55			
AV	5.1384G	53.71	54.00	-0.29	46.84	3	Vertical	315	1.80	-	32.78	6.64	32.55			
PK	5.1736G	116.85	Inf	-Inf	109.90	3	Vertical	315	1.80	-	32.85	6.64	32.54			
AV	5.1784G	108.78	Inf	-Inf	101.83	3	Vertical	315	1.80	-	32.86	6.63	32.54			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT Y_4TX
Setting 78
01-U-E-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1378G	59.94	74.00	-14.06	53.07	3	Horizontal	285	1.01	-	32.78	6.64	32.55				
AV	5.1495G	51.53	54.00	-2.47	44.63	3	Horizontal	285	1.01	-	32.80	6.64	32.54				
PK	5.1871G	113.68	Inf	-Inf	106.72	3	Horizontal	285	1.01	-	32.87	6.63	32.54				
AV	5.1872G	104.70	Inf	-Inf	97.74	3	Horizontal	285	1.01	-	32.87	6.63	32.54				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 78
03-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.35848G	56.60	68.20	-11.60	42.38	3	Vertical	296	2.66	-	38.07	11.17	35.02				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 78
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.35788G	56.57	68.20	-11.63	42.36	3	Horizontal	295	2.72	-	38.07	11.16	35.02				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 76
60\91\56\73\81\77\75\76
7.78\11.83\7.85\2.70\3.98\0.77\1.57\0.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1474G	69.04	74.00	-4.96	62.58	3	Vertical	315	1.79	76	33.90	7.49	34.93			
AV	5.1484G	53.51	54.00	-0.49	47.05	3	Vertical	315	1.79	76	33.90	7.49	34.93			
PK	5.1986G	118.68	Inf	-Inf	111.90	3	Vertical	315	1.79	76	34.09	7.61	34.92			
AV	5.1984G	109.64	Inf	-Inf	102.86	3	Vertical	315	1.79	76	34.09	7.61	34.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 76
76
1.62

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1492G	69.21	74.00	-4.79	62.75	3	Horizontal	296	2.08	76	33.90	7.49	34.93			
AV	5.15G	52.38	54.00	-1.62	45.92	3	Horizontal	296	2.08	76	33.90	7.49	34.93			
PK	5.2016G	117.86	Inf	-Inf	111.07	3	Horizontal	296	2.08	76	34.10	7.61	34.92			
AV	5.2066G	108.09	Inf	-Inf	101.29	3	Horizontal	296	2.08	76	34.10	7.62	34.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 76
03-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.40054G	56.76	68.20	-11.44	42.67	3	Vertical	247	1.73	-	37.90	11.18	34.99				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 76
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40081G	56.84	68.20	-11.36	42.75	3	Horizontal	116	2.10	-	37.90	11.18	34.99			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 93
60\91\106\99\96\95\94\93
7.75\1.56\ -4.51\ -2.81\ -2.77\ -0.72\ -0.39\ 0.09

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1467G	73.69	74.00	-0.31	67.24	3	Vertical	46	1.83	93	33.90	7.48	34.93				
AV	5.1476G	53.91	54.00	-0.09	47.45	3	Vertical	46	1.83	93	33.90	7.49	34.93				
PK	5.2367G	122.50	Inf	-Inf	115.65	3	Vertical	46	1.83	93	34.10	7.66	34.91				
AV	5.2367G	113.72	Inf	-Inf	106.87	3	Vertical	46	1.83	93	34.10	7.66	34.91				
PK	5.3567G	61.90	74.00	-12.10	54.45	3	Vertical	46	1.83	93	34.53	7.81	34.89				
AV	5.3513G	50.20	54.00	-3.80	42.78	3	Vertical	46	1.83	93	34.51	7.80	34.89				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
SET 88
93\83\88
-2.47\3.50\0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1419G	67.82	74.00	-6.18	61.38	3	Horizontal	295	2.06	88	33.90	7.47	34.93			
AV	5.147G	53.97	54.00	-0.03	47.51	3	Horizontal	295	2.06	88	33.90	7.49	34.93			
PK	5.2472G	119.72	Inf	-Inf	112.86	3	Horizontal	295	2.06	88	34.10	7.67	34.91			
AV	5.2418G	110.46	Inf	-Inf	103.61	3	Horizontal	295	2.06	88	34.10	7.66	34.91			
PK	5.3519G	61.24	74.00	-12.76	53.82	3	Horizontal	295	2.06	88	34.51	7.80	34.89			
AV	5.3516G	48.33	54.00	-5.67	40.91	3	Horizontal	295	2.06	88	34.51	7.80	34.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 88
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48061G	57.30	68.20	-10.90	42.99	3	Vertical	165	2.51	-	38.02	11.21	34.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 88
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48113G	57.18	68.20	-11.02	42.87	3	Horizontal	153	2.64	-	38.02	11.21	34.92			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 66
01-U-E-3-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1488G	59.17	74.00	-14.83	52.27	3	Vertical	141	1.80	-	32.80	6.64	32.54			
AV	5.1486G	52.39	54.00	-1.61	45.49	3	Vertical	141	1.80	-	32.80	6.64	32.54			
PK	5.1738G	111.56	Inf	-Inf	104.61	3	Vertical	141	1.80	-	32.85	6.64	32.54			
AV	5.1986G	103.77	Inf	-Inf	96.77	3	Vertical	141	1.80	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 66
01-U-E-3-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1466G	61.48	74.00	-12.52	54.59	3	Horizontal	121	3.00	-	32.79	6.64	32.54			
AV	5.1484G	53.74	54.00	-0.26	46.84	3	Horizontal	121	3.00	-	32.80	6.64	32.54			
PK	5.2016G	109.42	Inf	-Inf	102.42	3	Horizontal	121	3.00	-	32.90	6.63	32.53			
AV	5.2012G	102.91	Inf	-Inf	95.91	3	Horizontal	121	3.00	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 66
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37863G	57.65	68.20	-10.55	43.49	3	Vertical	22	1.39	-	37.99	11.17	35.00			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 66
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.38006G	56.86	68.20	-11.34	42.71	3	Horizontal	179	1.85	-	37.98	11.17	35.00				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 70
01-I-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1426G	61.13	74.00	-12.87	54.25	3	Vertical	233	1.80	-	32.79	6.64	32.55			
AV	5.1426G	53.94	54.00	-0.06	47.06	3	Vertical	233	1.80	-	32.79	6.64	32.55			
PK	5.2316G	111.18	Inf	-Inf	104.15	3	Vertical	233	1.80	-	32.90	6.65	32.52			
AV	5.2318G	105.23	Inf	-Inf	98.20	3	Vertical	233	1.80	-	32.90	6.65	32.52			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 70
01-U-E-3-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	64.12	74.00	-9.88	57.22	3	Horizontal	127	3.00	-	32.80	6.64	32.54			
AV	5.1366G	52.94	54.00	-1.06	46.08	3	Horizontal	127	3.00	-	32.77	6.64	32.55			
PK	5.2366G	112.84	Inf	-Inf	105.81	3	Horizontal	127	3.00	-	32.90	6.65	32.52			
AV	5.2212G	106.05	Inf	-Inf	99.04	3	Horizontal	127	3.00	-	32.90	6.64	32.53			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 70
03-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.46241G	56.52	68.20	-11.68	42.29	3	Vertical	22	2.13	-	37.95	11.21	34.93				

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 70
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45787G	56.55	68.20	-11.65	42.35	3	Horizontal	114	1.15	-	37.93	11.21	34.94			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 63
01-U-E-3-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1468G	57.98	74.00	-16.02	51.09	3	Vertical	230	1.80	-	32.79	6.64	32.54			
AV	5.1416G	51.75	54.00	-2.25	44.88	3	Vertical	230	1.80	-	32.78	6.64	32.55			
PK	5.222G	107.70	Inf	-Inf	100.69	3	Vertical	230	1.80	-	32.90	6.64	32.53			
AV	5.2168G	99.27	Inf	-Inf	92.26	3	Vertical	230	1.80	-	32.90	6.64	32.53			
PK	5.3656G	53.97	74.00	-20.03	46.59	3	Vertical	230	1.80	-	33.16	6.71	32.49			
AV	5.3784G	47.94	54.00	-6.06	40.50	3	Vertical	230	1.80	-	33.21	6.72	32.49			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 63
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	58.38	74.00	-15.62	51.48	3	Horizontal	127	3.00	-	32.80	6.64	32.54			
AV	5.1456G	53.97	54.00	-0.03	47.09	3	Horizontal	127	3.00	-	32.79	6.64	32.55			
PK	5.2112G	107.24	Inf	-Inf	100.23	3	Horizontal	127	3.00	-	32.90	6.64	32.53			
AV	5.2208G	100.14	Inf	-Inf	93.13	3	Horizontal	127	3.00	-	32.90	6.64	32.53			
PK	5.3624G	56.51	74.00	-17.49	49.14	3	Horizontal	127	3.00	-	33.15	6.71	32.49			
AV	5.356G	49.67	54.00	-4.33	42.33	3	Horizontal	127	3.00	-	33.12	6.71	32.49			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 63
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41819G	56.55	68.20	-11.65	42.43	3	Vertical	278	1.56	-	37.90	11.19	34.97			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 63
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.41806G	56.13	68.20	-12.07	42.01	3	Horizontal	350	1.16	-	37.90	11.19	34.97				

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 82
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	63.79	74.00	-10.21	56.89	3	Vertical	136	1.80	-	32.80	6.64	32.54			
AV	5.1496G	51.99	54.00	-2.01	45.09	3	Vertical	136	1.80	-	32.80	6.64	32.54			
PK	5.1864G	116.46	Inf	-Inf	109.50	3	Vertical	136	1.80	-	32.87	6.63	32.54			
AV	5.1873G	105.96	Inf	-Inf	99.00	3	Vertical	136	1.80	-	32.87	6.63	32.54			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 82
01-U-E-3-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1385G	72.27	74.00	-1.73	65.40	3	Horizontal	111	2.02	-	32.78	6.64	32.55			
AV	5.15G	53.17	54.00	-0.83	46.27	3	Horizontal	111	2.02	-	32.80	6.64	32.54			
PK	5.1858G	113.95	Inf	-Inf	106.99	3	Horizontal	111	2.02	-	32.87	6.63	32.54			
AV	5.1873G	104.73	Inf	-Inf	97.77	3	Horizontal	111	2.02	-	32.87	6.63	32.54			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 82
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.35777G	57.69	68.20	-10.51	43.48	3	Vertical	53	1.69	-	38.07	11.16	35.02				

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 82
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35863G	57.45	68.20	-10.75	43.23	3	Horizontal	247	2.15	-	38.07	11.17	35.02			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 81
60\96\56\76\86\81\83\82\81
9.19\ -10.47\9.52\5.35\ -3.59\1.36\ -0.67\ -0.19\1.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	71.15	74.00	-2.85	64.69	3	Vertical	284	1.62	81	33.90	7.49	34.93			
AV	5.1492G	52.57	54.00	-1.43	46.11	3	Vertical	284	1.62	81	33.90	7.49	34.93			
PK	5.196G	118.28	Inf	-Inf	111.52	3	Vertical	284	1.62	81	34.08	7.60	34.92			
AV	5.2074G	107.72	Inf	-Inf	100.92	3	Vertical	284	1.62	81	34.10	7.62	34.92			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
SET 78
81\68\80\74\77\78\79\78
-3.05\8.13\1.27\4.07\1.62\1.34\1.02\1.49

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.147G	71.18	74.00	-2.82	64.72	3	Horizontal	287	1.31	78	33.90	7.49	34.93				
AV	5.149G	52.51	54.00	-1.49	46.05	3	Horizontal	287	1.31	78	33.90	7.49	34.93				
PK	5.2006G	116.66	Inf	-Inf	109.87	3	Horizontal	287	1.31	78	34.10	7.61	34.92				
AV	5.1974G	106.36	Inf	-Inf	99.59	3	Horizontal	287	1.31	78	34.09	7.60	34.92				

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 78
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39973G	56.14	68.20	-12.06	42.05	3	Vertical	230	2.94	-	37.90	11.18	34.99			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 78
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39849G	56.25	68.20	-11.95	42.15	3	Horizontal	320	2.26	-	37.91	11.18	34.99			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
Setting 96
05-R-G-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	65.17	74.00	-8.83	59.12	3	Vertical	291	1.80	-	33.09	8.07	35.11
AV	5.15G	53.74	54.00	-0.26	47.68	3	Vertical	291	1.80	-	33.10	8.07	35.11
PK	5.2481G	119.82	Inf	-Inf	113.76	3	Vertical	291	1.80	-	33.00	8.13	35.07
AV	5.2475G	110.15	Inf	-Inf	104.08	3	Vertical	291	1.80	-	33.01	8.13	35.07
PK	5.35G	61.23	74.00	-12.77	55.18	3	Vertical	291	1.80	-	32.90	8.18	35.03
AV	5.3549G	49.44	54.00	-4.56	43.38	3	Vertical	291	1.80	-	32.90	8.19	35.03

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT Y_4TX
Setting 96
05-R-G-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1455G	67.01	74.00	-6.99	60.96	3	Horizontal	299	3.00	-	33.09	8.07	35.11			
AV	5.1476G	53.32	54.00	-0.68	47.26	3	Horizontal	299	3.00	-	33.10	8.07	35.11			
PK	5.2328G	121.97	Inf	-Inf	115.90	3	Horizontal	299	3.00	-	33.03	8.12	35.08			
AV	5.2322G	110.22	Inf	-Inf	104.14	3	Horizontal	299	3.00	-	33.04	8.12	35.08			
PK	5.3507G	62.30	74.00	-11.70	56.25	3	Horizontal	299	3.00	-	32.90	8.18	35.03			
AV	5.3513G	50.69	54.00	-3.31	44.64	3	Horizontal	299	3.00	-	32.90	8.18	35.03			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 96
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48228G	57.61	68.20	-10.59	43.28	3	Vertical	277	2.37	-	38.03	11.22	34.92			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 96
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.47924G	57.45	68.20	-10.75	43.14	3	Horizontal	253	3.00	-	38.02	11.21	34.92				

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 67
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	57.56	74.00	-16.44	50.66	3	Vertical	111	1.80	-	32.80	6.64	32.54			
AV	5.15G	50.48	54.00	-3.52	43.58	3	Vertical	111	1.80	-	32.80	6.64	32.54			
PK	5.191G	109.18	Inf	-Inf	102.20	3	Vertical	111	1.80	-	32.88	6.63	32.53			
AV	5.1976G	101.16	Inf	-Inf	94.16	3	Vertical	111	1.80	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 67
01-U-E-3-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	61.73	74.00	-12.27	54.83	3	Horizontal	121	1.80	-	32.80	6.64	32.54			
AV	5.15G	53.29	54.00	-0.71	46.39	3	Horizontal	121	1.80	-	32.80	6.64	32.54			
PK	5.186G	107.68	Inf	-Inf	100.72	3	Horizontal	121	1.80	-	32.87	6.63	32.54			
AV	5.2072G	99.15	Inf	-Inf	92.15	3	Horizontal	121	1.80	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 67
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38174G	56.73	68.20	-11.47	42.59	3	Vertical	189	1.95	-	37.97	11.17	35.00			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 67
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.37779G	57.34	68.20	-10.86	43.19	3	Horizontal	21	2.77	-	37.99	11.17	35.01				

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 71
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	61.38	74.00	-12.62	54.48	3	Vertical	116	1.80	-	32.80	6.64	32.54			
AV	5.1496G	50.81	54.00	-3.19	43.91	3	Vertical	116	1.80	-	32.80	6.64	32.54			
PK	5.2388G	109.94	Inf	-Inf	102.91	3	Vertical	116	1.80	-	32.90	6.65	32.52			
AV	5.2376G	102.19	Inf	-Inf	95.16	3	Vertical	116	1.80	-	32.90	6.65	32.52			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 71
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1438G	63.35	74.00	-10.65	56.47	3	Horizontal	131	3.00	-	32.79	6.64	32.55			
AV	5.1498G	53.35	54.00	-0.65	46.45	3	Horizontal	131	3.00	-	32.80	6.64	32.54			
PK	5.2332G	111.53	Inf	-Inf	104.50	3	Horizontal	131	3.00	-	32.90	6.65	32.52			
AV	5.2362G	103.78	Inf	-Inf	96.75	3	Horizontal	131	3.00	-	32.90	6.65	32.52			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 71
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45782G	57.90	68.20	-10.30	43.70	3	Vertical	343	1.69	-	37.93	11.21	34.94			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 71
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.45803G	57.25	68.20	-10.95	43.05	3	Horizontal	202	1.27	-	37.93	11.21	34.94				

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 71
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	60.88	74.00	-13.12	54.00	3	Vertical	118	1.80	-	32.79	6.64	32.55
AV	5.1188G	52.66	54.00	-1.34	45.82	3	Vertical	118	1.80	-	32.74	6.65	32.55
PK	5.2008G	107.76	Inf	-Inf	100.76	3	Vertical	118	1.80	-	32.90	6.63	32.53
AV	5.196G	97.83	Inf	-Inf	90.84	3	Vertical	118	1.80	-	32.89	6.63	32.53
PK	5.3536G	55.76	74.00	-18.24	48.44	3	Vertical	118	1.80	-	33.11	6.71	32.50
AV	5.3548G	47.57	54.00	-6.43	40.23	3	Vertical	118	1.80	-	33.12	6.71	32.49

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 71
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1304G	61.41	74.00	-12.59	54.56	3	Horizontal	121	2.97	-	32.76	6.64	32.55			
AV	5.1188G	53.82	54.00	-0.18	46.98	3	Horizontal	121	2.97	-	32.74	6.65	32.55			
PK	5.2228G	107.26	Inf	-Inf	100.25	3	Horizontal	121	2.97	-	32.90	6.64	32.53			
AV	5.2224G	99.59	Inf	-Inf	92.58	3	Horizontal	121	2.97	-	32.90	6.64	32.53			
PK	5.3512G	57.15	74.00	-16.85	49.84	3	Horizontal	121	2.97	-	33.10	6.71	32.50			
AV	5.3636G	47.41	54.00	-6.59	40.04	3	Horizontal	121	2.97	-	33.15	6.71	32.49			

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 71
03-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	10.42202G	57.52	68.20	-10.68	43.40	3	Vertical	218	1.19	-	37.90	11.19	34.97				

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX



EUT_Y_4TX
Setting 71
03-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.41952G	56.59	68.20	-11.61	42.47	3	Horizontal	7	1.54	-	37.90	11.19	34.97				




Test Mode: Mode 2

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT40_Nss2,(MCS0)_2TX	Pass	PK	5.6485G	68.18	68.20	-0.02	3	Vertical	68	2.58	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5180MHz_TX

EUT Y_1TX
Setting 81
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	57.88	74.00	-16.12	51.42	3	Vertical	19	2.15	-	33.90	7.49	34.93			
AV	5.1496G	47.19	54.00	-6.81	40.73	3	Vertical	19	2.15	-	33.90	7.49	34.93			
PK	5.1842G	104.92	Inf	-Inf	98.23	3	Vertical	19	2.15	-	34.04	7.57	34.92			
AV	5.177G	97.21	Inf	-Inf	90.56	3	Vertical	19	2.15	-	34.01	7.56	34.92			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 81
03-R-S-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1494G	66.50	74.00	-7.50	60.04	3	Horizontal	288	2.19	-	33.90	7.49	34.93				
AV	5.1488G	53.83	54.00	-0.17	47.37	3	Horizontal	288	2.19	-	33.90	7.49	34.93				
PK	5.187G	115.43	Inf	-Inf	108.72	3	Horizontal	288	2.19	-	34.05	7.58	34.92				
AV	5.177G	107.94	Inf	-Inf	101.29	3	Horizontal	288	2.19	-	34.01	7.56	34.92				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 81
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35878G	56.58	68.20	-11.62	40.60	3	Vertical	52	1.76	-	39.20	11.01	34.23			
PK	15.53931G	62.34	74.00	-11.66	45.00	3	Vertical	240	2.46	-	38.84	13.10	34.60			
AV	15.53905G	50.36	54.00	-3.64	33.02	3	Vertical	240	2.46	-	38.84	13.10	34.60			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 81
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36068G	56.09	68.20	-12.11	40.11	3	Horizontal	261	2.34	-	39.20	11.01	34.23			
PK	15.5421G	61.97	74.00	-12.03	44.64	3	Horizontal	81	1.72	-	38.83	13.10	34.60			
AV	15.53804G	50.62	54.00	-3.38	33.27	3	Horizontal	81	1.72	-	38.85	13.10	34.60			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX

EUT_Y_1TX
Setting 88
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	56.61	74.00	-17.39	50.15	3	Vertical	18	2.13	-	33.90	7.49	34.93			
AV	5.1478G	46.94	54.00	-7.06	40.48	3	Vertical	18	2.13	-	33.90	7.49	34.93			
PK	5.199G	106.82	Inf	-Inf	100.03	3	Vertical	18	2.13	-	34.10	7.61	34.92			
AV	5.1984G	99.37	Inf	-Inf	92.59	3	Vertical	18	2.13	-	34.09	7.61	34.92			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX


5200MHz_TX

EUT_Y_1TX
Setting 88
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	63.51	74.00	-10.49	57.05	3	Horizontal	288	2.51	-	33.90	7.49	34.93			
AV	5.1498G	53.83	54.00	-0.17	47.37	3	Horizontal	288	2.51	-	33.90	7.49	34.93			
PK	5.2042G	118.64	Inf	-Inf	111.84	3	Horizontal	288	2.51	-	34.10	7.62	34.92			
AV	5.204G	110.63	Inf	-Inf	103.83	3	Horizontal	288	2.51	-	34.10	7.62	34.92			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 88
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39818G	56.71	68.20	-11.49	40.72	3	Vertical	171	2.89	-	39.20	11.04	34.25			
PK	15.60066G	61.88	74.00	-12.12	44.50	3	Vertical	113	1.29	-	38.80	13.14	34.56			
AV	15.60093G	50.58	54.00	-3.42	33.20	3	Vertical	113	1.29	-	38.80	13.14	34.56			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 88
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39944G	55.58	68.20	-12.62	39.59	3	Horizontal	4	1.10	-	39.20	11.04	34.25			
PK	15.60096G	63.37	74.00	-10.63	45.99	3	Horizontal	302	1.33	-	38.80	13.14	34.56			
AV	15.59943G	50.26	54.00	-3.74	32.88	3	Horizontal	302	1.33	-	38.80	13.14	34.56			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 96
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	55.18	74.00	-18.82	48.72	3	Vertical	344	2.19	-	33.90	7.49	34.93			
AV	5.1455G	45.56	54.00	-8.44	39.11	3	Vertical	344	2.19	-	33.90	7.48	34.93			
PK	5.237G	107.92	Inf	-Inf	101.07	3	Vertical	344	2.19	-	34.10	7.66	34.91			
AV	5.2337G	100.18	Inf	-Inf	93.34	3	Vertical	344	2.19	-	34.10	7.65	34.91			
PK	5.378G	55.53	74.00	-18.47	47.97	3	Vertical	344	2.19	-	34.61	7.83	34.88			
AV	5.3894G	46.37	54.00	-7.63	38.74	3	Vertical	344	2.19	-	34.66	7.85	34.88			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 96
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	66.12	74.00	-7.88	59.66	3	Horizontal	289	2.60	-	33.90	7.49	34.93			
AV	5.15G	51.45	54.00	-2.55	44.99	3	Horizontal	289	2.60	-	33.90	7.49	34.93			
PK	5.237G	120.71	Inf	-Inf	113.86	3	Horizontal	289	2.60	-	34.10	7.66	34.91			
AV	5.2334G	112.53	Inf	-Inf	105.69	3	Horizontal	289	2.60	-	34.10	7.65	34.91			
PK	5.351G	65.31	74.00	-8.69	57.90	3	Horizontal	289	2.60	-	34.50	7.80	34.89			
AV	5.3522G	53.80	54.00	-0.20	46.38	3	Horizontal	289	2.60	-	34.51	7.80	34.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 96
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4798G	57.35	68.20	-10.85	41.29	3	Vertical	360	1.57	-	39.26	11.09	34.29			
PK	15.72415G	61.85	74.00	-12.15	44.06	3	Vertical	120	2.92	-	39.04	13.23	34.48			
AV	15.72875G	50.05	54.00	-3.95	32.23	3	Vertical	120	2.92	-	39.07	13.23	34.48			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 96
06-E-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.4776G	56.83	68.20	-11.37	40.77	3	Horizontal	313	1.80	-	39.26	11.09	34.29			
PK	15.721G	61.83	74.00	-12.17	44.06	3	Horizontal	25	1.00	-	39.03	13.22	34.48			
AV	15.725G	50.97	54.00	-3.03	33.17	3	Horizontal	25	1.00	-	39.05	13.23	34.48			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5745MHz_TX

EUT_Y_1TX
Setting 92
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6425G	57.53	68.20	-10.67	50.45	3	Vertical	352	2.99	-	34.30	7.68	34.90			
PK	5.7475G	107.74	Inf	-Inf	100.60	3	Vertical	352	2.99	-	34.20	7.87	34.93			
AV	5.7495G	99.81	Inf	-Inf	92.67	3	Vertical	352	2.99	-	34.20	7.87	34.93			
PK	5.993G	56.84	68.20	-11.36	48.99	3	Vertical	352	2.99	-	34.70	8.16	35.01			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_Y_1TX
Setting 92
03-R-S-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.647G	67.15	68.20	-1.05	60.06	3	Horizontal	285	1.06	-	34.30	7.69	34.90			
PK	5.743G	118.06	Inf	-Inf	110.93	3	Horizontal	285	1.06	-	34.20	7.86	34.93			
AV	5.74G	110.08	Inf	-Inf	102.96	3	Horizontal	285	1.06	-	34.20	7.85	34.93			
PK	5.9575G	56.67	68.20	-11.53	48.84	3	Horizontal	285	1.06	-	34.70	8.13	35.00			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_V_1TX
Setting 92
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4883G	58.09	74.00	-15.91	40.68	3	Vertical	142	2.59	-	40.30	11.75	34.64			
AV	11.48956G	47.03	54.00	-6.97	29.63	3	Vertical	142	2.59	-	40.30	11.75	34.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5745MHz_TX




EUT_V_1TX
Setting 92
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48943G	57.57	74.00	-16.43	40.17	3	Horizontal	161	1.38	-	40.30	11.75	34.65			
AV	11.4908G	46.83	54.00	-7.17	29.43	3	Horizontal	161	1.38	-	40.30	11.75	34.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 95
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5835G	56.08	68.20	-12.12	48.97	3	Vertical	348	3.00	-	34.37	7.63	34.89			
PK	5.782G	108.22	Inf	-Inf	101.03	3	Vertical	348	3.00	-	34.20	7.93	34.94			
AV	5.7785G	99.97	Inf	-Inf	92.79	3	Vertical	348	3.00	-	34.20	7.92	34.94			
PK	5.9335G	56.56	68.20	-11.64	48.82	3	Vertical	348	3.00	-	34.63	8.10	34.99			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT Y_1TX
Setting 95
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6465G	64.08	68.20	-4.12	56.99	3	Horizontal	282	1.15	-	34.30	7.69	34.90			
PK	5.791G	120.26	Inf	-Inf	113.07	3	Horizontal	282	1.15	-	34.20	7.94	34.95			
AV	5.7875G	109.12	Inf	-Inf	101.93	3	Horizontal	282	1.15	-	34.20	7.94	34.95			
PK	5.937G	58.05	68.20	-10.15	50.29	3	Horizontal	282	1.15	-	34.65	8.10	34.99			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_V_1TX
Setting 95
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56785G	58.53	74.00	-15.47	41.02	3	Vertical	322	2.50	-	40.36	11.80	34.65			
AV	11.57106G	47.35	54.00	-6.65	29.84	3	Vertical	322	2.50	-	40.36	11.80	34.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5785MHz_TX




EUT_V_1TX
Setting 95
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56947G	58.69	74.00	-15.31	41.18	3	Horizontal	69	2.88	-	40.36	11.80	34.65			
AV	11.57155G	47.22	54.00	-6.78	29.71	3	Horizontal	69	2.88	-	40.36	11.80	34.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 96
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.62G	55.57	68.20	-12.63	48.52	3	Vertical	349	2.94	-	34.30	7.65	34.90			
PK	5.829G	108.12	Inf	-Inf	100.83	3	Vertical	349	2.94	-	34.26	7.99	34.96			
AV	5.8295G	99.99	Inf	-Inf	92.70	3	Vertical	349	2.94	-	34.26	7.99	34.96			
PK	6.0175G	57.08	68.20	-11.12	49.15	3	Vertical	349	2.94	-	34.74	8.20	35.01			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_Y_1TX
Setting 96
03-R-S-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6335G	58.12	68.20	-10.08	51.05	3	Horizontal	280	1.12	-	34.30	7.67	34.90			
PK	5.82G	118.90	Inf	-Inf	111.64	3	Horizontal	280	1.12	-	34.24	7.98	34.96			
AV	5.8235G	108.81	Inf	-Inf	101.54	3	Horizontal	280	1.12	-	34.25	7.98	34.96			
PK	6.0415G	56.65	68.20	-11.55	48.66	3	Horizontal	280	1.12	-	34.78	8.23	35.02			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX


5825MHz_TX

EUT_V_1TX
Setting 96
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64801G	58.18	74.00	-15.82	40.78	3	Vertical	301	2.31	-	40.20	11.85	34.65			
AV	11.64983G	47.48	54.00	-6.52	30.08	3	Vertical	301	2.31	-	40.20	11.85	34.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX

5825MHz_TX




EUT_V_1TX
Setting 96
06-E-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.65004G	57.87	74.00	-16.13	40.47	3	Horizontal	52	1.27	-	40.20	11.85	34.65			
AV	11.65132G	47.36	54.00	-6.64	29.96	3	Horizontal	52	1.27	-	40.20	11.85	34.65			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 81
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1388G	58.94	74.00	-15.06	52.50	3	Vertical	17.3	2.14	-	33.90	7.47	34.93			
AV	5.1404G	46.52	54.00	-7.48	40.08	3	Vertical	17.3	2.14	-	33.90	7.47	34.93			
PK	5.1884G	106.84	Inf	-Inf	100.13	3	Vertical	17.3	2.14	-	34.05	7.58	34.92			
AV	5.1768G	95.62	Inf	-Inf	88.97	3	Vertical	17.3	2.14	-	34.01	7.56	34.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 81
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.144G	68.22	74.00	-5.78	61.77	3	Horizontal	287	2.42	-	33.90	7.48	34.93			
AV	5.1402G	53.76	54.00	-0.24	47.32	3	Horizontal	287	2.42	-	33.90	7.47	34.93			
PK	5.186G	117.71	Inf	-Inf	111.01	3	Horizontal	287	2.42	-	34.04	7.58	34.92			
AV	5.1856G	106.50	Inf	-Inf	99.80	3	Horizontal	287	2.42	-	34.04	7.58	34.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 81
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35933G	56.60	68.20	-11.60	40.62	3	Vertical	134	1.69	-	39.20	11.01	34.23			
PK	15.54118G	61.51	74.00	-12.49	44.17	3	Vertical	191	1.98	-	38.84	13.10	34.60			
AV	15.54145G	49.46	54.00	-4.54	32.13	3	Vertical	191	1.98	-	38.83	13.10	34.60			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5180MHz_TX




EUT_Y_1TX
Setting 81
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36163G	55.85	68.20	-12.35	39.86	3	Horizontal	191	1.62	-	39.20	11.02	34.23			
PK	15.53804G	62.02	74.00	-11.98	44.67	3	Horizontal	66	1.10	-	38.85	13.10	34.60			
AV	15.54213G	49.50	54.00	-4.50	32.17	3	Horizontal	66	1.10	-	38.83	13.10	34.60			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 86
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	59.70	74.00	-14.30	53.24	3	Vertical	18	2.14	-	33.90	7.49	34.93			
AV	5.1474G	46.42	54.00	-7.58	39.96	3	Vertical	18	2.14	-	33.90	7.49	34.93			
PK	5.1978G	107.80	Inf	-Inf	101.03	3	Vertical	18	2.14	-	34.09	7.60	34.92			
AV	5.1992G	97.01	Inf	-Inf	90.22	3	Vertical	18	2.14	-	34.10	7.61	34.92			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 86
03-R-S-5-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.149G	66.94	74.00	-7.06	60.48	3	Horizontal	287	2.52	-	33.90	7.49	34.93				
AV	5.1494G	53.85	54.00	-0.15	47.39	3	Horizontal	287	2.52	-	33.90	7.49	34.93				
PK	5.206G	119.81	Inf	-Inf	113.01	3	Horizontal	287	2.52	-	34.10	7.62	34.92				
AV	5.2076G	108.74	Inf	-Inf	101.94	3	Horizontal	287	2.52	-	34.10	7.62	34.92				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 86
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40083G	56.51	68.20	-11.69	40.52	3	Vertical	232	2.96	-	39.20	11.04	34.25			
PK	15.59798G	61.96	74.00	-12.04	44.59	3	Vertical	88	2.36	-	38.80	13.14	34.57			
AV	15.60089G	49.88	54.00	-4.12	32.50	3	Vertical	88	2.36	-	38.80	13.14	34.56			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5200MHz_TX




EUT_Y_1TX
Setting 86
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39789G	56.32	68.20	-11.88	40.33	3	Horizontal	14	1.56	-	39.20	11.04	34.25			
PK	15.59769G	61.97	74.00	-12.03	44.60	3	Horizontal	13	2.21	-	38.80	13.14	34.57			
AV	15.59763G	49.72	54.00	-4.28	32.35	3	Horizontal	13	2.21	-	38.80	13.14	34.57			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 96
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1248G	55.90	74.00	-18.10	49.51	3	Vertical	344	2.18	-	33.90	7.43	34.94			
AV	5.1443G	44.79	54.00	-9.21	38.34	3	Vertical	344	2.18	-	33.90	7.48	34.93			
PK	5.234G	109.56	Inf	-Inf	102.72	3	Vertical	344	2.18	-	34.10	7.65	34.91			
AV	5.2328G	98.60	Inf	-Inf	91.76	3	Vertical	344	2.18	-	34.10	7.65	34.91			
PK	5.3507G	56.07	74.00	-17.93	48.66	3	Vertical	344	2.18	-	34.50	7.80	34.89			
AV	5.3603G	45.40	54.00	-8.60	37.94	3	Vertical	344	2.18	-	34.54	7.81	34.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 96
03-R-S-5-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1449G	64.74	74.00	-9.26	58.29	3	Horizontal	290	2.61	-	33.90	7.48	34.93			
AV	5.15G	50.51	54.00	-3.49	44.05	3	Horizontal	290	2.61	-	33.90	7.49	34.93			
PK	5.246G	121.87	Inf	-Inf	115.01	3	Horizontal	290	2.61	-	34.10	7.67	34.91			
AV	5.2385G	110.47	Inf	-Inf	103.62	3	Horizontal	290	2.61	-	34.10	7.66	34.91			
PK	5.351G	67.14	74.00	-6.86	59.73	3	Horizontal	290	2.61	-	34.50	7.80	34.89			
AV	5.3507G	52.47	54.00	-1.53	45.06	3	Horizontal	290	2.61	-	34.50	7.80	34.89			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 96
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47874G	56.56	68.20	-11.64	40.50	3	Vertical	54	2.37	-	39.26	11.09	34.29			
PK	15.71944G	61.11	74.00	-12.89	43.36	3	Vertical	275	1.87	-	39.02	13.22	34.49			
AV	15.72065G	49.40	54.00	-4.60	31.64	3	Vertical	275	1.87	-	39.02	13.22	34.48			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5240MHz_TX




EUT_Y_1TX
Setting 96
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48238G	56.88	68.20	-11.32	40.82	3	Horizontal	165	1.29	-	39.26	11.09	34.29			
PK	15.719G	61.77	74.00	-12.23	44.03	3	Horizontal	296	1.42	-	39.01	13.22	34.49			
AV	15.72213G	49.03	54.00	-4.97	31.25	3	Horizontal	296	1.42	-	39.03	13.23	34.48			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT Y_1TX
Setting 91
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.506G	60.65	68.20	-7.55	53.76	3	Vertical	351	2.95	-	33.80	6.90	33.81			
PK	5.751G	109.90	Inf	-Inf	102.87	3	Vertical	351	2.95	-	33.70	7.11	33.78			
AV	5.75G	96.68	Inf	-Inf	89.65	3	Vertical	351	2.95	-	33.70	7.11	33.78			
PK	5.9335G	61.61	68.20	-6.59	53.80	3	Vertical	351	2.95	-	34.30	7.27	33.76			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5745MHz_TX

EUT_Y_1TX
Setting 91
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.652G	69.55	69.68	-0.13	62.86	3	Horizontal	291	1.14	-	33.50	6.98	33.79			
PK	5.7505G	119.42	Inf	-Inf	112.39	3	Horizontal	291	1.14	-	33.70	7.11	33.78			
AV	5.7475G	107.12	Inf	-Inf	100.09	3	Horizontal	291	1.14	-	33.70	7.11	33.78			
PK	5.9565G	61.53	68.20	-6.67	53.60	3	Horizontal	291	1.14	-	34.40	7.29	33.76			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_V_1TX
Setting 91
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48824G	58.13	74.00	-15.87	40.72	3	Vertical	270	2.52	-	40.30	11.75	34.64			
AV	11.48944G	45.68	54.00	-8.32	28.28	3	Vertical	270	2.52	-	40.30	11.75	34.65			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5745MHz_TX




EUT_V_1TX
Setting 91
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49036G	58.14	74.00	-15.86	40.74	3	Horizontal	4	1.79	-	40.30	11.75	34.65			
AV	11.48752G	45.25	54.00	-8.75	27.84	3	Horizontal	4	1.79	-	40.30	11.75	34.64			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_Y_1TX
Setting 96
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	60.89	68.20	-7.31	54.19	3	Vertical	356	2.91	-	33.54	6.95	33.79
PK	5.784G	109.16	Inf	-Inf	102.01	3	Vertical	356	2.91	-	33.77	7.16	33.78
AV	5.784G	97.41	Inf	-Inf	90.26	3	Vertical	356	2.91	-	33.77	7.16	33.78
PK	5.958G	61.01	68.20	-7.19	53.08	3	Vertical	356	2.91	-	34.40	7.29	33.76

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT Y_1TX
Setting 96
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6445G	65.20	68.20	-3.00	58.51	3	Horizontal	290	1.13	-	33.51	6.97	33.79			
PK	5.7865G	119.84	Inf	-Inf	112.69	3	Horizontal	290	1.13	-	33.77	7.16	33.78			
AV	5.7875G	107.61	Inf	-Inf	100.46	3	Horizontal	290	1.13	-	33.77	7.16	33.78			
PK	6.025G	61.44	68.20	-6.76	53.39	3	Horizontal	290	1.13	-	34.45	7.33	33.73			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_V_1TX
Setting 96
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57144G	58.58	74.00	-15.42	41.07	3	Vertical	340	2.34	-	40.36	11.80	34.65			
AV	11.57158G	45.85	54.00	-8.15	28.34	3	Vertical	340	2.34	-	40.36	11.80	34.65			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5785MHz_TX




EUT_V_1TX
Setting 96
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57065G	58.37	74.00	-15.63	40.86	3	Horizontal	139	2.30	-	40.36	11.80	34.65			
AV	11.57187G	45.85	54.00	-8.15	28.34	3	Horizontal	139	2.30	-	40.36	11.80	34.65			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX


5825MHz_TX

EUT_Y_1TX
Setting 97
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6375G	59.97	68.20	-8.23	53.28	3	Vertical	350	2.92	-	33.52	6.96	33.79			
PK	5.8185G	109.91	Inf	-Inf	102.65	3	Vertical	350	2.92	-	33.84	7.19	33.77			
AV	5.8185G	97.97	Inf	-Inf	90.71	3	Vertical	350	2.92	-	33.84	7.19	33.77			
PK	5.9415G	61.98	68.20	-6.22	54.11	3	Vertical	350	2.92	-	34.35	7.28	33.76			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT Y_1TX
Setting 97
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6455G	61.42	68.20	-6.78	54.73	3	Horizontal	294	1.20	-	33.51	6.97	33.79			
PK	5.8205G	119.32	Inf	-Inf	112.06	3	Horizontal	294	1.20	-	33.84	7.19	33.77			
AV	5.8235G	107.66	Inf	-Inf	100.38	3	Horizontal	294	1.20	-	33.85	7.20	33.77			
PK	6.073G	61.04	68.20	-7.16	52.88	3	Horizontal	294	1.20	-	34.50	7.36	33.70			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_V_1TX
Setting 97
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6484G	57.60	74.00	-16.40	40.20	3	Vertical	209	2.11	-	40.20	11.85	34.65			
AV	11.65088G	45.83	54.00	-8.17	28.43	3	Vertical	209	2.11	-	40.20	11.85	34.65			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_1TX

5825MHz_TX




EUT_V_1TX
Setting 97
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64988G	57.76	74.00	-16.24	40.36	3	Horizontal	190	2.97	-	40.20	11.85	34.65			
AV	11.6521G	45.78	54.00	-8.22	28.38	3	Horizontal	190	2.97	-	40.20	11.85	34.65			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 74
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1418G	57.81	74.00	-16.19	51.26	3	Vertical	19.9	1.98	-	33.50	6.77	33.72			
AV	5.15G	47.22	54.00	-6.78	40.66	3	Vertical	19.9	1.98	-	33.50	6.78	33.72			
PK	5.2012G	102.97	Inf	-Inf	96.15	3	Vertical	19.9	1.98	-	33.70	6.85	33.73			
AV	5.192G	91.41	Inf	-Inf	84.63	3	Vertical	19.9	1.98	-	33.67	6.84	33.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT Y_1TX
Setting 74
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	66.02	74.00	-7.98	59.46	3	Horizontal	287	2.77	-	33.50	6.78	33.72			
AV	5.1494G	53.43	54.00	-0.57	46.87	3	Horizontal	287	2.77	-	33.50	6.78	33.72			
PK	5.1938G	113.89	Inf	-Inf	107.10	3	Horizontal	287	2.77	-	33.68	6.84	33.73			
AV	5.1934G	102.17	Inf	-Inf	95.39	3	Horizontal	287	2.77	-	33.67	6.84	33.73			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 74
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37862G	56.15	68.20	-12.05	40.16	3	Vertical	130	1.02	-	39.20	11.03	34.24			
PK	15.57147G	61.92	74.00	-12.08	44.58	3	Vertical	341	2.17	-	38.80	13.12	34.58			
AV	15.56769G	50.54	54.00	-3.46	33.21	3	Vertical	341	2.17	-	38.80	13.12	34.59			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5190MHz_TX




EUT_Y_1TX
Setting 74
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37908G	56.27	68.20	-11.93	40.28	3	Horizontal	341	2.82	-	39.20	11.03	34.24			
PK	15.57174G	62.29	74.00	-11.71	44.95	3	Horizontal	112	2.51	-	38.80	13.12	34.58			
AV	15.5715G	50.16	54.00	-3.84	32.82	3	Horizontal	112	2.51	-	38.80	13.12	34.58			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 83
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1427G	56.12	74.00	-17.88	49.57	3	Vertical	345	2.09	-	33.50	6.77	33.72			
AV	5.149G	46.60	54.00	-7.40	40.04	3	Vertical	345	2.09	-	33.50	6.78	33.72			
PK	5.2294G	104.05	Inf	-Inf	97.18	3	Vertical	345	2.09	-	33.76	6.85	33.74			
AV	5.2318G	94.15	Inf	-Inf	87.28	3	Vertical	345	2.09	-	33.76	6.85	33.74			
PK	5.3659G	55.82	74.00	-18.18	48.97	3	Vertical	345	2.09	-	33.76	6.87	33.78			
AV	5.3776G	45.88	54.00	-8.12	38.97	3	Vertical	345	2.09	-	33.81	6.88	33.78			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 83
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1487G	66.49	74.00	-7.51	59.93	3	Horizontal	290	2.73	-	33.50	6.78	33.72			
AV	5.1475G	53.11	54.00	-0.89	46.56	3	Horizontal	290	2.73	-	33.50	6.77	33.72			
PK	5.2345G	115.95	Inf	-Inf	109.06	3	Horizontal	290	2.73	-	33.77	6.86	33.74			
AV	5.2276G	105.23	Inf	-Inf	98.36	3	Horizontal	290	2.73	-	33.76	6.85	33.74			
PK	5.3515G	61.55	74.00	-12.45	54.74	3	Horizontal	290	2.73	-	33.71	6.87	33.77			
AV	5.3536G	51.13	54.00	-2.87	44.32	3	Horizontal	290	2.73	-	33.71	6.87	33.77			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 83
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46074G	57.03	68.20	-11.17	41.01	3	Vertical	132	1.11	-	39.22	11.08	34.28			
PK	15.689G	61.80	74.00	-12.20	44.21	3	Vertical	158	2.24	-	38.90	13.20	34.51			
AV	15.69072G	50.40	54.00	-3.60	32.80	3	Vertical	158	2.24	-	38.90	13.20	34.50			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5230MHz_TX




EUT_Y_1TX
Setting 83
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45849G	56.22	68.20	-11.98	40.20	3	Horizontal	116	2.90	-	39.22	11.08	34.28			
PK	15.69248G	61.33	74.00	-12.67	43.73	3	Horizontal	68	1.02	-	38.90	13.20	34.50			
AV	15.68858G	50.01	54.00	-3.99	32.42	3	Horizontal	68	1.02	-	38.90	13.20	34.51			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
Setting 81
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5385G	57.30	68.20	-10.90	50.41	3	Vertical	354	2.95	-	33.80	6.90	33.81			
PK	5.754G	104.75	Inf	-Inf	97.70	3	Vertical	354	2.95	-	33.71	7.12	33.78			
AV	5.751G	93.08	Inf	-Inf	86.05	3	Vertical	354	2.95	-	33.70	7.11	33.78			
PK	5.9955G	57.98	68.20	-10.22	50.01	3	Vertical	354	2.95	-	34.40	7.32	33.75			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_Y_1TX
Setting 81
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.644G	66.61	68.20	-1.59	59.92	3	Horizontal	287	1.00	-	33.51	6.97	33.79			
PK	5.746G	114.38	Inf	-Inf	107.36	3	Horizontal	287	1.00	-	33.69	7.11	33.78			
AV	5.7485G	102.94	Inf	-Inf	95.91	3	Horizontal	287	1.00	-	33.70	7.11	33.78			
PK	5.9695G	57.37	68.20	-10.83	49.42	3	Horizontal	287	1.00	-	34.40	7.30	33.75			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5755MHz_TX




EUT_V_1TX
Setting 81
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51043G	57.76	74.00	-16.24	40.33	3	Vertical	276	1.89	-	40.32	11.76	34.65			
AV	11.5075G	46.71	54.00	-7.29	29.29	3	Vertical	276	1.89	-	40.31	11.76	34.65			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX


5755MHz_TX

EUT_Y_1TX
Setting 81
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5106G	57.49	74.00	-16.51	40.06	3	Horizontal	81	1.48	-	40.32	11.76	34.65			
AV	11.50913G	46.69	54.00	-7.31	29.26	3	Horizontal	81	1.48	-	40.32	11.76	34.65			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
Setting 90
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	59.43	69.68	-10.25	52.74	3	Vertical	354	2.92	-	33.50	6.98	33.79
PK	5.7795G	106.16	Inf	-Inf	99.03	3	Vertical	354	2.92	-	33.76	7.15	33.78
AV	5.799G	95.20	Inf	-Inf	87.99	3	Vertical	354	2.92	-	33.80	7.18	33.77
PK	5.999G	57.39	68.20	-10.81	49.42	3	Vertical	354	2.92	-	34.40	7.32	33.75

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_Y_1TX
Setting 90
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6385G	67.92	68.20	-0.28	61.23	3	Horizontal	292	1.14	-	33.52	6.96	33.79			
PK	5.8105G	116.01	Inf	-Inf	108.77	3	Horizontal	292	1.14	-	33.82	7.19	33.77			
AV	5.7825G	104.71	Inf	-Inf	97.57	3	Horizontal	292	1.14	-	33.76	7.16	33.78			
PK	5.9995G	57.80	68.20	-10.40	49.83	3	Horizontal	292	1.14	-	34.40	7.32	33.75			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_V_1TX
Setting 90
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59051G	59.82	74.00	-14.18	42.34	3	Vertical	250	2.79	-	40.32	11.81	34.65			
AV	11.59113G	47.10	54.00	-6.90	29.62	3	Vertical	250	2.79	-	40.32	11.81	34.65			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_1TX

5795MHz_TX




EUT_V_1TX
Setting 90
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59031G	58.18	74.00	-15.82	40.70	3	Horizontal	355	1.44	-	40.32	11.81	34.65			
AV	11.58927G	47.20	54.00	-6.80	29.72	3	Horizontal	355	1.44	-	40.32	11.81	34.65			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_V_1TX
Setting 72
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1424G	54.48	74.00	-19.52	47.61	3	Vertical	167	2.10	-	32.78	6.64	32.55			
AV	5.1428G	44.94	54.00	-9.06	38.06	3	Vertical	167	2.10	-	32.79	6.64	32.55			
PK	5.2316G	96.95	Inf	-Inf	89.92	3	Vertical	167	2.10	-	32.90	6.65	32.52			
AV	5.2236G	85.44	Inf	-Inf	78.43	3	Vertical	167	2.10	-	32.90	6.64	32.53			
PK	5.3936G	55.12	74.00	-18.88	47.61	3	Vertical	167	2.10	-	33.27	6.73	32.49			
AV	5.4052G	44.34	54.00	-9.66	36.76	3	Vertical	167	2.10	-	33.32	6.74	32.48			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_V_1TX
Setting 72
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	65.10	74.00	-8.90	58.20	3	Horizontal	117	2.31	-	32.80	6.64	32.54			
AV	5.1404G	53.86	54.00	-0.14	46.99	3	Horizontal	117	2.31	-	32.78	6.64	32.55			
PK	5.2112G	109.82	Inf	-Inf	102.81	3	Horizontal	117	2.31	-	32.90	6.64	32.53			
AV	5.2232G	98.11	Inf	-Inf	91.10	3	Horizontal	117	2.31	-	32.90	6.64	32.53			
PK	5.3704G	58.83	74.00	-15.17	51.42	3	Horizontal	117	2.31	-	33.18	6.72	32.49			
AV	5.3704G	49.01	54.00	-4.99	41.60	3	Horizontal	117	2.31	-	33.18	6.72	32.49			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 72
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42087G	55.97	68.20	-12.23	39.98	3	Vertical	124	2.41	-	39.20	11.05	34.26			
PK	15.63245G	61.87	74.00	-12.13	44.39	3	Vertical	345	2.38	-	38.86	13.16	34.54			
AV	15.62826G	50.41	54.00	-3.59	32.94	3	Vertical	345	2.38	-	38.86	13.16	34.55			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5210MHz_TX




EUT_Y_1TX
Setting 72
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41995G	56.15	68.20	-12.05	40.16	3	Horizontal	341	1.11	-	39.20	11.05	34.26			
PK	15.63046G	61.78	74.00	-12.22	44.30	3	Horizontal	162	1.17	-	38.86	13.16	34.54			
AV	15.62846G	50.74	54.00	-3.26	33.27	3	Horizontal	162	1.17	-	38.86	13.16	34.55			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
Setting 79
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.63G	57.98	68.20	-10.22	51.28	3	Vertical	350	2.95	-	33.54	6.95	33.79				
PK	5.777G	100.24	Inf	-Inf	93.12	3	Vertical	350	2.95	-	33.75	7.15	33.78				
AV	5.766G	89.41	Inf	-Inf	82.33	3	Vertical	350	2.95	-	33.73	7.13	33.78				
PK	5.964G	57.14	68.20	-11.06	49.20	3	Vertical	350	2.95	-	34.40	7.29	33.75				

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX

5775MHz_TX




EUT_Y_1TX
Setting 79
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.63G	67.04	68.20	-1.16	60.34	3	Horizontal	289	1.14	-	33.54	6.95	33.79			
PK	5.753G	111.06	Inf	-Inf	104.01	3	Horizontal	289	1.14	-	33.71	7.12	33.78			
AV	5.7445G	99.19	Inf	-Inf	92.17	3	Horizontal	289	1.14	-	33.69	7.11	33.78			
PK	5.993G	57.06	68.20	-11.14	49.09	3	Horizontal	289	1.14	-	34.40	7.32	33.75			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5775MHz_TX

EUT_Y_1TX
Setting 79
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5479G	57.78	74.00	-16.22	40.24	3	Vertical	320	2.84	-	40.40	11.79	34.65			
AV	11.55221G	47.13	54.00	-6.87	29.59	3	Vertical	320	2.84	-	40.40	11.79	34.65			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_1TX


5775MHz_TX

EUT_Y_1TX
Setting 79
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54961G	59.27	74.00	-14.73	41.73	3	Horizontal	92	1.55	-	40.40	11.79	34.65			
AV	11.552G	46.99	54.00	-7.01	29.45	3	Horizontal	92	1.55	-	40.40	11.79	34.65			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 78
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.14385G	68.72	74.00	-5.28	61.84	3	Vertical	106	2.94	-	32.79	6.64	32.55				
AV	5.1494G	53.88	54.00	-0.12	46.98	3	Vertical	106	2.94	-	32.80	6.64	32.54				
PK	5.1746G	117.99	Inf	-Inf	111.04	3	Vertical	106	2.94	-	32.85	6.64	32.54				
AV	5.18465G	109.47	Inf	-Inf	102.51	3	Vertical	106	2.94	-	32.87	6.63	32.54				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 78
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14745G	58.10	74.00	-15.90	51.21	3	Horizontal	228	2.09	-	32.79	6.64	32.54			
AV	5.14865G	46.04	54.00	-7.96	39.14	3	Horizontal	228	2.09	-	32.80	6.64	32.54			
PK	5.177G	107.95	Inf	-Inf	101.01	3	Horizontal	228	2.09	-	32.85	6.63	32.54			
AV	5.1773G	99.13	Inf	-Inf	92.19	3	Horizontal	228	2.09	-	32.85	6.63	32.54			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 78
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36729G	56.92	68.20	-11.28	39.99	3	Vertical	231	1.48	-	38.77	10.69	32.53			
PK	15.54576G	60.10	74.00	-13.90	40.63	3	Vertical	316	1.38	-	38.60	13.60	32.73			
AV	15.54229G	49.51	54.00	-4.49	30.04	3	Vertical	316	1.38	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 78
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36468G	56.95	68.20	-11.25	40.02	3	Horizontal	202	1.79	-	38.77	10.69	32.53			
PK	15.53223G	61.01	74.00	-12.99	41.54	3	Horizontal	136	1.45	-	38.60	13.60	32.73			
AV	15.53246G	49.48	54.00	-4.52	30.01	3	Horizontal	136	1.45	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 87
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.14875G	70.11	74.00	-3.89	63.21	3	Vertical	123	2.26	-	32.80	6.64	32.54			
AV	5.14925G	53.76	54.00	-0.24	46.86	3	Vertical	123	2.26	-	32.80	6.64	32.54			
PK	5.2075G	119.73	Inf	-Inf	112.73	3	Vertical	123	2.26	-	32.90	6.63	32.53			
AV	5.20225G	110.81	Inf	-Inf	103.81	3	Vertical	123	2.26	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 87
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1495G	60.80	74.00	-13.20	53.90	3	Horizontal	229	1.80	-	32.80	6.64	32.54				
AV	5.14875G	46.02	54.00	-7.98	39.12	3	Horizontal	229	1.80	-	32.80	6.64	32.54				
PK	5.197G	108.08	Inf	-Inf	101.09	3	Horizontal	229	1.80	-	32.89	6.63	32.53				
AV	5.20225G	99.82	Inf	-Inf	92.82	3	Horizontal	229	1.80	-	32.90	6.63	32.53				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 87
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40268G	57.11	68.20	-11.09	40.17	3	Vertical	236	1.54	-	38.71	10.73	32.50			
PK	15.59686G	60.03	74.00	-13.97	40.75	3	Vertical	238	1.73	-	38.41	13.61	32.74			
AV	15.59378G	49.05	54.00	-4.95	29.76	3	Vertical	238	1.73	-	38.42	13.61	32.74			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 87
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39268G	57.42	68.20	-10.78	40.50	3	Horizontal	214	1.68	-	38.71	10.72	32.51			
PK	15.60686G	59.78	74.00	-14.22	40.55	3	Horizontal	191	1.76	-	38.36	13.61	32.74			
AV	15.60788G	49.14	54.00	-4.86	29.92	3	Horizontal	191	1.76	-	38.35	13.61	32.74			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 93
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	68.83	74.00	-5.17	61.94	3	Vertical	121	2.21	-	32.79	6.64	32.54			
AV	5.1496G	51.84	54.00	-2.16	44.94	3	Vertical	121	2.21	-	32.80	6.64	32.54			
PK	5.2372G	122.25	Inf	-Inf	115.22	3	Vertical	121	2.21	-	32.90	6.65	32.52			
AV	5.238G	112.74	Inf	-Inf	105.71	3	Vertical	121	2.21	-	32.90	6.65	32.52			
PK	5.3516G	68.82	74.00	-5.18	61.50	3	Vertical	121	2.21	-	33.11	6.71	32.50			
AV	5.352G	52.29	54.00	-1.71	44.97	3	Vertical	121	2.21	-	33.11	6.71	32.50			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 93
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1444G	55.54	74.00	-18.46	48.66	3	Horizontal	228	1.80	-	32.79	6.64	32.55			
AV	5.1488G	44.64	54.00	-9.36	37.74	3	Horizontal	228	1.80	-	32.80	6.64	32.54			
PK	5.2372G	110.20	Inf	-Inf	103.17	3	Horizontal	228	1.80	-	32.90	6.65	32.52			
AV	5.2376G	100.95	Inf	-Inf	93.92	3	Horizontal	228	1.80	-	32.90	6.65	32.52			
PK	5.4344G	56.90	74.00	-17.10	49.15	3	Horizontal	228	1.80	-	33.44	6.79	32.48			
AV	5.4372G	45.74	54.00	-8.26	37.97	3	Horizontal	228	1.80	-	33.45	6.80	32.48			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 93
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4731G	56.28	68.20	-11.92	39.02	3	Vertical	303	1.79	-	38.89	10.80	32.43			
PK	15.716G	60.15	74.00	-13.85	41.02	3	Vertical	18	1.38	-	38.26	13.62	32.75			
AV	15.72238G	49.24	54.00	-4.76	30.09	3	Vertical	18	1.38	-	38.29	13.62	32.76			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 93
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48374G	57.41	68.20	-10.79	40.09	3	Horizontal	217	1.54	-	38.93	10.81	32.42			
PK	15.7108G	59.85	74.00	-14.15	40.74	3	Horizontal	32	1.97	-	38.24	13.62	32.75			
AV	15.72642G	49.00	54.00	-5.00	29.83	3	Horizontal	32	1.97	-	38.31	13.62	32.76			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 88
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.641G	65.79	68.20	-2.41	57.11	3	Vertical	142	2.40	-	33.98	7.15	32.45			
PK	5.7495G	118.80	Inf	-Inf	109.86	3	Vertical	142	2.40	-	34.10	7.29	32.45			
AV	5.75G	108.95	Inf	-Inf	100.01	3	Vertical	142	2.40	-	34.10	7.29	32.45			
PK	5.935G	58.70	68.20	-9.50	48.68	3	Vertical	142	2.40	-	35.01	7.45	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 88
01-U-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6165G	57.50	68.20	-10.70	48.91	3	Horizontal	339	2.97	-	33.93	7.12	32.46			
PK	5.742G	107.78	Inf	-Inf	98.85	3	Horizontal	339	2.97	-	34.10	7.28	32.45			
AV	5.7415G	98.96	Inf	-Inf	90.03	3	Horizontal	339	2.97	-	34.10	7.28	32.45			
PK	5.9945G	58.20	68.20	-10.00	47.86	3	Horizontal	339	2.97	-	35.28	7.50	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Z_2TX
Setting 88
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49284G	58.45	74.00	-15.55	40.28	3	Vertical	282	1.52	-	38.91	11.84	32.58			
AV	11.48016G	46.73	54.00	-7.27	28.53	3	Vertical	282	1.52	-	38.94	11.83	32.57			
PK	17.22616G	63.55	68.20	-4.65	40.08	3	Vertical	306	1.48	-	41.40	14.01	31.94			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Z_2TX
Setting 88
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48632G	58.04	74.00	-15.96	39.85	3	Horizontal	11	1.35	-	38.93	11.84	32.58			
AV	11.48506G	46.85	54.00	-7.15	28.67	3	Horizontal	11	1.35	-	38.93	11.83	32.58			
PK	17.24392G	64.14	68.20	-4.06	40.57	3	Horizontal	304	1.57	-	41.48	14.01	31.92			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 91
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.602G	59.16	68.20	-9.04	50.62	3	Vertical	140	2.57	-	33.90	7.10	32.46			
PK	5.7805G	118.99	Inf	-Inf	109.95	3	Vertical	140	2.57	-	34.16	7.33	32.45			
AV	5.78G	109.93	Inf	-Inf	100.90	3	Vertical	140	2.57	-	34.16	7.32	32.45			
PK	5.9835G	58.51	68.20	-9.69	48.23	3	Vertical	140	2.57	-	35.23	7.49	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 91
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.579G	57.54	68.20	-10.66	49.04	3	Horizontal	340	2.55	-	33.90	7.06	32.46			
PK	5.7825G	108.40	Inf	-Inf	99.36	3	Horizontal	340	2.55	-	34.16	7.33	32.45			
AV	5.7775G	99.54	Inf	-Inf	90.51	3	Horizontal	340	2.55	-	34.16	7.32	32.45			
PK	5.9935G	58.81	68.20	-9.39	48.48	3	Horizontal	340	2.55	-	35.27	7.50	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 91
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57194G	59.01	74.00	-14.99	40.74	3	Vertical	298	1.86	-	38.96	11.92	32.61			
AV	11.57946G	47.05	54.00	-6.95	28.79	3	Vertical	298	1.86	-	38.94	11.93	32.61			
PK	17.35548G	64.03	68.20	-4.17	40.02	3	Vertical	274	1.90	-	41.82	14.04	31.85			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Z_2TX
Setting 91
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56096G	58.21	74.00	-15.79	39.93	3	Horizontal	11	1.61	-	38.98	11.91	32.61			
AV	11.56824G	46.83	54.00	-7.17	28.56	3	Horizontal	11	1.61	-	38.96	11.92	32.61			
PK	17.36072G	65.57	68.20	-2.63	41.54	3	Horizontal	185	1.96	-	41.84	14.04	31.85			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 92
01-U-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.617G	58.34	68.20	-9.86	49.75	3	Vertical	136	2.34	-	33.93	7.12	32.46				
PK	5.821G	118.14	Inf	-Inf	108.89	3	Vertical	136	2.34	-	34.33	7.37	32.45				
AV	5.8205G	109.52	Inf	-Inf	100.28	3	Vertical	136	2.34	-	34.32	7.37	32.45				
PK	5.9805G	58.65	68.20	-9.55	48.38	3	Vertical	136	2.34	-	35.22	7.49	32.44				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 92
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.643G	57.35	68.20	-10.85	48.66	3	Horizontal	348	2.31	-	33.99	7.15	32.45			
PK	5.819G	108.67	Inf	-Inf	99.45	3	Horizontal	348	2.31	-	34.31	7.36	32.45			
AV	5.819G	99.65	Inf	-Inf	90.43	3	Horizontal	348	2.31	-	34.31	7.36	32.45			
PK	6.014G	58.58	68.20	-9.62	48.18	3	Horizontal	348	2.31	-	35.33	7.51	32.44			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 92
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65082G	58.35	74.00	-15.65	40.10	3	Vertical	92	1.49	-	38.90	12.00	32.65			
AV	11.65374G	47.00	54.00	-7.00	28.74	3	Vertical	92	1.49	-	38.90	12.01	32.65			
PK	17.48326G	65.20	68.20	-3.00	41.02	3	Vertical	124	1.59	-	41.87	14.08	31.77			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 92
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64538G	58.28	74.00	-15.72	40.02	3	Horizontal	88	1.77	-	38.90	12.00	32.64			
AV	11.65504G	47.30	54.00	-6.70	29.04	3	Horizontal	88	1.77	-	38.90	12.01	32.65			
PK	17.46576G	65.05	68.20	-3.15	40.81	3	Horizontal	109	1.80	-	41.94	14.08	31.78			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 78
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.141G	70.19	74.00	-3.81	63.32	3	Vertical	106	2.96	-	32.78	6.64	32.55			
AV	5.1492G	52.25	54.00	-1.75	45.35	3	Vertical	106	2.96	-	32.80	6.64	32.54			
PK	5.1748G	118.06	Inf	-Inf	111.11	3	Vertical	106	2.96	-	32.85	6.64	32.54			
AV	5.1818G	106.50	Inf	-Inf	99.55	3	Vertical	106	2.96	-	32.86	6.63	32.54			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 78
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1398G	57.27	74.00	-16.73	50.40	3	Horizontal	227	2.08	-	32.78	6.64	32.55				
AV	5.14G	44.72	54.00	-9.28	37.85	3	Horizontal	227	2.08	-	32.78	6.64	32.55				
PK	5.1836G	108.14	Inf	-Inf	101.18	3	Horizontal	227	2.08	-	32.87	6.63	32.54				
AV	5.1782G	96.18	Inf	-Inf	89.23	3	Horizontal	227	2.08	-	32.86	6.63	32.54				

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 78
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3618G	56.48	68.20	-11.72	39.55	3	Vertical	231	1.70	-	38.78	10.69	32.54			
PK	15.53112G	59.97	74.00	-14.03	40.49	3	Vertical	351	1.39	-	38.60	13.60	32.72			
AV	15.53107G	48.31	54.00	-5.69	28.83	3	Vertical	351	1.39	-	38.60	13.60	32.72			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Z_2TX
Setting 78
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35714G	56.87	68.20	-11.33	39.94	3	Horizontal	114	1.97	-	38.79	10.68	32.54			
PK	15.54283G	60.35	74.00	-13.65	40.88	3	Horizontal	90	1.49	-	38.60	13.60	32.73			
AV	15.54269G	48.61	54.00	-5.39	29.14	3	Horizontal	90	1.49	-	38.60	13.60	32.73			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 84
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1489G	69.28	74.00	-4.72	62.38	3	Vertical	122	2.49	-	32.80	6.64	32.54			
AV	5.14995G	53.80	54.00	-0.20	46.90	3	Vertical	122	2.49	-	32.80	6.64	32.54			
PK	5.2035G	119.05	Inf	-Inf	112.05	3	Vertical	122	2.49	-	32.90	6.63	32.53			
AV	5.20875G	107.78	Inf	-Inf	100.78	3	Vertical	122	2.49	-	32.90	6.63	32.53			
PK	5.3568G	59.07	74.00	-14.93	51.72	3	Vertical	122	2.49	-	33.13	6.71	32.49			
AV	5.35225G	47.68	54.00	-6.32	40.36	3	Vertical	122	2.49	-	33.11	6.71	32.50			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 84
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	61.15	74.00	-12.85	54.25	3	Horizontal	227	1.80	-	32.80	6.64	32.54			
AV	5.14925G	46.70	54.00	-7.30	39.80	3	Horizontal	227	1.80	-	32.80	6.64	32.54			
PK	5.2049G	107.32	Inf	-Inf	100.32	3	Horizontal	227	1.80	-	32.90	6.63	32.53			
AV	5.2056G	96.37	Inf	-Inf	89.37	3	Horizontal	227	1.80	-	32.90	6.63	32.53			
PK	5.3575G	55.73	74.00	-18.27	48.38	3	Horizontal	227	1.80	-	33.13	6.71	32.49			
AV	5.3645G	44.71	54.00	-9.29	37.33	3	Horizontal	227	1.80	-	33.16	6.71	32.49			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 84
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40265G	56.42	68.20	-11.78	39.48	3	Vertical	181	1.45	-	38.71	10.73	32.50			
PK	15.5965G	60.11	74.00	-13.89	40.83	3	Vertical	235	1.64	-	38.41	13.61	32.74			
AV	15.59506G	48.06	54.00	-5.94	28.77	3	Vertical	235	1.64	-	38.42	13.61	32.74			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Z_2TX
Setting 84
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.39741G	56.64	68.20	-11.56	39.70	3	Horizontal	48	1.87	-	38.71	10.73	32.50			
PK	15.59696G	59.85	74.00	-14.15	40.57	3	Horizontal	30	1.47	-	38.41	13.61	32.74			
AV	15.59959G	47.95	54.00	-6.05	28.68	3	Horizontal	30	1.47	-	38.40	13.61	32.74			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 93
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	70.32	74.00	-3.68	63.42	3	Vertical	120	2.74	-	32.80	6.64	32.54
AV	5.15G	52.89	54.00	-1.11	45.99	3	Vertical	120	2.74	-	32.80	6.64	32.54
PK	5.2364G	121.28	Inf	-Inf	114.25	3	Vertical	120	2.74	-	32.90	6.65	32.52
AV	5.2364G	110.06	Inf	-Inf	103.03	3	Vertical	120	2.74	-	32.90	6.65	32.52
PK	5.352G	72.62	74.00	-1.38	65.30	3	Vertical	120	2.74	-	33.11	6.71	32.50
AV	5.3508G	53.45	54.00	-0.55	46.14	3	Vertical	120	2.74	-	33.10	6.71	32.50

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 93
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1468G	62.61	74.00	-11.39	55.72	3	Horizontal	231	1.80	-	32.79	6.64	32.54			
AV	5.1496G	44.78	54.00	-9.22	37.88	3	Horizontal	231	1.80	-	32.80	6.64	32.54			
PK	5.2356G	108.92	Inf	-Inf	101.89	3	Horizontal	231	1.80	-	32.90	6.65	32.52			
AV	5.2376G	97.21	Inf	-Inf	90.18	3	Horizontal	231	1.80	-	32.90	6.65	32.52			
PK	5.3512G	58.35	74.00	-15.65	51.04	3	Horizontal	231	1.80	-	33.10	6.71	32.50			
AV	5.3944G	45.03	54.00	-8.97	37.51	3	Horizontal	231	1.80	-	33.28	6.73	32.49			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 93
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47998G	56.42	68.20	-11.78	39.12	3	Vertical	353	1.80	-	38.92	10.81	32.43			
PK	15.72451G	60.37	74.00	-13.63	41.21	3	Vertical	98	2.53	-	38.30	13.62	32.76			
AV	15.72455G	48.43	54.00	-5.57	29.27	3	Vertical	98	2.53	-	38.30	13.62	32.76			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Z_2TX
Setting 93
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48066G	56.70	68.20	-11.50	39.40	3	Horizontal	0	1.33	-	38.92	10.81	32.43			
PK	15.72438G	61.26	74.00	-12.74	42.10	3	Horizontal	300	1.80	-	38.30	13.62	32.76			
AV	15.72484G	48.60	54.00	-5.40	29.44	3	Horizontal	300	1.80	-	38.30	13.62	32.76			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5745MHz_TX

EUT_Z_2TX
Setting 88
01-U-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6495G	67.60	68.20	-0.60	58.89	3	Vertical	142	2.74	-	34.00	7.16	32.45			
PK	5.7515G	117.62	Inf	-Inf	108.68	3	Vertical	142	2.74	-	34.10	7.29	32.45			
AV	5.7495G	106.13	Inf	-Inf	97.19	3	Vertical	142	2.74	-	34.10	7.29	32.45			
PK	5.991G	58.47	68.20	-9.73	48.16	3	Vertical	142	2.74	-	35.26	7.49	32.44			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Z_2TX
Setting 88
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.648G	60.44	68.20	-7.76	51.73	3	Horizontal	346	2.34	-	34.00	7.16	32.45			
PK	5.744G	108.88	Inf	-Inf	99.95	3	Horizontal	346	2.34	-	34.10	7.28	32.45			
AV	5.749G	98.21	Inf	-Inf	89.27	3	Horizontal	346	2.34	-	34.10	7.29	32.45			
PK	5.9635G	58.56	68.20	-9.64	48.38	3	Horizontal	346	2.34	-	35.15	7.47	32.44			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5745MHz_TX

EUT_Z_2TX
Setting 88
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49185G	57.98	74.00	-16.02	39.80	3	Vertical	323	1.77	-	38.92	11.84	32.58			
AV	11.49145G	46.20	54.00	-7.80	28.02	3	Vertical	323	1.77	-	38.92	11.84	32.58			
PK	17.23133G	63.27	68.20	-4.93	39.76	3	Vertical	287	1.45	-	41.43	14.01	31.93			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5745MHz_TX

EUT_Z_2TX
Setting 88
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48678G	58.12	74.00	-15.88	39.93	3	Horizontal	37	1.55	-	38.93	11.84	32.58			
AV	11.48359G	46.23	54.00	-7.77	28.05	3	Horizontal	37	1.55	-	38.93	11.83	32.58			
PK	17.23945G	63.18	68.20	-5.02	39.64	3	Horizontal	12	1.88	-	41.46	14.01	31.93			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX

EUT_Z_2TX
Setting 92
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.636G	67.28	68.20	-0.92	58.62	3	Vertical	139	2.74	-	33.97	7.14	32.45			
PK	5.7805G	118.29	Inf	-Inf	109.25	3	Vertical	139	2.74	-	34.16	7.33	32.45			
AV	5.7825G	106.97	Inf	-Inf	97.93	3	Vertical	139	2.74	-	34.16	7.33	32.45			
PK	6.001G	58.95	68.20	-9.25	48.59	3	Vertical	139	2.74	-	35.30	7.50	32.44			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX

EUT_Z_2TX
Setting 92
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.644G	63.71	68.20	-4.49	55.02	3	Horizontal	345	2.52	-	33.99	7.15	32.45				
PK	5.7845G	108.63	Inf	-Inf	99.58	3	Horizontal	345	2.52	-	34.17	7.33	32.45				
AV	5.7865G	97.18	Inf	-Inf	88.13	3	Horizontal	345	2.52	-	34.17	7.33	32.45				
PK	5.982G	59.00	68.20	-9.20	48.72	3	Horizontal	345	2.52	-	35.23	7.49	32.44				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX

EUT_Z_2TX
Setting 92
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56765G	58.42	74.00	-15.58	40.15	3	Vertical	354	1.94	-	38.96	11.92	32.61			
AV	11.56232G	46.52	54.00	-7.48	28.24	3	Vertical	354	1.94	-	38.98	11.91	32.61			
PK	17.35394G	64.04	68.20	-4.16	40.03	3	Vertical	210	1.46	-	41.82	14.04	31.85			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX

EUT_Z_2TX
Setting 92
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57449G	58.43	74.00	-15.57	40.16	3	Horizontal	269	1.98	-	38.95	11.93	32.61			
AV	11.57679G	46.20	54.00	-7.80	27.93	3	Horizontal	269	1.98	-	38.95	11.93	32.61			
PK	17.35477G	64.52	68.20	-3.68	40.51	3	Horizontal	337	1.69	-	41.82	14.04	31.85			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 92
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.755G	63.86	68.20	-4.34	55.37	3	Vertical	138	2.33	-	33.90	7.05	32.46			
PK	5.8205G	117.78	Inf	-Inf	108.54	3	Vertical	138	2.33	-	34.32	7.37	32.45			
AV	5.8265G	106.60	Inf	-Inf	97.32	3	Vertical	138	2.33	-	34.36	7.37	32.45			
PK	6.0295G	58.84	68.20	-9.36	48.41	3	Vertical	138	2.33	-	35.36	7.51	32.44			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Z_2TX
Setting 92
01-U-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6495G	58.07	68.20	-10.13	49.36	3	Horizontal	347	2.21	-	34.00	7.16	32.45				
PK	5.8225G	109.23	Inf	-Inf	99.97	3	Horizontal	347	2.21	-	34.34	7.37	32.45				
AV	5.8265G	97.55	Inf	-Inf	88.27	3	Horizontal	347	2.21	-	34.36	7.37	32.45				
PK	5.9455G	58.73	68.20	-9.47	48.64	3	Horizontal	347	2.21	-	35.07	7.46	32.44				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 92
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64751G	58.67	74.00	-15.33	40.41	3	Vertical	158	1.75	-	38.90	12.00	32.64			
AV	11.65108G	46.44	54.00	-7.56	28.19	3	Vertical	158	1.75	-	38.90	12.00	32.65			
PK	17.47054G	64.74	68.20	-3.46	40.52	3	Vertical	18	1.77	-	41.92	14.08	31.78			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5825MHz_TX

EUT_Z_2TX
Setting 92
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64726G	58.25	74.00	-15.75	39.99	3	Horizontal	350	1.43	-	38.90	12.00	32.64			
AV	11.64868G	46.61	54.00	-7.39	28.36	3	Horizontal	350	1.43	-	38.90	12.00	32.65			
PK	17.47633G	64.91	68.20	-3.29	40.72	3	Horizontal	339	1.36	-	41.89	14.08	31.78			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 69
01-U-E-3-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.149G	65.04	74.00	-8.96	58.14	3	Vertical	121	2.30	-	32.80	6.64	32.54				
AV	5.1486G	53.74	54.00	-0.26	46.84	3	Vertical	121	2.30	-	32.80	6.64	32.54				
PK	5.1908G	113.10	Inf	-Inf	106.12	3	Vertical	121	2.30	-	32.88	6.63	32.53				
AV	5.196G	102.89	Inf	-Inf	95.90	3	Vertical	121	2.30	-	32.89	6.63	32.53				

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 69
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.149G	55.12	74.00	-18.88	48.22	3	Horizontal	121	2.30	-	32.80	6.64	32.54			
AV	5.145G	44.48	54.00	-9.52	37.60	3	Horizontal	121	2.30	-	32.79	6.64	32.55			
PK	5.2018G	98.98	Inf	-Inf	91.98	3	Horizontal	121	2.30	-	32.90	6.63	32.53			
AV	5.199G	88.60	Inf	-Inf	81.60	3	Horizontal	121	2.30	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 69
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37569G	56.74	68.20	-11.46	39.81	3	Vertical	233	1.96	-	38.75	10.70	32.52			
PK	15.56654G	60.46	74.00	-13.54	41.05	3	Vertical	241	1.48	-	38.53	13.61	32.73			
AV	15.56849G	48.49	54.00	-5.51	29.08	3	Vertical	241	1.48	-	38.53	13.61	32.73			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Z_2TX
Setting 69
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37679G	56.88	68.20	-11.32	39.95	3	Horizontal	272	1.80	-	38.75	10.70	32.52			
PK	15.56811G	60.17	74.00	-13.83	40.76	3	Horizontal	287	1.52	-	38.53	13.61	32.73			
AV	15.56585G	48.48	54.00	-5.52	29.06	3	Horizontal	287	1.52	-	38.54	13.61	32.73			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 79
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	66.87	74.00	-7.13	59.97	3	Vertical	105	2.94	-	32.80	6.64	32.54
AV	5.1496G	52.47	54.00	-1.53	45.57	3	Vertical	105	2.94	-	32.80	6.64	32.54
PK	5.2368G	116.60	Inf	-Inf	109.57	3	Vertical	105	2.94	-	32.90	6.65	32.52
AV	5.2272G	104.39	Inf	-Inf	97.38	3	Vertical	105	2.94	-	32.90	6.64	32.53
PK	5.3648G	61.79	74.00	-12.21	54.41	3	Vertical	105	2.94	-	33.16	6.71	32.49
AV	5.3568G	49.36	54.00	-4.64	42.01	3	Vertical	105	2.94	-	33.13	6.71	32.49

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 79
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	55.63	74.00	-18.37	48.73	3	Horizontal	228	1.80	-	32.80	6.64	32.54			
AV	5.1492G	44.67	54.00	-9.33	37.77	3	Horizontal	228	1.80	-	32.80	6.64	32.54			
PK	5.2404G	103.70	Inf	-Inf	96.67	3	Horizontal	228	1.80	-	32.90	6.65	32.52			
AV	5.2356G	92.34	Inf	-Inf	85.31	3	Horizontal	228	1.80	-	32.90	6.65	32.52			
PK	5.388G	56.37	74.00	-17.63	48.89	3	Horizontal	228	1.80	-	33.25	6.72	32.49			
AV	5.3892G	44.92	54.00	-9.08	37.43	3	Horizontal	228	1.80	-	33.26	6.72	32.49			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 79
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45502G	56.40	68.20	-11.80	39.25	3	Vertical	187	1.71	-	38.82	10.78	32.45			
PK	15.68779G	59.69	74.00	-14.31	40.64	3	Vertical	76	1.40	-	38.18	13.62	32.75			
AV	15.69071G	48.06	54.00	-5.94	29.01	3	Vertical	76	1.40	-	38.18	13.62	32.75			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Z_2TX
Setting 79
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45605G	56.17	68.20	-12.03	39.01	3	Horizontal	345	1.91	-	38.82	10.79	32.45			
PK	15.69165G	60.47	74.00	-13.53	41.42	3	Horizontal	190	1.86	-	38.18	13.62	32.75			
AV	15.68847G	47.97	54.00	-6.03	28.92	3	Horizontal	190	1.86	-	38.18	13.62	32.75			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Z_2TX
Setting 80
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6495G	66.54	68.20	-1.66	57.83	3	Vertical	142	2.77	-	34.00	7.16	32.45				
PK	5.7475G	113.19	Inf	-Inf	104.26	3	Vertical	142	2.77	-	34.10	7.28	32.45				
AV	5.7525G	102.17	Inf	-Inf	93.22	3	Vertical	142	2.77	-	34.11	7.29	32.45				
PK	5.9385G	58.54	68.20	-9.66	48.50	3	Vertical	142	2.77	-	35.03	7.45	32.44				

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 80
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6525G	62.04	70.05	-8.01	53.31	3	Horizontal	346	2.34	-	34.01	7.17	32.45			
PK	5.7395G	104.60	Inf	-Inf	95.68	3	Horizontal	346	2.34	-	34.10	7.27	32.45			
AV	5.749G	93.43	Inf	-Inf	84.49	3	Horizontal	346	2.34	-	34.10	7.29	32.45			
PK	5.9935G	58.71	68.20	-9.49	48.38	3	Horizontal	346	2.34	-	35.27	7.50	32.44			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 80
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51458G	58.10	74.00	-15.90	39.90	3	Vertical	153	1.64	-	38.93	11.86	32.59			
AV	11.50985G	45.94	54.00	-8.06	27.74	3	Vertical	153	1.64	-	38.92	11.86	32.58			
PK	17.26363G	63.42	68.20	-4.78	39.76	3	Vertical	291	1.81	-	41.55	14.02	31.91			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Z_2TX
Setting 80
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50518G	57.83	74.00	-16.17	39.64	3	Horizontal	250	1.98	-	38.91	11.86	32.58			
AV	11.51438G	46.32	54.00	-7.68	28.12	3	Horizontal	250	1.98	-	38.93	11.86	32.59			
PK	17.26856G	63.65	68.20	-4.55	39.97	3	Horizontal	48	1.39	-	41.57	14.02	31.91			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 91
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6485G	68.18	68.20	-0.02	59.47	3	Vertical	68	2.58	-	34.00	7.16	32.45
PK	5.8075G	115.19	Inf	-Inf	106.04	3	Vertical	68	2.58	-	34.24	7.36	32.45
AV	5.798G	103.46	Inf	-Inf	94.36	3	Vertical	68	2.58	-	34.20	7.35	32.45
PK	5.9945G	59.31	68.20	-8.89	48.97	3	Vertical	68	2.58	-	35.28	7.50	32.44

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Z_2TX
Setting 91
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.647G	60.81	68.20	-7.39	52.11	3	Horizontal	348	2.29	-	33.99	7.16	32.45			
PK	5.7895G	105.97	Inf	-Inf	96.90	3	Horizontal	348	2.29	-	34.18	7.34	32.45			
AV	5.7985G	94.82	Inf	-Inf	85.72	3	Horizontal	348	2.29	-	34.20	7.35	32.45			
PK	6.0005G	59.24	68.20	-8.96	48.88	3	Horizontal	348	2.29	-	35.30	7.50	32.44			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 91
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58711G	58.23	74.00	-15.77	39.98	3	Vertical	330	1.88	-	38.93	11.94	32.62			
AV	11.58302G	46.71	54.00	-7.29	28.47	3	Vertical	330	1.88	-	38.93	11.93	32.62			
PK	17.38113G	64.77	68.20	-3.43	40.64	3	Vertical	262	1.37	-	41.92	14.05	31.84			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Z_2TX
Setting 91
01-U-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.588G	58.23	74.00	-15.77	39.99	3	Horizontal	155	1.93	-	38.92	11.94	32.62			
AV	11.59228G	46.83	54.00	-7.17	28.59	3	Horizontal	155	1.93	-	38.92	11.94	32.62			
PK	17.3814G	65.11	68.20	-3.09	40.97	3	Horizontal	73	1.65	-	41.93	14.05	31.84			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 69
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1396G	63.72	74.00	-10.28	56.85	3	Vertical	117	2.18	-	32.78	6.64	32.55			
AV	5.1336G	53.67	54.00	-0.33	46.81	3	Vertical	117	2.18	-	32.77	6.64	32.55			
PK	5.234G	109.56	Inf	-Inf	102.53	3	Vertical	117	2.18	-	32.90	6.65	32.52			
AV	5.2236G	99.41	Inf	-Inf	92.40	3	Vertical	117	2.18	-	32.90	6.64	32.53			
PK	5.372G	58.67	74.00	-15.33	51.25	3	Vertical	117	2.18	-	33.19	6.72	32.49			
AV	5.37G	48.34	54.00	-5.66	40.93	3	Vertical	117	2.18	-	33.18	6.72	32.49			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 69
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1336G	57.29	74.00	-16.71	50.43	3	Horizontal	284	2.41	-	32.77	6.64	32.55			
AV	5.144G	47.13	54.00	-6.87	40.25	3	Horizontal	284	2.41	-	32.79	6.64	32.55			
PK	5.2012G	99.29	Inf	-Inf	92.29	3	Horizontal	284	2.41	-	32.90	6.63	32.53			
AV	5.2024G	89.07	Inf	-Inf	82.07	3	Horizontal	284	2.41	-	32.90	6.63	32.53			
PK	5.3948G	55.02	74.00	-18.98	47.50	3	Horizontal	284	2.41	-	33.28	6.73	32.49			
AV	5.4028G	44.52	54.00	-9.48	36.95	3	Horizontal	284	2.41	-	33.31	6.74	32.48			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 69
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42107G	56.29	68.20	-11.91	39.28	3	Vertical	236	1.90	-	38.74	10.75	32.48			
PK	15.62971G	59.62	74.00	-14.38	40.53	3	Vertical	89	1.99	-	38.22	13.61	32.74			
AV	15.62872G	48.15	54.00	-5.85	29.05	3	Vertical	89	1.99	-	38.23	13.61	32.74			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_Z_2TX
Setting 69
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42439G	57.08	68.20	-11.12	40.06	3	Horizontal	204	1.60	-	38.75	10.75	32.48			
PK	15.62679G	60.55	74.00	-13.45	41.44	3	Horizontal	196	1.73	-	38.24	13.61	32.74			
AV	15.6259G	47.96	54.00	-6.04	28.85	3	Horizontal	196	1.73	-	38.24	13.61	32.74			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 78
01-U-E-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6515G	67.40	69.31	-1.91	58.69	3	Vertical	140	2.76	-	34.00	7.16	32.45				
PK	5.7615G	109.11	Inf	-Inf	100.14	3	Vertical	140	2.76	-	34.12	7.30	32.45				
AV	5.7635G	98.49	Inf	-Inf	89.51	3	Vertical	140	2.76	-	34.13	7.30	32.45				
PK	5.982G	58.51	68.20	-9.69	48.23	3	Vertical	140	2.76	-	35.23	7.49	32.44				

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Z_2TX
Setting 78
01-U-E-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.642G	59.59	68.20	-8.61	50.91	3	Horizontal	344	2.49	-	33.98	7.15	32.45			
PK	5.7675G	100.48	Inf	-Inf	91.48	3	Horizontal	344	2.49	-	34.14	7.31	32.45			
AV	5.7585G	88.67	Inf	-Inf	79.70	3	Horizontal	344	2.49	-	34.12	7.30	32.45			
PK	6.024G	59.27	68.20	-8.93	48.85	3	Horizontal	344	2.49	-	35.35	7.51	32.44			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX

EUT_Z_2TX
Setting 78
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55479G	57.61	74.00	-16.39	39.31	3	Vertical	30	1.99	-	38.99	11.91	32.60			
AV	11.54921G	46.22	54.00	-7.78	27.92	3	Vertical	30	1.99	-	39.00	11.90	32.60			
PK	17.32905G	63.80	68.20	-4.40	39.87	3	Vertical	20	1.74	-	41.76	14.04	31.87			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX

EUT_Z_2TX
Setting 78
01-U-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55397G	57.71	74.00	-16.29	39.41	3	Horizontal	221	1.62	-	38.99	11.91	32.60			
AV	11.55443G	46.05	54.00	-7.95	27.75	3	Horizontal	221	1.62	-	38.99	11.91	32.60			
PK	17.32391G	63.97	68.20	-4.23	40.06	3	Horizontal	115	1.50	-	41.75	14.03	31.87			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5180MHz_TX


EUT_Y_4TX
Setting 77
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1498G	58.29	74.00	-15.71	51.73	3	Vertical	20	2.00	-	33.50	6.78	33.72			
AV	5.1442G	47.04	54.00	-6.96	40.49	3	Vertical	20	2.00	-	33.50	6.77	33.72			
PK	5.1736G	113.46	Inf	-Inf	106.79	3	Vertical	20	2.00	-	33.59	6.81	33.73			
AV	5.1746G	104.88	Inf	-Inf	98.20	3	Vertical	20	2.00	-	33.60	6.81	33.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	66.66	74.00	-7.34	60.11	3	Horizontal	44	1.94	-	33.50	6.77	33.72			
AV	5.147G	53.18	54.00	-0.82	46.63	3	Horizontal	44	1.94	-	33.50	6.77	33.72			
PK	5.1856G	119.85	Inf	-Inf	113.11	3	Horizontal	44	1.94	-	33.64	6.83	33.73			
AV	5.1866G	111.51	Inf	-Inf	104.76	3	Horizontal	44	1.94	-	33.65	6.83	33.73			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35821G	56.76	68.20	-11.44	40.78	3	Vertical	196	1.51	-	39.20	11.01	34.23			
PK	15.53822G	61.88	74.00	-12.12	44.53	3	Vertical	41	1.75	-	38.85	13.10	34.60			
AV	15.54108G	50.68	54.00	-3.32	33.34	3	Vertical	41	1.75	-	38.84	13.10	34.60			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35996G	56.82	68.20	-11.38	40.84	3	Horizontal	298	2.38	-	39.20	11.01	34.23			
PK	15.53919G	62.48	74.00	-11.52	45.14	3	Horizontal	118	1.85	-	38.84	13.10	34.60			
AV	15.53901G	50.95	54.00	-3.05	33.61	3	Horizontal	118	1.85	-	38.84	13.10	34.60			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 85
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.1486G	59.39	74.00	-14.61	52.83	3	Vertical	18	2.09	-	33.50	6.78	33.72				
AV	5.1496G	47.86	54.00	-6.14	41.30	3	Vertical	18	2.09	-	33.50	6.78	33.72				
PK	5.1944G	115.90	Inf	-Inf	109.11	3	Vertical	18	2.09	-	33.68	6.84	33.73				
AV	5.1942G	107.01	Inf	-Inf	100.22	3	Vertical	18	2.09	-	33.68	6.84	33.73				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 85
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1384G	66.41	74.00	-7.59	59.87	3	Horizontal	298	1.80	-	33.50	6.76	33.72				
AV	5.149G	52.88	54.00	-1.12	46.32	3	Horizontal	298	1.80	-	33.50	6.78	33.72				
PK	5.2008G	122.61	Inf	-Inf	115.79	3	Horizontal	298	1.80	-	33.70	6.85	33.73				
AV	5.2008G	113.31	Inf	-Inf	106.49	3	Horizontal	298	1.80	-	33.70	6.85	33.73				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 85
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40157G	57.53	68.20	-10.67	41.54	3	Vertical	10	2.81	-	39.20	11.04	34.25			
PK	15.60004G	61.91	74.00	-12.09	44.53	3	Vertical	85	2.73	-	38.80	13.14	34.56			
AV	15.5988G	50.16	54.00	-3.84	32.78	3	Vertical	85	2.73	-	38.80	13.14	34.56			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 85
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40198G	56.38	68.20	-11.82	40.39	3	Horizontal	236	2.49	-	39.20	11.04	34.25			
PK	15.60128G	61.87	74.00	-12.13	44.49	3	Horizontal	291	2.01	-	38.80	13.14	34.56			
AV	15.60043G	50.80	54.00	-3.20	33.42	3	Horizontal	291	2.01	-	38.80	13.14	34.56			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 93
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1488G	57.74	74.00	-16.26	51.18	3	Vertical	347	3.00	-	33.50	6.78	33.72			
AV	5.1476G	45.42	54.00	-8.58	38.87	3	Vertical	347	3.00	-	33.50	6.77	33.72			
PK	5.2328G	116.94	Inf	-Inf	110.06	3	Vertical	347	3.00	-	33.77	6.85	33.74			
AV	5.2331G	108.08	Inf	-Inf	101.20	3	Vertical	347	3.00	-	33.77	6.85	33.74			
PK	5.3522G	56.79	74.00	-17.21	49.98	3	Vertical	347	3.00	-	33.71	6.87	33.77			
AV	5.3531G	46.73	54.00	-7.27	39.92	3	Vertical	347	3.00	-	33.71	6.87	33.77			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 93
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	65.36	74.00	-8.64	58.81	3	Horizontal	296	1.80	-	33.50	6.77	33.72			
AV	5.1479G	50.82	54.00	-3.18	44.27	3	Horizontal	296	1.80	-	33.50	6.77	33.72			
PK	5.2412G	126.74	Inf	-Inf	119.84	3	Horizontal	296	1.80	-	33.78	6.86	33.74			
AV	5.2409G	116.21	Inf	-Inf	109.31	3	Horizontal	296	1.80	-	33.78	6.86	33.74			
PK	5.3657G	66.12	74.00	-7.88	59.27	3	Horizontal	296	1.80	-	33.76	6.87	33.78			
AV	5.3645G	52.30	54.00	-1.70	45.44	3	Horizontal	296	1.80	-	33.76	6.87	33.77			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 93
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5007G	57.14	68.20	-11.06	41.03	3	Vertical	120	1.85	-	39.30	11.11	34.30			
PK	15.7209G	61.95	74.00	-12.05	44.18	3	Vertical	36	1.80	-	39.03	13.22	34.48			
AV	15.71185G	50.83	54.00	-3.17	33.13	3	Vertical	36	1.80	-	38.97	13.22	34.49			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 93
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49795G	57.29	68.20	-10.91	41.19	3	Horizontal	359	1.82	-	39.30	11.10	34.30			
PK	15.7236G	61.71	74.00	-12.29	43.92	3	Horizontal	356	1.80	-	39.04	13.23	34.48			
AV	15.7443G	50.30	54.00	-3.70	32.36	3	Horizontal	356	1.80	-	39.17	13.24	34.47			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX

EUT_Y_4TX
Setting 86
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.775G	57.14	68.20	-11.06	50.34	3	Vertical	19	2.88	-	33.69	6.91	33.80			
PK	5.7375G	115.52	Inf	-Inf	108.52	3	Vertical	19	2.88	-	33.68	7.10	33.78			
AV	5.7375G	107.05	Inf	-Inf	100.05	3	Vertical	19	2.88	-	33.68	7.10	33.78			
PK	5.992G	56.50	68.20	-11.70	48.54	3	Vertical	19	2.88	-	34.40	7.31	33.75			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 86
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.646G	67.34	68.20	-0.86	60.65	3	Horizontal	46	2.17	-	33.51	6.97	33.79			
PK	5.7475G	124.45	Inf	-Inf	117.42	3	Horizontal	46	2.17	-	33.70	7.11	33.78			
AV	5.7465G	114.76	Inf	-Inf	107.74	3	Horizontal	46	2.17	-	33.69	7.11	33.78			
PK	5.987G	56.95	68.20	-11.25	48.99	3	Horizontal	46	2.17	-	34.40	7.31	33.75			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_V_4TX
Setting 86
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49052G	57.96	74.00	-16.04	40.56	3	Vertical	141	1.17	-	40.30	11.75	34.65			
AV	11.48937G	47.25	54.00	-6.75	29.85	3	Vertical	141	1.17	-	40.30	11.75	34.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




EUT_V_4TX
Setting 86
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48851G	57.82	74.00	-16.18	40.41	3	Horizontal	133	2.63	-	40.30	11.75	34.64			
AV	11.48779G	46.98	54.00	-7.02	29.57	3	Horizontal	133	2.63	-	40.30	11.75	34.64			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 91
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.5905G	56.59	68.20	-11.61	49.84	3	Vertical	282	1.56	-	33.64	6.91	33.80				
PK	5.788G	114.29	Inf	-Inf	107.13	3	Vertical	282	1.56	-	33.78	7.16	33.78				
AV	5.789G	105.08	Inf	-Inf	97.91	3	Vertical	282	1.56	-	33.78	7.17	33.78				
PK	6.0245G	57.70	68.20	-10.50	49.65	3	Vertical	282	1.56	-	34.45	7.33	33.73				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 91
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.625G	62.73	68.20	-5.47	56.04	3	Horizontal	49	2.62	-	33.55	6.94	33.80			
PK	5.787G	127.59	Inf	-Inf	120.44	3	Horizontal	49	2.62	-	33.77	7.16	33.78			
AV	5.787G	116.69	Inf	-Inf	109.54	3	Horizontal	49	2.62	-	33.77	7.16	33.78			
PK	6.003G	57.18	68.20	-11.02	49.20	3	Horizontal	49	2.62	-	34.41	7.32	33.75			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_V_4TX
Setting 91
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57234G	58.24	74.00	-15.76	40.73	3	Vertical	284	2.68	-	40.36	11.80	34.65			
AV	11.57027G	47.64	54.00	-6.36	30.13	3	Vertical	284	2.68	-	40.36	11.80	34.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




EUT_V_4TX
Setting 91
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57159G	58.26	74.00	-15.74	40.75	3	Horizontal	236	2.64	-	40.36	11.80	34.65			
AV	11.57168G	47.88	54.00	-6.12	30.37	3	Horizontal	236	2.64	-	40.36	11.80	34.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 91
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6335G	56.37	68.20	-11.83	49.67	3	Vertical	15	2.83	-	33.53	6.96	33.79				
PK	5.8215G	117.33	Inf	-Inf	110.06	3	Vertical	15	2.83	-	33.84	7.20	33.77				
AV	5.82G	108.08	Inf	-Inf	100.82	3	Vertical	15	2.83	-	33.84	7.19	33.77				
PK	6.021G	57.28	68.20	-10.92	49.25	3	Vertical	15	2.83	-	34.44	7.33	33.74				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 91
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6465G	62.14	68.20	-6.06	55.45	3	Horizontal	46	2.63	-	33.51	6.97	33.79				
PK	5.828G	128.25	Inf	-Inf	120.96	3	Horizontal	46	2.63	-	33.86	7.20	33.77				
AV	5.8285G	116.30	Inf	-Inf	109.01	3	Horizontal	46	2.63	-	33.86	7.20	33.77				
PK	6G	57.32	68.20	-10.88	49.35	3	Horizontal	46	2.63	-	34.40	7.32	33.75				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 91
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6498G	58.06	74.00	-15.94	40.66	3	Vertical	31	2.49	-	40.20	11.85	34.65			
AV	11.65059G	47.36	54.00	-6.64	29.96	3	Vertical	31	2.49	-	40.20	11.85	34.65			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




EUT_V_4TX
Setting 91
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65106G	58.30	74.00	-15.70	40.90	3	Horizontal	159	2.90	-	40.20	11.85	34.65			
AV	11.6478G	47.61	54.00	-6.39	30.21	3	Horizontal	159	2.90	-	40.20	11.85	34.65			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.1424G	60.86	74.00	-13.14	54.31	3	Vertical	334	2.87	-	33.50	6.77	33.72				
AV	5.147G	49.67	54.00	-4.33	43.12	3	Vertical	334	2.87	-	33.50	6.77	33.72				
PK	5.177G	114.04	Inf	-Inf	107.34	3	Vertical	334	2.87	-	33.61	6.82	33.73				
AV	5.172G	102.97	Inf	-Inf	96.29	3	Vertical	334	2.87	-	33.59	6.81	33.72				

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1406G	68.51	74.00	-5.49	61.97	3	Horizontal	286	2.05	-	33.50	6.76	33.72			
AV	5.1408G	53.86	54.00	-0.14	47.32	3	Horizontal	286	2.05	-	33.50	6.76	33.72			
PK	5.186G	122.18	Inf	-Inf	115.44	3	Horizontal	286	2.05	-	33.64	6.83	33.73			
AV	5.186G	110.64	Inf	-Inf	103.90	3	Horizontal	286	2.05	-	33.64	6.83	33.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35781G	57.26	68.20	-10.94	41.28	3	Vertical	272	2.85	-	39.20	11.01	34.23			
PK	15.53856G	62.18	74.00	-11.82	44.83	3	Vertical	224	1.96	-	38.85	13.10	34.60			
AV	15.54057G	49.60	54.00	-4.40	32.26	3	Vertical	224	1.96	-	38.84	13.10	34.60			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36012G	56.43	68.20	-11.77	40.45	3	Horizontal	213	1.58	-	39.20	11.01	34.23			
PK	15.53919G	61.92	74.00	-12.08	44.58	3	Horizontal	148	2.42	-	38.84	13.10	34.60			
AV	15.54178G	49.59	54.00	-4.41	32.26	3	Horizontal	148	2.42	-	38.83	13.10	34.60			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT Y_4TX
Setting 83
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.145G	67.40	74.00	-6.60	60.85	3	Vertical	294	1.02	-	33.50	6.77	33.72			
AV	5.1496G	50.44	54.00	-3.56	43.88	3	Vertical	294	1.02	-	33.50	6.78	33.72			
PK	5.195G	114.72	Inf	-Inf	107.93	3	Vertical	294	1.02	-	33.68	6.84	33.73			
AV	5.2054G	103.38	Inf	-Inf	96.55	3	Vertical	294	1.02	-	33.71	6.85	33.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 83
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1464G	68.76	74.00	-5.24	62.21	3	Horizontal	290	1.80	-	33.50	6.77	33.72			
AV	5.15G	53.68	54.00	-0.32	47.12	3	Horizontal	290	1.80	-	33.50	6.78	33.72			
PK	5.1954G	127.46	Inf	-Inf	120.67	3	Horizontal	290	1.80	-	33.68	6.84	33.73			
AV	5.2006G	112.68	Inf	-Inf	105.86	3	Horizontal	290	1.80	-	33.70	6.85	33.73			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 83
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40181G	56.73	68.20	-11.47	40.74	3	Vertical	87	2.78	-	39.20	11.04	34.25			
PK	15.5995G	61.98	74.00	-12.02	44.60	3	Vertical	140	1.18	-	38.80	13.14	34.56			
AV	15.59963G	50.41	54.00	-3.59	33.03	3	Vertical	140	1.18	-	38.80	13.14	34.56			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 83
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40082G	56.51	68.20	-11.69	40.52	3	Horizontal	255	1.40	-	39.20	11.04	34.25			
PK	15.60018G	62.35	74.00	-11.65	44.97	3	Horizontal	38	1.02	-	38.80	13.14	34.56			
AV	15.59891G	49.77	54.00	-4.23	32.39	3	Horizontal	38	1.02	-	38.80	13.14	34.56			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 90
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	60.57	74.00	-13.43	54.01	3	Vertical	347	2.42	-	33.50	6.78	33.72			
AV	5.1485G	46.50	54.00	-7.50	39.94	3	Vertical	347	2.42	-	33.50	6.78	33.72			
PK	5.2388G	118.46	Inf	-Inf	111.56	3	Vertical	347	2.42	-	33.78	6.86	33.74			
AV	5.2388G	107.13	Inf	-Inf	100.23	3	Vertical	347	2.42	-	33.78	6.86	33.74			
PK	5.3537G	60.79	74.00	-13.21	53.98	3	Vertical	347	2.42	-	33.71	6.87	33.77			
AV	5.3537G	47.06	54.00	-6.94	40.25	3	Vertical	347	2.42	-	33.71	6.87	33.77			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 90
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	69.21	74.00	-4.79	62.66	3	Horizontal	294	1.74	-	33.50	6.77	33.72			
AV	5.1491G	52.20	54.00	-1.80	45.64	3	Horizontal	294	1.74	-	33.50	6.78	33.72			
PK	5.246G	128.69	Inf	-Inf	121.78	3	Horizontal	294	1.74	-	33.79	6.86	33.74			
AV	5.2454G	115.41	Inf	-Inf	108.50	3	Horizontal	294	1.74	-	33.79	6.86	33.74			
PK	5.3531G	72.59	74.00	-1.41	65.78	3	Horizontal	294	1.74	-	33.71	6.87	33.77			
AV	5.3528G	52.78	54.00	-1.22	45.97	3	Horizontal	294	1.74	-	33.71	6.87	33.77			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 90
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47803G	56.48	68.20	-11.72	40.42	3	Vertical	248	1.84	-	39.26	11.09	34.29			
PK	15.72097G	61.59	74.00	-12.41	43.82	3	Vertical	106	1.36	-	39.03	13.22	34.48			
AV	15.71919G	49.07	54.00	-4.93	31.32	3	Vertical	106	1.36	-	39.02	13.22	34.49			

5.15-5.25GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 90
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48012G	56.82	68.20	-11.38	40.76	3	Horizontal	330	1.04	-	39.26	11.09	34.29			
PK	15.71932G	61.80	74.00	-12.20	44.05	3	Horizontal	232	2.91	-	39.02	13.22	34.49			
AV	15.71772G	49.17	54.00	-4.83	31.43	3	Horizontal	232	2.91	-	39.01	13.22	34.49			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 79
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.652G	60.55	69.68	-9.13	53.86	3	Vertical	14	2.90	-	33.50	6.98	33.79			
PK	5.737G	117.40	Inf	-Inf	110.42	3	Vertical	14	2.90	-	33.67	7.09	33.78			
AV	5.737G	105.70	Inf	-Inf	98.72	3	Vertical	14	2.90	-	33.67	7.09	33.78			
PK	5.9575G	57.47	68.20	-10.73	49.54	3	Vertical	14	2.90	-	34.40	7.29	33.76			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 79
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.65G	67.18	68.20	-1.02	60.49	3	Horizontal	49	1.95	-	33.50	6.98	33.79			
PK	5.751G	126.09	Inf	-Inf	119.06	3	Horizontal	49	1.95	-	33.70	7.11	33.78			
AV	5.7505G	112.62	Inf	-Inf	105.59	3	Horizontal	49	1.95	-	33.70	7.11	33.78			
PK	5.989G	57.28	68.20	-10.92	49.32	3	Horizontal	49	1.95	-	34.40	7.31	33.75			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_V_4TX
Setting 79
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48959G	57.86	74.00	-16.14	40.46	3	Vertical	120	2.22	-	40.30	11.75	34.65			
AV	11.49019G	45.36	54.00	-8.64	27.96	3	Vertical	120	2.22	-	40.30	11.75	34.65			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_V_4TX
Setting 79
06-E-K-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.49174G	57.72	74.00	-16.28	40.32	3	Horizontal	224	2.29	-	40.30	11.75	34.65			
AV	11.48756G	45.42	54.00	-8.58	28.01	3	Horizontal	224	2.29	-	40.30	11.75	34.64			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 89
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6205G	57.04	68.20	-11.16	50.34	3	Vertical	291	1.99	-	33.56	6.94	33.80			
PK	5.7845G	115.96	Inf	-Inf	108.81	3	Vertical	291	1.99	-	33.77	7.16	33.78			
AV	5.779G	104.84	Inf	-Inf	97.71	3	Vertical	291	1.99	-	33.76	7.15	33.78			
PK	5.9865G	57.15	68.20	-11.05	49.19	3	Vertical	291	1.99	-	34.40	7.31	33.75			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 89
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.646G	66.09	68.20	-2.11	59.40	3	Horizontal	309	1.80	-	33.51	6.97	33.79			
PK	5.776G	127.17	Inf	-Inf	120.05	3	Horizontal	309	1.80	-	33.75	7.15	33.78			
AV	5.786G	113.50	Inf	-Inf	106.35	3	Horizontal	309	1.80	-	33.77	7.16	33.78			
PK	5.9585G	57.33	68.20	-10.87	49.39	3	Horizontal	309	1.80	-	34.40	7.29	33.75			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_V_4TX
Setting 89
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57161G	58.23	74.00	-15.77	40.72	3	Vertical	171	2.96	-	40.36	11.80	34.65			
AV	11.57185G	45.88	54.00	-8.12	28.37	3	Vertical	171	2.96	-	40.36	11.80	34.65			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_V_4TX
Setting 89
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5696G	58.75	74.00	-15.25	41.24	3	Horizontal	55	1.45	-	40.36	11.80	34.65			
AV	11.56993G	45.67	54.00	-8.33	28.16	3	Horizontal	55	1.45	-	40.36	11.80	34.65			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX



EUT_Y_4TX
Setting 89
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6395G	56.32	68.20	-11.88	49.63	3	Vertical	12	2.95	-	33.52	6.96	33.79			
PK	5.817G	118.43	Inf	-Inf	111.18	3	Vertical	12	2.95	-	33.83	7.19	33.77			
AV	5.8175G	107.79	Inf	-Inf	100.53	3	Vertical	12	2.95	-	33.84	7.19	33.77			
PK	6.0445G	57.61	68.20	-10.59	49.50	3	Vertical	12	2.95	-	34.49	7.34	33.72			