


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 89
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.647G	61.45	68.20	-6.75	54.76	3	Horizontal	54	1.80	-	33.51	6.97	33.79				
PK	5.82G	127.07	Inf	-Inf	119.81	3	Horizontal	54	1.80	-	33.84	7.19	33.77				
AV	5.8205G	113.18	Inf	-Inf	105.92	3	Horizontal	54	1.80	-	33.84	7.19	33.77				
PK	6.022G	57.24	68.20	-10.96	49.21	3	Horizontal	54	1.80	-	34.44	7.33	33.74				

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_V_4TX
Setting 89
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64771G	58.00	74.00	-16.00	40.60	3	Vertical	97	1.54	-	40.20	11.85	34.65			
AV	11.65222G	45.64	54.00	-8.36	28.24	3	Vertical	97	1.54	-	40.20	11.85	34.65			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 89
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.65033G	57.84	74.00	-16.16	40.44	3	Horizontal	80	2.06	-	40.20	11.85	34.65			
AV	11.64832G	45.52	54.00	-8.48	28.12	3	Horizontal	80	2.06	-	40.20	11.85	34.65			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 66
01-U-E-3-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1418G	56.80	74.00	-17.20	49.93	3	Vertical	174	1.80	-	32.78	6.64	32.55			
AV	5.1474G	45.59	54.00	-8.41	38.70	3	Vertical	174	1.80	-	32.79	6.64	32.54			
PK	5.2068G	105.16	Inf	-Inf	98.16	3	Vertical	174	1.80	-	32.90	6.63	32.53			
AV	5.2068G	94.98	Inf	-Inf	87.98	3	Vertical	174	1.80	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 66
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1456G	64.53	74.00	-9.47	57.65	3	Horizontal	115	1.80	-	32.79	6.64	32.55			
AV	5.15G	53.92	54.00	-0.08	47.02	3	Horizontal	115	1.80	-	32.80	6.64	32.54			
PK	5.1954G	116.47	Inf	-Inf	109.48	3	Horizontal	115	1.80	-	32.89	6.63	32.53			
AV	5.1956G	106.19	Inf	-Inf	99.20	3	Horizontal	115	1.80	-	32.89	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 66
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37762G	56.52	68.20	-11.68	40.53	3	Vertical	349	1.49	-	39.20	11.03	34.24			
PK	15.56757G	61.63	74.00	-12.37	44.30	3	Vertical	301	2.73	-	38.80	13.12	34.59			
AV	15.57097G	50.37	54.00	-3.63	33.03	3	Vertical	301	2.73	-	38.80	13.12	34.58			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 66
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38242G	56.75	68.20	-11.45	40.76	3	Horizontal	90	1.49	-	39.20	11.03	34.24			
PK	15.57238G	62.19	74.00	-11.81	44.85	3	Horizontal	136	1.19	-	38.80	13.12	34.58			
AV	15.56931G	50.58	54.00	-3.42	33.24	3	Horizontal	136	1.19	-	38.80	13.12	34.58			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 79
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1487G	57.77	74.00	-16.23	51.21	3	Vertical	348	2.41	-	33.50	6.78	33.72			
AV	5.1469G	47.18	54.00	-6.82	40.63	3	Vertical	348	2.41	-	33.50	6.77	33.72			
PK	5.2387G	112.80	Inf	-Inf	105.90	3	Vertical	348	2.41	-	33.78	6.86	33.74			
AV	5.2438G	102.59	Inf	-Inf	95.68	3	Vertical	348	2.41	-	33.79	6.86	33.74			
PK	5.371G	57.45	74.00	-16.55	50.57	3	Vertical	348	2.41	-	33.78	6.88	33.78			
AV	5.3734G	47.45	54.00	-6.55	40.56	3	Vertical	348	2.41	-	33.79	6.88	33.78			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 79
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1499G	63.65	74.00	-10.35	57.09	3	Horizontal	296	1.94	-	33.50	6.78	33.72			
AV	5.1499G	53.76	54.00	-0.24	47.20	3	Horizontal	296	1.94	-	33.50	6.78	33.72			
PK	5.2459G	121.02	Inf	-Inf	114.11	3	Horizontal	296	1.94	-	33.79	6.86	33.74			
AV	5.2258G	110.52	Inf	-Inf	103.66	3	Horizontal	296	1.94	-	33.75	6.85	33.74			
PK	5.3617G	63.09	74.00	-10.91	56.24	3	Horizontal	296	1.94	-	33.75	6.87	33.77			
AV	5.3563G	52.10	54.00	-1.90	45.27	3	Horizontal	296	1.94	-	33.73	6.87	33.77			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 79
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46122G	56.32	68.20	-11.88	40.30	3	Vertical	44	1.06	-	39.22	11.08	34.28			
PK	15.69135G	62.20	74.00	-11.80	44.60	3	Vertical	53	1.49	-	38.90	13.20	34.50			
AV	15.68905G	50.20	54.00	-3.80	32.61	3	Vertical	53	1.49	-	38.90	13.20	34.51			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 79
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46119G	56.93	68.20	-11.27	40.91	3	Horizontal	321	2.27	-	39.22	11.08	34.28			
PK	15.68768G	61.27	74.00	-12.73	43.68	3	Horizontal	201	1.71	-	38.90	13.20	34.51			
AV	15.68846G	50.31	54.00	-3.69	32.72	3	Horizontal	201	1.71	-	38.90	13.20	34.51			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 76
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.6435G	57.33	68.20	-10.87	50.64	3	Vertical	287	2.01	-	33.51	6.97	33.79
PK	5.7395G	110.04	Inf	-Inf	103.04	3	Vertical	287	2.01	-	33.68	7.10	33.78
AV	5.744G	99.29	Inf	-Inf	92.28	3	Vertical	287	2.01	-	33.69	7.10	33.78
PK	6.0005G	57.26	68.20	-10.94	49.29	3	Vertical	287	2.01	-	34.40	7.32	33.75

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 76
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6505G	68.19	68.57	-0.38	61.50	3	Horizontal	50	2.16	-	33.50	6.98	33.79
PK	5.76G	120.89	Inf	-Inf	113.82	3	Horizontal	50	2.16	-	33.72	7.13	33.78
AV	5.7455G	109.68	Inf	-Inf	102.66	3	Horizontal	50	2.16	-	33.69	7.11	33.78
PK	5.9985G	57.31	68.20	-10.89	49.34	3	Horizontal	50	2.16	-	34.40	7.32	33.75

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_V_4TX
Setting 76
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50961G	58.96	74.00	-15.04	41.53	3	Vertical	354	2.60	-	40.32	11.76	34.65			
AV	11.51041G	47.26	54.00	-6.74	29.83	3	Vertical	354	2.60	-	40.32	11.76	34.65			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_V_4TX
Setting 76
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51061G	58.09	74.00	-15.91	40.66	3	Horizontal	226	2.92	-	40.32	11.76	34.65			
AV	11.51137G	46.85	54.00	-7.15	29.42	3	Horizontal	226	2.92	-	40.32	11.76	34.65			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5795MHz_TX

EUT_Y_4TX
Setting 84
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.624G	58.14	68.20	-10.06	51.45	3	Vertical	286	2.06	-	33.55	6.94	33.80			
PK	5.794G	113.52	Inf	-Inf	106.33	3	Vertical	286	2.06	-	33.79	7.17	33.77			
AV	5.794G	101.99	Inf	-Inf	94.80	3	Vertical	286	2.06	-	33.79	7.17	33.77			
PK	5.9475G	57.41	68.20	-10.79	49.51	3	Vertical	286	2.06	-	34.38	7.28	33.76			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 84
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	68.15	68.94	-0.79	61.46	3	Horizontal	307	1.87	-	33.50	6.98	33.79			
PK	5.781G	121.68	Inf	-Inf	114.55	3	Horizontal	307	1.87	-	33.76	7.15	33.78			
AV	5.786G	110.59	Inf	-Inf	103.44	3	Horizontal	307	1.87	-	33.77	7.16	33.78			
PK	5.952G	57.28	68.20	-10.92	49.35	3	Horizontal	307	1.87	-	34.40	7.29	33.76			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_V_4TX
Setting 84
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58813G	58.85	74.00	-15.15	41.37	3	Vertical	9	2.57	-	40.32	11.81	34.65			
AV	11.58878G	47.76	54.00	-6.24	30.28	3	Vertical	9	2.57	-	40.32	11.81	34.65			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_V_4TX
Setting 84
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58917G	58.05	74.00	-15.95	40.57	3	Horizontal	240	2.85	-	40.32	11.81	34.65			
AV	11.59065G	47.76	54.00	-6.24	30.28	3	Horizontal	240	2.85	-	40.32	11.81	34.65			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 61
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.142G	55.35	74.00	-18.65	48.48	3	Vertical	172	1.80	-	32.78	6.64	32.55			
AV	5.1468G	45.73	54.00	-8.27	38.84	3	Vertical	172	1.80	-	32.79	6.64	32.54			
PK	5.2268G	102.55	Inf	-Inf	95.54	3	Vertical	172	1.80	-	32.90	6.64	32.53			
AV	5.2268G	92.12	Inf	-Inf	85.11	3	Vertical	172	1.80	-	32.90	6.64	32.53			
PK	5.4072G	55.45	74.00	-18.55	47.86	3	Vertical	172	1.80	-	33.33	6.74	32.48			
AV	5.41G	44.55	54.00	-9.45	36.94	3	Vertical	172	1.80	-	33.34	6.75	32.48			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 61
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	63.54	74.00	-10.46	56.64	3	Horizontal	114	1.80	-	32.80	6.64	32.54			
AV	5.1404G	53.52	54.00	-0.48	46.65	3	Horizontal	114	1.80	-	32.78	6.64	32.55			
PK	5.246G	111.49	Inf	-Inf	104.46	3	Horizontal	114	1.80	-	32.90	6.65	32.52			
AV	5.2204G	101.87	Inf	-Inf	94.86	3	Horizontal	114	1.80	-	32.90	6.64	32.53			
PK	5.3908G	58.28	74.00	-15.72	50.78	3	Horizontal	114	1.80	-	33.26	6.73	32.49			
AV	5.3616G	47.77	54.00	-6.23	40.40	3	Horizontal	114	1.80	-	33.15	6.71	32.49			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 61
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.41887G	56.32	68.20	-11.88	40.33	3	Vertical	244	1.14	-	39.20	11.05	34.26			
PK	15.63202G	61.65	74.00	-12.35	44.17	3	Vertical	126	1.42	-	38.86	13.16	34.54			
AV	15.62753G	50.01	54.00	-3.99	32.54	3	Vertical	126	1.42	-	38.86	13.16	34.55			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 61
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42111G	56.38	68.20	-11.82	40.39	3	Horizontal	335	1.60	-	39.20	11.05	34.26			
PK	15.62963G	62.03	74.00	-11.97	44.55	3	Horizontal	59	1.85	-	38.86	13.16	34.54			
AV	15.62805G	50.12	54.00	-3.88	32.65	3	Horizontal	59	1.85	-	38.86	13.16	34.55			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5775MHz_TX

EUT_Y_4TX
Setting 73
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.649G	58.65	68.20	-9.55	51.96	3	Vertical	283	2.01	-	33.50	6.98	33.79			
PK	5.789G	107.38	Inf	-Inf	100.21	3	Vertical	283	2.01	-	33.78	7.17	33.78			
AV	5.759G	96.10	Inf	-Inf	89.04	3	Vertical	283	2.01	-	33.72	7.12	33.78			
PK	5.9815G	57.54	68.20	-10.66	49.58	3	Vertical	283	2.01	-	34.40	7.31	33.75			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 73
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.641G	66.95	68.20	-1.25	60.25	3	Horizontal	303	1.67	-	33.52	6.97	33.79			
PK	5.766G	116.01	Inf	-Inf	108.93	3	Horizontal	303	1.67	-	33.73	7.13	33.78			
AV	5.7465G	104.90	Inf	-Inf	97.88	3	Horizontal	303	1.67	-	33.69	7.11	33.78			
PK	5.9645G	57.36	68.20	-10.84	49.41	3	Horizontal	303	1.67	-	34.40	7.30	33.75			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 73
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55225G	59.65	74.00	-14.35	42.11	3	Vertical	33	1.88	-	40.40	11.79	34.65			
AV	11.55212G	47.78	54.00	-6.22	30.24	3	Vertical	33	1.88	-	40.40	11.79	34.65			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_V_4TX
Setting 73
06-E-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55163G	58.46	74.00	-15.54	40.92	3	Horizontal	44	2.99	-	40.40	11.79	34.65			
AV	11.54864G	47.52	54.00	-6.48	29.98	3	Horizontal	44	2.99	-	40.40	11.79	34.65			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	58.54	74.00	-15.46	51.99	3	Vertical	348	2.87	-	33.50	6.77	33.72			
AV	5.15G	48.06	54.00	-5.94	41.50	3	Vertical	348	2.87	-	33.50	6.78	33.72			
PK	5.1726G	112.51	Inf	-Inf	105.83	3	Vertical	348	2.87	-	33.59	6.81	33.72			
AV	5.1764G	101.73	Inf	-Inf	95.03	3	Vertical	348	2.87	-	33.61	6.82	33.73			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1444G	64.22	74.00	-9.78	57.67	3	Horizontal	45	1.90	-	33.50	6.77	33.72			
AV	5.1384G	53.90	54.00	-0.10	47.36	3	Horizontal	45	1.90	-	33.50	6.76	33.72			
PK	5.1864G	119.34	Inf	-Inf	112.59	3	Horizontal	45	1.90	-	33.65	6.83	33.73			
AV	5.1844G	107.98	Inf	-Inf	101.24	3	Horizontal	45	1.90	-	33.64	6.83	33.73			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3586G	57.15	68.20	-11.05	41.17	3	Vertical	249	2.59	-	39.20	11.01	34.23			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5180MHz_TX




EUT_Y_4TX
Setting 77
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.35652G	57.58	68.20	-10.62	41.60	3	Horizontal	99	2.28	-	39.20	11.01	34.23			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 81
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.149G	59.24	74.00	-14.76	52.68	3	Vertical	302	2.88	-	33.50	6.78	33.72				
AV	5.15G	48.66	54.00	-5.34	42.10	3	Vertical	302	2.88	-	33.50	6.78	33.72				
PK	5.1986G	112.44	Inf	-Inf	105.63	3	Vertical	302	2.88	-	33.69	6.85	33.73				
AV	5.1934G	101.99	Inf	-Inf	95.21	3	Vertical	302	2.88	-	33.67	6.84	33.73				

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 81
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.148G	66.42	74.00	-7.58	59.87	3	Horizontal	46	2.01	-	33.50	6.77	33.72			
AV	5.149G	53.94	54.00	-0.06	47.38	3	Horizontal	46	2.01	-	33.50	6.78	33.72			
PK	5.2064G	119.92	Inf	-Inf	113.09	3	Horizontal	46	2.01	-	33.71	6.85	33.73			
AV	5.2088G	109.06	Inf	-Inf	102.22	3	Horizontal	46	2.01	-	33.72	6.85	33.73			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 81
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40339G	56.79	68.20	-11.41	40.80	3	Vertical	293	1.91	-	39.20	11.04	34.25			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5200MHz_TX




EUT_Y_4TX
Setting 81
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40185G	57.61	68.20	-10.59	41.62	3	Horizontal	292	1.40	-	39.20	11.04	34.25			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 90
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	64.31	74.00	-9.69	57.76	3	Vertical	299	3.00	-	33.50	6.77	33.72			
AV	5.1497G	47.41	54.00	-6.59	40.85	3	Vertical	299	3.00	-	33.50	6.78	33.72			
PK	5.2463G	115.91	Inf	-Inf	109.00	3	Vertical	299	3.00	-	33.79	6.86	33.74			
AV	5.2403G	105.27	Inf	-Inf	98.37	3	Vertical	299	3.00	-	33.78	6.86	33.74			
PK	5.3699G	59.94	74.00	-14.06	53.06	3	Vertical	299	3.00	-	33.78	6.88	33.78			
AV	5.3504G	48.26	54.00	-5.74	41.46	3	Vertical	299	3.00	-	33.70	6.87	33.77			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 90
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1491G	67.56	74.00	-6.44	61.00	3	Horizontal	290	2.02	-	33.50	6.78	33.72			
AV	5.1485G	52.72	54.00	-1.28	46.16	3	Horizontal	290	2.02	-	33.50	6.78	33.72			
PK	5.2439G	122.75	Inf	-Inf	115.84	3	Horizontal	290	2.02	-	33.79	6.86	33.74			
AV	5.2409G	111.94	Inf	-Inf	105.04	3	Horizontal	290	2.02	-	33.78	6.86	33.74			
PK	5.3504G	66.97	74.00	-7.03	60.17	3	Horizontal	290	2.02	-	33.70	6.87	33.77			
AV	5.3507G	53.51	54.00	-0.49	46.71	3	Horizontal	290	2.02	-	33.70	6.87	33.77			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 90
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47874G	57.87	68.20	-10.33	41.81	3	Vertical	164	1.35	-	39.26	11.09	34.29			

5.15-5.25GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5240MHz_TX




EUT_Y_4TX
Setting 90
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47912G	57.48	68.20	-10.72	41.42	3	Horizontal	115	2.92	-	39.26	11.09	34.29			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 83
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.638G	60.27	68.20	-7.93	53.58	3	Vertical	8	2.89	-	33.52	6.96	33.79			
PK	5.75G	114.70	Inf	-Inf	107.67	3	Vertical	8	2.89	-	33.70	7.11	33.78			
AV	5.7385G	104.58	Inf	-Inf	97.58	3	Vertical	8	2.89	-	33.68	7.10	33.78			
PK	5.9595G	57.48	68.20	-10.72	49.54	3	Vertical	8	2.89	-	34.40	7.29	33.75			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 83
06-E-K-3-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.65G	67.30	68.20	-0.90	60.61	3	Horizontal	298	1.80	-	33.50	6.98	33.79			
PK	5.7375G	122.17	Inf	-Inf	115.17	3	Horizontal	298	1.80	-	33.68	7.10	33.78			
AV	5.7405G	110.68	Inf	-Inf	103.68	3	Horizontal	298	1.80	-	33.68	7.10	33.78			
PK	5.9925G	57.32	68.20	-10.88	49.36	3	Horizontal	298	1.80	-	34.40	7.31	33.75			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_V_4TX
Setting 83
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49267G	58.56	74.00	-15.44	41.16	3	Vertical	79	1.55	-	40.30	11.75	34.65			
AV	11.48937G	47.10	54.00	-6.90	29.70	3	Vertical	79	1.55	-	40.30	11.75	34.65			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5745MHz_TX




EUT_V_4TX
Setting 83
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49004G	58.17	74.00	-15.83	40.77	3	Horizontal	318	2.56	-	40.30	11.75	34.65			
AV	11.48859G	47.05	54.00	-6.95	29.64	3	Horizontal	318	2.56	-	40.30	11.75	34.64			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 89
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.651G	58.19	68.94	-10.75	51.50	3	Vertical	287	2.01	-	33.50	6.98	33.79			
PK	5.7935G	112.68	Inf	-Inf	105.49	3	Vertical	287	2.01	-	33.79	7.17	33.77			
AV	5.794G	102.80	Inf	-Inf	95.61	3	Vertical	287	2.01	-	33.79	7.17	33.77			
PK	6.017G	57.24	68.20	-10.96	49.22	3	Vertical	287	2.01	-	34.43	7.33	33.74			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 89
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	66.28	68.20	-1.92	59.59	3	Horizontal	54	2.19	-	33.50	6.98	33.79			
PK	5.782G	123.99	Inf	-Inf	116.85	3	Horizontal	54	2.19	-	33.76	7.16	33.78			
AV	5.7855G	112.24	Inf	-Inf	105.09	3	Horizontal	54	2.19	-	33.77	7.16	33.78			
PK	6.021G	57.88	68.20	-10.32	49.85	3	Horizontal	54	2.19	-	34.44	7.33	33.74			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5785MHz_TX




EUT_V_4TX
Setting 89
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57036G	57.73	74.00	-16.27	40.22	3	Vertical	316	1.52	-	40.36	11.80	34.65			
AV	11.56748G	47.35	54.00	-6.65	29.83	3	Vertical	316	1.52	-	40.37	11.80	34.65			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 89
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.57053G	58.27	74.00	-15.73	40.76	3	Horizontal	312	2.29	-	40.36	11.80	34.65			
AV	11.57321G	47.11	54.00	-6.89	29.61	3	Horizontal	312	2.29	-	40.35	11.80	34.65			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 90
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6405G	62.97	68.20	-5.23	56.28	3	Vertical	281	2.01	-	33.52	6.96	33.79			
PK	5.833G	112.56	Inf	-Inf	105.26	3	Vertical	281	2.01	-	33.87	7.20	33.77			
AV	5.819G	102.28	Inf	-Inf	95.02	3	Vertical	281	2.01	-	33.84	7.19	33.77			
PK	6.028G	57.27	68.20	-10.93	49.20	3	Vertical	281	2.01	-	34.46	7.34	33.73			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 90
06-E-K-3-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.6545G	65.77	71.53	-5.76	59.07	3	Horizontal	43	1.80	-	33.51	6.98	33.79				
PK	5.8275G	122.66	Inf	-Inf	115.38	3	Horizontal	43	1.80	-	33.85	7.20	33.77				
AV	5.8165G	111.65	Inf	-Inf	104.40	3	Horizontal	43	1.80	-	33.83	7.19	33.77				
PK	5.98G	57.36	68.20	-10.84	49.40	3	Horizontal	43	1.80	-	34.40	7.31	33.75				

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT_V_4TX
Setting 90
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64904G	57.56	74.00	-16.44	40.16	3	Vertical	190	2.26	-	40.20	11.85	34.65			
AV	11.64657G	47.35	54.00	-6.65	29.94	3	Vertical	190	2.26	-	40.21	11.85	34.65			

5.725-5.85GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5825MHz_TX




EUT_V_4TX
Setting 90
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64722G	59.11	74.00	-14.89	41.70	3	Horizontal	318	1.81	-	40.21	11.85	34.65			
AV	11.64637G	47.18	54.00	-6.82	29.77	3	Horizontal	318	1.81	-	40.21	11.85	34.65			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT Y_4TX
Setting 68
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1464G	57.33	74.00	-16.67	50.44	3	Vertical	167	2.57	-	32.79	6.64	32.54			
AV	5.15G	46.58	54.00	-7.42	39.68	3	Vertical	167	2.57	-	32.80	6.64	32.54			
PK	5.2008G	107.20	Inf	-Inf	100.20	3	Vertical	167	2.57	-	32.90	6.63	32.53			
AV	5.2012G	98.22	Inf	-Inf	91.22	3	Vertical	167	2.57	-	32.90	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 68
01-U-E-3-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1498G	65.11	74.00	-8.89	58.21	3	Horizontal	112	1.80	-	32.80	6.64	32.54			
AV	5.15G	53.87	54.00	-0.13	46.97	3	Horizontal	112	1.80	-	32.80	6.64	32.54			
PK	5.2054G	112.58	Inf	-Inf	105.58	3	Horizontal	112	1.80	-	32.90	6.63	32.53			
AV	5.1924G	103.12	Inf	-Inf	96.14	3	Horizontal	112	1.80	-	32.88	6.63	32.53			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 68
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37944G	57.22	68.20	-10.98	41.23	3	Vertical	279	2.67	-	39.20	11.03	34.24			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5190MHz_TX




EUT_V_4TX
Setting 68
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.38128G	57.74	68.20	-10.46	41.75	3	Horizontal	275	1.21	-	39.20	11.03	34.24				

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 78
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1445G	57.24	74.00	-16.76	50.69	3	Vertical	344	2.44	-	33.50	6.77	33.72			
AV	5.1499G	47.52	54.00	-6.48	40.96	3	Vertical	344	2.44	-	33.50	6.78	33.72			
PK	5.2162G	111.85	Inf	-Inf	105.01	3	Vertical	344	2.44	-	33.73	6.85	33.74			
AV	5.2441G	100.54	Inf	-Inf	93.63	3	Vertical	344	2.44	-	33.79	6.86	33.74			
PK	5.3734G	58.21	74.00	-15.79	51.32	3	Vertical	344	2.44	-	33.79	6.88	33.78			
AV	5.3521G	47.54	54.00	-6.46	40.73	3	Vertical	344	2.44	-	33.71	6.87	33.77			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 78
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1472G	64.17	74.00	-9.83	57.62	3	Horizontal	289	2.02	-	33.50	6.77	33.72			
AV	5.1484G	53.83	54.00	-0.17	47.27	3	Horizontal	289	2.02	-	33.50	6.78	33.72			
PK	5.2408G	117.20	Inf	-Inf	110.30	3	Horizontal	289	2.02	-	33.78	6.86	33.74			
AV	5.2306G	106.77	Inf	-Inf	99.90	3	Horizontal	289	2.02	-	33.76	6.85	33.74			
PK	5.3563G	62.50	74.00	-11.50	55.67	3	Horizontal	289	2.02	-	33.73	6.87	33.77			
AV	5.3596G	51.96	54.00	-2.04	45.12	3	Horizontal	289	2.02	-	33.74	6.87	33.77			

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 78
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.45978G	57.17	68.20	-11.03	41.15	3	Vertical	235	1.61	-	39.22	11.08	34.28				

5.15-5.25GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 78
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46256G	56.99	68.20	-11.21	40.96	3	Horizontal	327	2.26	-	39.23	11.08	34.28			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5755MHz_TX

EUT_Y_4TX
Setting 78
06-E-5-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	5.638G	59.56	68.20	-8.64	52.87	3	Vertical	283	2.01	-	33.52	6.96	33.79				
PK	5.7435G	107.40	Inf	-Inf	100.39	3	Vertical	283	2.01	-	33.69	7.10	33.78				
AV	5.7435G	97.51	Inf	-Inf	90.50	3	Vertical	283	2.01	-	33.69	7.10	33.78				
PK	5.9945G	57.03	68.20	-11.17	49.06	3	Vertical	283	2.01	-	34.40	7.32	33.75				

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 78
06-E-S-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6485G	65.88	68.20	-2.32	59.19	3	Horizontal	35	1.93	-	33.50	6.98	33.79			
PK	5.7435G	118.06	Inf	-Inf	111.05	3	Horizontal	35	1.93	-	33.69	7.10	33.78			
AV	5.7535G	107.10	Inf	-Inf	100.05	3	Horizontal	35	1.93	-	33.71	7.12	33.78			
PK	5.933G	57.21	68.20	-10.99	49.40	3	Horizontal	35	1.93	-	34.30	7.27	33.76			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5755MHz_TX

EUT_Y_4TX
Setting 78
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.51458G	57.50	74.00	-16.50	40.06	3	Vertical	8	1.30	-	40.33	11.76	34.65			
AV	11.51373G	46.91	54.00	-7.09	29.47	3	Vertical	8	1.30	-	40.33	11.76	34.65			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5755MHz_TX




EUT_V_4TX
Setting 78
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.50886G	58.10	74.00	-15.90	40.67	3	Horizontal	36	2.85	-	40.32	11.76	34.65			
AV	11.5091G	47.36	54.00	-6.64	29.93	3	Horizontal	36	2.85	-	40.32	11.76	34.65			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5795MHz_TX

EUT_Y_4TX
Setting 85
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.613G	58.34	68.20	-9.86	51.64	3	Vertical	283	1.99	-	33.57	6.93	33.80			
PK	5.7835G	110.04	Inf	-Inf	102.89	3	Vertical	283	1.99	-	33.77	7.16	33.78			
AV	5.7835G	99.72	Inf	-Inf	92.57	3	Vertical	283	1.99	-	33.77	7.16	33.78			
PK	5.9925G	58.33	68.20	-9.87	50.37	3	Vertical	283	1.99	-	34.40	7.31	33.75			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5795MHz_TX

EUT_Y_4TX
Setting 85
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	66.72	68.20	-1.48	60.03	3	Horizontal	40	1.79	-	33.52	6.96	33.79
PK	5.784G	118.33	Inf	-Inf	111.18	3	Horizontal	40	1.79	-	33.77	7.16	33.78
AV	5.8015G	107.90	Inf	-Inf	100.69	3	Horizontal	40	1.79	-	33.80	7.18	33.77
PK	6.044G	57.39	68.20	-10.81	49.28	3	Horizontal	40	1.79	-	34.49	7.34	33.72

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT_V_4TX
Setting 85
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.59023G	57.90	74.00	-16.10	40.42	3	Vertical	166	2.56	-	40.32	11.81	34.65			
AV	11.59253G	47.30	54.00	-6.70	29.82	3	Vertical	166	2.56	-	40.31	11.82	34.65			

5.725-5.85GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5795MHz_TX




EUT_V_4TX
Setting 85
06-E-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	11.59316G	58.01	74.00	-15.99	40.53	3	Horizontal	304	2.22	-	40.31	11.82	34.65			
AV	11.59202G	47.19	54.00	-6.81	29.71	3	Horizontal	304	2.22	-	40.32	11.81	34.65			

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_V_4TX
Setting 64
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1184G	55.85	74.00	-18.15	49.01	3	Vertical	174	1.80	-	32.74	6.65	32.55
AV	5.1488G	45.32	54.00	-8.68	38.42	3	Vertical	174	1.80	-	32.80	6.64	32.54
PK	5.2268G	100.83	Inf	-Inf	93.82	3	Vertical	174	1.80	-	32.90	6.64	32.53
AV	5.2228G	90.80	Inf	-Inf	83.79	3	Vertical	174	1.80	-	32.90	6.64	32.53
PK	5.4072G	55.13	74.00	-18.87	47.54	3	Vertical	174	1.80	-	33.33	6.74	32.48
AV	5.3792G	44.73	54.00	-9.27	37.28	3	Vertical	174	1.80	-	33.22	6.72	32.49

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_V_4TX
Setting 64
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1392G	63.26	74.00	-10.74	56.39	3	Horizontal	113	2.09	-	32.78	6.64	32.55			
AV	5.1408G	53.64	54.00	-0.36	46.77	3	Horizontal	113	2.09	-	32.78	6.64	32.55			
PK	5.202G	109.23	Inf	-Inf	102.23	3	Horizontal	113	2.09	-	32.90	6.63	32.53			
AV	5.2012G	100.86	Inf	-Inf	93.86	3	Horizontal	113	2.09	-	32.90	6.63	32.53			
PK	5.3844G	59.79	74.00	-14.21	52.32	3	Horizontal	113	2.09	-	33.24	6.72	32.49			
AV	5.4012G	48.90	54.00	-5.10	41.35	3	Horizontal	113	2.09	-	33.30	6.73	32.48			

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 64
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.42335G	57.19	68.20	-11.01	41.19	3	Vertical	3	1.63	-	39.20	11.06	34.26				

5.15-5.25GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 64
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)				
PK	10.42237G	56.97	68.20	-11.23	40.98	3	Horizontal	53	1.88	-	39.20	11.05	34.26				

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 75
06-E-S-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6285G	61.01	68.20	-7.19	54.31	3	Vertical	285	2.08	-	33.54	6.95	33.79			
PK	5.749G	103.13	Inf	-Inf	96.10	3	Vertical	285	2.08	-	33.70	7.11	33.78			
AV	5.804G	93.44	Inf	-Inf	86.22	3	Vertical	285	2.08	-	33.81	7.18	33.77			
PK	6G	57.00	68.20	-11.20	49.03	3	Vertical	285	2.08	-	34.40	7.32	33.75			

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 75
06-E-5-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6405G	67.96	68.20	-0.24	61.27	3	Horizontal	35	1.98	-	33.52	6.96	33.79			
PK	5.761G	113.64	Inf	-Inf	106.57	3	Horizontal	35	1.98	-	33.72	7.13	33.78			
AV	5.7435G	102.82	Inf	-Inf	95.81	3	Horizontal	35	1.98	-	33.69	7.10	33.78			
PK	5.957G	56.70	68.20	-11.50	48.77	3	Horizontal	35	1.98	-	34.40	7.29	33.76			

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5775MHz_TX

EUT_Y_4TX
Setting 75
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54882G	58.59	74.00	-15.41	41.05	3	Vertical	114	2.03	-	40.40	11.79	34.65			
AV	11.54593G	47.39	54.00	-6.61	29.87	3	Vertical	114	2.03	-	40.39	11.78	34.65			

5.725-5.85GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5775MHz_TX

EUT_Y_4TX
Setting 75
06-E-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55358G	58.38	74.00	-15.62	40.85	3	Horizontal	255	2.43	-	40.39	11.79	34.65			
AV	11.54803G	47.43	54.00	-6.57	29.89	3	Horizontal	255	2.43	-	40.40	11.79	34.65			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT20_Nss2,(MCS0)_2TX	Pass	PK	5.1489G	73.93	74.00	-0.07	3	Horizontal	40	1.87	-

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 73
02-D-R-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA					
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)					
PK	5.1495G	64.27	74.00	-9.73	53.22	3	Vertical	109	1.80	-	33.60	7.58	30.13					
AV	5.1472G	48.24	54.00	-5.76	37.20	3	Vertical	109	1.80	-	33.59	7.58	30.13					
PK	5.1864G	112.66	Inf	-Inf	101.55	3	Vertical	109	1.80	-	33.67	7.59	30.15					
AV	5.1814G	104.33	Inf	-Inf	93.22	3	Vertical	109	1.80	-	33.66	7.59	30.14					

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 73
02-D-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1495G	73.83	74.00	-0.17	62.78	3	Horizontal	42	1.87	-	33.60	7.58	30.13			
AV	5.1493G	51.80	54.00	-2.20	40.75	3	Horizontal	42	1.87	-	33.60	7.58	30.13			
PK	5.1843G	116.12	Inf	-Inf	105.01	3	Horizontal	42	1.87	-	33.67	7.59	30.15			
AV	5.1847G	106.76	Inf	-Inf	95.65	3	Horizontal	42	1.87	-	33.67	7.59	30.15			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 73
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.3632G	54.01	68.20	-14.19	70.35	3	Vertical	42	2.37	-	38.37	11.96	66.67			
PK	15.53517G	55.20	74.00	-18.80	66.63	3	Vertical	207	1.94	-	37.96	14.43	63.82			
AV	15.53557G	44.07	54.00	-9.93	55.50	3	Vertical	207	1.94	-	37.96	14.43	63.82			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 73
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36222G	53.77	68.20	-14.43	70.10	3	Horizontal	295	1.21	-	38.38	11.96	66.67			
PK	15.53646G	54.84	74.00	-19.16	66.28	3	Horizontal	189	1.75	-	37.95	14.43	63.82			
AV	15.54495G	44.27	54.00	-9.73	55.74	3	Horizontal	189	1.75	-	37.92	14.44	63.83			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 86
02-D-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.147G	64.15	74.00	-9.85	53.11	3	Vertical	108	1.80	-	33.59	7.58	30.13			
AV	5.1452G	49.65	54.00	-4.35	38.61	3	Vertical	108	1.80	-	33.59	7.58	30.13			
PK	5.1964G	115.34	Inf	-Inf	104.21	3	Vertical	108	1.80	-	33.69	7.59	30.15			
AV	5.2014G	107.16	Inf	-Inf	96.02	3	Vertical	108	1.80	-	33.70	7.59	30.15			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 86
02-D-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	69.58	74.00	-4.42	58.53	3	Horizontal	43	1.97	-	33.60	7.58	30.13			
AV	5.1492G	53.77	54.00	-0.23	42.72	3	Horizontal	43	1.97	-	33.60	7.58	30.13			
PK	5.2046G	119.19	Inf	-Inf	108.06	3	Horizontal	43	1.97	-	33.70	7.59	30.16			
AV	5.205G	110.43	Inf	-Inf	99.30	3	Horizontal	43	1.97	-	33.70	7.59	30.16			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 86
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40425G	53.62	68.20	-14.58	70.04	3	Vertical	8	2.06	-	38.29	11.98	66.69			
PK	15.60403G	54.63	74.00	-19.37	66.20	3	Vertical	83	2.39	-	37.79	14.49	63.85			
AV	15.60354G	43.66	54.00	-10.34	55.23	3	Vertical	83	2.39	-	37.79	14.49	63.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 86
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40078G	53.75	68.20	-14.45	70.16	3	Horizontal	65	1.37	-	38.30	11.98	66.69			
PK	15.59943G	55.37	74.00	-18.63	66.94	3	Horizontal	346	2.72	-	37.80	14.48	63.85			
AV	15.5993G	43.51	54.00	-10.49	55.08	3	Horizontal	346	2.72	-	37.80	14.48	63.85			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 104
02-D-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	61.85	74.00	-12.15	50.80	3	Vertical	106	1.87	-	33.60	7.58	30.13			
AV	5.1497G	49.79	54.00	-4.21	38.74	3	Vertical	106	1.87	-	33.60	7.58	30.13			
PK	5.2472G	118.50	Inf	-Inf	107.35	3	Vertical	106	1.87	-	33.70	7.63	30.18			
AV	5.2466G	109.68	Inf	-Inf	98.54	3	Vertical	106	1.87	-	33.70	7.62	30.18			
PK	5.3576G	60.23	74.00	-13.77	48.86	3	Vertical	106	1.87	-	33.90	7.71	30.24			
AV	5.354G	48.46	54.00	-5.54	37.08	3	Vertical	106	1.87	-	33.90	7.71	30.23			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 104
02-D-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1479G	66.66	74.00	-7.34	55.61	3	Horizontal	36	1.80	-	33.60	7.58	30.13			
AV	5.1479G	53.92	54.00	-0.08	42.87	3	Horizontal	36	1.80	-	33.60	7.58	30.13			
PK	5.2346G	121.49	Inf	-Inf	110.34	3	Horizontal	36	1.80	-	33.70	7.62	30.17			
AV	5.2442G	113.11	Inf	-Inf	101.97	3	Horizontal	36	1.80	-	33.70	7.62	30.18			
PK	5.3603G	62.99	74.00	-11.01	51.62	3	Horizontal	36	1.80	-	33.90	7.71	30.24			
AV	5.351G	50.56	54.00	-3.44	39.19	3	Horizontal	36	1.80	-	33.90	7.70	30.23			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 104
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.48367G	52.87	68.20	-15.33	69.30	3	Vertical	191	2.93	-	38.27	12.02	66.72			
PK	15.71647G	54.88	74.00	-19.12	66.62	3	Vertical	262	1.66	-	37.57	14.58	63.89			
AV	15.71638G	44.07	54.00	-9.93	55.81	3	Vertical	262	1.66	-	37.57	14.58	63.89			

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 104
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47818G	53.25	68.20	-14.95	69.69	3	Horizontal	44	2.39	-	38.26	12.02	66.72			
PK	15.72206G	55.36	74.00	-18.64	67.10	3	Horizontal	39	1.83	-	37.56	14.59	63.89			
AV	15.72161G	43.88	54.00	-10.12	55.62	3	Horizontal	39	1.83	-	37.56	14.59	63.89			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 103
02-D-R-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6485G	66.15	68.20	-2.05	54.47	3	Vertical	113	2.81	-	34.00	7.94	30.26			
PK	5.748G	120.65	Inf	-Inf	108.75	3	Vertical	113	2.81	-	34.00	8.12	30.22			
AV	5.738G	111.63	Inf	-Inf	99.75	3	Vertical	113	2.81	-	34.00	8.10	30.22			
PK	5.946G	58.63	68.20	-9.57	46.45	3	Vertical	113	2.81	-	34.19	8.14	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 103
02-D-R-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.6505G	68.41	68.57	-0.16	56.72	3	Horizontal	42	2.97	-	34.00	7.95	30.26			
PK	5.741G	123.20	Inf	-Inf	111.31	3	Horizontal	42	2.97	-	34.00	8.11	30.22			
AV	5.7465G	114.84	Inf	-Inf	102.94	3	Horizontal	42	2.97	-	34.00	8.12	30.22			
PK	5.925G	58.63	68.20	-9.57	46.49	3	Horizontal	42	2.97	-	34.15	8.15	30.16			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 103
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48683G	54.34	74.00	-19.66	69.06	3	Vertical	190	2.23	-	38.95	12.53	66.20			
AV	11.48524G	43.49	54.00	-10.51	58.22	3	Vertical	190	2.23	-	38.94	12.53	66.20			
PK	17.23315G	59.44	68.20	-8.76	66.64	3	Vertical	257	1.84	-	42.00	15.08	64.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 103
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49262G	54.95	74.00	-19.05	69.65	3	Horizontal	150	1.92	-	38.97	12.53	66.20			
AV	11.49259G	43.60	54.00	-10.40	58.30	3	Horizontal	150	1.92	-	38.97	12.53	66.20			
PK	17.23007G	59.29	68.20	-8.91	66.51	3	Horizontal	161	2.59	-	41.98	15.08	64.28			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 108
02-D-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.645G	59.92	68.20	-8.28	48.24	3	Vertical	114	2.05	-	34.00	7.94	30.26			
PK	5.78G	120.32	Inf	-Inf	108.35	3	Vertical	114	2.05	-	34.00	8.18	30.21			
AV	5.7905G	111.76	Inf	-Inf	99.78	3	Vertical	114	2.05	-	34.00	8.19	30.21			
PK	5.939G	59.45	68.20	-8.75	47.27	3	Vertical	114	2.05	-	34.18	8.15	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 108
02-D-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.645G	61.06	68.20	-7.14	49.38	3	Horizontal	48	2.92	-	34.00	7.94	30.26			
PK	5.7905G	124.42	Inf	-Inf	112.44	3	Horizontal	48	2.92	-	34.00	8.19	30.21			
AV	5.7905G	115.06	Inf	-Inf	103.08	3	Horizontal	48	2.92	-	34.00	8.19	30.21			
PK	5.949G	60.19	68.20	-8.01	48.00	3	Horizontal	48	2.92	-	34.20	8.14	30.15			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57069G	54.72	74.00	-19.28	69.15	3	Vertical	258	2.32	-	39.14	12.57	66.14			
AV	11.56849G	43.85	54.00	-10.15	58.28	3	Vertical	258	2.32	-	39.14	12.57	66.14			
PK	17.35183G	60.18	68.20	-8.02	66.43	3	Vertical	238	1.54	-	42.91	15.11	64.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
02-D-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.56807G	55.71	74.00	-18.29	70.14	3	Horizontal	167	2.66	-	39.14	12.57	66.14			
AV	11.57116G	43.62	54.00	-10.38	58.05	3	Horizontal	167	2.66	-	39.14	12.57	66.14			
PK	17.35549G	59.59	68.20	-8.61	65.83	3	Horizontal	163	2.31	-	42.92	15.11	64.27			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
02-D-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.646G	58.02	68.20	-10.18	46.34	3	Vertical	112	2.04	-	34.00	7.94	30.26			
PK	5.82G	119.81	Inf	-Inf	107.84	3	Vertical	112	2.04	-	33.96	8.20	30.19			
AV	5.8205G	110.78	Inf	-Inf	98.81	3	Vertical	112	2.04	-	33.96	8.20	30.19			
PK	5.9305G	62.57	68.20	-5.63	50.42	3	Vertical	112	2.04	-	34.16	8.15	30.16			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
02-D-R-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.5935G	58.75	68.20	-9.45	47.16	3	Horizontal	154	2.95	-	34.01	7.86	30.28			
PK	5.8295G	121.19	Inf	-Inf	109.24	3	Horizontal	154	2.95	-	33.94	8.20	30.19			
AV	5.8195G	112.31	Inf	-Inf	100.34	3	Horizontal	154	2.95	-	33.96	8.20	30.19			
PK	5.93G	62.04	68.20	-6.16	49.89	3	Horizontal	154	2.95	-	34.16	8.15	30.16			

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
02-D-R-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.65686G	55.50	74.00	-18.50	69.63	3	Vertical	1	1.07	-	39.31	12.62	66.06				
AV	11.6538G	43.34	54.00	-10.66	57.47	3	Vertical	1	1.07	-	39.31	12.62	66.06				
PK	17.47284G	62.31	68.20	-5.89	67.76	3	Vertical	54	1.80	-	43.68	15.13	64.26				

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
02-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64262G	54.65	74.00	-19.35	68.82	3	Horizontal	320	1.80	-	39.29	12.61	66.07			
AV	11.64694G	43.56	54.00	-10.44	57.73	3	Horizontal	320	1.80	-	39.29	12.61	66.07			
PK	17.48002G	62.11	68.20	-6.09	67.50	3	Horizontal	64	1.80	-	43.74	15.13	64.26			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 73
02-D-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1482G	69.51	74.00	-4.49	58.46	3	Vertical	103	2.97	-	33.60	7.58	30.13			
AV	5.1491G	50.45	54.00	-3.55	39.40	3	Vertical	103	2.97	-	33.60	7.58	30.13			
PK	5.1764G	113.95	Inf	-Inf	102.85	3	Vertical	103	2.97	-	33.65	7.59	30.14			
AV	5.1782G	101.73	Inf	-Inf	90.62	3	Vertical	103	2.97	-	33.66	7.59	30.14			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 73
02-D-L-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1489G	73.93	74.00	-0.07	62.88	3	Horizontal	40	1.87	-	33.60	7.58	30.13			
AV	5.1493G	52.67	54.00	-1.33	41.62	3	Horizontal	40	1.87	-	33.60	7.58	30.13			
PK	5.1828G	116.03	Inf	-Inf	104.92	3	Horizontal	40	1.87	-	33.67	7.59	30.15			
AV	5.1789G	104.23	Inf	-Inf	93.12	3	Horizontal	40	1.87	-	33.66	7.59	30.14			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 73
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36095G	54.57	68.20	-13.63	70.90	3	Vertical	273	2.20	-	38.38	11.96	66.67			
PK	15.54085G	54.84	74.00	-19.16	66.30	3	Vertical	153	1.97	-	37.94	14.43	63.83			
AV	15.54142G	41.48	54.00	-12.52	52.95	3	Vertical	153	1.97	-	37.93	14.43	63.83			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5180MHz_TX




EUT_Y_2TX
Setting 73
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.36118G	55.01	68.20	-13.19	71.34	3	Horizontal	33	2.86	-	38.38	11.96	66.67			
PK	15.53787G	53.67	74.00	-20.33	65.11	3	Horizontal	221	1.37	-	37.95	14.43	63.82			
AV	15.53944G	42.06	54.00	-11.94	53.51	3	Horizontal	221	1.37	-	37.94	14.43	63.82			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 83
02-D-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1494G	68.25	74.00	-5.75	57.20	3	Vertical	100	2.93	-	33.60	7.58	30.13			
AV	5.1482G	50.14	54.00	-3.86	39.09	3	Vertical	100	2.93	-	33.60	7.58	30.13			
PK	5.2012G	116.05	Inf	-Inf	104.91	3	Vertical	100	2.93	-	33.70	7.59	30.15			
AV	5.2032G	104.02	Inf	-Inf	92.89	3	Vertical	100	2.93	-	33.70	7.59	30.16			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 83
02-D-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	71.91	74.00	-2.09	60.86	3	Horizontal	37	1.88	-	33.60	7.58	30.13			
AV	5.15G	53.59	54.00	-0.41	42.54	3	Horizontal	37	1.88	-	33.60	7.58	30.13			
PK	5.1922G	118.53	Inf	-Inf	107.41	3	Horizontal	37	1.88	-	33.68	7.59	30.15			
AV	5.193G	106.52	Inf	-Inf	95.39	3	Horizontal	37	1.88	-	33.69	7.59	30.15			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 83
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40117G	53.07	68.20	-15.13	69.48	3	Vertical	120	2.71	-	38.30	11.98	66.69			
PK	15.59724G	53.78	74.00	-20.22	65.34	3	Vertical	116	2.05	-	37.81	14.48	63.85			
AV	15.59513G	41.41	54.00	-12.59	52.97	3	Vertical	116	2.05	-	37.81	14.48	63.85			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5200MHz_TX




EUT_Y_2TX
Setting 83
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40076G	53.49	68.20	-14.71	69.90	3	Horizontal	290	2.30	-	38.30	11.98	66.69			
PK	15.59791G	53.38	74.00	-20.62	64.95	3	Horizontal	103	2.22	-	37.80	14.48	63.85			
AV	15.59504G	40.84	54.00	-13.16	52.40	3	Horizontal	103	2.22	-	37.81	14.48	63.85			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 102
02-D-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1476G	63.37	74.00	-10.63	52.32	3	Vertical	109	1.79	-	33.60	7.58	30.13			
AV	5.15G	50.34	54.00	-3.66	39.29	3	Vertical	109	1.79	-	33.60	7.58	30.13			
PK	5.2331G	117.72	Inf	-Inf	106.58	3	Vertical	109	1.79	-	33.70	7.61	30.17			
AV	5.2361G	105.76	Inf	-Inf	94.61	3	Vertical	109	1.79	-	33.70	7.62	30.17			
PK	5.3564G	60.78	74.00	-13.22	49.41	3	Vertical	109	1.79	-	33.90	7.71	30.24			
AV	5.3513G	48.89	54.00	-5.11	37.52	3	Vertical	109	1.79	-	33.90	7.70	30.23			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT Y_2TX
Setting 102
02-D-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	70.52	74.00	-3.48	59.47	3	Horizontal	38	2.93	-	33.60	7.58	30.13
AV	5.1497G	53.63	54.00	-0.37	42.58	3	Horizontal	38	2.93	-	33.60	7.58	30.13
PK	5.2466G	122.36	Inf	-Inf	111.22	3	Horizontal	38	2.93	-	33.70	7.62	30.18
AV	5.249G	109.91	Inf	-Inf	98.76	3	Horizontal	38	2.93	-	33.70	7.63	30.18
PK	5.3576G	64.95	74.00	-9.05	53.58	3	Horizontal	38	2.93	-	33.90	7.71	30.24
AV	5.3561G	51.45	54.00	-2.55	40.08	3	Horizontal	38	2.93	-	33.90	7.71	30.24

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 102
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.47871G	52.98	68.20	-15.22	69.42	3	Vertical	96	2.00	-	38.26	12.02	66.72			
PK	15.71714G	53.68	74.00	-20.32	65.41	3	Vertical	243	2.60	-	37.57	14.59	63.89			
AV	15.72039G	40.89	54.00	-13.11	52.63	3	Vertical	243	2.60	-	37.56	14.59	63.89			

5.15-5.25GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5240MHz_TX




EUT_Y_2TX
Setting 102
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4801G	52.58	68.20	-15.62	69.02	3	Horizontal	24	2.61	-	38.26	12.02	66.72			
PK	15.71506G	53.39	74.00	-20.61	65.13	3	Horizontal	222	1.33	-	37.57	14.58	63.89			
AV	15.7196G	40.73	54.00	-13.27	52.47	3	Horizontal	222	1.33	-	37.56	14.59	63.89			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 102
02-D-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6435G	66.28	68.20	-1.92	54.60	3	Vertical	110	2.43	-	34.00	7.94	30.26			
PK	5.7475G	120.17	Inf	-Inf	108.27	3	Vertical	110	2.43	-	34.00	8.12	30.22			
AV	5.74G	108.54	Inf	-Inf	96.65	3	Vertical	110	2.43	-	34.00	8.11	30.22			
PK	5.9385G	58.58	68.20	-9.62	46.40	3	Vertical	110	2.43	-	34.18	8.15	30.15			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
Setting 102
02-D-L-4-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.6495G	65.32	68.20	-2.88	53.63	3	Horizontal	157	1.80	-	34.00	7.95	30.26				
PK	5.754G	120.47	Inf	-Inf	108.56	3	Horizontal	157	1.80	-	34.00	8.13	30.22				
AV	5.7415G	108.92	Inf	-Inf	97.03	3	Horizontal	157	1.80	-	34.00	8.11	30.22				
PK	5.987G	58.50	68.20	-9.70	46.23	3	Horizontal	157	1.80	-	34.27	8.13	30.13				

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 102
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49498G	53.69	74.00	-20.31	68.38	3	Vertical	163	2.40	-	38.98	12.53	66.20			
AV	11.49105G	41.66	54.00	-12.34	56.37	3	Vertical	163	2.40	-	38.96	12.53	66.20			
PK	17.23135G	58.42	68.20	-9.78	65.63	3	Vertical	58	1.87	-	41.99	15.08	64.28			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5745MHz_TX

EUT_Y_2TX
Setting 102
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48796G	54.33	74.00	-19.67	69.05	3	Horizontal	95	2.86	-	38.95	12.53	66.20			
AV	11.49117G	41.75	54.00	-12.25	56.46	3	Horizontal	95	2.86	-	38.96	12.53	66.20			
PK	17.23197G	58.36	68.20	-9.84	65.57	3	Horizontal	97	1.02	-	41.99	15.08	64.28			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 108
02-D-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6485G	61.90	68.20	-6.30	50.22	3	Vertical	106	2.40	-	34.00	7.94	30.26			
PK	5.7885G	120.45	Inf	-Inf	108.47	3	Vertical	106	2.40	-	34.00	8.19	30.21			
AV	5.789G	108.98	Inf	-Inf	97.00	3	Vertical	106	2.40	-	34.00	8.19	30.21			
PK	5.9375G	61.10	68.20	-7.10	48.92	3	Vertical	106	2.40	-	34.18	8.15	30.15			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5785MHz_TX




EUT_Y_2TX
Setting 108
02-D-L-4-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6505G	62.87	68.57	-5.70	51.18	3	Horizontal	159	1.78	-	34.00	7.95	30.26			
PK	5.7795G	120.34	Inf	-Inf	108.38	3	Horizontal	159	1.78	-	34.00	8.17	30.21			
AV	5.7775G	109.18	Inf	-Inf	97.22	3	Horizontal	159	1.78	-	34.00	8.17	30.21			
PK	5.9285G	59.15	68.20	-9.05	47.00	3	Horizontal	159	1.78	-	34.16	8.15	30.16			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 108
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5686G	54.17	74.00	-19.83	68.60	3	Vertical	172	1.51	-	39.14	12.57	66.14			
AV	11.56938G	41.79	54.00	-12.21	56.22	3	Vertical	172	1.51	-	39.14	12.57	66.14			
PK	17.35207G	58.71	68.20	-9.49	64.96	3	Vertical	162	2.61	-	42.91	15.11	64.27			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5785MHz_TX

EUT_Y_2TX
Setting 108
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.57153G	54.35	74.00	-19.65	68.78	3	Horizontal	147	2.67	-	39.14	12.57	66.14			
AV	11.57002G	41.89	54.00	-12.11	56.32	3	Horizontal	147	2.67	-	39.14	12.57	66.14			
PK	17.35002G	58.57	68.20	-9.63	64.83	3	Horizontal	212	2.58	-	42.90	15.11	64.27			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6415G	59.70	68.20	-8.50	48.03	3	Vertical	109	2.47	-	34.00	7.93	30.26			
PK	5.827G	119.96	Inf	-Inf	108.00	3	Vertical	109	2.47	-	33.95	8.20	30.19			
AV	5.827G	108.54	Inf	-Inf	96.58	3	Vertical	109	2.47	-	33.95	8.20	30.19			
PK	5.93G	63.81	68.20	-4.39	51.66	3	Vertical	109	2.47	-	34.16	8.15	30.16			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5825MHz_TX




EUT_Y_2TX
Setting 108
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6415G	58.67	68.20	-9.53	47.00	3	Horizontal	155	3.00	-	34.00	7.93	30.26			
PK	5.83G	120.61	Inf	-Inf	108.66	3	Horizontal	155	3.00	-	33.94	8.20	30.19			
AV	5.822G	108.25	Inf	-Inf	96.28	3	Horizontal	155	3.00	-	33.96	8.20	30.19			
PK	5.9235G	67.51	69.31	-1.80	55.37	3	Horizontal	155	3.00	-	34.15	8.15	30.16			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 108
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64841G	53.57	74.00	-20.43	67.73	3	Vertical	322	1.04	-	39.30	12.61	66.07			
AV	11.64936G	41.30	54.00	-12.70	55.46	3	Vertical	322	1.04	-	39.30	12.61	66.07			
PK	17.47374G	60.81	68.20	-7.39	66.25	3	Vertical	302	1.13	-	43.69	15.13	64.26			

5.725-5.85GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5825MHz_TX

EUT_Y_2TX
Setting 108
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.64853G	53.80	74.00	-20.20	67.96	3	Horizontal	359	2.60	-	39.30	12.61	66.07			
AV	11.65259G	41.47	54.00	-12.53	55.61	3	Horizontal	359	2.60	-	39.31	12.61	66.06			
PK	17.47955G	61.07	68.20	-7.13	66.46	3	Horizontal	257	2.46	-	43.74	15.13	64.26			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 70
05-R-G-4-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1142G	55.33	74.00	-18.67	49.37	3	Vertical	20.9	1.80	-	33.03	8.05	35.12			
AV	5.1496G	44.69	54.00	-9.31	38.63	3	Vertical	20.9	1.80	-	33.10	8.07	35.11			
PK	5.2032G	106.88	Inf	-Inf	100.78	3	Vertical	20.9	1.80	-	33.09	8.10	35.09			
AV	5.1962G	95.84	Inf	-Inf	89.73	3	Vertical	20.9	1.80	-	33.10	8.10	35.09			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 70
05-R-G-4-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.15G	65.18	74.00	-8.82	59.12	3	Horizontal	312	1.80	-	33.10	8.07	35.11			
AV	5.15G	53.48	54.00	-0.52	47.42	3	Horizontal	312	1.80	-	33.10	8.07	35.11			
PK	5.1986G	114.66	Inf	-Inf	108.55	3	Horizontal	312	1.80	-	33.10	8.10	35.09			
AV	5.1948G	102.99	Inf	-Inf	96.88	3	Horizontal	312	1.80	-	33.10	8.10	35.09			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 70
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37609G	53.77	68.20	-14.43	70.13	3	Vertical	324	2.29	-	38.35	11.97	66.68			
PK	15.56918G	54.50	74.00	-19.50	66.02	3	Vertical	195	1.90	-	37.86	14.46	63.84			
AV	15.56675G	41.46	54.00	-12.54	52.97	3	Vertical	195	1.90	-	37.87	14.46	63.84			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5190MHz_TX




EUT_Y_2TX
Setting 70
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.37793G	54.03	68.20	-14.17	70.40	3	Horizontal	85	2.46	-	38.34	11.97	66.68			
PK	15.56656G	54.99	74.00	-19.01	66.50	3	Horizontal	323	1.28	-	37.87	14.46	63.84			
AV	15.56692G	41.23	54.00	-12.77	52.74	3	Horizontal	323	1.28	-	37.87	14.46	63.84			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 82
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1403G	68.92	74.00	-5.08	57.88	3	Vertical	100	2.91	-	33.58	7.58	30.12
AV	5.1499G	50.51	54.00	-3.49	39.46	3	Vertical	100	2.91	-	33.60	7.58	30.13
PK	5.2237G	112.43	Inf	-Inf	101.29	3	Vertical	100	2.91	-	33.70	7.61	30.17
AV	5.2231G	99.43	Inf	-Inf	88.29	3	Vertical	100	2.91	-	33.70	7.61	30.17
PK	5.3728G	61.25	74.00	-12.75	49.87	3	Vertical	100	2.91	-	33.90	7.72	30.24
AV	5.3503G	47.35	54.00	-6.65	35.98	3	Vertical	100	2.91	-	33.90	7.70	30.23

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 82
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1442G	70.98	74.00	-3.02	59.93	3	Horizontal	39	1.90	-	33.59	7.58	30.12			
AV	5.1496G	53.83	54.00	-0.17	42.78	3	Horizontal	39	1.90	-	33.60	7.58	30.13			
PK	5.2351G	114.76	Inf	-Inf	103.61	3	Horizontal	39	1.90	-	33.70	7.62	30.17			
AV	5.2165G	100.91	Inf	-Inf	89.77	3	Horizontal	39	1.90	-	33.70	7.60	30.16			
PK	5.3653G	62.36	74.00	-11.64	50.99	3	Horizontal	39	1.90	-	33.90	7.71	30.24			
AV	5.353G	48.01	54.00	-5.99	36.64	3	Horizontal	39	1.90	-	33.90	7.70	30.23			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 82
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.45565G	53.37	68.20	-14.83	69.86	3	Vertical	231	1.52	-	38.21	12.01	66.71			
PK	15.69153G	53.67	74.00	-20.33	65.37	3	Vertical	133	1.42	-	37.62	14.56	63.88			
AV	15.69221G	40.05	54.00	-13.95	51.75	3	Vertical	133	1.42	-	37.62	14.56	63.88			

5.15-5.25GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
Setting 82
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46298G	53.52	68.20	-14.68	69.99	3	Horizontal	170	2.07	-	38.23	12.01	66.71			
PK	15.69429G	53.38	74.00	-20.62	65.08	3	Horizontal	126	2.15	-	37.61	14.57	63.88			
AV	15.69205G	40.03	54.00	-13.97	51.73	3	Horizontal	126	2.15	-	37.62	14.56	63.88			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 88
02-D-C-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	5.6375G	66.64	68.20	-1.56	54.97	3	Vertical	109	2.43	-	34.00	7.93	30.26
PK	5.7625G	115.88	Inf	-Inf	103.96	3	Vertical	109	2.43	-	34.00	8.14	30.22
AV	5.7485G	101.13	Inf	-Inf	89.23	3	Vertical	109	2.43	-	34.00	8.12	30.22
PK	5.9365G	59.26	68.20	-8.94	47.09	3	Vertical	109	2.43	-	34.17	8.15	30.15

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5755MHz_TX




EUT_Y_2TX
Setting 88
02-D-C-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.63G	68.02	68.20	-0.18	56.37	3	Horizontal	156	2.95	-	34.00	7.91	30.26				
PK	5.741G	115.07	Inf	-Inf	103.18	3	Horizontal	156	2.95	-	34.00	8.11	30.22				
AV	5.74G	101.75	Inf	-Inf	89.86	3	Horizontal	156	2.95	-	34.00	8.11	30.22				
PK	5.9305G	59.52	68.20	-8.68	47.37	3	Horizontal	156	2.95	-	34.16	8.15	30.16				

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 88
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51011G	54.41	74.00	-19.59	69.04	3	Vertical	169	2.50	-	39.02	12.54	66.19			
AV	11.50579G	40.93	54.00	-13.07	55.57	3	Vertical	169	2.50	-	39.01	12.54	66.19			
PK	17.26197G	58.94	68.20	-9.26	65.92	3	Vertical	72	1.51	-	42.20	15.09	64.27			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5755MHz_TX

EUT_Y_2TX
Setting 88
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51367G	54.17	74.00	-19.83	68.79	3	Horizontal	33	1.52	-	39.03	12.54	66.19			
AV	11.50675G	41.06	54.00	-12.94	55.70	3	Horizontal	33	1.52	-	39.01	12.54	66.19			
PK	17.26232G	58.34	68.20	-9.86	65.32	3	Horizontal	131	1.66	-	42.20	15.09	64.27			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 96
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6495G	67.91	68.20	-0.29	56.22	3	Vertical	105	2.40	-	34.00	7.95	30.26
PK	5.7775G	117.40	Inf	-Inf	105.44	3	Vertical	105	2.40	-	34.00	8.17	30.21
AV	5.791G	102.69	Inf	-Inf	90.71	3	Vertical	105	2.40	-	34.00	8.19	30.21
PK	5.9355G	67.11	68.20	-1.09	54.94	3	Vertical	105	2.40	-	34.17	8.15	30.15

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5795MHz_TX




EUT_Y_2TX
Setting 96
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6415G	68.05	68.20	-0.15	56.38	3	Horizontal	158	1.73	-	34.00	7.93	30.26			
PK	5.791G	116.67	Inf	-Inf	104.69	3	Horizontal	158	1.73	-	34.00	8.19	30.21			
AV	5.792G	103.16	Inf	-Inf	91.16	3	Horizontal	158	1.73	-	34.00	8.20	30.20			
PK	5.931G	67.95	68.20	-0.25	55.79	3	Horizontal	158	1.73	-	34.16	8.15	30.15			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 96
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58787G	54.41	74.00	-19.59	68.77	3	Vertical	301	2.02	-	39.18	12.58	66.12			
AV	11.59136G	41.00	54.00	-13.00	55.36	3	Vertical	301	2.02	-	39.18	12.58	66.12			
PK	17.38868G	59.27	68.20	-8.93	65.38	3	Vertical	210	1.89	-	43.05	15.11	64.27			

5.725-5.85GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5795MHz_TX

EUT_Y_2TX
Setting 96
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.58643G	54.10	74.00	-19.90	68.47	3	Horizontal	237	1.08	-	39.17	12.58	66.12			
AV	11.58836G	40.84	54.00	-13.16	55.20	3	Horizontal	237	1.08	-	39.18	12.58	66.12			
PK	17.38526G	59.29	68.20	-8.91	65.41	3	Horizontal	292	1.63	-	43.04	15.11	64.27			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_V_2TX
Setting 81
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	62.38	74.00	-11.62	55.48	3	Vertical	198	3.00	-	32.80	6.64	32.54
AV	5.1452G	50.14	54.00	-3.86	43.26	3	Vertical	198	3.00	-	32.79	6.64	32.55
PK	5.1952G	107.65	Inf	-Inf	100.66	3	Vertical	198	3.00	-	32.89	6.63	32.53
AV	5.2012G	96.65	Inf	-Inf	89.65	3	Vertical	198	3.00	-	32.90	6.63	32.53
PK	5.3896G	60.03	74.00	-13.97	52.54	3	Vertical	198	3.00	-	33.26	6.72	32.49
AV	5.3768G	48.06	54.00	-5.94	40.62	3	Vertical	198	3.00	-	33.21	6.72	32.49

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT_V_2TX
Setting 81
01-U-E-3-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	64.58	74.00	-9.42	57.68	3	Horizontal	130	1.80	-	32.80	6.64	32.54
AV	5.1496G	53.73	54.00	-0.27	46.83	3	Horizontal	130	1.80	-	32.80	6.64	32.54
PK	5.2248G	111.95	Inf	-Inf	104.94	3	Horizontal	130	1.80	-	32.90	6.64	32.53
AV	5.2248G	101.60	Inf	-Inf	94.59	3	Horizontal	130	1.80	-	32.90	6.64	32.53
PK	5.35G	60.06	74.00	-13.94	52.75	3	Horizontal	130	1.80	-	33.10	6.71	32.50
AV	5.3568G	49.95	54.00	-4.05	42.60	3	Horizontal	130	1.80	-	33.13	6.71	32.49

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 81
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42312G	53.42	68.20	-14.78	69.88	3	Vertical	309	1.24	-	38.25	11.99	66.70			
PK	15.62531G	54.38	74.00	-19.62	65.98	3	Vertical	127	1.62	-	37.75	14.51	63.86			
AV	15.63422G	41.32	54.00	-12.68	52.94	3	Vertical	127	1.62	-	37.73	14.51	63.86			

5.15-5.25GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5210MHz_TX




EUT Y_2TX
Setting 81
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.42065G	53.67	68.20	-14.53	70.12	3	Horizontal	356	1.71	-	38.26	11.99	66.70			
PK	15.63144G	53.68	74.00	-20.32	65.29	3	Horizontal	36	2.17	-	37.74	14.51	63.86			
AV	15.63433G	41.30	54.00	-12.70	52.92	3	Horizontal	36	2.17	-	37.73	14.51	63.86			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 78
02-D-C-5-6

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.65G	67.55	68.20	-0.65	55.86	3	Vertical	109	2.51	-	34.00	7.95	30.26				
PK	5.762G	108.10	Inf	-Inf	96.18	3	Vertical	109	2.51	-	34.00	8.14	30.22				
AV	5.761G	97.20	Inf	-Inf	85.28	3	Vertical	109	2.51	-	34.00	8.14	30.22				
PK	5.942G	60.92	68.20	-7.28	48.74	3	Vertical	109	2.51	-	34.18	8.15	30.15				

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX




EUT_Y_2TX
Setting 78
02-D-C-5-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7615G	109.72	Inf	-Inf	97.80	3	Horizontal	156	2.92	-	34.00	8.14	30.22			
AV	5.766G	98.47	Inf	-Inf	86.53	3	Horizontal	156	2.92	-	34.00	8.15	30.21			
PK	5.934G	60.18	68.20	-8.02	48.01	3	Horizontal	156	2.92	-	34.17	8.15	30.15			
PK	5.635G	68.12	68.20	-0.08	56.46	3	Horizontal	156	2.92	-	34.00	7.92	30.26			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5775MHz_TX

EUT_Y_2TX
Setting 78
02-D-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54828G	54.24	74.00	-19.76	68.74	3	Vertical	117	3.00	-	39.10	12.56	66.16			
AV	11.54634G	41.92	54.00	-12.08	56.43	3	Vertical	117	3.00	-	39.09	12.56	66.16			
PK	17.32676G	58.79	68.20	-9.41	65.25	3	Vertical	57	2.91	-	42.71	15.10	64.27			

5.725-5.85GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5775MHz_TX

EUT_Y_2TX
Setting 78
02-D-B-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54883G	54.49	74.00	-19.51	68.99	3	Horizontal	108	2.69	-	39.10	12.56	66.16			
AV	11.54905G	41.74	54.00	-12.26	56.24	3	Horizontal	108	2.69	-	39.10	12.56	66.16			
PK	17.32698G	59.40	68.20	-8.80	65.85	3	Horizontal	54	1.65	-	42.72	15.10	64.27			



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.03584G	25.09	54.00	-28.91	Vertical

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

