


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

PSD

6695MHz

01/10/2025

CF (Hz)  
6.695G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.553  
Detector Type  
RMS



| Sum       | PD        | Port 1    |
|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.77      | 6.77      | 6.77      |


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

PSD

6855MHz

01/10/2025

CF (Hz)  
6.855G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.553  
Detector Type  
RMS



| Sum       | PD        | Port 1    |
|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 11.78     | 11.78     | 11.78     |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

PSD

5965MHz

01/10/2025

CF (Hz)  
5.965G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.368  
Detector Type  
RMS



| Sum       | PD        | Port 1    |
|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 2.77      | 2.77      | 2.77      |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

PSD

6205MHz

01/10/2025

CF (Hz)  
6.205G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.368  
Detector Type  
RMS



| Sum       | PD        | Port 1    |
|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 9.70      | 9.70      | 9.70      |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

PSD

6405MHz

01/10/2025

CF (Hz)  
6.405G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
3.368  
Detector Type  
RMS



| Sum       | PD        | Port 1    |
|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 8.18      | 8.18      | 8.18      |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

PSD

6565MHz

01/10/2025

CF (Hz)  
6.565G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    |
|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 8.34      | 8.34      | 8.34      |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

PSD

6685MHz

01/10/2025

CF (Hz)  
6.685G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Port 1

| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 6.20     | 6.20     | 6.20     |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

PSD

6845MHz

01/10/2025

CF (Hz)  
6.845G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Port 1

| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 7.15     | 7.15     | 7.15     |


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

PSD

5985MHz

01/10/2025

CF (Hz)  
5.985G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    |
|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 1.33      | 1.33      | 1.33      |


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

PSD

6225MHz

01/10/2025

CF (Hz)  
6.225G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS




| Sum       | PD        | Port 1    |
|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 7.45      | 7.45      | 7.45      |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

PSD

6385MHz

03/10/2025




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

PSD

6625MHz

01/10/2025




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

PSD

6705MHz

01/10/2025




| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 6.39     | 6.39     | 6.39     |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

PSD

6785MHz

01/10/2025



| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 6.37     | 6.37     | 6.37     |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

PSD

6025MHz

01/10/2025

CF (Hz)  
6.025G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -0.89    | -0.89    | -0.89    |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

PSD

6185MHz

01/10/2025

CF (Hz)  
6.185G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS




| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 1.71     | 1.71     | 1.71     |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

PSD

6345MHz

01/10/2025




6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

PSD

6665MHz

01/10/2025




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

PSD

6105MHz

01/10/2025




| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -2.80    | -2.80    | -2.80    |

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

5955MHz

01/10/2025



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 9.45     | 9.45     | 7.01     | 5.90     |


5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6195MHz

01/10/2025

CF (Hz)  
6.195G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 15.37    | 15.37    | 12.82    | 12.02    |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6415MHz

01/10/2025

CF (Hz)  
6.415G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 12.88    | 12.88    | 10.39    | 9.58     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6535MHz

01/10/2025

CF (Hz)  
6.535G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum<br>(dBm/RBW) | PD<br>(dBm/RBW) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) |
|------------------|-----------------|---------------------|---------------------|
| 10.69            | 10.69           | 8.56                | 6.88                |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6695MHz

01/10/2025

CF (Hz)  
6.695G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum<br>(dBm/RBW) | PD<br>(dBm/RBW) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) |
|------------------|-----------------|---------------------|---------------------|
| 9.07             | 9.07            | 6.58                | 5.86                |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6855MHz

01/10/2025

CF (Hz)  
6.855G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 14.63    | 14.63    | 11.93    | 11.66    |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

5965MHz

01/10/2025

CF (Hz)  
5.965G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 5.80     | 5.80     | 3.42     | 2.20     |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6205MHz

01/10/2025

CF (Hz)  
6.205G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 12.43    | 12.43    | 9.95     | 8.85     |


5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6405MHz

01/10/2025

CF (Hz)  
6.405G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 10.52    | 10.52    | 8.16     | 6.93     |


6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6565MHz

01/10/2025

CF (Hz)  
6.565G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6685MHz

01/10/2025

CF (Hz)  
6.685G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6845MHz

01/10/2025

CF (Hz)  
6.845G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum<br>(dBm/Hz) | PD<br>(dBm/Hz) | Port 1<br>(dBm/Hz) | Port 2<br>(dBm/Hz) |
|-----------------|----------------|--------------------|--------------------|
| 9.73            | 9.73           | 7.38               | 6.22               |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

5985MHz

01/10/2025

CF (Hz)  
5.985G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum<br>(dBm/Hz) | PD<br>(dBm/Hz) | Port 1<br>(dBm/Hz) | Port 2<br>(dBm/Hz) |
|-----------------|----------------|--------------------|--------------------|
| 3.74            | 3.74           | 1.38               | 0.07               |


Sum  
Port 1  
Port 2

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6225MHz

01/10/2025




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 9.47     | 9.47     | 6.93     | 5.98     |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6385MHz

01/10/2025



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 7.08     | 7.08     | 4.88     | 3.15     |


6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6625MHz

01/10/2025

CF (Hz)  
6.625G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum<br>(dBm/Hz) | PD<br>(dBm/Hz) | Port 1<br>(dBm/Hz) | Port 2<br>(dBm/Hz) |
|-----------------|----------------|--------------------|--------------------|
| 6.41            | 6.41           | 4.05               | 2.83               |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6705MHz

01/10/2025

CF (Hz)  
6.705G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum<br>(dBm/Hz) | PD<br>(dBm/Hz) | Port 1<br>(dBm/Hz) | Port 2<br>(dBm/Hz) |
|-----------------|----------------|--------------------|--------------------|
| 8.90            | 8.90           | 6.35               | 5.62               |


Sum  
Port 1  
Port 2

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6785MHz

01/10/2025




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 8.88     | 8.88     | 6.23     | 5.51     |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6025MHz

01/10/2025




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 1.94     | 1.94     | -0.83    | -1.08    |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6185MHz

01/10/2025




5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6345MHz

01/10/2025




6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6665MHz

01/10/2025

CF (Hz)  
6.665G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 2.09      | 2.09      | -0.43     | -1.38     |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

PSD

6105MHz

01/10/2025

CF (Hz)  
6.105G  
Span (Hz)  
480M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -0.98     | -0.98     | -3.27     | -4.48     |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

PSD

5955MHz

01/10/2025

CF (Hz)  
5.955G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       | Port 3       | Port 4       |
|--------------|--------------|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 13.22        | 13.22        | 7.73         | 6.67         | 7.28         | 7.42         |


5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

PSD

6195MHz

01/10/2025

CF (Hz)  
6.195G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS




| Sum          | PD           | Port 1       | Port 2       | Port 3       | Port 4       |
|--------------|--------------|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 14.34        | 14.34        | 9.28         | 7.85         | 8.44         | 8.37         |

## 5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

PSD

6415MHz

01/10/2025




## 6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

PSD

6535MHz

01/10/2025




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

PSD

6695MHz

01/10/2025




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

PSD

6855MHz

01/10/2025




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

PSD

5965MHz

01/10/2025




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

PSD

6205MHz

01/10/2025




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

PSD

6405MHz

01/10/2025

CF (Hz)  
6.405G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 12.05     | 12.05     | 6.75      | 5.88      | 6.02      | 5.91      |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

PSD

6565MHz

01/10/2025

CF (Hz)  
6.565G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 11.06     | 11.06     | 5.51      | 4.71      | 5.21      | 5.11      |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

PSD

6685MHz

01/10/2025

CF (Hz)  
6.685G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       | Port 3       | Port 4       |
|--------------|--------------|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 8.24         | 8.24         | 3.44         | 1.59         | 2.13         | 1.86         |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

PSD

6845MHz

01/10/2025

CF (Hz)  
6.845G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       | Port 3       | Port 4       |
|--------------|--------------|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 12.81        | 12.81        | 7.25         | 6.33         | 6.90         | 7.26         |


Sum  
Port 1  
Port 2  
Port 3  
Port 4

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

PSD

5985MHz

01/10/2025




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

PSD

6225MHz

01/10/2025




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

PSD

6385MHz

01/10/2025

CF (Hz)  
6.385G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 10.24     | 10.24     | 5.06      | 3.55      | 4.08      | 4.51      |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

PSD

6625MHz

01/10/2025

CF (Hz)  
6.625G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 10.65     | 10.65     | 5.09      | 3.95      | 4.70      | 5.10      |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

PSD

6705MHz

01/10/2025

CF (Hz)  
6.705G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 11.18     | 11.18     | 5.52      | 4.59      | 5.18      | 5.50      |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

PSD

6785MHz

01/10/2025

CF (Hz)  
6.785G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 11.20     | 11.20     | 5.67      | 4.57      | 5.23      | 5.33      |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

PSD

6025MHz

01/10/2025

CF (Hz)  
6.025G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 3.92      | 3.92      | -1.95     | -1.93     | -2.31     | -1.94     |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

PSD

6185MHz

01/10/2025

CF (Hz)  
6.185G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 5.55      | 5.55      | -0.06     | -0.83     | -0.31     | -0.38     |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

PSD

6345MHz

01/10/2025

CF (Hz)  
6.345G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 6.85      | 6.85      | 1.34      | 0.54      | 0.84      | 1.13      |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

PSD

6665MHz

01/10/2025

CF (Hz)  
6.665G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 5.27      | 5.27      | -0.64     | -1.27     | -0.36     | -0.44     |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

PSD

6105MHz

01/10/2025

CF (Hz)  
6.105G  
Span (Hz)  
480M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 1.19      | 1.19      | -4.14     | -5.22     | -4.51     | -4.77     |


5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

PSD

5955MHz

01/10/2025

CF (Hz)  
5.955G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS




| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 10.17     | 10.17     | 4.76      | 3.75      | 4.29      | 4.29      |

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

PSD

6195MHz

01/10/2025




5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

PSD

6415MHz

01/10/2025




6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

PSD

6535MHz

01/10/2025




6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

PSD

6695MHz

01/10/2025




## 6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

PSD

6855MHz

01/10/2025




## 5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

PSD

5965MHz

01/10/2025




5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

PSD

6205MHz

01/10/2025

CF (Hz)  
6.205G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 12.77     | 12.77     | 7.07      | 6.02      | 7.43      | 6.97      |


5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

PSD

6405MHz

01/10/2025

CF (Hz)  
6.405G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 11.53     | 11.53     | 6.16      | 5.42      | 5.53      | 5.51      |


6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

PSD

6565MHz

01/10/2025

CF (Hz)  
6.565G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   | Port 3   | Port 4   |
|----------|----------|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 12.16    | 12.16    | 6.60     | 5.73     | 6.39     | 6.41     |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

PSD

6685MHz

01/10/2025

CF (Hz)  
6.685G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   | Port 3   | Port 4   |
|----------|----------|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 9.38     | 9.38     | 4.22     | 2.61     | 3.61     | 3.36     |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


## 6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

PSD

6845MHz

01/10/2025

CF (Hz)  
6.845G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       | Port 3       | Port 4       |
|--------------|--------------|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 12.75        | 12.75        | 6.91         | 6.26         | 7.13         | 7.25         |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


## 5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

PSD

5985MHz

01/10/2025

CF (Hz)  
5.985G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       | Port 3       | Port 4       |
|--------------|--------------|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 5.83         | 5.83         | 0.60         | -0.66        | -0.22        | -0.18        |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

PSD

6225MHz

01/10/2025

CF (Hz)  
6.225G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       | Port 3       | Port 4       |
|--------------|--------------|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 9.59         | 9.59         | 3.90         | 2.93         | 3.79         | 3.87         |


5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

PSD

6385MHz

01/10/2025

CF (Hz)  
6.385G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS




| Sum          | PD           | Port 1       | Port 2       | Port 3       | Port 4       |
|--------------|--------------|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 10.22        | 10.22        | 5.04         | 3.50         | 4.06         | 4.36         |

6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

PSD

6625MHz

01/10/2025




6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

PSD

6705MHz

01/10/2025




## 6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

PSD

6785MHz

01/10/2025




## 5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

PSD

6025MHz

01/10/2025




5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

PSD

6185MHz

01/10/2025




5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

PSD

6345MHz

01/10/2025




## 6.525-6.875GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

PSD

6665MHz

01/10/2025




## 5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

PSD

6105MHz

01/10/2025



Test Mode: Mode 6

## Summary

| Mode                            | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                  | -               | -                    |
| 802.11be EHT20_Nss1,(MCS0)_1TX  | 1.05            | 7.67                 |
| 802.11be EHT40_Nss1,(MCS0)_1TX  | -1.66           | 4.96                 |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | -4.50           | 2.12                 |
| 802.11be EHT160_Nss1,(MCS0)_1TX | -7.36           | -0.74                |
| 802.11be EHT320_Nss1,(MCS0)_1TX | -10.56          | -3.94                |
| 6.525-6.875GHz                  | -               | -                    |
| 802.11be EHT20_Nss1,(MCS0)_1TX  | 2.21            | 7.93                 |
| 802.11be EHT40_Nss1,(MCS0)_1TX  | -0.49           | 5.23                 |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | -3.59           | 2.13                 |
| 802.11be EHT160_Nss1,(MCS0)_1TX | -6.60           | -0.88                |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                            | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|-------------|---------------------|-----------------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_1TX  | -      | -           | -                   | -               | -                    | -                          |
| 5955MHz                         | Pass   | 6.62        | 0.95                | 0.95            | 7.57                 | 23.00                      |
| 6195MHz                         | Pass   | 6.62        | 0.78                | 0.78            | 7.40                 | 23.00                      |
| 6415MHz                         | Pass   | 6.62        | 1.05                | 1.05            | 7.67                 | 23.00                      |
| 6535MHz                         | Pass   | 5.72        | 2.17                | 2.17            | 7.89                 | 23.00                      |
| 6695MHz                         | Pass   | 5.72        | 2.21                | 2.21            | 7.93                 | 23.00                      |
| 6855MHz                         | Pass   | 5.72        | 2.05                | 2.05            | 7.77                 | 23.00                      |
| 802.11be EHT40_Nss1,(MCS0)_1TX  | -      | -           | -                   | -               | -                    | -                          |
| 5965MHz                         | Pass   | 6.62        | -1.93               | -1.93           | 4.69                 | 23.00                      |
| 6205MHz                         | Pass   | 6.62        | -2.37               | -2.37           | 4.25                 | 23.00                      |
| 6405MHz                         | Pass   | 6.62        | -1.66               | -1.66           | 4.96                 | 23.00                      |
| 6565MHz                         | Pass   | 5.72        | -0.49               | -0.49           | 5.23                 | 23.00                      |
| 6685MHz                         | Pass   | 5.72        | -0.80               | -0.80           | 4.92                 | 23.00                      |
| 6845MHz                         | Pass   | 5.72        | -0.62               | -0.62           | 5.10                 | 23.00                      |
| 802.11be EHT80_Nss1,(MCS0)_1TX  | -      | -           | -                   | -               | -                    | -                          |
| 5985MHz                         | Pass   | 6.62        | -4.50               | -4.50           | 2.12                 | 23.00                      |
| 6225MHz                         | Pass   | 6.62        | -4.87               | -4.87           | 1.75                 | 23.00                      |
| 6385MHz                         | Pass   | 6.62        | -5.00               | -5.00           | 1.62                 | 23.00                      |
| 6625MHz                         | Pass   | 5.72        | -3.60               | -3.60           | 2.12                 | 23.00                      |
| 6705MHz                         | Pass   | 5.72        | -3.59               | -3.59           | 2.13                 | 23.00                      |
| 6785MHz                         | Pass   | 5.72        | -3.65               | -3.65           | 2.07                 | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0)_1TX | -      | -           | -                   | -               | -                    | -                          |
| 6025MHz                         | Pass   | 6.62        | -7.48               | -7.48           | -0.86                | 23.00                      |
| 6185MHz                         | Pass   | 6.62        | -7.41               | -7.41           | -0.79                | 23.00                      |
| 6345MHz                         | Pass   | 6.62        | -7.36               | -7.36           | -0.74                | 23.00                      |
| 6665MHz                         | Pass   | 5.72        | -6.60               | -6.60           | -0.88                | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0)_1TX | -      | -           | -                   | -               | -                    | -                          |
| 6105MHz                         | Pass   | 6.62        | -10.56              | -10.56          | -3.94                | 23.00                      |


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

PSD

5955MHz

02/10/2025




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

PSD

6195MHz

02/10/2025



5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

PSD

6415MHz

02/10/2025

CF (Hz)  
6.415G


Span (Hz)  
30M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 1.05     | 1.05     | 1.05     |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

PSD

6535MHz

10/11/2025

CF (Hz)  
6.535G


Span (Hz)  
30M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 2.17     | 2.17     | 2.17     |


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

PSD

6695MHz

10/11/2025

CF (Hz)  
6.695G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 2.21     | 2.21     | 2.21     |


6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

PSD

6855MHz

10/11/2025

CF (Hz)  
6.855G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 2.05     | 2.05     | 2.05     |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

PSD

5965MHz

02/10/2025

CF (Hz)  
5.965G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    |
|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -1.93     | -1.93     | -1.93     |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

PSD

6205MHz

02/10/2025

CF (Hz)  
6.205G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    |
|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -2.37     | -2.37     | -2.37     |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

PSD

6405MHz

02/10/2025

CF (Hz)  
6.405G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Port 1

| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -1.66    | -1.66    | -1.66    |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

PSD

6565MHz

10/11/2025

CF (Hz)  
6.565G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Port 1


| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -0.49    | -0.49    | -0.49    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

PSD

6685MHz

10/11/2025




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

PSD

6845MHz

10/11/2025




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

PSD

5985MHz

02/10/2025




5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

PSD

6225MHz

02/10/2025



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

PSD

6385MHz

02/10/2025

CF (Hz)  
6.385G


Span (Hz)  
120M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -5.00    | -5.00    | -5.00    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

PSD

6625MHz

10/11/2025

CF (Hz)  
6.625G


Span (Hz)  
120M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS




| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -3.60    | -3.60    | -3.60    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

PSD

6705MHz

10/11/2025




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

PSD

6785MHz

10/11/2025



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

PSD

6025MHz

02/10/2025

CF (Hz)  
6.025G


Span (Hz)  
240M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -7.48    | -7.48    | -7.48    |

5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

PSD

6185MHz

02/10/2025

CF (Hz)  
6.185G


Span (Hz)  
240M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -7.41    | -7.41    | -7.41    |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

PSD

6345MHz

02/10/2025

CF (Hz)  
6.345G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -7.36    | -7.36    | -7.36    |


6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

PSD

6665MHz

10/11/2025

CF (Hz)  
6.665G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS




| Sum      | PD       | Port 1   |
|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -6.60    | -6.60    | -6.60    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_1TX

PSD

6105MHz

02/10/2025



Test Mode: Mode 7

**Summary**

| Mode                            | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                  | -               | -                    |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | 1.02            | 7.64                 |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | -2.20           | 4.42                 |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | -4.84           | 1.78                 |
| 802.11be EHT160_Nss2,(MCS0)_2TX | -7.52           | -0.90                |
| 802.11be EHT320_Nss2,(MCS0)_2TX | -10.51          | -3.89                |
| 6.525-6.875GHz                  | -               | -                    |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | 2.21            | 7.93                 |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | -0.72           | 5.00                 |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | -3.39           | 2.33                 |
| 802.11be EHT160_Nss2,(MCS0)_2TX | -6.57           | -0.85                |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                            | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|-------------|---------------------|---------------------|-----------------|----------------------|----------------------------|
| 802.11be EHT20_Nss2,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5955MHz                         | Pass   | 6.62        | -1.48               | -2.30               | 1.02            | 7.64                 | 23.00                      |
| 6195MHz                         | Pass   | 6.62        | -1.69               | -2.27               | 0.81            | 7.43                 | 23.00                      |
| 6415MHz                         | Pass   | 6.62        | -1.57               | -2.51               | 0.91            | 7.53                 | 23.00                      |
| 6535MHz                         | Pass   | 5.72        | -0.07               | -1.36               | 2.21            | 7.93                 | 23.00                      |
| 6695MHz                         | Pass   | 5.72        | -0.77               | -1.33               | 1.88            | 7.60                 | 23.00                      |
| 6855MHz                         | Pass   | 5.72        | -0.53               | -1.37               | 2.01            | 7.73                 | 23.00                      |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5965MHz                         | Pass   | 6.62        | -4.71               | -5.69               | -2.20           | 4.42                 | 23.00                      |
| 6205MHz                         | Pass   | 6.62        | -5.33               | -6.08               | -2.74           | 3.88                 | 23.00                      |
| 6405MHz                         | Pass   | 6.62        | -4.86               | -5.55               | -2.25           | 4.37                 | 23.00                      |
| 6565MHz                         | Pass   | 5.72        | -3.72               | -4.18               | -1.05           | 4.67                 | 23.00                      |
| 6685MHz                         | Pass   | 5.72        | -3.16               | -4.37               | -0.72           | 5.00                 | 23.00                      |
| 6845MHz                         | Pass   | 5.72        | -3.65               | -4.35               | -1.11           | 4.61                 | 23.00                      |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5985MHz                         | Pass   | 6.62        | -7.25               | -8.21               | -4.84           | 1.78                 | 23.00                      |
| 6225MHz                         | Pass   | 6.62        | -7.87               | -8.35               | -5.22           | 1.40                 | 23.00                      |
| 6385MHz                         | Pass   | 6.62        | -7.33               | -8.39               | -4.92           | 1.70                 | 23.00                      |
| 6625MHz                         | Pass   | 5.72        | -5.93               | -6.76               | -3.39           | 2.33                 | 23.00                      |
| 6705MHz                         | Pass   | 5.72        | -6.21               | -6.93               | -3.60           | 2.12                 | 23.00                      |
| 6785MHz                         | Pass   | 5.72        | -5.97               | -7.25               | -3.61           | 2.11                 | 23.00                      |
| 802.11be EHT160_Nss2,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                    | -                          |
| 6025MHz                         | Pass   | 6.62        | -10.74              | -10.54              | -7.73           | -1.11                | 23.00                      |
| 6185MHz                         | Pass   | 6.62        | -10.28              | -10.83              | -7.54           | -0.92                | 23.00                      |
| 6345MHz                         | Pass   | 6.62        | -10.12              | -10.79              | -7.52           | -0.90                | 23.00                      |
| 6665MHz                         | Pass   | 5.72        | -9.43               | -9.70               | -6.57           | -0.85                | 23.00                      |
| 802.11be EHT320_Nss2,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                    | -                          |
| 6105MHz                         | Pass   | 6.62        | -12.94              | -13.84              | -10.51          | -3.89                | 23.00                      |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
Inf = There's no restriction for the limit.


5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

5955MHz

02/10/2025

CF (Hz)  
5.955G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       |
|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 1.02         | 1.02         | -1.48        | -2.30        |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6195MHz

02/10/2025

CF (Hz)  
6.195G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       |
|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 0.81         | 0.81         | -1.69        | -2.27        |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6415MHz

02/10/2025

CF (Hz)  
6.415G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 0.91     | 0.91     | -1.57    | -2.51    |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6535MHz

10/11/2025

CF (Hz)  
6.535G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 2.21     | 2.21     | -0.07    | -1.36    |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6695MHz

10/11/2025

CF (Hz)  
6.695G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 1.88     | 1.88     | -0.77    | -1.33    |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6855MHz

10/11/2025

CF (Hz)  
6.855G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 2.01     | 2.01     | -0.53    | -1.37    |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

5965MHz

02/10/2025

CF (Hz)  
5.965G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -2.20    | -2.20    | -4.71    | -5.69    |


5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6205MHz

02/10/2025

CF (Hz)  
6.205G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -2.74    | -2.74    | -5.33    | -6.08    |


5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6405MHz

02/10/2025

CF (Hz)  
6.405G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -2.25     | -2.25     | -4.86     | -5.55     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6565MHz

10/11/2025

CF (Hz)  
6.565G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -1.05     | -1.05     | -3.72     | -4.18     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6685MHz

10/11/2025

CF (Hz)  
6.685G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -0.72    | -0.72    | -3.16    | -4.37    |


6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6845MHz

10/11/2025

CF (Hz)  
6.845G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -1.11    | -1.11    | -3.65    | -4.35    |


5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

5985MHz

02/10/2025

CF (Hz)  
5.985G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -4.84    | -4.84    | -7.25    | -8.21    |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6225MHz

02/10/2025

CF (Hz)  
6.225G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -5.22    | -5.22    | -7.87    | -8.35    |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6385MHz

02/10/2025

CF (Hz)  
6.385G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -4.92     | -4.92     | -7.33     | -8.39     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6625MHz

10/11/2025

CF (Hz)  
6.625G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -3.39     | -3.39     | -5.93     | -6.76     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6705MHz

10/11/2025

CF (Hz)  
6.705G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -3.60     | -3.60     | -6.21     | -6.93     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6785MHz

10/11/2025

CF (Hz)  
6.785G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -3.61     | -3.61     | -5.97     | -7.25     |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6025MHz

02/10/2025

CF (Hz)  
6.025G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -7.73    | -7.73    | -10.74   | -10.54   |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6185MHz

02/10/2025

CF (Hz)  
6.185G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -7.54    | -7.54    | -10.28   | -10.83   |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6345MHz

02/10/2025

CF (Hz)  
6.345G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -7.52    | -7.52    | -10.12   | -10.79   |


6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6665MHz

10/11/2025

CF (Hz)  
6.665G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -6.57    | -6.57    | -9.43    | -9.70    |


5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

PSD

6105MHz

02/10/2025

CF (Hz)  
6.105G  
Span (Hz)  
480M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2

| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -10.51    | -10.51    | -12.94    | -13.84    |

Test Mode: Mode 8

**Summary**

| Mode                            | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                  | -               | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 0.68            | 8.01                 |
| 802.11be EHT20_Nss4,(MCS0)_4TX  | 0.67            | 7.29                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | -2.11           | 5.22                 |
| 802.11be EHT40_Nss4,(MCS0)_4TX  | -2.14           | 4.48                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | -5.13           | 2.20                 |
| 802.11be EHT80_Nss4,(MCS0)_4TX  | -5.02           | 1.60                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX | -7.86           | -0.53                |
| 802.11be EHT160_Nss4,(MCS0)_4TX | -7.83           | -1.21                |
| 802.11be EHT320_Nss1,(MCS0)_4TX | -11.13          | -3.80                |
| 802.11be EHT320_Nss4,(MCS0)_4TX | -10.99          | -4.37                |
| 6.525-6.875GHz                  | -               | -                    |
| 802.11be EHT20_Nss1,(MCS0)_4TX  | 2.20            | 7.92                 |
| 802.11be EHT20_Nss4,(MCS0)_4TX  | 2.26            | 7.98                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | -0.74           | 4.98                 |
| 802.11be EHT40_Nss4,(MCS0)_4TX  | -0.75           | 4.97                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | -3.58           | 2.14                 |
| 802.11be EHT80_Nss4,(MCS0)_4TX  | -3.54           | 2.18                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX | -6.60           | -0.88                |
| 802.11be EHT160_Nss4,(MCS0)_4TX | -6.64           | -0.92                |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                            | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | Port 3<br>(dBm/RBW) | Port 4<br>(dBm/RBW) | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|-------------|---------------------|---------------------|---------------------|---------------------|-----------------|----------------------|----------------------------|
| 802.11be EHT20_Nss1,(MCS0)_4TX  | -      | -           | -                   | -                   | -                   | -                   | -               | -                    | -                          |
| 5955MHz                         | Pass   | 7.33        | -4.84               | -5.59               | -5.32               | -5.25               | 0.67            | 8.00                 | 23.00                      |
| 6195MHz                         | Pass   | 7.33        | -5.02               | -5.81               | -5.11               | -5.84               | 0.46            | 7.79                 | 23.00                      |
| 6415MHz                         | Pass   | 7.33        | -4.39               | -5.00               | -5.33               | -6.20               | 0.68            | 8.01                 | 23.00                      |
| 6535MHz                         | Pass   | 5.72        | -3.36               | -4.51               | -3.60               | -3.75               | 2.11            | 7.83                 | 23.00                      |
| 6695MHz                         | Pass   | 5.72        | -3.75               | -4.11               | -3.84               | -3.15               | 2.20            | 7.92                 | 23.00                      |
| 6855MHz                         | Pass   | 5.72        | -3.63               | -4.47               | -3.80               | -3.12               | 2.12            | 7.84                 | 23.00                      |
| 802.11be EHT40_Nss1,(MCS0)_4TX  | -      | -           | -                   | -                   | -                   | -                   | -               | -                    | -                          |
| 5965MHz                         | Pass   | 7.33        | -7.54               | -8.72               | -8.43               | -8.54               | -2.36           | 4.97                 | 23.00                      |
| 6205MHz                         | Pass   | 7.33        | -8.04               | -9.14               | -8.17               | -8.30               | -2.55           | 4.78                 | 23.00                      |
| 6405MHz                         | Pass   | 7.33        | -7.48               | -8.00               | -8.44               | -8.16               | -2.11           | 5.22                 | 23.00                      |
| 6565MHz                         | Pass   | 5.72        | -6.91               | -7.19               | -7.06               | -6.67               | -1.09           | 4.63                 | 23.00                      |
| 6685MHz                         | Pass   | 5.72        | -5.97               | -7.31               | -6.71               | -6.64               | -0.74           | 4.98                 | 23.00                      |
| 6845MHz                         | Pass   | 5.72        | -6.89               | -7.08               | -7.05               | -6.46               | -1.05           | 4.67                 | 23.00                      |
| 802.11be EHT80_Nss1,(MCS0)_4TX  | -      | -           | -                   | -                   | -                   | -                   | -               | -                    | -                          |
| 5985MHz                         | Pass   | 7.33        | -10.41              | -11.08              | -11.39              | -11.33              | -5.13           | 2.20                 | 23.00                      |
| 6225MHz                         | Pass   | 7.33        | -11.23              | -11.96              | -11.63              | -11.51              | -5.71           | 1.62                 | 23.00                      |
| 6385MHz                         | Pass   | 7.33        | -10.42              | -11.24              | -11.53              | -11.28              | -5.16           | 2.17                 | 23.00                      |
| 6625MHz                         | Pass   | 5.72        | -9.31               | -10.14              | -9.34               | -9.30               | -3.61           | 2.11                 | 23.00                      |
| 6705MHz                         | Pass   | 5.72        | -9.08               | -10.13              | -9.61               | -9.01               | -3.58           | 2.14                 | 23.00                      |
| 6785MHz                         | Pass   | 5.72        | -9.38               | -10.35              | -10.32              | -9.32               | -3.88           | 1.84                 | 23.00                      |
| 802.11be EHT160_Nss1,(MCS0)_4TX | -      | -           | -                   | -                   | -                   | -                   | -               | -                    | -                          |
| 6025MHz                         | Pass   | 7.33        | -14.09              | -14.00              | -14.76              | -14.46              | -8.44           | -1.11                | 23.00                      |
| 6185MHz                         | Pass   | 7.33        | -13.69              | -14.31              | -14.23              | -14.21              | -8.26           | -0.93                | 23.00                      |
| 6345MHz                         | Pass   | 7.33        | -13.25              | -13.59              | -13.99              | -14.25              | -7.86           | -0.53                | 23.00                      |
| 6665MHz                         | Pass   | 5.72        | -12.42              | -12.77              | -12.49              | -12.35              | -6.60           | -0.88                | 23.00                      |
| 802.11be EHT320_Nss1,(MCS0)_4TX | -      | -           | -                   | -                   | -                   | -                   | -               | -                    | -                          |
| 6105MHz                         | Pass   | 7.33        | -16.67              | -17.58              | -17.22              | -16.64              | -11.13          | -3.80                | 23.00                      |
| 802.11be EHT20_Nss4,(MCS0)_4TX  | -      | -           | -                   | -                   | -                   | -                   | -               | -                    | -                          |
| 5955MHz                         | Pass   | 6.62        | -4.80               | -5.48               | -5.32               | -5.34               | 0.66            | 7.28                 | 23.00                      |
| 6195MHz                         | Pass   | 6.62        | -4.87               | -5.75               | -5.46               | -5.85               | 0.41            | 7.03                 | 23.00                      |
| 6415MHz                         | Pass   | 6.62        | -4.45               | -5.04               | -5.36               | -6.31               | 0.67            | 7.29                 | 23.00                      |
| 6535MHz                         | Pass   | 5.72        | -3.17               | -4.62               | -3.60               | -3.73               | 2.16            | 7.88                 | 23.00                      |
| 6695MHz                         | Pass   | 5.72        | -3.49               | -4.10               | -3.93               | -3.21               | 2.26            | 7.98                 | 23.00                      |
| 6855MHz                         | Pass   | 5.72        | -3.72               | -4.89               | -3.94               | -3.52               | 1.94            | 7.66                 | 23.00                      |
| 802.11be EHT40_Nss4,(MCS0)_4TX  | -      | -           | -                   | -                   | -                   | -                   | -               | -                    | -                          |
| 5965MHz                         | Pass   | 6.62        | -7.46               | -8.24               | -8.46               | -8.00               | -2.14           | 4.48                 | 23.00                      |
| 6205MHz                         | Pass   | 6.62        | -8.16               | -8.75               | -7.87               | -8.54               | -2.46           | 4.16                 | 23.00                      |
| 6405MHz                         | Pass   | 6.62        | -7.80               | -8.19               | -8.03               | -8.42               | -2.20           | 4.42                 | 23.00                      |
| 6565MHz                         | Pass   | 5.72        | -6.67               | -7.43               | -7.13               | -6.63               | -1.03           | 4.69                 | 23.00                      |
| 6685MHz                         | Pass   | 5.72        | -6.06               | -7.35               | -6.74               | -6.51               | -0.75           | 4.97                 | 23.00                      |
| 6845MHz                         | Pass   | 5.72        | -6.68               | -7.32               | -6.94               | -6.43               | -0.92           | 4.80                 | 23.00                      |
| 802.11be EHT80_Nss4,(MCS0)_4TX  | -      | -           | -                   | -                   | -                   | -                   | -               | -                    | -                          |
| 5985MHz                         | Pass   | 6.62        | -10.15              | -11.53              | -11.11              | -11.48              | -5.10           | 1.52                 | 23.00                      |
| 6225MHz                         | Pass   | 6.62        | -10.63              | -11.75              | -11.04              | -11.49              | -5.33           | 1.29                 | 23.00                      |
| 6385MHz                         | Pass   | 6.62        | -10.16              | -11.29              | -11.61              | -11.13              | -5.02           | 1.60                 | 23.00                      |
| 6625MHz                         | Pass   | 5.72        | -9.36               | -10.33              | -9.54               | -9.14               | -3.63           | 2.09                 | 23.00                      |
| 6705MHz                         | Pass   | 5.72        | -9.23               | -10.03              | -9.46               | -9.25               | -3.54           | 2.18                 | 23.00                      |
| 6785MHz                         | Pass   | 5.72        | -9.53               | -10.53              | -10.35              | -8.87               | -3.89           | 1.83                 | 23.00                      |
| 802.11be EHT160_Nss4,(MCS0)_4TX | -      | -           | -                   | -                   | -                   | -                   | -               | -                    | -                          |
| 6025MHz                         | Pass   | 6.62        | -13.35              | -13.66              | -14.07              | -13.94              | -7.88           | -1.26                | 23.00                      |
| 6185MHz                         | Pass   | 6.62        | -13.47              | -14.23              | -14.12              | -14.22              | -8.11           | -1.49                | 23.00                      |
| 6345MHz                         | Pass   | 6.62        | -12.96              | -13.92              | -13.74              | -14.54              | -7.83           | -1.21                | 23.00                      |
| 6665MHz                         | Pass   | 5.72        | -12.96              | -13.00              | -12.50              | -12.09              | -6.64           | -0.92                | 23.00                      |
| 802.11be EHT320_Nss4,(MCS0)_4TX | -      | -           | -                   | -                   | -                   | -                   | -               | -                    | -                          |



| Mode    | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | Port 3<br>(dBm/RBW) | Port 4<br>(dBm/RBW) | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------|--------|-------------|---------------------|---------------------|---------------------|---------------------|-----------------|----------------------|----------------------------|
| 6105MHz | Pass   | 6.62        | -16.60              | -16.94              | -17.12              | -16.90              | -10.99          | -4.37                | 23.00                      |


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
Inf = There's no restriction for the limit.

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

PSD

5955MHz

03/10/2025




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

PSD

6195MHz

03/10/2025




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

PSD

6415MHz

03/10/2025




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

PSD

6535MHz

10/11/2025




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

PSD

6695MHz

10/11/2025




6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

PSD

6855MHz

10/11/2025




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

PSD

5965MHz

03/10/2025

CF (Hz)  
5.965G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   | Port 3   | Port 4   |
|----------|----------|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -2.36    | -2.36    | -7.54    | -8.72    | -8.43    | -8.54    |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

PSD

6205MHz

03/10/2025

CF (Hz)  
6.205G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   | Port 3   | Port 4   |
|----------|----------|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -2.55    | -2.55    | -8.04    | -9.14    | -8.17    | -8.30    |


5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

PSD

6405MHz

03/10/2025

CF (Hz)  
6.405G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

| Sum      | PD       | Port 1   | Port 2   | Port 3   | Port 4   |
|----------|----------|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -2.11    | -2.11    | -7.48    | -8.00    | -8.44    | -8.16    |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

PSD

6565MHz

10/11/2025

CF (Hz)  
6.565G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2  
Port 3  
Port 4

| Sum      | PD       | Port 1   | Port 2   | Port 3   | Port 4   |
|----------|----------|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -1.09    | -1.09    | -6.91    | -7.19    | -7.06    | -6.67    |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

PSD

6685MHz

10/11/2025

CF (Hz)  
6.685G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | Port 1   | Port 2   | Port 3   | Port 4   |
|----------|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -0.74    | -0.74    | -5.97    | -7.31    | -6.71    |


6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

PSD

6845MHz

10/11/2025

CF (Hz)  
6.845G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | Port 1   | Port 2   | Port 3   | Port 4   |
|----------|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -1.05    | -1.05    | -6.89    | -7.08    | -7.05    |


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

PSD

5985MHz

03/10/2025

CF (Hz)  
5.985G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   | Port 3   | Port 4   |
|----------|----------|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -5.13    | -5.13    | -10.41   | -11.08   | -11.39   | -11.33   |


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

PSD

6225MHz

03/10/2025

CF (Hz)  
6.225G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   | Port 3   | Port 4   |
|----------|----------|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -5.71    | -5.71    | -11.23   | -11.96   | -11.63   | -11.51   |


5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

PSD

6385MHz

03/10/2025

CF (Hz)  
6.385G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -5.16     | -5.16     | -10.42    | -11.24    | -11.53    | -11.28    |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

PSD

6625MHz

10/11/2025

CF (Hz)  
6.625G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -3.61     | -3.61     | -9.31     | -10.14    | -9.34     | -9.30     |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

PSD

6705MHz

10/11/2025

CF (Hz)  
6.705G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -3.58     | -3.58     | -9.08     | -10.13    | -9.61     | -9.01     |


6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

PSD

6785MHz

10/11/2025

CF (Hz)  
6.785G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -3.88     | -3.88     | -9.38     | -10.35    | -10.32    | -9.32     |


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

PSD

6025MHz

03/10/2025

CF (Hz)  
6.025G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -8.44     | -8.44     | -14.09    | -14.00    | -14.76    | -14.46    |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

PSD

6185MHz

03/10/2025

CF (Hz)  
6.185G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -8.26     | -8.26     | -13.69    | -14.31    | -14.23    | -14.21    |


Sum  
Port 1  
Port 2  
Port 3  
Port 4

## 5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

PSD

6345MHz

03/10/2025




## 6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

PSD

6665MHz

10/11/2025




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

PSD

6105MHz

03/10/2025

CF (Hz)  
6.105G  
Span (Hz)  
480M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -11.13    | -11.13    | -16.67    | -17.58    | -17.22    | -16.64    |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

PSD

5955MHz

03/10/2025

CF (Hz)  
5.955G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 0.66      | 0.66      | -4.80     | -5.48     | -5.32     | -5.34     |


Sum  
Port 1  
Port 2  
Port 3  
Port 4

5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

PSD

6195MHz

03/10/2025




5.925-6.425GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

PSD

6415MHz

03/10/2025




6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

PSD

6535MHz

10/11/2025




6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

PSD

6695MHz

10/11/2025




## 6.525-6.875GHz\_802.11be EHT20\_Nss4,(MCS0)\_4TX

PSD

6855MHz

10/11/2025




## 5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

PSD

5965MHz

03/10/2025




5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

PSD

6205MHz

03/10/2025

CF (Hz)  
6.205G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   | Port 3   | Port 4   |
|----------|----------|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -2.46    | -2.46    | -8.16    | -8.75    | -7.87    | -8.54    |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


5.925-6.425GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

PSD

6405MHz

03/10/2025

CF (Hz)  
6.405G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   | Port 3   | Port 4   |
|----------|----------|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -2.20    | -2.20    | -7.80    | -8.19    | -8.03    | -8.42    |


Sum  
Port 1  
Port 2  
Port 3  
Port 4

6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

PSD

6565MHz

10/11/2025




6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

PSD

6685MHz

10/11/2025




6.525-6.875GHz\_802.11be EHT40\_Nss4,(MCS0)\_4TX

PSD

6845MHz

10/11/2025

CF (Hz)  
6.845G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -0.92     | -0.92     | -6.68     | -7.32     | -6.94     | -6.43     |


5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

PSD

5985MHz

03/10/2025

CF (Hz)  
5.985G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS




| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -5.10     | -5.10     | -10.15    | -11.53    | -11.11    | -11.48    |

5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

PSD

6225MHz

03/10/2025




5.925-6.425GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

PSD

6385MHz

03/10/2025




6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

PSD

6625MHz

10/11/2025




6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

PSD

6705MHz

10/11/2025




## 6.525-6.875GHz\_802.11be EHT80\_Nss4,(MCS0)\_4TX

PSD

6785MHz

10/11/2025

CF (Hz)  
6.785G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -3.89     | -3.89     | -9.53     | -10.53    | -10.35    | -8.87     |


## 5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

PSD

6025MHz

03/10/2025

CF (Hz)  
6.025G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -7.88     | -7.88     | -13.35    | -13.66    | -14.07    | -13.94    |


5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

PSD

6185MHz

03/10/2025

CF (Hz)  
6.185G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -8.11     | -8.11     | -13.47    | -14.23    | -14.12    | -14.22    |

Sum  
Port 1  
Port 2  
Port 3  
Port 4


5.925-6.425GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

PSD

6345MHz

03/10/2025

CF (Hz)  
6.345G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    | Port 3    | Port 4    |
|-----------|-----------|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -7.83     | -7.83     | -12.96    | -13.92    | -13.74    | -14.54    |


Sum  
Port 1  
Port 2  
Port 3  
Port 4

## 6.525-6.875GHz\_802.11be EHT160\_Nss4,(MCS0)\_4TX

PSD

6665MHz

10/11/2025




## 5.925-6.425GHz\_802.11be EHT320\_Nss4,(MCS0)\_4TX

PSD

6105MHz

03/10/2025



Test Mode: Mode 9

**Summary**

| Mode                            | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                  | -               | -                    |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | 16.30           | 21.65                |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | 13.33           | 18.68                |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | 10.56           | 15.91                |
| 802.11be EHT160_Nss2,(MCS0)_2TX | 5.00            | 10.35                |
| 802.11be EHT320_Nss2,(MCS0)_2TX | 1.24            | 6.59                 |
| 6.525-6.875GHz                  | -               | -                    |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | 14.87           | 20.79                |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | 12.55           | 18.47                |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | 9.67            | 15.59                |
| 802.11be EHT160_Nss2,(MCS0)_2TX | 4.18            | 10.10                |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                            | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|-------------|---------------------|---------------------|-----------------|----------------------|----------------------------|
| 802.11be EHT20_Nss2,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5955MHz                         | Pass   | 5.35        | 7.75                | 7.13                | 10.39           | 15.74                | 23.00                      |
| 6195MHz                         | Pass   | 5.35        | 13.68               | 13.09               | 16.30           | 21.65                | 23.00                      |
| 6415MHz                         | Pass   | 5.35        | 10.83               | 9.99                | 13.40           | 18.75                | 23.00                      |
| 6535MHz                         | Pass   | 5.92        | 10.19               | 9.12                | 12.59           | 18.51                | 23.00                      |
| 6695MHz                         | Pass   | 5.92        | 11.94               | 12.11               | 14.87           | 20.79                | 23.00                      |
| 6855MHz                         | Pass   | 5.92        | 10.68               | 10.83               | 13.75           | 19.67                | 23.00                      |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5965MHz                         | Pass   | 5.35        | 4.45                | 4.03                | 7.17            | 12.52                | 23.00                      |
| 6205MHz                         | Pass   | 5.35        | 10.73               | 9.99                | 13.33           | 18.68                | 23.00                      |
| 6405MHz                         | Pass   | 5.35        | 8.24                | 7.56                | 10.90           | 16.25                | 23.00                      |
| 6565MHz                         | Pass   | 5.92        | 9.62                | 9.64                | 12.55           | 18.47                | 23.00                      |
| 6685MHz                         | Pass   | 5.92        | 8.89                | 8.86                | 11.85           | 17.77                | 23.00                      |
| 6845MHz                         | Pass   | 5.92        | 7.74                | 7.53                | 10.61           | 16.53                | 23.00                      |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5985MHz                         | Pass   | 5.35        | 3.26                | 2.21                | 5.72            | 11.07                | 23.00                      |
| 6225MHz                         | Pass   | 5.35        | 8.08                | 7.24                | 10.56           | 15.91                | 23.00                      |
| 6385MHz                         | Pass   | 5.35        | 5.32                | 4.07                | 7.75            | 13.10                | 23.00                      |
| 6625MHz                         | Pass   | 5.92        | 6.93                | 6.59                | 9.67            | 15.59                | 23.00                      |
| 6705MHz                         | Pass   | 5.92        | 6.34                | 6.09                | 9.11            | 15.03                | 23.00                      |
| 6785MHz                         | Pass   | 5.92        | 5.73                | 5.75                | 8.62            | 14.54                | 23.00                      |
| 802.11be EHT160_Nss2,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                    | -                          |
| 6025MHz                         | Pass   | 5.35        | 2                   | 0.4                 | 4.25            | 9.60                 | 23.00                      |
| 6185MHz                         | Pass   | 5.35        | 2.81                | 1.23                | 5.00            | 10.35                | 23.00                      |
| 6345MHz                         | Pass   | 5.35        | 2.55                | 1                   | 4.84            | 10.19                | 23.00                      |
| 6665MHz                         | Pass   | 5.92        | 1.75                | 0.74                | 4.18            | 10.10                | 23.00                      |
| 802.11be EHT320_Nss2,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                    | -                          |
| 6105MHz                         | Pass   | 5.35        | -1.02               | -2.57               | 1.24            | 6.59                 | 23.00                      |


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
 Inf = There's no restriction for the limit.

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

5955MHz

02/10/2025




5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6195MHz

02/10/2025




5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6415MHz

03/10/2025

CF (Hz)  
6.415G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 13.40    | 13.40    | 10.83    | 9.99     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6535MHz

03/10/2025

CF (Hz)  
6.535G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 12.59    | 12.59    | 10.19    | 9.12     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6695MHz

02/10/2025

CF (Hz)  
6.695G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 14.87    | 14.87    | 11.94    | 12.11    |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6855MHz

02/10/2025

CF (Hz)  
6.855G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 13.75    | 13.75    | 10.68    | 10.83    |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

5965MHz

20/10/2025

CF (Hz)  
5.965G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 7.17      | 7.17      | 4.45      | 4.03      |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6205MHz

02/10/2025

CF (Hz)  
6.205G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 13.33     | 13.33     | 10.73     | 9.99      |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6405MHz

04/10/2025

CF (Hz)  
6.405G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum<br>(dBm/Hz) | PD<br>(dBm/Hz) | Port 1<br>(dBm/Hz) | Port 2<br>(dBm/Hz) |
|-----------------|----------------|--------------------|--------------------|
| 10.90           | 10.90          | 8.24               | 7.56               |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6565MHz

02/10/2025

CF (Hz)  
6.565G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum<br>(dBm/Hz) | PD<br>(dBm/Hz) | Port 1<br>(dBm/Hz) | Port 2<br>(dBm/Hz) |
|-----------------|----------------|--------------------|--------------------|
| 12.55           | 12.55          | 9.62               | 9.64               |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6685MHz

02/10/2025

CF (Hz)  
6.685G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 11.85    | 11.85    | 8.89     | 8.86     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6845MHz

02/10/2025

CF (Hz)  
6.845G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 10.61    | 10.61    | 7.74     | 7.53     |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

5985MHz

02/10/2025

CF (Hz)  
5.985G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       |
|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 5.72         | 5.72         | 3.26         | 2.21         |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6225MHz

02/10/2025

CF (Hz)  
6.225G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       |
|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 10.56        | 10.56        | 8.08         | 7.24         |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6385MHz

04/10/2025

CF (Hz)  
6.385G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 7.75     | 7.75     | 5.32     | 4.07     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6625MHz

02/10/2025

CF (Hz)  
6.625G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 9.67     | 9.67     | 6.93     | 6.59     |


Sum  
Port 1  
Port 2

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6705MHz

02/10/2025




6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6785MHz

02/10/2025




5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6025MHz

02/10/2025

CF (Hz)  
6.025G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 4.25     | 4.25     | 2.00     | 0.40     |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6185MHz

02/10/2025

CF (Hz)  
6.185G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 5.00     | 5.00     | 2.81     | 1.23     |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6345MHz

02/10/2025

CF (Hz)  
6.345G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 4.84     | 4.84     | 2.55     | 1.00     |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6665MHz

02/10/2025

CF (Hz)  
6.665G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 4.18     | 4.18     | 1.75     | 0.74     |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

PSD

6105MHz

02/10/2025

CF (Hz)  
6.105G  
Span (Hz)  
480M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2

| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| 1.24      | 1.24      | -1.02     | -2.57     |

Test Mode: Mode 10

**Summary**

| Mode                            | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                  | -               | -                    |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | 2.10            | 7.45                 |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | -0.77           | 4.58                 |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | -3.49           | 1.86                 |
| 802.11be EHT160_Nss2,(MCS0)_2TX | -6.34           | -0.99                |
| 802.11be EHT320_Nss2,(MCS0)_2TX | -9.39           | -4.04                |
| 6.525-6.875GHz                  | -               | -                    |
| 802.11be EHT20_Nss2,(MCS0)_2TX  | 5.00            | 10.92                |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | 2.16            | 8.08                 |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | -0.62           | 5.30                 |
| 802.11be EHT160_Nss2,(MCS0)_2TX | -3.71           | 2.21                 |

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

**Result**

| Mode                            | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------|--------|-------------|---------------------|---------------------|-----------------|----------------------|----------------------------|
| 802.11be EHT20_Nss2,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5955MHz                         | Pass   | 5.35        | -0.72               | -1.00               | 2.08            | 7.43                 | 23.00                      |
| 6195MHz                         | Pass   | 5.35        | -0.52               | -0.91               | 2.10            | 7.45                 | 23.00                      |
| 6415MHz                         | Pass   | 5.35        | -0.74               | -0.92               | 2.09            | 7.44                 | 23.00                      |
| 6535MHz                         | Pass   | 5.92        | 2.00                | 1.93                | 4.92            | 10.84                | 23.00                      |
| 6695MHz                         | Pass   | 5.92        | 2.18                | 1.86                | 5.00            | 10.92                | 23.00                      |
| 6855MHz                         | Pass   | 5.92        | 1.98                | 1.71                | 4.73            | 10.65                | 23.00                      |
| 802.11be EHT40_Nss2,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5965MHz                         | Pass   | 5.35        | -3.53               | -4.25               | -0.92           | 4.43                 | 23.00                      |
| 6205MHz                         | Pass   | 5.35        | -3.52               | -4.24               | -0.94           | 4.41                 | 23.00                      |
| 6405MHz                         | Pass   | 5.35        | -3.59               | -3.77               | -0.77           | 4.58                 | 23.00                      |
| 6565MHz                         | Pass   | 5.92        | -0.99               | -0.65               | 2.16            | 8.08                 | 23.00                      |
| 6685MHz                         | Pass   | 5.92        | -0.73               | -1.00               | 2.11            | 8.03                 | 23.00                      |
| 6845MHz                         | Pass   | 5.92        | -0.70               | -0.85               | 2.06            | 7.98                 | 23.00                      |
| 802.11be EHT80_Nss2,(MCS0)_2TX  | -      | -           | -                   | -                   | -               | -                    | -                          |
| 5985MHz                         | Pass   | 5.35        | -6.25               | -7.00               | -3.60           | 1.75                 | 23.00                      |
| 6225MHz                         | Pass   | 5.35        | -6.52               | -6.73               | -3.70           | 1.65                 | 23.00                      |
| 6385MHz                         | Pass   | 5.35        | -6.30               | -6.48               | -3.49           | 1.86                 | 23.00                      |
| 6625MHz                         | Pass   | 5.92        | -3.29               | -3.93               | -0.62           | 5.30                 | 23.00                      |
| 6705MHz                         | Pass   | 5.92        | -3.46               | -4.08               | -0.75           | 5.17                 | 23.00                      |
| 6785MHz                         | Pass   | 5.92        | -3.65               | -3.94               | -0.79           | 5.13                 | 23.00                      |
| 802.11be EHT160_Nss2,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                    | -                          |
| 6025MHz                         | Pass   | 5.35        | -9.14               | -9.57               | -6.34           | -0.99                | 23.00                      |
| 6185MHz                         | Pass   | 5.35        | -9.29               | -10.05              | -6.69           | -1.34                | 23.00                      |
| 6345MHz                         | Pass   | 5.35        | -9.01               | -9.89               | -6.57           | -1.22                | 23.00                      |
| 6665MHz                         | Pass   | 5.92        | -6.54               | -6.71               | -3.71           | 2.21                 | 23.00                      |
| 802.11be EHT320_Nss2,(MCS0)_2TX | -      | -           | -                   | -                   | -               | -                    | -                          |
| 6105MHz                         | Pass   | 5.35        | -11.98              | -12.66              | -9.39           | -4.04                | 23.00                      |

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;  
Inf = There's no restriction for the limit.


5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

5955MHz

02/10/2025

CF (Hz)  
5.955G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       |
|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 2.08         | 2.08         | -0.72        | -1.00        |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6195MHz

02/10/2025

CF (Hz)  
6.195G  
Span (Hz)  
30M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum          | PD           | Port 1       | Port 2       |
|--------------|--------------|--------------|--------------|
| (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) | (dBm/100kHz) |
| 2.10         | 2.10         | -0.52        | -0.91        |

Sum  
Port 1  
Port 2

5.925-6.425GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6415MHz

02/10/2025

CF (Hz)  
6.415G


Span (Hz)  
30M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 2.09     | 2.09     | -0.74    | -0.92    |

Sum 

Port 1 

Port 2 

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6535MHz

12/11/2025

CF (Hz)  
6.535G


Span (Hz)  
30M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 4.92     | 4.92     | 2.00     | 1.93     |

Sum 

Port 1 

Port 2 

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6695MHz

12/11/2025

CF (Hz)  
6.695G


Span (Hz)  
30M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



Sum 

Port 1 

Port 2 

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 5.00     | 5.00     | 2.18     | 1.86     |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

PSD

6855MHz

12/11/2025

CF (Hz)  
6.855G


Span (Hz)  
30M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



Sum 

Port 1 

Port 2 

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 4.73     | 4.73     | 1.98     | 1.71     |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

5965MHz

02/10/2025

CF (Hz)  
5.965G


Span (Hz)  
60M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -0.92    | -0.92    | -3.53    | -4.25    |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6205MHz

02/10/2025

CF (Hz)  
6.205G


Span (Hz)  
60M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



Sum ☐

Port 1 ☐

Port 2 ☐

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -0.94    | -0.94    | -3.52    | -4.24    |

5.925-6.425GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6405MHz

02/10/2025

CF (Hz)  
6.405G


Span (Hz)  
60M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



Sum 

Port 1 

Port 2 

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -0.77    | -0.77    | -3.59    | -3.77    |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6565MHz

12/11/2025

CF (Hz)  
6.565G


Span (Hz)  
60M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
20m

Detector Type  
RMS



Sum 

Port 1 

Port 2 

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| 2.16     | 2.16     | -0.99    | -0.65    |


6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6685MHz

12/11/2025

CF (Hz)  
6.685G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum<br>(dBm/RBW) | PD<br>(dBm/RBW) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) |
|------------------|-----------------|---------------------|---------------------|
| 2.11             | 2.11            | -0.73               | -1.00               |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

PSD

6845MHz

12/11/2025

CF (Hz)  
6.845G  
Span (Hz)  
60M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum<br>(dBm/RBW) | PD<br>(dBm/RBW) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) |
|------------------|-----------------|---------------------|---------------------|
| 2.06             | 2.06            | -0.70               | -0.85               |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

5985MHz

02/10/2025

CF (Hz)  
5.985G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2

| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -3.60    | -3.60    | -6.25    | -7.00    |


5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6225MHz

02/10/2025

CF (Hz)  
6.225G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2


| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -3.70    | -3.70    | -6.52    | -6.73    |

5.925-6.425GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6385MHz

02/10/2025




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -3.49    | -3.49    | -6.30    | -6.48    |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6625MHz

12/11/2025



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -0.62    | -0.62    | -3.29    | -3.93    |


6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6705MHz

12/11/2025

CF (Hz)  
6.705G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -0.75    | -0.75    | -3.46    | -4.08    |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

PSD

6785MHz

12/11/2025

CF (Hz)  
6.785G  
Span (Hz)  
120M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -0.79    | -0.79    | -3.65    | -3.94    |


Sum  
Port 1  
Port 2

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6025MHz

02/10/2025




| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -6.34    | -6.34    | -9.14    | -9.57    |

5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6185MHz

02/10/2025



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -6.69    | -6.69    | -9.29    | -10.05   |


5.925-6.425GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6345MHz

02/10/2025

CF (Hz)  
6.345G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -6.57    | -6.57    | -9.01    | -9.89    |

Sum  
Port 1  
Port 2


6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

PSD

6665MHz

12/11/2025

CF (Hz)  
6.665G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



| Sum      | PD       | Port 1   | Port 2   |
|----------|----------|----------|----------|
| (dBm/Hz) | (dBm/Hz) | (dBm/Hz) | (dBm/Hz) |
| -3.71    | -3.71    | -6.54    | -6.71    |

Sum  
Port 1  
Port 2


5.925-6.425GHz\_802.11be EHT320\_Nss2,(MCS0)\_2TX

PSD

6105MHz

02/10/2025

CF (Hz)  
6.105G  
Span (Hz)  
480M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
20m  
Detector Type  
RMS



Sum  
Port 1  
Port 2

| Sum       | PD        | Port 1    | Port 2    |
|-----------|-----------|-----------|-----------|
| (dBm/RBW) | (dBm/RBW) | (dBm/RBW) | (dBm/RBW) |
| -9.39     | -9.39     | -11.98    | -12.66    |




## ***Radiated Emissions below 1GHz***

## ***Appendix E.1***

### **Summary**


| Mode   | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Condition |
|--------|--------|------|--------------|-------------------|-------------------|----------------|-----------|
| Mode 2 | Pass   | PK   | 35.82M       | 34.08             | 40.00             | -5.92          | Vertical  |

### Mode 2



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|---------------|--------------|------------|------------|--|--|
| PK   | 35.82M       | 34.08             | 40.00             | -5.92          | -10.24           | 3           | Vertical  | 270            | 1.00          | "Worst" | 44.32         | 20.99        | 0.56       | 31.79      |  |  |
| PK   | 68.8M        | 28.74             | 40.00             | -11.26         | -18.81           | 3           | Vertical  | 185            | 1.25          | -       | 47.55         | 12.37        | 0.79       | 31.97      |  |  |
| PK   | 130.88M      | 29.79             | 43.50             | -13.71         | -13.10           | 3           | Vertical  | 144            | 1.25          | -       | 42.89         | 17.84        | 1.10       | 32.04      |  |  |
| PK   | 434.49M      | 31.07             | 46.00             | -14.93         | -7.96            | 3           | Vertical  | 181            | 1.00          | -       | 39.03         | 22.21        | 2.08       | 32.25      |  |  |
| PK   | 520.82M      | 30.11             | 46.00             | -15.89         | -6.71            | 3           | Vertical  | 162            | 3.00          | -       | 36.82         | 23.34        | 2.31       | 32.36      |  |  |
| PK   | 811.82M      | 29.60             | 46.00             | -16.40         | -3.92            | 3           | Vertical  | 120            | 1.00          | -       | 33.52         | 25.86        | 2.96       | 32.74      |  |  |

### Mode 2



| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB/m) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) | AF<br>(dB/m) | CL<br>(dB) | PA<br>(dB) |  |  |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|---------------|--------------|------------|------------|--|--|
| PK   | 322.94M      | 29.25             | 46.00             | -16.75         | -10.68           | 3           | Horizontal | 0              | 2.00          | -       | 39.93         | 19.68        | 1.78       | 32.14      |  |  |
| PK   | 434.49M      | 31.22             | 46.00             | -14.78         | -7.96            | 3           | Horizontal | 350            | 1.50          | -       | 39.18         | 22.21        | 2.08       | 32.25      |  |  |
| PK   | 774.96M      | 31.81             | 46.00             | -14.19         | -4.05            | 3           | Horizontal | 55             | 2.00          | -       | 35.86         | 25.71        | 2.88       | 32.64      |  |  |
| PK   | 818.61M      | 36.53             | 46.00             | -9.47          | -3.99            | 3           | Horizontal | 36             | 1.00          | "Worst" | 40.52         | 25.74        | 2.97       | 32.70      |  |  |
| PK   | 827.34M      | 36.07             | 46.00             | -9.93          | -3.84            | 3           | Horizontal | 43             | 1.25          | -       | 39.91         | 25.83        | 2.99       | 32.66      |  |  |
| PK   | 870.99M      | 32.99             | 46.00             | -13.01         | -3.17            | 3           | Horizontal | 43             | 1.00          | -       | 36.16         | 26.29        | 3.09       | 32.55      |  |  |




Test Mode: Mode 1

Summary

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 6.525-6.875GHz                 | -      | -    | -            | -                 | -                 | -              | -           | -          | -              | -             | -        |
| 802.11be EHT40_Nss1,(MCS0)_1TX | Pass   | AV   | 13.36952G    | 53.92             | 54.00             | -0.08          | 3           | Horizontal | 229            | 1.80          | -        |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6595MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.1884G | 65.14    | 88.20    | -23.06 | 56.57  | 3    | Vertical  | 50      | 1.80   | -       | 40.12 | 13.37 | 44.92 |  |  |  |
| RMS  | 13.1895G | 55.48    | 68.20    | -12.72 | 46.90  | 3    | Vertical  | 50      | 1.80   | -       | 40.12 | 13.37 | 44.91 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6595MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.1967G     | 63.53             | 88.20             | -24.67         | 54.96         | 3           | Horizontal | 53             | 1.80          | -       | 40.11      | 13.37      | 44.91      |  |  |  |
| RMS  | 13.1902G     | 52.69             | 68.20             | -15.51         | 44.11         | 3           | Horizontal | 53             | 1.80          | -       | 40.12      | 13.37      | 44.91      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


6595MHz\_TX

EUT V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.79708G    | 58.48             | 83.54             | -25.06         | 48.88         | 1           | Vertical  | 320            | 1.46          | -       | 37.70      | 20.70      | 48.80      |  |  |  |
| AV   | 19.78912G    | 47.73             | 63.54             | -15.81         | 38.13         | 1           | Vertical  | 320            | 1.46          | -       | 37.70      | 20.70      | 48.80      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6595MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.78556G    | 57.21             | 83.54             | -26.33         | 47.61         | 1           | Horizontal | 320            | 1.50          | -       | 37.70      | 20.70      | 48.80      |  |  |  |
| AV   | 19.78572G    | 47.10             | 63.54             | -16.44         | 37.50         | 1           | Horizontal | 320            | 1.50          | -       | 37.70      | 20.70      | 48.80      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT V\_1TX  
Setting 73  
05-C-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.3901G | 64.47    | 74.00    | -9.53  | 55.24  | 3    | Vertical  | 56      | 1.80   | -       | 40.40 | 13.58 | 44.75 |  |  |  |
| AV   | 13.39G   | 53.82    | 54.00    | -0.18  | 44.59  | 3    | Vertical  | 56      | 1.80   | -       | 40.40 | 13.58 | 44.75 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6695MHz\_TX




EUT V\_1TX  
Setting 73  
05-C-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.3897G | 62.45    | 74.00    | -11.55 | 53.22  | 3    | Horizontal | 59      | 1.80   | -       | 40.40 | 13.58 | 44.75 |  |  |  |
| AV   | 13.3898G | 51.50    | 54.00    | -2.50  | 42.27  | 3    | Horizontal | 59      | 1.80   | -       | 40.40 | 13.58 | 44.75 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


6695MHz\_TX

EUT Y\_1TX  
Setting 73  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.0834G     | 59.24             | 83.54             | -24.30         | 49.52         | 1           | Vertical  | 40             | 1.55          | -       | 37.80      | 20.70      | 48.78      |  |  |  |
| AV   | 20.08192G    | 46.18             | 63.54             | -17.36         | 36.46         | 1           | Vertical  | 40             | 1.55          | -       | 37.80      | 20.70      | 48.78      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


6695MHz\_TX

EUT Y\_1TX  
Setting 73  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.08612G    | 60.16             | 83.54             | -23.38         | 50.43         | 1           | Horizontal | 309            | 1.50          | -       | 37.80      | 20.71      | 48.78      |  |  |  |
| AV   | 20.088G      | 46.93             | 63.54             | -16.61         | 37.20         | 1           | Horizontal | 309            | 1.50          | -       | 37.80      | 20.71      | 48.78      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6855MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-E-3

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7098G | 65.50    | 88.20    | -22.70 | 75.74  | 3    | Vertical  | 222     | 1.80   | -       | 40.58 | 13.91 | 64.73 |  |  |  |
| RMS  | 13.7093G | 54.84    | 68.20    | -13.36 | 65.08  | 3    | Vertical  | 222     | 1.80   | -       | 40.58 | 13.91 | 64.73 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6855MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-E-3

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.7095G | 68.26    | 88.20    | -19.94 | 78.50  | 3    | Horizontal | 132     | 1.00   | -       | 40.58 | 13.91 | 64.73 |  |  |  |
| RMS  | 13.7096G | 57.95    | 68.20    | -10.25 | 68.19  | 3    | Horizontal | 132     | 1.00   | -       | 40.58 | 13.91 | 64.73 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX


6855MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.56948G    | 60.58             | 83.54             | -22.96         | 49.85         | 1           | Vertical  | 322            | 1.53          | -       | 37.90      | 21.53      | 48.70      |  |  |  |
| AV   | 20.561G      | 50.78             | 63.54             | -12.76         | 40.06         | 1           | Vertical  | 322            | 1.53          | -       | 37.90      | 21.52      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_1TX

6855MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.55564G    | 59.24             | 83.54             | -24.30         | 48.52         | 1           | Horizontal | 30             | 1.50          | -       | 37.90      | 21.52      | 48.70      |  |  |  |
| AV   | 20.56324G    | 48.86             | 63.54             | -14.68         | 38.14         | 1           | Horizontal | 30             | 1.50          | -       | 37.90      | 21.52      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6605MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.21306G | 62.53    | 88.20    | -25.67 | 53.94  | 3    | Vertical  | 55      | 1.80   | -       | 40.10 | 13.39 | 44.90 |  |  |  |
| RMS  | 13.20982G | 52.49    | 68.20    | -15.71 | 43.90  | 3    | Vertical  | 55      | 1.80   | -       | 40.10 | 13.39 | 44.90 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


6605MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.21144G | 60.80    | 88.20    | -27.40 | 52.21  | 3    | Horizontal | 314     | 1.80   | -       | 40.10 | 13.39 | 44.90 |  |  |  |
| RMS  | 13.20964G | 50.21    | 68.20    | -17.99 | 41.62  | 3    | Horizontal | 314     | 1.80   | -       | 40.10 | 13.39 | 44.90 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


6605MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.82256G    | 56.86             | 83.54             | -26.68         | 47.28         | 1           | Vertical  | 321            | 1.48          | -       | 37.70      | 20.68      | 48.80      |  |  |  |
| AV   | 19.82452G    | 45.80             | 63.54             | -17.74         | 36.22         | 1           | Vertical  | 321            | 1.48          | -       | 37.70      | 20.68      | 48.80      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


6605MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.82508G    | 57.00             | 83.54             | -26.54         | 47.42         | 1           | Horizontal | 324            | 1.50          | -       | 37.70      | 20.68      | 48.80      |  |  |  |
| AV   | 19.82468G    | 47.26             | 63.54             | -16.28         | 37.68         | 1           | Horizontal | 324            | 1.50          | -       | 37.70      | 20.68      | 48.80      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




EUT\_V\_1TX  
Setting 107  
05-C-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.36376G | 63.28    | 74.00    | -10.72 | 74.17  | 3    | Vertical  | 216     | 1.80   | -       | 40.40 | 13.55 | 64.84 |  |  |  |
| AV   | 13.37128G | 52.69    | 54.00    | -1.31  | 63.57  | 3    | Vertical  | 216     | 1.80   | -       | 40.40 | 13.56 | 64.84 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




EUT\_V\_1TX  
Setting 107  
05-C-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.3732G     | 64.84             | 74.00             | -9.16          | 75.72         | 3           | Horizontal | 229            | 1.80          | -       | 40.40      | 13.56      | 64.84      |  |  |  |
| AV   | 13.36952G    | 53.92             | 54.00             | -0.08          | 64.81         | 3           | Horizontal | 229            | 1.80          | -       | 40.40      | 13.55      | 64.84      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


6685MHz\_TX

EUT\_V\_1TX  
Setting 107  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.06444G    | 57.73             | 83.54             | -25.81         | 48.05         | 1           | Vertical  | 325            | 1.57          | -       | 37.80      | 20.67      | 48.79      |  |  |  |
| AV   | 20.05588G    | 47.52             | 63.54             | -16.02         | 37.86         | 1           | Vertical  | 325            | 1.57          | -       | 37.80      | 20.65      | 48.79      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6685MHz\_TX




EUT\_V\_1TX  
Setting 107  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.06416G    | 59.43             | 83.54             | -24.11         | 49.75         | 1           | Horizontal | 310            | 1.50          | -       | 37.80      | 20.67      | 48.79      |  |  |  |
| AV   | 20.0648G     | 48.72             | 63.54             | -14.82         | 39.04         | 1           | Horizontal | 310            | 1.50          | -       | 37.80      | 20.67      | 48.79      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6845MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.6876G  | 66.65    | 88.20    | -21.55 | 76.88  | 3    | Vertical  | 231     | 1.41   | -       | 40.62 | 13.89 | 64.74 |  |  |  |
| RMS  | 13.68792G | 55.29    | 68.20    | -12.91 | 65.52  | 3    | Vertical  | 231     | 1.41   | -       | 40.62 | 13.89 | 64.74 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


6845MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.68888G    | 65.11             | 88.20             | -23.09         | 75.34         | 3           | Horizontal | 132            | 1.00          | -       | 40.62      | 13.89      | 64.74      |  |  |  |
| RMS  | 13.6876G     | 54.40             | 68.20             | -13.80         | 64.63         | 3           | Horizontal | 132            | 1.00          | -       | 40.62      | 13.89      | 64.74      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX


6845MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.52776G    | 59.23             | 83.54             | -24.31         | 48.54         | 1           | Vertical  | 42             | 1.50          | -       | 37.90      | 21.49      | 48.70      |  |  |  |
| AV   | 20.54556G    | 48.29             | 63.54             | -15.25         | 37.58         | 1           | Vertical  | 42             | 1.50          | -       | 37.90      | 21.51      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_1TX

6845MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.53492G    | 63.83             | 83.54             | -19.71         | 53.13         | 1           | Horizontal | 58             | 2.01          | -       | 37.90      | 21.50      | 48.70      |  |  |  |
| AV   | 20.53376G    | 52.80             | 63.54             | -10.74         | 42.11         | 1           | Horizontal | 58             | 2.01          | -       | 37.90      | 21.49      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


6625MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.26066G | 62.76    | 74.00    | -11.24 | 74.05  | 3    | Vertical  | 207     | 1.80   | -       | 40.12 | 13.44 | 64.85 |  |  |  |
| AV   | 13.26664G | 52.29    | 54.00    | -1.71  | 63.56  | 3    | Vertical  | 207     | 1.80   | -       | 40.13 | 13.45 | 64.85 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6625MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-E-3

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.2608G | 63.26    | 74.00    | -10.74 | 74.55  | 3    | Horizontal | 126     | 1.00   | -       | 40.12 | 13.44 | 64.85 |  |  |  |
| AV   | 13.256G  | 52.71    | 54.00    | -1.29  | 64.01  | 3    | Horizontal | 126     | 1.00   | -       | 40.11 | 13.44 | 64.85 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


6625MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.87792G    | 55.34             | 83.54             | -28.20         | 45.80         | 1           | Vertical  | 324            | 1.52          | -       | 37.70      | 20.64      | 48.80      |  |  |  |
| AV   | 19.87932G    | 44.91             | 63.54             | -18.63         | 35.37         | 1           | Vertical  | 324            | 1.52          | -       | 37.70      | 20.64      | 48.80      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


6625MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.89368G    | 57.23             | 83.54             | -26.31         | 47.70         | 1           | Horizontal | 323            | 1.49          | -       | 37.70      | 20.63      | 48.80      |  |  |  |
| AV   | 19.86532G    | 46.87             | 63.54             | -16.67         | 37.32         | 1           | Horizontal | 323            | 1.49          | -       | 37.70      | 20.65      | 48.80      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6705MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.42898G    | 62.71             | 88.20             | -25.49         | 73.41         | 3           | Vertical  | 218            | 1.80          | -       | 40.52      | 13.62      | 64.84      |  |  |  |
| RMS  | 13.42378G    | 52.04             | 68.20             | -16.16         | 62.77         | 3           | Vertical  | 218            | 1.80          | -       | 40.50      | 13.61      | 64.84      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


6705MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-E-3

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.41702G | 62.33    | 88.20    | -25.87 | 73.10  | 3    | Horizontal | 234     | 1.80   | -       | 40.47 | 13.60 | 64.84 |  |  |  |
| RMS  | 13.43626G | 52.25    | 68.20    | -15.95 | 62.92  | 3    | Horizontal | 234     | 1.80   | -       | 40.55 | 13.62 | 64.84 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6705MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.12476G    | 54.90             | 83.54             | -28.64         | 45.10         | 1           | Vertical  | 40             | 1.50          | -       | 37.80      | 20.78      | 48.78      |  |  |  |
| AV   | 20.11868G    | 43.76             | 63.54             | -19.78         | 33.97         | 1           | Vertical  | 40             | 1.50          | -       | 37.80      | 20.77      | 48.78      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


6705MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.09508G    | 58.81             | 83.54             | -24.73         | 49.07         | 1           | Horizontal | 317            | 1.50          | -       | 37.80      | 20.72      | 48.78      |  |  |  |
| AV   | 20.11552G    | 47.51             | 63.54             | -16.03         | 37.73         | 1           | Horizontal | 317            | 1.50          | -       | 37.80      | 20.76      | 48.78      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


6785MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.5668G | 65.52    | 88.20    | -22.68 | 55.44  | 3    | Vertical  | 53      | 1.80   | -       | 40.93 | 13.76 | 44.61 |  |  |  |
| RMS  | 13.5688G | 55.27    | 68.20    | -12.93 | 45.20  | 3    | Vertical  | 53      | 1.80   | -       | 40.92 | 13.76 | 44.61 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX

6785MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.5667G  | 62.91    | 88.20    | -25.29 | 52.83  | 3    | Horizontal | 49      | 1.79   | -       | 40.93 | 13.76 | 44.61 |  |  |  |
| RMS  | 13.57486G | 52.92    | 68.20    | -15.28 | 42.86  | 3    | Horizontal | 49      | 1.79   | -       | 40.90 | 13.77 | 44.61 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


6785MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.34236G    | 56.95             | 83.54             | -26.59         | 46.63         | 1           | Vertical  | 40             | 1.46          | -       | 37.88      | 21.17      | 48.73      |  |  |  |
| AV   | 20.34376G    | 46.78             | 63.54             | -16.76         | 36.44         | 1           | Vertical  | 40             | 1.46          | -       | 37.89      | 21.18      | 48.73      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_1TX


6785MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-E-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.36796G    | 61.11             | 83.54             | -22.43         | 50.75         | 1           | Horizontal | 319            | 1.49          | -       | 37.88      | 21.21      | 48.73      |  |  |  |
| AV   | 20.36796G    | 49.91             | 63.54             | -13.63         | 39.56         | 1           | Horizontal | 319            | 1.49          | -       | 37.86      | 21.22      | 48.73      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.3137G     | 61.57             | 74.00             | -12.43         | 52.63         | 3           | Vertical  | 56             | 1.61          | -       | 40.25      | 13.50      | 44.81      |  |  |  |
| AV   | 13.3523G     | 51.22             | 54.00             | -2.78          | 42.06         | 3           | Vertical  | 56             | 1.61          | -       | 40.40      | 13.54      | 44.78      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX

6665MHz\_TX




EUT V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.3102G | 59.04    | 74.00    | -14.96 | 50.13  | 3    | Horizontal | 316     | 1.80   | -       | 40.24 | 13.49 | 44.82 |  |  |  |
| AV   | 13.3137G | 48.74    | 54.00    | -5.26  | 39.80  | 3    | Horizontal | 316     | 1.80   | -       | 40.25 | 13.50 | 44.81 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX


6665MHz\_TX

EUT V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.005G      | 55.91             | 83.54             | -27.63         | 46.44         | 1           | Vertical  | 317            | 1.82          | -       | 37.71      | 20.56      | 48.80      |  |  |  |
| AV   | 20G          | 46.08             | 63.54             | -17.46         | 36.63         | 1           | Vertical  | 317            | 1.82          | -       | 37.70      | 20.55      | 48.80      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_1TX


6665MHz\_TX

EUT\_V\_1TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.97916G    | 54.84             | 83.54             | -28.70         | 45.33         | 1           | Horizontal | 316            | 1.78          | -       | 37.74      | 20.57      | 48.80      |  |  |  |
| AV   | 19.99984G    | 44.20             | 63.54             | -19.34         | 34.75         | 1           | Horizontal | 316            | 1.78          | -       | 37.70      | 20.55      | 48.80      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6595MHz\_TX




EUT\_V\_2TX  
Setting 108  
05-C-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.1924G | 69.11    | 88.20    | -19.09 | 60.53  | 3    | Vertical  | 52      | 1.80   | -       | 40.12 | 13.37 | 44.91 |  |  |  |
| RMS  | 13.1895G | 58.84    | 68.20    | -9.36  | 50.26  | 3    | Vertical  | 52      | 1.80   | -       | 40.12 | 13.37 | 44.91 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6595MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.1967G     | 68.59             | 88.20             | -19.61         | 60.02         | 3           | Horizontal | 311.1          | 1.45          | -       | 40.11      | 13.37      | 44.91      |  |  |  |
| RMS  | 13.1915G     | 58.98             | 68.20             | -9.22          | 50.40         | 3           | Horizontal | 311.1          | 1.45          | -       | 40.12      | 13.37      | 44.91      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6595MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.78768G | 58.55    | 83.54    | -24.99 | 48.95  | 1    | Vertical  | 320     | 1.47   | -       | 37.70 | 20.70 | 48.80 |  |  |  |
| AV   | 19.787G   | 48.05    | 63.54    | -15.49 | 38.45  | 1    | Vertical  | 320     | 1.47   | -       | 37.70 | 20.70 | 48.80 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX


6595MHz\_TX

EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.7884G  | 59.53    | 83.54    | -24.01 | 49.93  | 1    | Horizontal | 321     | 1.50   | -       | 37.70 | 20.70 | 48.80 |  |  |  |
| AV   | 19.78776G | 49.53    | 63.54    | -14.01 | 39.93  | 1    | Horizontal | 321     | 1.50   | -       | 37.70 | 20.70 | 48.80 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




EUT V\_2TX  
Setting 71  
05-C-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.3885G | 64.52    | 74.00    | -9.48  | 55.30  | 3    | Vertical  | 54      | 1.80   | -       | 40.40 | 13.57 | 44.75 |  |  |  |
| AV   | 13.3919G | 53.32    | 54.00    | -0.68  | 44.09  | 3    | Vertical  | 54      | 1.80   | -       | 40.40 | 13.58 | 44.75 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




EUT\_V\_2TX  
Setting 71  
05-C-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.396G  | 63.78    | 74.00    | -10.22 | 54.55  | 3    | Horizontal | 315     | 1.80   | -       | 40.40 | 13.58 | 44.75 |  |  |  |
| AV   | 13.3909G | 53.75    | 54.00    | -0.25  | 44.52  | 3    | Horizontal | 315     | 1.80   | -       | 40.40 | 13.58 | 44.75 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX


6695MHz\_TX

EUT V\_2TX  
Setting 71  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.08764G    | 55.73             | 83.54             | -27.81         | 46.00         | 1           | Vertical  | 37             | 1.57          | -       | 37.80      | 20.71      | 48.78      |  |  |  |
| AV   | 20.08352G    | 44.13             | 63.54             | -19.41         | 34.41         | 1           | Vertical  | 37             | 1.57          | -       | 37.80      | 20.70      | 48.78      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6695MHz\_TX




EUT V\_2TX  
Setting 71  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.0908G     | 60.61             | 83.54             | -22.93         | 50.87         | 1           | Horizontal | 58             | 2.06          | -       | 37.80      | 20.72      | 48.78      |  |  |  |
| AV   | 20.08788G    | 48.40             | 63.54             | -15.14         | 38.67         | 1           | Horizontal | 58             | 2.06          | -       | 37.80      | 20.71      | 48.78      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6855MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.5668G | 65.52    | 88.20    | -22.68 | 55.44  | 3    | Vertical  | 53      | 1.80   | -       | 40.93 | 13.76 | 44.61 |  |  |  |
| RMS  | 13.5688G | 55.27    | 68.20    | -12.93 | 45.20  | 3    | Vertical  | 53      | 1.80   | -       | 40.92 | 13.76 | 44.61 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6855MHz\_TX




EUT\_V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.5667G  | 62.91    | 88.20    | -25.29 | 52.83  | 3    | Horizontal | 49      | 1.79   | -       | 40.93 | 13.76 | 44.61 |  |  |  |
| RMS  | 13.57486G | 52.92    | 68.20    | -15.28 | 42.86  | 3    | Horizontal | 49      | 1.79   | -       | 40.90 | 13.77 | 44.61 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6855MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.56752G    | 63.86             | 83.54             | -19.68         | 53.13         | 1           | Vertical  | 321            | 1.50          | -       | 37.90      | 21.53      | 48.70      |  |  |  |
| AV   | 20.56768G    | 55.16             | 63.54             | -8.38          | 44.43         | 1           | Vertical  | 321            | 1.50          | -       | 37.90      | 21.53      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss2,(MCS0)\_2TX

6855MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.5686G | 61.83    | 83.54    | -21.71 | 51.10  | 1    | Horizontal | 9       | 1.50   | -       | 37.90 | 21.53 | 48.70 |  |  |  |
| AV   | 20.5628G | 51.23    | 63.54    | -12.31 | 40.51  | 1    | Horizontal | 9       | 1.50   | -       | 37.90 | 21.52 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6605MHz\_TX




EUT\_V\_2TX  
Setting 108  
05-C-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.21306G    | 66.56             | 88.20             | -21.64         | 57.97         | 3           | Vertical  | 56             | 1.80          | -       | 40.10      | 13.39      | 44.90      |  |  |  |
| RMS  | 13.21144G    | 55.49             | 68.20             | -12.71         | 46.90         | 3           | Vertical  | 56             | 1.80          | -       | 40.10      | 13.39      | 44.90      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


6605MHz\_TX

EUT\_V\_2TX  
Setting 108  
05-C-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.2091G  | 63.01    | 88.20    | -25.19 | 54.42  | 3    | Horizontal | 315     | 1.80   | -       | 40.10 | 13.39 | 44.90 |  |  |  |
| RMS  | 13.21108G | 52.74    | 68.20    | -15.46 | 44.15  | 3    | Horizontal | 315     | 1.80   | -       | 40.10 | 13.39 | 44.90 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6605MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.80912G    | 52.85             | 83.54             | -30.69         | 43.26         | 1           | Vertical  | 89             | 1.44          | -       | 37.70      | 20.69      | 48.80      |  |  |  |
| AV   | 19.83312G    | 41.71             | 63.54             | -21.83         | 32.14         | 1           | Vertical  | 89             | 1.44          | -       | 37.70      | 20.67      | 48.80      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6605MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.80104G | 52.22    | 83.54    | -31.32 | 42.63  | 1    | Horizontal | 247     | 1.31   | -       | 37.70 | 20.69 | 48.80 |  |  |  |
| AV   | 19.81676G | 41.55    | 63.54    | -21.99 | 31.97  | 1    | Horizontal | 247     | 1.31   | -       | 37.70 | 20.68 | 48.80 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




EUT V\_2TX  
Setting 76  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.37G    | 63.61    | 74.00    | -10.39 | 54.43  | 3    | Vertical  | 50      | 1.80   | -       | 40.40 | 13.55 | 44.77 |  |  |  |
| AV   | 13.37024G | 51.84    | 54.00    | -2.16  | 42.65  | 3    | Vertical  | 50      | 1.80   | -       | 40.40 | 13.56 | 44.77 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


6685MHz\_TX

EUT V\_2TX  
Setting 76  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.3655G  | 64.04    | 74.00    | -9.96  | 54.86  | 3    | Horizontal | 302     | 1.80   | -       | 40.40 | 13.55 | 44.77 |  |  |  |
| AV   | 13.37306G | 53.79    | 54.00    | -0.21  | 44.59  | 3    | Horizontal | 302     | 1.80   | -       | 40.40 | 13.56 | 44.76 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




EUT V\_2TX  
Setting 76  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.05872G    | 51.16             | 83.54             | -32.38         | 41.49         | 1           | Vertical  | 253            | 1.11          | -       | 37.80      | 20.66      | 48.79      |  |  |  |
| AV   | 20.06788G    | 40.55             | 63.54             | -22.99         | 30.87         | 1           | Vertical  | 253            | 1.11          | -       | 37.80      | 20.67      | 48.79      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6685MHz\_TX




EUT V\_2TX  
Setting 76  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.05116G | 51.67    | 83.54    | -31.87 | 42.02  | 1    | Horizontal | 124     | 1.73   | -       | 37.80 | 20.64 | 48.79 |  |  |  |
| AV   | 20.06908G | 40.43    | 63.54    | -23.11 | 30.74  | 1    | Horizontal | 124     | 1.73   | -       | 37.80 | 20.68 | 48.79 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6845MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.68728G    | 69.04             | 88.20             | -19.16         | 59.06         | 3           | Vertical  | 56             | 1.64          | -       | 40.63      | 13.88      | 44.53      |  |  |  |
| RMS  | 13.68816G    | 59.61             | 68.20             | -8.59          | 49.63         | 3           | Vertical  | 56             | 1.64          | -       | 40.62      | 13.89      | 44.53      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6845MHz\_TX




EUT\_V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.68992G    | 67.85             | 88.20             | -20.35         | 57.87         | 3           | Horizontal | 306            | 1.80          | -       | 40.62      | 13.89      | 44.53      |  |  |  |
| RMS  | 13.68888G    | 56.82             | 68.20             | -11.38         | 46.84         | 3           | Horizontal | 306            | 1.80          | -       | 40.62      | 13.89      | 44.53      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX

6845MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.5444G  | 60.14    | 83.54    | -23.40 | 49.43  | 1    | Vertical  | 322     | 1.54   | -       | 37.90 | 21.51 | 48.70 |  |  |  |
| AV   | 20.54752G | 50.57    | 63.54    | -12.97 | 39.86  | 1    | Vertical  | 322     | 1.54   | -       | 37.90 | 21.51 | 48.70 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss2,(MCS0)\_2TX


6845MHz\_TX

EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.54436G    | 61.72             | 83.54             | -21.82         | 51.01         | 1           | Horizontal | 312            | 1.88          | -       | 37.90      | 21.51      | 48.70      |  |  |  |
| AV   | 20.5476G     | 51.53             | 63.54             | -12.01         | 40.82         | 1           | Horizontal | 312            | 1.88          | -       | 37.90      | 21.51      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6625MHz\_TX

EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.26648G | 60.14    | 74.00    | -13.86 | 51.41  | 3    | Vertical  | 45      | 1.80   | -       | 40.13 | 13.45 | 44.85 |  |  |  |
| AV   | 13.2604G  | 51.65    | 54.00    | -2.35  | 42.95  | 3    | Vertical  | 45      | 1.80   | -       | 40.12 | 13.44 | 44.86 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6625MHz\_TX

EUT\_V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.26752G    | 61.68             | 74.00             | -12.32         | 52.94         | 3           | Horizontal | 314            | 1.80          | -       | 40.14      | 13.45      | 44.85      |  |  |  |
| AV   | 13.26216G    | 51.87             | 54.00             | -2.13          | 43.17         | 3           | Horizontal | 314            | 1.80          | -       | 40.12      | 13.44      | 44.86      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6625MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.89468G | 50.97    | 83.54    | -32.57 | 41.44  | 1    | Vertical  | 192     | 1.02   | -       | 37.70 | 20.63 | 48.80 |  |  |  |
| AV   | 19.86904G | 40.47    | 63.54    | -23.07 | 30.93  | 1    | Vertical  | 192     | 1.02   | -       | 37.70 | 20.64 | 48.80 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6625MHz\_TX




EUT\_V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.86528G    | 51.37             | 83.54             | -32.17         | 41.82         | 1           | Horizontal | 153            | 2.53          | -       | 37.70      | 20.65      | 48.80      |  |  |  |
| AV   | 19.85932G    | 40.85             | 63.54             | -22.69         | 31.30         | 1           | Horizontal | 153            | 2.53          | -       | 37.70      | 20.65      | 48.80      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




EUT\_V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.4288G     | 62.52             | 88.20             | -25.68         | 53.10         | 3           | Vertical  | 52             | 1.80          | -       | 40.52      | 13.62      | 44.72      |  |  |  |
| RMS  | 13.4244G     | 51.75             | 68.20             | -16.45         | 42.36         | 3           | Vertical  | 52             | 1.80          | -       | 40.50      | 13.61      | 44.72      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




EUT\_V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.42752G    | 64.98             | 88.20             | -23.22         | 55.58         | 3           | Horizontal | 307            | 1.80          | -       | 40.51      | 13.61      | 44.72      |  |  |  |
| RMS  | 13.4204G     | 55.57             | 68.20             | -12.63         | 46.21         | 3           | Horizontal | 307            | 1.80          | -       | 40.48      | 13.61      | 44.73      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6705MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.11068G    | 52.38             | 83.54             | -31.16         | 42.61         | 1           | Vertical  | 131            | 1.04          | -       | 37.80      | 20.75      | 48.78      |  |  |  |
| AV   | 20.13368G    | 41.10             | 63.54             | -22.44         | 31.28         | 1           | Vertical  | 131            | 1.04          | -       | 37.80      | 20.79      | 48.77      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6705MHz\_TX

EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.09752G    | 53.52             | 83.54             | -30.02         | 43.77         | 1           | Horizontal | 84             | 1.23          | -       | 37.80      | 20.73      | 48.78      |  |  |  |
| AV   | 20.107G      | 41.06             | 63.54             | -22.48         | 31.30         | 1           | Horizontal | 84             | 1.23          | -       | 37.80      | 20.74      | 48.78      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6785MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.58656G | 65.34    | 88.20    | -22.86 | 55.31  | 3    | Vertical  | 54      | 1.80   | -       | 40.85 | 13.78 | 44.60 |  |  |  |
| RMS  | 13.58064G | 55.96    | 68.20    | -12.24 | 45.91  | 3    | Vertical  | 54      | 1.80   | -       | 40.88 | 13.77 | 44.60 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6785MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.56872G    | 66.83             | 88.20             | -21.37         | 56.75         | 3           | Horizontal | 308            | 1.80          | -       | 40.93      | 13.76      | 44.61      |  |  |  |
| RMS  | 13.58048G    | 56.98             | 68.20             | -11.22         | 46.93         | 3           | Horizontal | 308            | 1.80          | -       | 40.88      | 13.77      | 44.60      |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX


6785MHz\_TX

EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.34376G | 55.03    | 83.54    | -28.51 | 44.69  | 1    | Vertical  | 196     | 2.05   | -       | 37.89 | 21.18 | 48.73 |  |  |  |
| AV   | 20.35124G | 43.78    | 63.54    | -19.76 | 33.42  | 1    | Vertical  | 196     | 2.05   | -       | 37.90 | 21.19 | 48.73 |  |  |  |

6.525-6.875GHz\_802.11be EHT80\_Nss2,(MCS0)\_2TX

6785MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.36128G    | 59.43             | 83.54             | -24.11         | 49.07         | 1           | Horizontal | 336            | 2.47          | -       | 37.88      | 21.21      | 48.73      |  |  |  |
| AV   | 20.34376G    | 48.90             | 63.54             | -14.64         | 38.56         | 1           | Horizontal | 336            | 2.47          | -       | 37.89      | 21.18      | 48.73      |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX

6665MHz\_TX




EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.3124G | 61.90    | 74.00    | -12.10 | 52.97  | 3    | Vertical  | 54      | 1.80   | -       | 40.25 | 13.49 | 44.81 |  |  |  |
| AV   | 13.3126G | 50.94    | 54.00    | -3.06  | 42.00  | 3    | Vertical  | 54      | 1.80   | -       | 40.25 | 13.50 | 44.81 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6665MHz\_TX

EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.3124G | 61.79    | 74.00    | -12.21 | 52.86  | 3    | Horizontal | 315     | 1.80   | -       | 40.25 | 13.49 | 44.81 |  |  |  |
| AV   | 13.3126G | 50.15    | 54.00    | -3.85  | 41.21  | 3    | Horizontal | 315     | 1.80   | -       | 40.25 | 13.50 | 44.81 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6665MHz\_TX

EUT\_V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.98804G | 53.55    | 83.54    | -29.99 | 44.07  | 1    | Vertical  | 263     | 1.20   | -       | 37.72 | 20.56 | 48.80 |  |  |  |
| AV   | 19.98076G | 42.09    | 63.54    | -21.45 | 32.59  | 1    | Vertical  | 263     | 1.20   | -       | 37.74 | 20.56 | 48.80 |  |  |  |

6.525-6.875GHz\_802.11be EHT160\_Nss2,(MCS0)\_2TX


6665MHz\_TX

EUT V\_2TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.98784G | 52.66    | 83.54    | -30.88 | 43.18  | 1    | Horizontal | 226     | 1.10   | -       | 37.72 | 20.56 | 48.80 |  |  |  |
| AV   | 19.99964G | 42.01    | 63.54    | -21.53 | 32.56  | 1    | Horizontal | 226     | 1.10   | -       | 37.70 | 20.55 | 48.80 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6595MHz\_TX




EUT\_Y\_4TX  
Setting 108  
05-C-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.19014G | 68.60    | 88.20    | -19.60 | 60.02  | 3    | Vertical  | 47      | 1.80   | -       | 40.12 | 13.37 | 44.91 |  |  |  |
| RMS  | 13.18986G | 60.71    | 68.20    | -7.49  | 52.13  | 3    | Vertical  | 47      | 1.80   | -       | 40.12 | 13.37 | 44.91 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6595MHz\_TX




EUT\_V\_4TX  
Setting 108  
05-C-B-5

| Type | Freq     | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)     | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.1907G | 66.67    | 88.20    | -21.53 | 58.09  | 3    | Horizontal | 298.1   | 1.80   | -       | 40.12 | 13.37 | 44.91 |  |  |  |
| RMS  | 13.1907G | 58.15    | 68.20    | -10.05 | 49.57  | 3    | Horizontal | 298.1   | 1.80   | -       | 40.12 | 13.37 | 44.91 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6595MHz\_TX



EUT Y\_4TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 19.7856G     | 52.25             | 83.54             | -31.29         | 42.65         | 1           | Vertical  | 11             | 1.57          | -       | 37.70      | 20.70      | 48.80      |  |  |  |
| AV   | 19.77104G    | 41.80             | 63.54             | -21.74         | 32.19         | 1           | Vertical  | 11             | 1.57          | -       | 37.70      | 20.71      | 48.80      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6595MHz\_TX




EUT Y\_4TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.78908G | 52.56    | 83.54    | -30.98 | 42.96  | 1    | Horizontal | 116     | 2.51   | -       | 37.70 | 20.70 | 48.80 |  |  |  |
| AV   | 19.77844G | 41.69    | 63.54    | -21.85 | 32.08  | 1    | Horizontal | 116     | 2.51   | -       | 37.70 | 20.71 | 48.80 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT Y\_4TX  
Setting 66  
05-C-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.38846G | 65.91    | 74.00    | -8.09  | 56.69  | 3    | Vertical  | 54      | 1.69   | -       | 40.40 | 13.57 | 44.75 |  |  |  |
| AV   | 13.38874G | 53.24    | 54.00    | -0.76  | 44.02  | 3    | Vertical  | 54      | 1.69   | -       | 40.40 | 13.57 | 44.75 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6695MHz\_TX




EUT Y\_4TX  
Setting 66  
05-C-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.3893G  | 65.10    | 74.00    | -8.90  | 55.88  | 3    | Horizontal | 310     | 1.80   | -       | 40.40 | 13.57 | 44.75 |  |  |  |
| AV   | 13.38902G | 52.14    | 54.00    | -1.86  | 42.92  | 3    | Horizontal | 310     | 1.80   | -       | 40.40 | 13.57 | 44.75 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6695MHz\_TX

EUT\_Y\_4TX  
Setting 66  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 20.08336G | 51.41    | 83.54    | -32.13 | 41.69  | 1    | Vertical  | 325     | 2.80   | -       | 37.80 | 20.70 | 48.78 |  |  |  |
| AV   | 20.09428G | 40.76    | 63.54    | -22.78 | 31.02  | 1    | Vertical  | 325     | 2.80   | -       | 37.80 | 20.72 | 48.78 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6695MHz\_TX

EUT Y\_4TX  
Setting 66  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.09736G    | 51.01             | 83.54             | -32.53         | 41.26         | 1           | Horizontal | 322            | 1.82          | -       | 37.80      | 20.73      | 48.78      |  |  |  |
| AV   | 20.07276G    | 40.70             | 63.54             | -22.84         | 31.01         | 1           | Horizontal | 322            | 1.82          | -       | 37.80      | 20.68      | 48.79      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_V\_4TX  
Setting 108  
05-C-B-5

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 13.71028G | 71.67    | 88.20    | -16.53 | 61.69  | 3    | Vertical  | 56      | 1.79   | -       | 40.58 | 13.91 | 44.51 |  |  |  |
| RMS  | 13.71056G | 62.91    | 68.20    | -5.29  | 52.93  | 3    | Vertical  | 56      | 1.79   | -       | 40.58 | 13.91 | 44.51 |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT\_V\_4TX  
Setting 108  
05-C-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.70958G    | 72.94             | 88.20             | -15.26         | 62.96         | 3           | Horizontal | 311            | 1.58          | -       | 40.58      | 13.91      | 44.51      |  |  |  |
| RMS  | 13.70972G    | 63.33             | 68.20             | -4.87          | 53.35         | 3           | Horizontal | 311            | 1.58          | -       | 40.58      | 13.91      | 44.51      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

6855MHz\_TX




EUT Y\_4TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.56352G    | 66.98             | 83.54             | -16.56         | 56.26         | 1           | Vertical  | 321            | 1.92          | -       | 37.90      | 21.52      | 48.70      |  |  |  |
| AV   | 20.56352G    | 55.32             | 63.54             | -8.22          | 44.60         | 1           | Vertical  | 321            | 1.92          | -       | 37.90      | 21.52      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


6855MHz\_TX

EUT Y\_4TX  
Setting 108  
05-C-G-4

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 20.56228G    | 64.72             | 83.54             | -18.82         | 54.00         | 1           | Horizontal | 56             | 1.77          | -       | 37.90      | 21.52      | 48.70      |  |  |  |
| AV   | 20.5634G     | 53.96             | 63.54             | -9.58          | 43.24         | 1           | Horizontal | 56             | 1.77          | -       | 37.90      | 21.52      | 48.70      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6605MHz\_TX




EUT Y\_4TX  
Setting 108  
05-C-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.20976G    | 67.53             | 88.20             | -20.67         | 58.94         | 3           | Vertical  | 49             | 1.80          | -       | 40.10      | 13.39      | 44.90      |  |  |  |
| RMS  | 13.21G       | 57.92             | 68.20             | -10.28         | 49.33         | 3           | Vertical  | 49             | 1.80          | -       | 40.10      | 13.39      | 44.90      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6605MHz\_TX




EUT\_V\_4TX  
Setting 108  
05-C-B-5

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |  |  |  |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|--|--|--|
| PK   | 13.20976G    | 63.59             | 88.20             | -24.61         | 55.00         | 3           | Horizontal | 306            | 1.80          | -       | 40.10      | 13.39      | 44.90      |  |  |  |
| RMS  | 13.20976G    | 54.03             | 68.20             | -14.17         | 45.44         | 3           | Horizontal | 306            | 1.80          | -       | 40.10      | 13.39      | 44.90      |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


6605MHz\_TX

EUT Y\_4TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|-----------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |           | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.825G   | 58.61    | 83.54    | -24.93 | 49.03  | 1    | Vertical  | 320     | 1.50   | -       | 37.70 | 20.68 | 48.80 |  |  |  |
| AV   | 19.81592G | 48.59    | 63.54    | -14.95 | 39.01  | 1    | Vertical  | 320     | 1.50   | -       | 37.70 | 20.68 | 48.80 |  |  |  |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX

6605MHz\_TX

EUT\_Y\_4TX  
Setting 108  
05-C-G-4

| Type | Freq      | Level    | Limit    | Margin | Raw    | Dist | Condition  | Azimuth | Height | Comment | AF    | CL    | PA    |  |  |  |
|------|-----------|----------|----------|--------|--------|------|------------|---------|--------|---------|-------|-------|-------|--|--|--|
|      | (Hz)      | (dBuV/m) | (dBuV/m) | (dB)   | (dBuV) | (m)  |            | (°)     | (m)    |         | (dB)  | (dB)  | (dB)  |  |  |  |
| PK   | 19.82508G | 57.37    | 83.54    | -26.17 | 47.79  | 1    | Horizontal | 43      | 2.22   | -       | 37.70 | 20.68 | 48.80 |  |  |  |
| AV   | 19.81768G | 45.43    | 63.54    | -18.11 | 35.85  | 1    | Horizontal | 43      | 2.22   | -       | 37.70 | 20.68 | 48.80 |  |  |  |