


5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 72
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.96984G	53.42	74.00	-20.58	68.35	3	Vertical	48	1.80	-	38.74	12.11	65.78			
AV	11.97G	43.72	54.00	-10.28	58.65	3	Vertical	48	1.80	-	38.74	12.11	65.78			
PK	17.9677G	50.99	74.00	-23.01	56.99	3	Vertical	58	1.27	-	42.67	15.28	63.95			
AV	17.9632G	41.56	54.00	-12.44	47.58	3	Vertical	58	1.27	-	42.65	15.28	63.95			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 72
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97016G	52.67	74.00	-21.33	67.60	3	Horizontal	289	1.80	-	38.74	12.11	65.78			
AV	11.97112G	44.05	54.00	-9.95	58.98	3	Horizontal	289	1.80	-	38.74	12.11	65.78			
PK	17.9707G	51.02	74.00	-22.98	57.01	3	Horizontal	62	1.73	-	42.68	15.28	63.95			
AV	17.9708G	40.87	54.00	-13.13	46.86	3	Horizontal	62	1.73	-	42.68	15.28	63.95			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
SET 72
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.99496G	52.46	83.54	-31.08	42.70	1	Vertical	36	1.50	72	37.69	20.26	48.19			
AV	17.99704G	40.76	63.54	-22.78	30.99	1	Vertical	36	1.50	72	37.69	20.27	48.19			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
SET 72
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	17.98425G	49.24	83.54	-34.30	39.48	1	Horizontal	200	2.04	72	37.67	20.25	48.16				
AV	17.89058G	39.30	63.54	-24.24	29.59	1	Horizontal	200	2.04	72	37.47	20.15	47.91				

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4692G	62.40	74.00	-11.60	76.42	3	Vertical	49	1.80	-	38.94	12.62	65.58			
AV	12.4548G	53.84	54.00	-0.16	67.92	3	Vertical	49	1.80	-	38.91	12.60	65.59			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 108
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.4464G	61.35	74.00	-12.65	75.45	3	Horizontal	295	1.80	-	38.90	12.59	65.59			
AV	12.4524G	52.23	54.00	-1.77	66.32	3	Horizontal	295	1.80	-	38.90	12.60	65.59			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
SET 108
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66925G	69.87	83.54	-13.67	59.82	1	Vertical	33	1.59	108	37.90	20.62	48.47			
AV	18.6969G	60.34	63.54	-3.20	50.32	1	Vertical	33	1.59	108	37.90	20.62	48.50			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
SET 108
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.70729G	52.78	83.54	-30.76	42.77	1	Horizontal	182	1.77	108	37.90	20.62	48.51			
AV	18.70745G	44.32	63.54	-19.22	34.31	1	Horizontal	182	1.77	108	37.90	20.62	48.51			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 108
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78G	70.86	88.20	-17.34	83.48	3	Vertical	46	1.80	-	39.62	12.94	65.18			
RMS	12.7886G	61.51	68.20	-6.69	74.08	3	Vertical	46	1.80	-	39.65	12.95	65.17			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_V_4TX
Setting 108
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7676G	67.37	88.20	-20.83	80.07	3	Horizontal	326	1.80	-	39.57	12.93	65.20			
RMS	12.7626G	58.57	68.20	-9.63	71.31	3	Horizontal	326	1.80	-	39.55	12.92	65.21			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
SET 94
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.19512G	73.68	83.54	-9.86	63.91	1	Vertical	35	1.47	94	37.82	20.75	48.80			
AV	19.15404G	62.81	63.54	-0.73	52.90	1	Vertical	35	1.47	94	37.98	20.73	48.80			

5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
SET 94
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.19512G	62.14	83.54	-21.40	52.37	1	Horizontal	248	1.68	94	37.82	20.75	48.80			
AV	19.1948G	50.47	63.54	-13.07	40.70	1	Horizontal	248	1.68	94	37.82	20.75	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 108
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2348G	66.71	88.20	-21.49	78.06	3	Vertical	50	1.80	-	40.10	13.41	64.86			
RMS	13.2332G	57.28	68.20	-10.92	68.63	3	Vertical	50	1.80	-	40.10	13.41	64.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_V_4TX
Setting 108
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.2429G	69.50	88.20	-18.70	80.84	3	Horizontal	302	1.80	-	40.10	13.42	64.86			
RMS	13.2424G	60.33	68.20	-7.87	71.67	3	Horizontal	302	1.80	-	40.10	13.42	64.86			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
SET 95
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.86221G	71.72	83.54	-11.82	62.17	1	Vertical	47	1.59	95	37.70	20.65	48.80			
AV	19.85694G	62.95	63.54	-0.59	53.40	1	Vertical	47	1.59	95	37.70	20.65	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
SET 95
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87244G	67.70	83.54	-15.84	58.16	1	Horizontal	290	1.53	95	37.70	20.64	48.80			
AV	19.86717G	58.65	63.54	-4.89	49.10	1	Horizontal	290	1.53	95	37.70	20.65	48.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 108
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.422G	68.06	88.20	-20.14	78.80	3	Vertical	53	1.80	-	40.49	13.61	64.84			
RMS	13.4169G	57.93	68.20	-10.27	68.70	3	Vertical	53	1.80	-	40.47	13.60	64.84			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4076G	69.77	88.20	-18.43	80.59	3	Horizontal	302	1.80	-	40.43	13.59	64.84			
RMS	13.4121G	61.03	68.20	-7.17	71.82	3	Horizontal	302	1.80	-	40.45	13.60	64.84			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
SET 108
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.10397G	64.34	83.54	-19.20	54.58	1	Vertical	41	1.50	108	37.80	20.74	48.78			
AV	20.09646G	55.95	63.54	-7.59	46.20	1	Vertical	41	1.50	108	37.80	20.73	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
SET 108
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09502G	65.22	83.54	-18.32	55.48	1	Horizontal	293	1.50	108	37.80	20.72	48.78			
AV	20.10237G	56.25	63.54	-7.29	46.49	1	Horizontal	293	1.50	108	37.80	20.74	48.78			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 108
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5625G	68.89	88.20	-19.31	78.98	3	Vertical	356	1.80	-	40.95	13.76	64.80			
RMS	13.5625G	58.92	68.20	-9.28	69.01	3	Vertical	356	1.80	-	40.95	13.76	64.80			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_V_4TX
Setting 108
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5523G	67.67	88.20	-20.53	77.75	3	Horizontal	301	1.80	-	40.99	13.74	64.81			
RMS	13.5327G	60.50	68.20	-7.70	70.66	3	Horizontal	301	1.80	-	40.93	13.72	64.81			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
SET 108
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.31584G	59.97	83.54	-23.57	49.76	1	Vertical	36	1.50	108	37.83	21.12	48.74			
AV	20.34093G	51.37	63.54	-12.17	41.05	1	Vertical	36	1.50	108	37.88	21.17	48.73			

6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX


6785MHz_TX

EUT Y_4TX
SET 108
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.35548G	68.33	83.54	-15.21	57.97	1	Horizontal	315	1.50	108	37.89	21.20	48.73			
AV	20.34349G	59.28	63.54	-4.26	48.94	1	Horizontal	315	1.50	108	37.89	21.18	48.73			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 76
05-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9186G	79.98	88.20	-8.22	72.12	3	Vertical	-0.1	1.80	-	34.14	8.50	34.78			
RMS	5.9165G	66.85	68.20	-1.35	59.00	3	Vertical	-0.1	1.80	-	34.13	8.50	34.78			
PK	6.081G	111.31	Inf	-Inf	103.28	3	Vertical	-0.1	1.80	-	34.14	8.57	34.68			
RMS	6.1013G	101.02	Inf	-Inf	93.01	3	Vertical	-0.1	1.80	-	34.10	8.58	34.67			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 76
05-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.91	88.20	-8.29	72.03	3	Horizontal	150	1.80	-	34.15	8.51	34.78			
RMS	5.9221G	65.64	68.20	-2.56	57.78	3	Horizontal	150	1.80	-	34.14	8.50	34.78			
PK	6.0572G	111.11	Inf	-Inf	103.06	3	Horizontal	150	1.80	-	34.19	8.56	34.70			
RMS	6.0873G	100.47	Inf	-Inf	92.45	3	Horizontal	150	1.80	-	34.13	8.57	34.68			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 76
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0392G	54.28	74.00	-19.72	68.97	3	Vertical	46	1.80	-	38.88	12.17	65.74			
AV	12.0398G	43.88	54.00	-10.12	58.57	3	Vertical	46	1.80	-	38.88	12.17	65.74			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT_V_4TX
Setting 76
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.0752G	52.42	74.00	-21.58	66.98	3	Horizontal	299	1.80	-	38.95	12.21	65.72			
AV	12.0755G	44.46	54.00	-9.54	59.02	3	Horizontal	299	1.80	-	38.95	12.21	65.72			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
SET 76
05-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	17.98645G	52.66	83.54	-30.88	42.90	1	Vertical	32	1.66	76	37.67	20.25	48.16			
AV	18.10153G	41.95	63.54	-21.59	32.14	1	Vertical	32	1.66	76	37.69	20.34	48.22			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
SET 76
05-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.94873G	52.01	83.54	-31.53	42.27	1	Horizontal	317	1.51	76	37.59	20.21	48.06			
AV	17.96663G	41.22	63.54	-22.32	31.47	1	Horizontal	317	1.51	76	37.63	20.23	48.11			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.4302G	57.33	74.00	-16.67	71.45	3	Vertical	47	1.80	-	38.90	12.58	65.60			
AV	12.4399G	48.18	54.00	-5.82	62.28	3	Vertical	47	1.80	-	38.90	12.59	65.59			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_V_4TX
Setting 108
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4042G	56.97	74.00	-17.03	71.12	3	Horizontal	292	1.80	-	38.90	12.55	65.60			
AV	12.4012G	47.45	54.00	-6.55	61.61	3	Horizontal	292	1.80	-	38.90	12.55	65.61			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX



EUT Y_4TX
SET 108
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.60359G	65.55	83.54	-17.99	55.53	1	Vertical	32	1.71	108	37.81	20.61	48.40			
AV	18.46485G	56.93	63.54	-6.61	46.91	1	Vertical	32	1.71	108	37.73	20.58	48.29			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
SET 108
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.57354G	64.48	83.54	-19.06	54.44	1	Horizontal	27	1.50	108	37.80	20.61	48.37			
AV	18.5534G	56.29	63.54	-7.25	46.23	1	Horizontal	27	1.50	108	37.80	20.61	48.35			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 89
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.67024G	61.97	74.00	-12.03	74.98	3	Vertical	45	1.80	-	39.50	12.83	65.34			
AV	12.67024G	53.79	54.00	-0.21	66.80	3	Vertical	45	1.80	-	39.50	12.83	65.34			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 89
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6738G	61.63	74.00	-12.37	74.63	3	Horizontal	293	1.80	-	39.50	12.83	65.33			
AV	12.6735G	53.66	54.00	-0.34	66.66	3	Horizontal	293	1.80	-	39.50	12.83	65.33			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
SET 89
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.02925G	64.24	83.54	-19.30	54.43	1	Vertical	30	1.50	89	37.94	20.67	48.80			
AV	19.06377G	54.79	63.54	-8.75	44.98	1	Vertical	30	1.50	89	37.93	20.68	48.80			

5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
SET 89
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.04875G	60.36	83.54	-23.18	50.58	1	Horizontal	62	1.50	89	37.90	20.68	48.80			
AV	19.06889G	51.80	63.54	-11.74	41.97	1	Horizontal	62	1.50	89	37.94	20.69	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 87
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3164G	59.90	74.00	-14.10	70.98	3	Vertical	48	1.80	-	40.27	13.50	64.85			
AV	13.3328G	50.55	54.00	-3.45	61.55	3	Vertical	48	1.80	-	40.33	13.52	64.85			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 87
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3328G	61.78	74.00	-12.22	72.78	3	Horizontal	300	1.80	-	40.33	13.52	64.85			
AV	13.3136G	53.77	54.00	-0.23	64.87	3	Horizontal	300	1.80	-	40.25	13.50	64.85			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
SET 87
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.92691G	62.07	83.54	-21.47	52.52	1	Vertical	46	1.58	87	37.75	20.60	48.80			
AV	19.8959G	53.41	63.54	-10.13	43.89	1	Vertical	46	1.58	87	37.70	20.62	48.80			

6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
SET 87
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.89654G	58.70	83.54	-24.84	49.18	1	Horizontal	47	1.59	87	37.70	20.62	48.80			
AV	19.8959G	50.17	63.54	-13.37	40.65	1	Horizontal	47	1.59	87	37.70	20.62	48.80			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 81
05-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	79.18	88.20	-9.02	71.33	3	Vertical	360	1.80	-	34.13	8.50	34.78			
RMS	5.9214G	67.73	68.20	-0.47	59.87	3	Vertical	360	1.80	-	34.14	8.50	34.78			
PK	6.1266G	109.80	Inf	-Inf	101.71	3	Vertical	360	1.80	-	34.15	8.59	34.65			
RMS	6.1365G	98.86	Inf	-Inf	90.74	3	Vertical	360	1.80	-	34.17	8.59	34.64			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT_Z_4TX
Setting 81
05-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9106G	76.80	88.20	-11.40	68.96	3	Horizontal	66	1.80	-	34.12	8.50	34.78			
RMS	5.9232G	64.92	68.20	-3.28	57.04	3	Horizontal	66	1.80	-	34.15	8.51	34.78			
PK	6.1176G	108.36	Inf	-Inf	100.29	3	Horizontal	66	1.80	-	34.14	8.59	34.66			
RMS	6.1077G	97.43	Inf	-Inf	89.39	3	Horizontal	66	1.80	-	34.12	8.58	34.66			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 81
05-R-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.2198G	49.57	74.00	-24.43	63.78	3	Vertical	48	1.79	-	39.10	12.36	65.67			
AV	12.2248G	40.54	54.00	-13.46	54.75	3	Vertical	48	1.79	-	39.10	12.36	65.67			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_V_4TX
Setting 81
05-R-E-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1974G	50.73	74.00	-23.27	64.98	3	Horizontal	304	1.80	-	39.09	12.34	65.68			
AV	12.1926G	40.41	54.00	-13.59	54.67	3	Horizontal	304	1.80	-	39.09	12.33	65.68			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX

6105MHz_TX




EUT_Y_4TX
SET 81
05-C-B-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.34953G	50.06	83.54	-33.48	40.13	1	Vertical	27	2.04	81	37.70	20.50	48.27			
AV	18.30797G	40.77	63.54	-22.77	30.94	1	Vertical	27	2.04	81	37.62	20.47	48.26			

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_4TX


6105MHz_TX

EUT Y_4TX
SET 81
05-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.24083G	49.04	83.54	-34.50	39.26	1	Horizontal	65	2.04	81	37.60	20.43	48.25			
AV	18.32011G	40.82	63.54	-22.72	30.96	1	Horizontal	65	2.04	81	37.64	20.48	48.26			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 73
05-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9226G	81.04	88.20	-7.16	73.16	3	Vertical	26	2.96	-	34.15	8.51	34.78			
RMS	5.9241G	67.50	68.20	-0.70	59.62	3	Vertical	26	2.96	-	34.15	8.51	34.78			
PK	5.9524G	119.95	Inf	-Inf	111.99	3	Vertical	26	2.96	-	34.20	8.52	34.76			
RMS	5.9578G	109.61	Inf	-Inf	101.65	3	Vertical	26	2.96	-	34.20	8.52	34.76			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT_Z_4TX
Setting 73
05-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9236G	76.57	88.20	-11.63	68.69	3	Horizontal	271	1.80	-	34.15	8.51	34.78			
RMS	5.924G	62.25	68.20	-5.95	54.37	3	Horizontal	271	1.80	-	34.15	8.51	34.78			
PK	5.9622G	115.88	Inf	-Inf	107.92	3	Horizontal	271	1.80	-	34.20	8.52	34.76			
RMS	5.9575G	104.45	Inf	-Inf	96.49	3	Horizontal	271	1.80	-	34.20	8.52	34.76			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 73
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.90448G	56.68	74.00	-17.32	71.74	3	Vertical	47	1.80	-	38.70	12.08	65.84			
AV	11.90448G	46.10	54.00	-7.90	61.16	3	Vertical	47	1.80	-	38.70	12.08	65.84			
PK	17.85456G	51.25	74.00	-22.75	58.60	3	Vertical	250	1.96	-	41.46	15.22	64.03			
AV	17.85048G	40.82	54.00	-13.18	48.22	3	Vertical	250	1.96	-	41.41	15.22	64.03			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX


5955MHz_TX

EUT_Y_4TX
Setting 73
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.907G	56.88	74.00	-17.12	71.93	3	Horizontal	296	1.80	-	38.70	12.08	65.83			
AV	11.90334G	47.26	54.00	-6.74	62.32	3	Horizontal	296	1.80	-	38.70	12.08	65.84			
PK	17.87514G	50.36	74.00	-23.64	57.39	3	Horizontal	328	1.88	-	41.75	15.23	64.01			
AV	17.86914G	41.05	54.00	-12.95	48.17	3	Horizontal	328	1.88	-	41.67	15.23	64.02			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
SET 73
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.87095G	54.76	83.54	-28.78	45.06	1	Vertical	31	1.50	73	37.43	20.12	47.85			
AV	17.8672G	45.89	63.54	-17.65	36.19	1	Vertical	31	1.50	73	37.42	20.12	47.84			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

5955MHz_TX




EUT Y_4TX
SET 73
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.85997G	57.22	83.54	-26.32	47.53	1	Horizontal	328	1.52	73	37.41	20.11	47.83			
AV	17.85917G	46.39	63.54	-17.15	36.69	1	Horizontal	328	1.52	73	37.41	20.11	47.82			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 93
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39G	61.18	74.00	-12.82	75.33	3	Vertical	47.9	1.55	-	38.92	12.54	65.61			
AV	12.39366G	52.22	54.00	-1.78	66.38	3	Vertical	47.9	1.55	-	38.91	12.54	65.61			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
Setting 93
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39204G	62.21	74.00	-11.79	76.36	3	Horizontal	294	1.80	-	38.92	12.54	65.61			
AV	12.38778G	53.86	54.00	-0.14	68.02	3	Horizontal	294	1.80	-	38.92	12.53	65.61			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
SET 93
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58448G	69.51	83.54	-14.03	59.48	1	Vertical	39	1.77	93	37.80	20.61	48.38			
AV	18.58644G	57.85	63.54	-5.69	47.83	1	Vertical	39	1.77	93	37.80	20.61	48.39			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6195MHz_TX




EUT Y_4TX
SET 93
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.581G	68.68	83.54	-14.86	58.65	1	Horizontal	29	1.50	93	37.80	20.61	48.38			
AV	18.58144G	57.70	63.54	-5.84	47.67	1	Horizontal	29	1.50	93	37.80	20.61	48.38			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.82868G	75.00	88.20	-13.20	87.32	3	Vertical	46	1.80	-	39.81	12.99	65.12			
AV	12.82868G	66.51	68.20	-1.69	78.83	3	Vertical	46	1.80	-	39.81	12.99	65.12			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8336G	72.66	88.20	-15.54	84.94	3	Horizontal	329	1.80	-	39.83	13.00	65.11			
AV	12.8312G	62.15	68.20	-6.05	74.45	3	Horizontal	329	1.80	-	39.82	12.99	65.11			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
SET 82
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24436G	77.55	83.54	-5.99	67.59	1	Vertical	39	1.59	82	37.98	20.78	48.80			
AV	19.2444G	63.50	63.54	-0.04	53.54	1	Vertical	39	1.59	82	37.98	20.78	48.80			

5.925-6.425GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6415MHz_TX




EUT Y_4TX
SET 82
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.24856G	72.18	83.54	-11.36	62.21	1	Horizontal	330	1.96	82	37.99	20.78	48.80			
AV	19.24856G	58.98	63.54	-4.56	49.01	1	Horizontal	330	1.96	82	37.99	20.78	48.80			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.06874G	69.64	88.20	-18.56	81.33	3	Vertical	50	1.80	-	39.94	13.24	64.87			
RMS	13.06874G	60.91	68.20	-7.29	72.60	3	Vertical	50	1.80	-	39.94	13.24	64.87			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT Y_4TX
Setting 108
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.06088G	70.43	88.20	-17.77	82.15	3	Horizontal	304	1.80	-	39.92	13.23	64.87			
RMS	13.06904G	61.45	68.20	-6.75	73.14	3	Horizontal	304	1.80	-	39.94	13.24	64.87			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 87
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60415G	75.49	83.54	-8.05	65.75	1	Vertical	34	1.58	-	37.70	20.84	48.80			
AV	19.60445G	62.88	63.54	-0.66	53.15	1	Vertical	34	1.58	-	37.70	20.83	48.80			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6535MHz_TX




EUT_Y_4TX
Setting 87
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60195G	73.74	83.54	-9.80	64.00	1	Horizontal	309	1.98	-	37.70	20.84	48.80			
AV	19.6101G	62.72	63.54	-0.82	52.99	1	Horizontal	309	1.98	-	37.70	20.83	48.80			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 76
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38682G	64.74	74.00	-9.26	75.61	3	Vertical	51.9	1.80	-	40.40	13.57	64.84			
AV	13.38652G	52.99	54.00	-1.01	63.86	3	Vertical	51.9	1.80	-	40.40	13.57	64.84			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6695MHz_TX




EUT Y_4TX
Setting 76
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.38946G	63.63	74.00	-10.37	74.49	3	Horizontal	306	1.80	-	40.40	13.58	64.84			
AV	13.38748G	53.77	54.00	-0.23	64.64	3	Horizontal	306	1.80	-	40.40	13.57	64.84			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 76
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0792G	60.08	83.54	-23.46	50.37	1	Vertical	35	1.63	-	37.80	20.69	48.78			
AV	20.0798G	50.08	63.54	-13.46	40.36	1	Vertical	35	1.63	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX


6695MHz_TX

EUT Y_4TX
Setting 76
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.0828G	59.35	83.54	-24.19	49.63	1	Horizontal	38	1.57	-	37.80	20.70	48.78			
AV	20.0872G	48.36	63.54	-15.18	38.63	1	Horizontal	38	1.57	-	37.80	20.71	48.78			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70646G	70.28	88.20	-17.92	80.53	3	Vertical	355	1.80	-	40.59	13.90	64.74			
RMS	13.70748G	62.35	68.20	-5.85	72.58	3	Vertical	355	1.80	-	40.59	13.91	64.73			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX


6855MHz_TX

EUT_Y_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71114G	71.00	88.20	-17.20	81.24	3	Horizontal	307	1.80	-	40.58	13.91	64.73			
RMS	13.71114G	62.51	68.20	-5.69	72.75	3	Horizontal	307	1.80	-	40.58	13.91	64.73			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 108
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.57205G	65.49	83.54	-18.05	54.76	1	Vertical	330	1.60	-	37.90	21.53	48.70			
AV	20.56895G	56.22	63.54	-7.32	45.49	1	Vertical	330	1.60	-	37.90	21.53	48.70			

6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

6855MHz_TX




EUT Y_4TX
Setting 108
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55735G	68.87	83.54	-14.67	58.15	1	Horizontal	303	1.60	-	37.90	21.52	48.70			
AV	20.57055G	58.92	63.54	-4.62	48.19	1	Horizontal	303	1.60	-	37.90	21.53	48.70			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 82
02-D-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9214G	79.03	88.20	-9.17	66.89	3	Vertical	359	2.07	-	34.14	8.16	30.16			
RMS	5.9162G	68.16	68.20	-0.04	56.03	3	Vertical	359	2.07	-	34.13	8.16	30.16			
PK	5.9762G	115.93	Inf	-Inf	103.69	3	Vertical	359	2.07	-	34.25	8.13	30.14			
RMS	5.9738G	105.58	Inf	-Inf	93.34	3	Vertical	359	2.07	-	34.25	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX




EUT_Z_4TX
Setting 82
02-D-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9174G	71.31	88.20	-16.89	59.18	3	Horizontal	29	2.09	-	34.13	8.16	30.16			
RMS	5.911G	61.75	68.20	-6.45	49.63	3	Horizontal	29	2.09	-	34.12	8.16	30.16			
PK	5.9614G	113.26	Inf	-Inf	101.04	3	Horizontal	29	2.09	-	34.22	8.14	30.14			
RMS	5.9698G	103.06	Inf	-Inf	90.83	3	Horizontal	29	2.09	-	34.24	8.13	30.14			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 70
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92862G	53.80	74.00	-20.20	68.82	3	Vertical	45	1.80	-	38.70	12.09	65.81			
AV	11.9297G	45.26	54.00	-8.74	60.28	3	Vertical	45	1.80	-	38.70	12.09	65.81			
PK	17.90586G	49.86	74.00	-24.14	56.44	3	Vertical	101	1.59	-	42.16	15.25	63.99			
AV	17.89144G	40.00	54.00	-14.00	46.78	3	Vertical	101	1.59	-	41.98	15.24	64.00			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

5965MHz_TX

EUT_Y_4TX
Setting 70
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.93036G	54.85	74.00	-19.15	69.87	3	Horizontal	290	1.80	-	38.70	12.09	65.81			
AV	11.93486G	46.96	54.00	-7.04	61.97	3	Horizontal	290	1.80	-	38.70	12.10	65.81			
PK	17.88198G	49.58	74.00	-24.42	56.50	3	Horizontal	220	2.57	-	41.85	15.24	64.01			
AV	17.88546G	40.05	54.00	-13.95	46.92	3	Horizontal	220	2.57	-	41.90	15.24	64.01			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5965MHz_TX

EUT_Y_4TX
SET 70
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.88741G	54.30	83.54	-29.24	44.60	1	Vertical	24	1.93	70	37.46	20.14	47.90			
AV	17.88773G	41.75	63.54	-21.79	32.05	1	Vertical	24	1.93	70	37.46	20.14	47.90			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX


5965MHz_TX

EUT Y_4TX
SET 70
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.88797G	55.07	83.54	-28.47	45.36	1	Horizontal	324	1.67	70	37.47	20.14	47.90			
AV	17.89005G	42.74	63.54	-20.80	33.03	1	Horizontal	324	1.67	70	37.47	20.15	47.91			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
Setting 93
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.41132G	60.86	74.00	-13.14	75.00	3	Vertical	48	1.61	-	38.90	12.56	65.60			
AV	12.41492G	53.89	54.00	-0.11	68.03	3	Vertical	48	1.61	-	38.90	12.56	65.60			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 93
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40376G	61.47	74.00	-12.53	75.62	3	Horizontal	294	1.80	-	38.90	12.55	65.60			
AV	12.41078G	52.90	54.00	-1.10	67.04	3	Horizontal	294	1.80	-	38.90	12.56	65.60			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
SET 93
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62395G	65.48	83.54	-18.06	55.44	1	Vertical	41	1.53	93	37.85	20.61	48.42			
AV	18.62459G	56.50	63.54	-7.04	46.46	1	Vertical	41	1.53	93	37.85	20.61	48.42			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6205MHz_TX




EUT Y_4TX
SET 93
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60997G	65.50	83.54	-18.04	55.48	1	Horizontal	30	1.50	93	37.82	20.61	48.41			
AV	18.60389G	57.22	63.54	-6.32	47.20	1	Horizontal	30	1.50	93	37.81	20.61	48.40			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80868G	72.75	88.20	-15.45	85.19	3	Vertical	45	1.80	-	39.73	12.97	65.14			
RMS	12.81492G	65.32	68.20	-2.88	77.72	3	Vertical	45	1.80	-	39.76	12.98	65.14			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT_V_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.81132G	68.61	88.20	-19.59	81.03	3	Horizontal	328	1.80	-	39.75	12.97	65.14			
RMS	12.8106G	59.84	68.20	-8.36	72.27	3	Horizontal	328	1.80	-	39.74	12.97	65.14			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
SET 87
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.21444G	76.47	83.54	-7.07	66.65	1	Vertical	41	1.60	87	37.86	20.76	48.80			
AV	19.21492G	62.83	63.54	-0.71	53.01	1	Vertical	41	1.60	87	37.86	20.76	48.80			

5.925-6.425GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6405MHz_TX




EUT Y_4TX
SET 87
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21444G	73.31	83.54	-10.23	63.49	1	Horizontal	60	1.66	87	37.86	20.76	48.80			
AV	19.21484G	59.71	63.54	-3.83	49.89	1	Horizontal	60	1.66	87	37.86	20.76	48.80			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 108
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.12868G	68.29	88.20	-19.91	79.75	3	Vertical	47	1.80	-	40.11	13.30	64.87			
RMS	13.13498G	60.78	68.20	-7.42	72.20	3	Vertical	47	1.80	-	40.14	13.31	64.87			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_V_4TX
Setting 108
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13066G	68.31	88.20	-19.89	79.75	3	Horizontal	302	1.80	-	40.12	13.31	64.87			
RMS	13.12748G	60.88	68.20	-7.32	72.34	3	Horizontal	302	1.80	-	40.11	13.30	64.87			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT Y_4TX
Setting 89
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68284G	72.46	83.54	-11.08	62.78	1	Vertical	34	1.58	-	37.70	20.78	48.80			
AV	19.70452G	62.59	63.54	-0.95	52.93	1	Vertical	34	1.58	-	37.70	20.76	48.80			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6565MHz_TX




EUT_Y_4TX
Setting 89
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6766G	69.62	83.54	-13.92	59.94	1	Horizontal	311	1.98	-	37.70	20.78	48.80			
AV	19.6758G	60.61	63.54	-2.93	50.93	1	Horizontal	311	1.98	-	37.70	20.78	48.80			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT Y_4TX
Setting 80
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.36706G	62.38	74.00	-11.62	73.27	3	Vertical	48	1.80	-	40.40	13.55	64.84			
AV	13.36742G	52.37	54.00	-1.63	63.26	3	Vertical	48	1.80	-	40.40	13.55	64.84			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6685MHz_TX




EUT_Y_4TX
Setting 80
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.36676G	62.97	74.00	-11.03	73.86	3	Horizontal	301	1.80	-	40.40	13.55	64.84			
AV	13.36742G	53.82	54.00	-0.18	64.71	3	Horizontal	301	1.80	-	40.40	13.55	64.84			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 80
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.04796G	62.30	83.54	-21.24	52.65	1	Vertical	34	1.63	-	37.80	20.64	48.79			
AV	20.05052G	50.67	63.54	-12.87	41.02	1	Vertical	34	1.63	-	37.80	20.64	48.79			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 80
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06076G	58.66	83.54	-24.88	48.99	1	Horizontal	315	1.60	-	37.80	20.66	48.79			
AV	20.06092G	49.22	63.54	-14.32	39.55	1	Horizontal	315	1.60	-	37.80	20.66	48.79			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.68874G	67.97	88.20	-20.23	78.20	3	Vertical	351	1.80	-	40.62	13.89	64.74			
RMS	13.68742G	59.86	68.20	-8.34	70.09	3	Vertical	351	1.80	-	40.63	13.88	64.74			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 108
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.69132G	69.78	88.20	-18.42	80.01	3	Horizontal	307	1.80	-	40.62	13.89	64.74			
RMS	13.69066G	61.50	68.20	-6.70	71.73	3	Horizontal	307	1.80	-	40.62	13.89	64.74			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT_V_4TX
Setting 108
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.54412G	60.64	83.54	-22.90	49.93	1	Vertical	9	1.91	-	37.90	21.51	48.70			
AV	20.54484G	51.74	63.54	-11.80	41.03	1	Vertical	9	1.91	-	37.90	21.51	48.70			

6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

6845MHz_TX




EUT Y_4TX
Setting 108
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5234G	67.35	83.54	-16.19	56.67	1	Horizontal	307	1.62	-	37.90	21.48	48.70			
AV	20.52364G	59.28	63.54	-4.26	48.60	1	Horizontal	307	1.62	-	37.90	21.48	48.70			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 77
05-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.897G	86.91	88.20	-1.29	79.12	3	Vertical	0	1.80	-	34.09	8.49	34.79			
RMS	5.9165G	67.67	68.20	-0.53	59.82	3	Vertical	0	1.80	-	34.13	8.50	34.78			
PK	5.967G	111.14	Inf	-Inf	103.17	3	Vertical	0	1.80	-	34.20	8.53	34.76			
RMS	5.9565G	101.28	Inf	-Inf	93.32	3	Vertical	0	1.80	-	34.20	8.52	34.76			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Z_4TX
Setting 77
05-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.897G	82.10	88.20	-6.10	74.31	3	Horizontal	278	1.80	-	34.09	8.49	34.79			
RMS	5.9245G	65.91	68.20	-2.29	58.03	3	Horizontal	278	1.80	-	34.15	8.51	34.78			
PK	6.011G	110.29	Inf	-Inf	102.28	3	Horizontal	278	1.80	-	34.20	8.54	34.73			
RMS	6.014G	99.45	Inf	-Inf	91.43	3	Horizontal	278	1.80	-	34.20	8.55	34.73			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
Setting 77
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.95944G	52.72	74.00	-21.28	67.68	3	Vertical	44	1.80	-	38.72	12.11	65.79			
AV	11.98038G	46.47	54.00	-7.53	61.36	3	Vertical	44	1.80	-	38.76	12.12	65.77			
PK	17.96166G	50.76	74.00	-23.24	56.79	3	Vertical	159	1.44	-	42.65	15.28	63.96			
AV	17.9541G	41.18	54.00	-12.82	47.24	3	Vertical	159	1.44	-	42.62	15.28	63.96			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 77
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9805G	53.39	74.00	-20.61	68.28	3	Horizontal	289	1.80	-	38.76	12.12	65.77			
AV	11.98032G	47.28	54.00	-6.72	62.17	3	Horizontal	289	1.80	-	38.76	12.12	65.77			
PK	17.96148G	51.30	74.00	-22.70	57.33	3	Horizontal	26	2.24	-	42.65	15.28	63.96			
AV	17.95846G	41.19	54.00	-12.81	47.24	3	Horizontal	26	2.24	-	42.63	15.28	63.96			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX


5985MHz_TX

EUT Y_4TX
SET 77
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.99112G	53.82	83.54	-29.72	44.06	1	Vertical	36	1.50	77	37.68	20.26	48.18			
AV	17.99816G	42.69	63.54	-20.85	32.92	1	Vertical	36	1.50	77	37.70	20.27	48.20			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

5985MHz_TX




EUT Y_4TX
SET 77
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.93006G	56.50	83.54	-27.04	46.77	1	Horizontal	323	1.70	77	37.55	20.19	48.01			
AV	17.98921G	45.02	63.54	-18.52	35.25	1	Horizontal	323	1.70	77	37.68	20.26	48.17			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 93
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4581G	59.27	74.00	-14.73	73.33	3	Vertical	45	1.60	-	38.92	12.61	65.59			
AV	12.46038G	53.64	54.00	-0.36	67.69	3	Vertical	45	1.60	-	38.92	12.61	65.58			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
Setting 93
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4389G	57.94	74.00	-16.06	72.04	3	Horizontal	294	1.80	-	38.90	12.59	65.59			
AV	12.46032G	50.79	54.00	-3.21	64.84	3	Horizontal	294	1.80	-	38.92	12.61	65.58			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
SET 93
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.72407G	62.13	83.54	-21.41	52.13	1	Vertical	36	1.92	93	37.90	20.62	48.52			
AV	18.72375G	54.85	63.54	-8.69	44.85	1	Vertical	36	1.92	93	37.90	20.62	48.52			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6225MHz_TX




EUT Y_4TX
SET 93
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.72375G	62.18	83.54	-21.36	52.18	1	Horizontal	29	1.48	93	37.90	20.62	48.52			
AV	18.72375G	54.33	63.54	-9.21	44.33	1	Horizontal	29	1.48	93	37.90	20.62	48.52			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.75956G	68.29	88.20	-19.91	81.04	3	Vertical	45	1.80	-	39.54	12.92	65.21			
RMS	12.75944G	63.29	68.20	-4.91	76.04	3	Vertical	45	1.80	-	39.54	12.92	65.21			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX



EUT_V_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78056G	67.31	88.20	-20.89	79.93	3	Horizontal	331	1.80	-	39.62	12.94	65.18			
RMS	12.78044G	61.72	68.20	-6.48	74.34	3	Horizontal	331	1.80	-	39.62	12.94	65.18			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
SET 94
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.19848G	70.37	83.54	-13.17	60.61	1	Vertical	39	1.60	94	37.81	20.75	48.80			
AV	19.1948G	63.18	63.54	-0.36	53.41	1	Vertical	39	1.60	94	37.82	20.75	48.80			

5.925-6.425GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
SET 94
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.20375G	67.64	83.54	-15.90	57.87	1	Horizontal	326	2.10	94	37.81	20.76	48.80			
AV	19.20375G	60.04	63.54	-3.50	50.27	1	Horizontal	326	2.10	94	37.81	20.76	48.80			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 77
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.2504G	59.29	74.00	-14.71	70.61	3	Vertical	47	1.80	-	40.10	13.43	64.85			
AV	13.26782G	49.08	54.00	-4.92	60.34	3	Vertical	47	1.80	-	40.14	13.45	64.85			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX


6625MHz_TX

EUT Y_4TX
Setting 77
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.25333G	60.19	74.00	-13.81	71.50	3	Horizontal	304	1.80	-	40.11	13.43	64.85			
AV	13.26038G	53.58	54.00	-0.42	64.87	3	Horizontal	304	1.80	-	40.12	13.44	64.85			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 77
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.852G	62.26	83.54	-21.28	52.70	1	Vertical	36	1.58	-	37.70	20.66	48.80			
AV	19.8748G	50.57	63.54	-12.97	41.03	1	Vertical	36	1.58	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6625MHz_TX




EUT Y_4TX
Setting 77
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8497G	59.35	83.54	-24.19	49.79	1	Horizontal	41	1.67	-	37.70	20.66	48.80			
AV	19.8747G	48.38	63.54	-15.16	38.84	1	Horizontal	41	1.67	-	37.70	20.64	48.80			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4274G	66.78	88.20	-21.42	77.50	3	Vertical	53	1.80	-	40.51	13.61	64.84			
RMS	13.4275G	57.50	68.20	-10.70	68.22	3	Vertical	53	1.80	-	40.51	13.61	64.84			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX


6705MHz_TX

EUT Y_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4322G	67.66	88.20	-20.54	78.35	3	Horizontal	306	1.80	-	40.53	13.62	64.84			
RMS	13.4204G	61.90	68.20	-6.30	72.65	3	Horizontal	306	1.80	-	40.48	13.61	64.84			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT V_4TX
Setting 108
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1304G	62.08	74.00	-11.92	52.26	1	Vertical	36	1.51	-	37.80	20.79	48.77			
AV	20.0994G	54.80	63.54	-8.74	45.05	1	Vertical	36	1.51	-	37.80	20.73	48.78			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6705MHz_TX




EUT_V_4TX
Setting 108
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1067G	62.40	83.54	-21.14	52.64	1	Horizontal	312	1.93	-	37.80	20.74	48.78			
AV	20.0995G	53.84	63.54	-9.70	44.09	1	Horizontal	312	1.93	-	37.80	20.73	48.78			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5875G	66.76	88.20	-21.44	76.92	3	Vertical	356	1.80	-	40.85	13.78	64.79			
RMS	13.5925G	56.89	68.20	-11.31	67.06	3	Vertical	356	1.80	-	40.83	13.79	64.79			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5806G	67.81	88.20	-20.39	77.95	3	Horizontal	304	1.63	-	40.88	13.77	64.79			
RMS	13.5803G	61.70	68.20	-6.50	71.84	3	Horizontal	304	1.63	-	40.88	13.77	64.79			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX


6785MHz_TX

EUT_Y_4TX
Setting 87
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3511G	56.21	83.54	-27.33	45.85	1	Vertical	13	1.60	-	37.90	21.19	48.73			
AV	20.3436G	47.62	63.54	-15.92	37.28	1	Vertical	13	1.60	-	37.89	21.18	48.73			

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

6785MHz_TX




EUT Y_4TX
Setting 87
05-R-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3407G	60.58	83.54	-22.96	50.26	1	Horizontal	50	1.60	-	37.88	21.17	48.73			
AV	20.3405G	51.65	63.54	-11.89	41.33	1	Horizontal	50	1.60	-	37.88	21.17	48.73			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT_Z_4TX
Setting 76
05-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9144G	80.57	88.20	-7.63	72.72	3	Vertical	-0.1	1.80	-	34.13	8.50	34.78			
RMS	5.9249G	65.64	68.20	-2.56	57.76	3	Vertical	-0.1	1.80	-	34.15	8.51	34.78			
PK	6.0712G	108.35	Inf	-Inf	100.31	3	Vertical	-0.1	1.80	-	34.16	8.57	34.69			
RMS	6.0915G	98.66	Inf	-Inf	90.63	3	Vertical	-0.1	1.80	-	34.12	8.58	34.67			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6025MHz_TX

EUT_Z_4TX
Setting 76
05-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	83.76	88.20	-4.44	75.88	3	Horizontal	66	2.02	-	34.15	8.51	34.78			
RMS	5.9249G	67.77	68.20	-0.43	59.89	3	Horizontal	66	2.02	-	34.15	8.51	34.78			
PK	6.0502G	110.61	Inf	-Inf	102.55	3	Horizontal	66	2.02	-	34.20	8.56	34.70			
RMS	6.0901G	100.16	Inf	-Inf	92.14	3	Horizontal	66	2.02	-	34.12	8.58	34.68			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 76
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0302G	54.20	74.00	-19.80	68.92	3	Vertical	48	1.80	-	38.86	12.16	65.74			
AV	12.0691G	44.92	54.00	-9.08	59.51	3	Vertical	48	1.80	-	38.94	12.20	65.73			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
Setting 76
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.033G	53.57	74.00	-20.43	68.28	3	Horizontal	310	1.80	-	38.87	12.16	65.74			
AV	12.0326G	45.51	54.00	-8.49	60.22	3	Horizontal	310	1.80	-	38.87	12.16	65.74			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6025MHz_TX

EUT Y_4TX
SET 76
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.22365G	53.94	83.54	-29.60	44.16	1	Vertical	36	1.50	76	37.60	20.42	48.24			
AV	18.22333G	41.07	63.54	-22.47	31.29	1	Vertical	36	1.50	76	37.60	20.42	48.24			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6025MHz_TX




EUT Y_4TX
SET 76
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	17.98709G	53.11	83.54	-30.43	43.35	1	Horizontal	324	1.50	76	37.67	20.26	48.17			
AV	17.98709G	41.68	63.54	-21.86	31.92	1	Horizontal	324	1.50	76	37.67	20.26	48.17			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3501G	58.03	74.00	-15.97	72.16	3	Vertical	46	1.58	-	39.00	12.49	65.62			
AV	12.3886G	49.94	54.00	-4.06	64.10	3	Vertical	46	1.58	-	38.92	12.53	65.61			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
Setting 108
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.3559G	56.60	74.00	-17.40	70.73	3	Horizontal	293	1.80	-	38.99	12.50	65.62			
AV	12.3888G	49.24	54.00	-4.76	63.40	3	Horizontal	293	1.80	-	38.92	12.53	65.61			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
SET 108
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.46485G	64.88	83.54	-18.66	54.86	1	Vertical	35	1.72	108	37.73	20.58	48.29			
AV	18.46485G	56.95	63.54	-6.59	46.93	1	Vertical	35	1.72	108	37.73	20.58	48.29			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6185MHz_TX




EUT Y_4TX
SET 108
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58345G	65.73	83.54	-17.81	55.70	1	Horizontal	335	1.93	108	37.80	20.61	48.38			
AV	18.58345G	57.27	63.54	-6.27	47.24	1	Horizontal	335	1.93	108	37.80	20.61	48.38			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 90
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.67G	61.45	74.00	-12.55	74.46	3	Vertical	45	1.80	-	39.50	12.83	65.34			
AV	12.6676G	53.64	54.00	-0.36	66.66	3	Vertical	45	1.80	-	39.50	12.82	65.34			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
Setting 90
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.67G	59.16	74.00	-14.84	72.17	3	Horizontal	296	1.80	-	39.50	12.83	65.34			
AV	12.6725G	51.63	54.00	-2.37	64.63	3	Horizontal	296	1.80	-	39.50	12.83	65.33			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
SET 90
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.06537G	64.56	83.54	-18.98	54.75	1	Vertical	34	1.50	90	37.93	20.68	48.80			
AV	19.18493G	53.56	63.54	-9.98	43.75	1	Vertical	34	1.50	90	37.86	20.75	48.80			

5.925-6.425GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6345MHz_TX

EUT Y_4TX
SET 90
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.94997G	60.47	83.54	-23.07	50.58	1	Horizontal	66	1.50	90	38.00	20.64	48.75			
AV	19.04747G	50.67	63.54	-12.87	40.89	1	Horizontal	66	1.50	90	37.91	20.67	48.80			

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 87
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3429G	58.76	74.00	-15.24	69.71	3	Vertical	52	1.80	-	40.37	13.53	64.85			
AV	13.3427G	49.88	54.00	-4.12	60.83	3	Vertical	52	1.80	-	40.37	13.53	64.85			

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

6665MHz_TX




EUT Y_4TX
Setting 87
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3134G	60.78	74.00	-13.22	71.88	3	Horizontal	303	1.80	-	40.25	13.50	64.85			
AV	13.3126G	53.41	54.00	-0.59	64.51	3	Horizontal	303	1.80	-	40.25	13.50	64.85			

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6665MHz_TX

EUT Y_4TX
Setting 87
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9474G	58.70	74.00	-15.30	49.12	1	Vertical	35	1.58	-	37.79	20.59	48.80			
AV	19.9513G	48.71	63.54	-14.83	39.12	1	Vertical	35	1.58	-	37.80	20.59	48.80			

6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX


6665MHz_TX

EUT_Y_4TX
Setting 87
05-R-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.967G	56.75	74.00	-17.25	47.21	1	Horizontal	316	1.60	-	37.77	20.57	48.80			
AV	19.9586G	46.65	63.54	-16.89	37.09	1	Horizontal	316	1.60	-	37.78	20.58	48.80			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 83
05-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.916G	82.90	88.20	-5.30	75.05	3	Vertical	2	1.80	-	34.13	8.50	34.78			
RMS	5.9187G	67.95	68.20	-0.25	60.09	3	Vertical	2	1.80	-	34.14	8.50	34.78			
PK	6.2148G	108.00	Inf	-Inf	99.63	3	Vertical	2	1.80	-	34.33	8.63	34.59			
RMS	6.1365G	97.45	Inf	-Inf	89.33	3	Vertical	2	1.80	-	34.17	8.59	34.64			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT_Z_4TX
Setting 83
05-C-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.925G	79.78	88.20	-8.42	71.90	3	Horizontal	64	1.80	-	34.15	8.51	34.78			
RMS	5.925G	65.80	68.20	-2.40	57.92	3	Horizontal	64	1.80	-	34.15	8.51	34.78			
PK	6.1284G	105.85	Inf	-Inf	97.75	3	Horizontal	64	1.80	-	34.16	8.59	34.65			
RMS	6.0681G	96.30	Inf	-Inf	88.26	3	Horizontal	64	1.80	-	34.16	8.57	34.69			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
Setting 83
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.1884G	50.53	74.00	-23.47	64.80	3	Vertical	47	1.80	-	39.08	12.33	65.68			
AV	12.1888G	41.76	54.00	-12.24	56.03	3	Vertical	47	1.80	-	39.08	12.33	65.68			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX


6105MHz_TX

EUT_Y_4TX
Setting 83
05-C-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2275G	50.98	74.00	-23.02	65.18	3	Horizontal	303	1.80	-	39.10	12.37	65.67			
AV	12.2326G	40.81	54.00	-13.19	55.01	3	Horizontal	303	1.80	-	39.10	12.37	65.67			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX




EUT Y_4TX
SET 83
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.16795G	52.92	83.54	-30.62	43.23	1	Vertical	36	1.51	83	37.54	20.38	48.23			
AV	18.28111G	41.86	63.54	-21.68	32.06	1	Vertical	36	1.51	83	37.60	20.46	48.26			

5.925-6.425GHz_802.11be EHT320_Nss4,(MCS0)_4TX

6105MHz_TX

EUT Y_4TX
SET 83
05-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.24467G	49.27	83.54	-34.27	39.49	1	Horizontal	47	1.50	83	37.60	20.43	48.25			
AV	18.30093G	39.65	63.54	-23.89	29.84	1	Horizontal	47	1.50	83	37.60	20.47	48.26			




Test Mode: Mode 3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11be EHT320_Nss2,(MCS0)_2TX	Pass	RMS	5.909G	68.13	68.20	-0.07	3	Vertical	193	2.60	-

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5955MHz_TX

EUT_Z_TX
Setting 82
01-I-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9244G	78.18	88.20	-10.02	68.23	3	Vertical	216	3.00	-	34.95	7.44	32.44			
RMS	5.9244G	66.21	68.20	-1.99	56.26	3	Vertical	216	3.00	-	34.95	7.44	32.44			
PK	5.9494G	116.99	Inf	-Inf	106.87	3	Vertical	216	3.00	-	35.10	7.46	32.44			
RMS	5.947G	108.48	Inf	-Inf	98.38	3	Vertical	216	3.00	-	35.08	7.46	32.44			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 82
01-I-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9198G	72.01	88.20	-16.19	62.09	3	Horizontal	281	2.41	-	34.92	7.44	32.44			
RMS	5.925G	60.36	68.20	-7.84	50.41	3	Horizontal	281	2.41	-	34.95	7.44	32.44			
PK	5.953G	110.46	Inf	-Inf	100.33	3	Horizontal	281	2.41	-	35.11	7.46	32.44			
RMS	5.9524G	101.19	Inf	-Inf	91.06	3	Horizontal	281	2.41	-	35.11	7.46	32.44			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 82
02-D-M-1

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	11.91612G	45.54	74.00	-28.46	59.32	3	Vertical	272	1.68	-	39.30	12.75	65.83				
AV	11.90964G	33.68	54.00	-20.32	47.47	3	Vertical	272	1.68	-	39.30	12.74	65.83				
PK	17.86804G	53.78	74.00	-20.22	56.02	3	Vertical	360	1.80	-	46.57	15.21	64.02				
AV	17.86848G	41.65	54.00	-12.35	43.89	3	Vertical	360	1.80	-	46.57	15.21	64.02				

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5955MHz_TX

EUT_Z_2TX
Setting 82
02-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91106G	45.38	74.00	-28.62	59.16	3	Horizontal	164	1.80	-	39.30	12.75	65.83			
AV	11.90912G	33.38	54.00	-20.62	47.17	3	Horizontal	164	1.80	-	39.30	12.74	65.83			
PK	17.86414G	53.40	74.00	-20.60	55.65	3	Horizontal	115	1.80	-	46.56	15.21	64.02			
AV	17.86822G	41.29	54.00	-12.71	43.53	3	Horizontal	115	1.80	-	46.57	15.21	64.02			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


5955MHz_TX

EUT_Z_2TX
Setting 82
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.80648G	61.19	83.54	-22.35	46.79	1	Vertical	170	1.60	-	39.10	22.98	47.68			
AV	23.81568G	50.60	63.54	-12.94	36.18	1	Vertical	170	1.60	-	39.10	22.99	47.67			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT_Z_2TX
Setting 82
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.82032G	63.15	83.54	-20.39	48.73	1	Horizontal	195	1.64	-	39.10	22.99	47.67			
AV	23.82032G	52.22	63.54	-11.32	37.80	1	Horizontal	195	1.64	-	39.10	22.99	47.67			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


6195MHz_TX

EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38092G	45.65	74.00	-28.35	59.71	3	Vertical	24	2.85	-	38.70	12.85	65.61			
AV	12.38552G	33.92	54.00	-20.08	47.98	3	Vertical	24	2.85	-	38.70	12.85	65.61			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


6195MHz_TX

EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.38043G	46.10	74.00	-27.90	60.16	3	Horizontal	241	1.76	-	38.70	12.85	65.61			
AV	12.4029G	34.11	54.00	-19.89	48.16	3	Horizontal	241	1.76	-	38.70	12.85	65.60			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6195MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.58422G	52.19	83.54	-31.35	42.16	1	Vertical	67	1.78	-	37.80	20.61	48.38			
AV	18.58458G	42.12	63.54	-21.42	32.09	1	Vertical	67	1.78	-	37.80	20.61	48.38			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


6195MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5853G	49.76	83.54	-33.78	39.74	1	Horizontal	123	1.60	-	37.80	20.61	48.39			
AV	18.5808G	38.02	63.54	-25.52	27.99	1	Horizontal	123	1.60	-	37.80	20.61	48.38			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83996G	44.94	88.20	-43.26	58.06	3	Vertical	349	2.99	-	39.06	12.92	65.10			
RMS	12.83584G	33.18	68.20	-35.02	46.33	3	Vertical	349	2.99	-	39.04	12.92	65.11			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.83876G	45.02	88.20	-43.18	58.14	3	Horizontal	201	1.36	-	39.06	12.92	65.10			
RMS	12.83681G	33.16	68.20	-35.04	46.30	3	Horizontal	201	1.36	-	39.05	12.92	65.11			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


6415MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.23354G	47.29	83.54	-36.25	37.39	1	Vertical	40	1.60	-	37.93	20.77	48.80			
AV	19.2702G	37.37	63.54	-26.17	27.46	1	Vertical	40	1.60	-	37.92	20.79	48.80			

5.925-6.425GHz_802.11be EHT20_Nss2,(MCS0)_2TX


6415MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.24398G	47.93	83.54	-35.61	37.97	1	Horizontal	185	1.60	-	37.98	20.78	48.80			
AV	19.23966G	37.98	63.54	-25.56	28.05	1	Horizontal	185	1.60	-	37.96	20.77	48.80			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.0703G	46.41	88.20	-41.79	58.84	3	Vertical	25	2.22	-	39.48	12.96	64.87			
RMS	13.0655G	34.50	68.20	-33.70	46.95	3	Vertical	25	2.22	-	39.46	12.96	64.87			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.07444G	46.04	88.20	-42.16	58.45	3	Horizontal	50	1.40	-	39.50	12.96	64.87			
RMS	13.06434G	34.51	68.20	-33.69	46.97	3	Horizontal	50	1.40	-	39.46	12.95	64.87			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX


6535MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60452G	49.45	83.54	-34.09	39.72	1	Vertical	172	1.63	-	37.70	20.83	48.80			
AV	19.60476G	40.45	63.54	-23.09	30.72	1	Vertical	172	1.63	-	37.70	20.83	48.80			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.60428G	50.66	83.54	-32.88	40.93	1	Horizontal	152	1.61	-	37.70	20.83	48.80			
AV	19.60854G	41.47	63.54	-22.07	31.74	1	Horizontal	152	1.61	-	37.70	20.83	48.80			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX


6695MHz_TX

EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39688G	47.13	74.00	-26.87	58.67	3	Vertical	115	1.26	-	40.29	13.01	64.84			
AV	13.39576G	35.00	54.00	-19.00	46.55	3	Vertical	115	1.26	-	40.28	13.01	64.84			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38464G	47.30	74.00	-26.70	58.90	3	Horizontal	314	2.70	-	40.24	13.00	64.84			
AV	13.38468G	34.81	54.00	-19.19	46.41	3	Horizontal	314	2.70	-	40.24	13.00	64.84			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08878G	57.66	83.54	-25.88	47.93	1	Vertical	186	1.60	-	37.80	20.71	48.78			
AV	20.08398G	47.89	63.54	-15.65	38.17	1	Vertical	186	1.60	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.09154G	58.72	83.54	-24.82	48.98	1	Horizontal	164	1.76	-	37.80	20.72	48.78			
AV	20.0841G	48.87	63.54	-14.67	39.15	1	Horizontal	164	1.76	-	37.80	20.70	48.78			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX


6855MHz_TX

EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7179G	47.15	88.20	-41.05	58.08	3	Vertical	104	1.82	-	40.74	13.06	64.73			
RMS	13.71494G	35.40	68.20	-32.80	46.34	3	Vertical	104	1.82	-	40.73	13.06	64.73			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.70044G	48.11	88.20	-40.09	59.10	3	Horizontal	135	1.08	-	40.70	13.05	64.74			
RMS	13.71664G	35.43	68.20	-32.77	46.37	3	Horizontal	135	1.08	-	40.73	13.06	64.73			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.55534G	62.17	83.54	-21.37	51.45	1	Vertical	173	1.61	-	37.90	21.52	48.70			
AV	20.56548G	51.41	63.54	-12.13	40.68	1	Vertical	173	1.61	-	37.90	21.53	48.70			

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX


6855MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.55552G	64.45	83.54	-19.09	53.73	1	Horizontal	170	1.67	-	37.90	21.52	48.70			
AV	20.56254G	54.02	63.54	-9.52	43.30	1	Horizontal	170	1.67	-	37.90	21.52	48.70			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 80
01-1-E-3-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)				
PK	5.9236G	81.51	88.20	-6.69	71.57	3	Vertical	194	1.92	-	34.94	7.44	32.44				
RMS	5.9239G	67.54	68.20	-0.66	57.60	3	Vertical	194	1.92	-	34.94	7.44	32.44				
PK	5.9686G	112.33	Inf	-Inf	102.12	3	Vertical	194	1.92	-	35.17	7.48	32.44				
RMS	5.9788G	101.98	Inf	-Inf	91.72	3	Vertical	194	1.92	-	35.22	7.48	32.44				

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5965MHz_TX

EUT_Z_2TX
Setting 80
01-I-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9215G	77.68	88.20	-10.52	67.75	3	Horizontal	226	2.06	-	34.93	7.44	32.44			
RMS	5.9236G	64.50	68.20	-3.70	54.56	3	Horizontal	226	2.06	-	34.94	7.44	32.44			
PK	5.9641G	107.37	Inf	-Inf	97.18	3	Horizontal	226	2.06	-	35.16	7.47	32.44			
RMS	5.9539G	97.34	Inf	-Inf	87.19	3	Horizontal	226	2.06	-	35.12	7.47	32.44			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 80
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92316G	45.44	74.00	-28.56	59.21	3	Vertical	317	1.85	-	39.30	12.75	65.82			
AV	11.9222G	33.30	54.00	-20.70	47.07	3	Vertical	317	1.85	-	39.30	12.75	65.82			
PK	17.90176G	54.38	74.00	-19.62	56.45	3	Vertical	88	1.03	-	46.70	15.22	63.99			
AV	17.90486G	42.25	54.00	-11.75	44.33	3	Vertical	88	1.03	-	46.69	15.22	63.99			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT_Z_2TX
Setting 80
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.92796G	45.96	74.00	-28.04	59.72	3	Horizontal	56	1.59	-	39.30	12.75	65.81			
AV	11.92378G	33.37	54.00	-20.63	47.14	3	Horizontal	56	1.59	-	39.30	12.75	65.82			
PK	17.90244G	54.59	74.00	-19.41	56.66	3	Horizontal	324	1.96	-	46.70	15.22	63.99			
AV	17.89614G	42.19	54.00	-11.81	44.29	3	Horizontal	324	1.96	-	46.68	15.22	64.00			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5965MHz_TX

EUT_Z_2TX
Setting 80
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86624G	57.46	83.54	-26.08	43.02	1	Vertical	169	1.60	-	39.07	23.02	47.65			
AV	23.86066G	47.62	63.54	-15.92	33.18	1	Vertical	169	1.60	-	39.08	23.02	47.66			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX


5965MHz_TX

EUT_Z_2TX
Setting 80
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86048G	58.57	83.54	-24.97	44.13	1	Horizontal	139	1.62	-	39.08	23.02	47.66			
AV	23.85088G	48.62	63.54	-14.92	34.17	1	Horizontal	139	1.62	-	39.10	23.01	47.66			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.40758G	45.58	74.00	-28.42	59.63	3	Vertical	45	2.68	-	38.70	12.85	65.60			
AV	12.40178G	33.69	54.00	-20.31	47.75	3	Vertical	45	2.68	-	38.70	12.85	65.61			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6205MHz_TX

EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.40588G	45.41	74.00	-28.59	59.46	3	Horizontal	24	1.24	-	38.70	12.85	65.60			
AV	12.40374G	33.42	54.00	-20.58	47.47	3	Horizontal	24	1.24	-	38.70	12.85	65.60			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.61782G	49.74	83.54	-33.80	39.71	1	Vertical	348	1.69	-	37.84	20.61	48.42			
AV	18.60888G	40.01	63.54	-23.53	29.99	1	Vertical	348	1.69	-	37.82	20.61	48.41			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6205MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.62994G	48.11	83.54	-35.43	38.07	1	Horizontal	162	1.64	-	37.86	20.61	48.43			
AV	18.6351G	38.04	63.54	-25.50	28.00	1	Horizontal	162	1.64	-	37.87	20.61	48.44			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6405MHz_TX

EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80598G	44.53	88.20	-43.67	57.85	3	Vertical	22	2.03	-	38.92	12.91	65.15			
RMS	12.8047G	32.62	68.20	-35.58	45.94	3	Vertical	22	2.03	-	38.92	12.91	65.15			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.80786G	45.43	88.20	-42.77	58.73	3	Horizontal	258	2.52	-	38.93	12.92	65.15			
RMS	12.8075G	32.50	68.20	-35.70	45.80	3	Horizontal	258	2.52	-	38.93	12.92	65.15			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.22562G	48.17	83.54	-35.37	38.30	1	Vertical	194	1.61	-	37.90	20.77	48.80			
AV	19.21476G	39.12	63.54	-24.42	29.30	1	Vertical	194	1.61	-	37.86	20.76	48.80			

5.925-6.425GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.19442G	47.61	83.54	-35.93	37.84	1	Horizontal	210	1.60	-	37.82	20.75	48.80			
AV	19.21476G	38.03	63.54	-25.51	28.21	1	Horizontal	210	1.60	-	37.86	20.76	48.80			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6565MHz_TX

EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.13784G	47.00	88.20	-41.20	59.22	3	Vertical	315	2.84	-	39.68	12.97	64.87			
RMS	13.13452G	34.69	68.20	-33.51	46.92	3	Vertical	315	2.84	-	39.67	12.97	64.87			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6565MHz_TX

EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.13168G	46.29	88.20	-41.91	58.53	3	Horizontal	272	1.09	-	39.66	12.97	64.87			
RMS	13.13864G	34.55	68.20	-33.65	46.77	3	Horizontal	272	1.09	-	39.68	12.97	64.87			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6565MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.6878G	65.44	83.54	-18.10	55.77	1	Vertical	161	1.79	-	37.70	20.77	48.80			
AV	19.7025G	55.23	63.54	-8.31	45.57	1	Vertical	161	1.79	-	37.70	20.76	48.80			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.68312G	50.46	83.54	-33.08	40.78	1	Horizontal	150	1.60	-	37.70	20.78	48.80			
AV	19.69344G	40.21	63.54	-23.33	30.54	1	Horizontal	150	1.60	-	37.70	20.77	48.80			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6685MHz_TX

EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.37238G	47.57	74.00	-26.43	59.22	3	Vertical	242	2.92	-	40.19	13.00	64.84			
AV	13.36762G	35.12	54.00	-18.88	46.79	3	Vertical	242	2.92	-	40.17	13.00	64.84			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6685MHz_TX

EUT_Z_2TX
Setting 108
02-D-J-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3754G	47.12	74.00	-26.88	58.76	3	Horizontal	13	2.29	-	40.20	13.00	64.84			
AV	13.36288G	35.15	54.00	-18.85	46.84	3	Horizontal	13	2.29	-	40.15	13.00	64.84			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6685MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06406G	55.47	83.54	-28.07	45.79	1	Vertical	187	1.60	-	37.80	20.67	48.79			
AV	20.0589G	45.06	63.54	-18.48	35.39	1	Vertical	187	1.60	-	37.80	20.66	48.79			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6685MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06418G	57.07	83.54	-26.47	47.39	1	Horizontal	166	1.76	-	37.80	20.67	48.79			
AV	20.06436G	47.06	63.54	-16.48	37.38	1	Horizontal	166	1.76	-	37.80	20.67	48.79			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.69G	49.00	88.20	-39.20	39.87	3	Vertical	149	1.80	-	40.38	13.28	44.53			
RMS	13.68824G	38.79	68.20	-29.41	29.66	3	Vertical	149	1.80	-	40.38	13.28	44.53			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6845MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.65736G	50.53	88.20	-37.67	41.51	3	Horizontal	342	1.80	-	40.31	13.26	44.55			
RMS	13.66728G	39.26	68.20	-28.94	30.20	3	Horizontal	342	1.80	-	40.33	13.27	44.54			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6845MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53468G	47.74	83.54	-35.80	37.04	1	Vertical	158	1.63	-	37.90	21.50	48.70			
AV	20.53484G	39.39	63.54	-24.15	28.69	1	Vertical	158	1.63	-	37.90	21.50	48.70			

6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX


6845MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.543G	47.32	83.54	-36.22	36.62	1	Horizontal	172	1.60	-	37.90	21.50	48.70			
AV	20.53476G	37.60	63.54	-25.94	26.90	1	Horizontal	172	1.60	-	37.90	21.50	48.70			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 83
01-I-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8882G	79.54	88.20	-8.66	69.83	3	Vertical	218	1.00	-	34.73	7.42	32.44			
RMS	5.9166G	67.62	68.20	-0.58	57.72	3	Vertical	218	1.00	-	34.90	7.44	32.44			
PK	6.0142G	105.35	Inf	-Inf	94.95	3	Vertical	218	1.00	-	35.33	7.51	32.44			
RMS	5.9986G	96.44	Inf	-Inf	86.09	3	Vertical	218	1.00	-	35.29	7.50	32.44			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 83
01-I-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.8878G	77.72	88.20	-10.48	68.01	3	Horizontal	226	2.23	-	34.73	7.42	32.44			
RMS	5.9214G	66.50	68.20	-1.70	56.57	3	Horizontal	226	2.23	-	34.93	7.44	32.44			
PK	5.9866G	103.15	Inf	-Inf	92.85	3	Horizontal	226	2.23	-	35.25	7.49	32.44			
RMS	5.9766G	95.29	Inf	-Inf	85.04	3	Horizontal	226	2.23	-	35.21	7.48	32.44			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT_Z_2TX
Setting 83
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.97104G	47.47	74.00	-26.53	41.79	3	Vertical	104	1.80	-	38.70	12.33	45.35			
AV	12.006G	35.99	54.00	-18.01	30.30	3	Vertical	104	1.80	-	38.69	12.36	45.36			
PK	17.94692G	50.06	74.00	-23.94	38.75	3	Vertical	325	1.84	-	41.39	14.21	44.29			
AV	17.96156G	40.02	54.00	-13.98	28.67	3	Vertical	325	1.84	-	41.42	14.22	44.29			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 83
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	12.00632G	47.13	74.00	-26.87	41.44	3	Horizontal	280	1.80	-	38.69	12.36	45.36			
AV	11.99304G	36.65	54.00	-17.35	30.96	3	Horizontal	280	1.80	-	38.70	12.35	45.36			
PK	17.92476G	50.26	74.00	-23.74	39.00	3	Horizontal	276	1.78	-	41.35	14.21	44.30			
AV	17.9454G	40.30	54.00	-13.70	28.99	3	Horizontal	276	1.78	-	41.39	14.21	44.29			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 83
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.92264G	55.07	83.54	-28.47	40.64	1	Vertical	196	1.60	-	39.00	23.06	47.63			
AV	23.93968G	45.40	63.54	-18.14	30.94	1	Vertical	196	1.60	-	39.00	23.08	47.62			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


5985MHz_TX

EUT_Z_2TX
Setting 83
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.94808G	55.11	83.54	-28.43	40.65	1	Horizontal	138	1.62	-	39.00	23.08	47.62			
AV	23.93968G	45.70	63.54	-17.84	31.24	1	Horizontal	138	1.62	-	39.00	23.08	47.62			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.45192G	46.16	74.00	-27.84	40.45	3	Vertical	188	1.80	-	38.70	12.61	45.60			
AV	12.41168G	35.59	54.00	-18.41	29.97	3	Vertical	188	1.80	-	38.62	12.58	45.58			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.41368G	45.76	74.00	-28.24	40.12	3	Horizontal	347	1.68	-	38.63	12.59	45.58			
AV	12.42128G	35.75	54.00	-18.25	30.11	3	Horizontal	347	1.68	-	38.64	12.59	45.59			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.6562G	53.29	83.54	-30.25	43.23	1	Vertical	59	1.66	-	37.90	20.62	48.46			
AV	18.6621G	43.44	63.54	-20.10	33.38	1	Vertical	59	1.66	-	37.90	20.62	48.46			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6225MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.68452G	57.15	83.54	-26.39	47.11	1	Horizontal	163	1.61	-	37.90	20.62	48.48			
AV	18.67428G	47.16	63.54	-16.38	37.11	1	Horizontal	163	1.61	-	37.90	20.62	48.47			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.78104G	47.03	88.20	-41.17	40.40	3	Vertical	279	1.75	-	39.16	12.79	45.32			
RMS	12.73472G	36.76	68.20	-31.44	30.27	3	Vertical	279	1.75	-	39.10	12.76	45.37			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.73208G	48.04	88.20	-40.16	41.55	3	Horizontal	360	1.80	-	39.10	12.76	45.37			
RMS	12.77016G	37.32	68.20	-30.88	30.73	3	Horizontal	360	1.80	-	39.14	12.78	45.33			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6385MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2024G	56.92	83.54	-26.62	47.15	1	Vertical	164	1.75	-	37.81	20.76	48.80			
AV	19.2022G	46.92	63.54	-16.62	37.15	1	Vertical	164	1.75	-	37.81	20.76	48.80			

5.925-6.425GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2023G	52.87	83.54	-30.67	43.10	1	Horizontal	188	1.60	-	37.81	20.76	48.80			
AV	19.2024G	42.46	63.54	-21.08	32.69	1	Horizontal	188	1.60	-	37.81	20.76	48.80			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.23072G	47.40	88.20	-40.80	39.29	3	Vertical	295	1.92	-	39.96	13.03	44.88			
RMS	13.24208G	37.71	68.20	-30.49	29.56	3	Vertical	295	1.92	-	39.98	13.04	44.87			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6625MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.23544G	48.82	88.20	-39.38	40.70	3	Horizontal	153	1.63	-	39.97	13.03	44.88			
RMS	13.24424G	38.50	68.20	-29.70	30.34	3	Horizontal	153	1.63	-	39.99	13.04	44.87			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6625MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.8898G	49.00	83.54	-34.54	39.47	1	Vertical	192	1.64	-	37.70	20.63	48.80			
AV	19.902G	39.63	63.54	-23.91	30.11	1	Vertical	192	1.64	-	37.70	20.62	48.80			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6625MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9074G	49.94	83.54	-33.60	40.41	1	Horizontal	149	1.60	-	37.71	20.62	48.80			
AV	19.9074G	40.60	63.54	-22.94	31.07	1	Horizontal	149	1.60	-	37.71	20.62	48.80			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6705MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3669G	48.87	74.00	-25.13	40.34	3	Vertical	3	1.14	-	40.20	13.10	44.77			
AV	13.3712G	38.68	54.00	-15.32	30.14	3	Vertical	3	1.14	-	40.20	13.11	44.77			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38976G	49.42	74.00	-24.58	40.85	3	Horizontal	287	1.80	-	40.20	13.12	44.75			
AV	13.39104G	38.84	54.00	-15.16	30.27	3	Horizontal	287	1.80	-	40.20	13.12	44.75			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6705MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.084G	51.10	83.54	-32.44	41.38	1	Vertical	188	1.60	-	37.80	20.70	48.78			
AV	20.1288G	41.87	63.54	-21.67	32.06	1	Vertical	188	1.60	-	37.80	20.78	48.77			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.1624G	52.68	83.54	-30.86	42.80	1	Horizontal	165	1.60	-	37.80	20.85	48.77			
AV	20.1038G	43.39	63.54	-20.15	33.63	1	Horizontal	165	1.60	-	37.80	20.74	48.78			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.543G	49.06	88.20	-39.14	40.12	3	Vertical	297	1.60	-	40.37	13.20	44.63			
RMS	13.6127G	38.41	68.20	-29.79	29.45	3	Vertical	297	1.60	-	40.30	13.24	44.58			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6068G	48.70	88.20	-39.50	39.75	3	Horizontal	8	1.51	-	40.30	13.24	44.59			
RMS	13.589G	38.71	68.20	-29.49	29.76	3	Horizontal	8	1.51	-	40.32	13.23	44.60			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3962G	52.97	83.54	-30.57	42.61	1	Vertical	202	1.61	-	37.81	21.27	48.72			
AV	20.3558G	42.61	63.54	-20.93	32.25	1	Vertical	202	1.61	-	37.89	21.20	48.73			

6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX


6785MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.3362G	53.22	83.54	-30.32	42.92	1	Horizontal	169	1.60	-	37.87	21.16	48.73			
AV	20.363G	43.98	63.54	-19.56	33.63	1	Horizontal	169	1.60	-	37.87	21.21	48.73			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 86
01-I-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9235G	77.27	88.20	-10.93	67.33	3	Vertical	196	1.01	-	34.94	7.44	32.44			
RMS	5.9235G	67.29	68.20	-0.91	57.35	3	Vertical	196	1.01	-	34.94	7.44	32.44			
PK	6.0341G	104.79	Inf	-Inf	94.34	3	Vertical	196	1.01	-	35.37	7.52	32.44			
RMS	6.0831G	95.86	Inf	-Inf	85.35	3	Vertical	196	1.01	-	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT_Z_2TX
Setting 86
01-I-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9172G	76.98	88.20	-11.22	67.08	3	Horizontal	224	2.17	-	34.90	7.44	32.44			
RMS	5.9214G	66.61	68.20	-1.59	56.68	3	Horizontal	224	2.17	-	34.93	7.44	32.44			
PK	6.0838G	103.46	Inf	-Inf	92.95	3	Horizontal	224	2.17	-	35.40	7.54	32.43			
RMS	6.0859G	94.76	Inf	-Inf	84.25	3	Horizontal	224	2.17	-	35.40	7.54	32.43			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 86
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0479G	47.13	74.00	-26.87	41.53	3	Vertical	156	1.80	-	38.60	12.39	45.39			
AV	12.0415G	36.19	54.00	-17.81	30.57	3	Vertical	156	1.80	-	38.62	12.38	45.38			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 86
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0419G	48.21	74.00	-25.79	42.59	3	Horizontal	327	1.80	-	38.62	12.38	45.38			
AV	12.0736G	36.37	54.00	-17.63	30.72	3	Horizontal	327	1.80	-	38.65	12.40	45.40			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 86
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0938G	46.74	83.54	-36.80	36.97	1	Vertical	157	1.74	-	37.66	20.33	48.22			
AV	18.1576G	37.29	63.54	-26.25	27.63	1	Vertical	157	1.74	-	37.52	20.37	48.23			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6025MHz_TX

EUT_Z_2TX
Setting 86
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.1574G	46.59	83.54	-36.95	36.94	1	Horizontal	360	1.60	-	37.51	20.37	48.23			
AV	18.173G	37.29	63.54	-26.25	27.59	1	Horizontal	360	1.60	-	37.55	20.38	48.23			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3749G	45.48	74.00	-28.52	39.93	3	Vertical	259	1.68	-	38.55	12.56	45.56			
AV	12.3819G	36.10	54.00	-17.90	30.54	3	Vertical	259	1.68	-	38.56	12.57	45.57			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3622G	45.88	74.00	-28.12	40.36	3	Horizontal	343	1.78	-	38.52	12.56	45.56			
AV	12.3983G	36.02	54.00	-17.98	30.42	3	Horizontal	343	1.78	-	38.60	12.58	45.58			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.4968G	46.96	83.54	-36.58	36.87	1	Vertical	61	1.60	-	37.79	20.60	48.30			
AV	18.5434G	37.59	63.54	-25.95	27.53	1	Vertical	61	1.60	-	37.80	20.60	48.34			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6185MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.5272G	47.48	83.54	-36.06	37.41	1	Horizontal	165	1.64	-	37.80	20.60	48.33			
AV	18.5312G	37.72	63.54	-25.82	27.65	1	Horizontal	165	1.64	-	37.80	20.60	48.33			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.7146G	46.79	88.20	-41.41	40.33	3	Vertical	234	1.98	-	39.10	12.75	45.39			
RMS	12.7063G	36.56	68.20	-31.64	30.12	3	Vertical	234	1.98	-	39.10	12.74	45.40			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.71G	47.00	88.20	-41.20	40.54	3	Horizontal	298	1.89	-	39.10	12.75	45.39			
RMS	12.7024G	36.58	68.20	-31.62	30.14	3	Horizontal	298	1.89	-	39.10	12.74	45.40			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6345MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.0452G	47.25	83.54	-36.29	37.47	1	Vertical	0	1.79	-	37.91	20.67	48.80			
AV	18.9462G	37.47	63.54	-26.07	27.58	1	Vertical	0	1.79	-	38.00	20.64	48.75			

5.925-6.425GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.9602G	47.72	83.54	-35.82	37.83	1	Horizontal	0	1.60	-	38.00	20.65	48.76			
AV	18.9696G	37.18	63.54	-26.36	27.30	1	Horizontal	0	1.60	-	38.00	20.65	48.77			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.3575G	49.38	74.00	-24.62	40.86	3	Vertical	156	1.80	-	40.20	13.10	44.78			
AV	13.3189G	38.68	54.00	-15.32	30.27	3	Vertical	156	1.80	-	40.14	13.08	44.81			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3541G	48.93	74.00	-25.07	40.41	3	Horizontal	96	1.38	-	40.20	13.10	44.78			
AV	13.3449G	38.48	54.00	-15.52	29.99	3	Horizontal	96	1.38	-	40.19	13.09	44.79			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9846G	46.54	83.54	-37.00	37.05	1	Vertical	26	1.79	-	37.73	20.56	48.80			
AV	19.9354G	37.73	63.54	-25.81	28.16	1	Vertical	26	1.79	-	37.77	20.60	48.80			

6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX


6665MHz_TX

EUT_Z_2TX
Setting 108
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.9144G	46.90	83.54	-36.64	37.36	1	Horizontal	309	1.80	-	37.73	20.61	48.80			
AV	19.8994G	37.84	63.54	-25.70	28.32	1	Horizontal	309	1.80	-	37.70	20.62	48.80			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 88
02-D-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.896G	80.12	88.20	-8.08	68.04	3	Vertical	193	2.60	-	34.08	8.17	30.17			
RMS	5.909G	68.13	68.20	-0.07	56.01	3	Vertical	193	2.60	-	34.12	8.16	30.16			
PK	6.206G	106.84	Inf	-Inf	94.43	3	Vertical	193	2.60	-	34.60	8.02	30.21			
RMS	6.208G	97.49	Inf	-Inf	85.08	3	Vertical	193	2.60	-	34.60	8.02	30.21			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 88
02-D-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.902G	77.04	88.20	-11.16	64.95	3	Horizontal	221	2.00	-	34.10	8.16	30.17			
RMS	5.918G	63.50	68.20	-4.70	51.36	3	Horizontal	221	2.00	-	34.14	8.16	30.16			
PK	6.26G	100.48	Inf	-Inf	88.01	3	Horizontal	221	2.00	-	34.58	8.12	30.23			
RMS	6.261G	91.61	Inf	-Inf	79.14	3	Horizontal	221	2.00	-	34.58	8.12	30.23			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 88
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1949G	46.84	74.00	-27.16	41.33	3	Vertical	156	1.80	-	38.51	12.47	45.47			
AV	12.1944G	36.70	54.00	-17.30	31.18	3	Vertical	156	1.80	-	38.51	12.47	45.46			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX




EUT_Z_2TX
Setting 88
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.1766G	46.51	74.00	-27.49	40.96	3	Horizontal	58	1.54	-	38.55	12.46	45.46			
AV	12.2162G	36.67	54.00	-17.33	31.20	3	Horizontal	58	1.54	-	38.47	12.48	45.48			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX


6105MHz_TX

EUT_Z_2TX
Setting 88
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.221G	47.87	83.54	-35.67	38.09	1	Vertical	181	1.93	-	37.60	20.42	48.24			
AV	18.2554G	37.80	63.54	-25.74	28.01	1	Vertical	181	1.93	-	37.60	20.44	48.25			

5.925-6.425GHz_802.11be EHT320_Nss2,(MCS0)_2TX

6105MHz_TX

EUT_Z_2TX
Setting 88
01-I-E-3

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.2188G	47.15	83.54	-36.39	37.38	1	Horizontal	144	1.47	-	37.60	20.41	48.24			
AV	18.2978G	37.36	63.54	-26.18	27.55	1	Horizontal	144	1.47	-	37.60	20.47	48.26			


Test Mode: Mode 1

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6595MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6605MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6595MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6605MHz_TX

12/09/2025



6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6625MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6705MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT80_Nss2,(MCS0)_2TX

MASK

6785MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT160_Nss2,(MCS0)_2TX

MASK

6665MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6595MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6605MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

12/09/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6595MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6695MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT20_Nss4,(MCS0)_4TX

MASK

6855MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6605MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6685MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT40_Nss4,(MCS0)_4TX

MASK

6845MHz_TX

13/09/2025



6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6625MHz_TX

13/09/2025

CF (Hz)
6.625G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6315G	7.91	6.7213G	-18.53	-12.17	-6.36	1
6.6405G	7.76	6.7329G	-18.98	-12.34	-6.64	2
6.6412G	8.13	6.724G	-15.19	-11.88	-3.31	3
6.6198G	7.61	6.7285G	-18.33	-12.40	-5.93	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6705MHz_TX

13/09/2025

CF (Hz)
6.705G


Span (Hz)
400M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.7165G	7.82	6.8026G	-20.29	-12.19	-8.10	1
6.6924G	6.91	6.8023G	-20.09	-13.11	-6.98	2
6.7184G	6.40	6.795G	-21.32	-13.69	-7.63	3
6.6891G	6.72	6.6152G	-20.98	-13.50	-7.48	4

6.525-6.875GHz_802.11be EHT80_Nss4,(MCS0)_4TX

MASK

6785MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT160_Nss4,(MCS0)_4TX

MASK

6665MHz_TX

13/09/2025




Test Mode: Mode 2

6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6595MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6695MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_1TX

MASK

6855MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6605MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6685MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_1TX

MASK

6845MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6625MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6705MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_1TX

MASK

6785MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_1TX

MASK

6665MHz_TX

13/09/2025



Test Mode: Mode 3


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6595MHz_TX

13/09/2025

CF (Hz)
6.595G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.598724G	-5.56	6.62795G	-59.57	-45.56	-14.01	1
6.597474G	-5.11	6.6297G	-59.44	-45.11	-14.33	2


6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6695MHz_TX

13/09/2025

CF (Hz)
6.695G
Span (Hz)
100M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.692476G	-5.95	6.7255G	-58.13	-44.25	-13.88	1
6.69375G	-6.11	6.730575G	-59.95	-46.11	-13.84	2

6.525-6.875GHz_802.11be EHT20_Nss2,(MCS0)_2TX

MASK

6855MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6605MHz_TX

13/09/2025




6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6685MHz_TX

13/09/2025



6.525-6.875GHz_802.11be EHT40_Nss2,(MCS0)_2TX

MASK

6845MHz_TX

13/09/2025

