

Appendix A. Plots of System Verification

The plots for system verification are shown as follows.

Plots of System Verification

Measurement Report

S01 System Check_H1900_251104

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 302.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1900.000, 0	7.01	1.45	40.2

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-04	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-04	2025-11-04
psSAR1g [W/kg]	1.93	1.93
psSAR10g [W/kg]	1.00	0.996
Power Drift [dB]	0.07	-0.06



Plots of System Verification

Measurement Report

S02 System Check_H1750_251104

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 310.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1750.000 0	7.47	1.36	40.4

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-04	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-04	2025-11-04
psSAR1g [W/kg]	1.71	1.74
psSAR10g [W/kg]	0.937	0.942
Power Drift [dB]	0.01	0.03



Plots of System Verification

Measurement Report

S03 System Check_H835_251104

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 340.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,			835.000 0	8.59	0.94	43.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-04	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-04	2025-11-04
psSAR1g [W/kg]	0.468	0.473
psSAR10g [W/kg]	0.305	0.307
Power Drift [dB]	0.06	0.08



Plots of System Verification

Measurement Report

S04 System Check_H1900_251101

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D1900V2,	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				1900.000	7.01	1.46	40.2

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-01	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-01	2025-11-01
psSAR1g [W/kg]	2.01	2.05
psSAR10g [W/kg]	1.01	1.03
Power Drift [dB]	-0.05	0.02



Plots of System Verification

Measurement Report

S05 System Check_H1750_251101

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D1750V2,,	10.0 x 10.0 x 302.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1750.000, 0	7.47	1.37	40.4

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-01	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-01	2025-11-01
psSAR1g [W/kg]	1.79	1.77
psSAR10g [W/kg]	0.941	0.922
Power Drift [dB]	-0.02	0.01



Plots of System Verification

Measurement Report

S06 System Check_H835_251104

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D835V2,	10.0 x 10.0 x 340.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,			835.000 0	8.59	0.940	43.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-04	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-04	2025-11-04
psSAR1g [W/kg]	0.468	0.473
psSAR10g [W/kg]	0.305	0.307
Power Drift [dB]	0.06	0.08



Plots of System Verification

Measurement Report

S07 System Check H2600_251102

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D2600V2,	10.0 x 10.0 x 290.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2600.000, 0	6.62	1.92	38.6

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H19T27N8 , 2025-11-02	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-02	2025-11-02
psSAR1g [W/kg]	2.75	2.71
psSAR10g [W/kg]	1.26	1.23
Power Drift [dB]	-0.03	-0.11



Plots of System Verification

Measurement Report

S08 System Check_H750_251103

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 330.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,			750.000 0	8.88	0.9	43.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-03	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-03	2025-11-03
psSAR1g [W/kg]	0.408	0.411
psSAR10g [W/kg]	0.272	0.274
Power Drift [dB]	0.04	0.02



Plots of System Verification

Measurement Report

S09 System Check_H750_251103

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 330.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,			750.000 0	8.88	0.9	43.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-03	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-03	2025-11-03
psSAR1g [W/kg]	0.408	0.411
psSAR10g [W/kg]	0.272	0.274
Power Drift [dB]	0.04	0.02



Plots of System Verification

Measurement Report

S10 System Check_H750_251103

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 330.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,			750.000 0	8.88	0.9	43.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-03	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-03	2025-11-03
psSAR1g [W/kg]	0.408	0.411
psSAR10g [W/kg]	0.272	0.274
Power Drift [dB]	0.04	0.02



Plots of System Verification

Measurement Report

S11 System Check_H750_251103

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 330.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,			750.000 0	8.88	0.9	43.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-03	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-03	2025-11-03
psSAR1g [W/kg]	0.408	0.411
psSAR10g [W/kg]	0.272	0.274
Power Drift [dB]	0.04	0.02



Plots of System Verification

Measurement Report

S12 System Check_H1900_251101

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D1900V2,	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				1900.000	7.01	1.46	40.2

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-01	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-01	2025-11-01
psSAR1g [W/kg]	2.01	2.05
psSAR10g [W/kg]	1.01	1.03
Power Drift [dB]	-0.05	0.02



Plots of System Verification

Measurement Report

S13 System Check_H835_251104

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D835V2,	10.0 x 10.0 x 340.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,			835.000 0	8.59	0.940	43.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-04	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-04	2025-11-04
psSAR1g [W/kg]	0.468	0.473
psSAR10g [W/kg]	0.305	0.307
Power Drift [dB]	0.06	0.08



Plots of System Verification

Measurement Report

S14 System Check H2600_251102

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D2600V2,	10.0 x 10.0 x 290.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2600.000, 0	6.62	1.92	38.6

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H19T27N8 , 2025-11-02	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-02	2025-11-02
psSAR1g [W/kg]	2.75	2.71
psSAR10g [W/kg]	1.26	1.23
Power Drift [dB]	-0.03	-0.11



Plots of System Verification

Measurement Report

S15 System Check H2600_251102

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D2600V2,	10.0 x 10.0 x 290.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2600.000, 0	6.62	1.92	38.6

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H19T27N8 , 2025-11-02	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-02	2025-11-02
psSAR1g [W/kg]	2.75	2.71
psSAR10g [W/kg]	1.26	1.23
Power Drift [dB]	-0.03	-0.11



Plots of System Verification

Measurement Report

S16 System Check_H3500_251105

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 285.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat			CW, 0--	3500.000 0	6.18	2.79	39.6

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-05	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-05	2025-11-05
psSAR1g [W/kg]	3.34	3.18
psSAR10g [W/kg]	1.27	1.12
Power Drift [dB]	0.03	0.02



Plots of System Verification

Measurement Report

S17 System Check_H3700_251105

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device	10.0 x 10.0 x 300.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat			CW, 0--	3700.000 0	6.0	2.97	39.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-05	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-05	2025-11-05
psSAR1g [W/kg]	3.33	3.17
psSAR10g [W/kg]	1.22	1.04
Power Drift [dB]	0.01	0.03



Plots of System Verification

Measurement Report

S18 System Check_H3500_251105

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 285.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat			CW, 0--	3500.000 0	6.18	2.79	39.6

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-05	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-05	2025-11-05
psSAR1g [W/kg]	3.34	3.18
psSAR10g [W/kg]	1.27	1.12
Power Drift [dB]	0.03	0.02



Plots of System Verification

Measurement Report

S18 System Check_H3700_251105

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device	10.0 x 10.0 x 300.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat			CW, 0--	3700.000 0	6.0	2.97	39.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-05	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-05	2025-11-05
psSAR1g [W/kg]	3.33	3.17
psSAR10g [W/kg]	1.22	1.04
Power Drift [dB]	0.01	0.03



Plots of System Verification

Measurement Report

S19 System Check_H1750_251101

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D1750V2,,	10.0 x 10.0 x 302.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1750.000, 0	7.47	1.37	40.4

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-01	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-01	2025-11-01
psSAR1g [W/kg]	1.79	1.77
psSAR10g [W/kg]	0.941	0.922
Power Drift [dB]	-0.02	0.01



Plots of System Verification

Measurement Report

S20 System Check_H750_251103

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 330.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,			750.000 0	8.88	0.9	43.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-03	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-03	2025-11-03
psSAR1g [W/kg]	0.408	0.411
psSAR10g [W/kg]	0.272	0.274
Power Drift [dB]	0.04	0.02



Plots of System Verification

Measurement Report

S21 System Check_H1900_251106

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 300.0		Dipole

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1900.000, 0	7.01	1.46	40.1

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-06	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-06	2025-11-06
psSAR1g [W/kg]	1.83	1.93
psSAR10g [W/kg]	1.0	1.16
Power Drift [dB]	0.07	-0.06



Plots of System Verification

Measurement Report S22 System Check H835_251106 Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D835V2,	10.0 x 10.0 x 340.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	835.000, 0	8.59	0.925	42.7

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-06	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-06	2025-11-06
psSAR1g [W/kg]	0.487	0.491
psSAR10g [W/kg]	0.321	0.313
Power Drift [dB]	-0.07	0.02



Plots of System Verification

Measurement Report

S23 System Check H2600_251108

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D2600V2,	10.0 x 10.0 x 290.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2600.000, 0	6.62	1.91	39.0

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H19T27N8 , 2025-11-08	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-08	2025-11-08
psSAR1g [W/kg]	2.73	2.71
psSAR10g [W/kg]	1.24	1.22
Power Drift [dB]	0.03	-0.04



Plots of System Verification

Measurement Report

S24 System Check_H750_251107

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D750V3,	10.0 x 10.0 x 330.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				750.0	8.88	0.882	42.8

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-07	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-07	2025-11-07
psSAR1g [W/kg]	0.412	0.421
psSAR10g [W/kg]	0.278	0.283
Power Drift [dB]	-0.06	0.02



Plots of System Verification

Measurement Report

S25 System Check_H750_251107

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D750V3,	10.0 x 10.0 x 330.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				750.0	8.88	0.882	42.8

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-07	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-07	2025-11-07
psSAR1g [W/kg]	0.412	0.421
psSAR10g [W/kg]	0.278	0.283
Power Drift [dB]	-0.06	0.02



Plots of System Verification

Measurement Report

S26 System Check_H750_251107

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D750V3,	10.0 x 10.0 x 330.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				750.0	8.88	0.882	42.8

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-07	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-07	2025-11-07
psSAR1g [W/kg]	0.412	0.421
psSAR10g [W/kg]	0.278	0.283
Power Drift [dB]	-0.06	0.02



Plots of System Verification

Measurement Report

S27 System Check_H1900_251106

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D1900V2,	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1900.000, 0	7.01	1.46	40.1

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-06	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-06	2025-11-06
psSAR1g [W/kg]	1.83	1.93
psSAR10g [W/kg]	1.01	1.03
Power Drift [dB]	0.07	-0.06



Plots of System Verification

Measurement Report S28 System Check H835_251106 Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D835V2,	10.0 x 10.0 x 340.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	835.000, 0	8.59	0.925	42.7

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-06	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-06	2025-11-06
psSAR1g [W/kg]	0.487	0.491
psSAR10g [W/kg]	0.321	0.313
Power Drift [dB]	-0.07	0.02



Plots of System Verification

Measurement Report

S29 System Check H2600_251108

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D2600V2,	10.0 x 10.0 x 290.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2600.000, 0	6.62	1.91	39.0

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H19T27N8 , 2025-11-08	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-08	2025-11-08
psSAR1g [W/kg]	2.73	2.71
psSAR10g [W/kg]	1.24	1.22
Power Drift [dB]	0.03	-0.04



Plots of System Verification

Measurement Report

S30 System Check H2600_251108

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D2600V2,	10.0 x 10.0 x 290.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2600.000, 0	6.62	1.91	39.0

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H19T27N8 , 2025-11-08	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-08	2025-11-08
psSAR1g [W/kg]	2.73	2.71
psSAR10g [W/kg]	1.24	1.22
Power Drift [dB]	0.03	-0.04



Plots of System Verification

Measurement Report

S31 System Check H3500_251109

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3500.000	6.18	2.79	38.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-09	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-09	2025-11-09
psSAR1g [W/kg]	2.97	3.08
psSAR10g [W/kg]	1.15	1.18
Power Drift [dB]	0.01	0.01



Plots of System Verification

Measurement Report

S31 System Check H3700_251109

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3700.000	6.0	2.97	38.2

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-09	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-09	2025-11-09
psSAR1g [W/kg]	3.11	3.24
psSAR10g [W/kg]	1.17	1.21
Power Drift [dB]	0.00	-0.00



Plots of System Verification

Measurement Report

S32 System Check_H1750_251106

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D1750V2,	10.0 x 10.0 x 302.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1750.000 0	7.47	1.38	40.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-06	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-06	2025-11-06
psSAR1g [W/kg]	1.71	1.84
psSAR10g [W/kg]	0.937	0.952
Power Drift [dB]	0.01	0.03



Plots of System Verification

Measurement Report

S33 System Check_H750_251107

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D750V3,	10.0 x 10.0 x 330.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				750.0	8.88	0.882	42.8

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-07	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-07	2025-11-07
psSAR1g [W/kg]	0.412	0.421
psSAR10g [W/kg]	0.278	0.283
Power Drift [dB]	-0.06	0.02



Plots of System Verification

Measurement Report

S34 System Check H3500_251109

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3500.000	6.18	2.79	38.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-09	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-09	2025-11-09
psSAR1g [W/kg]	2.97	3.08
psSAR10g [W/kg]	1.15	1.18
Power Drift [dB]	0.01	0.01



Plots of System Verification

Measurement Report

S34 System Check H3700_251109

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3700.000	6.0	2.97	38.2

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-09	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-09	2025-11-09
psSAR1g [W/kg]	3.11	3.24
psSAR10g [W/kg]	1.17	1.21
Power Drift [dB]	0.00	-0.00



Plots of System Verification

Measurement Report

S34 System Check_H3900_251109

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3900.000	6.05	3.17	37.9

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-09	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-09	2025-11-09
psSAR1g [W/kg]	3.07	3.28
psSAR10g [W/kg]	1.12	1.19
Power Drift [dB]	0.02	0.00



Plots of System Verification

Measurement Report

S35 System Check H3500_251109

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3500.000	6.18	2.79	38.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-09	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-09	2025-11-09
psSAR1g [W/kg]	2.97	3.08
psSAR10g [W/kg]	1.15	1.18
Power Drift [dB]	0.01	0.01



Plots of System Verification

Measurement Report

S35 System Check H3700_251109

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3700.000	6.0	2.97	38.2

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-09	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-09	2025-11-09
psSAR1g [W/kg]	3.11	3.24
psSAR10g [W/kg]	1.17	1.21
Power Drift [dB]	0.00	-0.00



Plots of System Verification

Measurement Report

S35 System Check_H3900_251109

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3900.000	6.05	3.17	37.9

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-09	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-09	2025-11-09
psSAR1g [W/kg]	3.07	3.28
psSAR10g [W/kg]	1.12	1.19
Power Drift [dB]	0.02	0.00



Plots of System Verification

Measurement Report

S36 System Check_H2450_251112

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D2450V2,	10.0 x 10.0 x 290.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2450.000, 0	6.87	1.80	39.1

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H19T27N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	2.58	2.59
psSAR10g [W/kg]	1.22	1.24
Power Drift [dB]	0.19	-0.12



Plots of System Verification

Measurement Report

S37 System Check_H5250_251112

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D5GHzV2,	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	5250.000, 0	5.27	4.62	37.4

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H50T60N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	4.12	4.22
psSAR10g [W/kg]	1.18	1.19
Power Drift [dB]	0.08	0.09



Plots of System Verification

Measurement Report

S38 System Check_H5600_251112

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D5GHzV2,	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	5600.000, 0	4.83	5.01	36.8

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H50T60N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	4.03	4.16
psSAR10g [W/kg]	1.17	1.19
Power Drift [dB]	0.01	-0.01



Plots of System Verification

Measurement Report for S39 System Check_H5800_251112 Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D5GHzV2,	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	5800.000, 0	4.78	5.25	36.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H50T60N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	3.96	4.21
psSAR10g [W/kg]	1.14	1.18
Power Drift [dB]	0.09	-0.02



Plots of System Verification

Measurement Report for
S40 System Check_H5800_251112
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D5GHzV2,	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	5800.000, 0	4.78	5.25	36.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H50T60N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	3.96	4.21
psSAR10g [W/kg]	1.14	1.18
Power Drift [dB]	0.09	-0.02



Plots of System Verification

Measurement Report

S41 System Check_H2450_251112

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D2450V2,	10.0 x 10.0 x 290.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2450.000, 0	6.87	1.80	39.1

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H19T27N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	2.58	2.59
psSAR10g [W/kg]	1.22	1.24
Power Drift [dB]	0.19	-0.12



Plots of System Verification

Measurement Report

S42 System Check_H6500_251112

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
D6.5GHzV2,	10.0 x 10.0 x 296.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	6500.000, 0	5.24	6.06	35.1

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H60T72N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	7.5 x 7.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	27.9	29.5
psSAR10g [W/kg]	5.33	5.47
psAPD (1.0cm2, sq) [W/m2]		289
psAPD (4.0cm2, sq) [W/m2]		127
Power Drift [dB]	0.05	0.03



Plots of System Verification

Measurement Report

S42 PD_System Check_10 GHz_251110

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
SPEAG, 5G Verification Source 10 GHz	100.0 x 100.0 x 170.0	SN: 1025	

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor
5G Air	Front Face 10.00	Validation band	CW, 0--	10000.0, 10000	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1035	---Air	EUmmWV4 - SN9615_F1-55GHz, 2025-05-14	DAE4 Sn1431, 2025-07-11

Scan Setup

	5G Scan
Grid Extents [mm]	60.0 x 60.0
Grid Steps [lambda]	0.125 x 0.125
Sensor Surface [mm]	10.0

Measurement Results

	5G Scan
Date	2025-11-10
Avg. Area [cm ²]	4.00
psPDn+ [W/m ²]	55.0
psPDtot+ [W/m ²]	55.4
psPDmod+ [W/m ²]	55.5
E _{max} [V/m]	151
Power Drift [dB]	-0.08



Appendix B. Plots of Measurement

The SAR plots for highest measured SAR in each exposure configuration, wireless mode and frequency band combination are shown as follows.

Plots of Measurement

Measurement Report
P01 WCDMA II_RMC12.2K_Top Side_0mm_Ch9262_Ant 0_Battery1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 2	WCDMA, 10011-CAC	1852.400, 9262	7.01	1.43	40.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-04	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-04	2025-11-04
psSAR1g [W/kg]	0.579	0.659
psSAR10g [W/kg]	0.289	0.331
Power Drift [dB]	0.02	0.01
M2/M1 [%]		57.9
Dist 3dB Peak [mm]		9.8



Plots of Measurement

Measurement Report
P02 WCDMA IV_RMC12.2K_Top Side_0mm_Ch1513_Ant 0_Battery1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 4	WCDMA, 10011-CAC	1752.600, 1513	7.47	1.37	40.4

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-04	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-04	2025-11-04
psSAR1g [W/kg]	0.585	0.671
psSAR10g [W/kg]	0.293	0.345
Power Drift [dB]	0.01	0.01
M2/M1 [%]		60.2
Dist 3dB Peak [mm]		9.4



Plots of Measurement

Measurement Report

P03 WCDMA V_RMC12.2K_Top Side_0mm_Ch4182_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 5	WCDMA, 10011-CAC	836.400, 4182	8.59	0.944	43.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-04	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-04	2025-11-04
psSAR1g [W/kg]	0.389	0.608
psSAR10g [W/kg]	0.247	0.301
Power Drift [dB]	0.05	0.10
M2/M1 [%]		48.6
Dist 3dB Peak [mm]		8.1



Plots of Measurement

Measurement Report

P04 LTE 2_QPSK20M_Top Side_0mm_Ch18700_1RB_OS0_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 2	LTE-FDD, 10169-CAF	1860.000, 18700	7.01	1.43	40.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-01	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-01	2025-11-01
psSAR1g [W/kg]	0.532	0.588
psSAR10g [W/kg]	0.261	0.295
Power Drift [dB]	0.03	0.01
M2/M1 [%]		58.4
Dist 3dB Peak [mm]		9.4



Plots of Measurement

Measurement Report

P05 LTE 4_QPSK20M_Top Side_0mm_Ch20300_1RB_OS0_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 4	LTE-FDD, 10169-CAF	1745.000, 20300	7.47	1.37	40.4

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-01	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-01	2025-11-01
psSAR1g [W/kg]	0.611	0.673
psSAR10g [W/kg]	0.306	0.348
Power Drift [dB]	0.03	-0.01
M2/M1 [%]		60.1
Dist 3dB Peak [mm]		9.4



Plots of Measurement

Measurement Report

P06 LTE 5_QPSK10M_Top Side_0mm_Ch20525_1RB_OS0_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 5	LTE-FDD, 10175-CAH	836.500, 20525	8.59	0.944	43.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-04	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-04	2025-11-04
psSAR1g [W/kg]	0.468	0.683
psSAR10g [W/kg]	0.293	0.351
Power Drift [dB]	0.02	-0.01
M2/M1 [%]		48.3
Dist 3dB Peak [mm]		8.1



Plots of Measurement

Measurement Report
P07 LTE 7_QPSK20M_Top Side_0mm_Ch20850_1RB_OS0_Ant 0_Battery1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 7	LTE-FDD, 10169-CAF	2510.000, 20850	6.62	1.85	38.8

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H19T27N8 , 2025-11-02	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-02	2025-11-02
psSAR1g [W/kg]	0.460	0.603
psSAR10g [W/kg]	0.213	0.246
Power Drift [dB]	-0.04	0.05
M2/M1 [%]		48.5
Dist 3dB Peak [mm]		7.1



Plots of Measurement

Measurement Report

P08 LTE 12_QPSK10M_Top Side_0mm_Ch23060_1RB_OS0_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 12	LTE-FDD, 10175-CAH	704.000, 23060	8.88	0.876	43.7

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-03	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-03	2025-11-03
psSAR1g [W/kg]	0.529	0.691
psSAR10g [W/kg]	0.337	0.373
Power Drift [dB]	0.02	0.04
M2/M1 [%]		49.2
Dist 3dB Peak [mm]		10.2



Plots of Measurement

Measurement Report

P09 LTE 13_QPSK10M_Top Side_0mm_Ch23230_1RB_OS0_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 13	LTE-FDD, 10175-CAH	782.000, 23230	8.88	0.910	43.4

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-03	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-03	2025-11-03
psSAR1g [W/kg]	0.512	0.688
psSAR10g [W/kg]	0.314	0.352
Power Drift [dB]	-0.02	0.03
M2/M1 [%]		46.8
Dist 3dB Peak [mm]		9.1



Plots of Measurement

Measurement Report
P10 LTE 14_QPSK10M_Top Side_0mm_Ch23330_1RB_OS0_Ant 0_Battery1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 14	LTE-FDD, 10175-CAH	793.000, 23330	8.88	0.915	43.4

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-03	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-03	2025-11-03
psSAR1g [W/kg]	0.495	0.660
psSAR10g [W/kg]	0.304	0.338
Power Drift [dB]	0.01	0.03
M2/M1 [%]		48.6
Dist 3dB Peak [mm]		9.1



Plots of Measurement

Measurement Report

P11 LTE 17_QPSK10M_Top Side_0mm_Ch23790_1RB_OS0_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 17	LTE-FDD, 10175-CAH	710.000, 23790	8.88	0.879	43.6

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H6T09N8 , 2025-11-03	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-03	2025-11-03
psSAR1g [W/kg]	0.520	0.680
psSAR10g [W/kg]	0.331	0.369
Power Drift [dB]	0.00	0.06
M2/M1 [%]		49.3
Dist 3dB Peak [mm]		10.2



Plots of Measurement

Measurement Report

P12 LTE 25_QPSK20M_Top Side_0mm_Ch26140_1RB_OS0_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side , 0.00	Band 25	LTE-FDD, 10169-CAF	1860.000, 26140	7.01	1.43	40.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-01	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-01	2025-11-01
psSAR1g [W/kg]	0.532	0.588
psSAR10g [W/kg]	0.261	0.296
Power Drift [dB]	0.01	0.04
M2/M1 [%]		58.5
Dist 3dB Peak [mm]		9.4



Plots of Measurement

Measurement Report

P13 LTE 26_QPSK15M_Top Side_0mm_Ch26965_1RB_OS0_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 26	LTE-FDD, 10181-CAF	841.500, 26965	8.59	0.946	43.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-04	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-04	2025-11-04
psSAR1g [W/kg]	0.449	0.674
psSAR10g [W/kg]	0.281	0.337
Power Drift [dB]	-0.01	0.01
M2/M1 [%]		48.7
Dist 3dB Peak [mm]		8.1



Plots of Measurement

Measurement Report

P14 LTE 38_QPSK20M_Top Side_0mm_Ch37850_1RB_OS0_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 38	LTE-TDD, 10172-CAH	2580.000, 37850	6.62	1.90	38.6

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H19T27N8 , 2025-11-02	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-02	2025-11-02
psSAR1g [W/kg]	0.742	0.847
psSAR10g [W/kg]	0.336	0.349
Power Drift [dB]	-0.06	0.02
M2/M1 [%]		48.9
Dist 3dB Peak [mm]		7.3



Plots of Measurement

Measurement Report

P15 LTE 41_QPSK20M_Top Side_0mm_Ch39750_1RB_OS0_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 41	LTE-TDD, 10172-CAH	2506.000, 39750	6.62	1.85	38.8

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H19T27N8 , 2025-11-02	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-02	2025-11-02
psSAR1g [W/kg]	0.513	0.772
psSAR10g [W/kg]	0.233	0.322
Power Drift [dB]	-0.01	-0.03
M2/M1 [%]		54.3
Dist 3dB Peak [mm]		8.1



Plots of Measurement

Measurement Report

P16 LTE 42_QPSK20M_Left Side_0mm_Ch42190_1RB_OS0_Ant 3_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	Band 42	LTE-TDD, 10172-CAH	3460.000, 42190	6.18	2.75	39.6

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-05	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 2.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-05	2025-11-05
psSAR1g [W/kg]	0.350	0.607
psSAR10g [W/kg]	0.131	0.163
Power Drift [dB]	0.09	0.09
M2/M1 [%]		62.2
Dist 3dB Peak [mm]		5.5



Plots of Measurement

Measurement Report

P17 LTE 43_QPSK20M_Left Side_0mm_Ch44990_1RB_OS0_Ant 3_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	Band 43	LTE-TDD, 10172-CAH	3740.000, 44990	6.0	3.01	39.2

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-05	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 2.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-05	2025-11-05
psSAR1g [W/kg]	0.256	0.691
psSAR10g [W/kg]	0.096	0.174
Power Drift [dB]	0.03	0.03
M2/M1 [%]		61.9
Dist 3dB Peak [mm]		6.0



Plots of Measurement

Measurement Report

P18 LTE 48_QPSK20M_Left Side_0mm_Ch56640_1RB_OS0_Ant 3_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	Band 48	LTE-TDD, 10172-CAH	3690.000, 56640	6.0	2.96	39.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-05	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 2.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-05	2025-11-05
psSAR1g [W/kg]	0.264	0.619
psSAR10g [W/kg]	0.098	0.175
Power Drift [dB]	0.08	0.01
M2/M1 [%]		48.7
Dist 3dB Peak [mm]		5.8



Plots of Measurement

Measurement Report

P19 LTE 66_QPSK20M_Top Side_0mm_Ch132572_1RB_OS0_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 66	LTE-FDD, 10169-CAF	1770.000, 132572	7.47	1.38	40.4

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-01	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-01	2025-11-01
psSAR1g [W/kg]	0.583	0.637
psSAR10g [W/kg]	0.289	0.327
Power Drift [dB]	0.04	-0.03
M2/M1 [%]		60.2
Dist 3dB Peak [mm]		9.4



Plots of Measurement

Measurement Report
P20 LTE 71_QPSK20M_Top Side_0mm_Ch133372_1RB_OS0_Ant 0_Battery1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band 71	LTE-FDD, 10169-CAF	688.000, 133372	8.88	0.870	43.7

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-03	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-03	2025-11-03
psSAR1g [W/kg]	0.555	0.691
psSAR10g [W/kg]	0.353	0.382
Power Drift [dB]	0.02	0.01
M2/M1 [%]		45.4
Dist 3dB Peak [mm]		10.2



Plots of Measurement

Measurement Report
P21 5GNR-n2_QPSK20M_Top Side_0mm_Ch372000_1RB_OS1_Ant 0_Battery1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side T, 0.00	Band n2	5G NR FR1 FDD, 10931-AAC	1860.000, 372000	7.01	1.44	40.2

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-06	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-06	2025-11-06
psSAR1g [W/kg]	0.645	0.687
psSAR10g [W/kg]	0.302	0.326
Power Drift [dB]	-0.02	-0.01
M2/M1 [%]		57.4
Dist 3dB Peak [mm]		9.4



Plots of Measurement

Measurement Report

P22 5GNR-n5_QPSK20M_Top Side_0mm_Ch167800_1RB_OS1_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band n5	5G NR FR1 FDD, 10931-AAC	839.000, 167800	8.59	0.933	42.8

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-06	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-06	2025-11-06
psSAR1g [W/kg]	0.513	0.664
psSAR10g [W/kg]	0.331	0.354
Power Drift [dB]	-0.02	-0.03
M2/M1 [%]		49.5
Dist 3dB Peak [mm]		8.1



Plots of Measurement

Measurement Report

P23 5GNR-n7_QPSK40M_Top Side_0mm_Ch504000_1RB_OS1_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band n7	5G NR FR1 FDD, 10934-AAC	2520.000, 504000	6.62	1.85	39.2

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H19T27N8 , 2025-11-08	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	72.0 x 384.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-08	2025-11-08
psSAR1g [W/kg]	0.592	0.680
psSAR10g [W/kg]	0.251	0.254
Power Drift [dB]	0.01	-0.02
M2/M1 [%]		49.0
Dist 3dB Peak [mm]		7.7



Plots of Measurement

Measurement Report
P24 5GNR-n12_QPSK15M_Top Side_0mm_Ch141300_1RB_OS1_Ant 0_Battery1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band n12	5G NR FR1 FDD, 10930-AAC	706.500, 141300	8.88	0.863	42.9

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-07	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-07	2025-11-07
psSAR1g [W/kg]	0.541	0.676
psSAR10g [W/kg]	0.359	0.387
Power Drift [dB]	0.01	0.01
M2/M1 [%]		53.0
Dist 3dB Peak [mm]		9.7



Plots of Measurement

Measurement Report

P25 5GNR-n13_QPSK10M_Top Side_0mm_Ch156400_1RB_OS1_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band n13	5G NR FR1 FDD, 10929-AAD	782.000, 156400	8.88	0.896	42.7

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-07	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-07	2025-11-07
psSAR1g [W/kg]	0.482	0.614
psSAR10g [W/kg]	0.315	0.339
Power Drift [dB]	0.02	0.02
M2/M1 [%]		42.7
Dist 3dB Peak [mm]		11.3



Plots of Measurement

Measurement Report
P26 5GNR-n14_QPSK10M_Top Side_0mm_Ch158600_1RB_OS1_Ant 0_Battery1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band n14	5G NR FR1 FDD, 10929-AAD	793.000, 158600	8.88	0.901	42.6

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-07	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-07	2025-11-07
psSAR1g [W/kg]	0.475	0.612
psSAR10g [W/kg]	0.311	0.332
Power Drift [dB]	0.01	0.02
M2/M1 [%]		51.3
Dist 3dB Peak [mm]		8.1



Plots of Measurement

Measurement Report
P27 5GNR-n25_QPSK40M_Top Side_0mm_Ch374000_1RB_OS1_Ant 0_Battery1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band n25	5G NR FR1 FDD, 10934-AAC	1870.000, 374000	7.01	1.45	40.1

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-06	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-06	2025-11-06
psSAR1g [W/kg]	0.579	0.639
psSAR10g [W/kg]	0.282	0.321
Power Drift [dB]	0.01	-0.02
M2/M1 [%]		59.0
Dist 3dB Peak [mm]		9.4



Plots of Measurement

Measurement Report

P28 5GNR-n26_QPSK20M_Top Side_0mm_Ch167800_1RB_OS1_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band n26	5G NR FR1 FDD, 10931-AAC	839.000, 167800	8.59	0.933	42.8

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-06	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-06	2025-11-06
psSAR1g [W/kg]	0.527	0.681
psSAR10g [W/kg]	0.340	0.364
Power Drift [dB]	-0.02	0.06
M2/M1 [%]		49.7
Dist 3dB Peak [mm]		8.1



Plots of Measurement

Measurement Report

P29 5GNR-n38_QPSK40M_Right Side_0mm_Ch519000_1RB_OS1_Ant 2_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Right Side, 0.00	Band n38	5G NR FR1 TDD, 10903-AAD	2595.000, 519000	6.62	1.91	39.1

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H19T27N8 , 2025-11-08	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-08	2025-11-08
psSAR1g [W/kg]	0.547	0.668
psSAR10g [W/kg]	0.222	0.221
Power Drift [dB]	0.02	-0.07
M2/M1 [%]		49.8
Dist 3dB Peak [mm]		5.9



Plots of Measurement

Measurement Report

P30 5GNR-n41 QPSK100M_Right Side_0mm_Ch518598_1RB_OS1_Ant 2_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Right Side, 0.00	Band n41	5G NR FR1 TDD, 10866-AAF	2592.990, 518598	6.62	1.91	39.1

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H19T27N8 , 2025-11-08	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-08	2025-11-08
psSAR1g [W/kg]	0.551	0.674
psSAR10g [W/kg]	0.224	0.203
Power Drift [dB]	-0.04	0.01
M2/M1 [%]		51.6
Dist 3dB Peak [mm]		5.2



Plots of Measurement

Measurement Report

P31 5GNR-n48_QPSK40M_Left Side_0mm_Ch645332_1RB_OS1_Ant 3_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	Band n48	5G NR FR1 TDD, 10903-AAD	3679.975, 645332	6.0	2.95	38.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-09	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 2.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-09	2025-11-09
psSAR1g [W/kg]	0.320	0.683
psSAR10g [W/kg]	0.117	0.177
Power Drift [dB]	0.07	0.03
M2/M1 [%]		61.6
Dist 3dB Peak [mm]		5.1



Plots of Measurement

Measurement Report
P32 5GNR-n66_QPSK40M_Top Side_0mm_Ch349000_1RB_OS1_Ant 0_Battery1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band n66	5G NR FR1 FDD, 10934-AAC	1745.000, 349000	7.47	1.38	40.3

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H14T19N8 , 2025-11-06	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-06	2025-11-06
psSAR1g [W/kg]	0.533	0.581
psSAR10g [W/kg]	0.265	0.300
Power Drift [dB]	0.02	0.06
M2/M1 [%]		61.1
Dist 3dB Peak [mm]		10.2



Plots of Measurement

Measurement Report

P33 5GNR-n71_QPSK30M_Top Side_0mm_Ch136600_1RB_OS1_Ant 0_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Top Side, 0.00	Band n71	5G NR FR1 FDD, 10931-AAC	683.000, 136600	8.88	0.853	42.9

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H06T09N8 , 2025-11-07	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-07	2025-11-07
psSAR1g [W/kg]	0.592	0.678
psSAR10g [W/kg]	0.369	0.378
Power Drift [dB]	0.01	0.01
M2/M1 [%]		54.8
Dist 3dB Peak [mm]		10.2



Plots of Measurement

Measurement Report

P34 5GNR-n77_QPSK100M_Left Side_0mm_Ch633334_1RB_OS1_Ant 3_Battery1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	Band n77	5G NR FR1 TDD, 10866-AAF	3500.010, 633334	6.18	2.79	38.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-09	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 2.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-09	2025-11-09
psSAR1g [W/kg]	0.479	0.744
psSAR10g [W/kg]	0.177	0.206
Power Drift [dB]	-0.03	-0.06
M2/M1 [%]		64.1
Dist 3dB Peak [mm]		5.3



Plots of Measurement

Measurement Report
P35 5GNR-n78_QPSK100M_Left Side_0mm_Ch650000_1RB_OS1_Ant 3_Battery1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	Band n78	5G NR FR1 TDD, 10866-AAF	3750.000, 650000	6.0	3.02	38.1

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2186	H33T42N8 , 2025-11-09	EX3DV4 - SN7720, 2025-03-18	DAE4 Sn1761, 2025-09-11

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 360.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 2.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-09	2025-11-09
psSAR1g [W/kg]	0.307	0.668
psSAR10g [W/kg]	0.114	0.158
Power Drift [dB]	0.06	0.05
M2/M1 [%]		59.4
Dist 3dB Peak [mm]		5.9



Plots of Measurement

Measurement Report

P36 WLAN2.4G_802.11b_Left Side_0mm_Ch13_Ant 1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	WLAN 2.4GHz	WLAN, 10012-CAB	2472.000, 13	6.87	1.81	39.0

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H19T27N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	72.0 x 288.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	0.305	0.353
psSAR10g [W/kg]	0.136	0.145
Power Drift [dB]	-0.11	-0.03
M2/M1 [%]		50.0
Dist 3dB Peak [mm]		7.1



Plots of Measurement

Measurement Report

P37 WLAN5.3G_802.11ac VHT160_Left Side_0mm_Ch50_Ant 0+1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	WLAN 5GHz	WLAN, 10554-AAE	5250.000, 50	5.27	4.62	37.4

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H50T60N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 280.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	0.243	0.319
psSAR10g [W/kg]	0.058	0.039
Power Drift [dB]	-0.08	0.03
M2/M1 [%]		56.8
Dist 3dB Peak [mm]		4.4



Plots of Measurement

Measurement Report

P38 WLAN5.6G_802.11ac VHT160_Left Side_0mm_Ch114_Ant 1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	WLAN 5GHz	WLAN, 10554-AAE	5570.000, 114	4.83	4.98	36.9

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H50T60N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 280.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	0.278	0.322
psSAR10g [W/kg]	0.075	0.052
Power Drift [dB]	0.01	0.08
M2/M1 [%]		55.3
Dist 3dB Peak [mm]		3.6



Plots of Measurement

Measurement Report

P39 WLAN5.8G_802.11ac VHT80_Left Side_0mm_Ch155_Ant 0+1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	WLAN 5GHz	WLAN, 10544-AAD	5775.000, 155	4.78	5.22	36.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H50T60N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 280.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	0.184	0.310
psSAR10g [W/kg]	0.039	0.020
Power Drift [dB]	-0.13	0.04
M2/M1 [%]		54.1
Dist 3dB Peak [mm]		4.1



Plots of Measurement

Measurement Report

P40 WLAN5.9G_802.11ac VHT160_Left Side_0mm_Ch163_Ant 1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	WLAN 5GHz	WLAN, 10554-AAE	5815.000, 163	4.78	5.27	36.5

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H50T60N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 280.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	0.213	0.347
psSAR10g [W/kg]	0.047	0.029
Power Drift [dB]	0.12	-0.18
M2/M1 [%]		54.0
Dist 3dB Peak [mm]		4.1



Plots of Measurement

Measurement Report

P41 BT_BDR_Left Side_0mm_Ch0_Ant 1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	ISM 2.4 GHz Band	Bluetooth, 10032-CAA	2402.000, 0	6.87	1.76	39.1

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H19T27N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	72.0 x 288.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	0.209	0.249
psSAR10g [W/kg]	0.095	0.098
Power Drift [dB]	0.04	-0.04
M2/M1 [%]		49.9
Dist 3dB Peak [mm]		7.1



Plots of Measurement

Measurement Report

P42 UNII-5_802.11ax HE160_Left Side_0mm_Ch47_Ant 0+1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Left Side, 0.00	U-NII-5	WLAN, 10755-AAC	6185.000, 47	5.24	5.69	35.6

Hardware Setup


Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H60T72N9 , 2025-11-12	EX3DV4 - SN7736, 2025-02-17	DAE4 Sn1589, 2025-04-17

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	60.0 x 270.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	7.5 x 7.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2025-11-12	2025-11-12
psSAR1g [W/kg]	0.228	0.317
psSAR10g [W/kg]	0.043	0.065
psAPD (1.0cm2, sq) [W/m2]		3.17
psAPD (4.0cm2, sq) [W/m2]		1.54
Power Drift [dB]	0.04	0.11
M2/M1 [%]		50.4
Dist 3dB Peak [mm]		3.9



Plots of Measurement

Measurement

P42 UNII-5_802.11ax HE160_Left Side_0mm_Ch47_Ant 0+1_Battery 1

Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P25100257,	338.0 x 240.0 x 30.0		Tablet

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor
5G Air	Left Side, 2.00	U-NII-5	WLAN, 10755-AAC	6185.0, 47	1.0

Hardware Setup


Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1035	---Air	EUmmWV4 - SN9615_F1-55GHz, 2025-05-14	DAE4 Sn1431, 2025-07-11

Scan Setup

	5G Scan
Grid Extents [mm]	97.0 x 97.0
Grid Steps [lambda]	0.0515 x 0.0515
Sensor Surface [mm]	2.0

Measurement Results

	5G Scan
Date	2025-11-10
Avg. Area [cm ²]	4.00
psPDn+ [W/m ²]	1.20
psPDtot+ [W/m ²]	1.80
psPDmod+ [W/m ²]	2.11
E _{max} [V/m]	35.4
Power Drift [dB]	-0.10



Appendix C. Tissue & System Verification

The measuring results for tissue simulating liquid and system check are shown as below.

Note:

1. For Section 4.3, the dielectric properties of the tissue simulating liquid have been measured within 24 hours before the SAR testing and within ± 5 % of the target values. Liquid temperature during the SAR testing has kept within ± 2 °C.
2. For Section 4.4, The SAR measurement system was validated according to procedures in FCC KDB 865664 D0. The validation status in tabulated summary is as below.
3. For Section 4.5, Comparing to the reference SAR value provided by SPEAG in dipole calibration certificate, the deviation of system check results is within its specification of 10 %. The result indicates the system check can meet the variation criterion and the plots please refer to Appendix A of this report.

Tissue Verification										Validation for CW			Validation for Modulation				System Check					Note			
Plot No.	Frequency (MHz)	Ambient Temp. (°C)	Liquid Temp. (°C)	Conductivity (σ)	Permittivity (ε _r)	Targeted Conductivity (σ)	Targeted Permittivity (ε _r)	Deviation Conductivity (σ)	Deviation Permittivity (ε _r)	Sensitivity Range	Probe Linearity	Probe Isotropy	Modulation Type	Duty Factor	PAR	Date	Frequency (MHz)	Targeted 1g SAR (W/kg)	Measured 1g SAR (W/kg)	Normalized 1g SAR (W/kg)	Deviation (%)	Dipole S/N	Probe S/N	DAE S/N	Output Power (dBm)
S01	1900	23.1	22.3	1.45	40.2	1.4	40	3.57	0.50	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/4	1900	39.60	1.93	38.51	-2.76	5d036	7720	1761	17
S02	1750	23.1	22.3	1.36	40.4	1.37	40.1	-0.73	0.75	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/4	1750	36.40	1.74	34.72	-4.62	1055	7720	1761	17
S03	835	23.1	22.3	0.94	43.3	0.9	41.5	4.44	4.34	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/4	835	9.51	0.473	9.44	-0.76	4d121	7720	1761	17
S04	1900	22.9	22.4	1.46	40.2	1.4	40	4.29	0.50	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/1	1900	39.60	2.05	40.90	3.29	5d036	7720	1761	17
S05	1750	22.9	22.4	1.37	40.4	1.37	40.1	0.00	0.75	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/1	1750	36.40	1.77	35.32	-2.98	1055	7720	1761	17
S06	835	23.1	22.3	0.94	43.3	0.9	41.5	4.44	4.34	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/4	835	9.51	0.473	9.44	-0.76	4d121	7720	1761	17
S07	2600	23.2	22.7	1.92	38.6	1.96	39	-2.04	-1.03	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/2	2600	56.50	2.71	54.07	-4.30	1020	7720	1761	17
S08	750	23.3	22.5	0.9	43.5	0.89	41.9	1.12	3.82	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/3	750	8.72	0.411	8.20	-5.96	1013	7720	1761	17
S09	750	23.3	22.5	0.9	43.5	0.89	41.9	1.12	3.82	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/3	750	8.72	0.411	8.20	-5.96	1013	7720	1761	17
S10	750	23.3	22.5	0.9	43.5	0.89	41.9	1.12	3.82	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/3	750	8.72	0.411	8.20	-5.96	1013	7720	1761	17
S11	750	23.3	22.5	0.9	43.5	0.89	41.9	1.12	3.82	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/3	750	8.72	0.411	8.20	-5.96	1013	7720	1761	17
S12	1900	22.9	22.4	1.46	40.2	1.4	40	4.29	0.50	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/1	1900	39.60	2.05	40.90	3.29	5d036	7720	1761	17
S13	835	23.1	22.3	0.94	43.3	0.9	41.5	4.44	4.34	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/4	835	9.51	0.473	9.44	-0.76	4d121	7720	1761	17
S14	2600	23.2	22.7	1.92	38.6	1.96	39	-2.04	-1.03	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/2	2600	56.50	2.71	54.07	-4.30	1020	7720	1761	17
S15	2600	23.2	22.7	1.92	38.6	1.96	39	-2.04	-1.03	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/2	2600	56.50	2.71	54.07	-4.30	1020	7720	1761	17
S16	3500	23.4	22.6	2.79	39.6	2.91	37.9	-4.12	4.49	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/5	3500	66.00	3.18	63.45	-3.86	1007	7720	1761	17
S17	3700	23.4	22.6	2.97	39.3	3.12	37.7	-4.81	4.24	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/5	3700	68.00	3.17	63.25	-6.99	1017	7720	1761	17
S18	3500	23.4	22.6	2.79	39.6	2.91	37.9	-4.12	4.49	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/5	3500	66.00	3.18	63.45	-3.86	1007	7720	1761	17
S18	3700	23.4	22.6	2.97	39.3	3.12	37.7	-4.81	4.24	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/5	3700	68.00	3.17	63.25	-6.99	1017	7720	1761	17
S19	1750	22.9	22.4	1.37	40.4	1.37	40.1	0.00	0.75	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/1	1750	36.40	1.77	35.32	-2.98	1055	7720	1761	17
S20	750	23.3	22.5	0.9	43.5	0.89	41.9	1.12	3.82	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/3	750	8.72	0.411	8.20	-5.96	1013	7720	1761	17
S21	1900	23.1	22.3	1.46	40.1	1.4	40	4.29	0.25	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/6	1900	39.60	1.93	38.51	-2.76	5d036	7720	1761	17
S22	835	23.1	22.3	0.925	42.7	0.9	41.5	2.78	2.89	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/6	835	9.51	0.491	9.80	3.02	4d121	7720	1761	17
S23	2600	22.8	22.2	1.91	39.0	1.96	39	-2.55	0.00	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/8	2600	56.50	2.71	54.07	-4.30	1020	7720	1761	17
S24	750	23.2	22.6	0.882	42.8	0.89	41.9	-0.90	2.15	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/7	750	8.72	0.421	8.40	-3.67	1013	7720	1761	17
S25	750	23.2	22.6	0.882	42.8	0.89	41.9	-0.90	2.15	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/7	750	8.72	0.421	8.40	-3.67	1013	7720	1761	17
S26	750	23.2	22.6	0.882	42.8	0.89	41.9	-0.90	2.15	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/7	750	8.72	0.421	8.40	-3.67	1013	7720	1761	17
S27	1900	23.1	22.3	1.46	40.1	1.4	40	4.29	0.25	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/6	1900	39.60	1.93	38.51	-2.76	5d036	7720	1761	17
S28	835	23.1	22.3	0.925	42.7	0.9	41.5	2.78	2.89	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/6	835	9.51	0.491	9.80	3.02	4d121	7720	1761	17
S29	2600	22.8	22.2	1.91	39.0	1.96	39	-2.55	0.00	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/8	2600	56.50	2.71	54.07	-4.30	1020	7720	1761	17
S30	2600	22.8	22.2	1.91	39.0	1.96	39	-2.55	0.00	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/8	2600	56.50	2.71	54.07	-4.30	1020	7720	1761	17
S31	3500	23.2	22.3	2.79	38.5	2.91	37.9	-4.12	1.58	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/9	3500	66.00	3.08	61.45	-6.89	1007	7720	1761	17
S31	3700	23.2	22.3	2.97	38.2	3.12	37.7	-4.81	1.33	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/9	3700	68.00	3.24	64.65	-4.93	1017	7720	1761	17
S32	1750	23.1	22.3	1.38	40.3	1.37	40.1	0.73	0.50	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/6	1750	36.40	1.84	36.71	0.86	1055	7720	1761	17
S33	750	23.2	22.6	0.882	42.8	0.89	41.9	-0.90	2.15	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/7	750	8.72	0.421	8.40	-3.67	1013	7720	1761	17
S34	3500	23.2	22.3	2.79	38.5	2.91	37.9	-4.12	1.58	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/9	3500	66.00	3.08	61.45	-6.89	1007	7720	1761	17
S34	3700	23.2	22.3	2.97	38.2	3.12	37.7	-4.81	1.33	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/9	3700	68.00	3.24	64.65	-4.93	1017	7720	1761	17
S34	3900	23.2	22.3	3.17	37.9	3.32	37.5	-4.52	1.07	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/9	3900	68.80	3.28	65.44	-4.88	1020	7720	1761	17
S35	3500	23.2	22.3	2.79	38.5	2.91	37.9	-4.12	1.58	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/9	3500	66.00	3.08	61.45	-6.89	1007	7720	1761	17
S35	3700	23.2	22.3	2.97	38.2	3.12	37.7	-4.81	1.33	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/9	3700	68.00	3.24	64.65	-4.93	1017	7720	1761	17
S35	3900	23.2	22.3	3.17	37.9	3.32	37.5	-4.52	1.07	Pass	Pass	Pass	N/A	N/A	N/A	2025/11/9	3900	68.80	3.28	65.44	-4.88	1020	7720	1761	17
S36	2450	22.8	22.1	1.8	39.1	1.8	39.2	0.00	-0.26	Pass	Pass	Pass	OFDM	N/A	Pass	2025/11/12	2450	52.90	2.59	51.68	-2.31	737	7736	1589	17
S37	5250	22.8	22.1	4.62	37.4	4.71	35.9	-1.91	4.18	Pass	Pass	Pass	OFDM	N/A	Pass	2025/11/12	5250	78.30	4.22	84.20	7.54	1019	7736	1589	17
S38	5600	22.8	22.1	5.01	36.8	5.07	35.5	-1.18	3.66	Pass	Pass	Pass	OFDM	N/A	Pass	2025/11/12	5600	80.80	4.16	83.00	2.73	1019	7736	1589	17
S39	5800	22.8	22.1	5.25	36.5	5.27	35.3	-0.38	3.40	Pass	Pass	Pass	OFDM	N/A	Pass	2025/11/12	5800	78.80	4.21	84.00	6.60	1019	7736	1589	17
S40	5800	22.8	22.1	5.25	36.5	5.27	35.3	-0.38	3.40	Pass	Pass	Pass	OFDM	N/A	Pass	2025/11/12	5800	78.80	4.21	84.00	6.60	1019	7736	1589	17
S41	2450	22.8	22.1	1.8	39.1	1.8	39.2	0.00	-0.26	Pass	Pass	Pass	OFDM	N/A	Pass	2025/11/12	2450	52.90	2.59	51.68	-2.31	737	7736	1589	17
S42	6500	22.8	22.1	6.06	35.1	6.07	34.5	-0.16	1.74	Pass	Pass	Pass	OFDM	N/A	Pass	2025/11/12	6500	296.00	29.5	295.00	-0.34	1008	7736	1589	20



BUREAU
VERITAS

System Performance Check for Incident Power Density Measurement									
Plot No.	Test Date	Frequency [GHz]	mmWave Probe S/N	Verification Source S/N	Averaging Area [cm ²]	Distance [mm]	Target Power Density [W/m ²]	Measured Power Density [W/m ²]	Deviation [%]
S42	2025/11/10	10	9615	1025	4	10.0	55.9	55.4	-0.89%

Appendix D. Maximum Target Conducted Power

The maximum conducted average power (Unit: dBm) including tune-up tolerance is shown as below.

WCDMA Max. Tune-up Power (Reduction)		
Mode	RMC 12.2K	HSDPSA DC-HSDPA HSUPA
	Maximum Target Power	Maximum Target Power
WCDMA Band II	17.0	16.0
WCDMA Band IV	17.0	16.0
WCDMA Band V	18.5	17.5

LTE Max. Tune-up Power (Reduction)				
Mode	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
LTE 2	17.0	16.0	15.0	12.0
LTE 4	17.0	16.0	15.0	12.0
LTE 5	18.5	17.5	16.5	13.5
LTE 7	16.5	15.5	14.5	11.5
LTE 12	21.0	20.0	19.0	16.0
LTE 13	19.8	18.8	17.8	14.8
LTE 14	19.7	18.7	17.7	14.7
LTE 17	20.5	19.5	18.5	15.5
LTE 25	16.6	15.6	14.6	11.6
LTE 26	18.6	17.6	16.6	13.6
LTE 38	21.0	20.0	19.0	16.0
LTE 41	20.0	19.0	18.0	15.0
LTE 42	14.2	13.2	12.2	9.2
LTE 43	13.6	12.6	11.6	8.6
LTE 48	13.6	12.6	11.6	8.6
LTE 66	17.0	16.0	15.0	12.0
LTE 71	21.5	20.5	19.5	16.5

5G NR Max. Tune-up Power (Reduction)

DFT-S Mode	PI/2 BPSK	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
NR 2	17.5	17.5	15.5	15.0	13.0
NR 5	19.0	19.0	17.0	16.5	14.5
NR 7	16.5	16.5	14.5	14.0	12.0
NR 12	21.0	21.0	19.0	18.5	16.5
NR 13	20.5	20.5	18.5	18.0	16.0
NR 14	20.0	20.0	18.0	17.5	15.5
NR 25	17.0	17.0	15.0	14.5	12.5
NR 26	19.0	19.0	17.0	16.5	14.5
NR 38	20.5	20.5	18.5	18.0	16.0
NR 41	20.5	20.5	17.0	17.0	16.0
NR 48	18.0	18.0	16.0	15.5	13.5
NR 66	17.5	17.5	15.5	15.0	13.0
NR 71	21.0	21.0	19.0	18.5	16.5
NR 77	18.5	18.5	15.0	15.0	14.0
NR 78	18.0	18.0	14.5	14.5	13.5

5G NR Max. Tune-up Power Ant MIMO

Band	QPSK			16QAM			64QAM			256QAM		
	MIMO Ant 0 Tune Up	MIMO Ant 1 Tune Up	MIMO Ant 0+1 Tune Up	MIMO Ant 0 Tune Up	MIMO Ant 1 Tune Up	MIMO Ant 0+1 Tune Up	MIMO Ant 0 Tune Up	MIMO Ant 1 Tune Up	MIMO Ant 0+1 Tune Up	MIMO Ant 0 Tune Up	MIMO Ant 1 Tune Up	MIMO Ant 0+1 Tune Up
NR 38	18	18	21	15.5	15.5	18.5	15.5	15.5	18.5	13.5	13.5	16.5
NR 41	17.5	17.5	20.5	15	15	18	15	15	18	13	13	16
NR 48	15	15	18	12.5	12.5	15.5	12.5	12.5	15.5	10.5	10.5	13.5
NR 77	15.5	15.5	18.5	13	13	16	13	13	16	11	11	14
NR 78	15	15	18	12.5	12.5	15.5	12.5	12.5	15.5	10.5	10.5	13.5

Appendix E. Measured Conducted Power Result

The measuring conducted power (Unit: dBm) are shown as below.

WCDMA Conducted Power (Reduction)

Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	16.86	16.58	16.62	16.68	16.63	16.86	17.42	17.83	17.65
HSDPA Subtest-1	15.51	15.46	15.48	15.53	15.49	15.65	16.37	16.28	16.15
HSDPA Subtest-2	15.52	15.53	15.57	15.63	15.55	15.67	16.37	16.32	16.14
HSDPA Subtest-3	15.00	14.93	15.06	15.12	14.98	15.10	15.78	15.83	15.68
HSDPA Subtest-4	15.10	15.01	15.02	15.10	15.03	15.08	15.80	15.77	15.69
DC-HSDPA Subtest-1	15.53	15.45	15.52	15.53	15.53	15.66	16.35	16.29	16.20
DC-HSDPA Subtest-2	15.52	15.43	15.54	15.61	15.54	15.63	16.35	16.24	16.12
DC-HSDPA Subtest-3	15.02	14.99	15.05	15.03	15.03	15.17	15.78	15.75	15.69
DC-HSDPA Subtest-4	15.06	14.94	15.01	15.07	14.98	15.12	15.82	15.80	15.67
HSUPA Subtest-1	15.52	15.44	15.52	15.58	15.57	15.59	16.29	16.27	16.15
HSUPA Subtest-2	13.51	13.45	13.53	13.54	13.54	13.67	14.32	14.32	14.12
HSUPA Subtest-3	14.55	14.45	14.57	14.60	14.52	14.61	15.31	15.25	15.13
HSUPA Subtest-4	13.59	13.45	13.49	13.54	13.51	13.60	14.27	14.28	14.19
HSUPA Subtest-5	15.60	15.43	15.48	15.56	15.56	15.58	16.29	16.23	16.16

LTE Conducted Power (Reduction)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequency (MHz)		1860	1880	1900	
20M	QPSK	1	0	16.38	16.31	16.35	0
		1	50	16.35	16.36	16.30	0
		1	99	16.29	16.21	16.16	0
		50	0	15.46	15.25	15.21	1
		50	25	15.29	15.26	15.23	1
		50	50	15.21	15.44	15.43	1
		100	0	15.44	15.42	15.36	1
20M	16QAM	1	0	15.49	15.43	15.33	1
		1	50	15.48	15.48	15.46	1
		1	99	15.36	15.33	15.28	1
		50	0	14.36	14.33	14.25	2
		50	25	14.33	14.26	14.21	2
		50	50	14.29	14.24	14.50	2
		100	0	14.31	14.31	14.22	2
20M	64QAM	1	0	14.43	14.38	14.31	2
		1	50	14.41	14.37	14.29	2
		1	99	14.36	14.28	14.25	2
		50	0	13.33	13.27	13.47	3
		50	25	13.30	13.27	13.21	3
		50	50	13.26	13.49	13.49	3
		100	0	13.29	13.23	13.22	3
20M	256QAM	1	0	11.46	11.40	11.31	5
		1	50	11.44	11.43	11.41	5
		1	99	11.37	11.29	11.22	5
		50	0	11.39	11.29	11.50	5
		50	25	11.36	11.32	11.23	5
		50	50	11.29	11.29	11.25	5
		100	0	11.49	11.44	11.44	5
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	16.31	16.21	16.09	0
		1	37	16.21	16.11	16.08	0
		1	74	16.08	16.03	15.99	0
		36	0	15.35	15.35	15.34	1
		36	19	15.42	15.32	15.28	1
		36	39	15.28	15.23	15.16	1
		75	0	15.37	15.23	15.09	1
15M	16QAM	1	0	15.44	15.44	15.41	1
		1	37	15.44	15.44	15.43	1
		1	74	15.44	15.46	15.35	1
		36	0	14.49	14.38	14.37	2
		36	19	14.45	14.32	14.24	2
		36	39	14.41	14.33	14.25	2
		75	0	14.35	14.44	14.27	2
15M	64QAM	1	0	14.47	14.41	14.38	2
		1	37	14.43	14.46	14.38	2
		1	74	14.48	14.34	14.34	2
		36	0	13.36	13.40	13.30	3
		36	19	13.35	13.34	13.24	3
		36	39	13.32	13.24	13.28	3
		75	0	13.35	13.34	13.25	3
15M	256QAM	1	0	11.45	11.44	11.42	5
		1	37	11.48	11.46	11.47	5
		1	74	11.47	11.35	11.32	5
		36	0	11.41	11.34	11.31	5
		36	19	11.42	11.44	11.36	5
		36	39	11.37	11.38	11.28	5
		75	0	11.43	11.31	11.38	5

LTE Conducted Power (Reduction)							
LTE Band 2							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	QPSK	1	0	16.21	16.12	16.16	0
		1	24	16.20	16.12	16.03	0
		1	49	16.07	16.00	15.92	0
		25	0	15.39	15.33	15.29	1
		25	12	15.35	15.31	15.31	1
		25	25	15.30	15.22	15.24	1
		50	0	15.34	15.26	15.19	1
10M	16QAM	1	0	15.48	15.48	15.40	1
		1	24	15.50	15.48	15.47	1
		1	49	15.48	15.41	15.41	1
		25	0	14.44	14.45	14.31	2
		25	12	14.41	14.37	14.24	2
		25	25	14.32	14.34	14.30	2
		50	0	14.37	14.35	14.35	2
10M	64QAM	1	0	14.44	14.44	14.36	2
		1	24	14.42	14.46	14.38	2
		1	49	14.49	14.41	14.33	2
		25	0	13.46	13.38	13.20	3
		25	12	13.43	13.40	13.32	3
		25	25	13.39	13.23	13.24	3
		50	0	13.34	13.29	13.28	3
10M	256QAM	1	0	11.44	11.41	11.35	5
		1	24	11.47	11.49	11.46	5
		1	49	11.40	11.36	11.30	5
		25	0	11.44	11.36	11.25	5
		25	12	11.43	11.41	11.35	5
		25	25	11.32	11.33	11.33	5
		50	0	11.41	11.33	11.35	5
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	16.24	16.06	16.10	0
		1	12	16.12	16.05	16.02	0
		1	24	16.07	15.91	15.92	0
		12	0	15.36	15.26	15.24	1
		12	6	15.30	15.23	15.26	1
		12	13	15.21	15.12	15.14	1
		25	0	15.26	15.26	15.17	1
5M	16QAM	1	0	15.49	15.48	15.40	1
		1	12	15.49	15.42	15.45	1
		1	24	15.39	15.34	15.33	1
		12	0	14.37	14.36	14.28	2
		12	6	14.31	14.36	14.23	2
		12	13	14.32	14.24	14.22	2
		25	0	14.32	14.30	14.31	2
5M	64QAM	1	0	14.48	14.35	14.29	2
		1	12	14.43	14.45	14.35	2
		1	24	14.48	14.33	14.24	2
		12	0	13.41	13.37	13.18	3
		12	6	13.41	13.31	13.29	3
		12	13	13.29	13.20	13.20	3
		25	0	13.31	13.19	13.21	3
5M	256QAM	1	0	11.41	11.41	11.25	5
		1	12	11.41	11.46	11.38	5
		1	24	11.43	11.34	11.25	5
		12	0	11.37	11.31	11.23	5
		12	6	11.36	11.31	11.27	5
		12	13	11.26	11.32	11.32	5
		25	0	11.31	11.27	11.26	5

LTE Conducted Power (Reduction)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequency (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	16.20	16.06	16.16	0
		1	7	16.10	16.08	16.02	0
		1	14	16.01	15.93	15.91	0
		8	0	15.35	15.24	15.20	1
		8	3	15.29	15.27	15.27	1
		8	7	15.27	15.14	15.19	1
		15	0	15.30	15.19	15.09	1
3M	16QAM	1	0	15.49	15.40	15.39	1
		1	7	15.44	15.43	15.48	1
		1	14	15.46	15.33	15.36	1
		8	0	14.43	14.44	14.24	2
		8	3	14.35	14.27	14.15	2
		8	7	14.26	14.34	14.21	2
		15	0	14.32	14.32	14.32	2
3M	64QAM	1	0	14.44	14.41	14.27	2
		1	7	14.49	14.36	14.38	2
		1	14	14.46	14.31	14.31	2
		8	0	13.43	13.28	13.12	3
		8	3	13.43	13.35	13.31	3
		8	7	13.39	13.16	13.15	3
		15	0	13.27	13.27	13.22	3
3M	256QAM	1	0	11.41	11.45	11.33	5
		1	7	11.45	11.46	11.43	5
		1	14	11.45	11.36	11.26	5
		8	0	11.38	11.29	11.19	5
		8	3	11.39	11.32	11.33	5
		8	7	11.30	11.25	11.33	5
		15	0	11.36	11.23	11.35	5
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequency (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	16.07	15.99	16.01	0
		1	2	16.00	15.97	15.87	0
		1	5	15.98	15.89	15.78	0
		3	0	16.23	16.13	15.98	0
		3	1	16.25	16.19	16.09	0
		3	3	16.13	15.92	16.10	0
		6	0	15.12	15.13	14.91	1
1.4M	16QAM	1	0	15.31	15.32	15.24	1
		1	2	15.44	15.34	15.37	1
		1	5	15.29	15.31	15.28	1
		3	0	15.37	15.28	15.05	1
		3	1	15.20	15.13	14.93	1
		3	3	15.12	15.28	15.12	1
		6	0	14.20	14.18	14.19	2
1.4M	64QAM	1	0	14.28	14.27	14.11	2
		1	2	14.42	14.12	14.35	2
		1	5	14.37	14.28	14.28	2
		3	0	14.22	14.28	14.04	2
		3	1	14.36	14.19	14.09	2
		3	3	14.36	13.95	13.92	2
		6	0	13.18	13.17	13.10	3
1.4M	256QAM	1	0	11.47	11.42	11.19	5
		1	2	11.30	11.29	11.35	5
		1	5	11.41	11.32	11.18	5
		3	0	11.29	11.17	11.15	5
		3	1	11.23	11.10	11.20	5
		3	3	11.19	11.08	11.17	5
		6	0	11.27	11.06	11.22	5

LTE Conducted Power (Reduction)							
LTE Band 4							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequency (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	16.99	16.82	16.86	0
		1	50	16.82	16.72	16.77	0
		1	99	16.79	16.64	16.69	0
		50	0	15.78	15.65	15.77	1
		50	25	15.75	15.61	15.71	1
		50	50	15.72	15.58	15.65	1
		100	0	15.75	15.69	15.79	1
20M	16QAM	1	0	15.92	15.97	15.98	1
		1	50	15.90	15.95	15.92	1
		1	99	15.88	15.86	15.89	1
		50	0	14.75	14.74	14.74	2
		50	25	14.70	14.59	14.69	2
		50	50	14.68	14.48	14.58	2
		100	0	14.66	14.51	14.61	2
20M	64QAM	1	0	14.89	14.77	14.84	2
		1	50	14.85	14.71	14.77	2
		1	99	14.84	14.74	14.74	2
		50	0	13.76	13.57	13.66	3
		50	25	13.74	13.68	13.72	3
		50	50	13.70	13.59	13.69	3
		100	0	13.77	13.63	13.72	3
20M	256QAM	1	0	11.90	11.77	11.84	5
		1	50	11.88	11.80	11.88	5
		1	99	11.82	11.75	11.81	5
		50	0	11.76	11.58	11.68	5
		50	25	11.73	11.61	11.69	5
		50	50	11.71	11.61	11.65	5
		100	0	11.74	11.59	11.65	5
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequency (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	16.09	15.99	15.98	0
		1	37	16.05	15.92	15.98	0
		1	74	15.99	15.91	15.92	0
		36	0	14.95	14.92	14.91	1
		36	19	14.96	14.84	14.95	1
		36	39	14.90	14.81	14.92	1
		75	0	15.00	14.92	14.95	1
15M	16QAM	1	0	15.31	15.15	15.16	1
		1	37	15.24	15.18	15.15	1
		1	74	15.18	15.05	15.14	1
		36	0	14.00	14.00	13.93	2
		36	19	13.95	13.79	13.95	2
		36	39	13.88	13.68	13.85	2
		75	0	13.83	13.74	13.82	2
15M	64QAM	1	0	14.10	13.94	14.10	2
		1	37	14.06	13.98	14.02	2
		1	74	14.10	13.96	14.00	2
		36	0	13.02	12.80	12.91	3
		36	19	12.98	12.90	12.97	3
		36	39	12.93	12.84	12.93	3
		75	0	12.99	12.82	12.89	3
15M	256QAM	1	0	11.11	11.04	11.10	5
		1	37	11.06	10.98	11.08	5
		1	74	11.09	11.00	11.04	5
		36	0	11.03	10.85	10.93	5
		36	19	11.00	10.78	10.90	5
		36	39	10.98	10.83	10.83	5
		75	0	10.96	10.81	10.83	5

LTE Conducted Power (Reduction)							
LTE Band 4							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequency (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	16.05	15.98	15.95	0
		1	24	16.02	15.90	15.91	0
		1	49	15.98	15.82	15.88	0
		25	0	15.01	14.87	14.99	1
		25	12	14.98	14.86	14.89	1
		25	25	14.95	14.75	14.86	1
		50	0	14.98	14.91	14.95	1
10M	16QAM	1	0	15.25	15.07	15.13	1
		1	24	15.24	15.22	15.20	1
		1	49	15.17	15.10	15.12	1
		25	0	13.99	13.97	13.91	2
		25	12	13.87	13.83	13.88	2
		25	25	13.88	13.75	13.80	2
		50	0	13.90	13.75	13.86	2
10M	64QAM	1	0	14.08	14.02	14.11	2
		1	24	14.10	13.89	13.97	2
		1	49	14.02	13.96	13.99	2
		25	0	13.02	12.82	12.90	3
		25	12	12.99	12.89	12.98	3
		25	25	12.88	12.78	12.87	3
		50	0	13.03	12.80	12.94	3
10M	256QAM	1	0	11.10	10.98	11.02	5
		1	24	11.15	10.97	11.14	5
		1	49	11.04	10.93	11.06	5
		25	0	11.01	10.83	10.85	5
		25	12	11.00	10.83	10.95	5
		25	25	10.94	10.79	10.82	5
		50	0	11.01	10.76	10.82	5
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequency (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	16.03	15.93	15.89	0
		1	12	16.01	15.90	15.83	0
		1	24	15.98	15.81	15.78	0
		12	0	14.92	14.87	14.94	1
		12	6	14.93	14.83	14.81	1
		12	13	14.88	14.74	14.77	1
		25	0	14.98	14.85	14.95	1
5M	16QAM	1	0	15.15	15.01	15.13	1
		1	12	15.16	15.19	15.18	1
		1	24	15.09	15.04	15.03	1
		12	0	13.97	13.96	13.87	2
		12	6	13.83	13.79	13.86	2
		12	13	13.79	13.69	13.73	2
		25	0	13.81	13.71	13.84	2
5M	64QAM	1	0	14.02	13.94	14.08	2
		1	12	14.01	13.80	13.89	2
		1	24	13.98	13.93	13.93	2
		12	0	12.95	12.82	12.81	3
		12	6	12.91	12.82	12.88	3
		12	13	12.87	12.74	12.87	3
		25	0	12.97	12.78	12.89	3
5M	256QAM	1	0	11.09	10.93	10.97	5
		1	12	11.15	10.92	11.08	5
		1	24	10.96	10.85	11.02	5
		12	0	10.91	10.82	10.84	5
		12	6	10.91	10.79	10.93	5
		12	13	10.92	10.79	10.77	5
		25	0	11.01	10.74	10.82	5

LTE Conducted Power (Reduction)							
LTE Band 4							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequency (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	15.98	15.91	15.85	0
		1	7	15.92	15.84	15.85	0
		1	14	15.88	15.82	15.81	0
		8	0	14.99	14.77	14.94	1
		8	3	14.96	14.83	14.88	1
		8	7	14.92	14.73	14.82	1
3M	16QAM	15	0	14.97	14.88	14.91	1
		1	0	15.25	14.97	15.13	1
		1	7	15.16	15.13	15.10	1
		1	14	15.14	15.08	15.07	1
		8	0	13.99	13.95	13.86	2
		8	3	13.86	13.74	13.80	2
3M	64QAM	8	7	13.79	13.75	13.79	2
		15	0	13.88	13.72	13.79	2
		1	0	14.05	13.96	14.06	2
		1	7	14.06	13.87	13.94	2
		1	14	13.96	13.86	13.95	2
		8	0	12.98	12.75	12.83	3
3M	256QAM	8	3	12.89	12.83	12.88	3
		8	7	12.88	12.70	12.82	3
		15	0	12.96	12.80	12.86	3
		1	0	11.08	10.97	10.97	5
		1	7	11.11	10.88	11.10	5
		1	14	11.02	10.89	10.99	5
3M	256QAM	8	0	10.93	10.79	10.82	5
		8	3	10.91	10.74	10.85	5
		8	7	10.87	10.79	10.78	5
		15	0	10.93	10.67	10.74	5
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequency (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	15.75	15.78	15.78	0
		1	2	15.82	15.69	15.79	0
		1	5	15.81	15.62	15.63	0
		3	0	15.90	15.65	15.74	0
		3	1	15.85	15.68	15.67	0
		3	3	15.69	15.67	15.65	0
1.4M	16QAM	6	0	14.91	14.71	14.78	1
		1	0	15.09	14.96	15.04	1
		1	2	15.01	14.96	14.89	1
		1	5	15.00	14.87	15.01	1
		3	0	14.85	14.87	14.82	1
		3	1	14.82	14.59	14.62	1
1.4M	64QAM	3	3	14.76	14.61	14.69	1
		6	0	13.76	13.65	13.67	2
		1	0	14.03	13.73	13.97	2
		1	2	13.90	13.83	13.80	2
		1	5	13.77	13.73	13.77	2
		3	0	13.74	13.65	13.81	2
1.4M	256QAM	3	1	13.83	13.74	13.73	2
		3	3	13.88	13.54	13.67	2
		6	0	12.79	12.63	12.68	3
		1	0	10.86	10.83	10.73	5
		1	2	10.94	10.69	11.04	5
		1	5	10.89	10.76	10.85	5
1.4M	256QAM	3	0	10.90	10.75	10.71	5
		3	1	10.78	10.70	10.71	5
		3	3	10.73	10.72	10.75	5
		6	0	10.82	10.61	10.71	5

LTE Conducted Power (Reduction)							
LTE Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequency (MHz)		829	836.5	844	
10M	QPSK	1	0	18.43	18.44	18.42	0
		1	24	18.41	18.38	18.37	0
		1	49	18.36	18.35	18.33	0
		25	0	17.43	17.46	17.34	1
		25	12	17.39	17.42	17.39	1
		25	25	17.37	17.38	17.32	1
		50	0	17.41	17.43	17.31	1
10M	16QAM	1	0	17.45	17.48	17.44	1
		1	24	17.47	17.45	17.40	1
		1	49	17.46	17.41	17.45	1
		25	0	16.49	16.41	16.40	2
		25	12	16.44	16.48	16.39	2
		25	25	16.40	16.46	16.30	2
		50	0	16.41	16.44	16.34	2
10M	64QAM	1	0	16.41	16.49	16.50	2
		1	24	16.49	16.46	16.48	2
		1	49	16.48	16.42	16.44	2
		25	0	15.50	15.41	15.47	3
		25	12	15.39	15.48	15.33	3
		25	25	15.37	15.46	15.28	3
		50	0	15.40	15.43	15.35	3
10M	256QAM	1	0	13.47	13.47	13.45	5
		1	24	13.41	13.44	13.45	5
		1	49	13.48	13.50	13.47	5
		25	0	13.45	13.46	13.45	5
		25	12	13.39	13.43	13.30	5
		25	25	13.39	13.39	13.32	5
		50	0	13.34	13.35	13.28	5
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	QPSK	1	0	18.29	18.42	18.30	0
		1	12	18.30	18.35	18.27	0
		1	24	18.20	18.34	18.18	0
		12	0	17.28	17.33	17.14	1
		12	6	17.19	17.32	17.22	1
		12	13	17.24	17.25	17.13	1
		25	0	17.24	17.27	17.21	1
5M	16QAM	1	0	17.38	17.48	17.40	1
		1	12	17.35	17.43	17.26	1
		1	24	17.31	17.38	17.25	1
		12	0	16.31	16.31	16.30	2
		12	6	16.24	16.35	16.22	2
		12	13	16.21	16.29	16.16	2
		25	0	16.29	16.33	16.23	2
5M	64QAM	1	0	16.36	16.43	16.34	2
		1	12	16.35	16.44	16.38	2
		1	24	16.35	16.37	16.29	2
		12	0	15.37	15.37	15.27	3
		12	6	15.23	15.37	15.22	3
		12	13	15.27	15.27	15.10	3
		25	0	15.24	15.32	15.16	3
5M	256QAM	1	0	13.37	13.47	13.28	5
		1	12	13.41	13.42	13.25	5
		1	24	13.31	13.37	13.32	5
		12	0	13.35	13.31	13.33	5
		12	6	13.25	13.33	13.18	5
		12	13	13.29	13.21	13.12	5
		25	0	13.14	13.17	13.12	5

LTE Conducted Power (Reduction)							
LTE Band 5							
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR
		Frequency (MHz)		825.5	836.5	847.5	
3M	QPSK	1	0	18.23	18.39	18.27	0
		1	7	18.20	18.33	18.22	0
		1	14	18.10	18.29	18.09	0
		8	0	17.19	17.26	17.05	1
		8	3	17.19	17.24	17.13	1
		8	7	17.18	17.17	17.06	1
		15	0	17.15	17.18	17.15	1
3M	16QAM	1	0	17.33	17.44	17.37	1
		1	7	17.27	17.38	17.21	1
		1	14	17.30	17.28	17.15	1
		8	0	16.29	16.21	16.23	2
		8	3	16.20	16.30	16.17	2
		8	7	16.16	16.24	16.12	2
		15	0	16.27	16.32	16.19	2
3M	64QAM	1	0	16.35	16.37	16.28	2
		1	7	16.31	16.42	16.36	2
		1	14	16.29	16.35	16.23	2
		8	0	15.35	15.35	15.19	3
		8	3	15.20	15.28	15.13	3
		8	7	15.21	15.21	15.08	3
		15	0	15.24	15.22	15.06	3
3M	256QAM	1	0	13.31	13.41	13.20	5
		1	7	13.39	13.35	13.16	5
		1	14	13.31	13.29	13.27	5
		8	0	13.29	13.31	13.31	5
		8	3	13.17	13.27	13.17	5
		8	7	13.28	13.14	13.10	5
		15	0	13.08	13.16	13.05	5
BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
		Frequency (MHz)		824.7	836.5	848.3	
1.4M	QPSK	1	0	18.09	18.19	18.17	0
		1	2	18.01	18.21	18.14	0
		1	5	18.00	18.17	18.02	0
		3	0	18.11	18.10	17.94	0
		3	1	18.13	18.11	18.08	0
		3	3	18.05	18.01	17.83	0
		6	0	17.03	17.03	17.07	1
1.4M	16QAM	1	0	17.19	17.24	17.32	1
		1	2	17.20	17.28	17.11	1
		1	5	17.13	17.10	17.03	1
		3	0	17.14	17.06	17.10	1
		3	1	17.18	17.30	17.06	1
		3	3	16.98	17.13	16.98	1
		6	0	16.12	16.22	16.08	2
1.4M	64QAM	1	0	16.23	16.24	16.13	2
		1	2	16.15	16.26	16.25	2
		1	5	16.20	16.21	16.09	2
		3	0	16.30	16.10	16.17	2
		3	1	16.08	16.18	15.94	2
		3	3	16.15	16.00	15.96	2
		6	0	15.08	15.15	14.83	3
1.4M	256QAM	1	0	13.25	13.32	13.02	5
		1	2	13.26	13.15	13.08	5
		1	5	13.29	13.18	13.22	5
		3	0	13.19	13.09	13.16	5
		3	1	13.08	13.11	13.05	5
		3	3	13.25	13.08	12.98	5
		6	0	12.93	12.93	12.87	5

LTE Conducted Power (Reduction)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequency (MHz)		2510	2535	2560	
20M	QPSK	1	0	15.71	15.49	15.79	0
		1	50	15.70	15.46	15.54	0
		1	99	15.67	15.43	15.51	0
		50	0	14.67	14.53	14.76	1
		50	25	14.64	14.46	14.51	1
		50	50	14.62	14.35	14.44	1
		100	0	14.59	14.35	14.61	1
20M	16QAM	1	0	14.76	14.58	14.63	1
		1	50	14.74	14.55	14.63	1
		1	99	14.69	14.51	14.53	1
		50	0	13.64	13.40	13.49	2
		50	25	13.61	13.44	13.46	2
		50	50	13.59	13.42	13.43	2
		100	0	13.62	13.51	13.51	2
20M	64QAM	1	0	13.81	13.65	13.72	2
		1	50	13.77	13.65	13.65	2
		1	99	13.74	13.57	13.58	2
		50	0	12.65	12.43	12.50	3
		50	25	12.62	12.36	12.46	3
		50	50	12.58	12.42	12.43	3
		100	0	12.60	12.38	12.47	3
20M	256QAM	1	0	10.73	10.52	10.56	5
		1	50	10.70	10.51	10.55	5
		1	99	10.66	10.49	10.49	5
		50	0	10.62	10.39	10.46	5
		50	25	10.60	10.38	10.48	5
		50	50	10.56	10.43	10.46	5
		100	0	10.62	10.41	10.48	5
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	15.76	15.48	15.52	0
		1	37	15.60	15.44	15.54	0
		1	74	15.59	15.35	15.44	0
		36	0	14.65	14.47	14.56	1
		36	19	14.54	14.39	14.49	1
		36	39	14.59	14.31	14.38	1
		75	0	14.56	14.27	14.42	1
15M	16QAM	1	0	14.71	14.51	14.57	1
		1	37	14.74	14.52	14.54	1
		1	74	14.60	14.46	14.53	1
		36	0	13.60	13.32	13.47	2
		36	19	13.51	13.37	13.37	2
		36	39	13.54	13.32	13.37	2
		75	0	13.55	13.43	13.41	2
15M	64QAM	1	0	13.76	13.62	13.67	2
		1	37	13.76	13.63	13.59	2
		1	74	13.71	13.51	13.55	2
		36	0	12.58	12.39	12.48	3
		36	19	12.62	12.31	12.39	3
		36	39	12.49	12.36	12.37	3
		75	0	12.59	12.34	12.47	3
15M	256QAM	1	0	10.71	10.51	10.47	5
		1	37	10.70	10.42	10.54	5
		1	74	10.59	10.46	10.40	5
		36	0	10.62	10.33	10.44	5
		36	19	10.58	10.37	10.41	5
		36	39	10.55	10.36	10.45	5
		75	0	10.60	10.39	10.40	5

LTE Conducted Power (Reduction)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	QPSK	1	0	15.73	15.41	15.52	0
		1	24	15.52	15.34	15.51	0
		1	49	15.59	15.31	15.37	0
		25	0	14.65	14.38	14.52	1
		25	12	14.48	14.34	14.43	1
		25	25	14.50	14.23	14.37	1
		50	0	14.52	14.19	14.39	1
10M	16QAM	1	0	14.67	14.43	14.57	1
		1	24	14.68	14.52	14.47	1
		1	49	14.51	14.40	14.45	1
		25	0	13.56	13.31	13.42	2
		25	12	13.48	13.36	13.36	2
		25	25	13.44	13.31	13.34	2
		50	0	13.50	13.36	13.38	2
10M	64QAM	1	0	13.72	13.59	13.60	2
		1	24	13.66	13.62	13.55	2
		1	49	13.71	13.49	13.47	2
		25	0	12.55	12.34	12.40	3
		25	12	12.53	12.25	12.36	3
		25	25	12.47	12.32	12.27	3
		50	0	12.59	12.26	12.47	3
10M	256QAM	1	0	10.70	10.46	10.40	5
		1	24	10.63	10.37	10.51	5
		1	49	10.56	10.45	10.33	5
		25	0	10.58	10.28	10.35	5
		25	12	10.52	10.37	10.34	5
		25	25	10.47	10.29	10.36	5
		50	0	10.54	10.32	10.34	5
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	15.68	15.41	15.52	0
		1	12	15.47	15.27	15.46	0
		1	24	15.55	15.24	15.35	0
		12	0	14.63	14.35	14.43	1
		12	6	14.41	14.31	14.42	1
		12	13	14.46	14.18	14.36	1
		25	0	14.45	14.17	14.37	1
5M	16QAM	1	0	14.63	14.39	14.48	1
		1	12	14.62	14.43	14.43	1
		1	24	14.49	14.30	14.37	1
		12	0	13.48	13.24	13.33	2
		12	6	13.48	13.35	13.33	2
		12	13	13.40	13.25	13.26	2
		25	0	13.44	13.35	13.34	2
5M	64QAM	1	0	13.66	13.57	13.58	2
		1	12	13.58	13.62	13.50	2
		1	24	13.66	13.49	13.44	2
		12	0	12.46	12.32	12.33	3
		12	6	12.52	12.23	12.27	3
		12	13	12.45	12.31	12.27	3
		25	0	12.57	12.24	12.44	3
5M	256QAM	1	0	10.68	10.46	10.40	5
		1	12	10.61	10.36	10.44	5
		1	24	10.46	10.42	10.31	5
		12	0	10.52	10.18	10.27	5
		12	6	10.46	10.35	10.32	5
		12	13	10.47	10.28	10.36	5
		25	0	10.46	10.22	10.27	5

LTE Conducted Power (Reduction)							
LTE Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequency (MHz)		704	707.5	711	
10M	QPSK	1	0	20.98	20.93	20.90	0
		1	24	20.79	20.91	20.85	0
		1	49	20.73	20.87	20.81	0
		25	0	19.64	19.61	19.59	1
		25	12	19.62	19.57	19.47	1
		25	25	19.58	19.53	19.46	1
		50	0	19.55	19.52	19.46	1
10M	16QAM	1	0	19.92	19.87	19.80	1
		1	24	19.88	19.86	19.78	1
		1	49	19.86	19.82	19.79	1
		25	0	18.68	18.59	18.53	2
		25	12	18.65	18.64	18.61	2
		25	25	18.61	18.54	18.51	2
		50	0	18.59	18.57	18.51	2
10M	64QAM	1	0	18.95	18.95	18.94	2
		1	24	18.92	18.86	18.85	2
		1	49	18.50	18.41	18.32	2
		25	0	17.66	17.57	17.49	3
		25	12	17.63	17.55	17.55	3
		25	25	17.61	17.60	17.53	3
		50	0	17.56	17.47	17.43	3
10M	256QAM	1	0	15.98	15.98	15.95	5
		1	24	15.93	15.85	15.84	5
		1	49	15.90	15.88	15.83	5
		25	0	15.85	15.78	15.77	5
		25	12	15.82	15.75	15.71	5
		25	25	15.76	15.72	15.62	5
		50	0	15.64	15.57	15.56	5
BW	MCS Index	Channel		23035	23095	23155	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	QPSK	1	0	20.63	20.50	20.45	0
		1	12	20.53	20.48	20.42	0
		1	24	20.47	20.44	20.33	0
		12	0	19.59	19.55	19.52	1
		12	6	19.59	19.51	19.37	1
		12	13	19.50	19.50	19.38	1
		25	0	19.49	19.47	19.39	1
5M	16QAM	1	0	19.82	19.81	19.74	1
		1	12	19.82	19.80	19.74	1
		1	24	19.86	19.73	19.78	1
		12	0	18.65	18.50	18.44	2
		12	6	18.60	18.59	18.53	2
		12	13	18.58	18.46	18.50	2
		25	0	18.51	18.47	18.50	2
5M	64QAM	1	0	18.92	18.92	18.90	2
		1	12	18.92	18.78	18.79	2
		1	24	18.49	18.40	18.32	2
		12	0	17.63	17.52	17.47	3
		12	6	17.55	17.45	17.47	3
		12	13	17.56	17.56	17.47	3
		25	0	17.54	17.41	17.36	3
5M	256QAM	1	0	15.98	15.92	15.88	5
		1	12	15.92	15.76	15.76	5
		1	24	15.89	15.87	15.77	5
		12	0	15.80	15.73	15.73	5
		12	6	15.78	15.73	15.66	5
		12	13	15.74	15.71	15.56	5
		25	0	15.61	15.53	15.53	5

LTE Conducted Power (Reduction)							
LTE Band 12							
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR
		Frequency (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	20.58	20.53	20.41	0
		1	7	20.50	20.47	20.37	0
		1	14	20.49	20.44	20.37	0
		8	0	19.62	19.55	19.50	1
		8	3	19.55	19.53	19.43	1
		8	7	19.58	19.44	19.39	1
		15	0	19.50	19.44	19.43	1
3M	16QAM	1	0	19.85	19.80	19.80	1
		1	7	19.87	19.80	19.76	1
		1	14	19.86	19.75	19.75	1
		8	0	18.62	18.59	18.44	2
		8	3	18.63	18.56	18.61	2
		8	7	18.57	18.51	18.44	2
		15	0	18.56	18.49	18.42	2
3M	64QAM	1	0	18.92	18.92	18.91	2
		1	7	18.85	18.80	18.83	2
		1	14	18.48	18.39	18.30	2
		8	0	17.57	17.51	17.43	3
		8	3	17.54	17.55	17.46	3
		8	7	17.52	17.55	17.50	3
		15	0	17.56	17.47	17.40	3
3M	256QAM	1	0	15.95	15.92	15.85	5
		1	7	15.86	15.84	15.76	5
		1	14	15.87	15.88	15.82	5
		8	0	15.75	15.68	15.76	5
		8	3	15.82	15.66	15.69	5
		8	7	15.73	15.63	15.59	5
		15	0	15.57	15.53	15.51	5
BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
		Frequency (MHz)		699.7	707.5	715.3	
1.4M	QPSK	1	0	19.50	19.31	19.21	0
		1	2	19.31	19.39	19.12	0
		1	5	19.47	19.26	19.25	0
		3	0	19.53	19.43	19.42	0
		3	1	19.49	19.41	19.40	0
		3	3	19.48	19.31	19.24	0
		6	0	18.48	18.40	18.39	1
1.4M	16QAM	1	0	18.65	18.72	18.68	1
		1	2	18.63	18.71	18.57	1
		1	5	18.70	18.75	18.59	1
		3	0	18.49	18.43	18.33	1
		3	1	18.53	18.48	18.51	1
		3	3	18.36	18.39	18.21	1
		6	0	17.38	17.48	17.33	2
1.4M	64QAM	1	0	17.80	17.87	17.70	2
		1	2	17.65	17.66	17.77	2
		1	5	17.39	17.36	17.27	2
		3	0	17.48	17.37	17.27	2
		3	1	17.31	17.53	17.42	2
		3	3	17.38	17.45	17.35	2
		6	0	16.49	16.35	16.25	3
1.4M	256QAM	1	0	14.84	14.88	14.75	5
		1	2	14.73	14.72	14.68	5
		1	5	14.71	14.77	14.63	5
		3	0	14.61	14.50	14.62	5
		3	1	14.58	14.52	14.57	5
		3	3	14.62	14.56	14.38	5
		6	0	14.34	14.28	14.35	5

LTE Conducted Power (Reduction)							
LTE Band 13							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23230		
		Frequency (MHz)			782		
10M	QPSK	1	0		19.49		0
		1	24		19.29		0
		1	49		19.26		0
		25	0		18.31		1
		25	12		18.28		1
		25	25		18.24		1
		50	0		18.19		1
10M	16QAM	1	0		18.48		1
		1	24		18.45		1
		1	49		18.41		1
		25	0		17.33		2
		25	12		17.30		2
		25	25		17.28		2
		50	0		17.25		2
10M	64QAM	1	0		17.45		2
		1	24		17.42		2
		1	49		17.40		2
		25	0		16.31		3
		25	12		16.25		3
		25	25		16.27		3
		50	0		16.23		3
10M	256QAM	1	0		14.30		5
		1	24		14.28		5
		1	49		14.24		5
		25	0		14.21		5
		25	12		14.25		5
		25	25		14.19		5
		50	0		14.15		5
BW	MCS Index	Channel		23205	23230	23255	3GPP MPR
		Frequency (MHz)		779.5	782	784.5	
5M	QPSK	1	0	19.17	19.20	19.14	0
		1	12	19.14	19.15	19.11	0
		1	24	19.11	19.19	19.06	0
		12	0	18.18	18.25	18.08	1
		12	6	18.22	18.15	18.12	1
		12	13	18.05	18.11	18.05	1
		25	0	18.01	18.14	17.94	1
5M	16QAM	1	0	18.47	18.41	18.36	1
		1	12	18.30	18.44	18.28	1
		1	24	18.33	18.42	18.37	1
		12	0	17.24	17.31	17.18	2
		12	6	17.18	17.26	17.11	2
		12	13	17.18	17.27	17.10	2
		25	0	17.19	17.27	17.09	2
5M	64QAM	1	0	17.36	17.37	17.24	2
		1	12	17.30	17.42	17.24	2
		1	24	17.30	17.35	17.22	2
		12	0	16.20	16.32	16.20	3
		12	6	16.11	16.20	16.03	3
		12	13	16.16	16.26	16.09	3
		25	0	16.15	16.16	16.09	3
5M	256QAM	1	0	14.22	14.22	14.14	5
		1	12	14.24	14.28	14.20	5
		1	24	14.20	14.22	14.19	5
		12	0	14.19	14.13	14.06	5
		12	6	14.21	14.25	14.17	5
		12	13	14.12	14.13	14.06	5
		25	0	14.14	14.08	13.97	5

LTE Conducted Power (Reduction)							
LTE Band 14							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23330		
		Frequency (MHz)			793		
10M	QPSK	1	0		19.45		0
		1	24		19.24		0
		1	49		19.19		0
		25	0		18.18		1
		25	12		18.16		1
		25	25		18.11		1
		50	0		18.16		1
10M	16QAM	1	0		18.41		1
		1	24		18.38		1
		1	49		18.35		1
		25	0		17.23		2
		25	12		17.20		2
		25	25		17.16		2
		50	0		17.13		2
10M	64QAM	1	0		17.41		2
		1	24		17.38		2
		1	49		17.32		2
		25	0		16.20		3
		25	12		16.18		3
		25	25		16.13		3
		50	0		16.10		3
10M	256QAM	1	0		14.39		5
		1	24		14.36		5
		1	49		14.34		5
		25	0		14.26		5
		25	12		14.23		5
		25	25		14.19		5
		50	0		14.16		5
BW	MCS Index	Channel		23305	23330	23355	3GPP MPR
		Frequency (MHz)		790.5	793	795.5	
5M	QPSK	1	0	19.23	19.25	19.13	0
		1	12	19.19	19.16	19.07	0
		1	24	19.01	19.18	19.07	0
		12	0	18.10	18.08	18.04	1
		12	6	18.12	18.10	18.05	1
		12	13	18.03	18.01	17.99	1
		25	0	18.15	18.06	18.05	1
5M	16QAM	1	0	18.27	18.35	18.19	1
		1	12	18.31	18.29	18.19	1
		1	24	18.24	18.27	18.14	1
		12	0	17.11	17.19	17.08	2
		12	6	17.11	17.11	17.04	2
		12	13	16.99	17.10	17.01	2
		25	0	17.00	17.04	16.98	2
5M	64QAM	1	0	17.29	17.41	17.19	2
		1	12	17.23	17.30	17.22	2
		1	24	17.17	17.28	17.07	2
		12	0	16.10	16.20	15.98	3
		12	6	16.12	16.18	16.09	3
		12	13	16.04	16.09	15.91	3
		25	0	15.91	16.02	15.90	3
5M	256QAM	1	0	14.26	14.29	14.23	5
		1	12	14.23	14.32	14.20	5
		1	24	14.19	14.28	14.10	5
		12	0	14.21	14.20	14.21	5
		12	6	14.13	14.13	14.08	5
		12	13	14.10	14.17	14.11	5
		25	0	14.04	14.09	14.06	5

LTE Conducted Power (Reduction)							
LTE Band 17							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequency (MHz)		709	710	711	
10M	QPSK	1	0	20.43	20.49	20.46	0
		1	24	20.38	20.46	20.41	0
		1	49	20.33	20.45	20.36	0
		25	0	19.41	19.46	19.44	1
		25	12	19.37	19.44	19.40	1
		25	25	19.32	19.42	19.35	1
		50	0	19.20	19.32	19.23	1
10M	16QAM	1	0	19.41	19.47	19.31	1
		1	24	19.37	19.46	19.42	1
		1	49	19.40	19.53	19.39	1
		25	0	18.39	18.43	18.34	2
		25	12	18.36	18.41	18.44	2
		25	25	18.25	18.44	18.44	2
		50	0	18.39	18.42	18.43	2
10M	64QAM	1	0	18.40	18.39	18.32	2
		1	24	18.25	18.46	18.33	2
		1	49	18.36	18.37	18.35	2
		25	0	17.36	17.50	17.32	3
		25	12	17.28	17.47	17.43	3
		25	25	17.27	17.50	17.44	3
		50	0	17.33	17.53	17.39	3
10M	256QAM	1	0	15.41	15.44	15.42	5
		1	24	15.24	15.51	15.40	5
		1	49	15.25	15.40	15.41	5
		25	0	15.30	15.48	15.31	5
		25	12	15.33	15.47	15.39	5
		25	25	15.31	15.41	15.28	5
		50	0	15.35	15.46	15.39	5
BW	MCS Index	Channel		23755	23790	23825	3GPP MPR
		Frequency (MHz)		706.5	710	713.5	
5M	QPSK	1	0	20.35	20.46	20.40	0
		1	12	20.24	20.38	20.33	0
		1	24	20.24	20.42	20.33	0
		12	0	19.29	19.43	19.37	1
		12	6	19.28	19.35	19.30	1
		12	13	19.28	19.37	19.31	1
		25	0	19.23	19.30	19.26	1
5M	16QAM	1	0	19.31	19.36	19.31	1
		1	12	19.24	19.38	19.31	1
		1	24	19.31	19.36	19.34	1
		12	0	18.24	18.39	18.35	2
		12	6	18.28	18.38	18.28	2
		12	13	18.24	18.41	18.30	2
		25	0	18.26	18.40	18.28	2
5M	64QAM	1	0	18.27	18.43	18.28	2
		1	12	18.25	18.41	18.31	2
		1	24	18.26	18.37	18.27	2
		12	0	17.29	17.40	17.35	3
		12	6	17.25	17.41	17.33	3
		12	13	17.31	17.43	17.27	3
		25	0	17.29	17.41	17.28	3
5M	256QAM	1	0	15.27	15.44	15.29	5
		1	12	15.30	15.42	15.35	5
		1	24	15.26	15.40	15.35	5
		12	0	15.30	15.36	15.30	5
		12	6	15.30	15.36	15.31	5
		12	13	15.27	15.41	15.34	5
		25	0	15.26	15.39	15.27	5

LTE Conducted Power (Reduction)							
LTE Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequency (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	15.98	15.89	15.87	0
		1	50	15.97	15.85	15.83	0
		1	99	15.95	15.82	15.77	0
		50	0	14.97	14.90	14.86	1
		50	25	14.96	14.87	14.80	1
		50	50	14.92	14.79	14.76	1
		100	0	14.82	14.77	14.71	1
20M	16QAM	1	0	15.12	15.08	15.02	1
		1	50	15.09	14.96	14.86	1
		1	99	15.04	14.99	14.91	1
		50	0	13.96	13.86	13.83	2
		50	25	13.93	13.87	13.87	2
		50	50	13.91	13.85	13.80	2
		100	0	13.89	13.82	13.82	2
20M	64QAM	1	0	14.05	14.02	14.02	2
		1	50	14.00	13.87	13.79	2
		1	99	13.97	13.88	13.84	2
		50	0	12.93	12.87	12.83	3
		50	25	12.90	12.79	12.74	3
		50	50	12.88	12.76	12.74	3
		100	0	12.84	12.75	12.68	3
20M	256QAM	1	0	10.98	10.92	10.83	5
		1	50	10.92	10.93	10.90	5
		1	99	10.89	10.87	10.77	5
		50	0	10.87	10.85	10.75	5
		50	25	10.83	10.77	10.68	5
		50	50	10.81	10.80	10.80	5
		100	0	10.83	10.77	10.75	5
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
		Frequency (MHz)		1857.5	1882.5	1907.5	
15M	QPSK	1	0	15.60	15.47	15.39	0
		1	37	15.54	15.43	15.43	0
		1	74	15.49	15.39	15.30	0
		36	0	14.80	14.66	14.68	1
		36	19	14.71	14.72	14.65	1
		36	39	14.74	14.56	14.59	1
		75	0	14.60	14.52	14.46	1
15M	16QAM	1	0	14.95	14.84	14.82	1
		1	37	14.90	14.79	14.66	1
		1	74	14.84	14.82	14.69	1
		36	0	13.77	13.70	13.59	2
		36	19	13.69	13.67	13.64	2
		36	39	13.76	13.66	13.60	2
		75	0	13.70	13.60	13.58	2
15M	64QAM	1	0	13.90	13.77	13.80	2
		1	37	13.77	13.67	13.59	2
		1	74	13.73	13.71	13.69	2
		36	0	12.77	12.65	12.67	3
		36	19	12.67	12.61	12.56	3
		36	39	12.72	12.59	12.49	3
		75	0	12.68	12.59	12.45	3
15M	256QAM	1	0	10.84	10.74	10.66	5
		1	37	10.80	10.68	10.75	5
		1	74	10.73	10.71	10.52	5
		36	0	10.68	10.62	10.54	5
		36	19	10.73	10.57	10.46	5
		36	39	10.64	10.56	10.56	5
		75	0	10.61	10.57	10.50	5

LTE Conducted Power (Reduction)							
LTE Band 25							
BW	MCS Index	Channel		26090	26365	26640	3GPP MPR
		Frequency (MHz)		1855	1882.5	1910	
10M	QPSK	1	0	15.56	15.38	15.30	0
		1	24	15.45	15.34	15.35	0
		1	49	15.41	15.36	15.21	0
		25	0	14.75	14.64	14.63	1
		25	12	14.64	14.63	14.62	1
		25	25	14.70	14.55	14.52	1
		50	0	14.56	14.50	14.46	1
10M	16QAM	1	0	14.89	14.80	14.79	1
		1	24	14.90	14.77	14.64	1
		1	49	14.83	14.78	14.59	1
		25	0	13.71	13.64	13.53	2
		25	12	13.60	13.60	13.54	2
		25	25	13.74	13.63	13.55	2
		50	0	13.68	13.54	13.51	2
10M	64QAM	1	0	13.85	13.68	13.71	2
		1	24	13.76	13.62	13.50	2
		1	49	13.67	13.71	13.60	2
		25	0	12.74	12.61	12.65	3
		25	12	12.64	12.51	12.46	3
		25	25	12.71	12.51	12.46	3
		50	0	12.64	12.53	12.43	3
10M	256QAM	1	0	10.74	10.70	10.65	5
		1	24	10.74	10.68	10.68	5
		1	49	10.71	10.70	10.42	5
		25	0	10.66	10.59	10.52	5
		25	12	10.72	10.53	10.45	5
		25	25	10.55	10.55	10.54	5
		50	0	10.54	10.47	10.45	5
BW	MCS Index	Channel		26065	26365	26665	3GPP MPR
		Frequency (MHz)		1852.5	1882.5	1912.5	
5M	QPSK	1	0	15.46	15.31	15.20	0
		1	12	15.44	15.26	15.30	0
		1	24	15.36	15.30	15.15	0
		12	0	14.71	14.62	14.63	1
		12	6	14.58	14.61	14.55	1
		12	13	14.66	14.47	14.42	1
		25	0	14.56	14.45	14.36	1
5M	16QAM	1	0	14.85	14.75	14.72	1
		1	12	14.83	14.70	14.58	1
		1	24	14.75	14.70	14.59	1
		12	0	13.69	13.62	13.51	2
		12	6	13.56	13.57	13.48	2
		12	13	13.67	13.56	13.53	2
		25	0	13.68	13.51	13.50	2
5M	64QAM	1	0	13.83	13.62	13.65	2
		1	12	13.67	13.56	13.40	2
		1	24	13.67	13.71	13.53	2
		12	0	12.71	12.58	12.56	3
		12	6	12.59	12.46	12.43	3
		12	13	12.65	12.47	12.39	3
		25	0	12.63	12.50	12.34	3
5M	256QAM	1	0	10.68	10.62	10.63	5
		1	12	10.66	10.62	10.60	5
		1	24	10.65	10.66	10.32	5
		12	0	10.61	10.56	10.42	5
		12	6	10.67	10.52	10.45	5
		12	13	10.53	10.48	10.44	5
		25	0	10.46	10.39	10.41	5

LTE Conducted Power (Reduction)							
LTE Band 25							
BW	MCS Index	Channel		26055	26365	26675	3GPP MPR
		Frequency (MHz)		1851.5	1882.5	1913.5	
3M	QPSK	1	0	15.49	15.38	15.26	0
		1	7	15.36	15.25	15.30	0
		1	14	15.34	15.35	15.18	0
		8	0	14.67	14.59	14.58	1
		8	3	14.60	14.61	14.61	1
		8	7	14.70	14.49	14.42	1
		15	0	14.52	14.49	14.44	1
3M	16QAM	1	0	14.80	14.76	14.74	1
		1	7	14.82	14.69	14.64	1
		1	14	14.77	14.69	14.56	1
		8	0	13.70	13.56	13.51	2
		8	3	13.59	13.59	13.45	2
		8	7	13.64	13.61	13.47	2
		15	0	13.58	13.48	13.45	2
3M	64QAM	1	0	13.79	13.60	13.66	2
		1	7	13.74	13.59	13.48	2
		1	14	13.63	13.70	13.58	2
		8	0	12.65	12.59	12.59	3
		8	3	12.54	12.46	12.41	3
		8	7	12.62	12.49	12.39	3
		15	0	12.56	12.45	12.42	3
3M	256QAM	1	0	10.67	10.70	10.56	5
		1	7	10.69	10.65	10.67	5
		1	14	10.61	10.60	10.32	5
		8	0	10.66	10.54	10.47	5
		8	3	10.65	10.47	10.40	5
		8	7	10.47	10.52	10.52	5
		15	0	10.44	10.44	10.44	5
BW	MCS Index	Channel		26047	26365	26683	3GPP MPR
		Frequency (MHz)		1850.7	1882.5	1914.3	
1.4M	QPSK	1	0	15.41	15.32	15.14	0
		1	2	15.31	15.05	15.12	0
		1	5	15.27	15.25	14.98	0
		3	0	15.57	15.44	15.51	0
		3	1	15.41	15.47	15.44	0
		3	3	15.55	15.31	15.31	0
		6	0	14.33	14.47	14.23	1
1.4M	16QAM	1	0	14.61	14.62	14.64	1
		1	2	14.67	14.47	14.59	1
		1	5	14.71	14.60	14.47	1
		3	0	14.65	14.45	14.30	1
		3	1	14.43	14.53	14.28	1
		3	3	14.43	14.52	14.28	1
		6	0	13.40	13.39	13.35	2
1.4M	64QAM	1	0	13.73	13.46	13.56	2
		1	2	13.56	13.42	13.36	2
		1	5	13.56	13.49	13.35	2
		3	0	13.54	13.41	13.49	2
		3	1	13.42	13.30	13.25	2
		3	3	13.57	13.37	13.17	2
		6	0	12.43	12.23	12.23	3
1.4M	256QAM	1	0	10.54	10.53	10.41	5
		1	2	10.60	10.46	10.57	5
		1	5	10.44	10.54	10.18	5
		3	0	10.52	10.49	10.34	5
		3	1	10.57	10.46	10.39	5
		3	3	10.28	10.31	10.37	5
		6	0	10.35	10.35	10.31	5

LTE Conducted Power (Reduction)								
LTE Band 26								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	High	3GPP MPR (dB)
		Channel		26765	26865	26915	26965	
		Frequency (MHz)		821.5	831.5	836.5	841.5	
15M	QPSK	1	0	17.81	17.91	17.85	17.97	0
		1	37	17.67	17.73	17.63	17.82	0
		1	74	17.66	17.69	17.59	17.78	0
		36	0	16.76	16.82	16.77	16.87	1
		36	19	16.75	16.78	16.71	16.85	1
		36	39	16.68	16.75	16.65	16.82	1
		75	0	16.72	16.78	16.68	16.84	1
15M	16QAM	1	0	16.84	16.84	16.81	16.82	1
		1	37	16.74	16.76	16.75	16.80	1
		1	74	16.65	16.70	16.66	16.75	1
		36	0	15.58	15.64	15.59	15.69	2
		36	19	15.62	15.64	15.61	15.66	2
		36	39	15.48	15.58	15.58	15.62	2
		75	0	15.52	15.57	15.57	15.65	2
15M	64QAM	1	0	15.69	15.77	15.74	15.81	2
		1	37	15.60	15.67	15.62	15.77	2
		1	74	15.59	15.69	15.66	15.74	2
		36	0	14.58	14.61	14.52	14.69	3
		36	19	14.53	14.58	14.55	14.66	3
		36	39	14.53	14.57	14.50	14.62	3
		75	0	14.48	14.58	14.50	14.66	3
15M	256QAM	1	0	12.71	12.76	12.75	12.84	5
		1	37	12.75	12.76	12.74	12.81	5
		1	74	12.66	12.76	12.70	12.79	5
		36	0	12.63	12.71	12.61	12.72	5
		36	19	12.58	12.62	12.57	12.70	5
		36	39	12.56	12.58	12.57	12.68	5
		75	0	12.51	12.61	12.56	12.65	5
BW	MCS Index	Channel		26740	26865	26915	26990	3GPP MPR
		Frequency (MHz)		819	831.5	836.5	844	
10M	QPSK	1	0	17.51	17.55	17.80	17.59	0
		1	24	17.34	17.41	17.59	17.52	0
		1	49	17.35	17.31	17.50	17.46	0
		25	0	16.47	16.52	16.70	16.57	1
		25	12	16.52	16.47	16.64	16.61	1
		25	25	16.41	16.51	16.63	16.57	1
		50	0	16.42	16.45	16.65	16.56	1
10M	16QAM	1	0	16.74	16.80	16.80	16.86	1
		1	24	16.65	16.67	16.71	16.84	1
		1	49	16.56	16.60	16.58	16.79	1
		25	0	15.58	15.56	15.53	15.69	2
		25	12	15.55	15.55	15.54	15.64	2
		25	25	15.40	15.58	15.48	15.59	2
		50	0	15.44	15.51	15.56	15.62	2
10M	64QAM	1	0	15.66	15.76	15.67	15.77	2
		1	24	15.58	15.58	15.53	15.75	2
		1	49	15.54	15.68	15.61	15.70	2
		25	0	14.58	14.59	14.49	14.62	3
		25	12	14.52	14.54	14.50	14.64	3
		25	25	14.51	14.47	14.50	14.52	3
		50	0	14.43	14.51	14.47	14.66	3
10M	256QAM	1	0	12.64	12.74	12.67	12.78	5
		1	24	12.72	12.71	12.65	12.81	5
		1	49	12.62	12.72	12.67	12.76	5
		25	0	12.53	12.67	12.60	12.67	5
		25	12	12.49	12.52	12.56	12.62	5
		25	25	12.54	12.54	12.50	12.61	5
		50	0	12.51	12.56	12.48	12.58	5

LTE Conducted Power (Reduction)								
LTE Band 26								
BW	MCS Index	Channel		26715	26865	26915	27015	3GPP MPR
		Frequency (MHz)		816.5	831.5	836.5	846.5	
5M	QPSK	1	0	17.43	17.52	17.74	17.54	0
		1	12	17.32	17.38	17.58	17.47	0
		1	24	17.30	17.31	17.41	17.43	0
		12	0	16.45	16.47	16.60	16.50	1
		12	6	16.49	16.45	16.56	16.54	1
		12	13	16.40	16.41	16.61	16.48	1
		25	0	16.40	16.41	16.63	16.53	1
5M	16QAM	1	0	16.67	16.79	16.70	16.83	1
		1	12	16.62	16.62	16.69	16.81	1
		1	24	16.56	16.50	16.56	16.74	1
		12	0	15.50	15.47	15.44	15.62	2
		12	6	15.52	15.51	15.46	15.59	2
		12	13	15.35	15.55	15.48	15.53	2
		25	0	15.42	15.48	15.52	15.55	2
5M	64QAM	1	0	15.60	15.69	15.59	15.70	2
		1	12	15.52	15.56	15.48	15.68	2
		1	24	15.46	15.66	15.57	15.64	2
		12	0	14.50	14.56	14.44	14.56	3
		12	6	14.49	14.46	14.42	14.60	3
		12	13	14.49	14.38	14.49	14.44	3
		25	0	14.41	14.47	14.44	14.63	3
5M	256QAM	1	0	12.57	12.68	12.62	12.72	5
		1	12	12.66	12.68	12.57	12.80	5
		1	24	12.55	12.72	12.62	12.70	5
		12	0	12.43	12.59	12.50	12.62	5
		12	6	12.47	12.48	12.48	12.59	5
		12	13	12.45	12.50	12.46	12.60	5
		25	0	12.43	12.51	12.38	12.56	5
BW	MCS Index	Channel		26705	26865	26915	27025	3GPP MPR
		Frequency (MHz)		815.5	831.5	836.5	847.5	
3M	QPSK	1	0	17.38	17.42	17.68	17.45	0
		1	7	17.22	17.38	17.55	17.38	0
		1	14	17.23	17.28	17.39	17.38	0
		8	0	16.37	16.43	16.54	16.41	1
		8	3	16.42	16.36	16.48	16.47	1
		8	7	16.40	16.34	16.57	16.41	1
		15	0	16.36	16.37	16.61	16.50	1
3M	16QAM	1	0	16.61	16.78	16.68	16.75	1
		1	7	16.55	16.62	16.62	16.74	1
		1	14	16.48	16.44	16.50	16.66	1
		8	0	15.40	15.45	15.44	15.52	2
		8	3	15.46	15.46	15.38	15.53	2
		8	7	15.26	15.49	15.38	15.51	2
		15	0	15.39	15.39	15.49	15.52	2
3M	64QAM	1	0	15.52	15.59	15.59	15.63	2
		1	7	15.51	15.50	15.48	15.66	2
		1	14	15.46	15.62	15.50	15.55	2
		8	0	14.43	14.48	14.43	14.48	3
		8	3	14.43	14.43	14.37	14.56	3
		8	7	14.49	14.30	14.41	14.38	3
		15	0	14.33	14.45	14.43	14.58	3
3M	256QAM	1	0	12.57	12.64	12.61	12.68	5
		1	7	12.65	12.61	12.53	12.74	5
		1	14	12.49	12.69	12.54	12.62	5
		8	0	12.33	12.53	12.46	12.55	5
		8	3	12.41	12.44	12.48	12.53	5
		8	7	12.37	12.46	12.40	12.51	5
		15	0	12.37	12.45	12.36	12.56	5

LTE Conducted Power (Reduction)								
LTE Band 26								
BW	MCS Index	Channel		26697	26865	26915	27033	3GPP MPR
		Frequency (MHz)		814.7	831.5	836.5	848.3	
1.4M	QPSK	1	0	17.24	17.27	17.59	17.40	0
		1	2	17.03	17.15	17.46	17.35	0
		1	5	17.12	17.26	17.36	17.28	0
		3	0	17.28	17.26	17.01	17.32	0
		3	1	17.31	17.13	16.95	17.30	0
		3	3	17.32	17.33	17.01	17.31	0
1.4M	16QAM	6	0	16.24	16.21	16.61	16.33	1
		1	0	16.46	16.56	16.59	16.68	1
		1	2	16.36	16.48	16.54	16.68	1
		1	5	16.24	16.30	16.49	16.48	1
		3	0	16.35	16.33	16.38	16.39	1
		3	1	16.28	16.40	16.33	16.48	1
1.4M	64QAM	3	3	16.16	16.38	16.37	16.40	1
		6	0	15.32	15.30	15.39	15.41	2
		1	0	15.44	15.53	15.57	15.45	2
		1	2	15.31	15.34	15.43	15.59	2
		1	5	15.36	15.50	15.44	15.40	2
		3	0	15.29	15.35	15.43	15.34	2
1.4M	256QAM	3	1	15.31	15.32	15.33	15.41	2
		3	3	15.38	15.23	15.41	15.31	2
		6	0	14.19	14.32	14.42	14.39	3
		1	0	12.47	12.52	12.56	12.60	5
		1	2	12.49	12.59	12.50	12.70	5
		1	5	12.32	12.61	12.54	12.41	5
1.4M	256QAM	3	0	12.30	12.47	12.45	12.51	5
		3	1	12.35	12.29	12.41	12.41	5
		3	3	12.26	12.36	12.34	12.35	5
		6	0	12.18	12.31	12.32	12.34	5

LTE Conducted Power (Reduction)							
LTE Band 38							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		37850	38000	38150	
		Frequency (MHz)		2580	2595	2610	
20M	QPSK	1	0	20.98	20.55	20.48	0
		1	50	20.56	20.54	20.44	0
		1	99	20.52	20.48	20.37	0
		50	0	19.67	19.58	19.50	1
		50	25	19.64	19.54	19.54	1
		50	50	19.58	19.50	19.50	1
		100	0	19.64	19.61	19.52	1
20M	16QAM	1	0	19.59	19.56	19.51	1
		1	50	19.55	19.52	19.42	1
		1	99	19.50	19.49	19.40	1
		50	0	18.68	18.61	18.54	2
		50	25	18.65	18.64	18.54	2
		50	50	18.61	18.55	18.46	2
		100	0	18.63	18.60	18.52	2
20M	64QAM	1	0	18.60	18.51	18.43	2
		1	50	18.57	18.47	18.41	2
		1	99	18.51	18.51	18.44	2
		50	0	17.65	17.59	17.50	3
		50	25	17.60	17.55	17.46	3
		50	50	17.62	17.58	17.58	3
		100	0	17.64	17.58	17.52	3
20M	256QAM	1	0	15.66	15.59	15.53	5
		1	50	15.62	15.53	15.49	5
		1	99	15.60	15.57	15.56	5
		50	0	15.62	15.55	15.52	5
		50	25	15.59	15.58	15.57	5
		50	50	15.55	15.50	15.50	5
		100	0	15.59	15.50	15.44	5
BW	MCS Index	Channel		37825	38000	38175	3GPP MPR
		Frequency (MHz)		2577.5	2595	2612.5	
15M	QPSK	1	0	20.48	20.43	20.41	0
		1	37	20.44	20.47	20.38	0
		1	74	20.41	20.42	20.22	0
		36	0	19.62	19.53	19.47	1
		36	19	19.59	19.53	19.44	1
		36	39	19.50	19.46	19.40	1
		75	0	19.63	19.54	19.48	1
15M	16QAM	1	0	19.56	19.52	19.48	1
		1	37	19.48	19.47	19.32	1
		1	74	19.44	19.42	19.34	1
		36	0	18.64	18.52	18.47	2
		36	19	18.56	18.63	18.52	2
		36	39	18.51	18.48	18.39	2
		75	0	18.53	18.60	18.44	2
15M	64QAM	1	0	18.58	18.41	18.41	2
		1	37	18.47	18.42	18.39	2
		1	74	18.44	18.43	18.38	2
		36	0	17.55	17.53	17.45	3
		36	19	17.53	17.45	17.43	3
		36	39	17.57	17.55	17.58	3
		75	0	17.54	17.51	17.48	3
15M	256QAM	1	0	15.59	15.56	15.48	5
		1	37	15.55	15.51	15.48	5
		1	74	15.52	15.52	15.49	5
		36	0	15.56	15.55	15.42	5
		36	19	15.49	15.57	15.51	5
		36	39	15.53	15.46	15.47	5
		75	0	15.53	15.46	15.39	5

LTE Conducted Power (Reduction)							
LTE Band 38							
BW	MCS Index	Channel		37800	38000	38200	3GPP MPR
		Frequency (MHz)		2575	2595	2615	
10M	QPSK	1	0	20.44	20.38	20.38	0
		1	24	20.34	20.42	20.30	0
		1	49	20.38	20.34	20.22	0
		25	0	19.61	19.47	19.45	1
		25	12	19.55	19.45	19.35	1
		25	25	19.40	19.44	19.38	1
		50	0	19.63	19.51	19.41	1
10M	16QAM	1	0	19.53	19.52	19.48	1
		1	24	19.46	19.38	19.22	1
		1	49	19.37	19.39	19.24	1
		25	0	18.55	18.44	18.47	2
		25	12	18.52	18.53	18.50	2
		25	25	18.50	18.47	18.32	2
		50	0	18.45	18.51	18.44	2
10M	64QAM	1	0	18.49	18.31	18.39	2
		1	24	18.40	18.35	18.33	2
		1	49	18.36	18.43	18.36	2
		25	0	17.45	17.43	17.35	3
		25	12	17.48	17.45	17.34	3
		25	25	17.49	17.53	17.54	3
		50	0	17.51	17.50	17.40	3
10M	256QAM	1	0	15.50	15.46	15.38	5
		1	24	15.45	15.50	15.42	5
		1	49	15.50	15.52	15.49	5
		25	0	15.56	15.54	15.40	5
		25	12	15.48	15.52	15.46	5
		25	25	15.44	15.40	15.39	5
		50	0	15.45	15.38	15.39	5
BW	MCS Index	Channel		37775	38000	38225	3GPP MPR
		Frequency (MHz)		2572.5	2595	2617.5	
5M	QPSK	1	0	20.40	20.36	20.31	0
		1	12	20.32	20.39	20.20	0
		1	24	20.37	20.32	20.19	0
		12	0	19.54	19.41	19.38	1
		12	6	19.46	19.44	19.34	1
		12	13	19.38	19.44	19.37	1
		25	0	19.54	19.51	19.35	1
5M	16QAM	1	0	19.49	19.42	19.46	1
		1	12	19.42	19.35	19.14	1
		1	24	19.32	19.35	19.24	1
		12	0	18.48	18.44	18.46	2
		12	6	18.45	18.50	18.44	2
		12	13	18.44	18.39	18.29	2
		25	0	18.44	18.46	18.36	2
5M	64QAM	1	0	18.45	18.31	18.36	2
		1	12	18.31	18.34	18.25	2
		1	24	18.27	18.40	18.30	2
		12	0	17.35	17.40	17.26	3
		12	6	17.46	17.35	17.30	3
		12	13	17.44	17.43	17.47	3
		25	0	17.49	17.48	17.34	3
5M	256QAM	1	0	15.43	15.43	15.35	5
		1	12	15.45	15.48	15.36	5
		1	24	15.50	15.45	15.41	5
		12	0	15.47	15.48	15.30	5
		12	6	15.47	15.50	15.41	5
		12	13	15.44	15.36	15.33	5
		25	0	15.37	15.34	15.38	5

LTE Conducted Power (Reduction)									
LTE Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequency (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	19.95	19.51	19.63	19.50	19.80	0
		1	50	19.10	19.26	19.59	19.46	19.77	0
		1	99	19.07	19.23	19.55	19.43	19.71	0
		50	0	18.91	18.35	18.67	18.54	18.82	1
		50	25	18.19	18.28	18.60	18.47	18.79	1
		50	50	18.05	18.22	18.55	18.41	18.74	1
20M	16QAM	100	0	18.82	18.29	18.63	18.54	18.80	1
		1	0	18.42	18.58	18.89	18.78	19.01	1
		1	50	18.21	18.38	18.78	18.64	18.98	1
		1	99	18.26	18.38	18.72	18.56	18.93	1
		50	0	17.22	17.36	17.67	17.55	17.85	2
		50	25	17.22	17.39	17.70	17.58	17.83	2
20M	64QAM	50	50	17.09	17.26	17.61	17.46	17.79	2
		100	0	17.26	17.37	17.73	17.60	17.85	2
		1	0	17.39	17.56	17.87	17.80	18.07	2
		1	50	17.49	17.63	17.93	17.81	18.04	2
		1	99	17.41	17.59	17.87	17.76	18.02	2
		50	0	16.30	16.48	16.74	16.67	16.89	3
20M	256QAM	50	25	16.21	16.33	16.66	16.52	16.82	3
		50	50	16.23	16.34	16.69	16.54	16.80	3
		100	0	16.18	16.34	16.70	16.58	16.83	3
		1	0	14.31	14.46	14.74	14.68	14.90	5
		1	50	14.24	14.36	14.68	14.53	14.88	5
		1	99	14.36	14.44	14.70	14.62	14.83	5
15M	QPSK	50	0	14.22	14.34	14.72	14.58	14.85	5
		50	25	14.16	14.30	14.60	14.50	14.81	5
		50	50	14.32	14.41	14.73	14.60	14.86	5
		100	0	14.22	14.34	14.69	14.59	14.88	5
		1	0	19.12	19.26	19.57	19.40	19.76	0
		1	37	19.04	19.19	19.59	19.38	19.75	0
15M	16QAM	1	74	19.06	19.14	19.52	19.39	19.64	0
		36	0	18.22	18.28	18.66	18.47	18.80	1
		36	19	18.13	18.18	18.52	18.43	18.75	1
		36	39	17.96	18.14	18.45	18.39	18.68	1
		75	0	18.03	18.22	18.61	18.46	18.70	1
		1	0	18.34	18.50	18.88	18.72	18.91	1
15M	64QAM	1	37	18.13	18.32	18.70	18.59	18.97	1
		1	74	18.21	18.32	18.71	18.47	18.87	1
		36	0	17.15	17.34	17.63	17.48	17.83	2
		36	19	17.15	17.32	17.67	17.52	17.74	2
		36	39	17.02	17.17	17.60	17.44	17.75	2
		75	0	17.26	17.34	17.73	17.52	17.81	2
15M	256QAM	1	0	17.32	17.50	17.79	17.78	17.97	2
		1	37	17.39	17.61	17.89	17.76	17.98	2
		1	74	17.37	17.56	17.80	17.66	18.00	2
		36	0	16.27	16.44	16.66	16.59	16.86	3
		36	19	16.21	16.32	16.64	16.50	16.72	3
		36	39	16.18	16.29	16.60	16.53	16.77	3
15M	QPSK	75	0	16.13	16.33	16.64	16.57	16.78	3
		1	0	14.29	14.42	14.66	14.62	14.88	5
		1	37	14.21	14.26	14.58	14.51	14.87	5
		1	74	14.27	14.35	14.67	14.53	14.73	5
		36	0	14.18	14.29	14.67	14.57	14.75	5
		36	19	14.14	14.22	14.54	14.46	14.79	5
15M	16QAM	36	39	14.24	14.37	14.67	14.56	14.85	5
		75	0	14.22	14.28	14.59	14.49	14.79	5

LTE Conducted Power (Reduction)									
LTE Band 41									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequency (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	19.03	19.24	19.51	19.40	19.72	0
		1	24	18.98	19.15	19.58	19.36	19.69	0
		1	49	19.03	19.05	19.50	19.39	19.54	0
		25	0	18.22	18.28	18.62	18.47	18.78	1
		25	12	18.03	18.15	18.44	18.42	18.74	1
		25	25	17.93	18.12	18.37	18.29	18.60	1
10M	16QAM	50	0	18.02	18.20	18.54	18.46	18.63	1
		1	0	18.24	18.43	18.84	18.71	18.85	1
		1	24	18.09	18.25	18.64	18.54	18.96	1
		1	49	18.16	18.28	18.64	18.41	18.84	1
		25	0	17.08	17.34	17.55	17.42	17.73	2
		25	12	17.07	17.25	17.58	17.50	17.65	2
10M	64QAM	25	25	16.95	17.11	17.52	17.42	17.73	2
		50	0	17.26	17.24	17.65	17.43	17.75	2
		1	0	17.26	17.49	17.78	17.73	17.96	2
		1	24	17.35	17.61	17.86	17.74	17.98	2
		1	49	17.27	17.50	17.72	17.59	17.94	2
		25	0	16.24	16.41	16.66	16.51	16.78	3
10M	256QAM	25	12	16.19	16.31	16.56	16.40	16.71	3
		25	25	16.13	16.28	16.60	16.50	16.71	3
		50	0	16.07	16.29	16.62	16.57	16.73	3
		1	0	14.29	14.35	14.61	14.54	14.82	5
		1	24	14.18	14.21	14.48	14.50	14.81	5
		1	49	14.26	14.29	14.67	14.44	14.69	5
10M	256QAM	25	0	14.09	14.19	14.65	14.48	14.68	5
		25	12	14.07	14.17	14.51	14.42	14.72	5
		25	25	14.18	14.36	14.65	14.52	14.85	5
		50	0	14.20	14.24	14.55	14.47	14.76	5
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequency (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	19.03	19.22	19.50	19.37	19.76	0
		1	12	19.00	19.17	19.49	19.34	19.68	0
		1	24	19.02	19.11	19.47	19.34	19.62	0
		12	0	18.19	18.26	18.66	18.42	18.79	1
		12	6	18.07	18.15	18.49	18.34	18.67	1
		12	13	17.87	18.10	18.35	18.35	18.58	1
5M	16QAM	25	0	17.98	18.18	18.53	18.43	18.70	1
		1	0	18.33	18.48	18.87	18.67	18.87	1
		1	12	18.06	18.32	18.69	18.55	18.91	1
		1	24	18.14	18.23	18.61	18.40	18.78	1
		12	0	17.05	17.27	17.62	17.45	17.83	2
		12	6	17.07	17.22	17.64	17.48	17.71	2
5M	64QAM	12	13	16.96	17.08	17.54	17.40	17.65	2
		25	0	17.21	17.28	17.65	17.44	17.78	2
		1	0	17.31	17.45	17.75	17.78	17.94	2
		1	12	17.36	17.59	17.79	17.66	17.92	2
		1	24	17.27	17.46	17.74	17.64	17.97	2
		12	0	16.26	16.40	16.58	16.50	16.85	3
5M	256QAM	12	6	16.20	16.25	16.57	16.47	16.69	3
		12	13	16.11	16.23	16.58	16.51	16.69	3
		25	0	16.06	16.32	16.60	16.56	16.77	3
		1	0	14.23	14.33	14.59	14.57	14.87	5
		1	12	14.12	14.24	14.55	14.46	14.77	5
		1	24	14.18	14.33	14.65	14.49	14.70	5
5M	256QAM	12	0	14.08	14.27	14.64	14.52	14.66	5
		12	6	14.14	14.17	14.47	14.44	14.74	5
		12	13	14.21	14.30	14.64	14.49	14.82	5
		25	0	14.21	14.19	14.59	14.42	14.77	5

LTE Conducted Power (Reduction)								
LTE Band 42								
BW	MCS Index	RB Size	RB Offset	Low	Low	Mid	High	3GPP MPR (dB)
		Channel		42190	43190	43340	43490	
		Frequency (MHz)		3460	3560	3575	3590	
20M	QPSK	1	0	13.51	13.49	13.45	13.52	0
		1	50	13.31	13.44	13.40	13.49	0
		1	99	13.35	13.41	13.35	13.48	0
		50	0	12.35	12.27	12.19	12.36	1
		50	25	12.03	12.16	12.12	12.32	1
		50	50	12.10	12.18	12.18	12.28	1
20M	16QAM	100	0	12.32	12.21	12.21	12.31	1
		1	0	12.03	12.15	12.06	12.26	1
		1	50	11.98	12.13	12.03	12.23	1
		1	99	11.95	12.11	12.01	12.20	1
		50	0	11.21	11.32	11.24	11.45	2
		50	25	11.27	11.32	11.28	11.41	2
20M	64QAM	50	50	11.21	11.33	11.28	11.38	2
		100	0	11.20	11.32	11.22	11.35	2
		1	0	11.21	11.32	11.26	11.38	2
		1	50	11.22	11.26	11.23	11.28	2
		1	99	11.08	11.16	11.14	11.26	2
		50	0	10.25	10.33	10.33	10.36	3
20M	256QAM	50	25	10.15	10.29	10.21	10.33	3
		50	50	10.13	10.25	10.22	10.31	3
		100	0	10.00	10.19	10.10	10.28	3
		1	0	8.37	8.50	8.44	8.49	5
		1	50	8.32	8.44	8.41	8.49	5
		1	99	8.24	8.37	8.31	8.46	5
20M	256QAM	50	0	8.16	8.33	8.25	8.43	5
		50	25	8.22	8.34	8.25	8.41	5
		50	50	8.12	8.28	8.22	8.38	5
		100	0	8.23	8.30	8.28	8.43	5
BW	MCS Index	Channel		42165	43165	43340	43515	3GPP MPR
		Frequency (MHz)		3457.5	3557.5	3575	3592.5	
15M	QPSK	1	0	13.24	13.38	13.28	13.42	0
		1	37	13.14	13.26	13.23	13.36	0
		1	74	13.16	13.28	13.17	13.38	0
		36	0	12.03	12.16	12.01	12.22	1
		36	19	11.86	12.00	11.96	12.19	1
		36	39	12.00	12.02	12.08	12.18	1
15M	16QAM	75	0	11.90	12.02	12.02	12.15	1
		1	0	11.93	12.01	11.87	12.14	1
		1	37	11.78	11.98	11.93	12.08	1
		1	74	11.81	12.01	11.85	12.04	1
		36	0	11.03	11.20	11.05	11.30	2
		36	19	11.14	11.18	11.10	11.26	2
15M	64QAM	36	39	11.08	11.21	11.08	11.21	2
		75	0	11.01	11.17	11.09	11.21	2
		1	0	11.07	11.16	11.06	11.28	2
		1	37	11.08	11.14	11.05	11.11	2
		1	74	10.96	11.06	10.98	11.09	2
		36	0	10.08	10.15	10.20	10.23	3
15M	256QAM	36	19	10.00	10.15	10.05	10.16	3
		36	39	10.00	10.07	10.11	10.11	3
		75	0	9.86	9.99	9.98	10.14	3
		1	0	7.90	8.08	7.99	8.13	5
		1	37	7.89	8.04	8.00	8.07	5
		1	74	7.81	7.91	7.90	8.04	5
15M	256QAM	36	0	7.67	7.92	7.84	8.08	5
		36	19	7.79	7.86	7.75	7.99	5
		36	39	7.65	7.81	7.81	7.88	5
		75	0	7.81	7.89	7.83	7.94	5

LTE Conducted Power (Reduction)								
LTE Band 42								
BW	MCS Index	Channel		42140	43140	43340	43540	3GPP MPR
		Frequency (MHz)		3455	3555	3575	3595	
10M	QPSK	1	0	13.21	13.38	13.26	13.41	0
		1	24	13.14	13.19	13.16	13.30	0
		1	49	13.16	13.18	13.09	13.30	0
		25	0	11.97	12.13	12.01	12.17	1
		25	12	11.81	11.90	11.87	12.15	1
		25	25	11.99	11.92	12.00	12.16	1
10M	16QAM	50	0	11.82	11.93	11.93	12.07	1
		1	0	11.90	11.93	11.79	12.09	1
		1	24	11.68	11.96	11.90	12.04	1
		1	49	11.74	11.91	11.82	11.94	1
		25	0	10.98	11.13	10.96	11.28	2
		25	12	11.10	11.08	11.09	11.19	2
10M	64QAM	25	25	10.99	11.20	10.99	11.16	2
		50	0	10.98	11.10	10.99	11.19	2
		1	0	11.04	11.14	10.96	11.24	2
		1	24	11.08	11.04	10.95	11.05	2
		1	49	10.90	10.97	10.92	11.03	2
		25	0	10.06	10.07	10.10	10.15	3
10M	256QAM	25	12	9.99	10.12	10.04	10.11	3
		25	25	9.99	10.05	10.09	10.06	3
		50	0	9.84	9.95	9.97	10.05	3
		1	0	7.88	8.02	7.92	8.13	5
		1	24	7.86	7.97	7.92	8.00	5
		1	49	7.73	7.90	7.85	7.98	5
10M	256QAM	25	0	7.59	7.92	7.83	7.99	5
		25	12	7.78	7.81	7.74	7.95	5
		25	25	7.57	7.71	7.77	7.78	5
		50	0	7.71	7.82	7.73	7.85	5
BW	MCS Index	Channel		42115	43115	43340	43565	3GPP MPR
		Frequency (MHz)		3452.5	3552.5	3575	3597.5	
5M	QPSK	1	0	13.20	13.34	13.23	13.33	0
		1	12	13.07	13.22	13.21	13.32	0
		1	24	13.15	13.28	13.10	13.28	0
		12	0	11.97	12.06	11.97	12.14	1
		12	6	11.77	11.99	11.95	12.14	1
		12	13	11.96	11.95	12.00	12.12	1
5M	16QAM	25	0	11.83	11.93	11.97	12.08	1
		1	0	11.93	11.97	11.80	12.11	1
		1	12	11.76	11.90	11.83	12.04	1
		1	24	11.73	12.01	11.78	11.97	1
		12	0	10.93	11.11	11.02	11.29	2
		12	6	11.14	11.13	11.07	11.22	2
5M	64QAM	12	13	10.99	11.14	11.05	11.19	2
		25	0	10.99	11.16	11.08	11.19	2
		1	0	11.00	11.10	11.03	11.18	2
		1	12	10.98	11.05	10.99	11.05	2
		1	24	10.88	10.98	10.97	10.99	2
		12	0	9.99	10.06	10.14	10.23	3
5M	256QAM	12	6	9.91	10.06	10.00	10.10	3
		12	13	9.98	10.02	10.07	10.08	3
		25	0	9.81	9.93	9.91	10.06	3
		1	0	7.88	8.02	7.93	8.08	5
		1	12	7.84	7.96	7.95	8.07	5
		1	24	7.81	7.82	7.80	7.99	5
5M	256QAM	12	0	7.65	7.90	7.78	8.07	5
		12	6	7.77	7.84	7.66	7.91	5
		12	13	7.56	7.73	7.72	7.79	5
		25	0	7.76	7.83	7.73	7.93	5

LTE Conducted Power (Reduction)

LTE Band 43

BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		43690	44090	44490	44990	45490	
		Frequency (MHz)		3610	3650	3690	3740	3790	
20M	QPSK	1	0	13.46	12.96	13.33	13.35	12.81	0
		1	50	13.35	12.93	12.82	13.08	12.74	0
		1	99	13.24	12.90	12.82	13.05	12.70	0
		50	0	12.56	12.51	12.38	12.40	12.44	1
		50	25	12.54	12.56	12.51	12.37	12.41	1
		50	50	12.39	12.49	12.36	12.36	12.29	1
20M	16QAM	100	0	12.46	12.50	12.33	12.35	12.31	1
		1	0	12.34	12.42	12.35	12.60	12.33	1
		1	50	12.34	12.48	12.42	12.58	12.27	1
		1	99	12.30	12.38	12.34	12.55	12.24	1
		50	0	11.47	11.55	11.52	11.49	11.40	2
		50	25	11.43	11.48	11.43	11.46	11.37	2
20M	64QAM	50	50	11.39	11.51	11.43	11.44	11.39	2
		100	0	11.39	11.48	11.43	11.60	11.39	2
		1	0	11.40	11.48	11.43	11.46	11.36	2
		1	50	11.30	11.42	11.38	11.16	11.27	2
		1	99	11.35	11.46	11.36	11.56	11.31	2
		50	0	10.54	10.60	10.54	10.60	10.50	3
20M	256QAM	50	25	10.58	10.58	10.58	10.58	10.58	3
		50	50	10.39	10.48	10.48	10.54	10.37	3
		100	0	10.42	10.55	10.50	10.56	10.38	3
		1	0	8.42	8.54	8.47	8.34	8.42	5
		1	50	8.31	8.42	8.41	8.31	8.25	5
		1	99	8.33	8.44	8.36	8.59	8.31	5
20M	256QAM	50	0	8.27	8.37	8.27	8.56	8.23	5
		50	25	8.32	8.43	8.38	8.53	8.29	5
		50	50	8.18	8.32	8.27	8.48	8.14	5
		100	0	8.28	8.38	8.29	8.50	8.21	5
BW	MCS Index	Channel		43665	44090	44515	45015	45515	3GPP MPR
		Frequency (MHz)		3607.5	3650	3692.5	3742.5	3792.5	
15M	QPSK	1	0	13.35	13.52	13.39	13.59	13.35	0
		1	37	13.29	13.46	13.42	13.56	13.22	0
		1	74	13.27	13.39	13.37	13.52	13.20	0
		36	0	12.46	12.54	12.47	12.38	12.48	1
		36	19	12.44	12.55	12.39	12.37	12.41	1
		36	39	12.44	12.35	12.45	12.33	12.35	1
15M	16QAM	75	0	12.45	12.49	12.44	12.35	12.28	1
		1	0	12.40	12.39	12.33	12.32	12.34	1
		1	37	12.40	12.50	12.40	12.30	12.33	1
		1	74	12.35	12.39	12.41	12.31	12.31	1
		36	0	11.52	11.54	11.58	11.37	11.41	2
		36	19	11.40	11.55	11.46	11.37	11.38	2
15M	64QAM	36	39	11.44	11.50	11.45	11.39	11.38	2
		75	0	11.36	11.54	11.41	11.30	11.44	2
		1	0	11.40	11.48	11.40	11.34	11.37	2
		1	37	11.27	11.42	11.38	11.38	11.24	2
		1	74	11.32	11.45	11.40	11.27	11.28	2
		36	0	10.31	10.21	10.55	10.44	10.54	3
15M	256QAM	36	19	10.59	10.55	10.58	10.36	10.58	3
		36	39	10.39	10.52	10.48	10.34	10.42	3
		75	0	10.44	10.26	10.53	10.40	10.38	3
		1	0	8.45	8.53	8.47	8.37	8.47	5
		1	37	8.37	8.47	8.44	8.35	8.22	5
		1	74	8.38	8.46	8.39	8.33	8.36	5
15M	256QAM	36	0	8.30	8.42	8.28	8.32	8.29	5
		36	19	8.39	8.44	8.42	8.54	8.36	5
		36	39	8.17	8.35	8.29	8.49	8.15	5
		75	0	8.35	8.41	8.31	8.47	8.22	5

LTE Conducted Power (Reduction)

LTE Band 43

BW	MCS Index	Channel		43640	44090	44540	45040	45540	3GPP MPR
		Frequency (MHz)		3605	3650	3695	3745	3795	
10M	QPSK	1	0	13.34	13.52	13.38	13.56	13.35	0
		1	24	13.21	13.46	13.37	13.53	13.20	0
		1	49	13.19	13.29	13.30	13.42	13.12	0
		25	0	12.41	12.49	12.45	12.36	12.39	1
		25	12	12.41	12.50	12.53	12.26	12.38	1
		25	25	12.44	12.49	12.41	12.36	12.35	1
10M	16QAM	50	0	12.35	12.48	12.40	12.58	12.25	1
		1	0	12.39	12.39	12.31	12.60	12.28	1
		1	24	12.38	12.49	12.40	12.60	12.26	1
		1	49	12.26	12.31	12.31	12.53	12.26	1
		25	0	11.52	11.54	11.53	11.26	11.36	2
		25	12	11.38	11.54	11.36	11.16	11.28	2
10M	64QAM	25	25	11.36	11.46	11.39	11.29	11.35	2
		50	0	11.31	11.52	11.32	11.50	11.41	2
		1	0	11.39	11.46	11.37	11.59	11.30	2
		1	24	11.17	11.39	11.32	11.59	11.21	2
		1	49	11.31	11.38	11.36	11.53	11.24	2
		25	0	10.59	10.60	10.49	10.37	10.53	3
10M	256QAM	25	12	10.56	10.46	10.58	10.34	10.51	3
		25	25	10.34	10.45	10.40	10.31	10.41	3
		50	0	10.43	10.53	10.53	10.35	10.29	3
		1	0	8.45	8.51	8.46	8.34	8.45	5
		1	24	8.36	8.40	8.37	8.29	8.17	5
		1	49	8.32	8.42	8.32	8.32	8.36	5
5M	QPSK	25	0	8.24	8.34	8.22	8.30	8.19	5
		25	12	8.37	8.39	8.36	8.46	8.30	5
		25	25	8.15	8.30	8.20	8.40	8.07	5
		50	0	8.26	8.35	8.24	8.46	8.19	5
5M	16QAM	1	0	13.31	13.48	13.28	13.54	13.26	0
		1	12	13.17	13.46	13.27	13.47	13.15	0
		1	24	13.16	13.27	13.22	13.38	13.11	0
		12	0	12.38	12.47	12.38	12.54	12.37	1
		12	6	12.39	12.41	12.43	12.26	12.29	1
		12	13	12.37	12.39	12.37	12.16	12.35	1
5M	64QAM	25	0	12.25	12.40	12.38	12.49	12.23	1
		1	0	12.29	12.30	12.29	12.55	12.20	1
		1	12	12.36	12.43	12.38	12.54	12.20	1
		1	24	12.22	12.29	12.26	12.49	12.23	1
		12	0	11.45	11.47	11.47	11.53	11.27	2
		12	6	11.36	11.50	11.27	11.15	11.28	2
5M	256QAM	12	13	11.32	11.39	11.36	11.26	11.34	2
		25	0	11.25	11.47	11.26	11.43	11.37	2
		1	0	11.37	11.42	11.27	11.53	11.29	2
		1	12	11.07	11.34	11.24	11.56	11.11	2
		1	24	11.30	11.31	11.30	11.53	11.19	2
		12	0	10.51	10.54	10.40	10.59	10.49	3
5M	QPSK	12	6	10.55	10.42	10.48	10.55	10.51	3
		12	13	10.30	10.43	10.31	10.56	10.31	3
		25	0	10.37	10.53	10.48	10.52	10.28	3
		1	0	8.43	8.44	8.40	8.56	8.39	5
		1	12	8.34	8.33	8.30	8.51	8.10	5
		1	24	8.31	8.39	8.32	8.17	8.36	5
5M	16QAM	12	0	8.14	8.34	8.22	8.57	8.09	5
		12	6	8.35	8.37	8.35	8.43	8.23	5
		12	13	8.14	8.22	8.18	8.33	8.02	5
		25	0	8.25	8.30	8.21	8.40	8.09	5
		1	0	8.43	8.44	8.40	8.56	8.39	5
		1	12	8.34	8.33	8.30	8.51	8.10	5

LTE Conducted Power (Reduction)								
LTE Band 48								
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)	
		Channel		55340	55780	56210		
		Frequency (MHz)		3560	3604	3647		
20M	QPSK	1	0	12.67	12.73	12.84	12.82	0
		1	50	12.62	12.70	12.76	12.57	0
		1	99	12.57	12.66	12.72	12.58	0
		50	0	11.85	11.91	11.96	11.83	1
		50	25	11.80	11.85	11.74	11.93	1
		50	50	11.82	11.88	11.81	11.91	1
		100	0	11.77	11.79	11.70	11.87	1
20M	16QAM	1	0	11.80	11.86	11.91	11.79	1
		1	50	11.73	11.78	11.87	11.71	1
		1	99	11.76	11.82	11.85	11.68	1
		50	0	10.90	10.91	10.94	10.85	2
		50	25	10.73	10.81	10.91	10.67	2
		50	50	10.79	10.80	10.85	10.76	2
		100	0	10.77	10.79	10.87	10.75	2
20M	64QAM	1	0	10.84	10.91	10.92	10.78	2
		1	50	10.75	10.79	10.88	10.66	2
		1	99	10.76	10.81	10.84	10.70	2
		50	0	9.78	9.87	9.97	9.76	3
		50	25	9.95	9.95	9.95	9.88	3
		50	50	9.77	9.85	9.91	9.71	3
		100	0	9.75	9.85	9.87	9.72	3
20M	256QAM	1	0	7.80	7.86	7.93	7.79	5
		1	50	7.80	7.87	7.90	7.75	5
		1	99	7.79	7.87	7.88	7.77	5
		50	0	7.69	7.78	7.84	7.64	5
		50	25	7.68	7.77	7.82	7.61	5
		50	50	7.83	7.85	7.87	7.76	5
		100	0	7.74	7.81	7.84	7.65	5
BW	MCS Index	Channel		55315	55765	56215	56665	3GPP MPR
		Frequency (MHz)		3557.5	3602.5	3647.5	3692.5	
15M	QPSK	1	0	12.60	12.63	12.74	12.56	0
		1	37	12.59	12.70	12.68	12.60	0
		1	74	12.57	12.64	12.68	12.59	0
		36	0	11.75	11.88	11.95	11.82	1
		36	19	11.70	11.78	11.90	11.69	1
		36	39	11.73	11.78	11.82	11.78	1
		75	0	11.75	11.75	11.78	11.70	1
15M	16QAM	1	0	11.79	11.81	11.82	11.77	1
		1	37	11.67	11.78	11.83	11.68	1
		1	74	11.73	11.80	11.85	11.66	1
		36	0	10.87	10.83	10.86	10.77	2
		36	19	10.73	10.74	10.90	10.62	2
		36	39	10.75	10.77	10.79	10.75	2
		75	0	10.67	10.71	10.83	10.74	2
15M	64QAM	1	0	10.75	10.83	10.84	10.75	2
		1	37	10.67	10.77	10.83	10.60	2
		1	74	10.76	10.75	10.83	10.70	2
		36	0	9.68	9.80	9.96	9.67	3
		36	19	9.90	9.86	9.92	9.79	3
		36	39	9.71	9.83	9.88	9.62	3
		75	0	9.75	9.76	9.79	9.68	3
15M	256QAM	1	0	7.78	7.84	7.83	7.71	5
		1	37	7.73	7.78	7.80	7.71	5
		1	74	7.69	7.83	7.79	7.74	5
		36	0	7.63	7.71	7.74	7.59	5
		36	19	7.61	7.67	7.76	7.61	5
		36	39	7.83	7.76	7.82	7.73	5
		75	0	7.73	7.73	7.75	7.60	5

LTE Conducted Power (Reduction)								
LTE Band 48								
BW	MCS Index	Channel		55290	55750	56220	56690	3GPP MPR
		Frequency (MHz)		3555	3601	3648	3695	
10M	QPSK	1	0	12.58	12.62	12.68	12.56	0
		1	24	12.60	12.58	12.66	12.64	0
		1	49	12.62	12.56	12.62	12.60	0
		25	0	11.74	11.82	11.95	11.72	1
		25	12	11.66	11.78	11.81	11.68	1
		25	25	11.66	11.69	11.77	11.74	1
		50	0	11.74	11.71	11.83	11.64	1
10M	16QAM	1	0	11.79	11.71	11.72	11.74	1
		1	24	11.58	11.75	11.73	11.58	1
		1	49	11.66	11.76	11.79	11.64	1
		25	0	10.84	10.74	10.83	10.76	2
		25	12	10.63	10.72	10.82	10.63	2
		25	25	10.68	10.71	10.74	10.72	2
		50	0	10.64	10.63	10.73	10.70	2
10M	64QAM	1	0	10.74	10.75	10.77	10.75	2
		1	24	10.63	10.77	10.83	10.65	2
		1	49	10.73	10.70	10.76	10.67	2
		25	0	9.61	9.71	9.86	9.59	3
		25	12	9.83	9.82	9.91	9.75	3
		25	25	9.66	9.77	9.87	9.56	3
		50	0	9.73	9.74	9.78	9.61	3
10M	256QAM	1	0	7.77	7.74	7.77	7.61	5
		1	24	7.66	7.68	7.78	7.64	5
		1	49	7.66	7.74	7.76	7.70	5
		25	0	7.62	7.67	7.73	7.63	5
		25	12	7.61	7.67	7.70	7.64	5
		25	25	7.79	7.67	7.81	7.70	5
		50	0	7.68	7.67	7.72	7.58	5
BW	MCS Index	Channel		55265	55745	56235	56715	3GPP MPR
		Frequency (MHz)		3552.5	3600.5	3649.5	3697.5	
5M	QPSK	1	0	12.70	12.72	12.83	12.60	0
		1	12	12.60	12.72	12.80	12.59	0
		1	24	12.64	12.72	12.75	12.57	0
		12	0	11.73	11.76	11.89	11.72	1
		12	6	11.66	11.78	11.77	11.64	1
		12	13	11.62	11.67	11.70	11.65	1
		25	0	11.67	11.62	11.73	11.62	1
5M	16QAM	1	0	11.71	11.64	11.67	11.68	1
		1	12	11.62	11.72	11.64	11.58	1
		1	24	11.61	11.74	11.69	11.63	1
		12	0	10.79	10.72	10.73	10.71	2
		12	6	10.67	10.67	10.73	10.59	2
		12	13	10.62	10.71	10.68	10.72	2
		25	0	10.59	10.55	10.71	10.70	2
5M	64QAM	1	0	10.66	10.73	10.77	10.75	2
		1	12	10.63	10.77	10.79	10.64	2
		1	24	10.64	10.62	10.74	10.57	2
		12	0	9.82	9.63	9.78	9.62	3
		12	6	9.77	9.77	9.88	9.65	3
		12	13	9.60	9.67	9.80	9.60	3
		25	0	9.68	9.65	9.70	9.58	3
5M	256QAM	1	0	7.74	7.64	7.69	7.73	5
		1	12	7.63	7.68	7.69	7.58	5
		1	24	7.65	7.69	7.70	7.61	5
		12	0	7.60	7.62	7.71	7.66	5
		12	6	7.79	7.57	7.62	7.57	5
		12	13	7.70	7.60	7.71	7.67	5
		25	0	7.60	7.66	7.67	7.68	5

LTE Conducted Power (Reduction)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequency (MHz)		1720	1745	1770	
20M	QPSK	1	0	16.73	16.53	16.93	0
		1	50	16.70	16.50	16.50	0
		1	99	16.68	16.47	16.43	0
		50	0	15.73	15.53	15.76	1
		50	25	15.72	15.49	15.74	1
		50	50	15.63	15.45	15.70	1
		100	0	15.69	15.43	15.73	1
20M	16QAM	1	0	15.79	15.62	15.79	1
		1	50	15.65	15.45	15.74	1
		1	99	15.62	15.36	15.71	1
		50	0	14.79	14.63	14.82	2
		50	25	14.74	14.51	14.79	2
		50	50	14.70	14.49	14.75	2
		100	0	14.83	14.60	14.85	2
20M	64QAM	1	0	14.74	14.48	14.81	2
		1	50	14.73	14.48	14.76	2
		1	99	14.65	14.42	14.69	2
		50	0	13.74	13.56	13.81	3
		50	25	13.76	13.56	13.78	3
		50	50	13.64	13.47	13.74	3
		100	0	13.74	13.57	13.83	3
20M	256QAM	1	0	11.63	11.39	11.68	5
		1	50	11.57	11.35	11.64	5
		1	99	11.57	11.37	11.60	5
		50	0	11.67	11.44	11.67	5
		50	25	11.63	11.45	11.71	5
		50	50	11.82	11.58	11.84	5
		100	0	11.80	11.63	11.89	5
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	16.42	16.16	16.51	0
		1	37	16.37	16.18	16.45	0
		1	74	16.35	16.14	16.40	0
		36	0	15.67	15.53	15.72	1
		36	19	15.63	15.43	15.65	1
		36	39	15.54	15.43	15.63	1
		75	0	15.68	15.39	15.66	1
15M	16QAM	1	0	15.71	15.55	15.77	1
		1	37	15.61	15.43	15.71	1
		1	74	15.59	15.26	15.69	1
		36	0	14.79	14.60	14.79	2
		36	19	14.74	14.49	14.75	2
		36	39	14.60	14.49	14.67	2
		75	0	14.74	14.53	14.76	2
15M	64QAM	1	0	14.74	14.48	14.77	2
		1	37	14.70	14.43	14.68	2
		1	74	14.56	14.32	14.67	2
		36	0	13.64	13.50	13.75	3
		36	19	13.66	13.49	13.73	3
		36	39	13.56	13.39	13.73	3
		75	0	13.72	13.47	13.73	3
15M	256QAM	1	0	11.59	11.30	11.61	5
		1	37	11.54	11.28	11.56	5
		1	74	11.53	11.34	11.59	5
		36	0	11.59	11.41	11.62	5
		36	19	11.63	11.37	11.70	5
		36	39	11.75	11.53	11.82	5
		75	0	11.80	11.62	11.87	5

LTE Conducted Power (Reduction)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	QPSK	1	0	16.36	16.08	16.41	0
		1	24	16.30	16.03	16.38	0
		1	49	16.25	15.99	16.31	0
		25	0	15.65	15.47	15.63	1
		25	12	15.60	15.41	15.62	1
		25	25	15.52	15.40	15.62	1
		50	0	15.61	15.30	15.59	1
10M	16QAM	1	0	15.64	15.55	15.70	1
		1	24	15.61	15.42	15.70	1
		1	49	15.51	15.26	15.67	1
		25	0	14.71	14.50	14.79	2
		25	12	14.64	14.39	14.71	2
		25	25	14.50	14.44	14.57	2
		50	0	14.67	14.46	14.67	2
10M	64QAM	1	0	14.64	14.43	14.69	2
		1	24	14.63	14.39	14.62	2
		1	49	14.46	14.30	14.65	2
		25	0	13.61	13.44	13.71	3
		25	12	13.59	13.42	13.73	3
		25	25	13.49	13.37	13.67	3
		50	0	13.62	13.37	13.67	3
10M	256QAM	1	0	11.54	11.26	11.60	5
		1	24	11.51	11.26	11.53	5
		1	49	11.44	11.25	11.51	5
		25	0	11.57	11.39	11.55	5
		25	12	11.57	11.33	11.66	5
		25	25	11.70	11.47	11.76	5
		50	0	11.70	11.55	11.82	5
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	16.27	16.03	16.32	0
		1	12	16.23	15.99	16.29	0
		1	24	16.18	15.94	16.24	0
		12	0	15.55	15.38	15.54	1
		12	6	15.55	15.39	15.58	1
		12	13	15.46	15.35	15.60	1
		25	0	15.60	15.25	15.49	1
5M	16QAM	1	0	15.62	15.51	15.65	1
		1	12	15.55	15.38	15.60	1
		1	24	15.45	15.19	15.64	1
		12	0	14.70	14.41	14.72	2
		12	6	14.63	14.32	14.63	2
		12	13	14.44	14.34	14.50	2
		25	0	14.58	14.41	14.67	2
5M	64QAM	1	0	14.57	14.38	14.64	2
		1	12	14.53	14.39	14.61	2
		1	24	14.42	14.30	14.65	2
		12	0	13.53	13.38	13.64	3
		12	6	13.51	13.38	13.68	3
		12	13	13.41	13.36	13.57	3
		25	0	13.55	13.35	13.63	3
5M	256QAM	1	0	11.54	11.24	11.54	5
		1	12	11.51	11.25	11.49	5
		1	24	11.35	11.21	11.45	5
		12	0	11.51	11.29	11.52	5
		12	6	11.47	11.23	11.62	5
		12	13	11.64	11.40	11.72	5
		25	0	11.65	11.45	11.72	5

LTE Conducted Power (Reduction)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequency (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	16.21	16.02	16.25	0
		1	7	16.13	15.90	16.26	0
		1	14	16.15	15.88	16.22	0
		8	0	15.53	15.36	15.50	1
		8	3	15.53	15.29	15.53	1
		8	7	15.38	15.30	15.57	1
		15	0	15.51	15.19	15.41	1
3M	16QAM	1	0	15.61	15.43	15.56	1
		1	7	15.51	15.31	15.55	1
		1	14	15.36	15.18	15.63	1
		8	0	14.66	14.36	14.71	2
		8	3	14.58	14.29	14.58	2
		8	7	14.41	14.28	14.48	2
		15	0	14.51	14.31	14.62	2
3M	64QAM	1	0	14.55	14.30	14.58	2
		1	7	14.48	14.30	14.55	2
		1	14	14.36	14.22	14.58	2
		8	0	13.45	13.35	13.57	3
		8	3	13.46	13.30	13.65	3
		8	7	13.39	13.31	13.47	3
		15	0	13.52	13.30	13.55	3
3M	256QAM	1	0	11.54	11.21	11.49	5
		1	7	11.41	11.24	11.46	5
		1	14	11.34	11.17	11.45	5
		8	0	11.45	11.23	11.43	5
		8	3	11.46	11.13	11.54	5
		8	7	11.58	11.39	11.62	5
		15	0	11.64	11.41	11.67	5
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequency (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	16.12	15.85	16.14	0
		1	2	16.10	15.92	16.20	0
		1	5	15.96	15.94	16.08	0
		3	0	16.47	16.18	16.31	0
		3	1	16.46	16.28	16.40	0
		3	3	16.30	16.22	16.44	0
		6	0	15.44	15.14	15.40	1
1.4M	16QAM	1	0	15.47	15.42	15.57	1
		1	2	15.37	15.36	15.44	1
		1	5	15.34	15.06	15.54	1
		3	0	15.59	15.36	15.62	1
		3	1	15.53	15.12	15.60	1
		3	3	15.24	15.26	15.30	1
		6	0	14.44	14.26	14.52	2
1.4M	64QAM	1	0	14.36	14.20	14.48	2
		1	2	14.34	14.30	14.41	2
		1	5	14.33	14.16	14.40	2
		3	0	14.30	14.19	14.51	2
		3	1	14.32	14.20	14.58	2
		3	3	14.31	14.33	14.45	2
		6	0	13.43	13.23	13.47	3
1.4M	256QAM	1	0	11.48	11.15	11.35	5
		1	2	11.32	11.05	11.29	5
		1	5	11.12	11.14	11.36	5
		3	0	11.36	11.23	11.30	5
		3	1	11.39	11.05	11.47	5
		3	3	11.51	11.20	11.69	5
		6	0	11.51	11.41	11.62	5

LTE Conducted Power (Reduction)							
LTE Band 71							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		133222	133297	133372	
		Frequency (MHz)		673	680.5	688	
20M	QPSK	1	0	21.41	21.37	21.49	0
		1	50	21.37	21.33	21.38	0
		1	99	21.32	21.31	21.42	0
		50	0	20.21	20.14	20.46	1
		50	25	20.21	20.12	20.41	1
		50	50	20.14	20.04	20.43	1
		100	0	20.09	20.09	20.36	1
20M	16QAM	1	0	20.34	20.29	20.56	1
		1	50	20.24	20.16	20.53	1
		1	99	20.23	20.17	20.48	1
		50	0	19.31	19.31	19.51	2
		50	25	19.21	19.12	19.48	2
		50	50	19.24	19.21	19.44	2
		100	0	19.28	19.18	19.48	2
20M	64QAM	1	0	19.26	19.17	19.52	2
		1	50	19.20	19.20	19.48	2
		1	99	19.14	19.13	19.41	2
		50	0	18.36	18.28	18.56	3
		50	25	18.24	18.19	18.52	3
		50	50	18.26	18.18	18.46	3
		100	0	18.34	18.33	18.53	3
20M	256QAM	1	0	16.37	16.30	16.46	5
		1	50	16.34	16.32	16.43	5
		1	99	16.29	16.24	16.38	5
		50	0	16.25	16.18	16.32	5
		50	25	16.17	16.17	16.25	5
		50	50	16.16	16.16	16.24	5
		100	0	16.30	16.28	16.49	5
BW	MCS Index	Channel		133197	133297	133397	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	QPSK	1	0	21.12	21.13	21.40	0
		1	37	21.10	21.04	21.37	0
		1	74	21.09	21.01	21.35	0
		36	0	19.92	19.88	20.21	1
		36	19	19.94	19.89	20.17	1
		36	39	19.92	19.76	20.19	1
		75	0	19.81	19.88	20.13	1
15M	16QAM	1	0	20.03	20.07	20.27	1
		1	37	19.96	19.89	20.22	1
		1	74	20.02	19.91	20.21	1
		36	0	19.07	19.04	19.28	2
		36	19	18.92	18.85	19.20	2
		36	39	19.00	18.93	19.13	2
		75	0	19.00	18.92	19.27	2
15M	64QAM	1	0	19.05	18.95	19.24	2
		1	37	18.97	18.94	19.18	2
		1	74	18.85	18.87	19.12	2
		36	0	18.11	18.01	18.26	3
		36	19	17.96	17.91	18.31	3
		36	39	18.03	17.91	18.24	3
		75	0	18.10	18.08	18.24	3
15M	256QAM	1	0	16.13	16.04	16.33	5
		1	37	16.03	16.03	16.32	5
		1	74	16.06	16.03	16.25	5
		36	0	16.03	15.96	16.21	5
		36	19	15.87	15.94	16.18	5
		36	39	15.93	15.89	16.16	5
		75	0	15.99	15.97	16.27	5

LTE Conducted Power (Reduction)							
LTE Band 71							
BW	MCS Index	Channel		133172	133297	133422	3GPP MPR
		Frequency (MHz)		668	680.5	693	
10M	QPSK	1	0	21.04	21.04	21.34	0
		1	24	21.01	20.94	21.37	0
		1	49	21.06	20.92	21.32	0
		25	0	19.85	19.84	20.14	1
		25	12	19.89	19.81	20.16	1
		25	25	19.83	19.72	20.13	1
		50	0	19.73	19.79	20.03	1
10M	16QAM	1	0	19.97	20.01	20.25	1
		1	24	19.86	19.83	20.17	1
		1	49	19.97	19.86	20.12	1
		25	0	19.07	19.03	19.24	2
		25	12	18.90	18.76	19.18	2
		25	25	18.96	18.91	19.05	2
		50	0	18.96	18.88	19.27	2
10M	64QAM	1	0	18.99	18.87	19.17	2
		1	24	18.96	18.87	19.17	2
		1	49	18.77	18.81	19.05	2
		25	0	18.10	18.00	18.18	3
		25	12	17.93	17.84	18.30	3
		25	25	18.01	17.84	18.22	3
		50	0	18.05	17.99	18.16	3
10M	256QAM	1	0	16.04	15.96	16.33	5
		1	24	15.97	15.99	16.22	5
		1	49	16.02	15.95	16.21	5
		25	0	15.94	15.87	16.20	5
		25	12	15.85	15.92	16.18	5
		25	25	15.87	15.85	16.10	5
		50	0	15.99	15.88	16.23	5
BW	MCS Index	Channel		133147	133297	133447	3GPP MPR
		Frequency (MHz)		665.5	680.5	695.5	
5M	QPSK	1	0	21.02	21.05	21.35	0
		1	12	21.05	21.02	21.29	0
		1	24	21.01	20.97	21.25	0
		12	0	19.89	19.86	20.14	1
		12	6	19.85	19.86	20.14	1
		12	13	19.82	19.74	20.18	1
		25	0	19.78	19.85	20.09	1
5M	16QAM	1	0	19.99	19.98	20.26	1
		1	12	19.91	19.84	20.13	1
		1	24	19.96	19.83	20.20	1
		12	0	19.05	18.94	19.27	2
		12	6	18.83	18.77	19.20	2
		12	13	18.94	18.93	19.11	2
		25	0	19.00	18.83	19.25	2
5M	64QAM	1	0	19.05	18.86	19.16	2
		1	12	18.96	18.85	19.09	2
		1	24	18.75	18.82	19.10	2
		12	0	18.05	17.96	18.26	3
		12	6	17.92	17.82	18.30	3
		12	13	18.01	17.89	18.17	3
		25	0	18.10	18.00	18.24	3
5M	256QAM	1	0	16.03	15.98	16.28	5
		1	12	15.94	15.97	16.26	5
		1	24	16.03	15.93	16.22	5
		12	0	15.99	15.88	16.14	5
		12	6	15.85	15.90	16.14	5
		12	13	15.89	15.88	16.12	5
		25	0	15.89	15.97	16.21	5

NR Conducted Power (Full)							
NR Band 2							
BW	MCS Index	Channel		372000	376000	380000	3GPP MPR
		Frequency (MHz)		1860	1880	1900	
20M	BPSK	1	1	17.42	17.21	17.17	0
20M	QPSK	1	1	17.48	17.36	17.25	0
		1	53	17.42	17.30	17.19	0
		1	99	17.39	17.27	17.16	0
		50	0	16.43	16.31	16.20	1
		50	28	17.40	17.28	17.17	0
		50	56	16.39	16.27	16.16	1
		100	0	16.36	16.24	16.13	1
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequency (MHz)		1857.5	1880	1902.5	
15M	BPSK	1	1	17.33	17.13	17.08	0
15M	QPSK	1	1	17.45	17.27	17.24	0
		1	40	17.33	17.30	17.15	0
		1	74	17.33	17.25	17.16	0
		36	0	16.40	16.25	16.14	1
		36	22	17.31	17.19	17.07	0
		36	43	16.38	16.22	16.13	1
		75	0	16.32	16.16	16.06	1
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequency (MHz)		1855	1880	1905	
10M	BPSK	1	1	17.35	17.19	17.16	0
10M	QPSK	1	1	17.42	17.30	17.19	0
		1	26	17.37	17.25	17.10	0
		1	49	17.34	17.18	17.09	0
		25	0	16.37	16.22	16.14	1
		25	14	17.34	17.28	17.14	0
		25	27	16.32	16.25	16.06	1
		50	0	16.29	16.21	16.06	1
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequency (MHz)		1852.5	1880	1907.5	
5M	BPSK	1	1	17.25	17.13	17.14	0
5M	QPSK	1	1	17.35	17.21	17.19	0
		1	13	17.29	17.19	17.09	0
		1	23	17.26	17.10	17.02	0
		12	0	16.30	16.17	16.08	1
		12	7	17.29	17.18	17.07	0
		12	13	16.30	16.20	15.97	1
		25	0	16.24	16.16	16.02	1

NR Conducted Power (Full)							
NR Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequency (MHz)		834	836.5	839	
20M	BPSK	1	1	18.57	18.59	18.70	0
20M	QPSK	1	1	18.65	18.72	18.83	0
		1	53	18.52	18.59	18.69	0
		1	104	18.56	18.66	18.69	0
		50	0	17.61	17.71	17.75	1
		50	28	18.60	18.63	18.71	0
		50	56	17.50	17.65	17.69	1
		100	0	17.48	17.60	17.62	1
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequency (MHz)		831.5	836.5	841.5	
15M	BPSK	1	1	18.56	18.51	18.69	0
15M	QPSK	1	1	18.59	18.63	18.74	0
		1	40	18.49	18.49	18.63	0
		1	77	18.51	18.62	18.65	0
		36	0	17.54	17.65	17.73	1
		36	22	18.52	18.56	18.64	0
		36	43	17.44	17.64	17.59	1
		75	0	17.45	17.55	17.46	1
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequency (MHz)		829	836.5	844	
10M	BPSK	1	1	18.49	18.51	18.61	0
10M	QPSK	1	1	18.60	18.71	18.72	0
		1	26	18.47	18.50	18.65	0
		1	50	18.51	18.57	18.66	0
		25	0	17.57	17.70	17.68	1
		25	14	18.53	18.58	18.66	0
		25	27	17.41	17.58	17.64	1
		50	0	17.48	17.53	17.50	1
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequency (MHz)		826.5	836.5	846.5	
5M	BPSK	1	1	18.48	18.44	18.61	0
5M	QPSK	1	1	18.54	18.62	18.69	0
		1	13	18.39	18.45	18.65	0
		1	23	18.41	18.52	18.66	0
		12	0	17.53	17.61	17.64	1
		12	7	18.47	18.50	18.58	0
		12	13	17.36	17.55	17.62	1
		25	0	17.40	17.44	17.50	1

NR Conducted Power (Full)							
NR Band 7							
BW	MCS Index	Channel		504000	507000	510000	3GPP MPR
		Frequency (MHz)		2520	2535	2550	
40M	BPSK	1	1	16.29	16.37	16.38	0
40M	QPSK	1	1	16.41	16.45	16.49	0
		1	108	16.35	16.36	16.39	0
		1	214	16.27	16.30	16.36	0
		108	0	15.33	15.32	15.40	1
		108	54	16.25	16.31	16.35	0
		108	108	15.34	15.31	15.38	1
		216	0	15.34	15.29	15.42	1
BW	MCS Index	Channel		503500	507000	510500	3GPP MPR
		Frequency (MHz)		2517.5	2535	2552.5	
35M	BPSK	1	1	16.25	16.31	16.34	0
35M	QPSK	1	1	16.33	16.41	16.45	0
		1	94	16.26	16.36	16.32	0
		1	186	16.25	16.26	16.31	0
		80	0	15.25	15.22	15.34	1
		94	47	16.25	16.29	16.33	0
		94	94	15.32	15.23	15.33	1
		180	0	15.24	15.19	15.39	1
BW	MCS Index	Channel		503000	507000	511000	3GPP MPR
		Frequency (MHz)		2515	2535	2555	
30M	BPSK	1	1	16.22	16.22	16.29	0
30M	QPSK	1	1	16.24	16.31	16.38	0
		1	80	16.21	16.27	16.26	0
		1	158	16.16	16.17	16.29	0
		80	0	15.22	15.16	15.29	1
		80	40	16.15	16.25	16.25	0
		80	80	15.32	15.16	15.32	1
		160	0	15.17	15.18	15.29	1
BW	MCS Index	Channel		502500	507000	511500	3GPP MPR
		Frequency (MHz)		2512.5	2535	2557.5	
25M	BPSK	1	1	16.17	16.31	16.24	0
25M	QPSK	1	1	16.24	16.35	16.36	0
		1	67	16.26	16.29	16.24	0
		1	131	16.24	16.24	16.23	0
		64	0	15.15	15.17	15.29	1
		64	35	16.25	16.19	16.31	0
		64	69	15.30	15.22	15.24	1
		128	0	15.16	15.12	15.36	1

NR Conducted Power (Full)							
NR Band 7							
BW	MCS Index	Channel		502000	507000	512000	3GPP MPR
		Frequency (MHz)		2510	2535	2560	
20M	BPSK	1	1	16.25	16.26	16.26	0
20M	QPSK	1	1	16.26	16.31	16.37	0
		1	53	16.16	16.36	16.22	0
		1	104	16.19	16.19	16.26	0
		50	0	15.22	15.20	15.29	1
		50	28	16.24	16.26	16.23	0
		50	56	15.26	15.19	15.24	1
		100	0	15.17	15.10	15.33	1
BW	MCS Index	Channel		501500	507000	512500	3GPP MPR
		Frequency (MHz)		2507.5	2535	2562.5	
15M	BPSK	1	1	16.20	16.25	16.25	0
15M	QPSK	1	1	16.18	16.24	16.34	0
		1	40	16.15	16.30	16.18	0
		1	77	16.12	16.13	16.23	0
		36	0	15.22	15.16	15.28	1
		36	22	16.16	16.19	16.19	0
		36	43	15.20	15.09	15.19	1
		75	0	15.10	15.09	15.25	1
BW	MCS Index	Channel		501000	507000	513000	3GPP MPR
		Frequency (MHz)		2505	2535	2565	
10M	BPSK	1	1	16.21	16.26	16.25	0
10M	QPSK	1	1	16.26	16.26	16.31	0
		1	26	16.07	16.28	16.18	0
		1	50	16.18	16.12	16.17	0
		25	0	15.18	15.15	15.27	1
		25	14	16.22	16.24	16.18	0
		25	27	15.24	15.10	15.15	1
		50	0	15.07	15.06	15.23	1
BW	MCS Index	Channel		500500	507000	513500	3GPP MPR
		Frequency (MHz)		2502.5	2535	2567.5	
5M	BPSK	1	1	16.14	16.24	16.24	0
5M	QPSK	1	1	16.16	16.25	16.30	0
		1	13	15.99	16.24	16.12	0
		1	23	16.13	16.05	16.17	0
		12	0	15.18	15.11	15.19	1
		12	7	16.17	16.17	16.17	0
		12	13	15.23	15.09	15.07	1
		25	0	15.07	14.97	15.21	1

NR Conducted Power (Full)							
NR Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		141300	141500	141700	
		Frequency (MHz)		706.5	707.5	708.5	
15M	BPSK	1	1	20.92	20.78	20.83	0
15M	QPSK	1	1	20.96	20.91	20.94	0
		1	40	20.88	20.82	20.88	0
		1	77	20.84	20.84	20.79	0
		36	0	19.87	19.87	19.89	1
		36	22	20.75	20.70	20.74	0
		36	43	19.84	19.80	19.85	1
		75	0	19.84	19.76	19.79	1
BW	MCS Index	Channel		140800	141500	142200	3GPP MPR
		Frequency (MHz)		704	707.5	711	
10M	BPSK	1	1	20.86	20.68	20.78	0
10M	QPSK	1	1	20.93	20.83	20.85	0
		1	26	20.78	20.75	20.82	0
		1	50	20.79	20.75	20.75	0
		25	0	19.82	19.80	19.80	1
		25	14	20.68	20.66	20.71	0
		25	27	19.76	19.75	19.78	1
		50	0	19.75	19.67	19.77	1
BW	MCS Index	Channel		140300	141500	142700	3GPP MPR
		Frequency (MHz)		701.5	707.5	713.5	
5M	BPSK	1	1	20.86	20.70	20.81	0
5M	QPSK	1	1	20.90	20.82	20.90	0
		1	13	20.83	20.78	20.88	0
		1	23	20.78	20.84	20.76	0
		12	0	19.87	19.80	19.82	1
		12	7	20.65	20.63	20.74	0
		12	13	19.75	19.80	19.77	1
		25	0	19.83	19.74	19.75	1

NR Conducted Power (Full)							
NR Band 13							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			156400		
		Frequency (MHz)			782		
10M	BPSK	1	1		19.72		0
10M	QPSK	1	1		19.87		0
		1	26		19.79		0
		1	50		19.76		0
		25	0		18.86		1
		25	14		19.68		0
		25	27		18.78		1
		50	0		18.69		1
BW	MCS Index	Channel		155900	156400	156900	3GPP MPR
		Frequency (MHz)		779.5	782	784.5	
5M	BPSK	1	1	19.63	19.65	19.46	0
5M	QPSK	1	1	19.74	19.84	19.74	0
		1	13	19.75	19.73	19.67	0
		1	23	19.72	19.76	19.62	0
		12	0	18.69	18.79	18.62	1
		12	7	19.66	19.58	19.50	0
		12	13	18.64	18.76	18.55	1
		25	0	18.57	18.59	18.53	1

NR Conducted Power (Full)							
NR Band 14							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			158600		
		Frequency (MHz)			793		
10M	BPSK	1	1		19.64		0
10M	QPSK	1	1		19.75		0
		1	26		19.69		0
		1	50		19.66		0
		25	0		18.66		1
		25	14		19.51		0
		25	27		18.67		1
		50	0		18.61		1
BW	MCS Index	Channel		158100	158600	159100	3GPP MPR
		Frequency (MHz)		790.5	793	795.5	
5M	BPSK	1	1	19.51	19.62	19.52	0
5M	QPSK	1	1	19.65	19.70	19.64	0
		1	13	19.59	19.69	19.62	0
		1	23	19.59	19.56	19.48	0
		12	0	18.59	18.59	18.60	1
		12	7	19.45	19.42	19.36	0
		12	13	18.56	18.64	18.58	1
		25	0	18.55	18.54	18.52	1

NR Conducted Power (Full)							
NR Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		374000	376500	379000	
		Frequency (MHz)		1870	1882.5	1895	
40M	BPSK	1	1	16.73	16.65	16.62	0
40M	QPSK	1	1	16.82	16.74	16.68	0
		1	108	16.72	16.68	16.61	0
		1	214	16.75	16.60	16.59	0
		108	0	15.80	15.73	15.61	1
		108	54	16.70	16.64	16.58	0
		108	108	15.71	15.69	15.62	1
		216	0	15.73	15.65	15.64	1
BW	MCS Index	Channel		373500	376500	379500	3GPP MPR
		Frequency (MHz)		1867.5	1882.5	1897.5	
35M	BPSK	1	1	16.73	16.63	16.57	0
35M	QPSK	1	1	16.79	16.66	16.59	0
		1	94	16.72	16.61	16.54	0
		1	186	16.67	16.59	16.57	0
		80	0	15.72	15.70	15.60	1
		94	47	16.67	16.56	16.51	0
		94	94	15.70	15.66	15.59	1
		180	0	15.66	15.55	15.55	1
BW	MCS Index	Channel		373000	376500	380000	3GPP MPR
		Frequency (MHz)		1865	1882.5	1900	
30M	BPSK	1	1	16.65	16.61	16.57	0
30M	QPSK	1	1	16.72	16.64	16.61	0
		1	80	16.68	16.62	16.60	0
		1	158	16.69	16.50	16.54	0
		80	0	15.80	15.66	15.52	1
		80	40	16.69	16.63	16.50	0
		80	80	15.63	15.59	15.59	1
		160	0	15.65	15.65	15.63	1
BW	MCS Index	Channel		372500	376500	380500	3GPP MPR
		Frequency (MHz)		1862.5	1882.5	1902.5	
25M	BPSK	1	1	16.58	16.51	16.52	0
25M	QPSK	1	1	16.70	16.54	16.55	0
		1	67	16.67	16.61	16.56	0
		1	131	16.63	16.44	16.46	0
		64	0	15.77	15.62	15.48	1
		64	35	16.67	16.53	16.43	0
		64	69	15.54	15.53	15.54	1
		128	0	15.55	15.62	15.53	1

NR Conducted Power (Full)							
NR Band 25							
BW	MCS Index	Channel		372000	376500	381000	3GPP MPR
		Frequency (MHz)		1860	1882.5	1905	
20M	BPSK	1	1	16.51	16.45	16.48	0
20M	QPSK	1	1	16.67	16.54	16.45	0
		1	53	16.60	16.52	16.51	0
		1	104	16.63	16.44	16.41	0
		50	0	15.69	15.61	15.44	1
		50	28	16.63	16.53	16.35	0
		50	56	15.48	15.44	15.50	1
		100	0	15.49	15.58	15.50	1
BW	MCS Index	Channel		371500	376500	381500	3GPP MPR
		Frequency (MHz)		1857.5	1882.5	1907.5	
15M	BPSK	1	1	16.56	16.47	16.45	0
15M	QPSK	1	1	16.70	16.54	16.54	0
		1	40	16.63	16.57	16.54	0
		1	77	16.62	16.41	16.40	0
		36	0	15.73	15.53	15.44	1
		36	22	16.67	16.46	16.35	0
		36	43	15.47	15.50	15.53	1
		75	0	15.53	15.59	15.45	1
BW	MCS Index	Channel		371000	376500	382000	3GPP MPR
		Frequency (MHz)		1855	1882.5	1910	
10M	BPSK	1	1	16.50	16.46	16.38	0
10M	QPSK	1	1	16.63	16.51	16.46	0
		1	26	16.53	16.51	16.44	0
		1	50	16.52	16.32	16.38	0
		25	0	15.73	15.53	15.42	1
		25	14	16.60	16.45	16.26	0
		25	27	15.38	15.45	15.45	1
		50	0	15.43	15.50	15.42	1
BW	MCS Index	Channel		370500	376500	382500	3GPP MPR
		Frequency (MHz)		1852.5	1882.5	1912.5	
5M	BPSK	1	1	16.43	16.45	16.32	0
5M	QPSK	1	1	16.61	16.44	16.43	0
		1	13	16.47	16.43	16.44	0
		1	23	16.48	16.30	16.37	0
		12	0	15.68	15.50	15.40	1
		12	7	16.58	16.37	16.26	0
		12	13	15.37	15.40	15.40	1
		25	0	15.42	15.41	15.34	1

NR Conducted Power (Full)							
NR Band 26							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		164800	166300	167800	
		Frequency (MHz)		824	831.5	839	
20M	BPSK	1	1	18.56	18.61	18.78	0
20M	QPSK	1	1	18.63	18.68	18.92	0
		1	53	18.57	18.56	18.77	0
		1	104	18.52	18.61	18.70	0
		50	0	17.65	17.68	17.79	1
		50	28	18.40	18.45	18.71	0
		50	56	17.60	17.62	17.86	1
		100	0	17.55	17.57	17.78	1
BW	MCS Index	Channel		164300	166300	168300	3GPP MPR
		Frequency (MHz)		821.5	831.5	841.5	
15M	BPSK	1	1	18.47	18.59	18.74	0
15M	QPSK	1	1	18.59	18.65	18.83	0
		1	40	18.57	18.48	18.76	0
		1	77	18.47	18.51	18.61	0
		36	0	17.55	17.62	17.70	1
		36	22	18.33	18.39	18.69	0
		36	43	17.56	17.57	17.80	1
		75	0	17.55	17.47	17.77	1
BW	MCS Index	Channel		163800	166300	168800	3GPP MPR
		Frequency (MHz)		819	831.5	844	
10M	BPSK	1	1	18.50	18.61	18.70	0
10M	QPSK	1	1	18.55	18.59	18.78	0
		1	26	18.53	18.46	18.76	0
		1	50	18.51	18.57	18.70	0
		25	0	17.58	17.66	17.71	1
		25	14	18.39	18.38	18.61	0
		25	27	17.55	17.55	17.76	1
		50	0	17.53	17.54	17.68	1
BW	MCS Index	Channel		163300	166300	169300	3GPP MPR
		Frequency (MHz)		816.5	831.5	846.5	
5M	BPSK	1	1	18.55	18.60	18.74	0
5M	QPSK	1	1	18.57	18.57	18.76	0
		1	13	18.48	18.36	18.68	0
		1	23	18.52	18.57	18.64	0
		12	0	17.65	17.56	17.77	1
		12	7	18.40	18.29	18.65	0
		12	13	17.59	17.48	17.84	1
		25	0	17.55	17.54	17.75	1

NR Conducted Power (Full)							
NR Band 66							
BW	MCS Index	Channel		346000	349000	352000	3GPP MPR
		Frequency (MHz)		1730	1745	1760	
40M	BPSK	1	1	16.42	16.51	16.48	0
40M	QPSK	1	1	16.44	16.58	16.55	0
		1	108	16.41	16.55	16.52	0
		1	214	16.37	16.51	16.48	0
		108	0	15.45	15.59	15.56	1
		108	54	16.40	16.54	16.51	0
		108	108	15.41	15.58	15.52	1
		216	0	15.39	15.53	15.50	1
BW	MCS Index	Channel		345500	349000	352500	3GPP MPR
		Frequency (MHz)		1727.5	1745	1762.5	
35M	BPSK	1	1	16.42	16.42	16.47	0
35M	QPSK	1	1	16.35	16.55	16.46	0
		1	94	16.36	16.49	16.45	0
		1	186	16.27	16.45	16.41	0
		80	0	15.43	15.55	15.55	1
		94	47	16.36	16.44	16.50	0
		94	94	15.39	15.54	15.43	1
		180	0	15.31	15.45	15.46	1
BW	MCS Index	Channel		345000	349000	353000	3GPP MPR
		Frequency (MHz)		1725	1745	1765	
30M	BPSK	1	1	16.42	16.47	16.43	0
30M	QPSK	1	1	16.42	16.53	16.50	0
		1	80	16.33	16.54	16.48	0
		1	158	16.33	16.42	16.40	0
		80	0	15.43	15.53	15.54	1
		80	40	16.33	16.48	16.43	0
		80	80	15.38	15.49	15.51	1
		160	0	15.36	15.48	15.43	1
BW	MCS Index	Channel		344500	349000	353500	3GPP MPR
		Frequency (MHz)		1722.5	1745	1767.5	
25M	BPSK	1	1	16.41	16.39	16.43	0
25M	QPSK	1	1	16.34	16.50	16.48	0
		1	67	16.28	16.43	16.39	0
		1	131	16.27	16.33	16.35	0
		64	0	15.38	15.48	15.44	1
		64	35	16.23	16.40	16.37	0
		64	69	15.30	15.46	15.44	1
		128	0	15.35	15.50	15.40	1

NR Conducted Power (Full)							
NR Band 66							
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequency (MHz)		1720	1745	1770	
20M	BPSK	1	1	16.37	16.44	16.38	0
20M	QPSK	1	1	16.41	16.47	16.41	0
		1	53	16.31	16.48	16.48	0
		1	104	16.31	16.39	16.30	0
		50	0	15.39	15.44	15.52	1
		50	28	16.32	16.43	16.37	0
		50	56	15.32	15.48	15.44	1
		100	0	15.31	15.51	15.37	1
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequency (MHz)		1717.5	1745	1772.5	
15M	BPSK	1	1	16.35	16.38	16.33	0
15M	QPSK	1	1	16.40	16.44	16.35	0
		1	40	16.30	16.42	16.43	0
		1	77	16.26	16.30	16.29	0
		36	0	15.35	15.40	15.44	1
		36	22	16.24	16.41	16.30	0
		36	43	15.31	15.38	15.42	1
		75	0	15.27	15.48	15.29	1
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequency (MHz)		1715	1745	1775	
10M	BPSK	1	1	16.34	16.42	16.32	0
10M	QPSK	1	1	16.41	16.42	16.41	0
		1	26	16.25	16.46	16.39	0
		1	50	16.26	16.39	16.26	0
		25	0	15.33	15.37	15.48	1
		25	14	16.24	16.38	16.27	0
		25	27	15.23	15.47	15.37	1
		50	0	15.26	15.49	15.34	1
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequency (MHz)		1712.5	1745	1777.5	
5M	BPSK	1	1	16.33	16.38	16.37	0
5M	QPSK	1	1	16.32	16.38	16.38	0
		1	13	16.30	16.44	16.41	0
		1	23	16.25	16.29	16.24	0
		12	0	15.36	15.38	15.46	1
		12	7	16.30	16.40	16.32	0
		12	13	15.27	15.42	15.36	1
		25	0	15.30	15.41	15.29	1

NR Conducted Power (Full)

NR Band 71

BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		135600	136100	136600	
		Frequency (MHz)		678	680.5	683	
30M	BPSK	1	1	20.88	20.90	20.83	0
30M	QPSK	1	1	20.96	20.95	20.92	0
		1	53	20.86	20.83	20.86	0
		1	104	20.85	20.85	20.84	0
		80	0	19.92	19.87	19.78	1
		80	40	20.81	20.77	20.78	0
		80	80	19.78	19.75	19.74	1
		160	0	19.82	19.72	19.67	1
BW	MCS Index	Channel		135100	136100	137100	3GPP MPR
		Frequency (MHz)		675.5	680.5	685.5	
25M	BPSK	1	1	20.90	20.85	20.88	0
25M	QPSK	1	1	20.95	20.88	20.82	0
		1	40	20.94	20.89	20.85	0
		1	77	20.83	20.88	20.86	0
		36	0	19.84	19.86	19.84	1
		36	22	20.78	20.75	20.72	0
		36	43	19.81	19.74	19.74	1
		75	0	19.79	19.74	19.73	1

NR Conducted Power (Full)							
NR Band 71							
BW	MCS Index	Channel		133600	136100	138600	3GPP MPR
		Frequency (MHz)		668	680.5	693	
20M	BPSK	1	1	20.89	20.84	20.87	0
20M	QPSK	1	1	20.90	20.93	20.85	0
		1	53	20.96	20.89	20.84	0
		1	104	20.84	20.88	20.78	0
		50	0	19.87	19.87	19.86	1
		50	28	20.87	20.75	20.81	0
		50	56	19.84	19.76	19.78	1
		100	0	19.80	19.79	19.71	1
BW	MCS Index	Channel		134100	136100	138100	3GPP MPR
		Frequency (MHz)		670.5	680.5	690.5	
15M	BPSK	1	1	20.82	20.76	20.77	0
15M	QPSK	1	1	20.86	20.83	20.81	0
		1	40	20.80	20.78	20.79	0
		1	77	20.83	20.81	20.73	0
		36	0	19.79	19.85	19.77	1
		36	22	20.85	20.70	20.75	0
		36	43	19.84	19.68	19.74	1
		75	0	19.76	19.69	19.71	1
BW	MCS Index	Channel		133600	136100	138600	3GPP MPR
		Frequency (MHz)		668	680.5	693	
10M	BPSK	1	1	20.78	20.76	20.67	0
10M	QPSK	1	1	20.84	20.78	20.73	0
		1	26	20.77	20.72	20.76	0
		1	50	20.74	20.77	20.65	0
		25	0	19.70	19.83	19.70	1
		25	14	20.77	20.64	20.69	0
		25	27	19.77	19.64	19.70	1
		50	0	19.73	19.64	19.63	1
BW	MCS Index	Channel		133100	136100	139100	3GPP MPR
		Frequency (MHz)		665.5	680.5	695.5	
5M	BPSK	1	1	20.71	20.68	20.71	0
5M	QPSK	1	1	20.77	20.75	20.71	0
		1	13	20.77	20.72	20.78	0
		1	23	20.83	20.71	20.68	0
		12	0	19.72	19.76	19.68	1
		12	7	20.80	20.66	20.69	0
		12	13	19.83	19.66	19.74	1
		25	0	19.70	19.63	19.66	1

NR Conducted Power (Full)							
NR Band 38							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		518000	519000	520000	
		Frequency (MHz)		2590	2595	2600	
40M	BPSK	1	1	19.98	20.10	20.06	0
40M	QPSK	1	1	20.25	20.35	20.29	0
		1	53	20.14	20.15	20.19	0
		1	104	20.18	20.29	20.15	0
		50	0	19.09	19.18	19.17	1
		50	28	20.08	20.23	20.20	0
		50	56	19.18	19.25	19.13	1
		100	0	19.12	19.21	19.09	1
BW	MCS Index	Channel		517000	519000	521000	3GPP MPR
		Frequency (MHz)		2585	2595	2605	
30M	BPSK	1	1	19.97	20.07	20.05	0
30M	QPSK	1	1	20.21	20.33	20.20	0
		1	39	20.07	20.13	20.13	0
		1	76	20.08	20.19	20.15	0
		36	0	19.03	19.18	19.14	1
		36	21	20.07	20.14	20.16	0
		36	42	19.10	19.17	19.04	1
		75	0	19.11	19.12	19.00	1
BW	MCS Index	Channel		516500	519000	521500	3GPP MPR
		Frequency (MHz)		2582.5	2595	2607.5	
25M	BPSK	1	1	19.96	20.07	20.03	0
25M	QPSK	1	1	20.11	20.28	20.19	0
		1	33	19.98	20.06	20.05	0
		1	63	20.06	20.10	20.09	0
		32	0	18.93	19.12	19.06	1
		32	17	20.00	20.04	20.14	0
		32	33	19.07	19.13	18.94	1
		64	0	19.05	19.07	18.97	1
BW	MCS Index	Channel		516000	519000	522000	3GPP MPR
		Frequency (MHz)		2580	2595	2610	
20M	BPSK	1	1	19.88	20.00	20.05	0
20M	QPSK	1	1	20.17	20.25	20.12	0
		1	26	20.03	20.07	20.12	0
		1	49	19.99	20.12	20.14	0
		25	0	19.00	19.08	19.14	1
		25	13	20.07	20.12	20.16	0
		25	26	19.08	19.11	19.04	1
		50	0	19.08	19.06	18.91	1
BW	MCS Index	Channel		515500	519000	522500	3GPP MPR
		Frequency (MHz)		2577.5	2595	2612.5	
15M	BPSK	1	1	19.79	19.99	20.03	0
15M	QPSK	1	1	20.07	20.20	20.09	0
		1	19	20.02	20.06	20.06	0
		1	36	19.89	20.04	20.06	0
		18	0	18.94	19.05	19.13	1
		18	10	20.02	20.03	20.07	0
		18	20	18.98	19.06	18.95	1
		36	0	19.01	19.04	18.90	1

NR Conducted Power (Full)							
NR Band 38							
BW	MCS Index	Channel		515000	519000	523000	3GPP MPR
		Frequency (MHz)		2575	2595	2615	
10M	BPSK	1	1	19.85	20.00	19.98	0
10M	QPSK	1	1	20.10	20.17	20.12	0
		1	11	19.96	20.05	20.10	0
		1	22	19.99	20.06	20.09	0
		12	0	19.00	19.07	19.09	1
		12	6	20.05	20.06	20.14	0
		12	12	19.00	19.11	19.03	1
		24	0	19.00	19.05	18.83	1

NR Conducted Power (Full)

NR Band 41

BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523302	528000	
		Frequency (MHz)		2546.01	2569.5	2592.99	2616.51	2640	
100M	BPSK	1	1	19.96	20.28	20.31	20.25	20.16	0
100M	QPSK	1	1	20.03	20.35	20.38	20.32	20.23	0
		1	137	19.93	20.25	20.28	20.22	20.13	0
		1	271	19.98	20.30	20.33	20.27	20.18	0
		135	0	19.02	19.34	19.37	19.31	19.22	1
		135	69	19.91	20.23	20.26	20.20	20.11	0
		135	138	19.00	19.32	19.35	19.29	19.20	1
		270	0	18.97	19.29	19.32	19.26	19.17	1
BW	MCS Index	Channel		508200	513402	518598	523800	528996	3GPP MPR
		Frequency (MHz)		2541	2567.01	2592.99	2619	2644.98	
90M	BPSK	1	1	19.90	20.24	20.27	20.18	20.06	0
90M	QPSK	1	1	19.98	20.28	20.35	20.22	20.19	0
		1	123	19.93	20.25	20.22	20.19	20.10	0
		1	243	19.98	20.25	20.30	20.22	20.12	0
		120	0	18.99	19.30	19.30	19.25	19.19	1
		120	63	19.90	20.19	20.23	20.14	20.04	0
		120	125	18.95	19.28	19.29	19.22	19.10	1
		243	0	18.96	19.24	19.23	19.22	19.13	1
BW	MCS Index	Channel		507204	509304	518598	500298	529998	3GPP MPR
		Frequency (MHz)		2536.02	2546.52	2592.99	2621.49	2649.99	
80M	BPSK	1	1	19.87	20.18	20.23	20.21	20.16	0
80M	QPSK	1	1	19.93	20.25	20.33	20.28	20.21	0
		1	109	19.84	20.21	20.28	20.12	20.04	0
		1	215	19.98	20.29	20.25	20.21	20.12	0
		108	0	19.00	19.26	19.35	19.29	19.22	1
		108	55	19.86	20.20	20.21	20.19	20.08	0
		108	109	18.97	19.32	19.25	19.28	19.10	1
		216	0	18.91	19.19	19.23	19.19	19.17	1
BW	MCS Index	Channel		506202	512400	518598	524802	531000	3GPP MPR
		Frequency (MHz)		2531.01	2562	2592.99	2624.01	2655	
70M	BPSK	1	1	19.77	20.12	20.17	20.12	20.08	0
70M	QPSK	1	1	19.84	20.19	20.29	20.24	20.19	0
		1	95	19.82	20.19	20.20	20.04	20.02	0
		1	187	19.92	20.28	20.25	20.12	20.06	0
		90	0	18.99	19.26	19.32	19.28	19.14	1
		90	50	19.81	20.20	20.14	20.15	20.04	0
		90	99	18.90	19.22	19.16	19.25	19.00	1
		180	0	18.84	19.18	19.18	19.10	19.17	1
BW	MCS Index	Channel		505200	511896	518598	525294	531996	3GPP MPR
		Frequency (MHz)		2526	2559.48	2592.99	2626.48	2659.98	
60M	BPSK	1	1	19.78	20.09	20.21	20.21	20.12	0
60M	QPSK	1	1	19.83	20.25	20.25	20.22	20.18	0
		1	81	19.78	20.12	20.18	20.12	19.97	0
		1	160	19.89	20.23	20.18	20.16	20.11	0
		81	0	18.92	19.20	19.32	19.20	19.20	1
		81	41	19.84	20.14	20.19	20.15	20.06	0
		81	81	18.95	19.28	19.16	19.28	19.00	1
		162	0	18.90	19.10	19.21	19.11	19.13	1

NR Conducted Power (Full)

NR Band 41

BW	MCS Index	Channel		504204	511404	518598	525798	532998	3GPP MPR
		Frequency (MHz)		2521.02	2557.02	2592.99	2628.99	2664.99	
50M	BPSK	1	1	19.76	20.02	20.18	20.18	20.02	0
50M	QPSK	1	1	19.81	20.15	20.23	20.12	20.18	0
		1	67	19.69	20.04	20.12	20.12	19.95	0
		1	131	19.86	20.17	20.18	20.10	20.03	0
		64	0	18.89	19.16	19.29	19.12	19.14	1
		64	35	19.75	20.13	20.13	20.11	19.96	0
		64	69	18.87	19.20	19.08	19.19	18.96	1
		128	0	18.81	19.08	19.18	19.02	19.10	1
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequency (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	BPSK	1	1	19.73	20.02	20.15	20.13	20.06	0
40M	QPSK	1	1	19.73	20.17	20.18	20.13	20.13	0
		1	53	19.75	20.07	20.17	20.02	19.96	0
		1	104	19.85	20.18	20.16	20.09	20.05	0
		50	0	18.90	19.12	19.26	19.18	19.13	1
		50	28	19.84	20.09	20.18	20.08	19.97	0
		50	56	18.89	19.21	19.07	19.23	18.97	1
		100	0	18.81	19.02	19.14	19.11	19.06	1
BW	MCS Index	Channel		502200	510396	518598	526794	534996	3GPP MPR
		Frequency (MHz)		2511	2551.98	2592.99	2633.97	2674.98	
30M	BPSK	1	1	19.65	19.99	20.07	20.06	20.01	0
30M	QPSK	1	1	19.67	20.08	20.15	20.13	20.11	0
		1	39	19.67	19.98	20.07	19.92	19.91	0
		1	76	19.83	20.15	20.12	20.00	19.97	0
		36	0	18.81	19.04	19.22	19.13	19.03	1
		36	21	19.82	20.09	20.13	20.04	19.93	0
		36	42	18.79	19.15	19.00	19.15	18.97	1
		75	0	18.71	18.95	19.10	19.01	19.01	1
BW	MCS Index	Channel		501204	509898	518598	527298	535998	3GPP MPR
		Frequency (MHz)		2506.02	2549.49	2592.99	2636.49	2679.99	
20M	BPSK	1	1	19.64	19.93	20.06	20.04	20.00	0
20M	QPSK	1	1	19.63	20.01	20.12	20.13	20.09	0
		1	26	19.67	19.91	20.00	19.92	19.87	0
		1	49	19.73	20.11	20.05	20.00	19.90	0
		25	0	18.81	18.94	19.19	19.09	18.99	1
		25	13	19.80	20.03	20.10	19.94	19.88	0
		25	26	18.75	19.09	18.97	19.14	18.89	1
		50	0	18.68	18.88	19.10	19.01	18.99	1
BW	MCS Index	Channel		500700	509646	518598	527544	536496	3GPP MPR
		Frequency (MHz)		2503.5	2548.23	2592.99	2637.72	2682.48	
15M	BPSK	1	1	19.58	19.97	19.97	20.03	19.98	0
15M	QPSK	1	1	19.59	20.01	20.09	20.09	20.07	0
		1	19	19.65	19.97	19.97	19.89	19.89	0
		1	36	19.78	20.10	20.05	19.98	19.95	0
		18	0	18.76	18.97	19.22	19.03	19.03	1
		18	10	19.78	20.07	20.10	20.00	19.86	0
		18	20	18.79	19.08	18.95	19.15	18.91	1
		36	0	18.67	18.95	19.07	19.01	18.91	1

NR Conducted Power (Full)

NR Band 41

BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequency (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	BPSK	1	1	19.61	19.97	20.02	20.02	20.00	0
10M	QPSK	1	1	19.58	20.07	20.11	20.06	20.01	0
		1	11	19.60	19.96	20.06	19.85	19.85	0
		1	22	19.80	20.11	20.02	19.96	19.90	0
		12	0	18.76	19.01	19.12	19.06	18.99	1
		12	6	19.79	20.05	20.04	20.02	19.89	0
		12	12	18.78	19.11	19.00	19.10	18.97	1
		24	0	18.69	18.88	19.06	18.92	18.94	1

NR Conducted Power (Full)								
NR Band 48								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	High	3GPP MPR (dB)
		Channel		638000	640444	642888	645332	
		Frequency (MHz)		3570	3606.66	3643.32	3679.98	
40M	BPSK	1	1	17.74	17.80	17.77	17.77	0
40M	QPSK	1	1	17.97	17.91	17.82	17.94	0
		1	53	17.74	17.66	17.64	17.88	0
		1	104	17.65	17.71	17.57	17.75	0
		50	0	16.88	16.91	16.82	16.94	1
		50	28	17.85	17.76	17.65	17.75	0
		50	56	16.80	16.88	16.71	16.95	1
		100	0	16.81	16.71	16.64	16.90	1
BW	MCS Index	Channel		637668	640334	643000	645666	3GPP MPR
		Frequency (MHz)		3565.02	3605.01	3645	3684.99	
30M	BPSK	1	1	17.67	17.78	17.67	17.76	0
30M	QPSK	1	1	17.91	17.87	17.82	17.93	0
		1	39	17.67	17.60	17.64	17.82	0
		1	76	17.61	17.61	17.55	17.72	0
		36	0	16.79	16.83	16.72	16.87	1
		36	21	17.70	17.73	17.61	17.78	0
		36	42	16.70	16.87	16.62	16.92	1
		75	0	16.77	16.68	16.59	16.80	1
BW	MCS Index	Channel		637334	640222	643110	646000	3GPP MPR
		Frequency (MHz)		3560.01	3603.33	3646.65	3690	
20M	BPSK	1	1	17.61	17.77	17.65	17.73	0
20M	QPSK	1	1	17.83	17.84	17.78	17.89	0
		1	26	17.58	17.50	17.63	17.81	0
		1	49	17.58	17.61	17.54	17.65	0
		25	0	16.79	16.78	16.68	16.87	1
		25	13	17.62	17.66	17.53	17.78	0
		25	26	16.60	16.85	16.52	16.92	1
		50	0	16.73	16.61	16.52	16.80	1
BW	MCS Index	Channel		637168	640168	643166	646166	3GPP MPR
		Frequency (MHz)		3557.52	3602.52	3647.49	3692.49	
15M	BPSK	1	1	17.61	17.68	17.62	17.73	0
15M	QPSK	1	1	17.86	17.77	17.82	17.87	0
		1	19	17.64	17.57	17.60	17.81	0
		1	36	17.55	17.59	17.51	17.71	0
		18	0	16.76	16.79	16.62	16.81	1
		18	10	17.61	17.73	17.52	17.70	0
		18	20	16.64	16.82	16.57	16.90	1
		36	0	16.75	16.61	16.56	16.71	1
BW	MCS Index	Channel		637000	640110	643222	646332	3GPP MPR
		Frequency (MHz)		3555	3601.65	3648.33	3694.98	
10M	BPSK	1	1	17.58	17.66	17.62	17.73	0
10M	QPSK	1	1	17.77	17.72	17.82	17.84	0
		1	11	17.54	17.52	17.55	17.80	0
		1	22	17.48	17.57	17.50	17.67	0
		12	0	16.71	16.77	16.54	16.80	1
		12	6	17.56	17.65	17.45	17.63	0
		12	12	16.57	16.75	16.51	16.89	1
		24	0	16.73	16.58	16.46	16.66	1

NR Conducted Power (Full)							
NR Band 77 For 3450-3550MHz							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel			633334		
		Frequency (MHz)			3500.01		
100M	BPSK	1	1		18.39		0
100M	QPSK	1	1		18.45		0
		1	137		18.39		0
		1	271		18.33		0
		135	0		17.48		1
		135	69		18.38		0
		135	138		17.46		1
		270	0		17.49		1
BW	MCS Index	Channel		633000	633334	633666	3GPP MPR
		Frequency (MHz)		3495	3500.01	3504.99	
90M	BPSK	1	1	18.27	18.31	18.29	0
90M	QPSK	1	1	18.35	18.37	18.28	0
		1	123	18.26	18.29	18.24	0
		1	243	18.23	18.31	18.23	0
		120	0	17.49	17.42	17.50	1
		120	63	18.32	18.31	18.25	0
		120	125	17.33	17.41	17.41	1
		243	0	17.29	17.41	17.40	1
BW	MCS Index	Channel		632668	633334	634000	3GPP MPR
		Frequency (MHz)		3490.02	3500.01	3510	
80M	BPSK	1	1	18.27	18.31	18.24	0
80M	QPSK	1	1	18.30	18.39	18.37	0
		1	109	18.23	18.35	18.28	0
		1	215	18.27	18.31	18.21	0
		108	0	17.39	17.43	17.45	1
		108	55	18.29	18.35	18.29	0
		108	109	17.38	17.45	17.34	1
		216	0	17.30	17.47	17.36	1
BW	MCS Index	Channel		632334	633334	634332	3GPP MPR
		Frequency (MHz)		3485.01	3500.01	3514.98	
70M	BPSK	1	1	18.25	18.39	18.30	0
70M	QPSK	1	1	18.26	18.37	18.29	0
		1	95	18.22	18.29	18.30	0
		1	187	18.19	18.28	18.27	0
		90	0	17.46	17.50	17.50	1
		90	50	18.22	18.36	18.32	0
		90	99	17.30	17.38	17.36	1
		180	0	17.24	17.39	17.42	1
BW	MCS Index	Channel		632000	633334	634666	3GPP MPR
		Frequency (MHz)		3480	3500.01	3519.99	
60M	BPSK	1	1	18.24	18.33	18.30	0
60M	QPSK	1	1	18.18	18.34	18.29	0
		1	81	18.17	18.37	18.29	0
		1	160	18.11	18.33	18.21	0
		81	0	17.40	17.38	17.33	1
		81	41	18.18	18.33	18.26	0
		81	81	17.29	17.37	17.41	1
		162	0	17.17	17.44	17.40	1

NR Conducted Power (Full)							
NR Band 77 For 3450-3550MHz							
BW	MCS Index	Channel		631668	633334	635000	3GPP MPR
		Frequency (MHz)		3475.02	3500.01	3525	
50M	BPSK	1	1	18.27	18.37	18.26	0
50M	QPSK	1	1	18.33	18.37	18.28	0
		1	67	18.29	18.30	18.26	0
		1	131	18.22	18.31	18.25	0
		64	0	17.45	17.48	17.42	1
		64	35	18.31	18.31	18.28	0
		64	69	17.35	17.42	17.34	1
		128	0	17.32	17.39	17.44	1
BW	MCS Index	Channel		631334	633334	635332	3GPP MPR
		Frequency (MHz)		3470.01	3500.01	3529.98	
40M	BPSK	1	1	18.27	18.29	18.24	0
40M	QPSK	1	1	18.34	18.38	18.36	0
		1	53	18.23	18.34	18.28	0
		1	104	18.16	18.26	18.22	0
		50	0	17.44	17.43	17.43	1
		50	28	18.29	18.35	18.25	0
		50	56	17.29	17.46	17.41	1
		100	0	17.39	17.43	17.34	1
BW	MCS Index	Channel		631000	633334	635666	3GPP MPR
		Frequency (MHz)		3465	3500.01	3534.99	
30M	BPSK	1	1	18.22	18.38	18.29	0
30M	QPSK	1	1	18.33	18.38	18.30	0
		1	39	18.27	18.34	18.22	0
		1	76	18.22	18.24	18.21	0
		36	0	17.49	17.44	17.42	1
		36	21	18.25	18.38	18.29	0
		36	42	17.32	17.41	17.41	1
		75	0	17.37	17.39	17.34	1
BW	MCS Index	Channel		630834	633334	635832	3GPP MPR
		Frequency (MHz)		3462.51	3500.01	3537.48	
25M	BPSK	1	1	18.31	18.30	18.34	0
25M	QPSK	1	1	18.33	18.38	18.35	0
		1	33	18.28	18.37	18.28	0
		1	63	18.23	18.27	18.28	0
		32	0	17.45	17.47	17.42	1
		32	17	18.21	18.35	18.27	0
		32	33	17.34	17.36	17.41	1
		64	0	17.39	17.48	17.41	1
BW	MCS Index	Channel		630668	633334	636000	3GPP MPR
		Frequency (MHz)		3460.02	3500.01	3540	
20M	BPSK	1	1	18.22	18.38	18.33	0
20M	QPSK	1	1	18.32	18.33	18.29	0
		1	26	18.23	18.31	18.27	0
		1	49	18.25	18.25	18.24	0
		25	0	17.47	17.50	17.42	1
		25	13	18.25	18.29	18.31	0
		25	26	17.33	17.42	17.32	1
		50	0	17.34	17.42	17.39	1

NR Conducted Power (Full)							
NR Band 77 For 3450-3550MHz							
BW	MCS Index	Channel		630500	633334	636166	3GPP MPR
		Frequency (MHz)		3457.5	3500.01	3542.49	
15M	BPSK	1	1	18.22	18.29	18.32	0
15M	QPSK	1	1	18.27	18.41	18.31	0
		1	19	18.28	18.27	18.25	0
		1	36	18.22	18.23	18.27	0
		18	0	17.47	17.41	17.44	1
		18	10	18.29	18.38	18.34	0
		18	20	17.36	17.44	17.39	1
		36	0	17.32	17.42	17.39	1
BW	MCS Index	Channel		630334	633334	636332	3GPP MPR
		Frequency (MHz)		3455.01	3500.01	3544.98	
10M	BPSK	1	1	18.25	18.37	18.28	0
10M	QPSK	1	1	18.24	18.40	18.37	0
		1	11	18.21	18.32	18.30	0
		1	22	18.24	18.30	18.24	0
		12	0	17.48	17.45	17.47	1
		12	6	18.30	18.38	18.28	0
		12	12	17.31	17.36	17.41	1
		24	0	17.33	17.44	17.40	1

NR Conducted Power (Full)							
NR Band 77 For FCC 3550-3700MHz							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		640000	641666	643332	
		Frequency (MHz)		3600	3624.99	3649.98	
100M	BPSK	1	1	18.26	18.33	18.27	0
100M	QPSK	1	1	18.31	18.39	18.36	0
		1	137	18.28	18.35	18.32	0
		1	271	18.23	18.28	18.21	0
		135	0	17.41	17.44	17.34	1
		135	69	18.29	18.35	18.25	0
		135	138	17.39	17.48	17.45	1
		270	0	17.35	17.41	17.34	1
BW	MCS Index	Channel		639668	641666	643666	3GPP MPR
		Frequency (MHz)		3595.02	3624.99	3654.99	
90M	BPSK	1	1	18.02	18.12	18.03	0
90M	QPSK	1	1	18.08	18.19	18.13	0
		1	123	18.04	18.09	18.08	0
		1	243	18.05	18.09	17.95	0
		120	0	17.21	17.19	17.16	1
		120	63	18.06	18.16	18.01	0
		120	125	17.14	17.31	17.25	1
		243	0	17.16	17.17	17.13	1
BW	MCS Index	Channel		639334	641666	644000	3GPP MPR
		Frequency (MHz)		3590.01	3624.99	3660	
80M	BPSK	1	1	18.00	18.04	18.03	0
80M	QPSK	1	1	18.04	18.15	18.11	0
		1	109	17.95	18.06	18.03	0
		1	215	18.01	18.01	17.95	0
		108	0	17.11	17.14	17.16	1
		108	55	17.96	18.10	17.98	0
		108	109	17.05	17.30	17.25	1
		216	0	17.11	17.13	17.09	1
BW	MCS Index	Channel		639000	641666	644332	3GPP MPR
		Frequency (MHz)		3585	3624.99	3664.98	
70M	BPSK	1	1	18.02	18.02	17.94	0
70M	QPSK	1	1	18.01	18.12	18.04	0
		1	95	17.99	18.02	18.01	0
		1	187	17.97	18.07	17.96	0
		90	0	17.17	17.16	17.12	1
		90	50	17.97	18.15	17.97	0
		90	99	17.13	17.23	17.22	1
		180	0	17.10	17.14	17.12	1
BW	MCS Index	Channel		638668	641666	644666	3GPP MPR
		Frequency (MHz)		3580.02	3624.99	3669.99	
60M	BPSK	1	1	18.09	18.06	18.08	0
60M	QPSK	1	1	18.09	18.13	18.16	0
		1	81	18.04	18.10	18.08	0
		1	160	18.01	18.03	17.97	0
		81	0	17.23	17.20	17.07	1
		81	41	18.10	18.12	18.00	0
		81	81	17.17	17.30	17.20	1
		162	0	17.11	17.23	17.08	1

NR Conducted Power (Full)							
NR Band 77 For FCC 3550-3700MHz							
BW	MCS Index	Channel		638334	641666	645000	3GPP MPR
		Frequency (MHz)		3575.01	3624.99	3675	
50M	BPSK	1	1	17.99	18.08	18.02	0
50M	QPSK	1	1	18.04	18.12	18.17	0
		1	67	18.08	18.18	18.11	0
		1	131	18.05	18.07	18.03	0
		64	0	17.20	17.18	17.16	1
		64	35	18.10	18.09	18.03	0
		64	69	17.22	17.29	17.27	1
		128	0	17.12	17.14	17.12	1
BW	MCS Index	Channel		638000	641666	645332	3GPP MPR
		Frequency (MHz)		3570	3624.99	3679.98	
40M	BPSK	1	1	18.04	18.08	18.03	0
40M	QPSK	1	1	18.06	18.19	18.10	0
		1	53	18.07	18.12	18.08	0
		1	104	18.00	18.03	18.03	0
		50	0	17.21	17.17	17.17	1
		50	28	18.11	18.12	18.08	0
		50	56	17.22	17.26	17.19	1
		100	0	17.18	17.18	17.14	1
BW	MCS Index	Channel		637668	641666	645666	3GPP MPR
		Frequency (MHz)		3565.02	3624.99	3684.99	
30M	BPSK	1	1	18.08	18.08	18.01	0
30M	QPSK	1	1	18.04	18.13	18.12	0
		1	39	18.09	18.10	18.10	0
		1	76	17.98	18.04	17.98	0
		36	0	17.23	17.18	17.15	1
		36	21	18.12	18.11	18.06	0
		36	42	17.13	17.26	17.23	1
		75	0	17.14	17.15	17.16	1
BW	MCS Index	Channel		637500	641666	645832	3GPP MPR
		Frequency (MHz)		3562.5	3624.99	3687.48	
25M	BPSK	1	1	18.07	18.13	18.01	0
25M	QPSK	1	1	18.11	18.17	18.17	0
		1	33	18.10	18.13	18.11	0
		1	63	18.04	18.02	18.00	0
		32	0	17.22	17.22	17.17	1
		32	17	18.10	18.14	17.98	0
		32	33	17.17	17.23	17.26	1
		64	0	17.14	17.21	17.13	1
BW	MCS Index	Channel		637344	641666	646000	3GPP MPR
		Frequency (MHz)		3560.01	3624.99	3690	
20M	BPSK	1	1	18.08	18.15	18.00	0
20M	QPSK	1	1	18.08	18.12	18.17	0
		1	26	18.05	18.15	18.05	0
		1	49	18.03	18.05	17.99	0
		25	0	17.18	17.23	17.13	1
		25	13	18.08	18.17	18.05	0
		25	26	17.19	17.25	17.20	1
		50	0	17.16	17.14	17.14	1

NR Conducted Power (Full)							
NR Band 77 For FCC 3550-3700MHz							
BW	MCS Index	Channel		637168	641666	646166	3GPP MPR
		Frequency (MHz)		3557.52	3624.99	3692.49	
15M	BPSK	1	1	18.06	18.07	18.10	0
15M	QPSK	1	1	18.04	18.19	18.13	0
		1	19	18.03	18.08	18.12	0
		1	36	18.01	18.08	17.94	0
		18	0	17.22	17.23	17.15	1
		18	10	18.12	18.13	18.05	0
		18	20	17.16	17.23	17.24	1
		36	0	17.16	17.20	17.10	1
BW	MCS Index	Channel		637000	641666	646332	3GPP MPR
		Frequency (MHz)		3555	3624.99	3694.98	
10M	BPSK	1	1	18.03	18.07	18.07	0
10M	QPSK	1	1	18.12	18.13	18.18	0
		1	11	18.07	18.11	18.05	0
		1	22	17.98	18.10	17.94	0
		12	0	17.23	17.17	17.12	1
		12	6	18.08	18.14	17.98	0
		12	12	17.20	17.27	17.28	1
		24	0	17.15	17.23	17.12	1

NR Conducted Power (Full)

NR Band 77 For 3700-3980MHz

BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		650000	653000	656000	659000	662000	
		Frequency (MHz)		3750	3795	3840	3885	3930	
100M	BPSK	1	1	18.14	18.17	18.12	18.07	18.18	0
100M	QPSK	1	1	18.35	18.36	18.33	18.30	18.41	0
		1	137	18.10	18.14	18.14	18.10	18.18	0
		1	271	18.01	18.08	18.05	17.97	18.08	0
		135	0	17.34	17.34	17.24	17.19	17.41	1
		135	69	18.11	18.05	17.96	17.93	18.14	0
		135	138	17.31	17.24	17.16	17.14	17.34	1
		270	0	17.28	17.30	17.22	17.13	17.40	1
BW	MCS Index	Channel		649668	652834	656000	659166	662332	3GPP MPR
		Frequency (MHz)		3745.02	3792.51	3840	3887.49	3934.98	
90M	BPSK	1	1	18.10	18.07	18.09	18.05	18.20	0
90M	QPSK	1	1	18.13	18.08	18.06	18.05	18.21	0
		1	123	18.06	18.09	18.06	18.02	18.14	0
		1	243	17.97	18.04	18.05	17.91	18.02	0
		120	0	17.28	17.27	17.24	17.19	17.38	1
		120	63	18.01	18.05	17.86	17.89	18.07	0
		120	125	17.28	17.17	17.09	17.14	17.31	1
		243	0	17.24	17.23	17.17	17.04	17.34	1
BW	MCS Index	Channel		649334	652666	656000	659334	662666	3GPP MPR
		Frequency (MHz)		3740.01	3789.99	3840	3890.01	3939.99	
80M	BPSK	1	1	18.08	18.14	18.07	18.00	18.21	0
80M	QPSK	1	1	18.11	18.07	18.07	18.02	18.17	0
		1	109	18.04	18.08	18.09	18.07	18.09	0
		1	215	18.00	17.99	18.01	17.87	17.98	0
		108	0	17.24	17.31	17.16	17.11	17.31	1
		108	55	18.08	18.04	17.91	17.91	18.07	0
		108	109	17.22	17.19	17.08	17.10	17.26	1
		216	0	17.25	17.25	17.13	17.12	17.36	1
BW	MCS Index	Channel		649000	652500	656000	659500	663000	3GPP MPR
		Frequency (MHz)		3735	3787.5	3840	3892.5	3945	
70M	BPSK	1	1	18.01	18.12	18.05	17.96	18.07	0
70M	QPSK	1	1	18.05	18.01	18.06	17.93	18.12	0
		1	95	18.01	18.02	18.08	17.99	18.06	0
		1	187	17.91	17.92	17.94	17.88	17.90	0
		90	0	17.14	17.22	17.10	17.05	17.21	1
		90	50	18.04	18.03	17.90	17.87	17.98	0
		90	99	17.17	17.17	17.07	17.10	17.22	1
		180	0	17.22	17.24	17.13	17.05	17.26	1
BW	MCS Index	Channel		648668	652334	656000	659666	663332	3GPP MPR
		Frequency (MHz)		3730.02	3785.01	3840	3894.99	3949.98	
60M	BPSK	1	1	18.09	18.12	18.04	18.00	18.12	0
60M	QPSK	1	1	18.08	18.09	18.07	18.09	18.19	0
		1	81	18.05	18.12	18.12	18.02	18.11	0
		1	160	17.91	18.07	17.98	17.87	18.00	0
		81	0	17.24	17.32	17.24	17.11	17.32	1
		81	41	18.11	18.02	17.86	17.89	18.11	0
		81	81	17.28	17.24	17.11	17.08	17.31	1
		162	0	17.20	17.22	17.15	17.07	17.34	1

NR Conducted Power (Full)									
NR Band 77 For 3700-3980MHz									
BW	MCS Index	Channel		648334	652166	656000	659834	663666	3GPP MPR
		Frequency (MHz)		3725.01	3782.49	3840	3897.51	3954.99	
50M	BPSK	1	1	18.05	18.10	18.11	17.97	18.18	0
50M	QPSK	1	1	18.11	18.12	18.04	18.06	18.14	0
		1	67	18.03	18.13	18.14	18.01	18.18	0
		1	131	17.99	18.06	18.02	17.95	18.06	0
		64	0	17.31	17.28	17.14	17.14	17.38	1
		64	35	18.02	18.03	17.93	17.87	18.04	0
		64	69	17.24	17.21	17.10	17.06	17.25	1
		128	0	17.20	17.22	17.15	17.03	17.32	1
BW	MCS Index	Channel		648000	652000	656000	660000	664000	3GPP MPR
		Frequency (MHz)		3720	3780	3840	3900	3960	
40M	BPSK	1	1	18.12	18.15	18.03	18.00	18.15	0
40M	QPSK	1	1	18.16	18.08	18.05	18.09	18.21	0
		1	53	18.05	18.05	18.05	18.05	18.15	0
		1	104	17.96	18.06	18.00	17.92	18.02	0
		50	0	17.26	17.27	17.15	17.13	17.41	1
		50	28	18.10	18.05	17.88	17.89	18.04	0
		50	56	17.24	17.17	17.06	17.06	17.30	1
		100	0	17.28	17.22	17.22	17.03	17.30	1
BW	MCS Index	Channel		647668	651834	656000	660166	664332	3GPP MPR
		Frequency (MHz)		3715.02	3777.51	3840	3902.49	3964.98	
30M	BPSK	1	1	18.09	18.11	18.08	17.98	18.13	0
30M	QPSK	1	1	18.10	18.09	18.11	18.09	18.21	0
		1	39	18.08	18.09	18.06	18.03	18.14	0
		1	76	18.01	18.05	18.04	17.94	18.08	0
		36	0	17.27	17.32	17.24	17.18	17.40	1
		36	21	18.02	17.99	17.86	17.87	18.08	0
		36	42	17.25	17.20	17.16	17.14	17.32	1
		75	0	17.19	17.26	17.17	17.06	17.30	1
BW	MCS Index	Channel		647500	651750	656000	660250	664500	3GPP MPR
		Frequency (MHz)		3712.5	3776.25	3840	3903.75	3967.5	
25M	BPSK	1	1	18.10	18.10	18.10	17.99	18.16	0
25M	QPSK	1	1	18.12	18.15	18.13	18.06	18.19	0
		1	33	18.00	18.13	18.12	18.04	18.14	0
		1	63	17.97	18.03	17.99	17.93	18.00	0
		32	0	17.25	17.34	17.20	17.17	17.32	1
		32	17	18.03	17.95	17.89	17.90	18.12	0
		32	33	17.22	17.15	17.06	17.13	17.25	1
		64	0	17.25	17.28	17.15	17.09	17.37	1
BW	MCS Index	Channel		647334	651666	656000	660266	664666	3GPP MPR
		Frequency (MHz)		3710.01	3774.99	3840	3903.99	3969.99	
20M	BPSK	1	1	18.13	18.09	18.07	18.03	18.16	0
20M	QPSK	1	1	18.13	18.14	18.06	18.05	18.18	0
		1	26	18.06	18.08	18.07	18.09	18.08	0
		1	49	17.93	18.06	17.99	17.95	18.05	0
		25	0	17.32	17.27	17.14	17.16	17.38	1
		25	13	18.11	18.03	17.95	17.89	18.07	0
		25	26	17.24	17.21	17.08	17.09	17.28	1
		50	0	17.18	17.28	17.21	17.04	17.30	1

NR Conducted Power (Full)

NR Band 77 For 3700-3980MHz

BW	MCS Index	Channel		647168	651584	656000	660416	664832	3GPP MPR
		Frequency (MHz)		3707.52	3773.76	3840	3906.24	3972.48	
15M	BPSK	1	1	18.06	18.13	18.12	18.01	18.15	0
15M	QPSK	1	1	18.14	18.17	18.12	18.08	18.18	0
		1	19	18.03	18.04	18.04	18.09	18.15	0
		1	36	17.94	18.03	18.05	17.92	18.08	0
		18	0	17.31	17.25	17.24	17.09	17.33	1
		18	10	18.11	17.99	17.94	17.93	18.08	0
		18	20	17.23	17.17	17.07	17.05	17.24	1
		36	0	17.22	17.25	17.12	17.12	17.35	1
BW	MCS Index	Channel		647000	651500	656000	660500	665000	3GPP MPR
		Frequency (MHz)		3705	3772.5	3840	3907.5	3975	
10M	BPSK	1	1	18.08	18.12	18.06	17.98	18.09	0
10M	QPSK	1	1	18.06	18.12	18.12	18.09	18.19	0
		1	11	18.09	18.14	18.07	18.09	18.18	0
		1	22	17.97	18.03	17.97	17.97	18.03	0
		12	0	17.24	17.26	17.23	17.14	17.37	1
		12	6	18.08	18.02	17.92	17.93	18.08	0
		12	12	17.29	17.23	17.13	17.09	17.26	1
		24	0	17.28	17.20	17.17	17.09	17.39	1

NR Conducted Power (Full)							
NR Band 78 For 3450-3550 MHz							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel			633332		
		Frequency (MHz)			3499.98		
100M	BPSK	1	1		17.76		0
100M	QPSK	1	1		17.81		0
		1	137		17.78		0
		1	271		17.71		0
		135	0		16.92		1
		135	69		17.79		0
		135	138		16.87		1
		270	0		16.89		1
BW	MCS Index	Channel		633000	633332	633666	3GPP MPR
		Frequency (MHz)		3495	3499.98	3504.99	
90M	BPSK	1	1	16.18	16.16	16.20	0
90M	QPSK	1	1	16.17	16.24	16.27	0
		1	123	16.16	16.25	16.14	0
		1	243	16.05	16.18	16.11	0
		120	0	15.32	15.40	15.30	1
		120	63	16.22	16.26	16.21	0
		120	125	15.29	15.29	15.28	1
		243	0	15.27	15.31	15.31	1
BW	MCS Index	Channel		632668	633332	634000	3GPP MPR
		Frequency (MHz)		3490.02	3499.98	3510	
80M	BPSK	1	1	16.19	16.23	16.21	0
80M	QPSK	1	1	16.24	16.26	16.19	0
		1	109	16.19	16.23	16.17	0
		1	215	16.11	16.11	16.13	0
		108	0	15.26	15.41	15.32	1
		108	55	16.14	16.25	16.18	0
		108	109	15.26	15.30	15.24	1
		216	0	15.26	15.32	15.34	1
BW	MCS Index	Channel		632334	633332	634332	3GPP MPR
		Frequency (MHz)		3485.01	3499.98	3514.98	
70M	BPSK	1	1	16.12	16.16	16.18	0
70M	QPSK	1	1	16.17	16.29	16.27	0
		1	95	16.15	16.24	16.16	0
		1	187	16.05	16.21	16.08	0
		90	0	15.33	15.38	15.31	1
		90	50	16.23	16.28	16.20	0
		90	99	15.28	15.35	15.25	1
		180	0	15.32	15.29	15.30	1
BW	MCS Index	Channel		632000	633332	634666	3GPP MPR
		Frequency (MHz)		3480	3499.98	3519.99	
60M	BPSK	1	1	16.18	16.20	16.21	0
60M	QPSK	1	1	16.20	16.30	16.23	0
		1	81	16.13	16.19	16.16	0
		1	160	16.08	16.20	16.09	0
		81	0	15.32	15.41	15.31	1
		81	41	16.19	16.20	16.19	0
		81	81	15.27	15.29	15.25	1
		162	0	15.31	15.30	15.28	1

NR Conducted Power (Full)							
NR Band 78 For 3450-3550 MHz							
BW	MCS Index	Channel		631668	633332	635000	3GPP MPR
		Frequency (MHz)		3475.02	3499.98	3525	
50M	BPSK	1	1	16.16	16.21	16.19	0
50M	QPSK	1	1	16.22	16.27	16.27	0
		1	67	16.18	16.18	16.14	0
		1	131	16.05	16.17	16.13	0
		64	0	15.28	15.32	15.29	1
		64	35	16.23	16.25	16.19	0
		64	69	15.21	15.34	15.24	1
		128	0	15.25	15.29	15.30	1
BW	MCS Index	Channel		631334	633332	635332	3GPP MPR
		Frequency (MHz)		3470.01	3499.98	3529.98	
40M	BPSK	1	1	16.13	16.26	16.14	0
40M	QPSK	1	1	16.20	16.22	16.27	0
		1	53	16.17	16.24	16.19	0
		1	104	16.06	16.12	16.15	0
		50	0	15.32	15.39	15.38	1
		50	28	16.23	16.25	16.25	0
		50	56	15.28	15.30	15.27	1
		100	0	15.23	15.29	15.26	1
BW	MCS Index	Channel		631000	633332	635666	3GPP MPR
		Frequency (MHz)		3465	3499.98	3534.99	
30M	BPSK	1	1	16.12	16.19	16.21	0
30M	QPSK	1	1	16.25	16.27	16.22	0
		1	39	16.20	16.25	16.18	0
		1	76	16.07	16.13	16.10	0
		36	0	15.29	15.38	15.35	1
		36	21	16.14	16.23	16.23	0
		36	42	15.28	15.30	15.27	1
		75	0	15.27	15.37	15.26	1
BW	MCS Index	Channel		630834	633332	635832	3GPP MPR
		Frequency (MHz)		3462.51	3499.98	3537.48	
25M	BPSK	1	1	16.17	16.21	16.14	0
25M	QPSK	1	1	16.20	16.28	16.20	0
		1	33	16.22	16.25	16.14	0
		1	63	16.11	16.13	16.13	0
		32	0	15.33	15.35	15.35	1
		32	17	16.21	16.25	16.24	0
		32	33	15.28	15.36	15.31	1
		64	0	15.27	15.34	15.26	1
BW	MCS Index	Channel		630668	633332	636000	3GPP MPR
		Frequency (MHz)		3460.02	3499.98	3540	
20M	BPSK	1	1	16.15	16.18	16.18	0
20M	QPSK	1	1	16.16	16.23	16.19	0
		1	26	16.22	16.28	16.22	0
		1	49	16.12	16.13	16.13	0
		25	0	15.35	15.34	15.35	1
		25	13	16.19	16.20	16.20	0
		25	26	15.29	15.27	15.25	1
		50	0	15.33	15.38	15.25	1

NR Conducted Power (Full)							
NR Band 78 For 3450-3550 MHz							
BW	MCS Index	Channel		630500	633332	636166	3GPP MPR
		Frequency (MHz)		3457.5	3499.98	3542.49	
15M	BPSK	1	1	16.12	16.18	16.20	0
15M	QPSK	1	1	16.22	16.21	16.24	0
		1	19	16.13	16.20	16.15	0
		1	36	16.07	16.13	16.17	0
		18	0	15.36	15.40	15.32	1
		18	10	16.23	16.23	16.17	0
		18	20	15.24	15.33	15.28	1
		36	0	15.27	15.36	15.30	1
BW	MCS Index	Channel		630334	633332	636332	3GPP MPR
		Frequency (MHz)		3455.01	3499.98	3544.98	
10M	BPSK	1	1	16.14	16.18	16.19	0
10M	QPSK	1	1	16.21	16.25	16.23	0
		1	11	16.19	16.24	16.17	0
		1	22	16.06	16.17	16.07	0
		12	0	15.33	15.39	15.29	1
		12	6	16.16	16.27	16.18	0
		12	12	15.22	15.36	15.28	1
		24	0	15.32	15.33	15.29	1

NR Conducted Power (Full)							
NR Band 78 For 3550-3700MHz							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		640000	641666	643332	
		Frequency (MHz)		3600	3624.99	3649.98	
100M	BPSK	1	1	17.52	17.46	17.40	0
100M	QPSK	1	1	17.58	17.52	17.46	0
		1	137	17.55	17.52	17.46	0
		1	271	17.52	17.48	17.46	0
		135	0	16.65	16.64	16.56	1
		135	69	17.55	17.45	17.38	0
		135	138	16.61	16.54	16.45	1
		270	0	16.56	16.46	16.40	1
BW	MCS Index	Channel		639668	641666	643666	3GPP MPR
		Frequency (MHz)		3595.02	3624.99	3654.99	
90M	BPSK	1	1	16.31	16.19	16.17	0
90M	QPSK	1	1	16.32	16.22	16.16	0
		1	123	16.30	16.23	16.18	0
		1	243	16.23	16.27	16.19	0
		120	0	15.42	15.40	15.33	1
		120	63	16.32	16.22	16.14	0
		120	125	15.33	15.25	15.19	1
		243	0	15.33	15.23	15.14	1
BW	MCS Index	Channel		639334	641666	644000	3GPP MPR
		Frequency (MHz)		3590.01	3624.99	3660	
80M	BPSK	1	1	16.32	16.24	16.18	0
80M	QPSK	1	1	16.33	16.22	16.18	0
		1	109	16.26	16.32	16.18	0
		1	215	16.31	16.22	16.16	0
		108	0	15.41	15.44	15.27	1
		108	55	16.26	16.22	16.16	0
		108	109	15.32	15.33	15.20	1
		216	0	15.26	15.22	15.10	1
BW	MCS Index	Channel		639000	641666	644332	3GPP MPR
		Frequency (MHz)		3585	3624.99	3664.98	
70M	BPSK	1	1	16.23	16.21	16.16	0
70M	QPSK	1	1	16.31	16.29	16.23	0
		1	95	16.35	16.30	16.17	0
		1	187	16.23	16.23	16.16	0
		90	0	15.38	15.39	15.34	1
		90	50	16.25	16.25	16.16	0
		90	99	15.32	15.26	15.19	1
		180	0	15.33	15.21	15.12	1
BW	MCS Index	Channel		638668	641666	644666	3GPP MPR
		Frequency (MHz)		3580.02	3624.99	3669.99	
60M	BPSK	1	1	16.27	16.18	16.17	0
60M	QPSK	1	1	16.29	16.32	16.26	0
		1	81	16.35	16.28	16.19	0
		1	160	16.28	16.26	16.23	0
		81	0	15.41	15.34	15.30	1
		81	41	16.29	16.25	16.17	0
		81	81	15.36	15.29	15.23	1
		162	0	15.34	15.17	15.20	1

NR Conducted Power (Full)							
NR Band 78 For 3550-3700MHz							
BW	MCS Index	Channel		638334	641666	645000	3GPP MPR
		Frequency (MHz)		3575.01	3624.99	3675	
50M	BPSK	1	1	16.29	16.22	16.12	0
50M	QPSK	1	1	16.37	16.25	16.20	0
		1	67	16.29	16.24	16.25	0
		1	131	16.23	16.23	16.24	0
		64	0	15.38	15.42	15.32	1
		64	35	16.25	16.16	16.09	0
		64	69	15.39	15.31	15.17	1
		128	0	15.28	15.26	15.19	1
BW	MCS Index	Channel		638000	641666	645332	3GPP MPR
		Frequency (MHz)		3570	3624.99	3679.98	
40M	BPSK	1	1	16.29	16.17	16.15	0
40M	QPSK	1	1	16.29	16.26	16.26	0
		1	53	16.26	16.27	16.19	0
		1	104	16.32	16.19	16.24	0
		50	0	15.42	15.41	15.36	1
		50	28	16.28	16.21	16.18	0
		50	56	15.37	15.27	15.19	1
		100	0	15.28	15.24	15.17	1
BW	MCS Index	Channel		637668	641666	645666	3GPP MPR
		Frequency (MHz)		3565.02	3624.99	3684.99	
30M	BPSK	1	1	16.23	16.20	16.13	0
30M	QPSK	1	1	16.30	16.26	16.22	0
		1	39	16.25	16.24	16.24	0
		1	76	16.30	16.19	16.22	0
		36	0	15.36	15.40	15.28	1
		36	21	16.30	16.16	16.10	0
		36	42	15.38	15.32	15.25	1
		75	0	15.35	15.20	15.20	1
BW	MCS Index	Channel		639168	641666	645832	3GPP MPR
		Frequency (MHz)		3587.52	3624.99	3687.48	
25M	BPSK	1	1	16.27	16.22	16.13	0
25M	QPSK	1	1	16.33	16.23	16.21	0
		1	33	16.31	16.24	16.23	0
		1	63	16.27	16.28	16.21	0
		32	0	15.43	15.35	15.36	1
		32	17	16.32	16.25	16.13	0
		32	33	15.35	15.33	15.20	1
		64	0	15.34	15.22	15.10	1
BW	MCS Index	Channel		639000	641666	644332	3GPP MPR
		Frequency (MHz)		3585	3624.99	3664.98	
20M	BPSK	1	1	16.22	16.17	16.18	0
20M	QPSK	1	1	16.30	16.27	16.24	0
		1	26	16.30	16.24	16.17	0
		1	49	16.29	16.26	16.20	0
		25	0	15.37	15.35	15.36	1
		25	13	16.32	16.15	16.16	0
		25	26	15.37	15.25	15.22	1
		50	0	15.34	15.21	15.11	1

NR Conducted Power (Full)							
NR Band 78 For 3550-3700MHz							
BW	MCS Index	Channel		638834	641666	644500	3GPP MPR
		Frequency (MHz)		3582.51	3624.99	3667.5	
15M	BPSK	1	1	16.32	16.20	16.19	0
15M	QPSK	1	1	16.36	16.23	16.26	0
		1	19	16.33	16.27	16.24	0
		1	36	16.30	16.21	16.25	0
		18	0	15.45	15.37	15.32	1
		18	10	16.26	16.22	16.10	0
		18	20	15.32	15.30	15.17	1
		36	0	15.28	15.25	15.13	1
BW	MCS Index	Channel		638334	641666	645000	3GPP MPR
		Frequency (MHz)		3575.01	3624.99	3675	
10M	BPSK	1	1	16.27	16.17	16.19	0
10M	QPSK	1	1	16.35	16.26	16.23	0
		1	11	16.33	16.29	16.25	0
		1	22	16.31	16.23	16.26	0
		12	0	15.36	15.38	15.36	1
		12	6	16.32	16.16	16.15	0
		12	12	15.35	15.25	15.18	1
		24	0	15.26	15.24	15.17	1

NR Conducted Power (Full)							
NR Band 78 For 3700-3800 MHz							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel			650000		
		Frequency (MHz)			3750		
100M	BPSK	1	1		17.81		0
100M	QPSK	1	1		17.96		0
		1	137		17.84		0
		1	271		17.80		0
		135	0		16.98		1
		135	69		17.81		0
		135	138		16.76		1
		270	0		16.88		1
BW	MCS Index	Channel		649668	650000	650332	3GPP MPR
		Frequency (MHz)		3745.02	3750	3754.98	
90M	BPSK	1	1	16.14	16.26	16.24	0
90M	QPSK	1	1	16.23	16.34	16.28	0
		1	123	16.20	16.34	16.23	0
		1	243	16.22	16.24	16.19	0
		120	0	15.40	15.51	15.43	1
		120	63	16.17	16.28	16.26	0
		120	125	15.38	15.46	15.42	1
		243	0	15.36	15.43	15.43	1
BW	MCS Index	Channel		649334	650000	650666	3GPP MPR
		Frequency (MHz)		3740.01	3750	3759.99	
80M	BPSK	1	1	16.20	16.21	16.22	0
80M	QPSK	1	1	16.25	16.27	16.30	0
		1	109	16.25	16.24	16.22	0
		1	215	16.13	16.30	16.16	0
		108	0	15.45	15.47	15.44	1
		108	55	16.19	16.28	16.18	0
		108	109	15.37	15.43	15.42	1
		216	0	15.42	15.44	15.37	1
BW	MCS Index	Channel		649000	650000	651000	3GPP MPR
		Frequency (MHz)		3735	3750	3765	
70M	BPSK	1	1	16.14	16.26	16.21	0
70M	QPSK	1	1	16.30	16.34	16.24	0
		1	95	16.18	16.29	16.21	0
		1	187	16.18	16.27	16.20	0
		90	0	15.46	15.46	15.43	1
		90	50	16.18	16.30	16.19	0
		90	99	15.43	15.49	15.44	1
		180	0	15.34	15.44	15.40	1
BW	MCS Index	Channel		648668	650000	651332	3GPP MPR
		Frequency (MHz)		3730.02	3750	3769.98	
60M	BPSK	1	1	16.24	16.27	16.25	0
60M	QPSK	1	1	16.20	16.31	16.27	0
		1	81	16.27	16.29	16.23	0
		1	160	16.13	16.20	16.18	0
		81	0	15.43	15.56	15.51	1
		81	41	16.20	16.21	16.23	0
		81	81	15.43	15.44	15.43	1
		162	0	15.41	15.49	15.43	1

NR Conducted Power (Full)							
NR Band 78 For 3700-3800 MHz							
BW	MCS Index	Channel		648334	650000	651666	3GPP MPR
		Frequency (MHz)		3725.01	3750	3774.99	
50M	BPSK	1	1	16.24	16.24	16.18	0
50M	QPSK	1	1	16.25	16.30	16.28	0
		1	67	16.20	16.34	16.26	0
		1	131	16.23	16.26	16.18	0
		64	0	15.47	15.50	15.42	1
		64	35	16.14	16.28	16.18	0
		64	69	15.45	15.48	15.39	1
		128	0	15.37	15.40	15.39	1
BW	MCS Index	Channel		648000	650000	652000	3GPP MPR
		Frequency (MHz)		3720	3750	3780	
40M	BPSK	1	1	16.19	16.27	16.21	0
40M	QPSK	1	1	16.27	16.36	16.29	0
		1	53	16.17	16.28	16.30	0
		1	104	16.23	16.24	16.21	0
		50	0	15.46	15.49	15.43	1
		50	28	16.19	16.26	16.27	0
		50	56	15.43	15.46	15.39	1
		100	0	15.36	15.43	15.37	1
BW	MCS Index	Channel		647668	650000	652332	3GPP MPR
		Frequency (MHz)		3715.02	3750	3784.98	
30M	BPSK	1	1	16.15	16.25	16.22	0
30M	QPSK	1	1	16.26	16.35	16.23	0
		1	39	16.18	16.34	16.24	0
		1	76	16.14	16.26	16.19	0
		36	0	15.43	15.48	15.52	1
		36	21	16.18	16.30	16.23	0
		36	42	15.45	15.50	15.49	1
		75	0	15.42	15.42	15.36	1
BW	MCS Index	Channel		647500	650000	652500	3GPP MPR
		Frequency (MHz)		3712.5	3750	3787.5	
25M	BPSK	1	1	16.23	16.22	16.26	0
25M	QPSK	1	1	16.22	16.30	16.29	0
		1	33	16.23	16.25	16.24	0
		1	63	16.13	16.30	16.18	0
		32	0	15.48	15.48	15.48	1
		32	17	16.23	16.25	16.27	0
		32	33	15.37	15.46	15.39	1
		64	0	15.41	15.48	15.43	1
BW	MCS Index	Channel		647334	650000	652666	3GPP MPR
		Frequency (MHz)		3710.01	3750	3789.99	
20M	BPSK	1	1	16.19	16.31	16.23	0
20M	QPSK	1	1	16.27	16.29	16.23	0
		1	26	16.23	16.30	16.22	0
		1	49	16.13	16.22	16.26	0
		25	0	15.45	15.49	15.46	1
		25	13	16.19	16.26	16.23	0
		25	26	15.38	15.43	15.48	1
		50	0	15.39	15.43	15.46	1

NR Conducted Power (Full)							
NR Band 78 For 3700-3800 MHz							
BW	MCS Index	Channel		647168	650000	652832	3GPP MPR
		Frequency (MHz)		3707.52	3750	3792.48	
15M	BPSK	1	1	16.14	16.28	16.18	0
15M	QPSK	1	1	16.22	16.31	16.25	0
		1	19	16.22	16.31	16.20	0
		1	36	16.20	16.22	16.25	0
		18	0	15.41	15.56	15.50	1
		18	10	16.17	16.28	16.20	0
		18	20	15.45	15.49	15.45	1
		36	0	15.40	15.45	15.40	1
BW	MCS Index	Channel		647000	650000	653000	3GPP MPR
		Frequency (MHz)		3705	3750	3795	
10M	BPSK	1	1	16.15	16.25	16.24	0
10M	QPSK	1	1	16.25	16.35	16.31	0
		1	11	16.24	16.27	16.23	0
		1	22	16.16	16.26	16.23	0
		12	0	15.40	15.52	15.47	1
		12	6	16.16	16.25	16.22	0
		12	12	15.40	15.48	15.44	1
		24	0	15.40	15.44	15.43	1

NR Conducted Power (Reduction)													
NR Band 38													
		RB Size	RB Offset	Low			Mid			High			3GPP MPR (dB)
		TX Chain		MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	
BW	MCS Index	Channel	516000			519000			522000			3GPP MPR	
		Frequency (MHz)	2580			2595			2610				
20M	CP QPSK	1	1	18.22	17.48	20.88	18.28	17.44	20.89	18.22	17.45	20.86	0
		1	26	18.14	17.36	20.78	18.16	17.35	20.78	18.09	17.33	20.74	0
		1	49	18.10	17.40	20.77	18.18	17.31	20.78	18.16	17.30	20.76	0
		25	0	17.06	16.33	19.72	17.14	16.26	19.73	17.06	16.32	19.72	1
		25	13	18.10	17.34	20.75	18.17	17.36	20.79	18.12	17.29	20.74	0
		25	26	17.06	16.41	19.76	17.19	16.26	19.76	17.16	16.38	19.80	1
		50	0	17.16	16.41	19.81	17.21	16.37	19.82	17.15	16.37	19.79	1

NR Conducted Power (Reduction)																						
NR Band 41																						
BW	MCS Index	RB Size	RB Offset	Low			Low			Mid			Mid			Mid			High			3GPP MPR (dB)
		Channel		509202			510000			513900			518598			523302			528000			
		Frequency (MHz)		2546.01			2550			2569.5			2592.99			2616.51			2640			
100M	CP QPSK	TX Chain		MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	
		1	1	17.56	16.92	20.26	17.59	16.95	20.29	17.57	16.87	20.24	17.62	17.01	20.34	17.52	16.72	20.15	17.53	16.91	20.24	
		1	137	17.48	16.80	20.16	17.46	16.89	20.19	17.45	16.74	20.12	17.48	16.91	20.21	17.46	16.59	20.06	17.44	16.80	20.14	
		1	271	17.49	16.79	20.16	17.44	16.84	20.16	17.43	16.73	20.10	17.50	16.86	20.20	17.43	16.57	20.03	17.40	16.83	20.13	
		135	0	16.47	15.79	19.15	16.45	15.82	19.16	16.48	15.80	19.16	16.55	15.94	19.27	16.39	15.66	19.05	16.37	15.77	19.09	
		135	69	17.49	16.84	20.19	17.50	16.85	20.20	17.42	16.69	20.08	17.47	16.83	20.17	17.38	16.66	20.05	17.47	16.73	20.13	
		135	138	16.38	15.76	19.09	16.48	15.84	19.18	16.40	15.75	19.10	16.45	15.95	19.22	16.45	15.59	19.05	16.37	15.83	19.12	
		270	0	16.49	15.88	19.21	16.54	15.90	19.24	16.53	15.83	19.20	16.56	15.97	19.29	16.46	15.66	19.09	16.45	15.85	19.17	
BW	MCS Index	Channel		508200			509004			513402			518598			523800			528996			3GPP MPR
		Frequency (MHz)		2541			2546.02			2567.01			2592.99			2619			2644.98			
90M	CP QPSK	1	1	17.24	16.58	19.93	17.26	16.59	19.95	17.20	16.52	19.88	17.27	16.62	19.97	17.19	16.33	19.79	17.17	16.55	19.88	0
		1	123	17.06	16.40	19.75	17.11	16.49	19.82	17.07	16.38	19.75	17.14	16.54	19.86	17.12	16.19	19.69	17.08	16.45	19.79	0
		1	243	17.07	16.45	19.78	17.09	16.49	19.81	17.04	16.39	19.74	17.13	16.51	19.84	17.03	16.18	19.64	17.00	16.51	19.77	0
		120	0	16.09	15.39	18.76	16.08	15.47	18.80	16.08	15.44	18.78	16.16	15.58	18.89	16.00	15.30	18.67	16.03	15.45	18.76	1
		120	63	17.07	16.51	19.81	17.11	16.45	19.80	17.05	16.33	19.72	17.14	16.41	19.80	17.04	16.26	19.68	17.07	16.40	19.76	0
		120	125	16.00	15.39	18.72	16.11	15.47	18.81	16.07	15.37	18.74	16.05	15.63	18.86	16.09	15.26	18.71	15.95	15.46	18.72	1
		243	0	16.12	15.54	18.85	16.22	15.56	18.91	16.17	15.43	18.83	16.14	15.57	18.87	16.12	15.29	18.74	16.12	15.46	18.81	1
BW	MCS Index	Channel		507204			508002			509304			518598			524298			529998			3GPP MPR
		Frequency (MHz)		2536.02			2540.01			2546.52			2592.99			2621.49			2649.99			
80M	CP QPSK	1	1	17.19	16.57	19.90	17.20	16.59	19.92	17.17	16.45	19.84	17.23	16.63	19.95	17.17	16.34	19.79	17.13	16.58	19.87	0
		1	109	17.14	16.40	19.80	17.14	16.47	19.83	17.12	16.37	19.77	17.08	16.58	19.85	17.13	16.19	19.70	17.04	16.47	19.77	0
		1	215	17.07	16.44	19.78	17.10	16.47	19.81	17.11	16.35	19.76	17.08	16.54	19.83	17.07	16.17	19.65	16.98	16.41	19.71	0
		108	0	16.12	15.39	18.78	16.09	15.43	18.78	16.15	15.40	18.80	16.17	15.61	18.91	16.01	15.34	18.70	16.00	15.41	18.73	1
		108	55	17.13	16.47	19.82	17.11	16.43	19.79	17.07	16.28	19.70	17.14	16.46	19.82	16.98	16.24	19.64	17.07	16.32	19.72	0
		108	109	15.99	15.39	18.71	16.07	15.52	18.81	15.98	15.43	18.72	16.13	15.61	18.89	16.10	15.21	18.69	15.95	15.50	18.74	1
		216	0	16.14	15.47	18.83	16.19	15.54	18.89	16.18	15.50	18.86	16.18	15.60	18.91	16.12	15.33	18.75	16.06	15.48	18.79	1
BW	MCS Index	Channel		506202			507000			512400			518598			524802			531000			3GPP MPR
		Frequency (MHz)		2531.01			2335			2562			2592.99			2624.01			2655			
70M	CP QPSK	1	1	17.22	16.59	19.93	17.18	16.56	19.89	17.17	16.52	19.87	17.28	16.68	20.00	17.16	16.30	19.76	17.21	16.52	19.89	0
		1	95	17.10	16.43	19.79	17.13	16.52	19.85	17.06	16.39	19.75	17.11	16.51	19.83	17.07	16.17	19.65	17.09	16.39	19.76	0
		1	187	17.10	16.38	19.77	17.12	16.42	19.79	17.02	16.38	19.72	17.13	16.47	19.82	17.06	16.18	19.65	17.05	16.42	19.76	0
		90	0	16.08	15.46	18.79	16.07	15.40	18.76	16.11	15.39	18.78	16.20	15.56	18.90	15.99	15.29	18.66	15.97	15.35	18.68	1
		90	50	17.11	16.49	19.82	17.17	16.47	19.84	17.09	16.35	19.75	17.09	16.48	19.81	17.03	16.26	19.67	17.14	16.34	19.77	0
		90	99	16.05	15.40	18.75	16.13	15.51	18.84	16.08	15.35	18.74	16.09	15.54	18.83	16.06	15.17	18.65	16.01	15.45	18.75	1
		180	0	16.10	15.52	18.83	16.12	15.50	18.83	16.13	15.43	18.80	16.20	15.63	18.93	16.12	15.30	18.74	16.06	15.43	18.77	1
BW	MCS Index	Channel		505200			506004			511896			518598			525294			531996			3GPP MPR
		Frequency (MHz)		2526			2530.02			2559.48			2592.99			2626.48			2659.98			
60M	CP QPSK	1	1	17.22	16.53	19.90	17.27	16.57	19.94	17.18	16.53	19.88	17.27	16.63	19.97	17.14	16.32	19.76	17.14	16.55	19.87	0
		1	81	17.08	16.40	19.76	17.08	16.49	19.81	17.09	16.35	19.75	17.14	16.58	19.88	17.12	16.25	19.72	17.02	16.42	19.74	0
		1	160	17.12	16.46	19.81	17.12	16.52	19.84	17.07	16.34	19.73	17.18	16.51	19.87	17.08	16.20	19.67	17.02	16.48	19.77	0
		81	0	16.12	15.47	18.82	16.11	15.42	18.79	16.11	15.47	18.81	16.13	15.56	18.86	16.05	15.32	18.71	15.97	15.42	18.71	1
		81	41	17.11	16.47	19.81	17.08	16.49	19.81	17.07	16.29	19.71	17.12	16.45	19.81	17.01	16.33	19.69	17.08	16.35	19.74	0
		81	81	15.97	15.34	18.68	16.15	15.43	18.82	16.00	15.43	18.73	16.05	15.61	18.85	16.10	15.27	18.72	15.97	15.48	18.74	1
		162	0	16.09	15.50	18.82	16.19	15.58	18.91	16.12	15.42	18.79	16.19	15.65	18.94	16.09	15.32	18.73	16.13	15.52	18.85	1
BW	MCS Index	Channel		504204			505002			511404			518598			525798			532998			3GPP MPR
		Frequency (MHz)		2521.02			2525.01			2557.02			2592.99			2628.99			2664.99			
50M	CP QPSK	1	1	17.17	16.59	19.90	17.19	16.63	19.93	17.23	16.51	19.90	17.26	16.62	19.96	17.13	16.32	19.75	17.21	16.50	19.88	0
		1	67	17.10	16.40	19.77	17.06	16.54	19.82	17.13	16.37	19.78	17.14	16.50	19.84	17.08	16.22	19.68	17.05	16.45	19.77	0
		1	131	17.07	16.42	19.77	17.04	16.52	19.80	17.07	16.38	19.75	17.15	16.47	19.83	17.07	16.19	19.66	17.08	16.46	19.79	0
		64	0	16.10	15.40	18.77	16.07	15.41	18.76	16.08	15.38	18.75	16.22	15.55	18.91	16.03	15.31	18.70	15.96	15.39	18.69	1
		64	35	17.13	16.49	19.83	17.12	16.44	19.80	17.08	16.34	19.74	17.07	16.41	19.76	17.02	16.31	19.69	17.11	16.31	19.74	0
		64	69	16.01	15.35	18.70	16.10	15.48	18.81	16.01	15.43	18.74	16.06	15.54	18.82	16.09	15.24	18.70	16.05	15.44	18.77	1
		128	0	16.17	15.51	18.86	16.17	15.50	18.86	16.11	15.41	18.78	16.24	15.64	18.96	16.12	15.25	18.72	16.04	15.45	18.77	1

NR Conducted Power (Reduction)																						
NR Band 41																						
BW	MCS Index	Channel		503202			504000			510900			518598			526296			534000			3GPP MPR
		Frequency (MHz)																				
40M	CP QPSK	1	1	17.15	16.50	19.85	17.24	16.59	19.94	17.18	16.48	19.85	17.24	16.67	19.97	17.15	16.34	19.77	17.21	16.56	19.91	0
		1	53	17.12	16.38	19.78	17.11	16.56	19.85	17.04	16.41	19.75	17.06	16.54	19.82	17.06	16.19	19.66	17.05	16.42	19.76	0
		1	104	17.10	16.47	19.81	17.07	16.42	19.77	17.10	16.37	19.76	17.13	16.54	19.86	17.04	16.24	19.67	17.06	16.51	19.80	0
		50	0	16.12	15.40	18.79	16.10	15.46	18.80	16.12	15.38	18.78	16.21	15.54	18.90	16.07	15.34	18.73	15.95	15.45	18.72	1
		50	28	17.16	16.45	19.83	17.10	16.44	19.79	17.07	16.27	19.70	17.12	16.44	19.80	17.04	16.31	19.70	17.12	16.39	19.78	0
		50	56	16.00	15.44	18.74	16.13	15.45	18.81	16.08	15.37	18.75	16.13	15.61	18.89	16.04	15.19	18.65	16.01	15.44	18.74	1
		100	0	16.14	15.52	18.85	16.19	15.56	18.90	16.13	15.42	18.80	16.18	15.57	18.90	16.13	15.32	18.75	16.05	15.51	18.80	1
BW	MCS Index	Channel		502200			503004			510396			518598			526794			534996			3GPP MPR
		Frequency (MHz)																				
30M	CP QPSK	1	1	17.23	16.53	19.90	17.20	16.59	19.92	17.20	16.46	19.86	17.20	16.66	19.95	17.13	16.33	19.76	17.13	16.58	19.87	0
		1	39	17.15	16.40	19.80	17.07	16.48	19.80	17.06	16.36	19.73	17.09	16.58	19.85	17.14	16.23	19.72	17.11	16.41	19.78	0
		1	76	17.15	16.46	19.83	17.07	16.43	19.77	17.05	16.32	19.71	17.15	16.54	19.87	17.06	16.15	19.64	16.98	16.43	19.72	0
		36	0	16.11	15.38	18.77	16.07	15.40	18.76	16.12	15.41	18.79	16.22	15.57	18.92	15.98	15.28	18.65	16.03	15.35	18.71	1
		36	21	17.10	16.51	19.83	17.17	16.49	19.85	17.04	16.30	19.70	17.15	16.41	19.81	17.02	16.30	19.69	17.13	16.32	19.75	0
		36	42	15.98	15.44	18.73	16.12	15.45	18.81	16.08	15.36	18.75	16.03	15.58	18.82	16.12	15.22	18.70	16.05	15.42	18.76	1
		75	0	16.13	15.50	18.84	16.16	15.55	18.88	16.20	15.46	18.86	16.14	15.64	18.91	16.04	15.33	18.71	16.12	15.49	18.83	1
BW	MCS Index	Channel		501204			502002			509898			518598			527298			535998			3GPP MPR
		Frequency (MHz)																				
20M	CP QPSK	1	1	17.14	16.53	19.86	17.18	16.59	19.91	17.24	16.47	19.88	17.25	16.60	19.95	17.20	16.33	19.80	17.18	16.52	19.87	0
		1	19	17.09	16.40	19.77	17.06	16.51	19.80	17.07	16.34	19.73	17.06	16.49	19.79	17.05	16.24	19.67	17.10	16.44	19.79	0
		1	36	17.15	16.47	19.83	17.08	16.50	19.81	17.01	16.37	19.71	17.15	16.48	19.84	17.04	16.19	19.65	17.07	16.49	19.80	0
		18	0	16.05	15.45	18.77	16.13	15.47	18.82	16.16	15.47	18.84	16.23	15.62	18.95	16.03	15.29	18.69	16.01	15.38	18.72	1
		18	10	17.17	16.52	19.87	17.18	16.49	19.86	17.06	16.29	19.70	17.13	16.50	19.84	17.00	16.30	19.67	17.10	16.36	19.76	0
		18	20	16.06	15.34	18.73	16.10	15.49	18.82	16.07	15.33	18.73	16.06	15.55	18.82	16.11	15.19	18.68	15.95	15.45	18.72	1
		36	0	16.10	15.49	18.82	16.14	15.51	18.85	16.20	15.41	18.83	16.20	15.62	18.93	16.13	15.26	18.73	16.12	15.53	18.85	1
BW	MCS Index	Channel		500700			501504			509646			518598			527544			536496			3GPP MPR
		Frequency (MHz)																				
15M	CP QPSK	1	1	17.15	16.52	19.86	17.20	16.62	19.93	17.20	16.48	19.87	17.24	16.60	19.94	17.11	16.35	19.76	17.20	16.59	19.92	0
		1	19	17.14	16.45	19.82	17.13	16.49	19.83	17.12	16.42	19.79	17.09	16.52	19.82	17.05	16.18	19.65	17.09	16.42	19.78	0
		1	36	17.07	16.47	19.79	17.07	16.52	19.81	17.07	16.36	19.74	17.13	16.45	19.81	17.05	16.22	19.67	16.99	16.49	19.76	0
		18	0	16.11	15.41	18.78	16.03	15.50	18.78	16.13	15.43	18.80	16.17	15.53	18.87	16.04	15.34	18.71	16.04	15.42	18.75	1
		18	10	17.17	16.51	19.86	17.16	16.45	19.83	17.06	16.30	19.71	17.11	16.44	19.80	17.05	16.27	19.69	17.14	16.31	19.76	0
		18	20	16.04	15.34	18.71	16.08	15.42	18.77	16.08	15.35	18.74	16.03	15.62	18.84	16.13	15.24	18.72	16.05	15.43	18.76	1
		36	0	16.10	15.55	18.84	16.16	15.51	18.86	16.18	15.43	18.83	16.19	15.58	18.91	16.05	15.33	18.72	16.07	15.46	18.79	1
BW	MCS Index	Channel		500202			501000			509400			518598			527796			537000			3GPP MPR
		Frequency (MHz)																				
10M	CP QPSK	1	1	17.14	16.56	19.87	17.25	16.60	19.95	17.22	16.52	19.89	17.29	16.69	20.01	17.13	16.32	19.75	17.17	16.55	19.88	0
		1	11	17.15	16.47	19.83	17.09	16.48	19.81	17.09	16.40	19.77	17.14	16.55	19.87	17.08	16.19	19.67	17.06	16.48	19.79	0
		1	22	17.08	16.38	19.75	17.09	16.51	19.82	17.01	16.37	19.71	17.09	16.54	19.83	17.11	16.18	19.68	16.98	16.50	19.76	0
		12	0	16.07	15.38	18.75	16.06	15.40	18.75	16.08	15.46	18.79	16.13	15.54	18.86	15.99	15.26	18.65	15.99	15.41	18.72	1
		12	6	17.12	16.50	19.83	17.12	16.50	19.83	17.00	16.31	19.68	17.05	16.41	19.75	17.04	16.33	19.71	17.06	16.39	19.75	0
		12	12	15.98	15.40	18.71	16.09	15.50	18.82	16.00	15.33	18.69	16.05	15.57	18.83	16.11	15.26	18.72	16.04	15.51	18.79	1
		24	0	16.07	15.46	18.79	16.22	15.52	18.89	16.20	15.49	18.87	16.19	15.56	18.90	16.10	15.29	18.72	16.09	15.53	18.83	1

NR Conducted Power (Reduction)																					
NR Band 48																					
BW	MCS Index	RB Size	RB Offset	Low			Low			Mid			Mid			High			3GPP MPR (dB)		
		Channel		638000			640444			641666			642888			645332					
		Frequency (MHz)		3570			3606.66			3624.99			3643.32			3679.98					
40M	CP QPSK	TX Chain		MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power			
		1	1	14.97	14.74	17.87	14.90	14.61	17.77	14.94	14.65	17.81	14.84	14.63	17.75	14.89	14.71	17.81	0		
		1	53	14.83	14.65	17.75	14.84	14.48	17.67	14.80	14.56	17.69	14.70	14.59	17.66	14.76	14.61	17.70	0		
		1	104	14.83	14.65	17.75	14.81	14.54	17.69	14.88	14.59	17.75	14.73	14.56	17.66	14.75	14.63	17.70	0		
		50	0	13.85	13.68	16.78	13.77	13.44	16.62	13.84	13.58	16.72	13.73	13.57	16.66	13.75	13.54	16.66	1		
		50	28	14.81	14.60	17.72	14.77	14.47	17.63	14.87	14.50	17.70	14.76	14.52	17.65	14.77	14.59	17.69	0		
		50	56	13.90	13.62	16.77	13.72	13.55	16.65	13.86	13.58	16.73	13.73	13.60	16.68	13.77	13.54	16.67	1		
		100	0	13.92	13.70	16.82	13.87	13.57	16.73	13.89	13.62	16.77	13.77	13.61	16.70	13.81	13.67	16.75	1		
BW	MCS Index	Channel		637668			640334			641666			643000			645666			3GPP MPR		
		Frequency (MHz)		3565.02			3605.01			3624.99			3645			3684.99					
30M	CP QPSK	1	1	14.85	14.58	17.73	14.72	14.48	17.61	14.80	14.46	17.64	14.73	14.49	17.62	14.69	14.58	17.65	0		
		1	39	14.70	14.54	17.63	14.65	14.32	17.50	14.68	14.38	17.54	14.49	14.43	17.47	14.56	14.49	17.54	0		
		1	76	14.67	14.53	17.61	14.68	14.36	17.53	14.75	14.41	17.59	14.54	14.40	17.48	14.61	14.44	17.54	0		
		36	0	13.70	13.57	16.65	13.62	13.32	16.48	13.71	13.47	16.60	13.56	13.41	16.50	13.61	13.33	16.48	1		
		36	21	14.65	14.44	17.56	14.65	14.27	17.47	14.73	14.36	17.56	14.56	14.39	17.49	14.64	14.41	17.54	0		
		36	42	13.74	13.41	16.59	13.60	13.41	16.52	13.70	13.44	16.58	13.61	13.44	16.54	13.65	13.34	16.51	1		
		75	0	13.81	13.57	16.70	13.69	13.36	16.54	13.69	13.42	16.57	13.64	13.42	16.54	13.70	13.52	16.62	1		
		BW	MCS Index	Channel		637334			640222			641666			643110			646000			3GPP MPR
Frequency (MHz)				3560.01			3603.33			3624.99			3646.65			3690					
20M	CP QPSK	1	1	14.83	14.58	17.72	14.71	14.43	17.58	14.81	14.51	17.67	14.65	14.48	17.58	14.68	14.52	17.61	0		
		1	26	14.62	14.54	17.59	14.63	14.32	17.49	14.69	14.35	17.53	14.59	14.39	17.50	14.58	14.42	17.51	0		
		1	49	14.66	14.47	17.58	14.70	14.43	17.58	14.75	14.43	17.60	14.52	14.41	17.48	14.54	14.52	17.54	0		
		25	0	13.69	13.47	16.59	13.58	13.36	16.48	13.66	13.43	16.56	13.60	13.43	16.53	13.62	13.41	16.53	1		
		25	13	14.69	14.46	17.59	14.66	14.31	17.50	14.74	14.32	17.55	14.58	14.35	17.48	14.62	14.43	17.54	0		
		25	26	13.69	13.41	16.56	13.59	13.38	16.50	13.74	13.46	16.61	13.59	13.48	16.55	13.56	13.41	16.50	1		
15M	CP QPSK	50	0	13.80	13.51	16.67	13.75	13.39	16.58	13.71	13.48	16.61	13.65	13.45	16.56	13.68	13.50	16.60	1		
		BW	MCS Index	Channel		637168			640168			641666			643166			646166			3GPP MPR
				Frequency (MHz)		3557.52			3602.52			3624.99			3647.49			3692.49			
		1	1	14.76	14.59	17.69	14.76	14.48	17.63	14.83	14.51	17.68	14.70	14.47	17.60	14.76	14.56	17.67	0		
		1	19	14.64	14.49	17.58	14.66	14.28	17.48	14.69	14.39	17.55	14.59	14.41	17.51	14.64	14.49	17.58	0		
		1	36	14.64	14.53	17.60	14.60	14.35	17.49	14.70	14.43	17.58	14.56	14.43	17.51	14.64	14.48	17.57	0		
10M	CP QPSK	18	0	13.73	13.47	16.61	13.57	13.43	16.51	13.69	13.38	16.55	13.58	13.43	16.52	13.63	13.43	16.54	1		
		18	10	14.68	14.43	17.57	14.56	14.39	17.49	14.70	14.33	17.53	14.57	14.36	17.48	14.61	14.41	17.52	0		
		18	20	13.70	13.42	16.57	13.54	13.41	16.49	13.71	13.43	16.58	13.59	13.40	16.51	13.56	13.42	16.50	1		
		36	0	13.78	13.55	16.68	13.71	13.45	16.59	13.76	13.42	16.60	13.65	13.43	16.55	13.70	13.47	16.60	1		
		BW	MCS Index	Channel		637000			640110			641666			643222			646332			3GPP MPR
				Frequency (MHz)		3555			3601.65			3624.99			3648.33			3694.98			
10M	CP QPSK	1	1	14.76	14.58	17.68	14.70	14.43	17.58	14.77	14.49	17.64	14.72	14.43	17.59	14.71	14.56	17.65	0		
		1	11	14.67	14.50	17.60	14.63	14.33	17.49	14.62	14.42	17.53	14.59	14.44	17.53	14.62	14.49	17.57	0		
		1	22	14.64	14.54	17.60	14.67	14.43	17.56	14.72	14.39	17.57	14.54	14.38	17.47	14.63	14.48	17.57	0		
		12	0	13.65	13.53	16.60	13.65	13.45	16.56	13.69	13.39	16.55	13.53	13.46	16.51	13.61	13.34	16.49	1		
		12	6	14.63	14.48	17.57	14.65	14.36	17.52	14.69	14.33	17.52	14.55	14.38	17.48	14.62	14.42	17.53	0		
		12	12	13.70	13.50	16.61	13.61	13.37	16.50	13.75	13.41	16.59	13.61	13.43	16.53	13.65	13.37	16.52	1		
		24	0	13.75	13.52	16.65	13.69	13.43	16.57	13.68	13.44	16.57	13.66	13.48	16.58	13.70	13.54	16.63	1		
		24	12	13.75	13.52	16.65	13.69	13.43	16.57	13.68	13.44	16.57	13.66	13.48	16.58	13.70	13.54	16.63	1		

NR Conducted Power (Reduction)												
NR Band 77 For 3450~3550MHz												
BW	MCS Index	RB Size	RB Offset	Low			Mid			High		
		Channel					633334					
		Frequency (MHz)					3500.01					
100M	CP QPSK	TX Chain		MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
		1	1			-	14.37	14.14	17.27			-
		1	137			-	14.25	14.07	17.17			-
		1	271			-	14.22	14.07	17.16			-
		135	0			-	13.22	12.99	16.12			-
		135	69			-	14.23	14.01	17.13			-
		135	138			-	13.30	12.99	16.16			-
		270	0			-	13.32	13.09	16.22			-
BW	MCS Index	Channel		633000			633334			633666		
		Frequency (MHz)		3495			3500.01			3504.99		
90M	CP QPSK	1	1	14.34	14.12	17.24	14.28	14.05	17.18	14.37	14.10	17.25
		1	123	14.20	14.00	17.11	14.15	13.99	17.08	14.19	14.00	17.11
		1	243	14.22	13.97	17.11	14.16	14.05	17.12	14.12	13.98	17.06
		120	0	13.22	12.93	16.09	13.14	12.96	16.06	13.14	12.92	16.04
		120	63	14.23	13.92	17.09	14.23	13.92	17.09	14.21	13.97	17.10
		120	125	13.30	12.93	16.13	13.30	12.99	16.16	13.25	12.90	16.09
		243	0	13.27	12.99	16.14	13.23	13.00	16.13	13.26	13.02	16.15
BW	MCS Index	Channel		632668			633334			634000		
		Frequency (MHz)		3490.02			3500.01			3510		
80M	CP QPSK	1	1	14.29	14.10	17.21	14.31	14.04	17.19	14.27	14.04	17.17
		1	109	14.16	13.98	17.08	14.17	13.98	17.09	14.09	13.93	17.02
		1	215	14.20	13.95	17.09	14.13	13.98	17.07	14.06	13.98	17.03
		108	0	13.20	12.89	16.06	13.20	12.91	16.07	13.11	12.82	15.98
		108	55	14.18	13.90	17.05	14.14	13.94	17.05	14.17	13.91	17.05
		108	109	13.20	12.93	16.08	13.23	12.98	16.12	13.23	12.86	16.06
		216	0	13.27	12.91	16.10	13.25	13.01	16.14	13.18	13.00	16.10
BW	MCS Index	Channel		632334			633334			634332		
		Frequency (MHz)		3485.01			3500.01			3514.98		
70M	CP QPSK	1	1	14.30	14.04	17.18	14.29	14.14	17.23	14.27	14.08	17.19
		1	95	14.20	13.96	17.09	14.18	14.00	17.10	14.16	13.97	17.08
		1	187	14.19	13.93	17.07	14.14	14.05	17.11	14.02	13.89	16.97
		90	0	13.13	12.87	16.01	13.17	12.94	16.07	13.04	12.92	15.99
		90	50	14.15	13.82	17.00	14.22	13.98	17.11	14.14	13.97	17.07
		90	99	13.29	12.88	16.10	13.24	12.97	16.12	13.16	12.86	16.02
		180	0	13.17	12.93	16.06	13.24	13.05	16.16	13.24	12.98	16.12
BW	MCS Index	Channel		632000			633334			634666		
		Frequency (MHz)		3480			3500.01			3519.99		
60M	CP QPSK	1	1	14.33	14.05	17.20	14.34	14.04	17.20	14.30	14.10	17.21
		1	81	14.16	13.94	17.06	14.25	14.06	17.17	14.16	13.97	17.08
		1	160	14.16	13.88	17.03	14.14	14.03	17.10	14.08	13.95	17.03
		81	0	13.17	12.93	16.06	13.18	12.99	16.10	13.12	12.88	16.01
		81	41	14.20	13.87	17.05	14.15	13.99	17.08	14.15	13.91	17.04
		81	81	13.26	12.91	16.10	13.27	12.97	16.13	13.16	12.83	16.01
		162	0	13.22	12.92	16.08	13.22	13.05	16.15	13.25	12.98	16.13
BW	MCS Index	Channel		631668			633334			635000		
		Frequency (MHz)		3475.02			3500.01			3525		
50M	CP QPSK	1	1	14.31	14.03	17.18	14.33	14.09	17.22	14.37	14.10	17.25
		1	67	14.20	13.99	17.11	14.19	14.00	17.11	14.11	13.95	17.04
		1	131	14.17	13.93	17.06	14.18	14.00	17.10	14.11	13.98	17.06
		64	0	13.21	12.93	16.08	13.13	12.92	16.04	13.14	12.92	16.04
		64	35	14.15	13.91	17.04	14.23	13.92	17.09	14.15	13.96	17.07
		64	69	13.28	12.85	16.08	13.25	12.93	16.10	13.20	12.85	16.04
		128	0	13.27	12.98	16.14	13.29	13.04	16.18	13.20	12.99	16.11

NR Conducted Power (Reduction)													
NR Band 77 For 3450~3550MHz													
BW	MCS Index	Channel		631334			633334			635332			3GPP MPR
		Frequency (MHz)		3470.01			3500.01			3529.98			
40M	CP QPSK	1	1	14.34	14.08	17.22	14.36	14.12	17.25	14.27	14.09	17.19	0
		1	53	14.19	13.93	17.07	14.16	14.06	17.12	14.10	13.93	17.03	0
		1	104	14.12	13.95	17.05	14.20	14.03	17.13	14.11	13.88	17.01	0
		50	0	13.20	12.87	16.05	13.15	12.89	16.03	13.13	12.89	16.02	1
		50	28	14.15	13.84	17.01	14.13	13.94	17.05	14.18	13.92	17.06	0
		50	56	13.23	12.86	16.06	13.23	12.96	16.11	13.20	12.84	16.03	1
		100	0	13.19	12.97	16.09	13.23	13.05	16.15	13.25	12.99	16.13	1
BW	MCS Index	Channel		631000			633334			635666			3GPP MPR
		Frequency (MHz)		3465			3500.01			3534.99			
30M	CP QPSK	1	1	14.33	14.09	17.22	14.33	14.12	17.24	14.37	14.10	17.25	0
		1	39	14.14	14.00	17.08	14.23	13.97	17.11	14.11	13.91	17.02	0
		1	76	14.22	13.88	17.06	14.21	14.00	17.12	14.09	13.96	17.04	0
		36	0	13.12	12.93	16.04	13.22	12.97	16.11	13.04	12.90	15.98	1
		36	21	14.18	13.90	17.05	14.14	13.93	17.05	14.19	13.94	17.08	0
		36	42	13.21	12.93	16.08	13.29	12.95	16.13	13.24	12.81	16.04	1
		75	0	13.17	12.94	16.07	13.23	13.00	16.13	13.23	13.00	16.13	1
BW	MCS Index	Channel		630834			633334			635832			3GPP MPR
		Frequency (MHz)		3462.51			3500.01			3537.48			
25M	CP QPSK	1	1	14.32	14.07	17.21	14.35	14.12	17.25	14.33	14.1	17.23	0
		1	33	14.14	13.92	17.04	14.19	13.97	17.09	14.14	13.98	17.07	0
		1	63	14.13	13.87	17.01	14.15	14.03	17.10	14.09	13.93	17.02	0
		32	0	13.21	12.87	16.05	13.17	12.89	16.04	13.08	12.86	15.98	1
		32	17	14.13	13.82	16.99	14.15	13.99	17.08	14.21	13.89	17.06	0
		32	33	13.20	12.83	16.03	13.24	12.91	16.09	13.16	12.89	16.04	1
		64	0	13.18	12.90	16.05	13.28	12.99	16.15	13.19	12.93	16.07	1
BW	MCS Index	Channel		630668			633334			636000			3GPP MPR
		Frequency (MHz)		3460.02			3500.01			3540			
20M	CP QPSK	1	1	14.29	14.08	17.20	14.35	14.10	17.24	14.28	14.06	17.18	0
		1	26	14.18	13.94	17.07	14.23	14.07	17.16	14.15	13.94	17.06	0
		1	49	14.13	13.95	17.05	14.17	14.04	17.12	14.08	13.92	17.01	0
		25	0	13.13	12.86	16.01	13.18	12.97	16.09	13.11	12.90	16.02	1
		25	13	14.20	13.83	17.03	14.19	13.93	17.07	14.14	13.94	17.05	0
		25	26	13.20	12.84	16.03	13.25	12.95	16.11	13.16	12.87	16.03	1
		50	0	13.17	12.90	16.05	13.29	13.05	16.18	13.21	13.01	16.12	1
BW	MCS Index	Channel		630500			633334			636166			3GPP MPR
		Frequency (MHz)		3457.5			3500.01			3542.49			
15M	CP QPSK	1	1	14.28	14.11	17.21	14.34	14.09	17.23	14.37	14.08	17.24	0
		1	19	14.20	13.95	17.09	14.17	14.04	17.12	14.19	13.99	17.10	0
		1	36	14.21	13.95	17.09	14.18	13.97	17.09	14.05	13.91	16.99	0
		18	0	13.13	12.87	16.01	13.12	12.89	16.02	13.11	12.86	16.00	1
		18	10	14.13	13.83	16.99	14.17	13.92	17.06	14.20	13.88	17.05	0
		18	20	13.29	12.85	16.09	13.21	12.99	16.11	13.23	12.89	16.07	1
		36	0	13.20	12.98	16.10	13.27	13.05	16.17	13.16	13.02	16.10	1
BW	MCS Index	Channel		630334			633334			636332			3GPP MPR
		Frequency (MHz)		3455.01			3500.01			3544.98			
10M	CP QPSK	1	1	14.33	14.05	17.20	14.34	14.08	17.22	14.34	14.06	17.21	0
		1	11	14.13	13.99	17.07	14.16	13.99	17.09	14.17	13.95	17.07	0
		1	22	14.13	13.95	17.05	14.21	14.06	17.15	14.06	13.89	16.99	0
		12	0	13.13	12.89	16.02	13.13	12.92	16.04	13.12	12.89	16.02	1
		12	6	14.17	13.88	17.04	14.14	13.96	17.06	14.14	13.87	17.02	0
		12	12	13.23	12.89	16.07	13.23	12.98	16.12	13.21	12.81	16.02	1
		24	0	13.17	12.96	16.08	13.28	13.06	16.18	13.18	12.98	16.09	1

NR Conducted Power (Reduction)												
NR Band 77 For 3550~3700MHz												
BW	MCS Index	RB Size	RB Offset	Low			Mid			High		
		Channel		640000			641666			643332		
		Frequency (MHz)		3600			3624.99			3649.98		
100M	CP QPSK	TX Chain		MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
		1	1	14.43	14.00	17.23	14.55	14.09	17.34	14.46	14.07	17.28
		1	137	14.28	13.88	17.09	14.49	14.03	17.28	14.34	13.93	17.15
		1	271	14.28	13.86	17.09	14.47	13.98	17.24	14.34	14.01	17.19
		135	0	13.30	12.94	16.13	13.39	13.03	16.22	13.36	12.96	16.17
		135	69	14.31	13.82	17.08	14.46	13.91	17.20	14.33	13.92	17.14
		135	138	13.27	12.88	16.09	13.39	12.98	16.20	13.38	12.91	16.16
		270	0	13.38	12.93	16.17	13.49	13.04	16.28	13.42	13.01	16.23
90M	CP QPSK	Channel		639668			641666			643666		
		Frequency (MHz)		3595.02			3624.99			3654.99		
		1	1	14.34	13.96	17.16	14.46	14.02	17.26	14.45	14.02	17.25
		1	123	14.20	13.79	17.01	14.48	13.99	17.25	14.24	13.88	17.07
		1	243	14.23	13.85	17.05	14.44	13.91	17.19	14.34	13.95	17.16
		120	0	13.20	12.88	16.05	13.35	12.98	16.18	13.26	12.94	16.11
		120	63	14.28	13.78	17.05	14.45	13.89	17.19	14.28	13.90	17.10
		120	125	13.22	12.88	16.06	13.31	12.96	16.15	13.32	12.85	16.10
80M	CP QPSK	Channel		639334			641666			644000		
		Frequency (MHz)		3590.01			3624.99			3660		
		1	1	14.40	13.92	17.18	14.50	13.99	17.26	14.45	14.01	17.25
		1	109	14.23	13.87	17.06	14.45	13.93	17.21	14.33	13.92	17.14
		1	215	14.27	13.77	17.04	14.47	13.96	17.23	14.31	13.97	17.15
		108	0	13.30	12.93	16.13	13.30	12.98	16.15	13.35	12.86	16.12
		108	55	14.24	13.77	17.02	14.39	13.91	17.17	14.25	13.86	17.07
		108	109	13.26	12.78	16.04	13.38	12.98	16.19	13.36	12.91	16.15
70M	CP QPSK	Channel		639000			641666			643332		
		Frequency (MHz)		3585			3624.99			3664.98		
		1	1	14.38	13.90	17.16	14.49	14.06	17.29	14.41	14.05	17.24
		1	95	14.26	13.88	17.08	14.39	13.98	17.20	14.27	13.91	17.10
		1	187	14.28	13.76	17.04	14.43	13.91	17.19	14.28	13.96	17.13
		90	0	13.23	12.91	16.08	13.34	13.02	16.19	13.31	12.93	16.13
		90	50	14.29	13.72	17.02	14.45	13.87	17.18	14.33	13.88	17.12
		90	99	13.27	12.83	16.07	13.39	12.97	16.20	13.35	12.87	16.13
60M	CP QPSK	Channel		638668			641666			644666		
		Frequency (MHz)		3580.02			3624.99			3669.99		
		1	1	14.36	13.94	17.17	14.54	14.01	17.29	14.38	14.04	17.22
		1	81	14.24	13.81	17.04	14.46	13.99	17.24	14.32	13.84	17.10
		1	160	14.23	13.84	17.05	14.43	13.98	17.22	14.27	13.94	17.12
		81	0	13.23	12.93	16.09	13.34	13.01	16.19	13.26	12.92	16.10
		81	41	14.27	13.82	17.06	14.39	13.87	17.15	14.26	13.92	17.10
		81	81	13.17	12.88	16.04	13.34	12.90	16.14	13.36	12.91	16.15
50M	CP QPSK	Channel		638334			641666			645000		
		Frequency (MHz)		3575.01			3624.99			3675		
		1	1	14.33	13.92	17.14	14.55	14.06	17.32	14.41	13.98	17.21
		1	67	14.20	13.81	17.02	14.41	13.94	17.19	14.27	13.92	17.11
		1	131	14.20	13.78	17.01	14.45	13.93	17.21	14.33	13.91	17.14
		64	0	13.25	12.88	16.08	13.32	13.03	16.19	13.31	12.95	16.14
		64	35	14.22	13.82	17.03	14.37	13.87	17.14	14.33	13.92	17.14
		64	69	13.19	12.84	16.03	13.35	12.94	16.16	13.29	12.88	16.10
		128	0	13.29	12.85	16.09	13.47	12.97	16.24	13.40	12.93	16.18

NR Conducted Power (Reduction)												
NR Band 77 For 3550~3700MHz												
BW	MCS Index	Channel		638000			641666			645332		
		Frequency (MHz)		3570			3624.99			3679.98		
40M	CP QPSK	1	1	14.39	14.00	17.21	14.54	14.06	17.32	14.45	14.06	17.27
		1	53	14.20	13.82	17.02	14.48	13.94	17.23	14.27	13.85	17.08
		1	104	14.26	13.84	17.07	14.42	13.91	17.18	14.32	13.98	17.16
		50	0	13.26	12.85	16.07	13.36	13.00	16.19	13.33	12.90	16.13
		50	28	14.29	13.81	17.07	14.38	13.83	17.12	14.29	13.89	17.10
		50	56	13.24	12.83	16.05	13.30	12.94	16.13	13.31	12.84	16.09
		100	0	13.35	12.86	16.12	13.39	12.97	16.20	13.36	13.01	16.20
BW	MCS Index	Channel		637668			641666			645666		
		Frequency (MHz)		3565.02			3624.99			3684.99		
30M	CP QPSK	1	1	14.43	13.98	17.22	14.54	14.04	17.31	14.44	14.02	17.25
		1	39	14.18	13.81	17.01	14.39	13.99	17.20	14.31	13.88	17.11
		1	76	14.18	13.78	16.99	14.47	13.88	17.20	14.32	13.94	17.14
		36	0	13.28	12.94	16.12	13.37	13.01	16.20	13.33	12.90	16.13
		36	21	14.25	13.81	17.05	14.43	13.88	17.17	14.32	13.87	17.11
		36	42	13.24	12.87	16.07	13.35	12.96	16.17	13.33	12.90	16.13
		75	0	13.34	12.89	16.13	13.41	12.99	16.22	13.42	12.94	16.20
BW	MCS Index	Channel		639168			641666			645832		
		Frequency (MHz)		3587.52			3624.99			3687.48		
25M	CP QPSK	1	1	14.41	13.99	17.22	14.52	14.08	17.32	14.37	14.04	17.22
		1	33	14.22	13.80	17.03	14.45	13.96	17.22	14.34	13.91	17.14
		1	63	14.25	13.85	17.06	14.37	13.9	17.15	14.34	13.99	17.18
		32	0	13.28	12.90	16.10	13.29	12.96	16.14	13.31	12.88	16.11
		32	17	14.22	13.72	16.99	14.38	13.85	17.13	14.3	13.85	17.09
		32	33	13.19	12.87	16.04	13.31	12.93	16.13	13.34	12.89	16.13
		64	0	13.36	12.90	16.15	13.46	12.99	16.24	13.34	12.91	16.14
BW	MCS Index	Channel		639000			641666			644332		
		Frequency (MHz)		3585			3624.99			3664.98		
20M	CP QPSK	1	1	14.38	13.90	17.16	14.47	13.99	17.25	14.38	14.07	17.24
		1	26	14.27	13.81	17.06	14.39	13.96	17.19	14.29	13.91	17.11
		1	49	14.26	13.81	17.05	14.41	13.91	17.18	14.34	14.00	17.18
		25	0	13.21	12.94	16.09	13.36	12.97	16.18	13.29	12.95	16.13
		25	13	14.31	13.76	17.05	14.43	13.88	17.17	14.27	13.85	17.08
		25	26	13.27	12.87	16.08	13.30	12.91	16.12	13.33	12.85	16.11
		50	0	13.36	12.87	16.13	13.46	12.96	16.23	13.32	12.92	16.13
BW	MCS Index	Channel		638834			641666			644500		
		Frequency (MHz)		3582.51			3624.99			3667.5		
15M	CP QPSK	1	1	14.38	13.98	17.19	14.50	14.06	17.30	14.43	14.03	17.24
		1	19	14.26	13.80	17.05	14.49	13.99	17.26	14.29	13.85	17.09
		1	36	14.20	13.84	17.03	14.46	13.90	17.20	14.32	13.95	17.15
		18	0	13.25	12.84	16.06	13.38	13.01	16.21	13.31	12.94	16.14
		18	10	14.25	13.73	17.01	14.41	13.87	17.16	14.29	13.91	17.11
		18	20	13.17	12.81	16.00	13.32	12.94	16.14	13.33	12.88	16.12
		36	0	13.32	12.91	16.13	13.41	13.01	16.22	13.37	12.94	16.17
BW	MCS Index	Channel		638334			641666			645000		
		Frequency (MHz)		3575.01			3624.99			3675		
10M	CP QPSK	1	1	14.33	13.91	17.14	14.50	14.05	17.29	14.40	13.97	17.20
		1	11	14.22	13.88	17.06	14.43	13.93	17.20	14.32	13.91	17.13
		1	22	14.25	13.84	17.06	14.40	13.97	17.20	14.29	13.95	17.13
		12	0	13.23	12.89	16.07	13.32	12.97	16.16	13.34	12.96	16.16
		12	6	14.23	13.73	17.00	14.42	13.85	17.15	14.26	13.83	17.06
		12	12	13.20	12.85	16.04	13.37	12.92	16.16	13.30	12.82	16.08
		24	0	13.38	12.86	16.14	13.42	13.01	16.23	13.39	12.99	16.20

NR Conducted Power (Reduction)																			
NR Band 77 For 3700~3980MHz																			
BW	MCS Index	RB Size	RB Offset	Low			Mid			Mid			Mid			High			3GPP MPR (dB)
		Channel		650000			653000			656000			659000			662000			
		Frequency (MHz)		3750			3795			3840			3885			3930			
100M	CP QPSK	TX Chain		MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	
		1	1	14.71	13.91	17.34	14.65	13.86	17.28	14.61	13.81	17.24	14.58	13.90	17.26	14.64	13.82	17.26	0
		1	137	14.63	13.77	17.23	14.53	13.80	17.19	14.49	13.67	17.11	14.52	13.82	17.19	14.58	13.75	17.20	0
		1	271	14.62	13.77	17.23	14.58	13.78	17.21	14.47	13.72	17.12	14.44	13.76	17.12	14.58	13.68	17.16	0
		135	0	13.60	12.83	16.24	13.53	12.70	16.15	13.54	12.75	16.17	13.45	12.75	16.12	13.47	12.73	16.13	1
		135	69	14.63	13.80	17.25	14.57	13.70	17.17	14.48	13.73	17.13	14.44	13.83	17.16	14.55	13.75	17.18	0
		135	138	13.60	12.80	16.23	13.56	12.71	16.17	13.43	12.64	16.06	13.45	12.82	16.16	13.49	12.66	16.11	1
		270	0	13.68	12.84	16.29	13.60	12.79	16.22	13.53	12.77	16.18	13.51	12.86	16.21	13.60	12.76	16.21	1
BW	MCS Index	Channel		649668			652834			656000			659166			662332			3GPP MPR
		Frequency (MHz)		3745.02			3792.51			3840			3887.49			3934.98			
90M	CP QPSK	1	1	14.67	13.81	17.27	14.57	13.76	17.19	14.53	13.81	17.20	14.54	13.89	17.24	14.63	13.78	17.24	0
		1	123	14.53	13.71	17.15	14.50	13.74	17.15	14.48	13.65	17.10	14.47	13.74	17.13	14.51	13.74	17.15	0
		1	243	14.60	13.73	17.20	14.56	13.71	17.17	14.40	13.68	17.07	14.34	13.75	17.07	14.55	13.66	17.14	0
		120	0	13.59	12.74	16.20	13.52	12.69	16.14	13.53	12.68	16.14	13.43	12.71	16.10	13.46	12.65	16.08	1
		120	63	14.63	13.73	17.21	14.47	13.67	17.10	14.42	13.66	17.07	14.41	13.79	17.12	14.52	13.65	17.12	0
		120	125	13.55	12.75	16.18	13.56	12.67	16.15	13.43	12.57	16.03	13.38	12.75	16.09	13.44	12.61	16.06	1
		243	0	13.68	12.79	16.27	13.59	12.72	16.19	13.45	12.69	16.10	13.51	12.82	16.19	13.52	12.76	16.17	1
BW	MCS Index	Channel		649334			652666			656000			659334			662666			3GPP MPR
		Frequency (MHz)		3740.01			3789.99			3840			3890.01			3939.99			
80M	CP QPSK	1	1	14.62	13.87	17.27	14.58	13.86	17.25	14.56	13.71	17.17	14.52	13.87	17.22	14.61	13.80	17.23	0
		1	109	14.61	13.69	17.18	14.53	13.77	17.18	14.42	13.67	17.07	14.47	13.73	17.13	14.58	13.75	17.20	0
		1	215	14.59	13.72	17.19	14.51	13.70	17.13	14.39	13.64	17.04	14.41	13.74	17.10	14.54	13.60	17.11	0
		108	0	13.52	12.76	16.17	13.47	12.65	16.09	13.53	12.66	16.13	13.45	12.73	16.12	13.42	12.63	16.05	1
		108	55	14.54	13.72	17.16	14.48	13.62	17.08	14.44	13.64	17.07	14.41	13.76	17.11	14.45	13.66	17.08	0
		108	109	13.55	12.80	16.20	13.54	12.67	16.14	13.42	12.63	16.05	13.45	12.80	16.15	13.49	12.61	16.08	1
		216	0	13.60	12.82	16.24	13.60	12.74	16.20	13.53	12.68	16.14	13.43	12.85	16.16	13.60	12.67	16.17	1
BW	MCS Index	Channel		649000			652500			656000			659500			663000			3GPP MPR
		Frequency (MHz)		3735			3787.5			3840			3892.5			3945			
70M	CP QPSK	1	1	14.69	13.83	17.29	14.58	13.81	17.22	14.60	13.72	17.19	14.54	13.81	17.20	14.64	13.82	17.26	0
		1	95	14.59	13.71	17.18	14.49	13.74	17.14	14.44	13.58	17.04	14.46	13.75	17.13	14.50	13.73	17.14	0
		1	187	14.57	13.73	17.18	14.48	13.69	17.11	14.45	13.64	17.07	14.36	13.74	17.07	14.54	13.65	17.13	0
		90	0	13.54	12.75	16.17	13.44	12.62	16.06	13.50	12.65	16.11	13.42	12.67	16.07	13.43	12.72	16.10	1
		90	50	14.56	13.80	17.21	14.50	13.70	17.13	14.42	13.63	17.05	14.34	13.73	17.06	14.46	13.69	17.10	0
		90	99	13.54	12.77	16.18	13.48	12.69	16.11	13.33	12.61	16.00	13.37	12.75	16.08	13.49	12.62	16.09	1
BW	MCS Index	180	0	13.64	12.75	16.23	13.58	12.69	16.17	13.50	12.71	16.13	13.51	12.76	16.16	13.58	12.75	16.20	1
		Channel		648668			652334			656000			659666			663332			3GPP MPR
Frequency (MHz)		3730.02			3785.01			3840			3894.99			3949.98					
60M	CP QPSK	1	1	14.68	13.83	17.29	14.59	13.80	17.22	14.57	13.75	17.19	14.56	13.84	17.23	14.56	13.77	17.19	0
		1	81	14.58	13.76	17.20	14.53	13.71	17.15	14.48	13.63	17.09	14.44	13.78	17.13	14.54	13.69	17.15	0
		1	160	14.61	13.70	17.19	14.49	13.72	17.13	14.45	13.69	17.10	14.38	13.71	17.07	14.56	13.65	17.14	0
		81	0	13.52	12.73	16.15	13.53	12.67	16.13	13.44	12.73	16.11	13.42	12.74	16.10	13.44	12.68	16.09	1
		81	41	14.62	13.76	17.22	14.56	13.69	17.16	14.47	13.73	17.13	14.40	13.77	17.11	14.51	13.74	17.15	0
		81	81	13.60	12.75	16.21	13.55	12.61	16.12	13.42	12.63	16.05	13.36	12.76	16.08	13.47	12.64	16.09	1
		162	0	13.68	12.79	16.27	13.57	12.69	16.16	13.53	12.67	16.13	13.46	12.82	16.16	13.58	12.68	16.16	1
BW	MCS Index	Channel		648334			652166			656000			659834			663666			3GPP MPR
		Frequency (MHz)		3725.01			3782.49			3840			3897.51			3954.99			
50M	CP QPSK	1	1	14.70	13.84	17.30	14.57	13.81	17.22	14.51	13.77	17.17	14.52	13.81	17.19	14.63	13.74	17.22	0
		1	67	14.55	13.77	17.19	14.52	13.77	17.17	14.42	13.61	17.04	14.48	13.79	17.16	14.53	13.73	17.16	0
		1	131	14.55	13.73	17.17	14.49	13.76	17.15	14.45	13.71	17.11	14.44	13.74	17.11	14.52	13.67	17.13	0
		64	0	13.54	12.79	16.19	13.51	12.68	16.13	13.45	12.74	16.12	13.42	12.71	16.09	13.44	12.64	16.07	1
		64	35	14.59	13.74	17.20	14.56	13.65	17.14	14.39	13.63	17.04	14.36	13.78	17.09	14.51	13.71	17.14	0
		64	69	13.56	12.79	16.20	13.46	12.67	16.09	13.38	12.62	16.03	13.37	12.72	16.07	13.45	12.66	16.08	1
		128	0	13.59	12.75	16.20	13.55	12.74	16.17	13.49	12.70	16.12	13.48	12.84	16.18	13.57	12.68	16.16	1

NR Conducted Power (Reduction)																		
NR Band 77 For 3700~3980MHz																		
BW	MCS Index	Channel		648000			652000			656000			660000			664000		
		Frequency (MHz)		3720			3780			3840			3900			3960		
40M	CP QPSK	1	1	14.65	13.89	17.30	14.60	13.86	17.26	14.57	13.71	17.17	14.52	13.81	17.19	14.57	13.73	17.18
		1	53	14.59	13.71	17.18	14.53	13.74	17.16	14.49	13.57	17.06	14.42	13.79	17.13	14.58	13.74	17.19
		1	104	14.59	13.73	17.19	14.57	13.72	17.18	14.45	13.69	17.10	14.41	13.76	17.11	14.54	13.64	17.12
		50	0	13.51	12.73	16.15	13.50	12.64	16.10	13.52	12.74	16.16	13.45	12.71	16.11	13.39	12.66	16.05
		50	28	14.53	13.70	17.15	14.53	13.70	17.15	14.43	13.73	17.10	14.38	13.80	17.11	14.48	13.75	17.14
		50	56	13.56	12.78	16.20	13.50	12.63	16.10	13.41	12.58	16.03	13.42	12.76	16.11	13.47	12.59	16.06
		100	0	13.66	12.76	16.24	13.54	12.79	16.19	13.53	12.68	16.14	13.48	12.82	16.17	13.55	12.70	16.16
30M	CP QPSK	Channel		647668			651834			656000			660166			664332		
		Frequency (MHz)		3715.02			3777.51			3840			3902.49			3964.98		
		1	1	14.71	13.85	17.31	14.57	13.80	17.21	14.59	13.71	17.18	14.50	13.86	17.20	14.57	13.78	17.20
		1	39	14.59	13.71	17.18	14.48	13.71	17.12	14.40	13.67	17.06	14.48	13.79	17.16	14.58	13.74	17.19
		1	76	14.52	13.75	17.16	14.52	13.78	17.18	14.45	13.71	17.11	14.42	13.71	17.09	14.58	13.60	17.13
		36	0	13.59	12.77	16.21	13.48	12.67	16.10	13.52	12.73	16.15	13.43	12.70	16.09	13.42	12.71	16.09
		36	21	14.54	13.73	17.16	14.57	13.63	17.14	14.47	13.72	17.12	14.36	13.75	17.08	14.46	13.73	17.12
		36	42	13.55	12.71	16.16	13.53	12.63	16.11	13.43	12.57	16.03	13.43	12.80	16.14	13.42	12.62	16.05
25M	CP QPSK	75	0	13.59	12.78	16.21	13.52	12.78	16.18	13.45	12.69	16.10	13.41	12.76	16.11	13.57	12.75	16.19
		Channel		647500			651750			656000			660250			664500		
		Frequency (MHz)		3712.5			3776.25			3840			3903.75			3967.5		
		1	1	14.71	13.88	17.33	14.61	13.82	17.24	14.54	13.75	17.17	14.55	13.83	17.22	14.58	13.77	17.20
		1	33	14.59	13.67	17.16	14.47	13.74	17.13	14.45	13.58	17.05	14.44	13.81	17.15	14.52	13.66	17.12
		1	63	14.62	13.67	17.18	14.55	13.75	17.18	14.43	13.66	17.07	14.43	13.73	17.10	14.56	13.64	17.13
		32	0	13.51	12.76	16.16	13.49	12.62	16.09	13.48	12.74	16.14	13.41	12.71	16.08	13.40	12.68	16.07
20M	CP QPSK	32	17	14.63	13.72	17.21	14.49	13.69	17.12	14.43	13.63	17.06	14.35	13.77	17.08	14.49	13.72	17.13
		32	33	13.58	12.77	16.20	13.54	12.67	16.14	13.38	12.54	15.99	13.36	12.76	16.08	13.42	12.57	16.03
		64	0	13.60	12.74	16.20	13.55	12.7	16.16	13.45	12.68	16.09	13.45	12.81	16.15	13.54	12.76	16.18
		Channel		647334			651666			656000			660266			664666		
		Frequency (MHz)		3710.01			3774.99			3840			3903.99			3969.99		
		1	1	14.64	13.86	17.28	14.55	13.78	17.19	14.59	13.74	17.20	14.48	13.86	17.19	14.62	13.76	17.22
		1	26	14.60	13.70	17.18	14.44	13.79	17.14	14.47	13.63	17.08	14.51	13.78	17.17	14.55	13.72	17.17
15M	CP QPSK	1	49	14.59	13.68	17.17	14.49	13.76	17.15	14.47	13.64	17.09	14.35	13.70	17.05	14.51	13.65	17.11
		25	0	13.57	12.77	16.20	13.48	12.66	16.10	13.46	12.67	16.09	13.38	12.66	16.05	13.37	12.71	16.06
		25	13	14.53	13.75	17.17	14.49	13.63	17.09	14.44	13.72	17.11	14.37	13.78	17.10	14.47	13.66	17.09
		25	26	13.54	12.80	16.20	13.50	12.71	16.13	13.33	12.56	15.97	13.37	12.75	16.08	13.44	12.60	16.05
		50	0	13.59	12.76	16.21	13.52	12.79	16.18	13.44	12.75	16.12	13.45	12.84	16.17	13.53	12.67	16.13
		Channel		647168			651584			656000			660416			664832		
		Frequency (MHz)		3707.52			3773.76			3840			3906.24			3972.48		
10M	CP QPSK	1	1	14.67	13.87	17.30	14.58	13.78	17.21	14.61	13.78	17.23	14.49	13.90	17.22	14.61	13.79	17.23
		1	19	14.63	13.71	17.20	14.49	13.70	17.12	14.45	13.57	17.04	14.42	13.80	17.13	14.53	13.67	17.13
		1	36	14.53	13.77	17.18	14.56	13.73	17.18	14.45	13.71	17.11	14.35	13.67	17.03	14.56	13.58	17.11
		18	0	13.52	12.80	16.19	13.46	12.67	16.09	13.51	12.75	16.16	13.40	12.71	16.08	13.47	12.73	16.13
		18	10	14.57	13.76	17.19	14.53	13.66	17.13	14.48	13.66	17.10	14.38	13.73	17.08	14.53	13.70	17.15
		18	20	13.58	12.72	16.18	13.55	12.67	16.14	13.42	12.62	16.05	13.41	12.79	16.12	13.45	12.62	16.07
		36	0	13.61	12.77	16.22	13.59	12.78	16.21	13.47	12.74	16.13	13.42	12.81	16.14	13.51	12.69	16.13
10M	CP QPSK	Channel		647000			651500			656000			660500			665000		
		Frequency (MHz)		3705			3772.5			3840			3907.5			3975		
		1	1	14.62	13.88	17.28	14.61	13.79	17.23	14.54	13.81	17.20	14.48	13.81	17.17	14.55	13.74	17.17
		1	11	14.57	13.73	17.18	14.51	13.79	17.18	14.47	13.64	17.09	14.46	13.72	17.12	14.48	13.69	17.11
		1	22	14.57	13.76	17.19	14.56	13.70	17.16	14.41	13.62	17.04	14.41	13.72	17.09	14.52	13.68	17.13
		12	0	13.58	12.82	16.23	13.50	12.68	16.12	13.44	12.66	16.08	13.44	12.74	16.11	13.39	12.71	16.07
		12	6	14.62	13.79	17.24	14.49	13.62	17.09	14.41	13.67	17.07	14.42	13.79	17.13	14.53	13.69	17.14
		12	12	13.56	12.80	16.21	13.54	12.71	16.16	13.39	12.64	16.04	13.44	12.75	16.12	13.40	12.60	16.03
		24	0	13.67	12.82	16.28	13.53	12.79	16.19	13.45	12.71	16.11	13.47	12.78	16.15	13.55	12.73	16.17

NR Conducted Power (Reduction)												
NR Band 78 For 3450~3550MHz												
BW	MCS Index	RB Size	RB Offset	Low			Mid			High		
		Channel					633334					
		Frequency (MHz)					3500.01					
100M	CP QPSK	TX Chain		MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
		1	1			-	14.85	14.83	17.85			-
		1	137			-	14.76	14.71	17.75			-
		1	271			-	14.79	14.76	17.79			-
		135	0			-	13.72	13.72	16.73			-
		135	69			-	14.71	14.65	17.69			-
		135	138			-	13.72	13.67	16.71			-
		270	0			-	13.78	13.78	16.79			-
90M	CP QPSK	Channel		633000			633334			633666		
		Frequency (MHz)		3495			3500.01			3504.99		
		1	1	14.79	14.73	17.77	14.79	14.79	17.80	14.77	14.75	17.77
		1	123	14.66	14.68	17.68	14.67	14.68	17.69	14.66	14.70	17.69
		1	243	14.79	14.75	17.78	14.78	14.67	17.74	14.71	14.76	17.75
		120	0	13.71	13.68	16.71	13.72	13.67	16.71	13.67	13.70	16.70
		120	63	14.66	14.55	17.62	14.67	14.65	17.67	14.67	14.60	17.65
		120	125	13.63	13.67	16.66	13.63	13.59	16.62	13.72	13.58	16.66
80M	CP QPSK	Channel		632668			633334			634000		
		Frequency (MHz)		3490.02			3500.01			3510		
		1	1	14.69	14.72	17.72	14.84	14.78	17.82	14.70	14.66	17.69
		1	109	14.66	14.66	17.67	14.66	14.66	17.67	14.66	14.65	17.67
		1	215	14.75	14.75	17.76	14.72	14.67	17.71	14.63	14.74	17.70
		108	0	13.62	13.62	16.63	13.72	13.69	16.72	13.61	13.67	16.65
		108	55	14.61	14.51	17.57	14.70	14.61	17.67	14.67	14.59	17.64
		108	109	13.58	13.67	16.64	13.62	13.62	16.63	13.71	13.53	16.63
70M	CP QPSK	Channel		632334			633334			634332		
		Frequency (MHz)		3485.01			3500.01			3514.98		
		1	1	14.74	14.73	17.75	14.83	14.75	17.80	14.67	14.67	17.68
		1	95	14.66	14.64	17.66	14.73	14.66	17.71	14.60	14.61	17.62
		1	187	14.73	14.65	17.70	14.71	14.75	17.74	14.68	14.76	17.73
		90	0	13.67	13.58	16.64	13.64	13.68	16.67	13.57	13.69	16.64
		90	50	14.60	14.47	17.55	14.63	14.59	17.62	14.64	14.60	17.63
		90	99	13.57	13.67	16.63	13.70	13.57	16.65	13.71	13.58	16.66
60M	CP QPSK	Channel		632000			633334			634666		
		Frequency (MHz)		3480			3500.01			3519.99		
		1	1	14.73	14.67	17.71	14.83	14.73	17.79	14.67	14.72	17.71
		1	81	14.63	14.62	17.64	14.70	14.66	17.69	14.61	14.70	17.67
		1	160	14.74	14.68	17.72	14.71	14.69	17.71	14.70	14.68	17.70
		81	0	13.63	13.62	16.64	13.67	13.72	16.71	13.61	13.60	16.62
		81	41	14.65	14.47	17.57	14.65	14.57	17.62	14.62	14.53	17.59
		81	81	13.60	13.60	16.61	13.63	13.65	16.65	13.68	13.48	16.59
50M	CP QPSK	Channel		631668			633334			635000		
		Frequency (MHz)		3475.02			3500.01			3525		
		1	1	14.73	14.70	17.73	14.77	14.74	17.77	14.69	14.71	17.71
		1	67	14.66	14.67	17.68	14.67	14.69	17.69	14.62	14.65	17.65
		1	131	14.74	14.75	17.76	14.69	14.75	17.73	14.70	14.69	17.71
		64	0	13.68	13.68	16.69	13.66	13.62	16.65	13.57	13.64	16.62
		64	35	14.60	14.50	17.56	14.66	14.62	17.65	14.60	14.53	17.58
		64	69	13.61	13.63	16.63	13.71	13.62	16.68	13.62	13.49	16.57
		Channel		631668			633334			635000		
		Frequency (MHz)		3475.02			3500.01			3525		
		128	0	13.65	13.73	16.70	13.72	13.75	16.75	13.72	13.76	16.75

NR Conducted Power (Reduction)												
NR Band 78 For 3450~3550MHz												
BW	MCS Index	Channel		631334			633334			635332		
		Frequency (MHz)		3470.01			3500.01			3529.98		
40M	CP QPSK	1	1	14.71	14.68	17.71	14.76	14.78	17.78	14.71	14.75	17.74
		1	53	14.63	14.60	17.63	14.70	14.62	17.67	14.58	14.62	17.61
		1	104	14.72	14.72	17.73	14.75	14.74	17.76	14.71	14.72	17.73
		50	0	13.69	13.65	16.68	13.67	13.72	16.71	13.59	13.60	16.61
		50	28	14.62	14.55	17.60	14.70	14.57	17.65	14.65	14.55	17.61
		50	56	13.55	13.60	16.59	13.64	13.66	16.66	13.64	13.55	16.61
		100	0	13.60	13.73	16.68	13.77	13.69	16.74	13.68	13.77	16.74
BW	MCS Index	Channel		631000			633334			635666		
		Frequency (MHz)		3465			3500.01			3534.99		
30M	CP QPSK	1	1	14.71	14.73	17.73	14.85	14.79	17.83	14.68	14.75	17.73
		1	39	14.61	14.64	17.64	14.70	14.69	17.71	14.65	14.62	17.65
		1	76	14.70	14.71	17.72	14.71	14.75	17.74	14.67	14.71	17.70
		36	0	13.65	13.68	16.68	13.66	13.70	16.69	13.67	13.61	16.65
		36	21	14.63	14.54	17.60	14.64	14.63	17.65	14.64	14.52	17.59
		36	42	13.53	13.58	16.57	13.63	13.58	16.62	13.70	13.58	16.65
		75	0	13.69	13.75	16.73	13.72	13.71	16.73	13.75	13.77	16.77
BW	MCS Index	Channel		630834			633334			635832		
		Frequency (MHz)		3462.51			3500.01			3537.48		
25M	CP QPSK	1	1	14.70	14.66	17.69	14.81	14.74	17.79	14.69	14.75	17.73
		1	33	14.58	14.67	17.64	14.68	14.64	17.67	14.56	14.61	17.60
		1	63	14.71	14.73	17.73	14.69	14.67	17.69	14.65	14.72	17.70
		32	0	13.61	13.59	16.61	13.70	13.7	16.71	13.6	13.62	16.62
		32	17	14.58	14.48	17.54	14.69	14.63	17.67	14.62	14.6	17.62
		32	33	13.62	13.59	16.62	13.62	13.63	16.64	13.7	13.55	16.64
		64	0	13.66	13.67	16.68	13.77	13.71	16.75	13.77	13.76	16.78
BW	MCS Index	Channel		630668			633334			636000		
		Frequency (MHz)		3460.02			3500.01			3540		
20M	CP QPSK	1	1	14.79	14.72	17.77	14.75	14.83	17.80	14.69	14.67	17.69
		1	26	14.60	14.68	17.65	14.69	14.71	17.71	14.57	14.60	17.60
		1	49	14.73	14.65	17.70	14.73	14.66	17.71	14.68	14.72	17.71
		25	0	13.61	13.63	16.63	13.65	13.67	16.67	13.63	13.63	16.64
		25	13	14.64	14.49	17.58	14.68	14.61	17.66	14.64	14.59	17.63
		25	26	13.58	13.57	16.59	13.70	13.58	16.65	13.69	13.55	16.63
		50	0	13.60	13.75	16.69	13.75	13.75	16.76	13.74	13.76	16.76
BW	MCS Index	Channel		630500			633334			636166		
		Frequency (MHz)		3457.5			3500.01			3542.49		
15M	CP QPSK	1	1	14.71	14.73	17.73	14.76	14.73	17.76	14.75	14.72	17.75
		1	19	14.57	14.68	17.64	14.76	14.62	17.70	14.57	14.62	17.61
		1	36	14.75	14.71	17.74	14.71	14.69	17.71	14.68	14.73	17.72
		18	0	13.62	13.67	16.66	13.69	13.67	16.69	13.64	13.68	16.67
		18	10	14.64	14.52	17.59	14.68	14.55	17.63	14.63	14.52	17.59
		18	20	13.56	13.62	16.60	13.66	13.65	16.67	13.71	13.49	16.61
		36	0	13.69	13.75	16.73	13.75	13.70	16.74	13.77	13.74	16.77
BW	MCS Index	Channel		630334			633334			636332		
		Frequency (MHz)		3455.01			3500.01			3544.98		
10M	CP QPSK	1	1	14.70	14.67	17.70	14.83	14.76	17.81	14.77	14.66	17.73
		1	11	14.57	14.60	17.60	14.76	14.65	17.72	14.65	14.61	17.64
		1	22	14.74	14.73	17.75	14.73	14.76	17.76	14.68	14.76	17.73
		12	0	13.67	13.65	16.67	13.64	13.71	16.69	13.60	13.65	16.64
		12	6	14.60	14.52	17.57	14.65	14.58	17.63	14.66	14.56	17.62
		12	12	13.61	13.58	16.61	13.66	13.58	16.63	13.65	13.52	16.60
		24	0	13.66	13.75	16.72	13.71	13.78	16.76	13.78	13.75	16.78

NR Conducted Power (Reduction)												
NR Band 78 For 3550~3700MHz												
BW	MCS Index	RB Size	RB Offset	Low			Mid			High		
		Channel		640000			641666			643332		
		Frequency (MHz)		3600			3624.99			3649.98		
100M	CP QPSK	TX Chain		MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
		1	1	14.99	14.89	17.95	14.95	14.81	17.89	14.91	14.79	17.86
		1	137	14.92	14.82	17.88	14.81	14.67	17.75	14.76	14.73	17.76
		1	271	14.91	14.81	17.87	14.81	14.69	17.76	14.79	14.72	17.77
		135	0	13.83	13.73	16.79	13.83	13.71	16.78	13.85	13.67	16.77
		135	69	14.86	14.81	17.85	14.86	14.64	17.76	14.73	14.63	17.69
		135	138	13.82	13.80	16.82	13.80	13.69	16.76	13.74	13.66	16.71
		270	0	13.94	13.83	16.90	13.89	13.75	16.83	13.86	13.71	16.80
90M	CP QPSK	Channel		639668			641666			643666		
		Frequency (MHz)		3595.02			3624.99			3654.99		
		1	1	14.78	14.64	17.72	14.66	14.61	17.65	14.61	14.52	17.58
		1	123	14.65	14.52	17.60	14.59	14.39	17.50	14.48	14.50	17.50
		1	243	14.68	14.55	17.63	14.53	14.40	17.48	14.56	14.48	17.53
		120	0	13.53	13.44	16.50	13.60	13.41	16.52	13.58	13.44	16.52
		120	63	14.62	14.53	17.59	14.61	14.42	17.53	14.47	14.37	17.43
		120	125	13.54	13.53	16.55	13.55	13.45	16.51	13.54	13.45	16.51
80M	CP QPSK	Channel		639334			641666			644000		
		Frequency (MHz)		3590.01			3624.99			3660		
		1	1	14.75	14.63	17.70	14.67	14.54	17.62	14.66	14.55	17.62
		1	109	14.62	14.54	17.59	14.58	14.37	17.49	14.53	14.51	17.53
		1	215	14.66	14.59	17.64	14.61	14.45	17.54	14.49	14.52	17.52
		108	0	13.53	13.44	16.50	13.57	13.44	16.52	13.57	13.46	16.53
		108	55	14.60	14.60	17.61	14.60	14.44	17.53	14.46	14.36	17.42
		108	109	13.62	13.58	16.61	13.58	13.49	16.55	13.47	13.38	16.44
70M	CP QPSK	Channel		639000			641666			643332		
		Frequency (MHz)		3585			3624.99			3664.98		
		1	1	14.73	14.62	17.69	14.75	14.53	17.65	14.71	14.58	17.66
		1	95	14.65	14.61	17.64	14.58	14.44	17.52	14.46	14.49	17.49
		1	187	14.71	14.61	17.67	14.55	14.43	17.50	14.53	14.42	17.49
		90	0	13.62	13.51	16.58	13.54	13.49	16.53	13.58	13.42	16.51
		90	50	14.58	14.56	17.58	14.64	14.39	17.53	14.51	14.40	17.47
		90	99	13.61	13.54	16.59	13.51	13.49	16.51	13.45	13.46	16.47
60M	CP QPSK	Channel		638668			641666			644666		
		Frequency (MHz)		3580.02			3624.99			3669.99		
		1	1	14.78	14.69	17.75	14.68	14.51	17.61	14.64	14.53	17.60
		1	81	14.70	14.62	17.67	14.56	14.41	17.50	14.50	14.50	17.51
		1	160	14.64	14.51	17.59	14.57	14.46	17.53	14.54	14.49	17.53
		81	0	13.55	13.53	16.55	13.57	13.42	16.51	13.65	13.42	16.55
		81	41	14.63	14.60	17.63	14.65	14.44	17.56	14.50	14.37	17.45
		81	81	13.54	13.56	16.56	13.60	13.43	16.53	13.47	13.38	16.44
50M	CP QPSK	Channel		638334			641666			645000		
		Frequency (MHz)		3575.01			3624.99			3675		
		1	1	14.79	14.67	17.74	14.70	14.55	17.64	14.61	14.58	17.61
		1	67	14.70	14.61	17.67	14.61	14.46	17.55	14.53	14.45	17.50
		1	131	14.67	14.55	17.62	14.60	14.41	17.52	14.57	14.44	17.52
		64	0	13.63	13.50	16.58	13.62	13.48	16.56	13.56	13.43	16.51
		64	35	14.64	14.58	17.62	14.66	14.36	17.52	14.49	14.37	17.44
		64	69	13.54	13.55	16.56	13.56	13.49	16.54	13.48	13.40	16.45
		128	0	13.68	13.56	16.63	13.67	13.54	16.62	13.65	13.50	16.59

NR Conducted Power (Reduction)												
NR Band 78 For 3550~3700MHz												
BW	MCS Index	Channel		638000			641666			645332		
		Frequency (MHz)		3570			3624.99			3679.98		
40M	CP QPSK	1	1	14.70	14.64	17.68	14.70	14.57	17.65	14.68	14.54	17.62
		1	53	14.64	14.62	17.64	14.53	14.42	17.49	14.47	14.51	17.50
		1	104	14.61	14.58	17.61	14.57	14.42	17.51	14.57	14.43	17.51
		50	0	13.62	13.44	16.54	13.55	13.47	16.52	13.65	13.40	16.54
		50	28	14.63	14.54	17.60	14.61	14.42	17.53	14.44	14.40	17.43
		50	56	13.52	13.54	16.54	13.50	13.45	16.49	13.50	13.38	16.45
		100	0	13.74	13.62	16.69	13.62	13.48	16.56	13.65	13.51	16.59
30M	MCS Index	Channel		637668			641666			645666		
		Frequency (MHz)		3565.02			3624.99			3684.99		
30M	CP QPSK	1	1	14.75	14.64	17.71	14.69	14.56	17.64	14.63	14.53	17.59
		1	39	14.62	14.62	17.63	14.56	14.47	17.53	14.54	14.50	17.53
		1	76	14.63	14.54	17.60	14.56	14.39	17.49	14.53	14.46	17.51
		36	0	13.58	13.50	16.55	13.59	13.50	16.56	13.57	13.40	16.50
		36	21	14.59	14.58	17.60	14.61	14.44	17.54	14.52	14.39	17.47
		36	42	13.57	13.55	16.57	13.53	13.42	16.49	13.51	13.37	16.45
		75	0	13.74	13.56	16.66	13.65	13.45	16.56	13.59	13.50	16.56
25M	MCS Index	Channel		639168			641666			645832		
		Frequency (MHz)		3587.52			3624.99			3687.48		
25M	CP QPSK	1	1	14.77	14.65	17.72	14.66	14.57	17.63	14.69	14.51	17.61
		1	33	14.66	14.53	17.61	14.55	14.44	17.51	14.56	14.46	17.52
		1	63	14.66	14.51	17.60	14.54	14.47	17.52	14.58	14.42	17.51
		32	0	13.54	13.44	16.50	13.61	13.48	16.56	13.56	13.39	16.49
		32	17	14.56	14.51	17.55	14.64	14.39	17.53	14.47	14.42	17.46
		32	33	13.59	13.56	16.59	13.54	13.47	16.52	13.52	13.36	16.45
		64	0	13.69	13.60	16.66	13.69	13.46	16.59	13.57	13.5	16.55
20M	MCS Index	Channel		639000			641666			644332		
		Frequency (MHz)		3585			3624.99			3664.98		
20M	CP QPSK	1	1	14.79	14.66	17.74	14.69	14.61	17.66	14.69	14.55	17.63
		1	26	14.67	14.54	17.62	14.53	14.45	17.50	14.55	14.47	17.52
		1	49	14.61	14.52	17.58	14.54	14.39	17.48	14.56	14.42	17.50
		25	0	13.54	13.52	16.54	13.61	13.47	16.55	13.55	13.46	16.52
		25	13	14.56	14.51	17.55	14.61	14.41	17.52	14.49	14.40	17.46
		25	26	13.57	13.58	16.59	13.60	13.46	16.54	13.52	13.37	16.46
		50	0	13.64	13.58	16.62	13.68	13.45	16.58	13.61	13.46	16.55
15M	MCS Index	Channel		638834			641666			644500		
		Frequency (MHz)		3582.51			3624.99			3667.5		
15M	CP QPSK	1	1	14.78	14.65	17.73	14.72	14.52	17.63	14.68	14.53	17.62
		1	19	14.63	14.53	17.59	14.60	14.41	17.52	14.47	14.45	17.47
		1	36	14.67	14.56	17.63	14.57	14.49	17.54	14.52	14.43	17.49
		18	0	13.57	13.47	16.53	13.59	13.42	16.52	13.58	13.42	16.51
		18	10	14.64	14.54	17.60	14.57	14.39	17.49	14.53	14.33	17.44
		18	20	13.58	13.53	16.57	13.55	13.46	16.52	13.44	13.38	16.42
		36	0	13.73	13.57	16.66	13.64	13.48	16.57	13.63	13.50	16.58
10M	MCS Index	Channel		638334			641666			645000		
		Frequency (MHz)		3575.01			3624.99			3675		
10M	CP QPSK	1	1	14.77	14.68	17.74	14.67	14.57	17.63	14.68	14.54	17.62
		1	11	14.67	14.62	17.66	14.57	14.44	17.52	14.55	14.46	17.52
		1	22	14.64	14.61	17.64	14.59	14.41	17.51	14.53	14.50	17.53
		12	0	13.56	13.48	16.53	13.54	13.46	16.51	13.60	13.39	16.51
		12	6	14.63	14.52	17.59	14.57	14.40	17.50	14.51	14.37	17.45
		12	12	13.55	13.51	16.54	13.58	13.49	16.55	13.54	13.36	16.46
		24	0	13.64	13.57	16.62	13.67	13.54	16.62	13.63	13.46	16.56

NR Conducted Power (Reduction)												
NR Band 78 For 3700~3800MHz												
BW	MCS Index	RB Size	RB Offset	Low			Mid			High		
		Channel					650000					
		Frequency (MHz)					3750					
100M	CP QPSK	TX Chain		MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
		1	1			-	14.99	14.36	17.70			-
		1	137			-	14.85	14.21	17.55			-
		1	271			-	14.87	14.21	17.56			-
		135	0			-	13.93	13.25	16.61			-
		135	69			-	14.82	14.29	17.57			-
		135	138			-	13.82	13.20	16.53			-
		270	0			-	13.96	13.32	16.66			-
BW	MCS Index	Channel		649668			650000			650332		
		Frequency (MHz)		3745.02			3750			3754.98		
90M	CP QPSK	1	1	14.92	14.34	17.65	14.93	14.31	17.64	14.99	14.34	17.69
		1	123	14.77	14.18	17.50	14.81	14.21	17.53	14.78	14.13	17.48
		1	243	14.82	14.13	17.50	14.80	14.19	17.52	14.87	14.11	17.52
		120	0	13.91	13.20	16.58	13.85	13.23	16.56	13.89	13.25	16.59
		120	63	14.72	14.26	17.51	14.77	14.21	17.51	14.78	14.20	17.51
		120	125	13.79	13.20	16.52	13.79	13.14	16.49	13.75	13.14	16.47
		243	0	13.86	13.28	16.59	13.87	13.22	16.57	13.90	13.30	16.62
BW	MCS Index	Channel		649334			650000			650666		
		Frequency (MHz)		3740.01			3750			3759.99		
80M	CP QPSK	1	1	14.92	14.28	17.62	14.91	14.33	17.64	14.91	14.27	17.61
		1	109	14.72	14.13	17.45	14.79	14.16	17.50	14.72	14.04	17.40
		1	215	14.74	14.05	17.42	14.79	14.21	17.52	14.86	14.10	17.51
		108	0	13.85	13.19	16.54	13.88	13.21	16.57	13.82	13.15	16.51
		108	55	14.64	14.16	17.42	14.76	14.20	17.50	14.73	14.11	17.44
		108	109	13.74	13.11	16.45	13.76	13.18	16.49	13.67	13.12	16.41
		216	0	13.81	13.19	16.52	13.95	13.23	16.62	13.83	13.25	16.56
BW	MCS Index	Channel		649000			650000			651000		
		Frequency (MHz)		3735			3750			3765		
70M	CP QPSK	1	1	14.91	14.26	17.61	14.93	14.32	17.65	14.90	14.34	17.64
		1	95	14.67	14.13	17.42	14.81	14.21	17.53	14.74	14.04	17.41
		1	187	14.72	14.07	17.42	14.83	14.18	17.53	14.84	14.07	17.48
		90	0	13.91	13.10	16.53	13.85	13.25	16.57	13.87	13.24	16.58
		90	50	14.68	14.25	17.48	14.76	14.24	17.52	14.75	14.14	17.47
		90	99	13.78	13.12	16.47	13.76	13.16	16.48	13.71	13.13	16.44
		180	0	13.78	13.18	16.50	13.87	13.28	16.60	13.86	13.25	16.58
BW	MCS Index	Channel		648668			650000			651332		
		Frequency (MHz)		3730.02			3750			3769.98		
60M	CP QPSK	1	1	14.83	14.27	17.57	14.93	14.30	17.64	14.91	14.33	17.64
		1	81	14.75	14.17	17.48	14.77	14.13	17.47	14.73	14.06	17.42
		1	160	14.75	14.04	17.42	14.82	14.15	17.51	14.82	14.04	17.46
		81	0	13.90	13.16	16.56	13.92	13.24	16.60	13.83	13.21	16.54
		81	41	14.71	14.16	17.45	14.76	14.29	17.54	14.74	14.19	17.48
		81	81	13.71	13.10	16.43	13.73	13.10	16.44	13.68	13.06	16.39
		162	0	13.84	13.22	16.55	13.88	13.24	16.58	13.86	13.27	16.59
BW	MCS Index	Channel		648334			650000			651666		
		Frequency (MHz)		3725.01			3750			3774.99		
50M	CP QPSK	1	1	14.85	14.26	17.58	14.89	14.28	17.61	14.94	14.30	17.64
		1	67	14.76	14.18	17.49	14.83	14.11	17.50	14.74	14.11	17.45
		1	131	14.77	14.11	17.46	14.82	14.14	17.50	14.81	14.02	17.44
		64	0	13.89	13.10	16.52	13.91	13.19	16.58	13.82	13.20	16.53
		64	35	14.65	14.26	17.47	14.77	14.24	17.52	14.76	14.13	17.47
		64	69	13.77	13.20	16.50	13.78	13.10	16.46	13.71	13.10	16.43
		128	0	13.81	13.25	16.55	13.86	13.25	16.58	13.89	13.26	16.60

NR Conducted Power (Reduction)													
NR Band 78 For 3700~3800MHz													
BW	MCS Index	Channel		648000			650000			652000			3GPP MPR
		Frequency (MHz)		3720			3750			3780			
40M	CP QPSK	1	1	14.85	14.26	17.58	14.91	14.36	17.65	14.89	14.25	17.59	0
		1	53	14.70	14.10	17.42	14.84	14.16	17.52	14.77	14.09	17.45	0
		1	104	14.75	14.04	17.42	14.84	14.19	17.54	14.77	14.02	17.42	0
		50	0	13.84	13.10	16.50	13.92	13.16	16.57	13.87	13.24	16.58	1
		50	28	14.62	14.25	17.45	14.72	14.19	17.47	14.70	14.15	17.44	0
		50	56	13.70	13.15	16.44	13.76	13.11	16.46	13.70	13.14	16.44	1
		100	0	13.83	13.21	16.54	13.96	13.32	16.66	13.89	13.25	16.59	1
BW	MCS Index	Channel		647668			650000			652332			3GPP MPR
		Frequency (MHz)		3715.02			3750			3784.98			
30M	CP QPSK	1	1	14.87	14.27	17.59	14.93	14.30	17.64	14.97	14.28	17.65	0
		1	39	14.72	14.16	17.46	14.76	14.18	17.49	14.76	14.04	17.43	0
		1	76	14.78	14.12	17.47	14.87	14.19	17.55	14.80	14.02	17.44	0
		36	0	13.81	13.10	16.48	13.87	13.18	16.55	13.84	13.24	16.56	1
		36	21	14.62	14.18	17.42	14.72	14.24	17.50	14.75	14.13	17.46	0
		36	42	13.70	13.10	16.42	13.80	13.10	16.47	13.71	13.04	16.40	1
		75	0	13.82	13.26	16.56	13.96	13.26	16.63	13.87	13.22	16.57	1
BW	MCS Index	Channel		647500			650000			652500			3GPP MPR
		Frequency (MHz)		3712.5			3750			3787.5			
25M	CP QPSK	1	1	14.87	14.26	17.59	14.91	14.34	17.64	14.9	14.24	17.59	0
		1	33	14.67	14.13	17.42	14.83	14.18	17.53	14.74	14.03	17.41	0
		1	63	14.80	14.12	17.48	14.84	14.11	17.50	14.77	14.11	17.46	0
		32	0	13.89	13.18	16.56	13.88	13.25	16.59	13.89	13.22	16.58	1
		32	17	14.66	14.21	17.45	14.76	14.19	17.49	14.77	14.19	17.50	0
		32	33	13.76	13.17	16.49	13.73	13.12	16.45	13.66	13.06	16.38	1
		64	0	13.86	13.23	16.57	13.86	13.25	16.58	13.8	13.3	16.57	1
BW	MCS Index	Channel		647334			650000			652666			3GPP MPR
		Frequency (MHz)		3710.01			3750			3789.99			
20M	CP QPSK	1	1	14.88	14.34	17.63	14.83	14.24	17.56	14.98	14.31	17.67	0
		1	26	14.74	14.18	17.48	14.70	14.17	17.45	14.76	14.07	17.44	0
		1	49	14.73	14.09	17.43	14.75	14.13	17.46	14.87	14.06	17.49	0
		25	0	13.90	13.19	16.57	13.89	13.14	16.54	13.85	13.18	16.54	1
		25	13	14.72	14.24	17.50	14.70	14.17	17.45	14.77	14.11	17.46	0
		25	26	13.72	13.18	16.47	13.78	13.12	16.47	13.74	13.05	16.42	1
		50	0	13.82	13.20	16.53	13.80	13.19	16.52	13.82	13.24	16.55	1
BW	MCS Index	Channel		647168			650000			652832			3GPP MPR
		Frequency (MHz)		3707.52			3750			3792.48			
15M	CP QPSK	1	1	14.92	14.33	17.65	14.96	14.26	17.63	14.96	14.33	17.67	0
		1	19	14.76	14.12	17.46	14.79	14.12	17.48	14.77	14.03	17.43	0
		1	36	14.81	14.06	17.46	14.85	14.15	17.52	14.85	14.09	17.50	0
		18	0	13.84	13.18	16.53	13.87	13.19	16.55	13.88	13.15	16.54	1
		18	10	14.70	14.25	17.49	14.76	14.22	17.51	14.74	14.10	17.44	0
		18	20	13.79	13.17	16.50	13.76	13.12	16.46	13.69	13.06	16.40	1
		36	0	13.82	13.18	16.52	13.91	13.24	16.60	13.81	13.20	16.53	1
BW	MCS Index	Channel		647000			650000			653000			3GPP MPR
		Frequency (MHz)		3705			3750			3795			
10M	CP QPSK	1	1	14.91	14.34	17.64	14.98	14.30	17.66	14.97	14.29	17.65	0
		1	11	14.77	14.16	17.49	14.82	14.20	17.53	14.70	14.08	17.41	0
		1	22	14.77	14.04	17.43	14.80	14.12	17.48	14.81	14.05	17.46	0
		12	0	13.86	13.16	16.53	13.85	13.16	16.53	13.88	13.20	16.56	1
		12	6	14.64	14.19	17.43	14.73	14.25	17.51	14.77	14.16	17.49	0
		12	12	13.73	13.15	16.46	13.82	13.13	16.50	13.73	13.12	16.45	1
		24	0	13.79	13.28	16.55	13.90	13.31	16.63	13.82	13.23	16.55	1

Uplink Carrier Aggregation Scenarios Conducted Power (Reduction)

Configure	Combination	PCC							SCC							Measurement Power			
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximum Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	MPR Level (dB)	Tx Power with UL-CA Active (dBm)
																			Total
Intra Band Contiguous	2C	2	20	QPSK	1	0	18700	1860	2	20	QPSK	1	99	18898	1879.8	17	16.38	0-8.5	14.39
					1	99						1	0			17	16.29	0	15.60
		2	20	QPSK	1	0	18801	1870.1	2	20	QPSK	1	99	18999	1889.9	17	16.25	0-8.5	14.45
					1	99						1	0			17	16.17	0	15.76
		2	20	QPSK	1	0	18902	1880.2	2	20	QPSK	1	99	19100	1900	17	16.27	0-8.5	14.46
					1	99						1	0			17	16.11	0	15.55
	5B	5	10	QPSK	1	0	20450	829	5	10	QPSK	1	49	20549	838.9	18.5	18.43	0-8.5	12.59
					1	49						1	0			18.5	18.36	0	17.57
		5	10	QPSK	1	0	20476	831.6	5	10	QPSK	1	49	20575	841.5	18.5	18.43	0-8.5	12.64
					1	49						1	0			18.5	18.31	0	17.26
		5	10	QPSK	1	0	20501	834.1	5	10	QPSK	1	49	20600	844	18.5	18.4	0-8.5	12.63
					1	49						1	0			18.5	18.29	0	17.51
	7C	7	20	QPSK	1	0	20850	2510	7	20	QPSK	1	99	21048	2529.8	16.5	15.71	0-8.5	14.32
					1	99						1	0			16.5	15.67	0	14.98
		7	20	QPSK	1	0	21001	2525.1	7	20	QPSK	1	99	21199	2544.9	16.5	15.47	0-8.5	14.44
					1	99						1	0			16.5	15.42	0	15.21
		7	20	QPSK	1	0	21152	2540.2	7	20	QPSK	1	99	21350	2560	16.5	15.68	0-8.5	14.61
					1	99						1	0			16.5	15.65	0	15.28
	38C	38	20	QPSK	1	0	37850	2580	38	20	QPSK	1	99	38048	2599.8	21	20.98	0-8.5	14.54
					1	99						1	0			21	20.52	0	19.52
		38	20	QPSK	1	0	37901	2585.1	38	20	QPSK	1	99	38099	2604.9	21	20.51	0-8.5	14.44
					1	99						1	0			21	20.47	0	19.56
		38	20	QPSK	1	0	37952	2590.2	38	20	QPSK	1	99	38150	2610	21	20.46	0-8.5	14.80
					1	99						1	0			21	20.33	0	20.06
	41C	41	20	QPSK	1	0	39750	2506	41	20	QPSK	1	99	39948	2525.8	20	19.95	0-8.5	14.11
					1	99						1	0			20	19.07	0	18.44
		41	20	QPSK	1	0	40185	2549.5	41	20	QPSK	1	99	40383	2569.3	20	19.51	0-8.5	14.46
					1	99						1	0			20	19.23	0	18.77
		41	20	QPSK	1	0	40620	2593	41	20	QPSK	1	99	40818	2612.8	20	19.63	0-8.5	14.63
					1	99						1	0			20	19.55	0	18.67
		41	20	QPSK	1	0	41055	2636.5	41	20	QPSK	1	99	41253	2656.3	20	19.5	0-8.5	14.70
					1	99						1	0			20	19.43	0	18.77
		41	20	QPSK	1	0	41292	2660.2	41	20	QPSK	1	99	41490	2680	20	19.75	0-8.5	14.78
					1	99						1	0			20	19.68	0	18.88

Uplink Carrier Aggregation Scenarios Conducted Power (Reduction)

Configure	Combination	PCC							SCC							Measurement Power			
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximum Tune-up Power	Single Carrier Tx Power without UL-CA Active (dBm)	MPR Level (dB)	Tx Power with UL-CA Active (dBm)
																			Total
	42C	42	20	QPSK	1	0	41690	3410	42	20	QPSK	1	99	41888	3429.8	14.2	12.95	0-8.5	11.65
					1	99						1	0			14.2	12.77	0	12.55
		42	20	QPSK	1	0	42491	3490.1	42	20	QPSK	1	99	42689	3509.9	14.2	12.93	0-8.5	11.63
					1	99						1	0			14.2	12.85	0	12.63
		42	20	QPSK	1	0	43292	3570.2	42	20	QPSK	1	99	43490	3590	14.2	12.97	0-8.5	11.40
					1	99						1	0			14.2	12.91	0	12.65
	43C	43	20	QPSK	100	0	43690	3610	43	20	QPSK	100	0	43888	3629.8	12.6	11.88	0-8.5	11.65
		43	20	QPSK	100	0	44491	3690.2	43	20	QPSK	100	0	44689	3710	12.6	11.65	0-8.5	11.61
		43	20	QPSK	100	0	45291	3770.2	43	20	QPSK	100	0	45489	3790	12.6	11.37	0-8.5	11.08
	48C	48	20	QPSK	100	0	55340	3560	48	20	QPSK	100	0	55538	3579.8	12.6	10.42	0-8.5	10.41
		48	20	QPSK	100	0	55891	3615.1	48	20	QPSK	100	0	56089	3634.9	12.6	10.45	0-8.5	10.42
		48	20	QPSK	100	0	56442	3670.2	48	20	QPSK	100	0	56640	3690	12.6	10.55	0-8.5	10.44
	66B	66	10	QPSK	1	0	132072	1720	66	10	QPSK	1	49	132121	1724.9	17	16.69	0-8.5	14.28
					1	49						1	0			17	16.47	0	15.43
		66	10	QPSK	1	0	132022	1715	66	10	QPSK	1	49	132472	1760	17	16.65	0-8.5	14.25
					1	49						1	0			17	16.42	0	15.93
		66	10	QPSK	1	0	132373	1750.1	66	10	QPSK	1	49	132622	1775	17	16.58	0-8.5	14.38
					1	49						1	0			17	16.51	0	15.85
	66C	66	20	QPSK	1	0	132523	1765.1	66	20	QPSK	1	99	132270	1739.8	17	16.71	0-8.5	14.31
					1	99						1	0			17	16.47	0	15.76
		66	20	QPSK	1	0	132323	1745.1	66	20	QPSK	1	99	132521	1764.9	17	16.53	0-8.5	14.46
					1	99						1	0			17	16.57	0	15.95
		66	20	QPSK	1	0	132374	1750.2	66	20	QPSK	1	99	132572	1770	17	16.91	0-8.5	14.64
					1	99						1	0			17	16.42	0	15.92

Appendix F. SAR and Incident Power Density Test Result

SAR Results for Body Exposure Condition.

Note:

1. SAR testing for WLAN / BT was performed on the maximum power mode.
2. SAR testing for LTE / NR was performed on the maximum power mode.
3. The "< 0.001" means there is no SAR value or the SAR is too low to be measured.
4. Per KDB 388624 APPENDIX OVER6G, the minimum of 5 channels to perform IPD across U-NII 5,6,7 and 8. and measured results were scaled by factor 1.545 to reported power density when measurement uncertainty exceed 30%.
5. SAR testing for WLAN / BT was verified on the worst case of BV CPS report no.: SFCDVB-WTW-P25100254-2 to ensure compliance.

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
1	WCDMA II	RMC12.2K	Rear Face	0	9262			Ant 0	1	17.00	16.86	1.03	0.09	0.289	0.30			
	WCDMA II	RMC12.2K	Left Side	0	9262			Ant 0	1	17.00	16.86	1.03	0	<0.001	0.00			
	WCDMA II	RMC12.2K	Right Side	0	9262			Ant 0	1	17.00	16.86	1.03	0.17	0.088	0.09			
	WCDMA II	RMC12.2K	Top Side	0	9262			Ant 0	1	17.00	16.86	1.03	0.01	0.659	0.68			
	WCDMA II	RMC12.2K	Bottom Side	0	9262			Ant 0	1	17.00	16.86	1.03	0	<0.001	0.00			
	WCDMA II	RMC12.2K	Top Side	0	9400			Ant 0	1	17.00	16.58	1.10	-0.16	0.612	0.67			
	WCDMA II	RMC12.2K	Top Side	0	9538			Ant 0	1	17.00	16.62	1.09	0.06	0.611	0.67			
	WCDMA II	RMC12.2K	Top Side	0	9262			Ant 0	2	17.00	16.86	1.03	-0.07	0.631	0.65			
2	WCDMA IV	RMC12.2K	Rear Face	0	1513			Ant 0	1	17.00	16.86	1.03	-0.14	0.335	0.35			
	WCDMA IV	RMC12.2K	Left Side	0	1513			Ant 0	1	17.00	16.86	1.03	0	<0.001	0.00			
	WCDMA IV	RMC12.2K	Right Side	0	1513			Ant 0	1	17.00	16.86	1.03	0.04	0.108	0.11			
	WCDMA IV	RMC12.2K	Top Side	0	1513			Ant 0	1	17.00	16.86	1.03	0.01	0.671	0.69			
	WCDMA IV	RMC12.2K	Bottom Side	0	1513			Ant 0	1	17.00	16.86	1.03	0	<0.001	0.00			
	WCDMA IV	RMC12.2K	Top Side	0	1312			Ant 0	1	17.00	16.68	1.08	-0.03	0.537	0.58			
	WCDMA IV	RMC12.2K	Top Side	0	1413			Ant 0	1	17.00	16.63	1.09	-0.06	0.608	0.66			
	WCDMA IV	RMC12.2K	Top Side	0	1513			Ant 0	2	17.00	16.86	1.03	-0.06	0.639	0.66			
3	WCDMA V	RMC12.2K	Rear Face	0	4182			Ant 0	1	18.50	17.83	1.17	-0.06	0.181	0.21			
	WCDMA V	RMC12.2K	Left Side	0	4182			Ant 0	1	18.50	17.83	1.17	0	<0.001	0.00			
	WCDMA V	RMC12.2K	Right Side	0	4182			Ant 0	1	18.50	17.83	1.17	-0.14	0.024	0.03			
	WCDMA V	RMC12.2K	Top Side	0	4182			Ant 0	1	18.50	17.83	1.17	0.01	0.608	0.71			
	WCDMA V	RMC12.2K	Bottom Side	0	4182			Ant 0	1	18.50	17.83	1.17	0	<0.001	0.00			
	WCDMA V	RMC12.2K	Top Side	0	4132			Ant 0	1	18.50	17.42	1.28	-0.12	0.55	0.70			
	WCDMA V	RMC12.2K	Top Side	0	4233			Ant 0	1	18.50	17.65	1.22	0.04	0.569	0.69			
	WCDMA V	RMC12.2K	Top Side	0	4182			Ant 0	2	18.50	17.83	1.17	0.11	0.576	0.67			

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
	LTE 2	QPSK20M	Rear Face	0	18700	1	0	Ant 0	1	17.00	16.38	1.15	0.07	0.238	0.27			
	LTE 2	QPSK20M	Left Side	0	18700	1	0	Ant 0	1	17.00	16.38	1.15	0	<0.001	0.00			
	LTE 2	QPSK20M	Right Side	0	18700	1	0	Ant 0	1	17.00	16.38	1.15	0.09	0.082	0.09			
4	LTE 2	QPSK20M	Top Side	0	18700	1	0	Ant 0	1	17.00	16.38	1.15	0.01	0.588	0.68			
	LTE 2	QPSK20M	Bottom Side	0	18700	1	0	Ant 0	1	17.00	16.38	1.15	0	<0.001	0.00			
	LTE 2	QPSK20M	Rear Face	0	18700	50	0	Ant 0	1	16.00	15.46	1.13	-0.05	0.197	0.22			
	LTE 2	QPSK20M	Left Side	0	18700	50	0	Ant 0	1	16.00	15.46	1.13	0	<0.001	0.00			
	LTE 2	QPSK20M	Right Side	0	18700	50	0	Ant 0	1	16.00	15.46	1.13	-0.14	0.063	0.07			
	LTE 2	QPSK20M	Top Side	0	18700	50	0	Ant 0	1	16.00	15.46	1.13	-0.1	0.479	0.54			
	LTE 2	QPSK20M	Bottom Side	0	18700	50	0	Ant 0	1	16.00	15.46	1.13	0	<0.001	0.00			
	LTE 2	QPSK20M	Top Side	0	18900	1	0	Ant 0	1	17.00	16.31	1.17	0.06	0.564	0.66			
	LTE 2	QPSK20M	Top Side	0	19100	1	0	Ant 0	1	17.00	16.35	1.16	-0.15	0.554	0.64			
	CA_2C	QPSK20M	Top Side	0	PCC:18801 SCC:18999	PCC:1 SCC:1	PCC:99 SCC:0	Ant 0	1	17.00	15.76	1.33	0.04	0.462	0.61			
	LTE 2	QPSK20M	Top Side	0	18700	1	0	Ant 0	2	17.00	16.38	1.15	-0.03	0.55	0.63			
	LTE 4	QPSK20M	Rear Face	0	20050	1	0	Ant 0	1	17.00	16.99	1.00	-0.09	0.352	0.35			
	LTE 4	QPSK20M	Left Side	0	20050	1	0	Ant 0	1	17.00	16.99	1.00	0	<0.001	0.00			
	LTE 4	QPSK20M	Right Side	0	20050	1	0	Ant 0	1	17.00	16.99	1.00	-0.14	0.074	0.07			
	LTE 4	QPSK20M	Top Side	0	20050	1	0	Ant 0	1	17.00	16.99	1.00	-0.07	0.6	0.60			
	LTE 4	QPSK20M	Bottom Side	0	20050	1	0	Ant 0	1	17.00	16.99	1.00	0	<0.001	0.00			
	LTE 4	QPSK20M	Rear Face	0	20050	50	0	Ant 0	1	16.00	15.78	1.05	0.01	0.294	0.31			
	LTE 4	QPSK20M	Left Side	0	20050	50	0	Ant 0	1	16.00	15.78	1.05	0	<0.001	0.00			
	LTE 4	QPSK20M	Right Side	0	20050	50	0	Ant 0	1	16.00	15.78	1.05	0.09	0.064	0.07			
	LTE 4	QPSK20M	Top Side	0	20050	50	0	Ant 0	1	16.00	15.78	1.05	0.18	0.501	0.53			
	LTE 4	QPSK20M	Bottom Side	0	20050	50	0	Ant 0	1	16.00	15.78	1.05	0	<0.001	0.00			
	LTE 4	QPSK20M	Top Side	0	20175	1	0	Ant 0	1	17.00	16.82	1.04	0.19	0.626	0.65			
5	LTE 4	QPSK20M	Top Side	0	20300	1	0	Ant 0	1	17.00	16.86	1.03	-0.01	0.673	0.69			
	LTE 4	QPSK20M	Top Side	0	20300	1	0	Ant 0	2	17.00	16.86	1.03	-0.06	0.646	0.67			

Body SAR Test Result

System & Position								DUT Configuration								SAR	
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)		
6	LTE 5	QPSK10M	Rear Face	0	20525	1	0	Ant 0	1	18.50	18.44	1.01	0.19	0.172	0.17		
	LTE 5	QPSK10M	Left Side	0	20525	1	0	Ant 0	1	18.50	18.44	1.01	0	<0.001	0.00		
	LTE 5	QPSK10M	Right Side	0	20525	1	0	Ant 0	1	18.50	18.44	1.01	0.07	0.024	0.02		
	LTE 5	QPSK10M	Top Side	0	20525	1	0	Ant 0	1	18.50	18.44	1.01	-0.01	0.683	0.69		
	LTE 5	QPSK10M	Bottom Side	0	20525	1	0	Ant 0	1	18.50	18.44	1.01	0	<0.001	0.00		
	LTE 5	QPSK10M	Rear Face	0	20525	25	0	Ant 0	1	17.50	17.46	1.01	-0.19	0.124	0.13		
	LTE 5	QPSK10M	Left Side	0	20525	25	0	Ant 0	1	17.50	17.46	1.01	0	<0.001	0.00		
	LTE 5	QPSK10M	Right Side	0	20525	25	0	Ant 0	1	17.50	17.46	1.01	0.04	0.021	0.02		
	LTE 5	QPSK10M	Top Side	0	20525	25	0	Ant 0	1	17.50	17.46	1.01	0.17	0.54	0.55		
	LTE 5	QPSK10M	Bottom Side	0	20525	25	0	Ant 0	1	17.50	17.46	1.01	0	<0.001	0.00		
	LTE 5	QPSK10M	Top Side	0	20450	1	0	Ant 0	1	18.50	18.43	1.02	0.06	0.639	0.65		
	LTE 5	QPSK10M	Top Side	0	20600	1	0	Ant 0	1	18.50	18.42	1.02	-0.19	0.651	0.66		
	CA_5B	QPSK10M	Top Side	0	PCC:20450 SCC:20549	PCC:1 SCC:1	PCC:49 SCC:0	Ant 0	1	18.50	17.57	1.24	-0.08	0.468	0.58		
	LTE 5	QPSK10M	Top Side	0	20525	1	0	Ant 0	2	18.50	18.44	1.01	-0.04	0.647	0.65		
	LTE 7	QPSK20M	Rear Face	0	21350	1	0	Ant 0	1	16.50	15.79	1.18	0.02	0.428	0.51		
	LTE 7	QPSK20M	Left Side	0	21350	1	0	Ant 0	1	16.50	15.79	1.18	0	<0.001	0.00		
	LTE 7	QPSK20M	Right Side	0	21350	1	0	Ant 0	1	16.50	15.79	1.18	0.04	0.065	0.08		
	LTE 7	QPSK20M	Top Side	0	21350	1	0	Ant 0	1	16.50	15.79	1.18	-0.18	0.544	0.64		
	LTE 7	QPSK20M	Bottom Side	0	21350	1	0	Ant 0	1	16.50	15.79	1.18	0	<0.001	0.00		
	LTE 7	QPSK20M	Rear Face	0	21350	50	0	Ant 0	1	15.50	14.76	1.19	0.07	0.271	0.32		
	LTE 7	QPSK20M	Left Side	0	21350	50	0	Ant 0	1	15.50	14.76	1.19	0	<0.001	0.00		
	LTE 7	QPSK20M	Right Side	0	21350	50	0	Ant 0	1	15.50	14.76	1.19	0.17	0.051	0.06		
	LTE 7	QPSK20M	Top Side	0	21350	50	0	Ant 0	1	15.50	14.76	1.19	-0.01	0.441	0.52		
	LTE 7	QPSK20M	Bottom Side	0	21350	50	0	Ant 0	1	15.50	14.76	1.19	0	<0.001	0.00		
7	LTE 7	QPSK20M	Top Side	0	20850	1	0	Ant 0	1	16.50	15.71	1.20	0.05	0.603	0.72		
	LTE 7	QPSK20M	Top Side	0	21100	1	0	Ant 0	1	16.50	15.49	1.26	0.01	0.558	0.70		
	CA_7C	QPSK20M	Top Side	0	PCC:21152 SCC:21350	PCC:1 SCC:1	PCC:99 SCC:0	Ant 0	1	16.50	15.28	1.32	-0.12	0.499	0.66		
	LTE 7	QPSK20M	Top Side	0	20850	1	0	Ant 0	2	16.50	15.71	1.20	0.16	0.572	0.69		

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
8	LTE 12	QPSK10M	Rear Face	0	23060	1	0	Ant 0	1	21.00	20.98	1.00	0.08	0.169	0.17			
	LTE 12	QPSK10M	Left Side	0	23060	1	0	Ant 0	1	21.00	20.98	1.00	0	<0.001	0.00			
	LTE 12	QPSK10M	Right Side	0	23060	1	0	Ant 0	1	21.00	20.98	1.00	0.02	0.031	0.03			
	LTE 12	QPSK10M	Top Side	0	23060	1	0	Ant 0	1	21.00	20.98	1.00	0.04	0.691	0.69			
	LTE 12	QPSK10M	Bottom Side	0	23060	1	0	Ant 0	1	21.00	20.98	1.00	0	<0.001	0.00			
	LTE 12	QPSK10M	Rear Face	0	23060	25	0	Ant 0	1	20.00	19.64	1.09	-0.09	0.131	0.14			
	LTE 12	QPSK10M	Left Side	0	23060	25	0	Ant 0	1	20.00	19.64	1.09	0	<0.001	0.00			
	LTE 12	QPSK10M	Right Side	0	23060	25	0	Ant 0	1	20.00	19.64	1.09	0.15	0.014	0.02			
	LTE 12	QPSK10M	Top Side	0	23060	25	0	Ant 0	1	20.00	19.64	1.09	-0.04	0.545	0.59			
	LTE 12	QPSK10M	Bottom Side	0	23060	25	0	Ant 0	1	20.00	19.64	1.09	0	<0.001	0.00			
	LTE 12	QPSK10M	Top Side	0	23095	1	0	Ant 0	1	21.00	20.93	1.02	-0.04	0.665	0.68			
	LTE 12	QPSK10M	Top Side	0	23130	1	0	Ant 0	1	21.00	20.90	1.02	0	0.657	0.67			
	LTE 12	QPSK10M	Top Side	0	23060	1	0	Ant 0	2	21.00	20.98	1.00	-0.02	0.676	0.68			
	LTE 13	QPSK10M	Rear Face	0	23230	1	0	Ant 0	1	19.80	19.49	1.07	0.13	0.259	0.28			
	LTE 13	QPSK10M	Left Side	0	23230	1	0	Ant 0	1	19.80	19.49	1.07	0	<0.001	0.00			
	LTE 13	QPSK10M	Right Side	0	23230	1	0	Ant 0	1	19.80	19.49	1.07	0.02	0.035	0.04			
	LTE 13	QPSK10M	Top Side	0	23230	1	0	Ant 0	1	19.80	19.49	1.07	0.03	0.688	0.74			
9	LTE 13	QPSK10M	Bottom Side	0	23230	1	0	Ant 0	1	19.80	19.49	1.07	0	<0.001	0.00			
	LTE 13	QPSK10M	Rear Face	0	23230	25	0	Ant 0	1	18.80	18.31	1.12	0.03	0.178	0.20			
	LTE 13	QPSK10M	Left Side	0	23230	25	0	Ant 0	1	18.80	18.31	1.12	0	<0.001	0.00			
	LTE 13	QPSK10M	Right Side	0	23230	25	0	Ant 0	1	18.80	18.31	1.12	-0.17	0.03	0.03			
	LTE 13	QPSK10M	Top Side	0	23230	25	0	Ant 0	1	18.80	18.31	1.12	0.08	0.56	0.63			
	LTE 13	QPSK10M	Bottom Side	0	23230	25	0	Ant 0	1	18.80	18.31	1.12	0	<0.001	0.00			
	LTE 13	QPSK10M	Top Side	0	23230	1	0	Ant 0	2	19.80	19.49	1.07	0.05	0.661	0.71			

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
10	LTE 14	QPSK10M	Rear Face	0	23330	1	0	Ant 0	1	19.70	19.45	1.06	0.13	0.213	0.23			
	LTE 14	QPSK10M	Left Side	0	23330	1	0	Ant 0	1	19.70	19.45	1.06	0	<0.001	0.00			
	LTE 14	QPSK10M	Right Side	0	23330	1	0	Ant 0	1	19.70	19.45	1.06	0.08	0.017	0.02			
	LTE 14	QPSK10M	Top Side	0	23330	1	0	Ant 0	1	19.70	19.45	1.06	0.03	0.66	0.70			
	LTE 14	QPSK10M	Bottom Side	0	23330	1	0	Ant 0	1	19.70	19.45	1.06	0	<0.001	0.00			
	LTE 14	QPSK10M	Rear Face	0	23330	25	0	Ant 0	1	18.70	18.18	1.13	0.06	0.163	0.18			
	LTE 14	QPSK10M	Left Side	0	23330	25	0	Ant 0	1	18.70	18.18	1.13	0	<0.001	0.00			
	LTE 14	QPSK10M	Right Side	0	23330	25	0	Ant 0	1	18.70	18.18	1.13	0.09	0.014	0.02			
	LTE 14	QPSK10M	Top Side	0	23330	25	0	Ant 0	1	18.70	18.18	1.13	0.18	0.53	0.60			
	LTE 14	QPSK10M	Bottom Side	0	23330	25	0	Ant 0	1	18.70	18.18	1.13	0	<0.001	0.00			
11	LTE 14	QPSK10M	Top Side	0	23330	1	0	Ant 0	2	19.70	19.45	1.06	-0.18	0.642	0.68			
	LTE 17	QPSK10M	Rear Face	0	23790	1	0	Ant 0	1	20.50	20.49	1.00	-0.06	0.197	0.20			
	LTE 17	QPSK10M	Left Side	0	23790	1	0	Ant 0	1	20.50	20.49	1.00	0	<0.001	0.00			
	LTE 17	QPSK10M	Right Side	0	23790	1	0	Ant 0	1	20.50	20.49	1.00	-0.13	0.032	0.03			
	LTE 17	QPSK10M	Top Side	0	23790	1	0	Ant 0	1	20.50	20.49	1.00	0.06	0.68	0.68			
	LTE 17	QPSK10M	Bottom Side	0	23790	1	0	Ant 0	1	20.50	20.49	1.00	0	<0.001	0.00			
	LTE 17	QPSK10M	Rear Face	0	23790	25	0	Ant 0	1	19.50	19.46	1.01	-0.15	0.156	0.16			
	LTE 17	QPSK10M	Left Side	0	23790	25	0	Ant 0	1	19.50	19.46	1.01	0	<0.001	0.00			
	LTE 17	QPSK10M	Right Side	0	23790	25	0	Ant 0	1	19.50	19.46	1.01	0.07	0.025	0.03			
	LTE 17	QPSK10M	Top Side	0	23790	25	0	Ant 0	1	19.50	19.46	1.01	0.11	0.51	0.52			
	LTE 17	QPSK10M	Bottom Side	0	23790	25	0	Ant 0	1	19.50	19.46	1.01	0	<0.001	0.00			
	LTE 17	QPSK10M	Top Side	0	23780	1	0	Ant 0	1	20.50	20.43	1.02	-0.01	0.645	0.66			
	LTE 17	QPSK10M	Top Side	0	23800	1	0	Ant 0	1	20.50	20.46	1.01	-0.15	0.622	0.63			
	LTE 17	QPSK10M	Top Side	0	23790	1	0	Ant 0	2	20.50	20.49	1.00	-0.17	0.634	0.63			

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
12	LTE 25	QPSK20M	Rear Face	0	26140	1	0	Ant 0	1	16.60	15.98	1.15	0.16	0.256	0.29			
	LTE 25	QPSK20M	Left Side	0	26140	1	0	Ant 0	1	16.60	15.98	1.15	0	<0.001	0.00			
	LTE 25	QPSK20M	Right Side	0	26140	1	0	Ant 0	1	16.60	15.98	1.15	0.1	0.075	0.09			
	LTE 25	QPSK20M	Top Side	0	26140	1	0	Ant 0	1	16.60	15.98	1.15	0.04	0.588	0.68			
	LTE 25	QPSK20M	Bottom Side	0	26140	1	0	Ant 0	1	16.60	15.98	1.15	0	<0.001	0.00			
	LTE 25	QPSK20M	Rear Face	0	26140	50	0	Ant 0	1	15.60	14.97	1.16	0.05	0.205	0.24			
	LTE 25	QPSK20M	Left Side	0	26140	50	0	Ant 0	1	15.60	14.97	1.16	0	<0.001	0.00			
	LTE 25	QPSK20M	Right Side	0	26140	50	0	Ant 0	1	15.60	14.97	1.16	-0.17	0.063	0.07			
	LTE 25	QPSK20M	Top Side	0	26140	50	0	Ant 0	1	15.60	14.97	1.16	-0.17	0.483	0.56			
	LTE 25	QPSK20M	Bottom Side	0	26140	50	0	Ant 0	1	15.60	14.97	1.16	0	<0.001	0.00			
13	LTE 25	QPSK20M	Top Side	0	26365	1	0	Ant 0	1	16.60	15.89	1.18	0.18	0.563	0.66			
	LTE 25	QPSK20M	Top Side	0	26590	1	0	Ant 0	1	16.60	15.87	1.18	-0.18	0.548	0.65			
	LTE 25	QPSK20M	Top Side	0	26140	1	0	Ant 0	2	16.60	15.98	1.15	-0.11	0.563	0.65			
	LTE 26	QPSK15M	Rear Face	0	26965	1	0	Ant 0	1	18.60	17.97	1.16	-0.04	0.228	0.26			
	LTE 26	QPSK15M	Left Side	0	26965	1	0	Ant 0	1	18.60	17.97	1.16	0	<0.001	0.00			
	LTE 26	QPSK15M	Right Side	0	26965	1	0	Ant 0	1	18.60	17.97	1.16	0.19	0.042	0.05			
	LTE 26	QPSK15M	Top Side	0	26965	1	0	Ant 0	1	18.60	17.97	1.16	0.01	0.674	0.78			
	LTE 26	QPSK15M	Bottom Side	0	26965	1	0	Ant 0	1	18.60	17.97	1.16	0	<0.001	0.00			
	LTE 26	QPSK15M	Rear Face	0	26965	36	0	Ant 0	1	17.60	16.87	1.18	-0.11	0.198	0.23			
	LTE 26	QPSK15M	Left Side	0	26965	36	0	Ant 0	1	17.60	16.87	1.18	0	<0.001	0.00			
	LTE 26	QPSK15M	Right Side	0	26965	36	0	Ant 0	1	17.60	16.87	1.18	0.04	0.02	0.02			
	LTE 26	QPSK15M	Top Side	0	26965	36	0	Ant 0	1	17.60	16.87	1.18	0.06	0.553	0.65			
	LTE 26	QPSK15M	Bottom Side	0	26965	36	0	Ant 0	1	17.60	16.87	1.18	0	<0.001	0.00			
	LTE 26	QPSK15M	Top Side	0	26765	1	0	Ant 0	1	18.60	17.81	1.20	-0.05	0.585	0.70			
	LTE 26	QPSK15M	Top Side	0	26865	1	0	Ant 0	1	18.60	17.91	1.17	-0.14	0.655	0.77			
	LTE 26	QPSK15M	Top Side	0	26965	1	0	Ant 0	2	18.60	17.97	1.16	0.02	0.613	0.71			

Body SAR and APD Test Result															
System & Position								DUT Configuration		SAR					
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
	LTE 38	QPSK20M	Rear Face	0	37850	1	0	Ant 0	1	21.00	20.98	1.00	0.04	0.494	0.49
	LTE 38	QPSK20M	Left Side	0	37850	1	0	Ant 0	1	21.00	20.98	1.00	0	<0.001	0.00
	LTE 38	QPSK20M	Right Side	0	37850	1	0	Ant 0	1	21.00	20.98	1.00	-0.06	0.06	0.06
14	LTE 38	QPSK20M	Top Side	0	37850	1	0	Ant 0	1	21.00	20.98	1.00	0.02	0.847	0.85
	LTE 38	QPSK20M	Bottom Side	0	37850	1	0	Ant 0	1	21.00	20.98	1.00	0	<0.001	0.00
	LTE 38	QPSK20M	Rear Face	0	37850	50	0	Ant 0	1	20.00	19.67	1.08	-0.15	0.448	0.48
	LTE 38	QPSK20M	Left Side	0	37850	50	0	Ant 0	1	20.00	19.67	1.08	0	<0.001	0.00
	LTE 38	QPSK20M	Right Side	0	37850	50	0	Ant 0	1	20.00	19.67	1.08	-0.02	0.044	0.05
	LTE 38	QPSK20M	Top Side	0	37850	50	0	Ant 0	1	20.00	19.67	1.08	0.02	0.508	0.55
	LTE 38	QPSK20M	Bottom Side	0	37850	50	0	Ant 0	1	20.00	19.67	1.08	0	<0.001	0.00
	LTE 38	QPSK20M	Top Side	0	37850	100	0	Ant 0	1	20.00	19.64	1.09	0.11	0.462	0.50
	LTE 38	QPSK20M	Top Side	0	38000	1	0	Ant 0	1	21.00	20.55	1.11	0.13	0.609	0.68
	LTE 38	QPSK20M	Top Side	0	38150	1	0	Ant 0	1	21.00	20.48	1.13	-0.12	0.577	0.65
	CA_38C	QPSK20M	Top Side	0	PCC:37952 SCC:38150	PCC:1 SCC:1	PCC:99 SCC:0	Ant 0	1	21.00	20.06	1.24	0.16	0.622	0.77
	LTE 38	QPSK20M	Top Side	0	37850	1	0	Ant 0	1	21.00	20.98	1.00	0.01	0.813	0.81
	LTE 38	QPSK20M	Top Side	0	37850	1	0	Ant 0	2	21.00	20.98	1.00	0.01	0.775	0.78
	LTE 41	QPSK20M	Rear Face	0	41490	1	0	Ant 0	1	20.00	19.80	1.05	-0.15	0.227	0.24
	LTE 41	QPSK20M	Left Side	0	41490	1	0	Ant 0	1	20.00	19.80	1.05	0	<0.001	0.00
	LTE 41	QPSK20M	Right Side	0	41490	1	0	Ant 0	1	20.00	19.80	1.05	-0.01	0.031	0.03
	LTE 41	QPSK20M	Top Side	0	41490	1	0	Ant 0	1	20.00	19.80	1.05	0.09	0.529	0.56
	LTE 41	QPSK20M	Bottom Side	0	41490	1	0	Ant 0	1	20.00	19.80	1.05	0	<0.001	0.00
	LTE 41	QPSK20M	Rear Face	0	41490	50	0	Ant 0	1	19.00	18.82	1.04	-0.07	0.186	0.19
	LTE 41	QPSK20M	Left Side	0	41490	50	0	Ant 0	1	19.00	18.82	1.04	0	<0.001	0.00
	LTE 41	QPSK20M	Right Side	0	41490	50	0	Ant 0	1	19.00	18.82	1.04	0.05	0.019	0.02
	LTE 41	QPSK20M	Top Side	0	41490	50	0	Ant 0	1	19.00	18.82	1.04	0.14	0.453	0.47
	LTE 41	QPSK20M	Bottom Side	0	41490	50	0	Ant 0	1	19.00	18.82	1.04	0	<0.001	0.00
15	LTE 41	QPSK20M	Top Side	0	39750	1	0	Ant 0	1	20.00	19.95	1.01	-0.03	0.772	0.78
	LTE 41	QPSK20M	Top Side	0	40185	1	0	Ant 0	1	20.00	19.51	1.12	-0.17	0.538	0.60
	LTE 41	QPSK20M	Top Side	0	40620	1	0	Ant 0	1	20.00	19.63	1.09	-0.16	0.434	0.47
	LTE 41	QPSK20M	Top Side	0	41055	1	0	Ant 0	1	20.00	19.50	1.12	-0.09	0.428	0.48
	CA_41C	QPSK20M	Top Side	0	PCC:41292 SCC:41490	PCC:1 SCC:1	PCC:99 SCC:0	Ant 0	1	20.00	18.88	1.29	0.05	0.549	0.71
	LTE 41	QPSK20M	Top Side	0	39750	1	0	Ant 0	2	20.00	19.95	1.01	0.03	0.636	0.64

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
	LTE 42	QPSK20M	Rear Face	0	43490	1	0	Ant 3	1	14.20	13.52	1.17	0.03	0.16	0.19			
	LTE 42	QPSK20M	Left Side	0	43490	1	0	Ant 3	1	14.20	13.52	1.17	0.04	0.319	0.37			
	LTE 42	QPSK20M	Right Side	0	43490	1	0	Ant 3	1	14.20	13.52	1.17	0	<0.001	0.00			
	LTE 42	QPSK20M	Top Side	0	43490	1	0	Ant 3	1	14.20	13.52	1.17	0	<0.001	0.00			
	LTE 42	QPSK20M	Bottom Side	0	43490	1	0	Ant 3	1	14.20	13.52	1.17	0	<0.001	0.00			
	LTE 42	QPSK20M	Rear Face	0	43490	50	0	Ant 3	1	13.20	12.36	1.21	0.17	0.073	0.09			
	LTE 42	QPSK20M	Left Side	0	43490	50	0	Ant 3	1	13.20	12.36	1.21	0.18	0.266	0.32			
	LTE 42	QPSK20M	Right Side	0	43490	50	0	Ant 3	1	13.20	12.36	1.21	0	<0.001	0.00			
	LTE 42	QPSK20M	Top Side	0	43490	50	0	Ant 3	1	13.20	12.36	1.21	0	<0.001	0.00			
	LTE 42	QPSK20M	Bottom Side	0	43490	50	0	Ant 3	1	13.20	12.36	1.21	0	<0.001	0.00			
16	LTE 42	QPSK20M	Left Side	0	42190	1	0	Ant 3	1	14.20	13.51	1.17	0.09	0.607	0.71			
	LTE 42	QPSK20M	Left Side	0	43190	1	0	Ant 3	1	14.20	13.49	1.18	0	0.345	0.41			
	LTE 42	QPSK20M	Left Side	0	43340	1	0	Ant 3	1	14.20	13.45	1.19	-0.12	0.327	0.39			
	CA_42C	QPSK20M	Left Side	0	PCC:43292 SCC:43490	PCC:1 SCC:1	PCC:99 SCC:0	Ant 3	1	14.20	12.65	1.43	-0.02	0.466	0.67			
	LTE 42	QPSK20M	Left Side	0	42190	1	0	Ant 3	2	14.20	13.51	1.17	0.19	0.577	0.68			
	LTE 43	QPSK20M	Rear Face	0	43690	1	0	Ant 3	1	13.60	13.46	1.03	-0.08	0.115	0.12			
	LTE 43	QPSK20M	Left Side	0	43690	1	0	Ant 3	1	13.60	13.46	1.03	-0.01	0.383	0.39			
	LTE 43	QPSK20M	Right Side	0	43690	1	0	Ant 3	1	13.60	13.46	1.03	0	<0.001	0.00			
	LTE 43	QPSK20M	Top Side	0	43690	1	0	Ant 3	1	13.60	13.46	1.03	0.11	0.018	0.02			
	LTE 43	QPSK20M	Bottom Side	0	43690	1	0	Ant 3	1	13.60	13.46	1.03	0	<0.001	0.00			
	LTE 43	QPSK20M	Rear Face	0	43690	50	0	Ant 3	1	12.60	12.56	1.01	0.08	0.092	0.09			
	LTE 43	QPSK20M	Left Side	0	43690	50	0	Ant 3	1	12.60	12.56	1.01	-0.14	0.324	0.33			
	LTE 43	QPSK20M	Right Side	0	43690	50	0	Ant 3	1	12.60	12.56	1.01	0	<0.001	0.00			
	LTE 43	QPSK20M	Top Side	0	43690	50	0	Ant 3	1	12.60	12.56	1.01	0.1	0.014	0.01			
	LTE 43	QPSK20M	Bottom Side	0	43690	50	0	Ant 3	1	12.60	12.56	1.01	0	<0.001	0.00			
	LTE 43	QPSK20M	Left Side	0	44090	1	0	Ant 3	1	13.60	12.96	1.16	0.03	0.48	0.56			
	LTE 43	QPSK20M	Left Side	0	44490	1	0	Ant 3	1	13.60	13.33	1.06	0.18	0.648	0.69			
17	LTE 43	QPSK20M	Left Side	0	44990	1	0	Ant 3	1	13.60	13.35	1.06	0.03	0.691	0.73			
	LTE 43	QPSK20M	Left Side	0	45490	1	0	Ant 3	1	13.60	12.81	1.20	0.14	0.547	0.66			
	CA_43C	QPSK20M	Left Side	0	PCC:43690 SCC:43888	PCC:100 SCC:100	PCC:0 SCC:0	Ant 3	1	12.60	11.65	1.24	-0.07	0.539	0.67			
	LTE 43	QPSK20M	Left Side	0	44990	1	0	Ant 3	2	13.60	13.35	1.06	-0.19	0.651	0.69			

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
	LTE 48	QPSK20M	Rear Face	0	56210	1	0	Ant 3	1	13.60	12.84	1.19	0.17	0.125	0.15			
	LTE 48	QPSK20M	Left Side	0	56210	1	0	Ant 3	1	13.60	12.84	1.19	0.12	0.443	0.53			
	LTE 48	QPSK20M	Right Side	0	56210	1	0	Ant 3	1	13.60	12.84	1.19	0	<0.001	0.00			
	LTE 48	QPSK20M	Top Side	0	56210	1	0	Ant 3	1	13.60	12.84	1.19	0	<0.001	0.00			
	LTE 48	QPSK20M	Bottom Side	0	56210	1	0	Ant 3	1	13.60	12.84	1.19	0.14	0.014	0.02			
	LTE 48	QPSK20M	Rear Face	0	56210	50	0	Ant 3	1	12.60	11.96	1.16	0.17	0.109	0.13			
	LTE 48	QPSK20M	Left Side	0	56210	50	0	Ant 3	1	12.60	11.96	1.16	0.08	0.378	0.44			
	LTE 48	QPSK20M	Right Side	0	56210	50	0	Ant 3	1	12.60	11.96	1.16	0	<0.001	0.00			
	LTE 48	QPSK20M	Top Side	0	56210	50	0	Ant 3	1	12.60	11.96	1.16	0	<0.001	0.00			
	LTE 48	QPSK20M	Bottom Side	0	56210	50	0	Ant 3	1	12.60	11.96	1.16	-0.16	0.01	0.01			
	LTE 48	QPSK20M	Left Side	0	55340	1	0	Ant 3	1	13.60	12.67	1.24	0.1	0.375	0.47			
	LTE 48	QPSK20M	Left Side	0	55780	1	0	Ant 3	1	13.60	12.73	1.22	0.07	0.363	0.44			
18	LTE 48	QPSK20M	Left Side	0	56640	1	0	Ant 3	1	13.60	12.82	1.20	0.01	0.619	0.74			
	CA_48C	QPSK20M	Left Side	0	PCC:56442 SCC:56640	PCC:100 SCC:100	PCC: SCC:	Ant 3	1	12.60	10.44	1.64	-0.12	0.433	0.71			
	LTE 48	QPSK20M	Left Side	0	56640	1	0	Ant 3	2	13.60	12.82	1.20	0.02	0.561	0.67			
	LTE 66	QPSK20M	Rear Face	0	132572	1	0	Ant 0	1	17.00	16.93	1.02	-0.15	0.361	0.37			
	LTE 66	QPSK20M	Left Side	0	132572	1	0	Ant 0	1	17.00	16.93	1.02	0	<0.001	0.00			
	LTE 66	QPSK20M	Right Side	0	132572	1	0	Ant 0	1	17.00	16.93	1.02	0.03	0.074	0.08			
19	LTE 66	QPSK20M	Top Side	0	132572	1	0	Ant 0	1	17.00	16.93	1.02	-0.03	0.637	0.65			
	LTE 66	QPSK20M	Bottom Side	0	132572	1	0	Ant 0	1	17.00	16.93	1.02	0	<0.001	0.00			
	LTE 66	QPSK20M	Rear Face	0	132572	50	0	Ant 0	1	16.00	15.76	1.06	-0.04	0.269	0.29			
	LTE 66	QPSK20M	Left Side	0	132572	50	0	Ant 0	1	16.00	15.76	1.06	0	<0.001	0.00			
	LTE 66	QPSK20M	Right Side	0	132572	50	0	Ant 0	1	16.00	15.76	1.06	-0.12	0.062	0.07			
	LTE 66	QPSK20M	Top Side	0	132572	50	0	Ant 0	1	16.00	15.76	1.06	0.09	0.515	0.55			
	LTE 66	QPSK20M	Bottom Side	0	132572	50	0	Ant 0	1	16.00	15.76	1.06	0	<0.001	0.00			
	LTE 66	QPSK20M	Top Side	0	132072	1	0	Ant 0	1	17.00	16.73	1.06	0.07	0.477	0.51			
	LTE 66	QPSK20M	Top Side	0	132322	1	0	Ant 0	1	17.00	16.53	1.11	-0.17	0.548	0.61			
	CA_66C	QPSK20M	Top Side	0	PCC:132323 SCC:132521	PCC:1 SCC:1	PCC:99 SCC:0	Ant 0	1	17.00	15.95	1.27	-0.11	0.482	0.61			
	LTE 66	QPSK20M	Top Side	0	132572	1	0	Ant 0	2	17.00	16.93	1.02	0.02	0.596	0.61			

Body SAR Test Result

System & Position								DUT Configuration		SAR					
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)
20	LTE 71	QPSK20M	Rear Face	0	133372	1	0	Ant 0	1	21.50	21.49	1.00	-0.03	0.238	0.24
	LTE 71	QPSK20M	Left Side	0	133372	1	0	Ant 0	1	21.50	21.49	1.00	0	<0.001	0.00
	LTE 71	QPSK20M	Right Side	0	133372	1	0	Ant 0	1	21.50	21.49	1.00	0.18	0.031	0.03
	LTE 71	QPSK20M	Top Side	0	133372	1	0	Ant 0	1	21.50	21.49	1.00	0.01	0.691	0.69
	LTE 71	QPSK20M	Bottom Side	0	133372	1	0	Ant 0	1	21.50	21.49	1.00	0	<0.001	0.00
	LTE 71	QPSK20M	Rear Face	0	133372	50	0	Ant 0	1	20.50	20.46	1.01	0.02	0.149	0.15
	LTE 71	QPSK20M	Left Side	0	133372	50	0	Ant 0	1	20.50	20.46	1.01	0	<0.001	0.00
	LTE 71	QPSK20M	Right Side	0	133372	50	0	Ant 0	1	20.50	20.46	1.01	0.05	0.024	0.02
	LTE 71	QPSK20M	Top Side	0	133372	50	0	Ant 0	1	20.50	20.46	1.01	0.01	0.534	0.54
	LTE 71	QPSK20M	Bottom Side	0	133372	50	0	Ant 0	1	20.50	20.46	1.01	0	<0.001	0.00
21	LTE 71	QPSK20M	Top Side	0	133222	1	0	Ant 0	1	21.50	21.41	1.02	-0.19	0.625	0.64
	LTE 71	QPSK20M	Top Side	0	133297	1	0	Ant 0	1	21.50	21.37	1.03	0.07	0.636	0.66
	LTE 71	QPSK20M	Top Side	0	133372	1	0	Ant 0	2	21.50	21.49	1.00	-0.16	0.631	0.63
	5GNR-n2	QPSK20M	Rear Face	0	372000	1	1	Ant 0	1	17.50	17.48	1.00	-0.19	0.265	0.27
	5GNR-n2	QPSK20M	Left Side	0	372000	1	1	Ant 0	1	17.50	17.48	1.00	0	<0.001	0.00
	5GNR-n2	QPSK20M	Right Side	0	372000	1	1	Ant 0	1	17.50	17.48	1.00	-0.15	0.083	0.08
	5GNR-n2	QPSK20M	Top Side	0	372000	1	1	Ant 0	1	17.50	17.48	1.00	-0.01	0.687	0.69
	5GNR-n2	QPSK20M	Bottom Side	0	372000	1	1	Ant 0	1	17.50	17.48	1.00	-0.14	0.011	0.01
	5GNR-n2	QPSK20M	Rear Face	0	372000	50	28	Ant 0	1	17.50	17.40	1.02	0.08	0.227	0.23
	5GNR-n2	QPSK20M	Left Side	0	372000	50	28	Ant 0	1	17.50	17.40	1.02	0	<0.001	0.00
	5GNR-n2	QPSK20M	Right Side	0	372000	50	28	Ant 0	1	17.50	17.40	1.02	0.13	0.077	0.08
	5GNR-n2	QPSK20M	Top Side	0	372000	50	28	Ant 0	1	17.50	17.40	1.02	-0.06	0.663	0.68
	5GNR-n2	QPSK20M	Bottom Side	0	372000	50	28	Ant 0	1	17.50	17.40	1.02	0.12	0.016	0.02
	5GNR-n2	QPSK20M	Top Side	0	376000	1	1	Ant 0	1	17.50	17.36	1.03	-0.1	0.665	0.68
	5GNR-n2	QPSK20M	Top Side	0	380000	1	1	Ant 0	1	17.50	17.25	1.06	0.12	0.642	0.68
	5GNR-n2	QPSK20M	Top Side	0	372000	1	1	Ant 0	2	17.50	17.48	1.00	-0.07	0.644	0.64

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
	5GNR-n5	QPSK20M	Rear Face	0	167800	1	1	Ant 0	1	19.00	18.83	1.04	0.02	0.223	0.23			
	5GNR-n5	QPSK20M	Left Side	0	167800	1	1	Ant 0	1	19.00	18.83	1.04	0	<0.001	0.00			
	5GNR-n5	QPSK20M	Right Side	0	167800	1	1	Ant 0	1	19.00	18.83	1.04	-0.17	0.033	0.03			
22	5GNR-n5	QPSK20M	Top Side	0	167800	1	1	Ant 0	1	19.00	18.83	1.04	-0.03	0.664	0.69			
	5GNR-n5	QPSK20M	Bottom Side	0	167800	1	1	Ant 0	1	19.00	18.83	1.04	0	<0.001	0.00			
	5GNR-n5	QPSK20M	Rear Face	0	167800	50	28	Ant 0	1	19.00	18.71	1.07	-0.06	0.214	0.23			
	5GNR-n5	QPSK20M	Left Side	0	167800	50	28	Ant 0	1	19.00	18.71	1.07	0	<0.001	0.00			
	5GNR-n5	QPSK20M	Right Side	0	167800	50	28	Ant 0	1	19.00	18.71	1.07	-0.08	0.031	0.03			
	5GNR-n5	QPSK20M	Top Side	0	167800	50	28	Ant 0	1	19.00	18.71	1.07	0.04	0.645	0.69			
	5GNR-n5	QPSK20M	Bottom Side	0	167800	50	28	Ant 0	1	19.00	18.71	1.07	0	<0.001	0.00			
	5GNR-n5	QPSK20M	Top Side	0	166800	1	1	Ant 0	1	19.00	18.65	1.08	0.05	0.627	0.68			
	5GNR-n5	QPSK20M	Top Side	0	167300	1	1	Ant 0	1	19.00	18.72	1.07	0.11	0.641	0.69			
	5GNR-n5	QPSK20M	Top Side	0	167800	1	1	Ant 0	2	19.00	18.83	1.04	0.17	0.596	0.62			
	5GNR-n7	QPSK40M	Rear Face	0	510000	1	1	Ant 0	1	16.50	16.49	1.00	0.08	0.477	0.48			
	5GNR-n7	QPSK40M	Left Side	0	510000	1	1	Ant 0	1	16.50	16.49	1.00	0	<0.001	0.00			
	5GNR-n7	QPSK40M	Right Side	0	510000	1	1	Ant 0	1	16.50	16.49	1.00	0.09	0.064	0.06			
	5GNR-n7	QPSK40M	Top Side	0	510000	1	1	Ant 0	1	16.50	16.49	1.00	-0.07	0.576	0.58			
	5GNR-n7	QPSK40M	Bottom Side	0	510000	1	1	Ant 0	1	16.50	16.49	1.00	0	<0.001	0.00			
	5GNR-n7	QPSK40M	Rear Face	0	510000	108	54	Ant 0	1	16.50	16.35	1.04	0.02	0.395	0.41			
	5GNR-n7	QPSK40M	Left Side	0	510000	108	54	Ant 0	1	16.50	16.35	1.04	0	<0.001	0.00			
	5GNR-n7	QPSK40M	Right Side	0	510000	108	54	Ant 0	1	16.50	16.35	1.04	0.18	0.057	0.06			
	5GNR-n7	QPSK40M	Top Side	0	510000	108	54	Ant 0	1	16.50	16.35	1.04	0.03	0.562	0.58			
	5GNR-n7	QPSK40M	Bottom Side	0	510000	108	54	Ant 0	1	16.50	16.35	1.04	0	<0.001	0.00			
23	5GNR-n7	QPSK40M	Top Side	0	504000	1	1	Ant 0	1	16.50	16.41	1.02	-0.02	0.68	0.69			
	5GNR-n7	QPSK40M	Top Side	0	507000	1	1	Ant 0	1	16.50	16.45	1.01	0.03	0.645	0.65			
	5GNR-n7	QPSK40M	Top Side	0	504000	1	1	Ant 0	2	16.50	16.41	1.02	0.14	0.638	0.65			

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
	5GNR-n12	QPSK15M	Rear Face	0	141300	1	1	Ant 0	1	21.00	20.96	1.01	-0.1	0.495	0.50			
	5GNR-n12	QPSK15M	Left Side	0	141300	1	1	Ant 0	1	21.00	20.96	1.01	0	<0.001	0.00			
	5GNR-n12	QPSK15M	Right Side	0	141300	1	1	Ant 0	1	21.00	20.96	1.01	0	<0.001	0.00			
24	5GNR-n12	QPSK15M	Top Side	0	141300	1	1	Ant 0	1	21.00	20.96	1.01	0.01	0.676	0.68			
	5GNR-n12	QPSK15M	Bottom Side	0	141300	1	1	Ant 0	1	21.00	20.96	1.01	0	<0.001	0.00			
	5GNR-n12	QPSK15M	Rear Face	0	141300	36	22	Ant 0	1	21.00	20.75	1.06	-0.06	0.486	0.52			
	5GNR-n12	QPSK15M	Left Side	0	141300	36	22	Ant 0	1	21.00	20.75	1.06	0	<0.001	0.00			
	5GNR-n12	QPSK15M	Right Side	0	141300	36	22	Ant 0	1	21.00	20.75	1.06	0	<0.001	0.00			
	5GNR-n12	QPSK15M	Top Side	0	141300	36	22	Ant 0	1	21.00	20.75	1.06	-0.08	0.597	0.63			
	5GNR-n12	QPSK15M	Bottom Side	0	141300	36	22	Ant 0	1	21.00	20.75	1.06	0	<0.001	0.00			
	5GNR-n12	QPSK15M	Top Side	0	141500	1	1	Ant 0	1	21.00	20.91	1.02	0.08	0.483	0.49			
	5GNR-n12	QPSK15M	Top Side	0	141700	1	1	Ant 0	1	21.00	20.94	1.01	0.01	0.599	0.60			
	5GNR-n12	QPSK15M	Top Side	0	141300	1	1	Ant 0	2	21.00	20.96	1.01	-0.18	0.632	0.64			
	5GNR-n13	QPSK10M	Rear Face	0	156400	1	1	Ant 0	1	20.50	19.87	1.16	0.03	0.265	0.31			
	5GNR-n13	QPSK10M	Left Side	0	156400	1	1	Ant 0	1	20.50	19.87	1.16	0	<0.001	0.00			
	5GNR-n13	QPSK10M	Right Side	0	156400	1	1	Ant 0	1	20.50	19.87	1.16	0	<0.001	0.00			
25	5GNR-n13	QPSK10M	Top Side	0	156400	1	1	Ant 0	1	20.50	19.87	1.16	0.02	0.614	0.71			
	5GNR-n13	QPSK10M	Bottom Side	0	156400	1	1	Ant 0	1	20.50	19.87	1.16	0	<0.001	0.00			
	5GNR-n13	QPSK10M	Rear Face	0	156400	25	14	Ant 0	1	20.50	19.68	1.21	0.06	0.246	0.30			
	5GNR-n13	QPSK10M	Left Side	0	156400	25	14	Ant 0	1	20.50	19.68	1.21	0	<0.001	0.00			
	5GNR-n13	QPSK10M	Right Side	0	156400	25	14	Ant 0	1	20.50	19.68	1.21	0	<0.001	0.00			
	5GNR-n13	QPSK10M	Top Side	0	156400	25	14	Ant 0	1	20.50	19.68	1.21	0.18	0.586	0.71			
	5GNR-n13	QPSK10M	Bottom Side	0	156400	25	14	Ant 0	1	20.50	19.68	1.21	0	<0.001	0.00			
	5GNR-n13	QPSK10M	Top Side	0	156400	1	1	Ant 0	2	20.50	19.87	1.16	0.05	0.59	0.68			

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
	5GNR-n14	QPSK10M	Rear Face	0	158600	1	1	Ant 0	1	20.00	19.75	1.06	0.14	0.184	0.20			
	5GNR-n14	QPSK10M	Left Side	0	158600	1	1	Ant 0	1	20.00	19.75	1.06	0	<0.001	0.00			
	5GNR-n14	QPSK10M	Right Side	0	158600	1	1	Ant 0	1	20.00	19.75	1.06	0	<0.001	0.00			
26	5GNR-n14	QPSK10M	Top Side	0	158600	1	1	Ant 0	1	20.00	19.75	1.06	0.02	0.612	0.65			
	5GNR-n14	QPSK10M	Bottom Side	0	158600	1	1	Ant 0	1	20.00	19.75	1.06	0	<0.001	0.00			
	5GNR-n14	QPSK10M	Rear Face	0	158600	25	14	Ant 0	1	20.00	19.51	1.12	0.11	0.171	0.19			
	5GNR-n14	QPSK10M	Left Side	0	158600	25	14	Ant 0	1	20.00	19.51	1.12	0	<0.001	0.00			
	5GNR-n14	QPSK10M	Right Side	0	158600	25	14	Ant 0	1	20.00	19.51	1.12	0	<0.001	0.00			
	5GNR-n14	QPSK10M	Top Side	0	158600	25	14	Ant 0	1	20.00	19.51	1.12	0.12	0.567	0.64			
	5GNR-n14	QPSK10M	Bottom Side	0	158600	25	14	Ant 0	1	20.00	19.51	1.12	0	<0.001	0.00			
	5GNR-n14	QPSK10M	Top Side	0	158600	1	1	Ant 0	2	20.00	19.75	1.06	-0.16	0.549	0.58			
	5GNR-n25	QPSK40M	Rear Face	0	374000	1	1	Ant 0	1	17.00	16.82	1.04	-0.01	0.266	0.28			
	5GNR-n25	QPSK40M	Left Side	0	374000	1	1	Ant 0	1	17.00	16.82	1.04	0	<0.001	0.00			
	5GNR-n25	QPSK40M	Right Side	0	374000	1	1	Ant 0	1	17.00	16.82	1.04	-0.07	0.076	0.08			
27	5GNR-n25	QPSK40M	Top Side	0	374000	1	1	Ant 0	1	17.00	16.82	1.04	-0.02	0.639	0.66			
	5GNR-n25	QPSK40M	Bottom Side	0	374000	1	1	Ant 0	1	17.00	16.82	1.04	0	<0.001	0.00			
	5GNR-n25	QPSK40M	Rear Face	0	374000	108	54	Ant 0	1	17.00	16.70	1.07	-0.08	0.254	0.27			
	5GNR-n25	QPSK40M	Left Side	0	374000	108	54	Ant 0	1	17.00	16.70	1.07	0	<0.001	0.00			
	5GNR-n25	QPSK40M	Right Side	0	374000	108	54	Ant 0	1	17.00	16.70	1.07	0.06	0.07	0.07			
	5GNR-n25	QPSK40M	Top Side	0	374000	108	54	Ant 0	1	17.00	16.70	1.07	0.15	0.606	0.65			
	5GNR-n25	QPSK40M	Bottom Side	0	374000	108	54	Ant 0	1	17.00	16.70	1.07	0	<0.001	0.00			
	5GNR-n25	QPSK40M	Top Side	0	376500	1	1	Ant 0	1	17.00	16.74	1.06	0.07	0.622	0.66			
	5GNR-n25	QPSK40M	Top Side	0	379000	1	1	Ant 0	1	17.00	16.68	1.08	-0.17	0.614	0.66			
	5GNR-n25	QPSK40M	Top Side	0	374000	1	1	Ant 0	2	17.00	16.82	1.04	-0.1	0.561	0.58			

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
28	5GNR-n26	QPSK20M	Rear Face	0	167800	1	1	Ant 0	1	19.00	18.92	1.02	0.12	0.189	0.19			
	5GNR-n26	QPSK20M	Left Side	0	167800	1	1	Ant 0	1	19.00	18.92	1.02	0	<0.001	0.00			
	5GNR-n26	QPSK20M	Right Side	0	167800	1	1	Ant 0	1	19.00	18.92	1.02	0.01	0.027	0.03			
	5GNR-n26	QPSK20M	Top Side	0	167800	1	1	Ant 0	1	19.00	18.92	1.02	0.06	0.681	0.69			
	5GNR-n26	QPSK20M	Bottom Side	0	167800	1	1	Ant 0	1	19.00	18.92	1.02	0	<0.001	0.00			
	5GNR-n26	QPSK20M	Rear Face	0	167800	50	28	Ant 0	1	19.00	18.71	1.07	-0.15	0.181	0.19			
	5GNR-n26	QPSK20M	Left Side	0	167800	50	28	Ant 0	1	19.00	18.71	1.07	0	<0.001	0.00			
	5GNR-n26	QPSK20M	Right Side	0	167800	50	28	Ant 0	1	19.00	18.71	1.07	-0.15	0.019	0.02			
	5GNR-n26	QPSK20M	Top Side	0	167800	50	28	Ant 0	1	19.00	18.71	1.07	0.14	0.645	0.69			
	5GNR-n26	QPSK20M	Bottom Side	0	167800	50	28	Ant 0	1	19.00	18.71	1.07	0	<0.001	0.00			
	5GNR-n26	QPSK20M	Top Side	0	164800	1	1	Ant 0	1	19.00	18.63	1.09	0.09	0.603	0.66			
	5GNR-n26	QPSK20M	Top Side	0	166300	1	1	Ant 0	1	19.00	18.68	1.08	-0.18	0.625	0.68			
29	5GNR-n26	QPSK20M	Top Side	0	167800	1	1	Ant 0	2	19.00	18.92	1.02	0.06	0.614	0.63			
	5GNR-n38	QPSK40M	Rear Face	0	519000	1	1	Ant 2	1	20.50	20.35	1.04	0.17	0.168	0.17			
	5GNR-n38	QPSK40M	Left Side	0	519000	1	1	Ant 2	1	20.50	20.35	1.04	0	<0.001	0.00			
	5GNR-n38	QPSK40M	Right Side	0	519000	1	1	Ant 2	1	20.50	20.35	1.04	-0.07	0.668	0.69			
	5GNR-n38	QPSK40M	Top Side	0	519000	1	1	Ant 2	1	20.50	20.35	1.04	0	<0.001	0.00			
	5GNR-n38	QPSK40M	Bottom Side	0	519000	1	1	Ant 2	1	20.50	20.35	1.04	0	<0.001	0.00			
	5GNR-n38	QPSK20M	Rear Face	0	519000	1	1	Ant 0+2	1	21.00	20.89	1.03	-0.03	0.121	0.12			
	5GNR-n38	QPSK20M	Left Side	0	519000	1	1	Ant 0+2	1	21.00	20.89	1.03	0	<0.001	0.00			
	5GNR-n38	QPSK20M	Right Side	0	519000	1	1	Ant 0+2	1	21.00	20.89	1.03	0.1	0.275	0.28			
	5GNR-n38	QPSK20M	Top Side	0	519000	1	1	Ant 0+2	1	21.00	20.89	1.03	-0.15	0.152	0.16			
	5GNR-n38	QPSK20M	Bottom Side	0	519000	1	1	Ant 0+2	1	21.00	20.89	1.03	0	<0.001	0.00			
	5GNR-n38	QPSK40M	Rear Face	0	519000	50	28	Ant 2	1	20.50	20.23	1.06	0.08	0.133	0.14			
	5GNR-n38	QPSK40M	Left Side	0	519000	50	28	Ant 2	1	20.50	20.23	1.06	0	<0.001	0.00			
	5GNR-n38	QPSK40M	Right Side	0	519000	50	28	Ant 2	1	20.50	20.23	1.06	0.13	0.614	0.65			
	5GNR-n38	QPSK40M	Top Side	0	519000	50	28	Ant 2	1	20.50	20.23	1.06	0	<0.001	0.00			
	5GNR-n38	QPSK40M	Bottom Side	0	519000	50	28	Ant 2	1	20.50	20.23	1.06	0	<0.001	0.00			
	5GNR-n38	QPSK20M	Rear Face	0	519000	25	13	Ant 0+2	1	21.00	20.79	1.05	0.03	0.112	0.12			
	5GNR-n38	QPSK20M	Left Side	0	519000	25	13	Ant 0+2	1	21.00	20.79	1.05	0	<0.001	0.00			
	5GNR-n38	QPSK20M	Right Side	0	519000	25	13	Ant 0+2	1	21.00	20.79	1.05	0.14	0.252	0.26			
	5GNR-n38	QPSK20M	Top Side	0	519000	25	13	Ant 0+2	1	21.00	20.79	1.05	-0.07	0.144	0.15			
	5GNR-n38	QPSK20M	Bottom Side	0	519000	25	13	Ant 0+2	1	21.00	20.79	1.05	0	<0.001	0.00			

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
	5GNR-n38	QPSK40M	Right Side	0	518000	1	1	Ant 2	1	20.50	20.25	1.06	-0.02	0.655	0.69			
	5GNR-n38	QPSK40M	Right Side	0	520000	1	1	Ant 2	1	20.50	20.29	1.05	0.08	0.637	0.67			
	5GNR-n38	QPSK40M	Right Side	0	519000	1	1	Ant 2	2	20.50	20.35	1.04	-0.14	0.621	0.65			
	5GNR-n41	QPSK100M	Rear Face	0	518598	1	1	Ant 2	1	20.50	20.38	1.03	-0.08	0.203	0.21			
	5GNR-n41	QPSK100M	Left Side	0	518598	1	1	Ant 2	1	20.50	20.38	1.03	0	<0.001	0.00			
30	5GNR-n41	QPSK100M	Right Side	0	518598	1	1	Ant 2	1	20.50	20.38	1.03	0.01	0.674	0.69			
	5GNR-n41	QPSK100M	Top Side	0	518598	1	1	Ant 2	1	20.50	20.38	1.03	0	<0.001	0.00			
	5GNR-n41	QPSK100M	Bottom Side	0	518598	1	1	Ant 2	1	20.50	20.38	1.03	0	<0.001	0.00			
	5GNR-n41	QPSK100M	Rear Face	0	518598	1	1	Ant 0+2	1	20.50	20.34	1.04	0.01	0.141	0.15			
	5GNR-n41	QPSK100M	Left Side	0	518598	1	1	Ant 0+2	1	20.50	20.34	1.04	0	<0.001	0.00			
	5GNR-n41	QPSK100M	Right Side	0	518598	1	1	Ant 0+2	1	20.50	20.34	1.04	-0.09	0.347	0.36			
	5GNR-n41	QPSK100M	Top Side	0	518598	1	1	Ant 0+2	1	20.50	20.34	1.04	-0.09	0.227	0.24			
	5GNR-n41	QPSK100M	Bottom Side	0	518598	1	1	Ant 0+2	1	20.50	20.34	1.04	0	<0.001	0.00			
	5GNR-n41	QPSK100M	Rear Face	0	518598	135	69	Ant 2	1	20.50	20.26	1.06	0.03	0.185	0.20			
	5GNR-n41	QPSK100M	Left Side	0	518598	135	69	Ant 2	1	20.50	20.26	1.06	0	<0.001	0.00			
	5GNR-n41	QPSK100M	Right Side	0	518598	135	69	Ant 2	1	20.50	20.26	1.06	0.17	0.626	0.66			
	5GNR-n41	QPSK100M	Top Side	0	518598	135	69	Ant 2	1	20.50	20.26	1.06	0	<0.001	0.00			
	5GNR-n41	QPSK100M	Bottom Side	0	518598	135	69	Ant 2	1	20.50	20.26	1.06	0	<0.001	0.00			
	5GNR-n41	QPSK100M	Rear Face	0	518598	135	69	Ant 0+2	1	20.50	20.17	1.08	0.01	0.096	0.10			
	5GNR-n41	QPSK100M	Left Side	0	518598	135	69	Ant 0+2	1	20.50	20.17	1.08	0	<0.001	0.00			
	5GNR-n41	QPSK100M	Right Side	0	518598	135	69	Ant 0+2	1	20.50	20.17	1.08	-0.09	0.306	0.33			
	5GNR-n41	QPSK100M	Top Side	0	518598	135	69	Ant 0+2	1	20.50	20.17	1.08	-0.09	0.163	0.18			
	5GNR-n41	QPSK100M	Bottom Side	0	518598	135	69	Ant 0+2	1	20.50	20.17	1.08	0	<0.001	0.00			
	5GNR-n41	QPSK100M	Right Side	0	509202	1	1	Ant 2	1	20.50	20.03	1.11	-0.09	0.415	0.46			
	5GNR-n41	QPSK100M	Right Side	0	513900	1	1	Ant 2	1	20.50	20.35	1.04	-0.13	0.592	0.62			
	5GNR-n41	QPSK100M	Right Side	0	523302	1	1	Ant 2	1	20.50	20.32	1.04	-0.15	0.632	0.66			
	5GNR-n41	QPSK100M	Right Side	0	528000	1	1	Ant 2	1	20.50	20.23	1.06	-0.11	0.591	0.63			
	5GNR-n41	QPSK100M	Right Side	0	518598	1	1	Ant 2	2	20.50	20.38	1.03	-0.03	0.602	0.62			

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
	5GNR-n48	QPSK40M	Rear Face	0	638000	1	1	Ant 3	1	18.00	17.97	1.01	-0.07	0.137	0.14			
	5GNR-n48	QPSK40M	Left Side	0	638000	1	1	Ant 3	1	18.00	17.97	1.01	-0.03	0.456	0.46			
	5GNR-n48	QPSK40M	Right Side	0	638000	1	1	Ant 3	1	18.00	17.97	1.01	0	<0.001	0.00			
	5GNR-n48	QPSK40M	Top Side	0	638000	1	1	Ant 3	1	18.00	17.97	1.01	0	<0.001	0.00			
	5GNR-n48	QPSK40M	Bottom Side	0	638000	1	1	Ant 3	1	18.00	17.97	1.01	0	<0.001	0.00			
	5GNR-n48	QPSK40M	Rear Face	0	638000	1	1	Ant 1+3	1	18.00	17.87	1.03	-0.09	0.075	0.08			
	5GNR-n48	QPSK40M	Left Side	0	638000	1	1	Ant 1+3	1	18.00	17.87	1.03	-0.13	0.199	0.20			
	5GNR-n48	QPSK40M	Right Side	0	638000	1	1	Ant 1+3	1	18.00	17.87	1.03	0	<0.001	0.00			
	5GNR-n48	QPSK40M	Top Side	0	638000	1	1	Ant 1+3	1	18.00	17.87	1.03	0	<0.001	0.00			
	5GNR-n48	QPSK40M	Bottom Side	0	638000	1	1	Ant 1+3	1	18.00	17.87	1.03	0	<0.001	0.00			
	5GNR-n48	QPSK40M	Rear Face	0	638000	50	28	Ant 3	1	18.00	17.85	1.04	0.11	0.127	0.13			
	5GNR-n48	QPSK40M	Left Side	0	638000	50	28	Ant 3	1	18.00	17.85	1.04	-0.17	0.433	0.45			
	5GNR-n48	QPSK40M	Right Side	0	638000	50	28	Ant 3	1	18.00	17.85	1.04	0	<0.001	0.00			
	5GNR-n48	QPSK40M	Top Side	0	638000	50	28	Ant 3	1	18.00	17.85	1.04	0	<0.001	0.00			
	5GNR-n48	QPSK40M	Bottom Side	0	638000	50	28	Ant 3	1	18.00	17.85	1.04	0	<0.001	0.00			
	5GNR-n48	QPSK40M	Rear Face	0	638000	50	28	Ant 1+3	1	18.00	17.72	1.07	-0.09	0.072	0.08			
	5GNR-n48	QPSK40M	Left Side	0	638000	50	28	Ant 1+3	1	18.00	17.72	1.07	-0.13	0.188	0.20			
	5GNR-n48	QPSK40M	Right Side	0	638000	50	28	Ant 1+3	1	18.00	17.72	1.07	0	<0.001	0.00			
	5GNR-n48	QPSK40M	Top Side	0	638000	50	28	Ant 1+3	1	18.00	17.72	1.07	0	<0.001	0.00			
	5GNR-n48	QPSK40M	Bottom Side	0	638000	50	28	Ant 1+3	1	18.00	17.72	1.07	0	<0.001	0.00			
	5GNR-n48	QPSK40M	Left Side	0	640444	1	1	Ant 3	1	18.00	17.91	1.02	-0.15	0.441	0.45			
	5GNR-n48	QPSK40M	Left Side	0	642888	1	1	Ant 3	1	18.00	17.82	1.04	0.16	0.511	0.53			
31	5GNR-n48	QPSK40M	Left Side	0	645332	1	1	Ant 3	1	18.00	17.94	1.01	0.03	0.683	0.69			
	5GNR-n48	QPSK40M	Left Side	0	645332	1	1	Ant 3	2	18.00	17.94	1.01	0.15	0.661	0.67			

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
	5GNR-n66	QPSK40M	Rear Face	0	349000	1	1	Ant 0	1	17.50	16.58	1.24	0.09	0.327	0.41			
	5GNR-n66	QPSK40M	Left Side	0	349000	1	1	Ant 0	1	17.50	16.58	1.24	0	<0.001	0.00			
	5GNR-n66	QPSK40M	Right Side	0	349000	1	1	Ant 0	1	17.50	16.58	1.24	0.15	0.069	0.09			
32	5GNR-n66	QPSK40M	Top Side	0	349000	1	1	Ant 0	1	17.50	16.58	1.24	0.06	0.581	0.72			
	5GNR-n66	QPSK40M	Bottom Side	0	349000	1	1	Ant 0	1	17.50	16.58	1.24	0	<0.001	0.00			
	5GNR-n66	QPSK40M	Rear Face	0	349000	108	54	Ant 0	1	17.50	16.54	1.25	0.09	0.308	0.39			
	5GNR-n66	QPSK40M	Left Side	0	349000	108	54	Ant 0	1	17.50	16.54	1.25	0	<0.001	0.00			
	5GNR-n66	QPSK40M	Right Side	0	349000	108	54	Ant 0	1	17.50	16.54	1.25	-0.11	0.055	0.07			
	5GNR-n66	QPSK40M	Top Side	0	349000	108	54	Ant 0	1	17.50	16.54	1.25	0.1	0.541	0.68			
	5GNR-n66	QPSK40M	Bottom Side	0	349000	108	54	Ant 0	1	17.50	16.54	1.25	0	<0.001	0.00			
	5GNR-n66	QPSK40M	Top Side	0	346000	1	1	Ant 0	1	17.50	16.44	1.28	-0.18	0.475	0.61			
	5GNR-n66	QPSK40M	Top Side	0	352000	1	1	Ant 0	1	17.50	16.55	1.24	0.04	0.526	0.65			
	5GNR-n66	QPSK40M	Top Side	0	349000	1	1	Ant 0	2	17.50	16.58	1.24	-0.07	0.541	0.67			
	5GNR-n71	QPSK30M	Rear Face	0	135600	1	1	Ant 0	1	21.00	20.96	1.01	0.11	0.292	0.29			
	5GNR-n71	QPSK30M	Left Side	0	135600	1	1	Ant 0	1	21.00	20.96	1.01	0	<0.001	0.00			
	5GNR-n71	QPSK30M	Right Side	0	135600	1	1	Ant 0	1	21.00	20.96	1.01	0.02	0.03	0.03			
	5GNR-n71	QPSK30M	Top Side	0	135600	1	1	Ant 0	1	21.00	20.96	1.01	0.09	0.616	0.62			
	5GNR-n71	QPSK30M	Bottom Side	0	135600	1	1	Ant 0	1	21.00	20.96	1.01	0	<0.001	0.00			
	5GNR-n71	QPSK30M	Rear Face	0	135600	80	40	Ant 0	1	21.00	20.81	1.04	0.08	0.271	0.28			
	5GNR-n71	QPSK30M	Left Side	0	135600	80	40	Ant 0	1	21.00	20.81	1.04	0	<0.001	0.00			
	5GNR-n71	QPSK30M	Right Side	0	135600	80	40	Ant 0	1	21.00	20.81	1.04	0.11	0.024	0.02			
	5GNR-n71	QPSK30M	Top Side	0	135600	80	40	Ant 0	1	21.00	20.81	1.04	0.13	0.589	0.61			
	5GNR-n71	QPSK30M	Bottom Side	0	135600	80	40	Ant 0	1	21.00	20.81	1.04	0	<0.001	0.00			
	5GNR-n71	QPSK30M	Top Side	0	136100	1	1	Ant 0	1	21.00	20.95	1.01	0.06	0.644	0.65			
33	5GNR-n71	QPSK30M	Top Side	0	136600	1	1	Ant 0	1	21.00	20.92	1.02	0.01	0.678	0.69			
	5GNR-n71	QPSK30M	Top Side	0	136600	1	1	Ant 0	2	21.00	20.92	1.02	-0.11	0.572	0.58			

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
34	5GNR-n77	QPSK100M	Rear Face	0	633334	1	1	Ant 3	1	18.50	18.45	1.01	0.01	0.467	0.47			
	5GNR-n77	QPSK100M	Left Side	0	633334	1	1	Ant 3	1	18.50	18.45	1.01	-0.06	0.744	0.75			
	5GNR-n77	QPSK100M	Right Side	0	633334	1	1	Ant 3	1	18.50	18.45	1.01	0	<0.001	0.00			
	5GNR-n77	QPSK100M	Top Side	0	633334	1	1	Ant 3	1	18.50	18.45	1.01	-0.02	0.042	0.04			
	5GNR-n77	QPSK100M	Bottom Side	0	633334	1	1	Ant 3	1	18.50	18.45	1.01	0.16	0.083	0.08			
	5GNR-n77	QPSK100M	Rear Face	0	641666	1	1	Ant 1+3	1	18.50	17.34	1.31	0.08	0.053	0.07			
	5GNR-n77	QPSK100M	Left Side	0	641666	1	1	Ant 1+3	1	18.50	17.34	1.31	0.18	0.261	0.34			
	5GNR-n77	QPSK100M	Right Side	0	641666	1	1	Ant 1+3	1	18.50	17.34	1.31	0	<0.001	0.00			
	5GNR-n77	QPSK100M	Top Side	0	641666	1	1	Ant 1+3	1	18.50	17.34	1.31	0.05	0.481	0.63			
	5GNR-n77	QPSK100M	Bottom Side	0	641666	1	1	Ant 1+3	1	18.50	17.34	1.31	-0.19	0.03	0.04			
	5GNR-n77	QPSK100M	Rear Face	0	633334	135	69	Ant 3	1	18.50	18.38	1.03	0.11	0.126	0.13			
	5GNR-n77	QPSK100M	Left Side	0	633334	135	69	Ant 3	1	18.50	18.38	1.03	0.13	0.619	0.64			
	5GNR-n77	QPSK100M	Right Side	0	633334	135	69	Ant 3	1	18.50	18.38	1.03	0	<0.001	0.00			
	5GNR-n77	QPSK100M	Top Side	0	633334	135	69	Ant 3	1	18.50	18.38	1.03	0.15	0.04	0.04			
	5GNR-n77	QPSK100M	Bottom Side	0	633334	135	69	Ant 3	1	18.50	18.38	1.03	-0.12	0.071	0.07			
	5GNR-n77	QPSK100M	Rear Face	0	641666	135	69	Ant 1+3	1	18.50	17.20	1.35	-0.16	0.043	0.06			
	5GNR-n77	QPSK100M	Left Side	0	641666	135	69	Ant 1+3	1	18.50	17.20	1.35	-0.14	0.223	0.30			
	5GNR-n77	QPSK100M	Right Side	0	641666	135	69	Ant 1+3	1	18.50	17.20	1.35	0	<0.001	0.00			
	5GNR-n77	QPSK100M	Top Side	0	641666	135	69	Ant 1+3	1	18.50	17.20	1.35	-0.08	0.415	0.56			
	5GNR-n77	QPSK100M	Bottom Side	0	641666	135	69	Ant 1+3	1	18.50	17.20	1.35	0.13	0.026	0.04			
	5GNR-n77	QPSK100M	Left Side	0	640000	1	1	Ant 3	1	18.50	18.31	1.04	-0.08	0.338	0.35			
	5GNR-n77	QPSK100M	Left Side	0	641666	1	1	Ant 3	1	18.50	18.39	1.03	0.14	0.353	0.36			
	5GNR-n77	QPSK100M	Left Side	0	643332	1	1	Ant 3	1	18.50	18.36	1.03	0.01	0.399	0.41			
	5GNR-n77	QPSK100M	Left Side	0	650000	1	1	Ant 3	1	18.50	18.35	1.04	0	0.428	0.45			
	5GNR-n77	QPSK100M	Left Side	0	653000	1	1	Ant 3	1	18.50	18.36	1.03	-0.06	0.615	0.63			
	5GNR-n77	QPSK100M	Left Side	0	656000	1	1	Ant 3	1	18.50	18.33	1.04	0.08	0.587	0.61			
	5GNR-n77	QPSK100M	Left Side	0	659000	1	1	Ant 3	1	18.50	18.30	1.05	-0.12	0.542	0.57			
	5GNR-n77	QPSK100M	Left Side	0	662000	1	1	Ant 3	1	18.50	18.41	1.02	-0.07	0.57	0.58			
	5GNR-n77	QPSK100M	Left Side	0	633334	1	1	Ant 3	2	18.50	18.45	1.01	-0.03	0.615	0.62			

Body SAR Test Result

System & Position								DUT Configuration								SAR		
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	RB#	RB offset	Ant Status	Battery	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)			
35	5GNR-n78	QPSK100M	Rear Face	0	650000	1	1	Ant 3	1	18.00	17.96	1.01	0	0.288	0.29			
	5GNR-n78	QPSK100M	Left Side	0	650000	1	1	Ant 3	1	18.00	17.96	1.01	0.01	0.668	0.67			
	5GNR-n78	QPSK100M	Right Side	0	650000	1	1	Ant 3	1	18.00	17.96	1.01	0	<0.001	0.00			
	5GNR-n78	QPSK100M	Top Side	0	650000	1	1	Ant 3	1	18.00	17.96	1.01	0.12	0.058	0.06			
	5GNR-n78	QPSK100M	Bottom Side	0	650000	1	1	Ant 3	1	18.00	17.96	1.01	0.13	0.018	0.02			
	5GNR-n78	QPSK100M	Rear Face	0	633334	1	1	Ant 1+3	1	18.00	17.85	1.04	-0.04	0.039	0.04			
	5GNR-n78	QPSK100M	Left Side	0	633334	1	1	Ant 1+3	1	18.00	17.85	1.04	-0.07	0.226	0.24			
	5GNR-n78	QPSK100M	Right Side	0	633334	1	1	Ant 1+3	1	18.00	17.85	1.04	0	<0.001	0.00			
	5GNR-n78	QPSK100M	Top Side	0	633334	1	1	Ant 1+3	1	18.00	17.85	1.04	-0.14	0.328	0.34			
	5GNR-n78	QPSK100M	Bottom Side	0	633334	1	1	Ant 1+3	1	18.00	17.85	1.04	-0.02	0.028	0.03			
	5GNR-n78	QPSK100M	Rear Face	0	650000	135	69	Ant 3	1	18.00	17.81	1.04	0.03	0.192	0.20			
	5GNR-n78	QPSK100M	Left Side	0	650000	135	69	Ant 3	1	18.00	17.81	1.04	0.09	0.648	0.67			
	5GNR-n78	QPSK100M	Right Side	0	650000	135	69	Ant 3	1	18.00	17.81	1.04	0	<0.001	0.00			
	5GNR-n78	QPSK100M	Top Side	0	650000	135	69	Ant 3	1	18.00	17.81	1.04	-0.16	0.422	0.44			
	5GNR-n78	QPSK100M	Bottom Side	0	650000	135	69	Ant 3	1	18.00	17.81	1.04	0.07	0.018	0.02			
	5GNR-n78	QPSK100M	Rear Face	0	633334	135	69	Ant 1+3	1	18.00	17.69	1.07	-0.11	0.067	0.07			
	5GNR-n78	QPSK100M	Left Side	0	633334	135	69	Ant 1+3	1	18.00	17.69	1.07	0.16	0.231	0.25			
	5GNR-n78	QPSK100M	Right Side	0	633334	135	69	Ant 1+3	1	18.00	17.69	1.07	0	<0.001	0.00			
	5GNR-n78	QPSK100M	Top Side	0	633334	135	69	Ant 1+3	1	18.00	17.69	1.07	-0.09	0.433	0.46			
	5GNR-n78	QPSK100M	Bottom Side	0	633334	135	69	Ant 1+3	1	18.00	17.69	1.07	0.14	0.026	0.03			
	5GNR-n78	QPSK100M	Left Side	0	633332	1	1	Ant 3	1	18.00	17.81	1.04	0.04	0.621	0.65			
	5GNR-n78	QPSK100M	Left Side	0	640000	1	1	Ant 3	1	18.00	17.58	1.10	0.03	0.352	0.39			
	5GNR-n78	QPSK100M	Left Side	0	641666	1	1	Ant 3	1	18.00	17.52	1.12	-0.13	0.32	0.36			
	5GNR-n78	QPSK100M	Left Side	0	643332	1	1	Ant 3	1	18.00	17.46	1.13	0.18	0.334	0.38			
	5GNR-n78	QPSK100M	Left Side	0	650000	1	1	Ant 3	2	18.00	17.96	1.01	-0.18	0.639	0.65			

Body SAR and Power Density Test Result																										
System & Position						DUT Configuration		SAR								Power Density										
Plot No.	Band	Mode	Test Position	Separation Distance (mm)	Channel	Ant Status	Battery	Duty Cycle	Crest Factor	Max. Tune-up Power (dBm)	Measured Conducted Power (dBm)	Scaling Factor	Power Drift (dB)	Measured SAR-1g (W/kg)	Scaled SAR-1g (W/kg)	Measured APD W/m ² (4cm ²)	Scaled APD W/m ² (4cm ²)	Grid Step [λ]	iPD [W/m2]	Scaling Factor for Measurement Uncertainty	Averaging Area [cm2]	Power Drift [dB]	Normal psPD [W/m2]	Scaled Normal psPD [W/m2]	Total psPD [W/m2]	Scaled Total psPD [W/m2]
36	WLAN2.4G	802.11b	Left Side	0	13	Ant 1	1	100.00	1.00	13.50	13.22	1.07	-0.03	0.353	0.38	-	-									
37	WLAN5.3G	802.11ac VHT160	Left Side	0	50	Ant 0+1	1	100.00	1.00	14.00	13.94	1.01	0.03	0.319	0.32	-	-									
38	WLAN5.6G	802.11ac VHT160	Left Side	0	114	Ant 1	1	100.00	1.00	10.50	10.25	1.06	0.08	0.322	0.34	-	-									
39	WLAN5.8G	802.11ac VHT80	Left Side	0	155	Ant 0+1	1	100.00	1.00	12.00	11.58	1.10	0.04	0.31	0.34	-	-									
40	WLAN5.9G	802.11ac VHT160	Left Side	0	163	Ant 1	1	100.00	1.00	9.00	8.43	1.14	-0.18	0.347	0.40	-	-									
41	BT	BR	Left Side	0	0	Ant 1	1	77.01	1.30	10.00	9.60	1.10	-0.04	0.249	0.36	-	-									
42	UNII-5	802.11ax HE160	Left Side	0	47	Ant 0+1	1	100.00	1.00	8.00	7.87	1.03	0.11	0.317	0.33	1.54	1.59	0.0515	10.9	1.545	4	-0.1	1.2	1.91	1.8	2.86

Appendix G. SAR Measurement Variability

SAR repeated measurement are shown as below.



BUREAU
VERITAS

Repeated SAR

Plot	Band	Mode	Test Position	Ch.	Original Measured SAR-1g (W/kg)	1st Repeated SAR-1g (W/kg)	L/S Ratio
R14	LTE 38	QPSK20M	Top Side	37850	0.847	0.813	1.04

Appendix H. Analysis of Simultaneous Transmission.

The analysis of simultaneous transmission SAR are shown as below.

<Possibilities of Simultaneous Transmission>

The simultaneous transmission possibilities for this device are listed as below.

Simultaneous TX Combination	Capable Transmit Configurations	Body Exposure Condition
A	WWAN + WLAN 5G MIMO + BT + NFC	Yes
B	WWAN + WLAN 6G MIMO + BT + NFC	Yes
C	WWAN + WLAN 2.4G SISO + WLAN 5G SISO + NFC	Yes
D	WWAN + WLAN 2.4G SISO + WLAN 6G SISO + NFC	Yes

Notes

1. The worst value of simultaneous transmission WLAN/BT/RFID SAR is the combined calculation of refer report No.: SFCDVB-WTW-P25100254-2

Simultaneous Transmission SAR Evaluation (Body)																	
Band	Position	0	1	2	3	4	5	4a	5a	6	7	A(0+3+6+7)	B(0+5+6+7)	C(0+1+2+7)	D(0+1+4+7)	B(0+5a+6+7)	D(0+1+4a+7)
		Max WWAN	Max WLAN 2.4GHz SISO	Max WLAN 5GHz SISO	Max WLAN 5GHz MIMO	Max WLAN 6GHz SISO	Max WLAN 6GHz MIMO	Max WLAN 6GHz SISO	Max WLAN 6GHz MIMO	Max BT Ant 1	NFC	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg						
WCDMA II	Rear Face	0.30	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.49	0.49	0.52	0.45	0.26	0.24
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.09	0.09	0.09	0.06	0.06
	Top Side	0.68	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.32	1.20	1.18	1.00	0.66	0.52
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WCDMA IV	Rear Face	0.35	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.54	0.54	0.57	0.50	0.29	0.27
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	0.11	0.11	0.11	0.07	0.07
	Top Side	0.69	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.33	1.21	1.19	1.01	0.66	0.53
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
WCDMA V	Rear Face	0.21	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.40	0.40	0.43	0.36	0.20	0.18
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.03	0.03	0.02	0.02
	Top Side	0.71	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.35	1.23	1.21	1.03	0.68	0.54
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 2	Rear Face	0.27	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.46	0.46	0.49	0.42	0.24	0.22
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.09	0.09	0.09	0.06	0.06
	Top Side	0.68	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.32	1.20	1.18	1.00	0.66	0.52
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 4	Rear Face	0.35	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.54	0.54	0.57	0.50	0.29	0.27
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.07	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.07	0.07	0.07	0.04	0.04
	Top Side	0.69	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.33	1.21	1.19	1.01	0.66	0.53
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 5	Rear Face	0.17	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.36	0.36	0.39	0.32	0.18	0.16
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.02	0.02	0.01	0.01
	Top Side	0.69	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.33	1.21	1.19	1.01	0.66	0.53
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 7	Rear Face	0.51	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.70	0.70	0.73	0.66	0.39	0.37
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.08	0.08	0.08	0.05	0.05
	Top Side	0.72	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.36	1.24	1.22	1.04	0.68	0.54
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 12	Rear Face	0.17	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.36	0.36	0.39	0.32	0.18	0.16
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.03	0.03	0.02	0.02
	Top Side	0.69	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.33	1.21	1.19	1.01	0.66	0.53
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 13	Rear Face	0.28	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.47	0.47	0.50	0.43	0.24	0.23
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.04	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.04	0.04	0.04	0.03	0.03
	Top Side	0.74	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.38	1.26	1.24	1.06	0.69	0.56
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Simultaneous Transmission SAR Evaluation (Body)																	
Band	Position	0	1	2	3	4	5	4a	5a	6	7	A(0+3+6+7)	B(0+5+6+7)	C(0+1+2+7)	D(0+1+4+7)	B(0+5a+6+7)	D(0+1+4a+7)
		Max WWAN	Max WLAN 2.4GHz SISO	Max WLAN 5GHz SISO	Max WLAN 5GHz MIMO	Max WLAN 6GHz SISO	Max WLAN 6GHz MIMO	Max WLAN 6GHz SISO	Max WLAN 6GHz MIMO	Max BT Ant 1	NFC	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg						
LTE 14	Rear Face	0.23	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.42	0.42	0.45	0.38	0.21	0.19
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.02	0.02	0.01	0.01
	Top Side	0.70	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.34	1.22	1.20	1.02	0.67	0.53
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 17	Rear Face	0.20	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.39	0.39	0.42	0.35	0.19	0.18
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.03	0.03	0.02	0.02
	Top Side	0.68	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.32	1.20	1.18	1.00	0.66	0.52
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 25	Rear Face	0.29	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.48	0.48	0.51	0.44	0.25	0.23
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.09	0.09	0.09	0.06	0.06
	Top Side	0.68	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.32	1.20	1.18	1.00	0.66	0.52
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 26	Rear Face	0.26	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.45	0.45	0.48	0.41	0.23	0.21
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.05	0.05	0.05	0.03	0.03
	Top Side	0.78	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.42	1.30	1.28	1.10	0.72	0.58
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 38	Rear Face	0.49	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.68	0.68	0.71	0.64	0.38	0.36
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.06	0.06	0.06	0.04	0.04
	Top Side	0.85	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.49	1.37	1.35	1.17	0.76	0.63
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 41	Rear Face	0.24	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.43	0.43	0.46	0.39	0.22	0.20
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.03	0.03	0.02	0.02
	Top Side	0.78	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.42	1.30	1.28	1.10	0.72	0.58
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 42	Rear Face	0.19	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.38	0.38	0.41	0.34	0.19	0.17
	Left Side	0.71	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	1.48	1.41	1.50	1.36	0.97	0.92
	Right Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Top Side	0.00	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	0.64	0.52	0.50	0.32	0.23	0.09
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 43	Rear Face	0.12	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.31	0.31	0.34	0.27	0.14	0.13
	Left Side	0.73	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	1.50	1.43	1.52	1.38	0.98	0.94
	Right Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Top Side	0.02	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	0.66	0.54	0.52	0.34	0.24	0.11
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 48	Rear Face	0.15	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.34	0.34	0.37	0.30	0.16	0.14
	Left Side	0.74	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	1.51	1.44	1.53	1.39	0.99	0.94
	Right Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Top Side	0.00	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	0.64	0.52	0.50	0.32	0.23	0.09
	Bottom Side	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.02	0.02	0.01	0.01

Simultaneous Transmission SAR Evaluation (Body)																	
Band	Position	0	1	2	3	4	5	4a	5a	6	7	A(0+3+6+7)	B(0+5+6+7)	C(0+1+2+7)	D(0+1+4+7)	B(0+5a+6+7)	D(0+1+4a+7)
		Max WWAN	Max WLAN 2.4GHz SISO	Max WLAN 5GHz SISO	Max WLAN 5GHz MIMO	Max WLAN 6GHz SISO	Max WLAN 6GHz MIMO	Max WLAN 6GHz SISO	Max WLAN 6GHz MIMO	Max BT Ant 1	NFC	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg						
LTE 66	Rear Face	0.37	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.56	0.56	0.59	0.52	0.30	0.28
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.08	0.08	0.08	0.05	0.05
	Top Side	0.65	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.29	1.17	1.15	0.97	0.64	0.50
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
LTE 71	Rear Face	0.24	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.43	0.43	0.46	0.39	0.22	0.20
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.03	0.03	0.02	0.02
	Top Side	0.69	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.33	1.21	1.19	1.01	0.66	0.53
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5GNR-n2	Rear Face	0.27	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.46	0.46	0.49	0.42	0.24	0.22
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.08	0.08	0.08	0.05	0.05
	Top Side	0.69	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.33	1.21	1.19	1.01	0.66	0.53
	Bottom Side	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.02	0.02	0.02	0.01	0.01
5GNR-n5	Rear Face	0.23	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.42	0.42	0.45	0.38	0.21	0.19
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.03	0.03	0.02	0.02
	Top Side	0.69	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.33	1.21	1.19	1.01	0.66	0.53
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5GNR-n7	Rear Face	0.48	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.67	0.67	0.70	0.63	0.37	0.35
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.06	0.06	0.06	0.04	0.04
	Top Side	0.69	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.33	1.21	1.19	1.01	0.66	0.53
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5GNR-n12	Rear Face	0.52	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.71	0.71	0.74	0.67	0.39	0.38
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Top Side	0.68	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.32	1.20	1.18	1.00	0.66	0.52
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5GNR-n13	Rear Face	0.31	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.50	0.50	0.53	0.46	0.26	0.24
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Top Side	0.71	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.35	1.23	1.21	1.03	0.68	0.54
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5GNR-n14	Rear Face	0.20	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.39	0.39	0.42	0.35	0.19	0.18
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Top Side	0.65	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.29	1.17	1.15	0.97	0.64	0.50
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5GNR-n25	Rear Face	0.28	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.47	0.47	0.50	0.43	0.24	0.23
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.08	0.08	0.08	0.05	0.05
	Top Side	0.66	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.30	1.18	1.16	0.98	0.64	0.51
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Simultaneous Transmission SAR Evaluation (Body)																	
Band	Position	0	1	2	3	4	5	4a	5a	6	7	A(0+3+6+7)	B(0+5+6+7)	C(0+1+2+7)	D(0+1+4+7)	B(0+5a+6+7)	D(0+1+4a+7)
		Max WWAN	Max WLAN 2.4GHz SISO	Max WLAN 5GHz SISO	Max WLAN 5GHz MIMO	Max WLAN 6GHz SISO	Max WLAN 6GHz MIMO	Max WLAN 6GHz SISO	Max WLAN 6GHz MIMO	Max BT Ant 1	NFC	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Summing result 1g SAR W/kg	Total Exposure Ratio	Total Exposure Ratio
		1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	1g SAR W/kg	4cm ² W/m ²	4cm ² W/m ²	1g SAR W/kg	1g SAR W/kg						
5GNR-n26	Rear Face	0.19	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.38	0.38	0.41	0.34	0.19	0.17
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.03	0.03	0.02	0.02
	Top Side	0.69	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.33	1.21	1.19	1.01	0.66	0.53
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5GNR-n38	Rear Face	0.17	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.36	0.36	0.39	0.32	0.18	0.16
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.69	0.69	0.69	0.43	0.43
	Top Side	0.16	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	0.80	0.68	0.66	0.48	0.33	0.19
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5GNR-n41	Rear Face	0.21	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.40	0.40	0.43	0.36	0.20	0.18
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.69	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.69	0.69	0.69	0.69	0.43	0.43
	Top Side	0.24	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	0.88	0.76	0.74	0.56	0.38	0.24
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5GNR-n48	Rear Face	0.14	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.33	0.33	0.36	0.29	0.16	0.14
	Left Side	0.69	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	1.46	1.39	1.48	1.34	0.96	0.91
	Right Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Top Side	0.00	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	0.64	0.52	0.50	0.32	0.23	0.09
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5GNR-n66	Rear Face	0.41	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.60	0.60	0.63	0.56	0.33	0.31
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.09	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.09	0.09	0.09	0.06	0.06
	Top Side	0.72	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.36	1.24	1.22	1.04	0.68	0.54
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5GNR-n71	Rear Face	0.29	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.48	0.48	0.51	0.44	0.25	0.23
	Left Side	0.00	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	0.77	0.70	0.79	0.65	0.53	0.48
	Right Side	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.03	0.03	0.02	0.02
	Top Side	0.69	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.33	1.21	1.19	1.01	0.66	0.53
	Bottom Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5GNR-n77	Rear Face	0.47	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.66	0.66	0.69	0.62	0.36	0.34
	Left Side	0.75	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	1.52	1.45	1.54	1.40	0.99	0.95
	Right Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Top Side	0.63	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.27	1.15	1.13	0.95	0.63	0.49
	Bottom Side	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	0.08	0.08	0.08	0.05	0.05
5GNR-n78	Rear Face	0.29	0.07	0.14	0.08	0.07	0.08	0.00	0.00	0.10	0.01	0.48	0.48	0.51	0.44	0.25	0.23
	Left Side	0.67	0.39	0.40	0.40	0.26	0.33	2.35	2.94	0.37	0.00	1.44	1.37	1.46	1.32	0.94	0.90
	Right Side	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Top Side	0.46	0.12	0.35	0.27	0.17	0.15	0.00	0.00	0.34	0.03	1.10	0.98	0.96	0.78	0.52	0.38
	Bottom Side	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	0.03	0.03	0.03	0.02	0.02

Appendix J. Calibration of Test Equipment List

Calibration of Test Equipment List are shown as below.

Equipment for SAR Test

Equipment	Manufacturer	Model	SN	Cal. Date	Cal. Interval
System Validation Dipole	SPEAG	D750V3	1013	2025/8/14	1 Year
System Validation Dipole	SPEAG	D835V2	4d121	2025/8/14	1 Year
System Validation Dipole	SPEAG	D1750V2	1055	2025/9/11	1 Year
System Validation Dipole	SPEAG	D1900V2	5d036	2025/2/12	1 Year
System Validation Dipole	SPEAG	D2450V2	737	2025/2/12	1 Year
System Validation Dipole	SPEAG	D2600V2	1020	2025/8/14	1 Year
System Validation Dipole	SPEAG	D3500V2	1007	2025/1/15	1 Year
System Validation Dipole	SPEAG	D3700V2	1017	2025/2/14	1 Year
System Validation Dipole	SPEAG	D3900V2	1020	2025/2/14	1 Year
System Validation Dipole	SPEAG	D5GHzV2	1019	2025/2/11	1 Year
System Validation Dipole	SPEAG	D6.5GHzV2	1008	2025/9/10	1 Year
System Verification Source	SPEAG	5G Verification Source 10 GHz	1025	2025/1/14	1 Year
Dosimetric E-Field Probe	SPEAG	EX3DV4	7720	2025/3/18	1 Year
Dosimetric E-Field Probe	SPEAG	EX3DV4	7736	2025/2/17	1 Year
E-Field Probe	SPEAG	EUmmWV4	9615	2025/5/14	1 Year
Data Acquisition Electronics	SPEAG	DAE4	1431	2025/7/11	1 Year
Data Acquisition Electronics	SPEAG	DAE4	1761	2025/9/11	1 Year
Data Acquisition Electronics	SPEAG	DAE4	1589	2025/4/17	1 Year
Universal Radio Communication Tester	Anritsu	MT8821C	6201381727	2025/7/31	1 Year
Universal Radio Communication Tester	Anritsu	MT8000A	6262012865	2024/12/18	1 Year
Mini-Circuits Wideband Amplifier	Mini-Circuits	ZVA-183-S+	434502031A	2025/6/11	1 Year
Thermometer	YFE	YF-160A	120702365	2025/9/10	1 Year
Dielectric Assessment Kit	SPEAG	DAKS-3.5	1092	2025/5/19	1 Year
Dielectric Assessment Kit	SPEAG	DAKS_VNA R140	0010917	2025/5/19	1 Year
Powersource1	SPEAG	SE_UMS_160 BA	1052	2025/7/8	1 Year

Appendix K. Considerations Related to Bluetooth for Setup and Testing

This device has installed Bluetooth engineering testing software which can provide continuous transmitting RF signal. During Bluetooth SAR testing, this device was operated to transmit continuously at the maximum transmission duty with specified transmission mode, operating frequency, lowest data rate, and maximum output power.

The Bluetooth call box has been used during SAR measurement and the EUT was set to DH5 mode at the maximum output power. Its duty factor was calculated as below and the measured SAR for Bluetooth would be scaled to the 100% transmission duty factor to determine compliance.

The duty factor of Bluetooth signal are shown as below.

<Time-domain plot for Bluetooth transmission signal>



The duty factor of Bluetooth signal has been calculated as following.

$$\text{Duty Factor} = \text{Pulse Width} / \text{Total Period} = (7.63 - 4.75) / (8.49 - 4.75) = 77.01\%$$

Appendix L. Time-Averaging Algorithm for RF Exposure Compliance

Exposure Scenario		Body	Pmax (dBm)
Averaging Volume		1g	
Test Distance (mm)		0	
WWAN Bands	Antenna	Plimit corresponding to 0.635 mW/Kg (SAR_design_target)	
WCDMA II	0	16.40	23.50
WCDMA IV	0	16.30	23.50
WCDMA V	0	18.10	23.50
LTE B2	0	16.60	23.00
LTE B4	0	16.80	23.00
LTE B5	0	18.40	23.00
LTE B7	0	16.00	23.00
LTE B12	0	20.40	23.00
LTE B13	0	19.80	23.00
LTE B14	0	19.70	23.00
LTE B17	0	20.40	23.00
LTE B25	0	16.60	23.00
LTE B26	0	18.40	23.00
LTE B38	0	19.60	23.00
LTE B41_HPUE	0	15.70	25.50
LTE B42 FCC/IC	3	14.20	21.5/22.5
LTE B43 FCC/IC	3	13.60	21.5/22.5
LTE B48 FCC/IC	3	13.10	21.5/22.5
LTE B66	0	16.20	23.00
LTE B71	0	20.80	23.00
5G NR-n2	0	16.50	23.00
5G NR-n5	0	18.50	23.50
5G NR-n7	0	16.40	23.50
5G NR-n12	0	20.10	23.00
5G NR-n13	0	19.60	23.00
5G NR-n14	0	19.50	23.00
5G NR-n25	0	16.50	23.50
5G NR-n26	0	18.00	23.00
5G NR-n38	2	19.70	22.50
5G NR-n41_HPUE	2	20.50	26.50
5G NR-n48	3	13.10	23.00
5G NR-n66	0	17.20	23.50
5G NR-n71	0	19.80	23.50
5G NR-n77_HPUE_FCC/IC	3	14.50	26.5/26
5G NR-n78_HPUE_FCC/IC	3	12.40	26.5/26

Note:

1. Pmax is used for RF tune up procedure. The maximum allowed output power is equal to Pmax + 1dB uncertainty.
2. SAR_design_target = 0.635 W/kg for 1g
3. When Pmax < Plimit, the DUT will operate at a power level up to Pmax.