

Photographs of EUT Setup and Antenna Location

The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Tablet

Top Side

WWAN Main Ant 0

WLAN/BT Aux Ant 1

LCD

Left Side


WLAN Main Ant 0

Right Side

Bottom Side


Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WWAN Main Ant 0	0.00	208.00	217.00	17.00
WLAN Main Ant 0	130.50	44.90	0.00	311.00
WLAN/BT Aux Ant 1	78.50	120.50	311.00	0.00

<Right Side View> Tablet




Antenna	To Front Side	To Rear Side
	(mm)	(mm)
WWAN Main Ant 0	4.00	9.00
WLAN Main Ant 0	19.00	4.00
WLAN/BT Aux Ant 1	5.00	16.00

<Front Face View> Laptop Mode (180°)




Antenna	To Top Side	To Baseline	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WWAN Main Ant0	0.00	208.00	217.00	17.00
WLAN Main Ant 0	130.50	44.90	0.00	311.00
WLAN/BT Aux Ant 1	78.50	120.50	311.00	0.00


<Right Side View> Laptop Mode(90°)



<Photographs of Bottom Body SAR Test Setup>



<Photographs of Power Density Test Setup>



Bottom of EUT Tested at 0 mm