Appendix A. Plots of System Verification

The plots for system verification are shown as follows.

.

Measurement Report
S01 System Check H1900_240304
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		1900

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1900.000, 0	8.05	1.42	38.3

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-04	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-04	2024-03-04
psSAR1g [W/kg]	2.02	1.98
psSAR10g [W/kg]	1.04	1.03
Power Drift [dB]	-0.01	0.02



.

Measurement Report
S02 System Check H1750_240304
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		1750

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1750.000, 0	8.38	1.35	38.5

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-04	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-04	2024-03-04
psSAR1g [W/kg]	1.86	1.82
psSAR10g [W/kg]	0.981	0.977
Power Drift [dB]	0.01	0.01



.

Measurement Report
S03 System Check H835_240304
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		835

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	835.000, 0	9.55	0.943	40.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-04	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-04	2024-03-04
psSAR1g [W/kg]	0.558	0.528
psSAR10g [W/kg]	0.365	0.360
Power Drift [dB]	0.01	0.02



Measurement Report
S04 System Check H1900_240302
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		1900

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1900.000, 0	8.05	1.43	40.9

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 96.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	10.0 x 12.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	2024-03-02
psSAR1g [W/kg]	2.02	1.94
psSAR10g [W/kg]	0.96	0.98
Power Drift [dB]	-0.01	0.02



Measurement Report
S05 System Check H1750_240302
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		1750

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1750.000, 0	8.38	1.39	42.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	10.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	2024-03-02
psSAR1g [W/kg]	1.88	1.84
psSAR10g [W/kg]	0.975	0.962
Power Drift [dB]	0.01	-0.01



Measurement Report
S06 System Check H835_240302
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		835

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	835.000, 0	9.55	0.942	44.3

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	10.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	2024-03-02
psSAR1g [W/kg]	0.507	0.506
psSAR10g [W/kg]	0.334	0.333
Power Drift [dB]	-0.01	0.05



Measurement Report
S07 System Check H2600_240302
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		2600

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2600.000, 0	7.46	1.99	40.9

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	2024-03-02
psSAR1g [W/kg]	2.61	2.60
psSAR10g [W/kg]	1.17	1.16
Power Drift [dB]	-0.00	-0.01



Measurement Report
S08 System Check H750_240302
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		750

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	750.000, 0	10.05	0.909	44.6

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	10.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	2024-03-02
psSAR1g [W/kg]	0.455	0.454
psSAR10g [W/kg]	0.307	0.301
Power Drift [dB]	-0.02	-0.01



Measurement Report
S09 System Check H750_240302
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		750

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	750.000, 0	10.05	0.909	44.6

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	10.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	2024-03-02
psSAR1g [W/kg]	0.455	0.454
psSAR10g [W/kg]	0.307	0.301
Power Drift [dB]	-0.02	-0.01



Measurement Report
S10 System Check H750_240302
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		750

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	750.000, 0	10.05	0.909	44.6

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	10.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	2024-03-02
psSAR1g [W/kg]	0.455	0.454
psSAR10g [W/kg]	0.307	0.301
Power Drift [dB]	-0.02	-0.01



.

Measurement Report
S11 System Check H750_240305
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		750

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	750.000, 0	10.05	0.917	43.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-05	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-05	2024-03-05
psSAR1g [W/kg]	0.437	0.433
psSAR10g [W/kg]	0.290	0.286
Power Drift [dB]	-0.00	0.02



.

Measurement Report
S12 System Check H1900_240304
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		1900

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1900.000, 0	8.05	1.42	38.3

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-04	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-04	2024-03-04
psSAR1g [W/kg]	2.02	1.98
psSAR10g [W/kg]	1.04	1.03
Power Drift [dB]	-0.01	0.02



.

Measurement Report
S13 System Check H835_240305
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		835

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	835.000, 0	9.55	0.948	43.0

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-05	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-05	2024-03-05
psSAR1g [W/kg]	0.519	0.514
psSAR10g [W/kg]	0.341	0.336
Power Drift [dB]	0.01	0.01



.

Measurement Report
S15 System Check H2600_240305
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		2600

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2600.000, 0	7.46	1.95	39.9

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-05	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-05	2024-03-05
psSAR1g [W/kg]	2.65	2.70
psSAR10g [W/kg]	1.18	1.22
Power Drift [dB]	-0.01	0.01



.

Measurement Report
S16 System Check H2600_240305
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		Phone

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2600.000, 0	7.46	1.95	39.9

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-05	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-05	2024-03-05
psSAR1g [W/kg]	2.65	2.70
psSAR10g [W/kg]	1.18	1.22
Power Drift [dB]	-0.01	0.01



Measurement Report
S103 System Check_H3500_240328
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat			CW, 0--	3500.000,	7.24	2.68	36.5

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H33T50N9 , 2024-Mar-28	EX3DV4 - SN7472, 2023-10-23	DAE4 Sn1590, 2023-09-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-28	2024-03-28
psSAR1g [W/kg]	3.42	3.43
psSAR10g [W/kg]	1.32	1.34
Power Drift [dB]	0.01	0.01



.

Measurement Report
S18 System Check H3500_240306
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		3500

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	3500.000, 0	6.94	2.79	39.4

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H33T50N4 , 2024-Mar-06	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-06	2024-03-06
psSAR1g [W/kg]	3.16	3.10
psSAR10g [W/kg]	1.19	1.18
Power Drift [dB]	0.01	-0.01



.

Measurement Report
S20a System Check H3500_240306
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		3500

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	3500.000, 0	6.94	2.79	39.4

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H33T50N4 , 2024-Mar-06	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-06	2024-03-06
psSAR1g [W/kg]	3.16	3.10
psSAR10g [W/kg]	1.19	1.18
Power Drift [dB]	0.01	-0.01



.

Measurement Report
S20b System Check H3700_240306
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		3700

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	3700.000, 0	6.9	2.97	39.1

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H33T50N4 , 2024-Mar-06	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-06	2024-03-06
psSAR1g [W/kg]	3.11	3.09
psSAR10g [W/kg]	1.15	1.15
Power Drift [dB]	0.01	0.00



.

Measurement Report
S21 System Check H1750_240304
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		1750

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1750.000, 0	8.38	1.35	38.5

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-04	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-04	2024-03-04
psSAR1g [W/kg]	1.86	1.82
psSAR10g [W/kg]	0.981	0.977
Power Drift [dB]	0.01	0.01



.

Measurement Report
S22 System Check H750_240305
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		750

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	750.000, 0	10.05	0.917	43.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-05	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-05	2024-03-05
psSAR1g [W/kg]	0.437	0.433
psSAR10g [W/kg]	0.290	0.286
Power Drift [dB]	-0.00	0.02



.

Measurement Report
S23 System Check H1900_240306
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		1900

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1900.000, 0	8.05	1.48	41.1

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-06	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-06	2024-03-06
psSAR1g [W/kg]	2.02	1.99
psSAR10g [W/kg]	1.04	1.05
Power Drift [dB]	0.01	0.01



.

Measurement Report
S24 System Check H835_240306
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		835

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	835.000, 0	9.55	0.942	43.4

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-06	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-06	2024-03-06
psSAR1g [W/kg]	0.472	0.470
psSAR10g [W/kg]	0.310	0.308
Power Drift [dB]	0.01	0.04



Measurement Report
S25 System Check_H2600_240307
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				2600.000	6.65	1.92	37.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H06T27N5 , 2024-Mar-07	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-07	2024-03-07
psSAR1g [W/kg]	2.72	2.76
psSAR10g [W/kg]	1.22	1.26
Power Drift [dB]	0.01	-0.01



.

Measurement Report
S26 System Check H1900_240306
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		1900

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	1900.000, 0	8.05	1.48	41.1

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-06	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-06	2024-03-06
psSAR1g [W/kg]	2.02	1.99
psSAR10g [W/kg]	1.04	1.05
Power Drift [dB]	0.01	0.01



Measurement Report
S27 System Check_H2300_240308
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				2300.000	6.84	1.68	39.5

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H06T27N5 , 2024-Mar-08	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-08	2024-03-08
psSAR1g [W/kg]	2.39	2.44
psSAR10g [W/kg]	1.16	1.17
Power Drift [dB]	-0.01	-0.01



Measurement Report
S28 System Check_H2600_240307
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				2600.000	6.65	1.92	37.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H06T27N5 , 2024-Mar-07	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-07	2024-03-07
psSAR1g [W/kg]	2.72	2.76
psSAR10g [W/kg]	1.22	1.26
Power Drift [dB]	0.01	-0.01



Measurement Report
S29 System Check_H2300_240308
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				2300.000	6.84	1.68	39.5

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H06T27N5 , 2024-Mar-08	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	48.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-08	2024-03-08
psSAR1g [W/kg]	2.39	2.44
psSAR10g [W/kg]	1.16	1.17
Power Drift [dB]	-0.01	-0.01



.

Measurement Report
S50 System Check_H2600_240409
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 300.0		Phone

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2600.000, 0	7.46	1.98	40.0

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Apr-09	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 96.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	10.0 x 12.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-04-09	2024-04-09
psSAR1g [W/kg]	2.68	2.72
psSAR10g [W/kg]	1.22	1.22
Power Drift [dB]	0.00	-0.00



Measurement Report
S31a System Check_H3500_240311
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3500.000	6.15	2.80	39.8

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H33T50N5 , 2024-Mar-11	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-11	2024-03-11
psSAR1g [W/kg]	3.01	3.21
psSAR10g [W/kg]	1.21	1.27
Power Drift [dB]	0.01	-0.01



Measurement Report
S31b System Check_H3700_240311
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3700.000	6.05	2.98	39.5

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H33T50N5 , 2024-Mar-11	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-11	2024-03-11
psSAR1g [W/kg]	3.15	3.31
psSAR10g [W/kg]	1.05	1.16
Power Drift [dB]	-0.01	0.02



Measurement Report
S32 System Check_H1750_240308
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				1750.000	7.37	1.34	40.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H06T27N5 , 2024-Mar-08	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-08	2024-03-08
psSAR1g [W/kg]	1.83	1.85
psSAR10g [W/kg]	0.994	0.962
Power Drift [dB]	-0.06	0.03



Measurement Report
S33 System Check_H750_240308
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				750.000	8.57	0.903	42.4

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H06T27N5 , 2024-Mar-08	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	36.0 x 36.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	6.0 x 6.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-08	2024-03-08
psSAR1g [W/kg]	0.408	0.409
psSAR10g [W/kg]	0.272	0.277
Power Drift [dB]	0.05	0.02



Measurement Report
S37a System Check_H3500_240309
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3500.000	6.15	2.86	39.0

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H33T50N5 , 2024-Mar-09	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-09	2024-03-09
psSAR1g [W/kg]	3.42	3.43
psSAR10g [W/kg]	1.32	1.34
Power Drift [dB]	0.05	0.08



Measurement Report
S37b System Check_H3700_240309
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3700.000	6.05	3.12	38.3

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H33T50N5 , 2024-Mar-09	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-09	2024-03-09
psSAR1g [W/kg]	2.95	3.21
psSAR10g [W/kg]	1.15	1.16
Power Drift [dB]	-0.02	-0.05



Measurement Report
S37c System Check_H3900_240309
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat				3900.000	5.93	3.27	38.3

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H33T50N5 , 2024-Mar-09	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	44.0 x 88.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	11.0 x 11.0	5.0 x 5.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-09	2024-03-09
psSAR1g [W/kg]	3.04	3.28
psSAR10g [W/kg]	1.05	1.11
Power Drift [dB]	-0.01	0.02



Measurement Report
S42 System Check H2450_240301
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	n/a x n/a x n/a		2450

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2450.0, 0	7.67	1.79	37.6

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-01	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 80.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	10.0 x 10.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	2024-03-01
psSAR1g [W/kg]	2.37	2.32
psSAR10g [W/kg]	1.04	1.08
Power Drift [dB]	-0.06	-0.05



Measurement Report
S43 System Check_H5250_240301
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	10.0 x 10.0 x 300.0		5250

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	5250.000, 0	5.67	4.49	37.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H51T72N4 , 2024-Mar-01	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	2024-03-01
psSAR1g [W/kg]	3.97	4.14
psSAR10g [W/kg]	1.11	1.16
Power Drift [dB]	-0.00	0.03



Measurement Report
S44 System Check_H5600_240301
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	n/a x n/a x n/a		5600

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	5600.0, 0	4.91	4.88	36.6

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H51T72N4 , 2024-Mar-01	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	2024-03-01
psSAR1g [W/kg]	3.65	3.93
psSAR10g [W/kg]	1.07	1.17
Power Drift [dB]	0.03	-0.03



Measurement Report
S45 System Check_H5800_240301
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	N/A x N/A x N/A		5800

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	5800.000, 0	5.16	5.12	36.3

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H51T72N4 , 2024-Mar-01	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	2024-03-01
psSAR1g [W/kg]	3.96	4.24
psSAR10g [W/kg]	1.17	1.23
Power Drift [dB]	0.01	-0.03



Measurement Report
S49a System Check_H5750_240417
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole,	10.0 x 10.0 x 300.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW,	5750.0,	5.31	5.31	35.9

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H51T72N9, 2024-Apr-17	EX3DV4 - SN7472, 2023-10-23	DAE4 Sn1590, 2023-09-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 80.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-04-17	2024-04-17
psSAR1g [W/kg]	3.83	3.93
psSAR10g [W/kg]	1.07	1.15
Power Drift [dB]	0.02	0.06



Measurement Report
S49b System Check_H6.5GHz_240417
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Dipole	50.0 x 10.0 x 8.0		

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,				6500.000	5.70	6.24	34.7

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H51T72N9, 2024-Apr-17	EX3DV4 - SN7472, 2023-10-23	DAE4 Sn1590, 2023-09-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	45.0 x 90.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	7.5 x 7.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-04-17	2024-04-17
psSAR1g [W/kg]	26.5	28.2
psSAR10g [W/kg]	4.93	5.25
psAPD (1.0cm2, sq) [W/m2]		281
psAPD (4.0cm2, sq) [W/m2]		135
Power Drift [dB]	-0.02	-0.06



Measurement Report
S46 System Check H2450_240301
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	n/a x n/a x n/a		2450

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	2450.0, 0	7.67	1.79	37.6

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-01	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	40.0 x 80.0	35.0 x 35.0 x 30.0
Grid Steps [mm]	10.0 x 10.0	5.0 x 5.0 x 1.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	2024-03-01
psSAR1g [W/kg]	2.37	2.32
psSAR10g [W/kg]	1.04	1.08
Power Drift [dB]	-0.06	-0.05



Test Laboratory: Bureau Veritas ADT SAR/HAC Testing Lab Date: 2024/02/29

S47 System Check_H13MHz_240229

DUT: CLA-13 MHz ;Type: CLA-13 ;SN: 1018

Communication System: UID 10453 - AAD, Validation (Square, 10ms, 1ms); Frequency: 13 MHz;Duty Cycle: 1:10
Medium: H13_0229 Medium parameters used: f = 13 MHz; σ = 0.731 S/m; ε_r = 55.227; ρ = 1000 kg/m^3
Ambient Temperature：22.9 ℃ ； Liquid Temperature：22.6 ℃

DASY5 Configuration:
- Probe: EX3DV4 - SN7720; ConvF(17.02, 17.02, 17.02) @ 13 MHz; Calibrated: 2023/03/23
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1431; Calibrated: 2023/08/24
- Phantom: ELI_Phantom_1204; Type: QD OVA 002 Ax; Serial: 1204
- Measurement SW: DASY52, Version 52.10 (4); SEMCAD X Version 14.6.14 (7501)

Pin=1W/Area Scan (241x241x1): Interpolated grid: dx=1.000 mm, dy=1.000 mm
Maximum value of SAR (interpolated) = 0.0205 W/kg

Pin=1W/Zoom Scan (7x7x16)/Cube 0: Measurement grid: dx=4mm, dy=4mm, dz=1.4mm
Reference Value = 5.167 V/m; Power Drift = -0.03 dB
Peak SAR (extrapolated) = 0.0300 W/kg
SAR(1 g) = 0.026 W/kg; SAR(10 g) = 0.0092 W/kg (SAR corrected for target medium)
Maximum value of SAR (measured) = 0.0203 W/kg



Measurement Report
S48 System Check_H6500_240301
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
Device,	n/a x n/a x n/a		6500

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	,		CW, 0--	6500.0, 0	5.52	5.95	35.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H51T72N4 , 2024-Mar-01	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	52.5 x 90.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	7.5 x 7.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	2024-03-01
psSAR1g [W/kg]	25.6	29.4
psSAR10g [W/kg]	5.19	5.64
psAPD (1.0cm2, sq) [W/m2]		294
psAPD (4.0cm2, sq) [W/m2]		135
Power Drift [dB]	-0.01	-0.01



Test Lab: Bureau Veritas ADT SAR/HAC/PD Testing Lab
Power Density Plot No.:
S48 PD_System Check_10 GHz_2024.04.02

Device under Test Properties

Name, Manufacturer	Dimensions [mm]	IMEI	DUT Type
SPEAG, 5G Verification Source 10 GHz	100.0 x 100.0 x 170.0	SN: 1025	Phone

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor
5GAir	FRONT 5.55	Validation band	CW	10000.0	1.0

Hardware Setup

Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave	Air---	EUmmWV4 - SN9615_F1-55GHz, 2023-07-10	DAE4 Sn1698, 2023-11-17

Scan Setup

	5G Scan
Grid Extents [mm]	120.0 x 120.0
Grid Steps [lambda]	0.25 x 0.25
Sensor Surface [mm]	5.55

Measurement Results

	5G Scan
Date	2024-04-02
Avg. Area [cm^2]	4.00
$pS_{tot}avg$[W/m^2]	50.9
$pS_n avg$ [W/m^2]	50.8
E_{peak} [V/m]	145
Power Drift [dB]	-0.01



Appendix B. Plots of Measurement

The SAR plots for highest measured SAR in each exposure configuration, wireless mode and frequency band combination are shown as follows.

.

Measurement Report
P01 WCDMA II_RMC12.2K_Bottom_0mm_Ch9262
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 2	WCDMA, 10011-CAC	1852.400, 9262	8.05	1.40	38.4

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-04	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-04	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



.

Measurement Report
P02 WCDMA IV_RMC12.2K_Bottom_0mm_Ch1312
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 4	WCDMA, 10011-CAC	1712.400, 1312	8.38	1.33	38.6

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-04	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-04	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



.

Measurement Report
P03 WCDMA V_RMC12.2K_Bottom_0mm_Ch4132
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 5	WCDMA, 10011-CAC	826.400, 4132	9.55	0.939	40.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-04	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-04	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



Measurement Report
P04 LTE 2_QPSK20M_Bottom_0mm_Ch19100_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 2	LTE-FDD, 10169-CAF	1900.000, 19100	8.05	1.48	42.0

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P05 LTE 4_QPSK20M_Bottom_0mm_Ch20050_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 4	LTE-FDD, 10169-CAF	1720.000, 20050	8.38	1.37	42.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
Power Drift [dB]	0.00	



Measurement Report
P06 LTE 5_QPSK10M_Bottom_0mm_Ch20600_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 5	LTE-FDD, 10175-CAH	844.000, 20600	9.55	0.946	44.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
Power Drift [dB]	0.00	



Measurement Report
P07 LTE 7_QPSK20M_Bottom_0mm_Ch21100_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 7	LTE-FDD, 10169-CAF	2535.000, 21100	7.46	1.93	41.0

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	120.0 x 408.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
Power Drift [dB]	0.00	



Measurement Report
P08 LTE 12_QPSK10M_Bottom_0mm_Ch23060_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 12	LTE-FDD, 10175-CAH	704.000, 23060	10.05	0.891	44.7

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
Power Drift [dB]	0.00	



Measurement Report
P09 LTE 13_QPSK10M_Bottom_0mm_Ch23230_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 13	LTE-FDD, 10175-CAH	782.000, 23230	10.05	0.920	44.5

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
Power Drift [dB]	0.00	



Measurement Report
P10 LTE 14_QPSK10M_Bottom_0mm_Ch23330_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 14	LTE-FDD, 10175-CAH	793.000, 23330	10.05	0.924	44.4

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-02	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-02	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
Power Drift [dB]	0.00	



.

Measurement Report
P11 LTE 17_QPSK10M_Bottom_0mm_Ch23800_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 17	LTE-FDD, 10175-CAH	711.000, 23800	10.05	0.903	43.3

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-05	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-05	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



.

Measurement Report
P12 LTE 25_QPSK20M_Bottom_0mm_Ch26140_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 25	LTE-FDD, 10169-CAF	1860.000, 26140	8.05	1.40	38.3

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-04	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-04	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



.

Measurement Report
P13 LTE 26_QPSK15M_Bottom_0mm_Ch26765_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 26	LTE-FDD, 10181-CAF	821.500, 26765	9.55	0.94	43.0

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-05	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-05	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



.

Measurement Report
P15 LTE 38_QPSK20M_Bottom_0mm_Ch37850_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 38	LTE-TDD, 10172-CAH	2580.000, 37850	7.46	1.93	39.9

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-05	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	264.0 x 360.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-05	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



.

Measurement Report
P16 LTE 41_QPSK20M_Bottom_0mm_Ch40185_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 41	LTE-TDD, 10172-CAH	2549.500, 40185	7.46	1.91	40.0

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-05	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	264.0 x 360.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-05	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



.

Measurement Report
P103 LTE 42_QPSK20M_Bottom_0mm_Ch43340_1RB_OS0_Ant 3
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 42	LTE-TDD, 10172-CAH	3575.000, 43340	7.24	2.74	36.4

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H33T50N9 , 2024-Mar-28	EX3DV4 - SN7472, 2023-10-23	DAE4 Sn1590, 2023-09-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	264.0 x 360.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 2.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-28	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



Measurement Report
P18 LTE 43_QPSK20M_Bottom_0mm_Ch43690_1RB_OS0_Ant 3
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 43	LTE-TDD, 10172-CAH	3610.000, 43690	6.9	2.89	39.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H33T50N4 , 2024-Mar-06	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	264.0 x 360.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 2.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-06	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



.

Measurement Report
P20 LTE 48_QPSK20M_Bottom_0mm_Ch55340_1RB_OS0_Ant 3
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 48	LTE-TDD, 10172-CAH	3560.000, 55340	6.94	2.84	39.3

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H33T50N4 , 2024-Mar-06	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	264.0 x 360.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 2.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-06	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



.

Measurement Report
P21 LTE 66_QPSK20M_Bottom_0mm_Ch132072_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 66	LTE-FDD, 10169-CAF	1720.000, 132072	8.38	1.33	38.6

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-04	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-04	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



.

Measurement Report
P22 LTE 71_QPSK20M_Bottom_0mm_Ch133372_1RB_OS0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band 71	LTE-FDD, 10169-CAF	688.000, 133372	10.05	0.895	43.4

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-05	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-05	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



.

Measurement Report
P23 5GNR-n2_DFTS-QPSK20M_Bottom_0mm_Ch372000_1RB_OS1_Ant 0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band n2	5G NR FR1 FDD, 10931-AAC	1860.000, 372000	8.05	1.46	41.1

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-06	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-06	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



.

Measurement Report
P24 5GNR-n5_DFTS-QPSK20M_Bottom_0mm_Ch166800_1RB_OS1_Ant 0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band n5	5G NR FR1 FDD, 10931-AAC	834.000, 166800	9.55	0.941	43.4

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-06	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-06	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



Measurement Report
P25 5GNR-n7_DFT-s QPSK20M_Bottom_0mm_Ch512000_1RB_OS1_Ant 0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band n7	5G NR FR1 FDD, 10931-AAC	2560.000, 512000	6.65	1.88	37.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H06T27N5 , 2024-Mar-07	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	264.0 x 384.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-07	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



.

Measurement Report
P26 5GNR-n25_DFTS-QPSK20M_Bottom_0mm_Ch372000_1RB_OS1_Ant 0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band n25	5G NR FR1 FDD, 10931-AAC	1860.000, 372000	8.05	1.46	41.1

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-06	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 360.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-06	
psSAR1g [W/kg]	0	
psSAR10g [W/kg]	0	
Power Drift [dB]	0.00	



Measurement Report
P27 5GNR-n30_DFT-s QPSK10M_Bottom_0mm_Ch462000_1RB_OS1_Ant 0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band n30	5G NR FR1 FDD, 10929-AAD	2310.000, 462000	6.84	1.68	39.5

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H06T27N5 , 2024-Mar-08	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	264.0 x 384.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-08	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P28 5GNR-n38_DFT-s QPSK20M_Bottom_0mm_Ch519000_1RB_OS1_Ant 2
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band n38	5G NR FR1 TDD, 10900-AAC	2595.000, 519000	6.65	1.91	37.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H06T27N5 , 2024-Mar-07	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	264.0 x 384.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-07	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P29 5GNR-n40_DFT-s QPSK80M_Bottom_0mm_Ch470000_1RB_OS1_Ant 0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band n40	5G NR FR1 TDD, 10906-AAD	2350.000, 470000	6.84	1.71	39.4

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H06T27N5 , 2024-Mar-08	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	264.0 x 384.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-08	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P50 5GNR-n41_DFT-s QPSK100M_Bottom_0mm_Ch518598_1RB_OS1_Ant 2
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Back of Panel, 25.00	Band n41	5G NR FR1 TDD, 10866-AAF	2592.990, 518598	7.46	1.97	40.0

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H33T50N4 , 2024-Apr-09	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	264.0 x 384.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-04-09	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P31 5GNR-n48_DFT-s QPSK40M_Bottom_0mm_Ch640444_1RB_OS1_Ant 3
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band n48	5G NR FR1 TDD, 10903-AAD	3606.66, 640444	6.05	2.89	39.6

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H33T50N5 , 2024-Mar-11	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	264.0 x 384.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 2.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-11	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P32 5GNR-n66_DFT-s QPSK30M_Bottom_0mm_Ch345000_1RB_OS1_Ant 0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band n66	5G NR FR1 FDD, 10933-AAC	1725.000, 345000	7.37	1.32	40.3

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H06T27N5 , 2024-Mar-08	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-08	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P33 5GNR-n71_DFT-s QPSK20M_Bottom_0mm_Ch137600_1RB_OS1_Ant 0
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band n71	5G NR FR1 FDD, 10931-AAC	688.000, 137600	8.57	0.882	42.6

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H06T27N5 , 2024-Mar-08	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 390.0	32.0 x 32.0 x 30.0
Grid Steps [mm]	15.0 x 15.0	8.0 x 8.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-08	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P37 5GNR-n77_HPUE_DFT-s QPSK100M_Bottom_0mm_Ch633332_1RB_OS1_Ant 3
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	370.0 x 240.0 x 28.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	Band n77	5G NR FR1 TDD, 10866-AAF	3499.980, 633332	6.15	2.86	39.0

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2118	H33T50N5 , 2024-Mar-09	EX3DV4 - SN7797, 2024-01-08	DAE4 Sn1589, 2023-05-24

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	264.0 x 384.0	30.0 x 30.0 x 28.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 2.5
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-09	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P42 WLAN2.4G_802.11b_Bottom_0mm_Ch6_Ant1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	335.0 x 230.0 x 45.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom 0.00	WLAN 2.4GHz	WLAN, 10012-CAB	2437.000, 6	7.67	1.78	37.6

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-01	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	276.0 x 396.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P43 WLAN5.3G_802.11a_Bottom_0mm_Ch56_Ant1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	335.0 x 230.0 x 45.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom 0.00	WLAN 5GHz	WLAN, 10062-CAD	5280.000, 56	5.67	4.53	37.2

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H51T72N4 , 2024-Mar-01	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 390.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P44 WLAN5.6G_802.11ac VHT80_Bottom_0mm_Ch138_Ant1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	335.0 x 230.0 x 45.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom 0.00	WLAN 5GHz	WLAN, 10544-AAD	5690.000, 138	4.91	4.99	36.5

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H51T72N4 , 2024-Mar-01	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 390.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P45 WLAN5.8G_802.11ac VHT80_Bottom_0mm_Ch155_Ant1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	335.0 x 230.0 x 45.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom 0.00	WLAN 5GHz	WLAN, 10544-AAD	5775.000, 155	5.16	5.09	36.4

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H51T72N4 , 2024-Mar-01	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 390.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P49 WLAN5.9G_802.11ax HE80_Bottom_0mm_Ch171_Ant1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	335.0 x 230.0 x 45.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom 0.00	WLAN 5GHz	WLAN, 10731-AAC	5855.000, 171	5.31	5.44	35.7

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V8.0 (20deg probe tilt) - 2188	H51T72N9, 2024-Apr-17	EX3DV4 - SN7472, 2023-10-23	DAE4 Sn1590, 2023-09-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 390.0	24.0 x 24.0 x 22.0
Grid Steps [mm]	10.0 x 10.0	4.0 x 4.0 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P46 BT_BDR_Bottom_0mm_Ch78_Ant1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	335.0 x 230.0 x 45.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom, 0.00	ISM 2.4 GHz Band	Bluetooth, 10032-CAA	2480.0, 78	7.67	1.81	37.6

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H06T27N4 , 2024-Mar-01	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	276.0 x 396.0	30.0 x 30.0 x 30.0
Grid Steps [mm]	12.0 x 12.0	5.0 x 5.0 x 5.0
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Test Laboratory: Bureau Veritas ADT SAR/HAC Testing Lab Date: 2024/02/29

P47 RFID_Bottom_0mm_Ch1_Ant 0

DUT: CDVB-WTW-P24010025

Communication System: UID 0, CW; Frequency: 13.56 MHz;Duty Cycle: 1:1
Medium: H13_0229 Medium parameters used (interpolated): f = 13.56 MHz; σ = 0.731 S/m; ε_r = 55.12; ρ = 1000 kg/m^3
Ambient Temperature：22.9 ℃ ； Liquid Temperature：22.6 ℃

DASY5 Configuration:
- Probe: EX3DV4 - SN7720; ConvF(17.02, 17.02, 17.02) @ 13.56 MHz; Calibrated: 2023/03/23
- Sensor-Surface: 1.4mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn1431; Calibrated: 2023/08/24
- Phantom: ELI_Phantom_1204; Type: QD OVA 002 Ax; Serial: 1204
- Measurement SW: DASY52, Version 52.10 (4); SEMCAD X Version 14.6.14 (7501)

Area Scan (261x361x1): Interpolated grid: dx=1.000 mm, dy=1.000 mm
Maximum value of SAR (interpolated) = 0 W/kg



Measurement Report
P48 UNII-5_802.11ax HE160_Bottom_0mm_Ch15_Ant1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
CDVB-WTW-P24010025,	335.0 x 230.0 x 45.0		Laptop

Exposure Conditions

Phantom Section, TSL	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor	TSL Conductivity [S/m]	TSL Permittivity
Flat,	Bottom 0.00	U-NII-5	WLAN, 10755-AAC	6025.000, 15	5.52	5.37	36.0

Hardware Setup

Phantom	TSL, Measured Date	Probe, Calibration Date	DAE, Calibration Date
ELI V5.0 (20deg probe tilt) - 1204	H51T72N4 , 2024-Mar-01	EX3DV4 - SN7555, 2023-07-19	DAE4 Sn1585, 2023-07-14

Scan Setup

	Area Scan	Zoom Scan
Grid Extents [mm]	270.0 x 120.0	22.0 x 22.0 x 22.0
Grid Steps [mm]	7.5 x 7.5	3.4 x 3.4 x 1.4
Sensor Surface [mm]	3.0	1.4

Measurement Results

	Area Scan	Zoom Scan
Date	2024-03-01	
psSAR1g [W/kg]		
psSAR10g [W/kg]		
psAPD (1.0cm2, sq) [W/m2]		
psAPD (4.0cm2, sq) [W/m2]		
Power Drift [dB]	0.00	



Measurement Report
P48 UNII-5_802.11ax HE160_Bottom_0mm_Ch15_Ant 1
Device under Test Properties

Model, Manufacturer	Dimensions [mm]	IMEI	DUT Type
, CDVB-WTW-P24010025	370.0 x 270.0 x 28.0		Laptop

Exposure Conditions

Phantom Section	Position, Test Distance [mm]	Band	Group, UID	Frequency [MHz], Channel Number	Conversion Factor
5G Air	Bottom, 2.00	U-NII-5	WLAN, 10755-AAC	6025.0, 15	1.0

Hardware Setup

Phantom	Medium	Probe, Calibration Date	DAE, Calibration Date
mmWave- 1030	---Air	EUmmWV4 - SN9615_F1-55GHz, 2023-07-10	DAE4 Sn1698, 2023-11-17

Scan Setup

	5G Scan
Grid Extents [mm]	100.0 x 100.0
Grid Steps [lambda]	0.0502 x 0.0502
Sensor Surface [mm]	2.0

Measurement Results

	5G Scan
Date	2024-04-02
Avg. Area [cm^2]	4.00
psPDn+ [W/m^2]	0.064
psPDtot+ [W/m^2]	0.129
psPDmod+ [W/m^2]	0.390
E_{max} [V/m]	14.5
Power Drift [dB]	0.13



Appendix C. Tissue & System Verification

The measuring results for tissue simulating liquid and system check are shown as below.

Note:

1. For Section 4.3, the dielectric properties of the tissue simulating liquid have been measured within 24 hours before the SAR testing and within ±10 % of the target values. Liquid temperature during the SAR testing has kept within ±2 ℃.

2. For Section 4.4, The SAR measurement system was validated according to procedures in FCC KDB 865664 D0. The validation status in tabulated summary is as below.

3. For Section 4.5, Comparing to the reference SAR value provided by SPEAG in dipole calibration certificate, the deviation of system check results is within its specification of 10 %. The result indicates the system check can meet the variation criterion and the plots please refer to Appendix A of this report.

Tissue Verification									Validation for CW			Validation for Modulation				System Check					Note			
Plot No.	Frequency (MHz)	Liquid Temp. (℃)	Conductivity (σ)	Permittivity (εr)	Targeted Conductivity (σ)	Targeted Permittivity (εr)	Deviation Conductivity (σ)	Deviation Permittivity (εr)	Sensitivity Range	Probe Linearity	Probe Isotropy	Modulation Type	Duty Factor	PAR	Date	Frequency (MHz)	Targeted 1g SAR (W/kg)	Measured 1g SAR (W/kg)	Normalized 1g SAR (W/kg)	Deviation (%)	Dipole S/N	Probe S/N	DAE S/N	Output Power (dBm)
S01	1900	22.5	1.42	38.3	1.4	40	1.43	-4.25	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 04, 2024	1900	40.30	1.98	39.51	-1.97	5d036	7555	1585	17
S02	1750	22.5	1.35	38.5	1.37	40.1	-1.46	-3.99	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 04, 2024	1750	36.30	1.82	36.31	0.04	1055	7555	1585	17
S03	835	22.6	0.943	40.2	0.9	41.5	4.78	-3.13	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 04, 2024	835	9.72	0.528	10.53	8.38	4d121	7555	1585	17
S04	1900	22.8	1.43	40.9	1.4	40	2.14	2.25	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 02, 2024	1900	40.30	1.94	38.71	-3.95	5d036	7555	1585	17
S05	1750	22.8	1.39	42.2	1.37	40.1	1.46	5.24	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 02, 2024	1750	36.30	1.84	36.71	1.14	1055	7555	1585	17
S06	835	22.8	0.942	44.3	0.9	41.5	4.67	6.75	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 02, 2024	835	9.72	0.506	10.10	3.87	4d121	7555	1585	17
S07	2600	22.8	1.99	40.9	1.96	39	1.53	4.87	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 02, 2024	2600	55.90	2.6	51.88	-7.20	1020	7555	1585	17
S08	750	22.8	0.909	44.6	0.9	42	1.00	6.19	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 02, 2024	750	8.56	0.454	9.06	5.82	1013	7555	1585	17
S09	750	22.8	0.909	44.6	0.9	42	1.00	6.19	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 02, 2024	750	8.56	0.454	9.06	5.82	1013	7555	1585	17
S10	750	22.8	0.909	44.6	0.9	42	1.00	6.19	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 02, 2024	750	8.56	0.454	9.06	5.82	1013	7555	1585	17
S11	750	22.6	0.917	43.2	0.9	42	1.89	2.86	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 05, 2024	750	8.56	0.433	8.64	0.93	1013	7555	1585	17
S12	1900	22.5	1.42	38.3	1.4	40	1.43	-4.25	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 04, 2024	1900	40.30	1.98	39.51	-1.97	5d036	7555	1585	17
S13	835	22.6	0.948	43	0.9	41.5	5.33	3.61	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 05, 2024	835	9.72	0.514	10.26	5.51	4d121	7555	1585	17
S15	2600	22.5	1.95	39.9	1.96	39	-0.51	2.31	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 05, 2024	2600	55.90	2.7	53.87	-3.63	1020	7555	1585	17
S16	2600	22.5	1.95	39.9	1.96	39	-0.51	2.31	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 05, 2024	2600	55.90	2.7	53.87	-3.63	1020	7555	1585	17
S103	3500	21.9	2.68	36.5	2.91	37.9	-7.90	-3.69	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 28, 2024	3500	64.90	3.43	68.44	5.45	1007	7472	1590	17
S18	3500	22.7	2.79	39.4	2.91	37.9	-4.12	3.96	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 06, 2024	3500	64.90	3.1	61.85	-4.69	1007	7555	1585	17
S20a	3500	22.7	2.79	39.4	2.91	37.9	-4.12	3.96	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 06, 2024	3500	64.90	3.1	61.85	-4.69	1007	7555	1585	17
S20b	3700	22.7	2.97	39.1	3.12	37.7	-4.81	3.71	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 06, 2024	3700	65.60	3.09	61.65	-6.02	1017	7555	1585	17
S21	1750	22.5	1.35	38.5	1.37	40.1	-1.46	-3.99	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 04, 2024	1750	36.30	1.82	36.31	0.04	1055	7555	1585	17
S22	750	22.6	0.917	43.2	0.9	42	1.89	2.86	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 05, 2024	750	8.56	0.433	8.64	0.93	1013	7555	1585	17
S23	1900	22.7	1.48	41.1	1.4	40	5.71	2.75	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 06, 2024	1900	40.30	1.99	39.71	-1.47	5d036	7555	1585	17
S24	835	22.6	0.942	43.4	0.9	41.5	4.67	4.58	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 06, 2024	835	9.72	0.47	9.38	-3.52	4d121	7555	1585	17
S25	2600	22.2	1.92	37.2	1.96	39	-2.04	-4.62	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 07, 2024	2600	55.90	2.76	55.07	-1.49	1020	7797	1589	17
S26	1900	22.7	1.48	41.1	1.4	40	5.71	2.75	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 06, 2024	1900	40.30	1.99	39.71	-1.47	5d036	7555	1585	17
S27	2300	21.9	1.68	39.5	1.67	39.5	0.60	0.00	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 08, 2024	2300	48.10	2.44	48.68	1.21	1092	7797	1589	17
S28	2600	22.2	1.92	37.2	1.96	39	-2.04	-4.62	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 07, 2024	2600	55.90	2.76	55.07	-1.49	1020	7797	1589	17
S29	2300	21.9	1.68	39.5	1.67	39.5	0.60	0.00	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 08, 2024	2300	48.10	2.44	48.68	1.21	1092	7797	1589	17
S50	2600	22.3	7.46	40	1.96	39	280.61	2.56	Pass	Pass	Pass	N/A	N/A	N/A	Apr. 09, 2024	2600	55.90	2.72	54.27	-2.91	1020	7555	1585	17
S31a	3500	22.4	2.8	39.8	2.91	37.9	-3.78	5.01	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 11, 2024	3500	64.90	3.21	64.05	-1.31	1007	7797	1589	17
S31b	3700	22.4	2.98	39.5	3.12	37.7	-4.49	4.77	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 11, 2024	3700	65.60	3.31	66.04	0.68	1017	7797	1589	17
S32	1750	21.9	1.34	40.2	1.37	40.1	-2.19	0.25	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 08, 2024	1750	36.30	1.85	36.91	1.69	1055	7797	1589	17
S33	750	21.9	0.903	42.4	0.9	42	0.33	0.95	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 08, 2024	750	8.56	0.409	8.16	-4.67	1013	7797	1589	17
S37a	3500	22	2.86	39	2.91	37.9	-1.72	2.90	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 09, 2024	3500	64.90	3.43	68.44	5.45	1007	7797	1589	17
S37b	3700	22	3.12	38.3	3.12	37.7	0.00	1.59	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 09, 2024	3700	65.60	3.21	64.05	-2.37	1017	7797	1589	17
S37c	3900	22	3.27	38.3	3.32	37.5	-1.51	2.13	Pass	Pass	Pass	N/A	N/A	N/A	Mar. 09, 2024	3900	68.50	3.28	65.44	-4.46	1045	7797	1589	17
S42	2450	22.7	1.79	37.6	1.8	39.2	-0.56	-4.08	Pass	Pass	Pass	OFDM	N/A	Pass	Mar. 01, 2024	2450	52.90	2.32	46.29	-12.50	737	7555	1585	17
S43	5250	22.7	4.49	37.2	4.71	35.9	-4.67	3.62	Pass	Pass	Pass	OFDM	N/A	Pass	Mar. 01, 2024	5250	80.20	4.14	82.60	3.00	1019	7555	1585	17
S44	5600	22.7	4.88	36.6	5.07	35.5	-3.75	3.10	Pass	Pass	Pass	OFDM	N/A	Pass	Mar. 01, 2024	5600	82.90	3.93	78.41	-5.41	1019	7555	1585	17
S45	5800	22.7	5.12	36.3	5.27	35.3	-2.85	2.83	Pass	Pass	Pass	OFDM	N/A	Pass	Mar. 01, 2024	5800	80.30	4.24	84.60	5.35	1019	7555	1585	17
S49a	5750	22.3	5.31	35.9	5.22	35.4	1.72	1.41	Pass	Pass	Pass	OFDM	N/A	Pass	Apr. 17, 2024	5750	78.40	3.93	78.41	0.02	1203	7472	1590	17
S49b	6500	22.3	6.24	34.7	6.07	34.5	2.80	0.58	Pass	Pass	Pass	OFDM	N/A	Pass	Apr. 17, 2024	6500	292.00	28.2	282.00	-3.42	1008	7472	1590	20
S46	2450	22.7	1.79	37.6	1.8	39.2	-0.56	-4.08	Pass	Pass	Pass	OFDM	N/A	Pass	Mar. 01, 2024	2450	52.90	2.32	46.29	-12.50	737	7555	1585	17
S47	13	22.6	0.731	55.227	0.75	55	-2.53	0.41	Pass	Pass	Pass	N/A	N/A	N/A	Feb. 29, 2024	13	0.538	0.026	0.52	-3.57	1018	7720	1431	17
S48	6500	22.7	5.95	35.2	6.07	34.5	-1.98	2.03	Pass	Pass	Pass	OFDM	N/A	Pass	Mar. 01, 2024	6500	292.00	29.4	294.00	0.68	1008	7555	1585	20

System Performance Check for Incident Power Density Measurement									
Plot No.	Test Date	Frequency [GHz]	mmWave Probe S/N	Verification Source S/N	Averaging Area [cm^2]	Distance [mm]	Target Power Density [W/m^2]	Measured Power Density [W/m^2]	Deviation [%]
S48	Apr. 02, 2024	10	9615	1025	4	10.0	56.2	50.9	-9.43%

Appendix D. Maximum Target Conducted Power

The maximum conducted average power (Unit: dBm) including tune-up tolerance is shown as below.

WCDMA Max. Tune-up Power (Full)		
Mode	RMC 12.2K	HSDPA DC-HSDPA HSUPA
	Maximum Target Power	Maximum Target Power
WCDMA Band II	24.5	23.5
WCDMA Band IV	24.5	23.5
WCDMA Band V	24.5	23.5

LTE Max. Tune-up Power (Full)				
Mode	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
LTE 2	24.0	23.0	22.0	19.0
LTE 4	24.0	23.0	22.0	19.0
LTE 5	24.0	23.0	22.0	19.0
LTE 7	24.0	23.0	22.0	19.0
LTE 12	24.0	23.0	22.0	19.0
LTE 13	24.0	23.0	22.0	19.0
LTE 14	24.0	23.0	22.0	19.0
LTE 17	24.0	23.0	22.0	19.0
LTE 25	24.0	23.0	22.0	19.0
LTE 26	24.0	23.0	22.0	19.0
LTE 38	24.0	23.0	22.0	19.0
LTE 41	23.5	22.5	21.5	18.5
LTE 41_HPUE	26.5	25.5	24.5	21.5
LTE 42	19.5	18.5	17.5	14.5
LTE 43	19.5	18.5	17.5	14.5
LTE 48	19.5	18.5	17.5	14.5
LTE 66	24.0	23.0	22.0	19.0
LTE 71	24.0	23.0	22.0	19.0

5G NR Max. Tune-up Power (Full)					
DFT-S Mode	PI/2 BPSK	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
NR 2	24.5	24.5	23.5	22.0	20.0
NR 5	24.5	24.5	23.5	22.0	20.0
NR 7	24.5	24.5	23.5	22.0	20.0
NR 25	24.5	24.5	23.5	22.0	20.0
NR 30	23.0	23.0	22.0	20.5	18.5
NR 38	25.0	25.0	24.0	22.5	20.5
NR 40	25.0	25.0	24.0	22.5	20.5
NR 41	24.5	24.5	22.0	22.0	20.0
NR 41_HPUE	27.5	27.5	25.0	25.0	23.0
NR 48	19.5	19.5	18.5	17.0	15.0
NR 66	24.5	24.5	23.5	22.0	20.0
NR 71	24.5	24.5	23.5	22.0	20.0
NR 77_FCC	24.5	24.5	23.5	22.0	20.0
NR 77_HPUE_FCC	27.5	27.5	26.5	25.0	23.0
NR 78_FCC	24.5	24.5	23.5	22.0	20.0
NR 78_HPUE_FCC	27.5	27.5	23.5	22.0	20.0

5G NR Max. Tune-up Power (Full)				
CP Mode	QPSK	16QAM	64QAM	256QAM
	Maximum Target Power	Maximum Target Power	Maximum Target Power	Maximum Target Power
NR 2	23.0	22.5	21.0	18.0
NR 5	23.0	22.5	21.0	18.0
NR 7	23.0	22.5	21.0	18.0
NR 25	23.0	22.5	21.0	18.0
NR 30	21.5	21.0	19.5	16.5
NR 38	23.5	23.0	21.5	18.5
NR 41	23.0	22.5	21.0	18.0
NR 41_HPUE	26.0	25.5	24.0	21.0
NR 48	18.0	17.5	16.0	13.0
NR 66	23.0	22.5	21.0	18.0
NR 71	23.0	22.5	21.0	18.0
NR 77_FCC	23.0	22.5	21.0	18.0
NR 77_HPUE_FCC	26.0	25.5	24.0	21.0
NR 78_FCC	23.0	22.5	21.0	18.0
NR 78_HPUE_FCC	23.0	22.5	21.0	18.0

Tune-up Power (Full)							
WLAN 2.4GHz							
Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11b	1	2412	21.00	21.00			
	6	2437	21.00	21.00			
	11	2462	21.00	21.00			
	12	2467	19.00	19.00			
	13	2472	15.50	15.50			
802.11g	1	2412	19.50	18.75			
	6	2437	21.00	21.00			
	11	2462	18.75	18.75			
	12	2467	15.50	15.50			
	13	2472	12.00	12.00			
802.11n HT20	1	2412	19.50	18.75	16.50	16.50	19.50
	6	2437	21.00	21.00	18.00	18.00	21.00
	11	2462	18.75	18.75	15.75	15.75	18.75
	12	2467	15.50	15.50	12.50	12.50	15.50
	13	2472	12.00	12.00	10.00	10.00	13.00
802.11n HT40	3	2422	16.25	16.50	13.25	13.25	16.25
	6	2437	21.00	21.00	18.00	18.00	21.00
	9	2452	16.00	17.00	13.00	13.00	16.00
	10	2457	11.00	11.00	8.50	8.50	11.50
	11	2462	11.00	11.00	9.50	9.50	12.50
802.11ax HE20	1	2412	19.50	18.75	16.50	16.50	19.50
	6	2437	21.00	21.00	18.00	18.00	21.00
	11	2462	18.75	18.75	15.75	15.75	18.75
	12	2467	15.50	15.50	12.50	12.50	15.50
	13	2472	12.00	12.00	10.00	10.00	13.00
802.11ax HE40	3	2422	16.25	16.50	13.25	13.25	16.25
	6	2437	21.00	21.00	18.00	18.00	21.00
	9	2452	16.00	17.00	13.00	13.00	16.00
	10	2457	11.00	11.00	10.00	10.00	13.00
	11	2462	11.00	11.00	10.00	10.00	13.00

Tune-up Power (Full)					
Bluetooth					
Mode	Channel	Frequency	[redacted]	Ant 1 Max Tune-up	[redacted]
BR / EDR	0	2402	[redacted]	10.5	[redacted]
	39	2441	[redacted]	10.5	[redacted]
	78	2480	[redacted]	10.5	[redacted]
LE	0	2402	[redacted]	9.0	[redacted]
	19	2440	[redacted]	9.0	[redacted]
	39	2480	[redacted]	9.0	[redacted]

Tune-up Power (Full)							
WLAN 5.2GHz							
Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11a	36	5180	20.00	19.25			
	40	5200	21.00	21.00			
	44	5220	21.00	21.00			
	48	5240	21.00	21.00			
802.11n HT20	36	5180	20.00	19.25	17.00	17.00	20.00
	40	5200	21.00	21.00	18.00	18.00	21.00
	44	5220	21.00	21.00	18.00	18.00	21.00
	48	5240	21.00	21.00	18.00	18.00	21.00
802.11n HT40	38	5190	19.50	17.75	16.50	16.50	19.50
	46	5230	21.00	19.50	18.00	18.00	21.00
802.11ac VHT80	42	5210	19.00	18.75	16.00	16.00	19.00
802.11ax HE20	36	5180	20.00	19.25	17.00	17.00	20.00
	40	5200	21.00	21.00	18.00	18.00	21.00
	44	5220	21.00	21.00	18.00	18.00	21.00
	48	5240	21.00	21.00	18.00	18.00	21.00
802.11ax HE40	38	5190	19.50	17.75	16.50	16.50	19.50
	46	5230	21.00	19.50	18.00	18.00	21.00
802.11ax HE80	42	5210	19.00	18.75	16.00	16.00	19.00

Tune-up Power (Full)							
WLAN 5.3GHz							
Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11a	52	5260	21.00	21.00			
	56	5280	21.00	21.00			
	60	5300	21.00	21.00			
	64	5320	21.00	19.00			
802.11n HT20	52	5260	21.00	21.00	18.00	18.00	21.00
	56	5280	21.00	21.00	18.00	18.00	21.00
	60	5300	21.00	21.00	18.00	18.00	21.00
	64	5320	21.00	19.00	18.00	18.00	21.00
802.11n HT40	54	5270	21.00	20.50	18.00	18.00	21.00
	62	5310	18.25	17.00	15.25	15.25	18.25
802.11ac VHT80	58	5290	18.50	17.75	15.50	15.50	18.50
802.11ac VHT160	50	5250	16.00	15.25	13.00	13.00	16.00
802.11ax HE20	52	5260	21.00	21.00	18.00	18.00	21.00
	56	5280	21.00	21.00	18.00	18.00	21.00
	60	5300	21.00	21.00	18.00	18.00	21.00
	64	5320	21.00	19.00	18.00	18.00	21.00
802.11ax HE40	54	5270	21.00	20.50	18.00	18.00	21.00
	62	5310	18.25	17.00	15.25	15.25	18.25
802.11ax HE80	58	5290	18.50	17.75	15.50	15.50	18.50
802.11ax HE160	50	5250	16.00	15.25	13.00	13.00	16.00

Tune-up Power (Full)							
WLAN 5.6GHz							
Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11a	100	5500	21.00	20.00			
	116	5580	21.00	21.00			
	120	5600	21.00	21.00			
	124	5620	21.00	21.00			
	132	5660	21.00	21.00			
	140	5700	21.00	21.00			
	144	5720	21.00	21.00			
802.11n HT20	100	5500	21.00	20.00	18.00	18.00	21.00
	116	5580	21.00	21.00	18.00	18.00	21.00
	120	5600	21.00	21.00	18.00	18.00	21.00
	124	5620	21.00	21.00	18.00	18.00	21.00
	132	5660	21.00	21.00	18.00	18.00	21.00
	140	5700	21.00	21.00	18.00	18.00	21.00
	144	5720	21.00	21.00	18.00	18.00	21.00
802.11n HT40	102	5510	20.00	18.00	17.00	17.00	20.00
	110	5550	21.00	20.25	18.00	18.00	21.00
	118	5590	21.00	21.00	18.00	18.00	21.00
	126	5630	21.00	21.00	18.00	18.00	21.00
	134	5670	21.00	21.00	18.00	18.00	21.00
	142	5710	21.00	21.00	18.00	18.00	21.00
802.11ac VHT80	106	5530	18.00	18.00	15.00	15.00	18.00
	122	5610	21.00	21.00	18.00	18.00	21.00
	138	5690	21.00	21.00	18.00	18.00	21.00
802.11ac VHT160	114	5570	16.25	15.50	13.25	13.25	16.25
802.11ax HE20	100	5500	21.00	20.00	18.00	18.00	21.00
	116	5580	21.00	21.00	18.00	18.00	21.00
	120	5600	21.00	21.00	18.00	18.00	21.00
	124	5620	21.00	21.00	18.00	18.00	21.00
	132	5660	21.00	21.00	18.00	18.00	21.00
	140	5700	21.00	21.00	18.00	18.00	21.00
	144	5720	21.00	21.00	18.00	18.00	21.00
802.11ax HE40	102	5510	20.00	18.00	17.00	17.00	20.00
	110	5550	21.00	20.25	18.00	18.00	21.00
	118	5590	21.00	21.00	18.00	18.00	21.00
	126	5630	21.00	21.00	18.00	18.00	21.00
	134	5670	21.00	21.00	18.00	18.00	21.00
	142	5710	21.00	21.00	18.00	18.00	21.00
802.11ax HE80	106	5530	18.00	18.00	15.00	15.00	18.00
	122	5610	21.00	21.00	18.00	18.00	21.00
	138	5690	21.00	21.00	18.00	18.00	21.00
802.11ax HE160	114	5570	16.25	15.50	13.25	13.25	16.25

Tune-up Power (Full)							
WLAN 5.8GHz							
Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11a	149	5745	21.00	21.00			
	153	5765	21.00	21.00			
	157	5785	21.00	21.00			
	161	5805	21.00	21.00			
	165	5825	21.00	21.00			
802.11n HT20	149	5745	21.00	21.00	18.0	18.0	21.00
	153	5765	21.00	21.00	18.0	18.0	21.00
	157	5785	21.00	21.00	18.0	18.0	21.00
	161	5805	21.00	21.00	18.0	18.0	21.00
	165	5825	21.00	21.00	18.0	18.0	21.00
802.11n HT40	151	5755	21.00	21.00	18.0	18.0	21.00
	159	5795	21.00	21.00	18.0	18.0	21.00
802.11ac VHT20	149	5745	21.00	21.00	18.0	18.0	21.00
	153	5765	21.00	21.00	18.0	18.0	21.00
	157	5785	21.00	21.00	18.0	18.0	21.00
	161	5805	21.00	21.00	18.0	18.0	21.00
	165	5825	21.00	21.00	18.0	18.0	21.00
802.11ac VHT40	151	5755	21.00	21.00	18.0	18.0	21.00
	159	5795	21.00	21.00	18.0	18.0	21.00
802.11ac VHT80	155	5775	21.00	21.00	18.0	18.0	21.00
802.11ax HE20	149	5745	21.00	21.00	18.0	18.0	21.00
	153	5765	21.00	21.00	18.0	18.0	21.00
	157	5785	21.00	21.00	18.0	18.0	21.00
	161	5805	21.00	21.00	18.0	18.0	21.00
	165	5825	21.00	21.00	18.0	18.0	21.00
802.11ax HE40	151	5755	21.00	21.00	18.0	18.0	21.00
	159	5795	21.00	21.00	18.0	18.0	21.00
802.11ax HE80	155	5775	20.0	20.0	17.0	17.0	20.0

Tune-up Power (Full)							
WLAN 5.9GHz							
Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11a	169	5845	19.5	19.5			
	173	5865	19.5	19.5			
	177	5885	19.5	19.5			
802.11n HT20	169	5845	17.0	17.0	17.0	17.0	20.0
	173	5865	17.0	17.0	17.0	17.0	20.0
	177	5885	17.0	17.0	17.0	17.0	20.0
802.11n HT40	167	5835	20.5	20.5	20.5	20.5	23.5
	175	5875	20.5	20.5	20.5	20.5	23.5
802.11ac VHT20	169	5845	17.0	17.0	17.0	17.0	20.0
	173	5865	17.0	17.0	17.0	17.0	20.0
	177	5885	17.0	17.0	17.0	17.0	20.0
802.11ac VHT40	167	5835	20.5	20.5	20.5	20.5	23.5
	175	5875	20.5	20.5	20.5	20.5	23.5
802.11ac VHT80	171	5855	20.5	20.5	20.5	20.5	23.5
802.11ac VHT160	163	5815	16.5	16.5	16.5	16.5	19.5
802.11ax HE20	169	5845	17.0	17.0	17.0	17.0	20.0
	173	5865	17.0	17.0	17.0	17.0	20.0
	177	5885	17.0	17.0	17.0	17.0	20.0
802.11ax HE40	167	5835	20.5	20.5	20.5	20.5	23.5
	175	5875	20.5	20.5	20.5	20.5	23.5
802.11ax HE80	171	5855	20.5	20.5	20.5	20.5	23.5
802.11ax HE160	163	5815	17.0	17.0	17.0	17.0	20.0

Tune-up Power (Full)							
UNII-5							
Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11a	1	5955	13.5	13.5			
	5	5975	13.5	13.5			
	9	5995	13.5	13.5			
	13	6015	13.5	13.5			
	17	6035	13.5	13.5			
	21	6055	13.5	13.5			
	25	6075	13.5	13.5			
	29	6095	13.5	13.5			
	33	6115	13.5	13.5			
	37	6135	13.5	13.5			
	41	6155	13.5	13.5			
	45	6175	13.5	13.5			
	49	6195	13.5	13.5			
	53	6215	13.5	13.5			
	57	6235	13.5	13.5			
	61	6255	13.5	13.5			
	65	6275	13.5	13.5			
	69	6295	13.5	13.5			
	73	6315	13.5	13.5			
	77	6335	13.5	13.5			
	81	6355	13.5	13.5			
	85	6375	13.5	13.5			
	89	6395	13.5	13.5			
	93	6415	13.5	13.5			
802.11ax HE20	1	5955	13.5	13.5	10.5	10.5	13.5
	5	5975	13.5	13.5	10.5	10.5	13.5
	9	5995	13.5	13.5	10.5	10.5	13.5
	13	6015	13.5	13.5	10.5	10.5	13.5
	17	6035	13.5	13.5	10.5	10.5	13.5
	21	6055	13.5	13.5	10.5	10.5	13.5
	25	6075	13.5	13.5	10.5	10.5	13.5
	29	6095	13.5	13.5	10.5	10.5	13.5
	33	6115	13.5	13.5	10.5	10.5	13.5
	37	6135	13.5	13.5	10.5	10.5	13.5
	41	6155	13.5	13.5	10.5	10.5	13.5
	45	6175	13.5	13.5	10.5	10.5	13.5
	49	6195	13.5	13.5	10.5	10.5	13.5
	53	6215	13.5	13.5	10.5	10.5	13.5
	57	6235	13.5	13.5	10.5	10.5	13.5
	61	6255	13.5	13.5	10.5	10.5	13.5
	65	6275	13.5	13.5	10.5	10.5	13.5
	69	6295	13.5	13.5	10.5	10.5	13.5
	73	6315	13.5	13.5	10.5	10.5	13.5
	77	6335	13.5	13.5	10.5	10.5	13.5
	81	6355	13.5	13.5	10.5	10.5	13.5
	85	6375	13.5	13.5	10.5	10.5	13.5
	89	6395	13.5	13.5	10.5	10.5	13.5
	93	6415	13.5	13.5	10.5	10.5	13.5
802.11ax HE40	3	5965	13.5	13.5	10.5	10.5	13.5
	11	6005	13.5	13.5	10.5	10.5	13.5
	19	6045	13.5	13.5	10.5	10.5	13.5
	27	6085	13.5	13.5	10.5	10.5	13.5
	35	6125	13.5	13.5	10.5	10.5	13.5
	43	6165	13.5	13.5	10.5	10.5	13.5
	51	6205	13.5	13.5	10.5	10.5	13.5
	59	6245	13.5	13.5	10.5	10.5	13.5
	67	6285	13.5	13.5	10.5	10.5	13.5
	75	6325	13.5	13.5	10.5	10.5	13.5
	83	6365	13.5	13.5	10.5	10.5	13.5
	91	6405	13.5	13.5	10.5	10.5	13.5
802.11ax HE80	7	5985	13.5	13.5	10.5	10.5	13.5
	23	6065	13.5	13.5	10.5	10.5	13.5
	39	6145	13.5	13.5	10.5	10.5	13.5
	55	6225	13.5	13.5	10.5	10.5	13.5
	71	6305	13.5	13.5	10.5	10.5	13.5
	87	6385	13.5	13.5	10.5	10.5	13.5
802.11ax HE160	15	6025	13.5	13.5	10.5	10.5	13.5
	47	6185	13.5	13.5	10.5	10.5	13.5
	79	6345	13.5	13.5	10.5	10.5	13.5

Tune-up Power (Full)							
UNII-6							
Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11a	97	6435	13.5	13.5			
	101	6455	13.5	13.5			
	105	6475	13.5	13.5			
	109	6495	13.5	13.5			
	113	6515	13.5	13.5			
802.11ax HE20	97	6435	13.5	13.5	10.5	10.5	13.5
	101	6455	13.5	13.5	10.5	10.5	13.5
	105	6475	13.5	13.5	10.5	10.5	13.5
	109	6495	13.5	13.5	10.5	10.5	13.5
	113	6515	13.5	13.5	10.5	10.5	13.5
802.11ax HE40	99	6445	13.5	13.5	10.5	10.5	13.5
	107	6485	13.5	13.5	10.5	10.5	13.5
	115	6525	13.5	13.5	10.5	10.5	13.5
802.11ax HE80	103	6465	13.5	13.5	10.5	10.5	13.5
	119	6545	13.5	13.5	10.5	10.5	13.5
802.11ax HE160	111	6505	13.5	13.5	10.5	10.5	13.5

Tune-up Power (Full)							
UNII-7							
Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11a	117	6535	13.5	13.5			
	121	6555	13.5	13.5			
	125	6575	13.5	13.5			
	129	6595	13.5	13.5			
	133	6615	13.5	13.5			
	137	6635	13.5	13.5			
	141	6655	13.5	13.5			
	145	6675	13.5	13.5			
	149	6695	13.5	13.5			
	153	6715	13.5	13.5			
	157	6735	13.5	13.5			
	161	6755	13.5	13.5			
	165	6775	13.5	13.5			
	169	6795	13.5	13.5			
	173	6815	13.5	13.5			
	177	6835	13.5	13.5			
	181	6855	13.5	13.5			
	185	6875	13.5	13.5			
802.11ax HE20	117	6535	13.5	13.5	10.5	10.5	13.5
	121	6555	13.5	13.5	10.5	10.5	13.5
	125	6575	13.5	13.5	10.5	10.5	13.5
	129	6595	13.5	13.5	10.5	10.5	13.5
	133	6615	13.5	13.5	10.5	10.5	13.5
	137	6635	13.5	13.5	10.5	10.5	13.5
	141	6655	13.5	13.5	10.5	10.5	13.5
	145	6675	13.5	13.5	10.5	10.5	13.5
	149	6695	13.5	13.5	10.5	10.5	13.5
	153	6715	13.5	13.5	10.5	10.5	13.5
	157	6735	13.5	13.5	10.5	10.5	13.5
	161	6755	13.5	13.5	10.5	10.5	13.5
	165	6775	13.5	13.5	10.5	10.5	13.5
	169	6795	13.5	13.5	10.5	10.5	13.5
	173	6815	13.5	13.5	10.5	10.5	13.5
	177	6835	13.5	13.5	10.5	10.5	13.5
	181	6855	13.5	13.5	10.5	10.5	13.5
	185	6875	13.5	13.5	10.5	10.5	13.5
802.11ax HE40	123	6565	13.5	13.5	10.5	10.5	13.5
	131	6605	13.5	13.5	10.5	10.5	13.5
	139	6645	13.5	13.5	10.5	10.5	13.5
	147	6685	13.5	13.5	10.5	10.5	13.5
	155	6725	13.5	13.5	10.5	10.5	13.5
	163	6765	13.5	13.5	10.5	10.5	13.5
	171	6805	13.5	13.5	10.5	10.5	13.5
	179	6845	13.5	13.5	10.5	10.5	13.5
	187	6885	13.5	13.5	10.5	10.5	13.5
802.11ax HE80	135	6625	13.5	13.5	10.5	10.5	13.5
	151	6705	13.5	13.5	10.5	10.5	13.5
	167	6785	13.5	13.5	10.5	10.5	13.5
	183	6865	13.5	13.5	10.5	10.5	13.5
802.11ax HE160	143	6665	13.5	13.5	10.5	10.5	13.5
	175	6825	13.5	13.5	10.5	10.5	13.5

Tune-up Power (Full)							
UNII-8							
Mode	Channel	Frequency	SISO Ant 0 Max Tune up	SISO Ant 1 Max Tune up	MIMO Ant 0 Tune up	MIMO Ant 1 Tune up	MIMO Ant 0+1 Max Tune up
802.11a	189	6895	13.5	13.5			
	193	6915	13.5	13.5			
	197	6935	13.5	13.5			
	201	6955	13.5	13.5			
	205	6975	13.5	13.5			
	209	6995	13.5	13.5			
	213	7015	13.5	13.5			
	217	7035	13.5	13.5			
	221	7055	13.5	13.5			
	225	7075	13.5	13.5			
	229	7095	13.5	13.5			
	233	7115	13.5	13.5			
802.11ax HE20	189	6895	13.5	13.5	10.5	10.5	13.5
	193	6915	13.5	13.5	10.5	10.5	13.5
	197	6935	13.5	13.5	10.5	10.5	13.5
	201	6955	13.5	13.5	10.5	10.5	13.5
	205	6975	13.5	13.5	10.5	10.5	13.5
	209	6995	13.5	13.5	10.5	10.5	13.5
	213	7015	13.5	13.5	10.5	10.5	13.5
	217	7035	13.5	13.5	10.5	10.5	13.5
	221	7055	13.5	13.5	10.5	10.5	13.5
	225	7075	13.5	13.5	10.5	10.5	13.5
	229	7095	13.5	13.5	10.5	10.5	13.5
	233	7115	13.5	13.5	10.5	10.5	13.5
802.11ax HE40	195	6925	13.5	13.5	10.5	10.5	13.5
	203	6965	13.5	13.5	10.5	10.5	13.5
	211	7005	13.5	13.5	10.5	10.5	13.5
	219	7045	13.5	13.5	10.5	10.5	13.5
	227	7085	13.5	13.5	10.5	10.5	13.5
802.11ax HE80	199	6945	13.5	13.5	10.5	10.5	13.5
	215	7025	13.5	13.5	10.5	10.5	13.5
802.11ax HE160	207	6985	13.5	13.5	10.5	10.5	13.5

Tune-up Power (Full)		
RFID		
Mode	Frequency	Max Tune-up
RFID	13.56	-29.0

Appendix E. Measured Conducted Power Result

The measuring conducted power (Unit: dBm) are shown as below.

WCDMA Conducted Power (Full)									
Band	WCDMA II			WCDMA IV			WCDMA V		
TX Channel	9262	9400	9538	1312	1413	1513	4132	4182	4233
Rx Channel	9662	9800	9938	1537	1638	1738	4357	4407	4458
Frequency	1852.4	1880	1907.6	1712.4	1732.6	1752.6	826.4	836.4	846.6
RMC 12.2K	22.77	22.53	22.51	22.60	22.62	22.59	23.01	22.82	22.59
HSDPA Subtest-1	21.79	21.56	21.67	21.66	21.62	21.60	22.02	21.83	21.56
HSDPA Subtest-2	21.78	21.55	21.66	21.63	21.64	21.63	22.02	21.80	21.56
HSDPA Subtest-3	21.26	21.05	21.18	21.14	21.11	21.14	21.54	21.33	21.09
HSDPA Subtest-4	21.24	21.03	21.15	21.13	21.11	21.12	21.50	21.36	21.06
DC-HSDPA Subtest-1	21.64	21.56	21.52	21.51	21.61	21.58	21.87	21.68	21.51
DC-HSDPA Subtest-2	21.63	21.53	21.51	21.53	21.56	21.63	21.87	21.65	21.51
DC-HSDPA Subtest-3	21.11	21.03	21.03	21.18	21.15	21.11	21.39	21.18	21.01
DC-HSDPA Subtest-4	21.09	21.05	21.03	21.06	21.09	21.07	21.35	21.21	21.03
HSUPA Subtest-1	21.66	21.56	21.56	21.63	21.61	21.58	21.98	21.80	21.51
HSUPA Subtest-2	19.70	19.56	19.56	19.63	19.60	19.62	19.93	19.76	19.53
HSUPA Subtest-3	20.66	20.58	20.51	20.63	20.58	20.60	20.95	20.75	20.51
HSUPA Subtest-4	19.68	19.57	19.56	19.63	19.63	19.56	19.96	19.74	19.51
HSUPA Subtest-5	21.70	21.59	21.51	21.61	21.61	21.61	21.90	21.80	21.51

LTE Conducted Power (Full)							
LTE Band 2							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		18700	18900	19100	
		Frequence (MHz)		1860	1880	1900	
20M	QPSK	1	0	22.53	22.41	22.37	0
		1	50	22.46	22.38	22.34	0
		1	99	22.45	22.37	22.32	0
		50	0	21.66	21.58	21.57	1
		50	25	21.54	21.46	21.45	1
		50	50	21.50	21.42	21.41	1
		100	0	21.61	21.53	21.52	1
20M	16QAM	1	0	21.88	21.80	21.79	1
		1	50	21.57	21.49	21.54	1
		1	99	21.63	21.55	21.48	1
		50	0	20.63	20.55	20.54	2
		50	25	20.62	20.54	20.53	2
		50	50	20.51	20.43	20.46	2
		100	0	20.63	20.55	20.54	2
20M	64QAM	1	0	21.31	21.23	21.22	2
		1	50	21.06	20.98	20.97	2
		1	99	20.95	20.87	20.86	2
		50	0	20.18	20.10	20.09	3
		50	25	19.97	19.89	19.88	3
		50	50	19.86	19.78	19.77	3
		100	0	19.99	19.91	19.90	3
20M	256QAM	1	0	18.22	18.15	18.10	5
		1	50	18.07	18.00	17.93	5
		1	99	18.01	17.92	17.92	5
		50	0	18.06	18.04	17.97	5
		50	25	17.94	17.87	17.79	5
		50	50	17.86	17.83	17.77	5
		100	0	17.94	17.85	17.81	5
BW	MCS Index	Channel		18675	18900	19125	3GPP MPR
		Frequence (MHz)		1857.5	1880	1902.5	
15M	QPSK	1	0	22.45	22.29	22.22	0
		1	37	22.35	22.23	22.21	0
		1	74	22.30	22.27	22.24	0
		36	0	21.65	21.47	21.41	1
		36	19	21.43	21.27	21.31	1
		36	39	21.36	21.32	21.29	1
		75	0	21.50	21.42	21.50	1
15M	16QAM	1	0	21.71	21.68	21.65	1
		1	37	21.53	21.47	21.39	1
		1	74	21.53	21.40	21.48	1
		36	0	20.44	20.51	20.43	2
		36	19	20.41	20.41	20.37	2
		36	39	20.54	20.48	20.51	2
		75	0	20.60	20.40	20.47	2
15M	64QAM	1	0	21.25	21.16	21.13	2
		1	37	20.87	20.89	20.82	2
		1	74	20.81	20.82	20.83	2
		36	0	20.11	20.07	20.06	3
		36	19	19.89	19.80	19.79	3
		36	39	19.66	19.71	19.71	3
		75	0	19.92	19.76	19.76	3
15M	256QAM	1	0	18.13	18.03	18.09	5
		1	37	17.90	17.86	17.87	5
		1	74	17.95	17.75	17.76	5
		36	0	17.85	17.90	17.77	5
		36	19	17.70	17.78	17.60	5
		36	39	17.77	17.76	17.66	5
		75	0	17.76	17.69	17.65	5

LTE Conducted Power (Full)							
LTE Band 2							
BW	MCS Index	Channel		18650	18900	19150	3GPP MPR
		Frequence (MHz)		1855	1880	1905	
10M	QPSK	1	0	22.47	22.32	22.23	0
		1	24	22.38	22.30	22.24	0
		1	49	22.31	22.27	22.20	0
		25	0	21.62	21.49	21.47	1
		25	12	21.45	21.30	21.36	1
		25	25	21.42	21.30	21.26	1
		50	0	21.50	21.42	21.41	1
10M	16QAM	1	0	21.79	21.70	21.71	1
		1	24	21.51	21.37	21.39	1
		1	49	21.56	21.40	21.47	1
		25	0	20.53	20.45	20.39	2
		25	12	20.49	20.36	20.41	2
		25	25	20.51	20.42	20.47	2
		50	0	20.56	20.42	20.45	2
10M	64QAM	1	0	21.27	21.13	21.22	2
		1	24	20.86	20.82	20.83	2
		1	49	20.83	20.75	20.75	2
		25	0	20.10	20.02	20.01	3
		25	12	19.86	19.79	19.77	3
		25	25	19.74	19.70	19.72	3
		50	0	19.94	19.77	19.80	3
10M	256QAM	1	0	18.07	17.99	18.00	5
		1	24	17.99	17.89	17.76	5
		1	49	17.89	17.86	17.84	5
		25	0	17.93	17.96	17.74	5
		25	12	17.82	17.81	17.61	5
		25	25	17.73	17.77	17.66	5
		50	0	17.83	17.71	17.67	5
BW	MCS Index	Channel		18625	18900	19175	3GPP MPR
		Frequence (MHz)		1852.5	1880	1907.5	
5M	QPSK	1	0	22.46	22.23	22.20	0
		1	12	22.38	22.25	22.20	0
		1	24	22.29	22.33	22.20	0
		12	0	21.63	21.42	21.49	1
		12	6	21.42	21.33	21.34	1
		12	13	21.33	21.28	21.21	1
		25	0	21.51	21.42	21.47	1
5M	16QAM	1	0	21.76	21.63	21.68	1
		1	12	21.54	21.39	21.45	1
		1	24	21.51	21.43	21.50	1
		12	0	20.48	20.48	20.38	2
		12	6	20.49	20.34	20.43	2
		12	13	20.58	20.41	20.42	2
		25	0	20.60	20.45	20.50	2
5M	64QAM	1	0	21.20	21.14	21.22	2
		1	12	20.92	20.82	20.83	2
		1	24	20.85	20.75	20.80	2
		12	0	20.10	19.98	20.00	3
		12	6	19.89	19.86	19.79	3
		12	13	19.76	19.75	19.72	3
		25	0	19.85	19.75	19.72	3
5M	256QAM	1	0	18.16	18.03	18.08	5
		1	12	18.01	17.89	17.82	5
		1	24	17.87	17.79	17.83	5
		12	0	17.85	17.93	17.90	5
		12	6	17.80	17.72	17.61	5
		12	13	17.83	17.74	17.53	5
		25	0	17.81	17.73	17.74	5

LTE Conducted Power (Full)							
LTE Band 2							
BW	MCS Index	Channel		18615	18900	19185	3GPP MPR
		Frequence (MHz)		1851.5	1880	1908.5	
3M	QPSK	1	0	22.45	22.28	22.20	0
		1	7	22.40	22.32	22.28	0
		1	14	22.29	22.28	22.18	0
		8	0	21.60	21.49	21.39	1
		8	3	21.42	21.28	21.34	1
		8	7	21.37	21.29	21.29	1
		15	0	21.52	21.42	21.41	1
3M	16QAM	1	0	21.74	21.71	21.63	1
		1	7	21.50	21.40	21.43	1
		1	14	21.59	21.43	21.43	1
		8	0	20.46	20.45	20.44	2
		8	3	20.43	20.41	20.37	2
		8	7	20.61	20.41	20.47	2
		15	0	20.58	20.45	20.44	2
3M	64QAM	1	0	21.21	21.15	21.14	2
		1	7	20.93	20.89	20.82	2
		1	14	20.80	20.72	20.75	2
		8	0	20.08	20.03	20.02	3
		8	3	19.88	19.82	19.71	3
		8	7	19.74	19.69	19.68	3
		15	0	19.86	19.82	19.81	3
3M	256QAM	1	0	18.14	18.12	18.02	5
		1	7	17.92	17.89	17.84	5
		1	14	17.82	17.86	17.73	5
		8	0	17.89	17.91	17.85	5
		8	3	17.84	17.69	17.79	5
		8	7	17.73	17.61	17.70	5
		15	0	17.81	17.76	17.73	5
BW	MCS Index	Channel		18607	18900	19193	3GPP MPR
		Frequence (MHz)		1850.7	1880	1909.3	
1.4M	QPSK	1	0	22.43	22.29	22.12	0
		1	2	22.20	22.20	22.13	0
		1	5	22.14	22.32	22.08	0
		3	0	22.45	22.29	22.37	0
		3	1	22.28	22.36	22.30	0
		3	3	22.28	22.15	22.11	0
		6	0	21.47	21.39	21.38	1
1.4M	16QAM	1	0	21.63	21.62	21.67	1
		1	2	21.45	21.35	21.41	1
		1	5	21.51	21.32	21.39	1
		3	0	21.50	21.47	21.29	1
		3	1	21.40	21.27	21.37	1
		3	3	21.48	21.31	21.41	1
		6	0	20.44	20.36	20.43	2
1.4M	64QAM	1	0	21.17	21.19	21.08	2
		1	2	20.76	20.78	20.79	2
		1	5	20.69	20.62	20.74	2
		3	0	21.11	21.04	20.92	2
		3	1	20.84	20.75	20.67	2
		3	3	20.64	20.69	20.54	2
		6	0	19.87	19.63	19.68	3
1.4M	256QAM	1	0	18.03	18.14	17.90	5
		1	2	17.99	17.91	17.75	5
		1	5	17.85	17.69	17.84	5
		3	0	17.95	17.92	17.88	5
		3	1	17.80	17.74	17.61	5
		3	3	17.80	17.66	17.65	5
		6	0	17.78	17.66	17.60	5

LTE Conducted Power (Full)							
LTE Band 4							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20050	20175	20300	
		Frequence (MHz)		1720	1732.5	1745	
20M	QPSK	1	0	22.66	22.50	22.36	0
		1	50	22.45	22.36	22.34	0
		1	99	22.38	22.30	22.24	0
		50	0	21.58	21.48	21.51	1
		50	25	21.51	21.46	21.43	1
		50	50	21.49	21.35	21.33	1
		100	0	21.50	21.41	21.39	1
20M	16QAM	1	0	21.73	21.68	21.60	1
		1	50	21.66	21.64	21.58	1
		1	99	21.64	21.62	21.56	1
		50	0	20.63	20.61	20.53	2
		50	25	20.47	20.47	20.39	2
		50	50	20.50	20.45	20.38	2
		100	0	20.45	20.38	20.29	2
20M	64QAM	1	0	20.81	20.76	20.71	2
		1	50	20.77	20.71	20.61	2
		1	99	20.57	20.54	20.54	2
		50	0	19.58	19.52	19.44	3
		50	25	19.51	19.48	19.42	3
		50	50	19.49	19.43	19.36	3
		100	0	19.53	19.53	19.44	3
20M	256QAM	1	0	17.86	17.76	17.75	5
		1	50	17.63	17.60	17.61	5
		1	99	17.52	17.50	17.59	5
		50	0	17.71	17.62	17.51	5
		50	25	17.51	17.43	17.42	5
		50	50	17.47	17.38	17.38	5
		100	0	17.64	17.60	17.50	5
BW	MCS Index	Channel		20025	20175	20325	3GPP MPR
		Frequence (MHz)		1717.5	1732.5	1747.5	
15M	QPSK	1	0	22.56	22.41	22.28	0
		1	37	22.36	22.29	22.24	0
		1	74	22.28	22.23	22.14	0
		36	0	21.55	21.57	21.48	1
		36	19	21.44	21.47	21.43	1
		36	39	21.45	21.33	21.29	1
		75	0	21.46	21.37	21.32	1
15M	16QAM	1	0	21.64	21.66	21.53	1
		1	37	21.63	21.55	21.52	1
		1	74	21.57	21.61	21.56	1
		36	0	20.61	20.53	20.46	2
		36	19	20.47	20.41	20.36	2
		36	39	20.49	20.44	20.29	2
		75	0	20.36	20.35	20.24	2
15M	64QAM	1	0	20.79	20.71	20.70	2
		1	37	20.70	20.68	20.60	2
		1	74	20.50	20.50	20.45	2
		36	0	19.56	19.52	19.41	3
		36	19	19.41	19.40	19.36	3
		36	39	19.46	19.42	19.31	3
		75	0	19.48	19.46	19.37	3
15M	256QAM	1	0	17.83	17.72	17.60	5
		1	37	17.55	17.52	17.41	5
		1	74	17.35	17.42	17.53	5
		36	0	17.68	17.49	17.48	5
		36	19	17.39	17.29	17.30	5
		36	39	17.33	17.14	17.25	5
		75	0	17.48	17.49	17.31	5

LTE Conducted Power (Full)							
LTE Band 4							
BW	MCS Index	Channel		20000	20175	20350	3GPP MPR
		Frequence (MHz)		1715	1732.5	1750	
10M	QPSK	1	0	22.58	22.44	22.29	0
		1	24	22.41	22.30	22.24	0
		1	49	22.38	22.28	22.18	0
		25	0	21.48	21.56	21.41	1
		25	12	21.43	21.43	21.35	1
		25	25	21.48	21.38	21.23	1
		50	0	21.40	21.37	21.32	1
10M	16QAM	1	0	21.63	21.62	21.51	1
		1	24	21.66	21.59	21.55	1
		1	49	21.56	21.54	21.52	1
		25	0	20.54	20.59	20.48	2
		25	12	20.45	20.46	20.35	2
		25	25	20.43	20.40	20.36	2
		50	0	20.38	20.30	20.26	2
10M	64QAM	1	0	20.75	20.73	20.67	2
		1	24	20.72	20.71	20.60	2
		1	49	20.57	20.49	20.52	2
		25	0	19.50	19.43	19.41	3
		25	12	19.41	19.44	19.43	3
		25	25	19.42	19.40	19.36	3
		50	0	19.45	19.44	19.37	3
10M	256QAM	1	0	17.70	17.63	17.54	5
		1	24	17.44	17.48	17.41	5
		1	49	17.41	17.28	17.42	5
		25	0	17.65	17.43	17.41	5
		25	12	17.45	17.35	17.39	5
		25	25	17.25	17.20	17.25	5
		50	0	17.55	17.46	17.40	5
BW	MCS Index	Channel		19975	20175	20375	3GPP MPR
		Frequence (MHz)		1712.5	1732.5	1752.5	
5M	QPSK	1	0	22.57	22.48	22.33	0
		1	12	22.44	22.33	22.27	0
		1	24	22.36	22.29	22.15	0
		12	0	21.52	21.54	21.50	1
		12	6	21.43	21.41	21.34	1
		12	13	21.49	21.35	21.32	1
		25	0	21.44	21.37	21.31	1
5M	16QAM	1	0	21.65	21.58	21.59	1
		1	12	21.64	21.62	21.49	1
		1	24	21.54	21.57	21.50	1
		12	0	20.56	20.51	20.43	2
		12	6	20.37	20.44	20.33	2
		12	13	20.43	20.39	20.34	2
		25	0	20.44	20.37	20.25	2
5M	64QAM	1	0	20.73	20.68	20.62	2
		1	12	20.71	20.65	20.61	2
		1	24	20.52	20.44	20.53	2
		12	0	19.48	19.51	19.34	3
		12	6	19.50	19.47	19.39	3
		12	13	19.44	19.39	19.27	3
		25	0	19.51	19.53	19.36	3
5M	256QAM	1	0	17.71	17.60	17.66	5
		1	12	17.50	17.41	17.47	5
		1	24	17.31	17.34	17.57	5
		12	0	17.52	17.48	17.33	5
		12	6	17.30	17.27	17.33	5
		12	13	17.37	17.29	17.27	5
		25	0	17.46	17.50	17.39	5

LTE Conducted Power (Full)							
LTE Band 4							
BW	MCS Index	Channel		19965	20175	20385	3GPP MPR
		Frequence (MHz)		1711.5	1732.5	1753.5	
3M	QPSK	1	0	22.47	22.47	22.30	0
		1	7	22.28	22.23	22.11	0
		1	14	22.14	22.09	22.12	0
		8	0	21.50	21.47	21.45	1
		8	3	21.50	21.28	21.39	1
		8	7	21.28	21.24	21.17	1
		15	0	21.43	21.23	21.24	1
3M	16QAM	1	0	21.59	21.47	21.52	1
		1	7	21.60	21.49	21.49	1
		1	14	21.46	21.47	21.47	1
		8	0	20.53	20.47	20.39	2
		8	3	20.37	20.22	20.15	2
		8	7	20.33	20.34	20.34	2
		15	0	20.30	20.27	20.05	2
3M	64QAM	1	0	20.64	20.52	20.62	2
		1	7	20.71	20.60	20.50	2
		1	14	20.40	20.43	20.47	2
		8	0	19.43	19.37	19.27	3
		8	3	19.39	19.39	19.34	3
		8	7	19.26	19.27	19.31	3
		15	0	19.42	19.34	19.21	3
3M	256QAM	1	0	17.78	17.55	17.59	5
		1	7	17.41	17.40	17.54	5
		1	14	17.36	17.36	17.46	5
		8	0	17.58	17.53	17.50	5
		8	3	17.44	17.35	17.27	5
		8	7	17.34	17.35	17.31	5
		15	0	17.55	17.51	17.37	5
BW	MCS Index	Channel		19957	20175	20393	3GPP MPR
		Frequence (MHz)		1710.7	1732.5	1754.3	
1.4M	QPSK	1	0	22.61	22.33	22.18	0
		1	2	22.33	22.28	22.21	0
		1	5	22.33	22.12	22.01	0
		3	0	22.45	22.48	22.34	0
		3	1	22.47	22.31	22.43	0
		3	3	22.48	22.30	22.20	0
		6	0	21.35	21.23	21.22	1
1.4M	16QAM	1	0	21.69	21.56	21.55	1
		1	2	21.47	21.40	21.43	1
		1	5	21.59	21.55	21.36	1
		3	0	21.48	21.45	21.45	1
		3	1	21.30	21.32	21.32	1
		3	3	21.31	21.44	21.28	1
		6	0	20.38	20.21	20.16	2
1.4M	64QAM	1	0	20.81	20.67	20.55	2
		1	2	20.71	20.52	20.56	2
		1	5	20.35	20.41	20.42	2
		3	0	20.56	20.42	20.35	2
		3	1	20.37	20.32	20.33	2
		3	3	20.25	20.24	20.20	2
		6	0	19.38	19.45	19.32	3
1.4M	256QAM	1	0	17.75	17.62	17.67	5
		1	2	17.48	17.55	17.53	5
		1	5	17.47	17.38	17.46	5
		3	0	17.55	17.50	17.31	5
		3	1	17.31	17.33	17.34	5
		3	3	17.31	17.30	17.36	5
		6	0	17.49	17.51	17.42	5

LTE Conducted Power (Full)							
LTE Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20450	20525	20600	
		Frequence (MHz)		829	836.5	844	
10M	QPSK	1	0	23.41	23.36	23.31	0
		1	24	23.35	23.25	23.18	0
		1	49	23.23	23.19	23.12	0
		25	0	22.49	22.43	22.35	1
		25	12	22.41	22.31	22.24	1
		25	25	22.39	22.30	22.22	1
		50	0	22.44	22.43	22.34	1
10M	16QAM	1	0	22.65	22.64	22.59	1
		1	24	22.51	22.47	22.43	1
		1	49	22.49	22.46	22.41	1
		25	0	21.43	21.38	21.38	2
		25	12	21.38	21.35	21.25	2
		25	25	21.34	21.29	21.23	2
		50	0	21.41	21.39	21.31	2
10M	64QAM	1	0	21.83	21.79	21.76	2
		1	24	21.63	21.60	21.55	2
		1	49	21.54	21.54	21.53	2
		25	0	20.44	20.38	20.37	3
		25	12	20.39	20.36	20.28	3
		25	25	20.36	20.29	20.27	3
		50	0	20.47	20.42	20.37	3
10M	256QAM	1	0	18.56	18.54	18.46	5
		1	24	18.43	18.35	18.34	5
		1	49	18.39	18.33	18.26	5
		25	0	18.44	18.42	18.39	5
		25	12	18.42	18.40	18.33	5
		25	25	18.38	18.28	18.21	5
		50	0	18.51	18.51	18.45	5
BW	MCS Index	Channel		20425	20525	20625	3GPP MPR
		Frequence (MHz)		826.5	836.5	846.5	
5M	QPSK	1	0	23.23	23.26	23.17	0
		1	12	23.22	23.03	23.12	0
		1	24	23.09	23.14	22.98	0
		12	0	22.39	22.26	22.14	1
		12	6	22.41	22.25	22.15	1
		12	13	22.22	22.20	22.17	1
		25	0	22.36	22.36	22.17	1
5M	16QAM	1	0	22.48	22.46	22.44	1
		1	12	22.39	22.28	22.35	1
		1	24	22.38	22.35	22.38	1
		12	0	21.39	21.20	21.27	2
		12	6	21.34	21.13	21.17	2
		12	13	21.29	21.13	21.25	2
		25	0	21.35	21.26	21.31	2
5M	64QAM	1	0	21.68	21.65	21.76	2
		1	12	21.52	21.51	21.55	2
		1	24	21.45	21.50	21.36	2
		12	0	20.31	20.24	20.22	3
		12	6	20.23	20.36	20.15	3
		12	13	20.29	20.12	20.04	3
		25	0	20.28	20.29	20.28	3
5M	256QAM	1	0	18.47	18.41	18.30	5
		1	12	18.18	18.20	18.15	5
		1	24	18.33	18.26	18.14	5
		12	0	18.21	18.30	18.24	5
		12	6	18.22	18.39	18.16	5
		12	13	18.24	18.19	18.10	5
		25	0	18.43	18.30	18.24	5

LTE Conducted Power (Full)							
LTE Band 5							
BW	MCS Index	Channel		20415	20525	20635	3GPP MPR
		Frequence (MHz)		825.5	836.5	847.5	
3M	QPSK	1	0	23.24	23.18	23.20	0
		1	7	23.18	23.05	23.01	0
		1	14	23.15	23.05	23.00	0
		8	0	22.43	22.25	22.22	1
		8	3	22.22	22.23	22.10	1
		8	7	22.25	22.21	22.05	1
		15	0	22.32	22.31	22.14	1
3M	16QAM	1	0	22.62	22.55	22.40	1
		1	7	22.41	22.37	22.38	1
		1	14	22.43	22.36	22.34	1
		8	0	21.21	21.23	21.20	2
		8	3	21.24	21.32	21.14	2
		8	7	21.24	21.20	21.20	2
		15	0	21.23	21.30	21.22	2
3M	64QAM	1	0	21.73	21.69	21.69	2
		1	7	21.47	21.49	21.39	2
		1	14	21.49	21.38	21.42	2
		8	0	20.41	20.17	20.20	3
		8	3	20.31	20.33	20.23	3
		8	7	20.17	20.13	20.19	3
		15	0	20.35	20.25	20.35	3
3M	256QAM	1	0	18.37	18.48	18.35	5
		1	7	18.39	18.16	18.23	5
		1	14	18.33	18.17	18.14	5
		8	0	18.25	18.30	18.26	5
		8	3	18.27	18.33	18.27	5
		8	7	18.26	18.11	18.04	5
		15	0	18.40	18.34	18.31	5
BW	MCS Index	Channel		20407	20525	20643	3GPP MPR
		Frequence (MHz)		824.7	836.5	848.3	
1.4M	QPSK	1	0	23.36	23.18	23.20	0
		1	2	23.19	23.08	23.07	0
		1	5	23.02	23.17	23.02	0
		3	0	23.34	23.40	23.25	0
		3	1	23.35	23.26	23.04	0
		3	3	23.32	23.15	23.13	0
		6	0	22.25	22.22	22.28	1
1.4M	16QAM	1	0	22.50	22.53	22.54	1
		1	2	22.41	22.29	22.29	1
		1	5	22.33	22.30	22.48	1
		3	0	22.19	22.30	22.19	1
		3	1	22.32	22.16	22.09	1
		3	3	22.21	22.09	22.07	1
		6	0	21.26	21.18	21.31	2
1.4M	64QAM	1	0	21.74	21.61	21.68	2
		1	2	21.50	21.51	21.55	2
		1	5	21.35	21.36	21.45	2
		3	0	21.41	21.24	21.19	2
		3	1	21.34	21.19	21.35	2
		3	3	21.15	21.25	21.10	2
		6	0	20.26	20.28	20.15	3
1.4M	256QAM	1	0	18.44	18.41	18.33	5
		1	2	18.24	18.23	18.11	5
		1	5	18.25	18.24	18.12	5
		3	0	18.34	18.18	18.26	5
		3	1	18.35	18.19	18.12	5
		3	3	18.28	18.16	18.02	5
		6	0	18.44	18.37	18.36	5

LTE Conducted Power (Full)							
LTE Band 7							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		20850	21100	21350	
		Frequence (MHz)		2510	2535	2560	
20M	QPSK	1	0	22.71	22.81	22.64	0
		1	50	22.69	22.77	22.66	0
		1	99	22.62	22.71	22.56	0
		50	0	21.82	21.85	21.75	1
		50	25	21.79	21.81	21.65	1
		50	50	21.74	21.84	21.74	1
		100	0	21.86	21.88	21.77	1
20M	16QAM	1	0	22.21	22.23	22.20	1
		1	50	21.98	22.03	21.88	1
		1	99	21.95	21.96	21.86	1
		50	0	20.90	20.91	20.87	2
		50	25	20.76	20.89	20.75	2
		50	50	20.74	20.86	20.71	2
		100	0	20.80	20.85	20.73	2
20M	64QAM	1	0	20.88	20.96	20.82	2
		1	50	20.83	20.92	20.78	2
		1	99	20.75	20.76	20.72	2
		50	0	19.86	19.89	19.79	3
		50	25	19.82	19.83	19.74	3
		50	50	19.74	19.79	19.72	3
		100	0	19.84	19.88	19.74	3
20M	256QAM	1	0	18.37	18.39	18.36	5
		1	50	18.23	18.26	18.25	5
		1	99	18.11	18.19	18.16	5
		50	0	18.10	18.16	18.12	5
		50	25	18.07	18.11	18.10	5
		50	50	17.89	18.03	17.93	5
		100	0	18.34	18.41	18.39	5
BW	MCS Index	Channel		20825	21100	21375	3GPP MPR
		Frequence (MHz)		2507.5	2535	2562.5	
15M	QPSK	1	0	22.58	22.64	22.52	0
		1	37	22.62	22.64	22.65	0
		1	74	22.58	22.50	22.43	0
		36	0	21.78	21.70	21.62	1
		36	19	21.66	21.70	21.50	1
		36	39	21.65	21.77	21.64	1
		75	0	21.62	21.71	21.65	1
15M	16QAM	1	0	22.04	22.04	22.10	1
		1	37	21.91	21.91	21.73	1
		1	74	21.74	21.90	21.68	1
		36	0	20.88	20.89	20.76	2
		36	19	20.69	20.72	20.59	2
		36	39	20.80	20.70	20.65	2
		75	0	20.72	20.68	20.55	2
15M	64QAM	1	0	20.83	20.81	20.67	2
		1	37	20.67	20.86	20.67	2
		1	74	20.55	20.67	20.61	2
		36	0	19.69	19.75	19.65	3
		36	19	19.52	19.64	19.57	3
		36	39	19.66	19.74	19.54	3
		75	0	19.69	19.85	19.58	3
15M	256QAM	1	0	18.46	18.46	18.27	5
		1	37	18.25	18.20	18.13	5
		1	74	18.34	18.20	18.14	5
		36	0	18.26	18.28	18.22	5
		36	19	18.27	18.34	18.15	5
		36	39	18.23	18.20	18.05	5
		75	0	18.41	18.36	18.35	5

LTE Conducted Power (Full)							
LTE Band 7							
BW	MCS Index	Channel		20800	21100	21400	3GPP MPR
		Frequence (MHz)		2505	2535	2565	
10M	QPSK	1	0	22.56	22.67	22.41	0
		1	24	22.64	22.69	22.56	0
		1	49	22.42	22.53	22.43	0
		25	0	21.70	21.65	21.59	1
		25	12	21.60	21.62	21.50	1
		25	25	21.65	21.67	21.64	1
		50	0	21.67	21.84	21.62	1
10M	16QAM	1	0	22.12	22.09	22.15	1
		1	24	21.85	21.90	21.79	1
		1	49	21.76	21.79	21.86	1
		25	0	20.75	20.77	20.75	2
		25	12	20.54	20.73	20.53	2
		25	25	20.80	20.74	20.76	2
		50	0	20.68	20.77	20.69	2
10M	64QAM	1	0	20.74	20.82	20.67	2
		1	24	20.71	20.77	20.63	2
		1	49	20.59	20.69	20.59	2
		25	0	19.70	19.70	19.72	3
		25	12	19.66	19.67	19.64	3
		25	25	19.73	19.63	19.58	3
		50	0	19.65	19.75	19.57	3
10M	256QAM	1	0	18.36	18.41	18.35	5
		1	24	18.34	18.25	18.23	5
		1	49	18.24	18.22	18.11	5
		25	0	18.35	18.32	18.19	5
		25	12	18.28	18.30	18.23	5
		25	25	18.23	18.12	18.07	5
		50	0	18.42	18.37	18.41	5
BW	MCS Index	Channel		20775	21100	21425	3GPP MPR
		Frequence (MHz)		2502.5	2535	2567.5	
5M	QPSK	1	0	22.59	22.76	22.40	0
		1	12	22.54	22.68	22.36	0
		1	24	22.44	22.55	22.25	0
		12	0	21.69	21.75	21.58	1
		12	6	21.52	21.67	21.33	1
		12	13	21.73	21.69	21.53	1
		25	0	21.69	21.75	21.59	1
5M	16QAM	1	0	22.07	22.06	22.02	1
		1	12	21.98	21.89	21.74	1
		1	24	21.89	21.92	21.70	1
		12	0	20.75	20.77	20.84	2
		12	6	20.63	20.70	20.69	2
		12	13	20.64	20.77	20.60	2
		25	0	20.61	20.65	20.55	2
5M	64QAM	1	0	20.74	20.91	20.64	2
		1	12	20.78	20.76	20.63	2
		1	24	20.58	20.72	20.64	2
		12	0	19.67	19.76	19.61	3
		12	6	19.54	19.63	19.53	3
		12	13	19.70	19.68	19.58	3
		25	0	19.72	19.68	19.68	3
5M	256QAM	1	0	18.37	18.41	18.42	5
		1	12	18.23	18.23	18.19	5
		1	24	18.23	18.20	18.24	5
		12	0	18.30	18.23	18.19	5
		12	6	18.24	18.35	18.09	5
		12	13	18.27	18.21	18.07	5
		25	0	18.41	18.43	18.36	5

LTE Conducted Power (Full)							
LTE Band 12							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23060	23095	23130	
		Frequence (MHz)		704	707.5	711	
10M	QPSK	1	0	23.57	23.48	23.40	0
		1	24	23.47	23.42	23.32	0
		1	49	23.30	23.24	23.17	0
		25	0	22.51	22.45	22.40	1
		25	12	22.45	22.41	22.42	1
		25	25	22.34	22.27	22.19	1
		50	0	22.51	22.48	22.44	1
10M	16QAM	1	0	22.99	22.94	22.89	1
		1	24	22.83	22.76	22.71	1
		1	49	22.72	22.70	22.65	1
		25	0	21.52	21.49	21.45	2
		25	12	21.46	21.46	21.42	2
		25	25	21.31	21.23	21.20	2
		50	0	21.45	21.43	21.38	2
10M	64QAM	1	0	21.74	21.72	21.71	2
		1	24	21.67	21.62	21.57	2
		1	49	21.63	21.61	21.60	2
		25	0	20.46	20.38	20.34	3
		25	12	20.43	20.36	20.32	3
		25	25	20.24	20.20	20.15	3
		50	0	20.44	20.43	20.39	3
10M	256QAM	1	0	18.92	18.85	18.81	5
		1	24	18.86	18.82	18.76	5
		1	49	18.61	18.54	18.44	5
		25	0	18.91	18.90	18.86	5
		25	12	18.84	18.84	18.81	5
		25	25	18.73	18.64	18.60	5
		50	0	18.93	18.87	18.85	5
BW	MCS Index	Channel		23035	23095	23155	3GPP MPR
		Frequence (MHz)		701.5	707.5	713.5	
5M	QPSK	1	0	23.51	23.41	23.31	0
		1	12	23.31	23.25	23.29	0
		1	24	23.15	23.05	22.98	0
		12	0	22.48	22.39	22.25	1
		12	6	22.28	22.22	22.40	1
		12	13	22.15	22.16	22.07	1
		25	0	22.38	22.41	22.24	1
5M	16QAM	1	0	22.87	22.90	22.73	1
		1	12	22.70	22.68	22.65	1
		1	24	22.63	22.63	22.50	1
		12	0	21.34	21.37	21.34	2
		12	6	21.30	21.35	21.24	2
		12	13	21.23	21.11	21.15	2
		25	0	21.28	21.36	21.27	2
5M	64QAM	1	0	21.60	21.54	21.57	2
		1	12	21.58	21.51	21.54	2
		1	24	21.58	21.43	21.57	2
		12	0	20.42	20.16	20.17	3
		12	6	20.42	20.28	20.27	3
		12	13	20.17	19.99	20.00	3
		25	0	20.38	20.27	20.19	3
5M	256QAM	1	0	18.92	18.75	18.54	5
		1	12	18.74	18.72	18.73	5
		1	24	18.55	18.43	18.30	5
		12	0	18.79	18.74	18.71	5
		12	6	18.67	18.78	18.70	5
		12	13	18.56	18.44	18.45	5
		25	0	18.87	18.66	18.75	5

LTE Conducted Power (Full)							
LTE Band 12							
BW	MCS Index	Channel		23025	23095	23165	3GPP MPR
		Frequence (MHz)		700.5	707.5	714.5	
3M	QPSK	1	0	23.50	23.37	23.32	0
		1	7	23.34	23.27	23.12	0
		1	14	23.11	23.07	22.96	0
		8	0	22.37	22.27	22.35	1
		8	3	22.32	22.35	22.30	1
		8	7	22.25	22.16	22.03	1
		15	0	22.31	22.31	22.40	1
3M	16QAM	1	0	22.87	22.76	22.68	1
		1	7	22.70	22.65	22.59	1
		1	14	22.64	22.61	22.51	1
		8	0	21.31	21.42	21.24	2
		8	3	21.37	21.36	21.38	2
		8	7	21.27	21.04	21.06	2
		15	0	21.23	21.29	21.27	2
3M	64QAM	1	0	21.63	21.67	21.65	2
		1	7	21.51	21.49	21.46	2
		1	14	21.53	21.47	21.45	2
		8	0	20.23	20.29	20.19	3
		8	3	20.32	20.32	20.24	3
		8	7	20.12	20.06	20.00	3
		15	0	20.29	20.28	20.27	3
3M	256QAM	1	0	18.69	18.75	18.61	5
		1	7	18.76	18.70	18.77	5
		1	14	18.52	18.39	18.37	5
		8	0	18.76	18.70	18.65	5
		8	3	18.82	18.75	18.67	5
		8	7	18.62	18.54	18.44	5
		15	0	18.76	18.76	18.77	5
BW	MCS Index	Channel		23017	23095	23173	3GPP MPR
		Frequence (MHz)		699.7	707.5	715.3	
1.4M	QPSK	1	0	23.35	23.46	23.29	0
		1	2	23.43	23.33	23.18	0
		1	5	23.20	23.16	23.04	0
		3	0	23.46	23.30	23.35	0
		3	1	23.37	23.33	23.24	0
		3	3	23.13	23.17	23.06	0
		6	0	22.43	22.38	22.41	1
1.4M	16QAM	1	0	22.96	22.86	22.83	1
		1	2	22.67	22.64	22.59	1
		1	5	22.56	22.50	22.55	1
		3	0	22.42	22.34	22.34	1
		3	1	22.28	22.35	22.26	1
		3	3	22.15	22.18	22.10	1
		6	0	21.22	21.28	21.21	2
1.4M	64QAM	1	0	21.57	21.55	21.65	2
		1	2	21.64	21.48	21.45	2
		1	5	21.56	21.38	21.46	2
		3	0	21.26	21.20	21.11	2
		3	1	21.25	21.28	21.12	2
		3	3	21.13	21.09	21.11	2
		6	0	20.26	20.29	20.25	3
1.4M	256QAM	1	0	18.76	18.68	18.63	5
		1	2	18.86	18.64	18.56	5
		1	5	18.42	18.46	18.31	5
		3	0	18.71	18.73	18.80	5
		3	1	18.68	18.80	18.64	5
		3	3	18.57	18.56	18.56	5
		6	0	18.77	18.67	18.62	5

LTE Conducted Power (Full)

LTE Band 13

BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23230		
		Frequence (MHz)			782		
10M	QPSK	1	0		23.3		0
		1	24		23.15		0
		1	49		22.91		0
		25	0		22.28		1
		25	12		22.16		1
		25	25		22.06		1
		50	0		22.15		1
10M	16QAM	1	0		22.64		1
		1	24		22.43		1
		1	49		22.35		1
		25	0		21.31		2
		25	12		21.16		2
		25	25		21.09		2
		50	0		21.25		2
10M	64QAM	1	0		21.40		2
		1	24		21.22		2
		1	49		21.15		2
		25	0		20.24		3
		25	12		20.18		3
		25	25		20.02		3
		50	0		20.17		3
10M	256QAM	1	0		18.97		5
		1	24		18.82		5
		1	49		18.76		5
		25	0		18.81		5
		25	12		18.62		5
		25	25		18.52		5
		50	0		18.71		5
BW	MCS Index	Channel		23205	23230	23255	3GPP MPR
		Frequence (MHz)		779.5	782	784.5	
5M	QPSK	1	0	23.25	23.13	23.18	0
		1	12	22.94	23.09	22.99	0
		1	24	22.84	22.85	22.77	0
		12	0	22.12	22.24	22.07	1
		12	6	22.05	22.02	22.08	1
		12	13	22.03	21.91	21.97	1
		25	0	22.10	22.08	21.95	1
5M	16QAM	1	0	22.44	22.54	22.58	1
		1	12	22.26	22.34	22.33	1
		1	24	22.27	22.28	22.31	1
		12	0	21.15	21.23	21.17	2
		12	6	20.95	21.04	20.98	2
		12	13	20.89	21.04	20.93	2
		25	0	21.21	21.03	21.04	2
5M	64QAM	1	0	21.15	21.31	21.29	2
		1	12	21.00	21.14	21.13	2
		1	24	20.96	21.03	21.05	2
		12	0	20.08	20.07	20.09	3
		12	6	20.02	20.12	20.09	3
		12	13	19.79	19.99	19.82	3
		25	0	20.08	20.09	20.10	3
5M	256QAM	1	0	18.71	18.82	18.75	5
		1	12	18.53	18.67	18.59	5
		1	24	18.58	18.68	18.57	5
		12	0	18.62	18.64	18.64	5
		12	6	18.39	18.55	18.36	5
		12	13	18.24	18.45	18.34	5
		25	0	18.59	18.51	18.61	5

LTE Conducted Power (Full)

LTE Band 14

BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			23330		
		Frequence (MHz)			793		
10M	QPSK	1	0		23.06		0
		1	24		22.94		0
		1	49		22.88		0
		25	0		22.16		1
		25	12		21.96		1
		25	25		21.94		1
		50	0		22.16		1
10M	16QAM	1	0		22.49		1
		1	24		22.32		1
		1	49		22.14		1
		25	0		21.03		2
		25	12		21.07		2
		25	25		21.14		2
		50	0		21.11		2
10M	64QAM	1	0		21.16		2
		1	24		21.20		2
		1	49		21.11		2
		25	0		20.14		3
		25	12		20.05		3
		25	25		19.98		3
		50	0		20.08		3
10M	256QAM	1	0		18.72		5
		1	24		18.61		5
		1	49		18.55		5
		25	0		18.61		5
		25	12		18.59		5
		25	25		18.41		5
		50	0		18.82		5
BW	MCS Index	Channel		23305	23330	23355	3GPP MPR
		Frequence (MHz)		790.5	793	795.5	
5M	QPSK	1	0	22.95	22.83	22.88	0
		1	12	22.64	22.79	22.69	0
		1	24	22.54	22.55	22.47	0
		12	0	21.82	21.94	21.77	1
		12	6	21.75	21.72	21.78	1
		12	13	21.73	21.61	21.67	1
		25	0	21.80	21.78	21.65	1
5M	16QAM	1	0	22.14	22.24	22.28	1
		1	12	21.96	22.04	22.03	1
		1	24	21.97	21.98	22.01	1
		12	0	20.85	20.93	20.87	2
		12	6	20.65	20.74	20.68	2
		12	13	20.59	20.74	20.63	2
		25	0	20.91	20.73	20.74	2
5M	64QAM	1	0	20.85	21.01	20.99	2
		1	12	20.70	20.84	20.83	2
		1	24	20.66	20.73	20.75	2
		12	0	19.78	19.77	19.79	3
		12	6	19.72	19.82	19.79	3
		12	13	19.49	19.69	19.52	3
		25	0	19.78	19.79	19.80	3
5M	256QAM	1	0	18.67	18.75	18.66	5
		1	12	18.51	18.76	18.74	5
		1	24	18.57	18.59	18.55	5
		12	0	18.55	18.68	18.53	5
		12	6	18.35	18.52	18.41	5
		12	13	18.33	18.45	18.27	5
		25	0	18.47	18.61	18.54	5

LTE Conducted Power (Full)

LTE Band 17

BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		23780	23790	23800	
		Frequence (MHz)		709	710	711	
10M	QPSK	1	0	23.33	23.35	23.29	0
		1	24	23.19	23.26	23.09	0
		1	49	23.09	23.14	23.07	0
		25	0	22.28	22.30	22.22	1
		25	12	22.15	22.24	22.13	1
		25	25	22.08	22.14	22.04	1
		50	0	22.23	22.25	22.22	1
10M	16QAM	1	0	22.74	22.76	22.69	1
		1	24	22.56	22.65	22.46	1
		1	49	22.43	22.44	22.43	1
		25	0	21.27	21.32	21.22	2
		25	12	21.21	21.26	21.16	2
		25	25	21.16	21.21	21.15	2
		50	0	21.26	21.30	21.19	2
10M	64QAM	1	0	21.60	21.66	21.60	2
		1	24	21.44	21.49	21.42	2
		1	49	21.36	21.38	21.33	2
		25	0	20.28	20.36	20.27	3
		25	12	20.21	20.30	20.16	3
		25	25	20.16	20.26	20.14	3
		50	0	20.19	20.28	20.16	3
10M	256QAM	1	0	18.53	18.57	18.55	5
		1	24	18.36	18.46	18.46	5
		1	49	18.32	18.41	18.39	5
		25	0	18.31	18.38	18.29	5
		25	12	18.28	18.36	18.35	5
		25	25	18.11	18.24	18.21	5
		50	0	18.48	18.56	18.50	5
BW	MCS Index	Channel		23755	23790	23825	3GPP MPR
		Frequence (MHz)		706.5	710	713.5	
5M	QPSK	1	0	23.15	23.23	23.24	0
		1	12	23.11	23.14	22.96	0
		1	24	22.99	23.00	22.96	0
		12	0	22.07	22.23	22.13	1
		12	6	22.03	22.03	22.05	1
		12	13	22.00	22.09	21.91	1
		25	0	22.20	22.13	22.10	1
5M	16QAM	1	0	22.59	22.58	22.48	1
		1	12	22.48	22.54	22.42	1
		1	24	22.22	22.22	22.32	1
		12	0	21.15	21.16	21.14	2
		12	6	21.08	21.11	21.08	2
		12	13	21.01	21.12	21.10	2
		25	0	21.15	21.08	21.06	2
5M	64QAM	1	0	21.50	21.50	21.57	2
		1	12	21.34	21.40	21.41	2
		1	24	21.22	21.29	21.09	2
		12	0	20.16	20.28	20.18	3
		12	6	20.03	20.28	20.03	3
		12	13	20.08	20.14	20.01	3
		25	0	20.05	20.23	19.95	3
5M	256QAM	1	0	18.51	18.50	18.48	5
		1	12	18.33	18.43	18.43	5
		1	24	18.24	18.37	18.39	5
		12	0	18.24	18.34	18.23	5
		12	6	18.21	18.26	18.28	5
		12	13	18.06	18.18	18.16	5
		25	0	18.39	18.50	18.40	5

LTE Conducted Power (Full)							
LTE Band 25							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26140	26365	26590	
		Frequence (MHz)		1860	1882.5	1905	
20M	QPSK	1	0	22.88	22.81	22.75	0
		1	50	22.66	22.58	22.52	0
		1	99	22.47	22.39	22.33	0
		50	0	21.76	21.75	21.75	1
		50	25	21.67	21.67	21.58	1
		50	50	21.54	21.48	21.44	1
		100	0	21.73	21.64	21.57	1
20M	16QAM	1	0	22.13	22.07	22.06	1
		1	50	21.84	21.80	21.74	1
		1	99	21.75	21.68	21.68	1
		50	0	20.77	20.77	20.76	2
		50	25	20.73	20.63	20.62	2
		50	50	20.69	20.62	20.60	2
		100	0	20.76	20.67	20.64	2
20M	64QAM	1	0	21.09	21.05	21.02	2
		1	50	20.80	20.72	20.69	2
		1	99	20.68	20.68	20.61	2
		50	0	19.78	19.72	19.68	3
		50	25	19.72	19.71	19.61	3
		50	50	19.58	19.55	19.54	3
		100	0	19.73	19.67	19.66	3
20M	256QAM	1	0	18.43	18.40	18.30	5
		1	50	18.36	18.26	18.21	5
		1	99	18.15	18.08	18.03	5
		50	0	18.23	18.21	18.19	5
		50	25	18.01	17.99	17.94	5
		50	50	17.97	17.91	17.86	5
		100	0	18.32	18.28	18.20	5
BW	MCS Index	Channel		26115	26365	26615	3GPP MPR
		Frequence (MHz)		1857.5	1882.5	1907.5	
15M	QPSK	1	0	22.81	22.78	22.66	0
		1	37	22.50	22.34	22.42	0
		1	74	22.36	22.18	22.18	0
		36	0	21.67	21.54	21.68	1
		36	19	21.57	21.48	21.44	1
		36	39	21.34	21.27	21.41	1
		75	0	21.55	21.61	21.42	1
15M	16QAM	1	0	21.94	21.96	22.01	1
		1	37	21.76	21.63	21.65	1
		1	74	21.61	21.60	21.44	1
		36	0	20.60	20.61	20.51	2
		36	19	20.61	20.45	20.57	2
		36	39	20.53	20.40	20.43	2
		75	0	20.55	20.46	20.61	2
15M	64QAM	1	0	20.94	20.92	20.83	2
		1	37	20.66	20.71	20.59	2
		1	74	20.54	20.50	20.44	2
		36	0	19.59	19.55	19.59	3
		36	19	19.56	19.59	19.47	3
		36	39	19.45	19.43	19.36	3
		75	0	19.70	19.66	19.43	3
15M	256QAM	1	0	18.35	18.24	18.18	5
		1	37	18.30	18.19	18.05	5
		1	74	17.99	18.01	17.92	5
		36	0	18.12	18.05	18.02	5
		36	19	17.85	17.77	17.83	5
		36	39	17.78	17.75	17.82	5
		75	0	18.15	18.22	18.08	5

LTE Conducted Power (Full)							
LTE Band 25							
BW	MCS Index	Channel		26090	26365	26640	3GPP MPR
		Frequence (MHz)		1855	1882.5	1910	
10M	QPSK	1	0	22.84	22.63	22.61	0
		1	24	22.41	22.45	22.29	0
		1	49	22.38	22.16	22.24	0
		25	0	21.54	21.62	21.68	1
		25	12	21.57	21.60	21.44	1
		25	25	21.34	21.35	21.34	1
		50	0	21.51	21.56	21.48	1
10M	16QAM	1	0	22.03	21.96	22.00	1
		1	24	21.72	21.69	21.68	1
		1	49	21.61	21.55	21.54	1
		25	0	20.68	20.63	20.76	2
		25	12	20.51	20.48	20.44	2
		25	25	20.61	20.59	20.49	2
		50	0	20.64	20.44	20.49	2
10M	64QAM	1	0	21.04	21.01	20.94	2
		1	24	20.60	20.59	20.52	2
		1	49	20.62	20.50	20.53	2
		25	0	19.66	19.55	19.54	3
		25	12	19.55	19.55	19.46	3
		25	25	19.43	19.44	19.44	3
		50	0	19.65	19.61	19.51	3
10M	256QAM	1	0	18.28	18.23	18.13	5
		1	24	18.24	18.03	18.02	5
		1	49	18.03	17.88	17.95	5
		25	0	18.07	18.09	18.01	5
		25	12	17.90	17.90	17.76	5
		25	25	17.82	17.76	17.68	5
		50	0	18.25	18.17	18.13	5
BW	MCS Index	Channel		26065	26365	26665	3GPP MPR
		Frequence (MHz)		1852.5	1882.5	1912.5	
5M	QPSK	1	0	22.75	22.61	22.65	0
		1	12	22.57	22.49	22.38	0
		1	24	22.34	22.26	22.15	0
		12	0	21.69	21.71	21.64	1
		12	6	21.57	21.48	21.46	1
		12	13	21.46	21.38	21.42	1
		25	0	21.53	21.43	21.44	1
5M	16QAM	1	0	21.99	21.84	22.04	1
		1	12	21.71	21.70	21.55	1
		1	24	21.56	21.54	21.56	1
		12	0	20.71	20.72	20.67	2
		12	6	20.55	20.55	20.48	2
		12	13	20.53	20.57	20.45	2
		25	0	20.72	20.51	20.52	2
5M	64QAM	1	0	20.95	20.88	20.85	2
		1	12	20.65	20.64	20.58	2
		1	24	20.65	20.50	20.50	2
		12	0	19.56	19.63	19.58	3
		12	6	19.65	19.56	19.58	3
		12	13	19.45	19.49	19.49	3
		25	0	19.58	19.55	19.58	3
5M	256QAM	1	0	18.23	18.38	18.18	5
		1	12	18.29	18.03	18.12	5
		1	24	18.08	18.01	17.81	5
		12	0	18.02	18.12	18.14	5
		12	6	17.85	17.82	17.82	5
		12	13	17.84	17.87	17.66	5
		25	0	18.24	18.15	18.03	5

LTE Conducted Power (Full)							
LTE Band 25							
BW	MCS Index	Channel		26055	26365	26675	3GPP MPR
		Frequence (MHz)		1851.5	1882.5	1913.5	
3M	QPSK	1	0	22.76	22.76	22.74	0
		1	7	22.50	22.57	22.43	0
		1	14	22.29	22.25	22.15	0
		8	0	21.62	21.62	21.69	1
		8	3	21.49	21.44	21.51	1
		8	7	21.36	21.38	21.31	1
		15	0	21.55	21.54	21.33	1
3M	16QAM	1	0	22.00	22.01	22.04	1
		1	7	21.69	21.69	21.61	1
		1	14	21.61	21.64	21.53	1
		8	0	20.66	20.73	20.52	2
		8	3	20.70	20.54	20.59	2
		8	7	20.52	20.44	20.39	2
		15	0	20.53	20.60	20.54	2
3M	64QAM	1	0	21.05	20.88	20.85	2
		1	7	20.70	20.65	20.61	2
		1	14	20.56	20.44	20.45	2
		8	0	19.62	19.62	19.56	3
		8	3	19.62	19.53	19.46	3
		8	7	19.46	19.49	19.45	3
		15	0	19.62	19.48	19.59	3
3M	256QAM	1	0	18.30	18.26	18.27	5
		1	7	18.16	18.21	18.08	5
		1	14	18.03	17.94	17.80	5
		8	0	18.15	18.20	18.00	5
		8	3	17.90	17.91	17.90	5
		8	7	17.80	17.83	17.61	5
		15	0	18.20	18.18	18.12	5
BW	MCS Index	Channel		26047	26365	26683	3GPP MPR
		Frequence (MHz)		1850.7	1882.5	1914.3	
1.4M	QPSK	1	0	22.78	22.70	22.68	0
		1	2	22.50	22.46	22.45	0
		1	5	22.23	22.25	22.26	0
		3	0	22.61	22.63	22.58	0
		3	1	22.55	22.58	22.47	0
		3	3	22.53	22.34	22.26	0
		6	0	21.68	21.42	21.47	1
1.4M	16QAM	1	0	22.02	21.90	21.96	1
		1	2	21.67	21.63	21.60	1
		1	5	21.55	21.51	21.54	1
		3	0	21.70	21.57	21.62	1
		3	1	21.67	21.55	21.42	1
		3	3	21.57	21.40	21.57	1
		6	0	20.60	20.56	20.49	2
1.4M	64QAM	1	0	21.05	20.87	20.85	2
		1	2	20.72	20.62	20.58	2
		1	5	20.54	20.51	20.49	2
		3	0	20.64	20.59	20.58	2
		3	1	20.64	20.56	20.49	2
		3	3	20.51	20.37	20.38	2
		6	0	19.52	19.49	19.47	3
1.4M	256QAM	1	0	18.29	18.25	18.15	5
		1	2	18.20	18.21	18.07	5
		1	5	18.11	17.93	17.88	5
		3	0	18.02	18.00	18.13	5
		3	1	17.90	17.93	17.80	5
		3	3	17.83	17.83	17.71	5
		6	0	18.20	18.20	18.08	5

LTE Conducted Power (Full)							
LTE Band 26							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		26765	26865	26965	
		Frequence (MHz)		821.5	831.5	841.5	
15M	QPSK	1	0	23.27	23.25	23.22	0
		1	37	22.98	22.96	22.87	0
		1	74	22.97	22.92	22.83	0
		36	0	22.27	22.26	22.19	1
		36	19	22.20	22.14	22.06	1
		36	39	22.11	22.01	21.94	1
		75	0	22.26	22.18	22.13	1
15M	16QAM	1	0	22.33	22.26	22.23	1
		1	37	22.25	22.24	22.19	1
		1	74	22.01	21.91	21.82	1
		36	0	21.26	21.18	21.11	2
		36	19	21.23	21.16	21.09	2
		36	39	21.14	21.08	21.08	2
		75	0	21.28	21.28	21.19	2
15M	64QAM	1	0	21.29	21.22	21.16	2
		1	37	21.24	21.16	21.08	2
		1	74	21.17	21.11	21.04	2
		36	0	20.21	20.18	20.16	3
		36	19	20.19	20.10	20.10	3
		36	39	20.13	20.03	19.98	3
		75	0	20.26	20.24	20.20	3
15M	256QAM	1	0	18.61	18.53	18.46	5
		1	37	18.52	18.45	18.45	5
		1	74	18.43	18.33	18.32	5
		36	0	18.53	18.52	18.50	5
		36	19	18.47	18.42	18.33	5
		36	39	18.36	18.35	18.30	5
		75	0	18.52	18.49	18.40	5
BW	MCS Index	Channel		26740	26865	26990	3GPP MPR
		Frequence (MHz)		819	831.5	844	
10M	QPSK	1	0	23.07	23.19	23.14	0
		1	24	22.83	22.85	22.70	0
		1	49	22.80	22.83	22.67	0
		25	0	22.12	22.18	22.07	1
		25	12	21.98	22.04	21.94	1
		25	25	21.94	21.85	21.86	1
		50	0	22.09	21.97	21.98	1
10M	16QAM	1	0	22.33	22.17	22.12	1
		1	24	22.12	22.13	22.06	1
		1	49	21.81	21.79	21.62	1
		25	0	21.24	21.01	21.09	2
		25	12	21.11	21.10	20.93	2
		25	25	21.04	20.94	21.00	2
		50	0	21.17	21.20	21.04	2
10M	64QAM	1	0	21.11	21.16	21.01	2
		1	24	21.17	21.01	21.04	2
		1	49	21.01	20.97	21.03	2
		25	0	20.12	20.03	20.00	3
		25	12	20.15	19.89	19.94	3
		25	25	20.02	19.80	19.91	3
		50	0	20.10	20.09	19.98	3
10M	256QAM	1	0	18.45	18.33	18.36	5
		1	24	18.37	18.37	18.22	5
		1	49	18.35	18.22	18.18	5
		25	0	18.46	18.39	18.45	5
		25	12	18.38	18.31	18.20	5
		25	25	18.24	18.24	18.23	5
		50	0	18.32	18.38	18.24	5

LTE Conducted Power (Full)							
LTE Band 26							
BW	MCS Index	Channel		26715	26865	27015	3GPP MPR
		Frequence (MHz)		816.5	831.5	846.5	
5M	QPSK	1	0	23.06	23.12	23.01	0
		1	12	22.90	22.74	22.77	0
		1	24	22.84	22.84	22.83	0
		12	0	22.16	22.15	22.08	1
		12	6	22.02	22.05	21.90	1
		12	13	21.93	21.86	21.78	1
		25	0	22.11	22.07	21.99	1
5M	16QAM	1	0	22.15	22.15	22.09	1
		1	12	22.19	22.17	22.16	1
		1	24	21.99	21.72	21.74	1
		12	0	21.15	20.96	20.94	2
		12	6	21.08	21.07	20.90	2
		12	13	21.04	21.05	20.93	2
		25	0	21.19	21.04	20.97	2
5M	64QAM	1	0	21.23	21.01	21.05	2
		1	12	21.13	21.08	20.89	2
		1	24	20.99	20.95	21.08	2
		12	0	20.10	20.11	20.00	3
		12	6	19.99	19.92	19.97	3
		12	13	20.02	19.96	19.86	3
		25	0	20.12	20.03	20.12	3
5M	256QAM	1	0	18.45	18.49	18.30	5
		1	12	18.32	18.29	18.32	5
		1	24	18.26	18.23	18.25	5
		12	0	18.28	18.32	18.31	5
		12	6	18.46	18.28	18.18	5
		12	13	18.35	18.23	18.05	5
		25	0	18.38	18.39	18.23	5
BW	MCS Index	Channel		26705	26865	27025	3GPP MPR
		Frequence (MHz)		815.5	831.5	847.5	
3M	QPSK	1	0	23.17	23.09	23.17	0
		1	7	22.92	22.71	22.69	0
		1	14	22.91	22.83	22.69	0
		8	0	22.22	22.07	22.02	1
		8	3	21.97	22.09	21.99	1
		8	7	22.02	21.88	21.90	1
		15	0	22.24	22.07	22.08	1
3M	16QAM	1	0	22.11	22.07	22.08	1
		1	7	22.16	22.04	22.11	1
		1	14	21.83	21.70	21.72	1
		8	0	21.11	21.12	21.06	2
		8	3	21.08	21.03	21.05	2
		8	7	21.03	21.00	20.93	2
		15	0	21.26	21.13	20.96	2
3M	64QAM	1	0	21.18	21.13	21.01	2
		1	7	21.16	21.07	20.98	2
		1	14	21.07	21.02	21.03	2
		8	0	20.05	20.15	19.99	3
		8	3	19.99	19.99	19.93	3
		8	7	20.10	19.89	19.78	3
		15	0	20.19	20.12	20.09	3
3M	256QAM	1	0	18.50	18.49	18.22	5
		1	7	18.30	18.40	18.28	5
		1	14	18.34	18.12	18.22	5
		8	0	18.31	18.43	18.38	5
		8	3	18.31	18.38	18.27	5
		8	7	18.25	18.14	18.17	5
		15	0	18.29	18.38	18.27	5

LTE Conducted Power (Full)							
LTE Band 26							
BW	MCS Index	Channel		26697	26865	27033	3GPP MPR
		Frequence (MHz)		814.7	831.5	848.3	
1.4M	QPSK	1	0	23.07	23.23	23.15	0
		1	2	22.86	22.87	22.70	0
		1	5	22.86	22.95	22.76	0
		3	0	23.19	23.12	23.11	0
		3	1	23.10	23.01	22.90	0
		3	3	22.95	22.90	22.77	0
		6	0	22.15	22.05	21.94	1
1.4M	16QAM	1	0	22.21	22.13	22.13	1
		1	2	22.19	22.18	22.09	1
		1	5	21.81	21.73	21.64	1
		3	0	22.15	22.15	22.00	1
		3	1	22.06	22.14	22.03	1
		3	3	22.07	21.97	21.93	1
		6	0	21.23	21.08	21.04	2
1.4M	64QAM	1	0	21.18	20.99	21.11	2
		1	2	21.09	21.03	20.91	2
		1	5	21.08	20.87	20.89	2
		3	0	21.10	21.00	21.13	2
		3	1	21.05	20.88	20.97	2
		3	3	21.00	20.91	20.84	2
		6	0	20.15	20.20	20.06	3
1.4M	256QAM	1	0	18.51	18.44	18.38	5
		1	2	18.44	18.38	18.27	5
		1	5	18.31	18.22	18.19	5
		3	0	18.37	18.47	18.40	5
		3	1	18.36	18.20	18.27	5
		3	3	18.23	18.21	18.13	5
		6	0	18.39	18.32	18.22	5

LTE Conducted Power (Full)							
LTE Band 38							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		37850	38000	38150	
		Frequence (MHz)		2580	2595	2610	
20M	QPSK	1	0	22.91	22.97	22.93	0
		1	50	22.84	22.85	22.85	0
		1	99	22.70	22.75	22.75	0
		50	0	21.82	21.91	21.84	1
		50	25	21.73	21.87	21.77	1
		50	50	21.68	21.82	21.75	1
		100	0	21.72	21.84	21.78	1
20M	16QAM	1	0	21.88	21.95	21.92	1
		1	50	21.74	21.86	21.83	1
		1	99	21.60	21.73	21.63	1
		50	0	20.77	20.86	20.86	2
		50	25	20.73	20.85	20.80	2
		50	50	20.72	20.81	20.74	2
		100	0	20.76	20.89	20.84	2
20M	64QAM	1	0	20.81	20.87	20.87	2
		1	50	20.70	20.76	20.71	2
		1	99	20.56	20.68	20.61	2
		50	0	19.71	19.85	19.77	3
		50	25	19.67	19.80	19.75	3
		50	50	19.66	19.74	19.68	3
		100	0	19.69	19.78	19.71	3
20M	256QAM	1	0	17.88	17.96	17.91	5
		1	50	17.71	17.82	17.75	5
		1	99	17.65	17.73	17.65	5
		50	0	17.95	17.98	17.96	5
		50	25	17.85	17.92	17.90	5
		50	50	17.66	17.86	17.76	5
		100	0	17.88	17.96	17.94	5
BW	MCS Index	Channel		37825	38000	38175	3GPP MPR
		Frequence (MHz)		2577.5	2595	2612.5	
15M	QPSK	1	0	22.77	22.75	22.83	0
		1	37	22.78	22.75	22.75	0
		1	74	22.60	22.55	22.59	0
		36	0	21.69	21.73	21.74	1
		36	19	21.68	21.72	21.66	1
		36	39	21.52	21.73	21.71	1
		75	0	21.56	21.80	21.68	1
15M	16QAM	1	0	21.75	21.90	21.74	1
		1	37	21.69	21.71	21.64	1
		1	74	21.49	21.61	21.54	1
		36	0	20.66	20.71	20.74	2
		36	19	20.59	20.70	20.66	2
		36	39	20.57	20.61	20.60	2
		75	0	20.68	20.71	20.75	2
15M	64QAM	1	0	20.65	20.84	20.65	2
		1	37	20.55	20.56	20.54	2
		1	74	20.48	20.61	20.49	2
		36	0	19.51	19.77	19.57	3
		36	19	19.59	19.69	19.58	3
		36	39	19.52	19.68	19.61	3
		75	0	19.64	19.58	19.70	3
15M	256QAM	1	0	17.70	17.75	17.74	5
		1	37	17.66	17.71	17.56	5
		1	74	17.47	17.61	17.54	5
		36	0	17.92	17.88	17.78	5
		36	19	17.75	17.82	17.71	5
		36	39	17.56	17.77	17.65	5
		75	0	17.79	17.80	17.82	5

LTE Conducted Power (Full)							
LTE Band 38							
BW	MCS Index	Channel		37800	38000	38200	3GPP MPR
		Frequence (MHz)		2575	2595	2615	
10M	QPSK	1	0	22.79	22.78	22.68	0
		1	24	22.60	22.75	22.62	0
		1	49	22.62	22.62	22.56	0
		25	0	21.73	21.67	21.48	1
		25	12	21.67	21.72	21.53	1
		25	25	21.49	21.78	21.53	1
		50	0	21.63	21.69	21.63	1
10M	16QAM	1	0	21.69	21.83	21.71	1
		1	24	21.69	21.69	21.64	1
		1	49	21.38	21.68	21.54	1
		25	0	20.71	20.82	20.70	2
		25	12	20.62	20.72	20.63	2
		25	25	20.64	20.70	20.63	2
		50	0	20.61	20.85	20.65	2
10M	64QAM	1	0	20.71	20.70	20.69	2
		1	24	20.56	20.67	20.63	2
		1	49	20.44	20.58	20.46	2
		25	0	19.53	19.73	19.59	3
		25	12	19.55	19.72	19.56	3
		25	25	19.51	19.50	19.58	3
		50	0	19.52	19.64	19.53	3
10M	256QAM	1	0	17.68	17.94	17.87	5
		1	24	17.59	17.64	17.71	5
		1	49	17.52	17.53	17.57	5
		25	0	17.94	17.88	17.82	5
		25	12	17.68	17.84	17.80	5
		25	25	17.61	17.74	17.69	5
		50	0	17.81	17.93	17.84	5
BW	MCS Index	Channel		37775	38000	38225	3GPP MPR
		Frequence (MHz)		2572.5	2595	2617.5	
5M	QPSK	1	0	22.77	22.91	22.81	0
		1	12	22.83	22.65	22.62	0
		1	24	22.54	22.71	22.54	0
		12	0	21.77	21.77	21.71	1
		12	6	21.62	21.76	21.47	1
		12	13	21.51	21.73	21.45	1
		25	0	21.52	21.67	21.65	1
5M	16QAM	1	0	21.75	21.81	21.73	1
		1	12	21.72	21.76	21.65	1
		1	24	21.38	21.57	21.54	1
		12	0	20.76	20.68	20.84	2
		12	6	20.55	20.66	20.68	2
		12	13	20.63	20.63	20.58	2
		25	0	20.62	20.74	20.74	2
5M	64QAM	1	0	20.69	20.72	20.66	2
		1	12	20.54	20.57	20.53	2
		1	24	20.44	20.50	20.43	2
		12	0	19.47	19.77	19.70	3
		12	6	19.43	19.67	19.64	3
		12	13	19.54	19.57	19.46	3
		25	0	19.67	19.65	19.57	3
5M	256QAM	1	0	17.79	17.92	17.71	5
		1	12	17.58	17.60	17.66	5
		1	24	17.64	17.62	17.51	5
		12	0	17.76	17.91	17.89	5
		12	6	17.79	17.75	17.73	5
		12	13	17.55	17.77	17.76	5
		25	0	17.81	17.82	17.83	5

LTE Conducted Power (Full)									
LTE Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequence (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	23.31	23.32	23.34	23.29	23.36	0
		1	50	23.20	23.21	23.27	23.30	23.34	0
		1	99	23.24	23.16	23.31	23.23	23.32	0
		50	0	22.26	22.27	22.36	22.25	22.45	1
		50	25	22.11	22.13	22.18	22.24	22.28	1
		50	50	22.05	22.12	22.20	22.16	22.24	1
		100	0	22.12	22.18	22.25	22.27	22.34	1
20M	16QAM	1	0	22.27	22.35	22.43	22.34	22.46	1
		1	50	22.12	22.24	22.32	22.31	22.36	1
		1	99	22.24	22.22	22.31	22.28	22.33	1
		50	0	21.30	21.37	21.40	21.35	21.45	2
		50	25	21.26	21.27	21.32	21.21	21.32	2
		50	50	21.09	21.16	21.20	21.18	21.29	2
		100	0	21.21	21.28	21.35	21.25	21.44	2
20M	64QAM	1	0	21.26	21.31	21.36	21.34	21.43	2
		1	50	21.16	21.20	21.24	21.28	21.28	2
		1	99	21.04	21.10	21.20	21.22	21.24	2
		50	0	20.38	20.36	20.42	20.40	20.46	3
		50	25	20.23	20.23	20.31	20.20	20.38	3
		50	50	20.14	20.16	20.24	20.19	20.28	3
		100	0	20.26	20.33	20.33	20.34	20.35	3
20M	256QAM	1	0	18.38	18.18	18.33	18.41	18.49	5
		1	50	18.18	18.00	18.18	18.27	18.32	5
		1	99	18.04	18.02	18.15	18.19	18.26	5
		50	0	18.26	18.16	18.31	18.34	18.43	5
		50	25	18.15	18.01	18.16	18.22	18.31	5
		50	50	18.05	17.96	18.12	18.12	18.18	5
		100	0	18.19	18.18	18.32	18.32	18.36	5
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequence (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	23.13	23.10	23.10	23.14	23.29	0
		1	37	23.11	23.18	23.27	23.28	23.30	0
		1	74	23.22	23.16	23.19	23.27	23.24	0
		36	0	22.26	22.27	22.32	22.23	22.40	1
		36	19	21.85	22.03	22.09	22.25	22.18	1
		36	39	21.98	21.93	22.03	22.07	22.10	1
		75	0	21.99	22.10	22.11	22.13	22.26	1
15M	16QAM	1	0	22.16	22.14	22.17	22.12	22.28	1
		1	37	22.11	22.18	22.21	22.21	22.27	1
		1	74	22.19	22.19	22.21	22.28	22.22	1
		36	0	21.20	21.23	21.26	21.18	21.37	2
		36	19	20.86	20.96	21.11	21.17	21.16	2
		36	39	20.94	20.94	21.09	21.06	21.12	2
		75	0	20.98	21.04	21.06	21.12	21.18	2
15M	64QAM	1	0	21.12	21.12	21.12	21.19	21.26	2
		1	37	21.19	21.12	21.23	21.19	21.26	2
		1	74	21.16	21.21	21.20	21.24	21.20	2
		36	0	20.23	20.22	20.33	20.16	20.34	3
		36	19	19.89	19.99	20.08	20.23	20.16	3
		36	39	19.97	19.92	20.10	20.06	20.10	3
		75	0	19.96	20.07	20.14	20.09	20.22	3
15M	256QAM	1	0	18.22	18.23	18.25	18.28	18.40	5
		1	37	18.18	18.17	18.09	18.15	18.19	5
		1	74	18.10	18.08	18.08	18.03	18.16	5
		36	0	18.20	18.14	18.29	18.25	18.26	5
		36	19	18.21	17.85	18.06	18.12	18.19	5
		36	39	17.90	17.98	17.90	18.05	18.04	5
		75	0	18.21	18.16	18.12	18.31	18.24	5

LTE Conducted Power (Full)									
LTE Band 41									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequence (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	23.09	23.14	23.24	23.15	23.23	0
		1	24	23.13	23.27	23.26	23.22	23.22	0
		1	49	23.21	23.16	23.21	23.22	23.22	0
		25	0	22.16	22.12	22.31	22.08	22.26	1
		25	12	22.00	21.99	22.02	22.18	22.11	1
		25	25	22.10	22.02	22.07	22.03	22.14	1
		50	0	22.01	22.12	22.10	22.18	22.18	1
10M	16QAM	1	0	22.18	22.09	22.19	22.19	22.23	1
		1	24	22.09	22.27	22.32	22.26	22.28	1
		1	49	22.19	22.18	22.21	22.24	22.32	1
		25	0	21.25	21.07	21.26	21.13	21.26	2
		25	12	21.03	21.02	21.08	21.18	21.15	2
		25	25	21.08	21.01	21.02	21.04	21.12	2
		50	0	21.05	21.14	21.10	21.16	21.22	2
10M	64QAM	1	0	21.11	21.13	21.15	21.21	21.20	2
		1	24	21.08	21.23	21.24	21.29	21.28	2
		1	49	21.17	21.21	21.26	21.25	21.27	2
		25	0	20.23	20.12	20.26	20.06	20.27	3
		25	12	19.96	20.09	20.09	20.08	20.21	3
		25	25	20.01	20.08	20.07	20.04	20.18	3
		50	0	20.00	20.12	20.19	20.18	20.21	3
10M	256QAM	1	0	18.32	18.13	18.24	18.33	18.39	5
		1	24	18.17	18.00	18.07	18.20	18.28	5
		1	49	17.98	17.98	18.02	18.08	18.06	5
		25	0	18.28	18.19	18.13	18.12	18.30	5
		25	12	18.13	17.84	17.99	18.09	18.07	5
		25	25	17.99	17.93	17.97	18.06	18.07	5
		50	0	18.30	18.09	18.12	18.11	18.27	5
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequence (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	23.05	23.13	23.26	23.17	23.26	0
		1	12	23.10	23.25	23.29	23.12	23.24	0
		1	24	23.19	23.21	23.19	23.22	23.16	0
		12	0	22.26	22.17	22.24	22.09	22.32	1
		12	6	22.00	22.00	22.18	22.21	22.24	1
		12	13	22.03	22.08	22.06	22.07	22.09	1
		25	0	21.92	22.03	22.11	22.13	22.24	1
5M	16QAM	1	0	22.06	22.14	22.26	22.19	22.21	1
		1	12	22.18	22.21	22.29	22.20	22.24	1
		1	24	22.21	22.25	22.17	22.14	22.22	1
		12	0	21.23	21.23	21.28	21.15	21.33	2
		12	6	20.97	21.04	21.10	21.18	21.17	2
		12	13	21.04	21.00	21.11	21.10	21.07	2
		25	0	20.95	21.13	21.15	21.16	21.17	2
5M	64QAM	1	0	21.03	21.12	21.16	21.14	21.27	2
		1	12	21.13	21.19	21.22	21.14	21.20	2
		1	24	21.27	21.26	21.19	21.20	21.14	2
		12	0	20.25	20.19	20.32	20.08	20.40	3
		12	6	19.91	20.00	20.13	20.23	20.17	3
		12	13	20.06	20.03	20.10	20.08	20.09	3
		25	0	20.02	20.12	20.14	20.22	20.15	3
5M	256QAM	1	0	18.25	18.12	18.18	18.36	18.32	5
		1	12	18.17	18.02	18.14	18.08	18.26	5
		1	24	18.07	18.05	17.97	18.12	18.26	5
		12	0	18.23	18.16	18.22	18.29	18.20	5
		12	6	18.04	18.01	18.04	18.04	18.28	5
		12	13	17.95	17.94	17.99	18.08	18.04	5
		25	0	18.27	18.13	18.11	18.13	18.21	5

LTE Conducted Power (Full)									
LTE Band 41_HPUE									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		39750	40185	40620	41055	41490	
		Frequence (MHz)		2506	2549.5	2593	2636.5	2680	
20M	QPSK	1	0	26.18	26.19	26.22	26.27	26.33	0
		1	50	26.06	26.13	26.19	26.25	26.27	0
		1	99	25.82	25.89	25.98	26.05	26.14	0
		50	0	25.31	25.34	25.42	25.43	25.46	1
		50	25	25.08	25.16	25.26	25.32	25.35	1
		50	50	24.93	25.03	25.13	25.18	25.28	1
		100	0	25.15	25.23	25.27	25.27	25.35	1
20M	16QAM	1	0	25.19	25.29	25.32	25.32	25.45	1
		1	50	25.08	25.09	25.19	25.23	25.38	1
		1	99	24.94	25.00	25.09	25.10	25.27	1
		50	0	24.19	24.29	24.38	24.41	24.29	2
		50	25	24.16	24.18	24.20	24.25	24.13	2
		50	50	24.13	24.17	24.18	24.23	24.05	2
		100	0	24.13	24.22	24.28	24.33	24.14	2
20M	64QAM	1	0	24.07	24.13	24.21	24.27	24.29	2
		1	50	24.06	23.98	24.16	24.26	24.19	2
		1	99	23.98	23.96	24.08	24.13	23.98	2
		50	0	23.31	23.38	23.26	23.39	23.44	3
		50	25	23.25	23.21	23.23	23.13	23.31	3
		50	50	23.09	23.12	23.18	23.20	23.07	3
		100	0	23.12	23.15	23.25	23.34	23.16	3
20M	256QAM	1	0	21.19	21.25	21.34	21.35	20.93	5
		1	50	21.18	21.24	21.30	21.32	21.11	5
		1	99	20.97	21.07	21.11	21.19	21.17	5
		50	0	21.13	21.22	21.24	21.24	21.06	5
		50	25	20.91	21.01	21.06	21.11	21.13	5
		50	50	20.78	20.88	20.95	21.05	21.20	5
		100	0	21.04	21.06	21.08	21.14	21.27	5
BW	MCS Index	Channel		39725	40173	40620	41068	41515	3GPP MPR
		Frequence (MHz)		2503.5	2548.3	2593	2637.8	2682.5	
15M	QPSK	1	0	25.89	26.07	26.11	26.14	26.25	0
		1	37	26.07	26.06	26.13	26.15	26.15	0
		1	74	25.71	25.83	25.84	25.99	26.06	0
		36	0	25.23	25.25	25.32	25.33	25.32	1
		36	19	24.94	25.01	25.20	25.22	25.22	1
		36	39	24.85	24.96	25.03	25.04	25.18	1
		75	0	25.02	25.15	25.13	25.16	25.25	1
15M	16QAM	1	0	24.89	25.05	25.12	25.18	25.24	1
		1	37	25.08	25.08	25.06	25.13	25.13	1
		1	74	24.69	24.82	24.90	25.03	25.05	1
		36	0	24.24	24.23	24.32	24.33	24.39	2
		36	19	24.00	24.00	24.16	24.29	24.20	2
		36	39	23.80	23.95	24.02	24.01	24.17	2
		75	0	24.00	24.11	24.14	24.20	24.28	2
15M	64QAM	1	0	23.86	24.02	24.12	24.18	24.20	2
		1	37	24.17	24.05	24.11	24.13	24.16	2
		1	74	23.76	23.81	23.86	23.98	24.08	2
		36	0	23.21	23.22	23.38	23.35	23.35	3
		36	19	23.00	22.99	23.12	23.24	23.20	3
		36	39	22.79	22.93	22.96	23.01	23.12	3
		75	0	23.04	23.14	23.16	23.20	23.25	3
15M	256QAM	1	0	21.06	21.11	21.22	21.27	21.31	5
		1	37	20.95	21.05	21.17	21.18	21.15	5
		1	74	20.87	20.89	21.06	20.99	20.97	5
		36	0	21.09	21.24	21.32	21.32	21.38	5
		36	19	21.02	21.02	21.09	21.23	21.22	5
		36	39	21.09	21.11	21.18	21.14	21.13	5
		75	0	20.99	21.12	21.25	21.22	21.31	5

LTE Conducted Power (Full)									
LTE Band 41_HPUE									
BW	MCS Index	Channel		39700	40160	40620	41080	41540	3GPP MPR
		Frequence (MHz)		2501	2547	2593	2639	2685	
10M	QPSK	1	0	25.91	25.99	26.13	26.18	26.22	0
		1	24	26.11	26.15	26.04	26.17	26.19	0
		1	49	25.75	25.82	25.84	25.91	25.95	0
		25	0	25.25	25.18	25.32	25.32	25.36	1
		25	12	24.97	25.06	25.25	25.23	25.19	1
		25	25	24.80	24.92	25.02	25.10	25.18	1
		50	0	25.06	25.10	25.21	25.15	25.24	1
10M	16QAM	1	0	24.97	24.98	25.16	25.19	25.22	1
		1	24	25.04	25.09	25.06	25.16	25.15	1
		1	49	24.75	24.78	24.82	24.97	24.97	1
		25	0	24.26	24.21	24.30	24.35	24.37	2
		25	12	23.96	24.11	24.22	24.24	24.20	2
		25	25	23.77	23.88	24.07	24.07	24.23	2
		50	0	24.08	24.13	24.23	24.18	24.21	2
10M	64QAM	1	0	23.94	23.95	24.13	24.17	24.21	2
		1	24	24.01	24.13	24.03	24.18	24.16	2
		1	49	23.70	23.84	23.79	23.95	24.04	2
		25	0	23.25	23.23	23.26	23.37	23.34	3
		25	12	22.92	23.07	23.25	23.24	23.21	3
		25	25	22.77	22.85	22.97	23.05	23.21	3
		50	0	23.05	23.11	23.20	23.11	23.24	3
10M	256QAM	1	0	21.09	21.16	21.20	21.18	21.28	5
		1	24	20.97	20.90	21.05	21.08	21.19	5
		1	49	20.83	20.90	21.04	21.01	21.08	5
		25	0	21.06	21.13	21.22	21.34	21.31	5
		25	12	21.07	21.13	21.12	21.15	21.24	5
		25	25	20.98	21.15	21.19	21.08	21.16	5
		50	0	21.03	21.12	21.18	21.21	21.21	5
BW	MCS Index	Channel		39675	40148	40620	41093	41565	3GPP MPR
		Frequence (MHz)		2498.5	2545.8	2593	2640.3	2687.5	
5M	QPSK	1	0	25.94	26.07	26.14	26.10	26.19	0
		1	12	26.03	26.05	26.05	26.24	26.21	0
		1	24	25.79	25.76	25.86	26.01	26.07	0
		12	0	25.20	25.23	25.35	25.36	25.45	1
		12	6	24.91	25.01	25.17	25.26	25.21	1
		12	13	24.88	24.89	24.98	25.05	25.14	1
		25	0	25.08	25.12	25.19	25.22	25.15	1
5M	16QAM	1	0	24.93	25.07	25.17	25.07	25.22	1
		1	12	25.08	25.05	25.07	25.27	25.23	1
		1	24	24.73	24.76	24.83	25.00	25.01	1
		12	0	24.22	24.29	24.36	24.33	24.43	2
		12	6	23.98	24.10	24.16	24.26	24.28	2
		12	13	23.89	23.87	23.98	24.04	24.11	2
		25	0	24.09	24.08	24.17	24.21	24.21	2
5M	64QAM	1	0	23.90	24.10	24.22	24.15	24.18	2
		1	12	24.10	24.10	24.06	24.20	24.20	2
		1	24	23.73	23.78	23.84	24.03	24.02	2
		12	0	23.24	23.23	23.27	23.41	23.44	3
		12	6	22.98	23.06	23.21	23.28	23.27	3
		12	13	22.87	22.87	23.05	23.04	23.14	3
		25	0	23.02	23.06	23.16	23.23	23.24	3
5M	256QAM	1	0	21.02	21.24	21.19	21.22	21.23	5
		1	12	20.99	21.04	21.08	21.11	21.15	5
		1	24	20.87	20.85	20.96	20.95	21.05	5
		12	0	21.06	21.26	21.25	21.27	21.40	5
		12	6	21.12	21.12	21.08	21.08	21.33	5
		12	13	21.09	21.03	21.19	21.13	21.21	5
		25	0	21.06	21.15	21.19	21.19	21.19	5

LTE Conducted Power (Full)							
LTE Band 42_For FCC 3450~3550MHz							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		42190	42590	42990	
		Frequence (MHz)		3460	3500	3540	
20M	QPSK	1	0	19.30	19.32	19.24	0
		1	50	19.19	19.21	19.24	0
		1	99	19.07	19.23	19.23	0
		50	0	18.23	18.33	18.21	1
		50	25	18.12	18.14	18.15	1
		50	50	18.12	18.11	18.08	1
		100	0	18.15	18.21	18.19	1
20M	16QAM	1	0	18.33	18.35	18.24	1
		1	50	18.16	18.25	18.27	1
		1	99	18.15	18.26	18.23	1
		50	0	17.33	17.33	17.32	2
		50	25	17.18	17.22	17.11	2
		50	50	17.13	17.15	17.12	2
		100	0	17.25	17.33	17.23	2
20M	64QAM	1	0	17.21	17.33	17.27	2
		1	50	17.12	17.24	17.21	2
		1	99	17.04	17.12	17.17	2
		50	0	16.36	16.32	16.34	3
		50	25	16.16	16.27	16.11	3
		50	50	16.16	16.16	16.18	3
		100	0	16.31	16.28	16.27	3
20M	256QAM	1	0	14.18	14.26	14.33	5
		1	50	13.96	14.12	14.18	5
		1	99	13.92	14.11	14.16	5
		50	0	14.07	14.21	14.24	5
		50	25	13.97	14.07	14.16	5
		50	50	13.89	14.07	14.08	5
		100	0	14.08	14.26	14.22	5
BW	MCS Index	Channel		42165	42590	43015	3GPP MPR
		Frequence (MHz)		3457.5	3500	3542.5	
15M	QPSK	1	0	19.28	19.29	19.11	0
		1	37	19.19	19.07	19.16	0
		1	74	18.99	19.14	19.18	0
		36	0	18.18	18.21	18.21	1
		36	19	18.03	18.05	18.07	1
		36	39	17.99	18.00	18.07	1
		75	0	18.03	18.11	18.10	1
15M	16QAM	1	0	18.22	18.20	18.17	1
		1	37	18.05	18.22	18.23	1
		1	74	18.04	18.14	18.18	1
		36	0	17.22	17.28	17.25	2
		36	19	17.10	17.16	17.05	2
		36	39	16.98	17.12	16.97	2
		75	0	17.18	17.33	17.20	2
15M	64QAM	1	0	17.12	17.22	17.16	2
		1	37	17.06	17.17	17.06	2
		1	74	16.95	17.12	17.08	2
		36	0	16.32	16.29	16.24	3
		36	19	16.02	16.14	16.01	3
		36	39	16.16	16.02	16.06	3
		75	0	16.16	16.24	16.22	3
15M	256QAM	1	0	14.14	14.20	14.21	5
		1	37	13.91	14.04	14.09	5
		1	74	13.88	14.05	14.14	5
		36	0	14.05	14.13	14.21	5
		36	19	13.86	14.01	14.06	5
		36	39	13.80	14.01	13.94	5
		75	0	14.04	14.17	14.18	5

LTE Conducted Power (Full)							
LTE Band 42_For FCC 3450~3550MHz							
BW	MCS Index	Channel		42140	42590	43040	3GPP MPR
		Frequence (MHz)		3455	3500	3545	
10M	QPSK	1	0	19.28	19.17	19.01	0
		1	24	19.05	19.00	19.06	0
		1	49	18.98	19.03	19.03	0
		25	0	18.09	18.16	18.06	1
		25	12	18.00	17.92	18.00	1
		25	25	17.95	17.98	18.02	1
		50	0	17.99	18.02	18.02	1
10M	16QAM	1	0	18.21	18.20	18.15	1
		1	24	18.01	18.10	18.22	1
		1	49	17.99	18.03	18.03	1
		25	0	17.13	17.23	17.13	2
		25	12	16.99	17.16	16.93	2
		25	25	16.98	16.98	16.90	2
		50	0	17.06	17.32	17.19	2
10M	64QAM	1	0	17.02	17.13	17.13	2
		1	24	17.02	17.14	16.98	2
		1	49	16.88	17.09	16.95	2
		25	0	16.28	16.26	16.20	3
		25	12	15.87	16.13	15.92	3
		25	25	16.12	15.97	15.94	3
		50	0	16.10	16.21	16.10	3
10M	256QAM	1	0	14.10	14.17	14.19	5
		1	24	13.81	14.02	14.01	5
		1	49	13.85	14.03	14.14	5
		25	0	13.95	13.99	14.10	5
		25	12	13.78	13.89	13.98	5
		25	25	13.80	13.86	13.89	5
		50	0	14.04	14.14	14.03	5
BW	MCS Index	Channel		42115	42590	43065	3GPP MPR
		Frequence (MHz)		3452.5	3500	3547.5	
5M	QPSK	1	0	19.14	19.05	19.01	0
		1	12	18.97	18.86	19.01	0
		1	24	18.84	18.94	18.89	0
		12	0	17.98	18.04	17.94	1
		12	6	17.91	17.84	17.94	1
		12	13	17.90	17.85	17.93	1
		25	0	17.87	17.97	17.88	1
5M	16QAM	1	0	18.21	18.11	18.10	1
		1	12	17.93	18.00	18.17	1
		1	24	17.92	17.97	17.97	1
		12	0	17.09	17.20	17.07	2
		12	6	16.91	17.10	16.90	2
		12	13	16.94	16.94	16.89	2
		25	0	17.06	17.24	17.10	2
5M	64QAM	1	0	16.91	16.99	17.03	2
		1	12	16.97	17.00	16.83	2
		1	24	16.86	16.99	16.85	2
		12	0	16.13	16.17	16.19	3
		12	6	15.87	16.08	15.85	3
		12	13	15.98	15.82	15.85	3
		25	0	16.08	16.06	15.99	3
5M	256QAM	1	0	13.99	14.10	14.18	5
		1	12	13.78	13.87	13.89	5
		1	24	13.74	14.01	14.13	5
		12	0	13.95	13.86	14.04	5
		12	6	13.66	13.75	13.93	5
		12	13	13.70	13.86	13.85	5
		25	0	14.03	14.10	13.97	5

LTE Conducted Power (Full)							
LTE Band 42_For FCC 3550~3600MHz							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		43190	43340	43490	
		Frequence (MHz)		3560	3575	3590	
20M	QPSK	1	0	19.32	19.34	19.20	0
		1	50	19.11	19.23	19.26	0
		1	99	19.09	19.25	19.19	0
		50	0	18.18	18.26	18.22	1
		50	25	18.13	18.14	18.18	1
		50	50	18.12	18.17	18.15	1
		100	0	18.17	18.25	18.23	1
20M	16QAM	1	0	18.27	18.39	18.28	1
		1	50	18.17	18.25	18.24	1
		1	99	18.12	18.28	18.18	1
		50	0	17.34	17.36	17.31	2
		50	25	17.25	17.29	17.21	2
		50	50	17.08	17.12	17.08	2
		100	0	17.21	17.33	17.17	2
20M	64QAM	1	0	17.24	17.36	17.26	2
		1	50	17.19	17.21	17.23	2
		1	99	17.08	17.17	17.16	2
		50	0	16.31	16.37	16.37	3
		50	25	16.23	16.26	16.19	3
		50	50	16.08	16.18	16.14	3
		100	0	16.29	16.29	16.27	3
20M	256QAM	1	0	14.14	14.24	14.35	5
		1	50	14.00	14.17	14.19	5
		1	99	14.02	14.15	14.14	5
		50	0	14.15	14.27	14.24	5
		50	25	13.97	14.10	14.15	5
		50	50	13.90	14.10	14.06	5
		100	0	14.08	14.32	14.31	5
BW	MCS Index	Channel		43165	43340	43515	3GPP MPR
		Frequence (MHz)		3557.5	3575	3592.5	
15M	QPSK	1	0	19.27	19.28	19.15	0
		1	37	19.06	19.21	19.15	0
		1	74	19.01	19.16	19.13	0
		36	0	18.03	18.24	18.19	1
		36	19	18.11	18.11	18.05	1
		36	39	17.98	18.08	18.05	1
		75	0	18.06	18.15	18.20	1
15M	16QAM	1	0	18.14	18.28	18.25	1
		1	37	18.06	18.21	18.15	1
		1	74	17.97	18.24	18.15	1
		36	0	17.21	17.25	17.17	2
		36	19	17.10	17.23	17.18	2
		36	39	17.08	17.08	16.99	2
		75	0	17.14	17.29	17.17	2
15M	64QAM	1	0	17.09	17.36	17.20	2
		1	37	17.16	17.06	17.20	2
		1	74	17.03	17.13	17.14	2
		36	0	16.30	16.30	16.29	3
		36	19	16.22	16.13	16.04	3
		36	39	15.96	16.18	16.04	3
		75	0	16.15	16.15	16.12	3
15M	256QAM	1	0	14.11	14.23	14.26	5
		1	37	13.93	14.05	14.14	5
		1	74	13.88	14.11	14.08	5
		36	0	14.03	14.22	14.13	5
		36	19	13.83	14.04	14.06	5
		36	39	13.81	14.00	13.92	5
		75	0	14.03	14.32	14.25	5

LTE Conducted Power (Full)							
LTE Band 42_For FCC 3550~3600MHz							
BW	MCS Index	Channel		43140	43340	43540	3GPP MPR
		Frequence (MHz)		3555	3575	3595	
10M	QPSK	1	0	19.23	19.27	19.13	0
		1	24	18.93	19.14	19.02	0
		1	49	18.94	19.09	19.04	0
		25	0	17.97	18.21	18.14	1
		25	12	18.05	18.00	18.01	1
		25	25	17.86	17.99	17.93	1
		50	0	17.93	18.12	18.10	1
10M	16QAM	1	0	18.05	18.17	18.16	1
		1	24	17.94	18.14	18.06	1
		1	49	17.84	18.11	18.06	1
		25	0	17.17	17.15	17.17	2
		25	12	17.08	17.19	17.16	2
		25	25	16.97	17.08	16.93	2
		50	0	17.14	17.26	17.03	2
10M	64QAM	1	0	17.07	17.24	17.17	2
		1	24	17.08	17.02	17.06	2
		1	49	16.95	17.02	17.11	2
		25	0	16.16	16.30	16.15	3
		25	12	16.09	16.05	15.94	3
		25	25	15.90	16.09	15.99	3
		50	0	16.14	16.03	16.04	3
10M	256QAM	1	0	14.00	14.14	14.25	5
		1	24	13.86	13.95	14.07	5
		1	49	13.84	14.06	14.03	5
		25	0	13.99	14.07	14.01	5
		25	12	13.71	13.99	14.00	5
		25	25	13.79	13.92	13.91	5
		50	0	13.88	14.19	14.19	5
BW	MCS Index	Channel		43115	43340	43565	3GPP MPR
		Frequence (MHz)		3552.5	3575	3597.5	
5M	QPSK	1	0	19.17	19.19	19.07	0
		1	12	18.92	19.05	18.92	0
		1	24	18.85	19.08	18.92	0
		12	0	17.92	18.16	18.04	1
		12	6	18.04	17.98	17.87	1
		12	13	17.72	17.95	17.93	1
		25	0	17.87	18.12	18.08	1
5M	16QAM	1	0	17.93	18.05	18.13	1
		1	12	17.88	18.11	18.00	1
		1	24	17.73	18.08	17.95	1
		12	0	17.15	17.01	17.17	2
		12	6	17.04	17.16	17.06	2
		12	13	16.85	17.01	16.88	2
		25	0	17.06	17.23	16.94	2
5M	64QAM	1	0	17.04	17.14	17.05	2
		1	12	16.97	16.99	16.99	2
		1	24	16.81	16.92	17.11	2
		12	0	16.16	16.21	16.01	3
		12	6	16.06	15.97	15.81	3
		12	13	15.77	16.04	15.92	3
		25	0	16.13	15.93	15.97	3
5M	256QAM	1	0	13.88	14.04	14.13	5
		1	12	13.75	13.92	14.00	5
		1	24	13.83	13.91	13.97	5
		12	0	13.85	13.93	13.86	5
		12	6	13.59	13.88	13.97	5
		12	13	13.68	13.91	13.86	5
		25	0	13.87	14.04	14.13	5

LTE Conducted Power (Full)							
LTE Band 43_For FCC 3600~3700MHz							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		43690	44090	44490	
		Frequence (MHz)		3610	3650	3690	
20M	QPSK	1	0	18.76	18.67	18.61	0
		1	50	18.66	18.59	18.54	0
		1	99	18.59	18.55	18.47	0
		50	0	17.83	17.79	17.76	1
		50	25	17.76	17.74	17.67	1
		50	50	17.69	17.66	17.59	1
		100	0	17.73	17.70	17.61	1
20M	16QAM	1	0	17.76	17.74	17.65	1
		1	50	17.62	17.58	17.53	1
		1	99	16.76	16.72	16.62	1
		50	0	17.37	17.31	17.31	2
		50	25	16.75	16.67	16.67	2
		50	50	16.64	16.60	16.55	2
		100	0	16.77	16.69	16.68	2
20M	64QAM	1	0	16.71	16.69	16.62	2
		1	50	16.69	16.63	16.61	2
		1	99	16.62	16.61	16.55	2
		50	0	15.83	15.80	15.76	3
		50	25	15.77	15.74	15.67	3
		50	50	15.75	15.68	15.65	3
		100	0	15.81	15.77	15.76	3
20M	256QAM	1	0	13.95	13.94	13.88	5
		1	50	13.85	13.77	13.72	5
		1	99	13.62	13.62	13.52	5
		50	0	13.91	13.88	13.78	5
		50	25	13.78	13.74	13.71	5
		50	50	13.67	13.67	13.61	5
		100	0	13.81	13.81	13.74	5
BW	MCS Index	Channel		43665	44090	45515	3GPP MPR
		Frequence (MHz)		3607.5	3650	3692.5	
15M	QPSK	1	0	18.64	18.50	18.60	0
		1	37	18.57	18.44	18.36	0
		1	74	18.53	18.36	18.36	0
		36	0	17.71	17.60	17.72	1
		36	19	17.64	17.60	17.53	1
		36	39	17.45	17.46	17.40	1
		75	0	17.52	17.58	17.42	1
15M	16QAM	1	0	17.63	17.59	17.50	1
		1	37	17.60	17.46	17.38	1
		1	74	16.67	16.66	16.63	1
		36	0	17.19	17.07	17.30	2
		36	19	16.69	16.55	16.53	2
		36	39	16.59	16.57	16.43	2
		75	0	16.70	16.49	16.54	2
15M	64QAM	1	0	16.60	16.56	16.51	2
		1	37	16.63	16.50	16.53	2
		1	74	16.46	16.39	16.39	2
		36	0	15.77	15.72	15.65	3
		36	19	15.63	15.63	15.52	3
		36	39	15.67	15.59	15.60	3
		75	0	15.70	15.61	15.61	3
15M	256QAM	1	0	13.92	13.84	13.81	5
		1	37	13.76	13.68	13.53	5
		1	74	13.55	13.49	13.36	5
		36	0	13.66	13.70	13.60	5
		36	19	13.71	13.73	13.59	5
		36	39	13.56	13.53	13.47	5
		75	0	13.64	13.75	13.65	5

LTE Conducted Power (Full)							
LTE Band 43_For FCC 3600~3700MHz							
BW	MCS Index	Channel		43640	44090	44540	3GPP MPR
		Frequence (MHz)		3605	3650	3695	
10M	QPSK	1	0	18.71	18.65	18.48	0
		1	24	18.52	18.47	18.45	0
		1	49	18.37	18.48	18.36	0
		25	0	17.76	17.64	17.67	1
		25	12	17.70	17.69	17.55	1
		25	25	17.59	17.41	17.51	1
		50	0	17.59	17.58	17.52	1
10M	16QAM	1	0	17.68	17.51	17.64	1
		1	24	17.50	17.49	17.38	1
		1	49	16.71	16.64	16.61	1
		25	0	17.22	17.26	17.20	2
		25	12	16.63	16.61	16.50	2
		25	25	16.51	16.57	16.43	2
		50	0	16.67	16.47	16.53	2
10M	64QAM	1	0	16.56	16.57	16.52	2
		1	24	16.61	16.45	16.51	2
		1	49	16.48	16.57	16.41	2
		25	0	15.75	15.69	15.56	3
		25	12	15.68	15.64	15.57	3
		25	25	15.64	15.53	15.49	3
		50	0	15.74	15.62	15.67	3
10M	256QAM	1	0	13.77	13.79	13.82	5
		1	24	13.69	13.68	13.57	5
		1	49	13.55	13.51	13.37	5
		25	0	13.75	13.74	13.69	5
		25	12	13.69	13.56	13.54	5
		25	25	13.55	13.53	13.58	5
		50	0	13.70	13.72	13.65	5
BW	MCS Index	Channel		43615	44090	44565	3GPP MPR
		Frequence (MHz)		3602.5	3650	3697.5	
5M	QPSK	1	0	18.71	18.58	18.42	0
		1	12	18.60	18.48	18.47	0
		1	24	18.50	18.41	18.43	0
		12	0	17.73	17.70	17.63	1
		12	6	17.65	17.53	17.57	1
		12	13	17.54	17.57	17.44	1
		25	0	17.66	17.55	17.36	1
5M	16QAM	1	0	17.59	17.63	17.60	1
		1	12	17.59	17.41	17.51	1
		1	24	16.66	16.65	16.61	1
		12	0	17.16	17.07	17.30	2
		12	6	16.59	16.48	16.58	2
		12	13	16.63	16.48	16.35	2
		25	0	16.69	16.63	16.48	2
5M	64QAM	1	0	16.64	16.68	16.53	2
		1	12	16.61	16.52	16.43	2
		1	24	16.43	16.49	16.43	2
		12	0	15.72	15.62	15.60	3
		12	6	15.75	15.52	15.42	3
		12	13	15.65	15.63	15.55	3
		25	0	15.66	15.62	15.58	3
5M	256QAM	1	0	13.85	13.70	13.71	5
		1	12	13.68	13.68	13.60	5
		1	24	13.41	13.47	13.43	5
		12	0	13.84	13.74	13.56	5
		12	6	13.68	13.54	13.46	5
		12	13	13.46	13.51	13.41	5
		25	0	13.79	13.64	13.54	5

LTE Conducted Power (Full)								
LTE Band 48_For FCC								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	High	3GPP MPR (dB)
		Channel		55340	55780	56210	56640	
		Frequence (MHz)		3560	3603	3647	3690	
20M	QPSK	1	0	19.30	19.23	19.19	19.11	0
		1	50	19.16	19.14	19.13	19.05	0
		1	99	19.06	19.05	18.95	18.88	0
		50	0	18.36	18.28	18.23	18.15	1
		50	25	18.28	18.20	18.17	18.10	1
		50	50	18.21	18.11	18.04	17.99	1
		100	0	18.29	18.23	18.22	18.20	1
20M	16QAM	1	0	18.21	18.11	18.07	18.17	1
		1	50	18.14	18.10	18.03	18.10	1
		1	99	18.07	18.02	18.00	17.93	1
		50	0	17.26	17.22	17.19	17.19	2
		50	25	17.23	17.21	17.14	17.08	2
		50	50	17.19	17.09	17.03	16.99	2
		100	0	17.27	17.27	17.23	17.16	2
20M	64QAM	1	0	17.33	17.29	17.25	17.18	2
		1	50	17.10	17.10	17.09	17.12	2
		1	99	17.07	17.00	16.99	16.86	2
		50	0	16.43	16.42	16.41	16.18	3
		50	25	16.27	16.22	16.22	16.14	3
		50	50	16.25	16.16	16.12	15.96	3
		100	0	16.36	16.32	16.23	16.19	3
20M	256QAM	1	0	13.91	13.84	13.82	13.68	5
		1	50	13.88	13.80	13.75	13.63	5
		1	99	13.72	13.68	13.61	13.71	5
		50	0	13.95	13.85	13.82	13.63	5
		50	25	13.83	13.83	13.79	13.62	5
		50	50	13.62	13.57	13.51	13.44	5
		100	0	14.06	14.02	14.02	13.89	5
BW	MCS Index	Channel		55315	55765	56215	56665	3GPP MPR
		Frequence (MHz)		3557.5	3602.5	3647.5	3692.5	
15M	QPSK	1	0	19.24	19.13	19.09	19.00	0
		1	37	19.15	18.99	19.02	18.99	0
		1	74	19.00	18.89	18.82	18.81	0
		36	0	18.24	18.11	18.09	18.15	1
		36	19	18.14	18.10	18.07	18.00	1
		36	39	18.03	17.93	17.88	17.88	1
		75	0	18.26	18.11	18.18	18.11	1
15M	16QAM	1	0	18.24	18.07	18.15	17.97	1
		1	37	18.16	18.09	18.02	17.94	1
		1	74	17.98	17.90	17.85	17.79	1
		36	0	17.19	17.13	17.12	17.14	2
		36	19	17.13	17.10	17.12	17.08	2
		36	39	17.03	17.02	16.97	16.90	2
		75	0	17.16	17.15	17.16	17.02	2
15M	64QAM	1	0	17.21	17.11	17.09	17.03	2
		1	37	17.16	17.06	17.01	16.99	2
		1	74	16.92	16.90	16.88	16.76	2
		36	0	16.18	16.10	16.10	16.13	3
		36	19	16.10	16.10	16.10	16.04	3
		36	39	16.10	16.03	15.89	15.92	3
		75	0	16.22	16.08	16.19	16.04	3
15M	256QAM	1	0	13.78	13.63	13.63	13.68	5
		1	37	13.70	13.65	13.64	13.53	5
		1	74	13.55	13.51	13.43	13.49	5
		36	0	13.79	13.74	13.66	13.72	5
		36	19	13.76	13.72	13.67	13.70	5
		36	39	13.41	13.42	13.35	13.46	5
		75	0	13.85	13.98	13.98	13.78	5

LTE Conducted Power (Full)								
LTE Band 48_For FCC								
BW	MCS Index	Channel		55290	55750	56220	56690	3GPP MPR
		Frequence (MHz)		3555	3601	3648	3695	
10M	QPSK	1	0	19.20	19.18	19.02	19.05	0
		1	24	19.01	19.06	18.98	18.96	0
		1	49	19.00	18.95	18.84	18.75	0
		25	0	18.26	18.16	18.15	18.05	1
		25	12	18.10	18.07	18.08	17.95	1
		25	25	18.11	17.98	17.88	17.93	1
		50	0	18.20	18.08	18.06	18.05	1
10M	16QAM	1	0	18.23	18.08	18.02	18.01	1
		1	24	18.09	18.02	18.00	18.05	1
		1	49	18.03	18.00	17.81	17.74	1
		25	0	17.34	17.14	17.20	16.98	2
		25	12	17.17	17.08	17.08	17.05	2
		25	25	17.14	17.02	16.95	16.89	2
		50	0	17.21	17.09	17.13	17.06	2
10M	64QAM	1	0	17.20	17.13	17.07	17.02	2
		1	24	17.07	17.03	17.02	17.05	2
		1	49	16.95	16.98	16.75	16.72	2
		25	0	16.26	16.20	16.14	16.02	3
		25	12	16.10	16.10	16.08	16.02	3
		25	25	16.16	15.97	15.96	15.94	3
		50	0	16.22	16.17	16.10	16.11	3
10M	256QAM	1	0	13.76	13.64	13.72	13.74	5
		1	24	13.75	13.61	13.61	13.57	5
		1	49	13.48	13.53	13.40	13.48	5
		25	0	13.84	13.63	13.63	13.71	5
		25	12	13.64	13.71	13.82	13.75	5
		25	25	13.50	13.56	13.45	13.42	5
		50	0	13.97	13.93	13.91	13.86	5
BW	MCS Index	Channel		55265	55745	56235	56715	3GPP MPR
		Frequence (MHz)		3552.5	3600.5	3649.5	3697.5	
5M	QPSK	1	0	19.21	19.18	19.14	18.98	0
		1	12	18.99	19.06	19.09	18.98	0
		1	24	18.95	18.96	18.84	18.77	0
		12	0	18.19	18.10	18.12	18.00	1
		12	6	18.21	18.03	18.07	18.00	1
		12	13	18.10	17.96	17.97	17.83	1
		25	0	18.16	18.04	18.21	18.03	1
5M	16QAM	1	0	18.28	18.09	18.09	18.00	1
		1	12	18.07	18.11	18.04	17.96	1
		1	24	17.97	18.00	17.79	17.77	1
		12	0	17.21	17.12	17.13	17.04	2
		12	6	17.19	17.00	17.08	17.03	2
		12	13	17.09	16.99	17.02	16.84	2
		25	0	17.17	17.08	17.17	17.05	2
5M	64QAM	1	0	17.20	17.08	17.08	16.98	2
		1	12	17.02	17.08	17.06	16.95	2
		1	24	16.89	16.93	16.82	16.74	2
		12	0	16.18	16.13	16.14	16.07	3
		12	6	16.16	16.05	16.05	16.00	3
		12	13	16.14	15.95	16.01	15.82	3
		25	0	16.11	16.10	16.12	16.11	3
5M	256QAM	1	0	13.72	13.71	13.61	13.63	5
		1	12	13.70	13.70	13.69	13.51	5
		1	24	13.53	13.56	13.43	13.51	5
		12	0	13.86	13.79	13.63	13.61	5
		12	6	13.75	13.82	13.70	13.61	5
		12	13	13.41	13.38	13.29	13.39	5
		25	0	13.96	13.93	13.88	13.93	5

LTE Conducted Power (Full)							
LTE Band 66							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		132072	132322	132572	
		Frequence (MHz)		1720	1745	1770	
20M	QPSK	1	0	22.79	22.69	22.61	0
		1	50	22.54	22.57	22.56	0
		1	99	22.58	22.52	22.51	0
		50	0	21.69	21.67	21.58	1
		50	25	21.58	21.55	21.50	1
		50	50	21.46	21.40	21.32	1
		100	0	21.62	21.53	21.45	1
20M	16QAM	1	0	22.06	22.05	22.05	1
		1	50	21.94	21.87	21.77	1
		1	99	21.82	21.79	21.68	1
		50	0	20.76	20.70	20.68	2
		50	25	20.72	20.67	20.58	2
		50	50	20.57	20.49	20.45	2
		100	0	20.63	20.55	20.53	2
20M	64QAM	1	0	20.94	20.85	20.78	2
		1	50	20.76	20.69	20.65	2
		1	99	20.61	20.52	20.47	2
		50	0	19.60	19.51	19.46	3
		50	25	19.51	19.43	19.47	3
		50	50	19.43	19.33	19.37	3
		100	0	19.66	19.58	19.55	3
20M	256QAM	1	0	18.13	18.07	18.01	5
		1	50	17.96	17.86	17.85	5
		1	99	17.72	17.67	17.66	5
		50	0	17.68	17.65	17.64	5
		50	25	17.61	17.53	17.48	5
		50	50	17.53	17.52	17.47	5
		100	0	17.76	17.71	17.62	5
BW	MCS Index	Channel		132047	132322	132597	3GPP MPR
		Frequence (MHz)		1717.5	1745	1772.5	
15M	QPSK	1	0	22.74	22.60	22.50	0
		1	37	22.42	22.47	22.45	0
		1	74	22.51	22.44	22.41	0
		36	0	21.55	21.47	21.49	1
		36	19	21.40	21.47	21.39	1
		36	39	21.32	21.32	21.18	1
		75	0	21.48	21.42	21.40	1
15M	16QAM	1	0	22.03	22.00	22.03	1
		1	37	21.77	21.78	21.75	1
		1	74	21.68	21.64	21.69	1
		36	0	20.68	20.63	20.64	2
		36	19	20.58	20.51	20.48	2
		36	39	20.39	20.33	20.41	2
		75	0	20.54	20.46	20.40	2
15M	64QAM	1	0	20.85	20.76	20.75	2
		1	37	20.64	20.60	20.58	2
		1	74	20.46	20.42	20.31	2
		36	0	19.46	19.45	19.40	3
		36	19	19.36	19.34	19.30	3
		36	39	19.34	19.14	19.22	3
		75	0	19.51	19.43	19.41	3
15M	256QAM	1	0	18.05	18.04	17.95	5
		1	37	17.89	17.83	17.82	5
		1	74	17.71	17.55	17.57	5
		36	0	17.68	17.60	17.64	5
		36	19	17.54	17.51	17.42	5
		36	39	17.53	17.49	17.42	5
		75	0	17.74	17.61	17.57	5

LTE Conducted Power (Full)							
LTE Band 66							
BW	MCS Index	Channel		132022	132322	132622	3GPP MPR
		Frequence (MHz)		1715	1745	1775	
10M	QPSK	1	0	22.70	22.56	22.49	0
		1	24	22.37	22.40	22.33	0
		1	49	22.39	22.45	22.37	0
		25	0	21.65	21.46	21.58	1
		25	12	21.51	21.42	21.36	1
		25	25	21.26	21.29	21.28	1
		50	0	21.55	21.44	21.34	1
10M	16QAM	1	0	22.01	21.85	21.86	1
		1	24	21.92	21.73	21.65	1
		1	49	21.64	21.72	21.72	1
		25	0	20.61	20.56	20.61	2
		25	12	20.60	20.61	20.55	2
		25	25	20.54	20.34	20.41	2
		50	0	20.51	20.47	20.41	2
10M	64QAM	1	0	20.83	20.74	20.64	2
		1	24	20.59	20.64	20.50	2
		1	49	20.54	20.50	20.38	2
		25	0	19.49	19.37	19.30	3
		25	12	19.32	19.37	19.31	3
		25	25	19.41	19.22	19.17	3
		50	0	19.56	19.39	19.47	3
10M	256QAM	1	0	18.10	18.02	18.00	5
		1	24	17.96	17.78	17.85	5
		1	49	17.66	17.60	17.64	5
		25	0	17.60	17.57	17.64	5
		25	12	17.54	17.49	17.47	5
		25	25	17.52	17.43	17.40	5
		50	0	17.71	17.61	17.59	5
BW	MCS Index	Channel		131997	132322	132647	3GPP MPR
		Frequence (MHz)		1712.5	1745	1777.5	
5M	QPSK	1	0	22.70	22.64	22.61	0
		1	12	22.44	22.37	22.28	0
		1	24	22.39	22.40	22.33	0
		12	0	21.64	21.51	21.46	1
		12	6	21.52	21.37	21.30	1
		12	13	21.33	21.30	21.31	1
		25	0	21.39	21.37	21.26	1
5M	16QAM	1	0	21.92	21.90	21.95	1
		1	12	21.80	21.70	21.73	1
		1	24	21.70	21.63	21.59	1
		12	0	20.66	20.65	20.43	2
		12	6	20.64	20.55	20.39	2
		12	13	20.45	20.38	20.27	2
		25	0	20.49	20.41	20.42	2
5M	64QAM	1	0	20.82	20.73	20.68	2
		1	12	20.71	20.57	20.47	2
		1	24	20.46	20.39	20.36	2
		12	0	19.47	19.46	19.31	3
		12	6	19.43	19.42	19.32	3
		12	13	19.30	19.16	19.21	3
		25	0	19.54	19.46	19.49	3
5M	256QAM	1	0	18.06	18.04	17.93	5
		1	12	17.88	17.79	17.75	5
		1	24	17.71	17.56	17.61	5
		12	0	17.61	17.58	17.64	5
		12	6	17.57	17.47	17.46	5
		12	13	17.52	17.43	17.41	5
		25	0	17.72	17.71	17.62	5

LTE Conducted Power (Full)							
LTE Band 66							
BW	MCS Index	Channel		131987	132322	132657	3GPP MPR
		Frequence (MHz)		1711.5	1745	1778.5	
3M	QPSK	1	0	22.78	22.60	22.44	0
		1	7	22.40	22.39	22.33	0
		1	14	22.48	22.37	22.38	0
		8	0	21.63	21.52	21.46	1
		8	3	21.50	21.41	21.39	1
		8	7	21.33	21.27	21.21	1
		15	0	21.48	21.36	21.37	1
3M	16QAM	1	0	21.98	21.97	21.95	1
		1	7	21.86	21.71	21.68	1
		1	14	21.71	21.69	21.61	1
		8	0	20.68	20.62	20.60	2
		8	3	20.55	20.61	20.42	2
		8	7	20.37	20.35	20.35	2
		15	0	20.45	20.37	20.49	2
3M	64QAM	1	0	20.84	20.67	20.66	2
		1	7	20.63	20.59	20.54	2
		1	14	20.45	20.35	20.32	2
		8	0	19.48	19.36	19.23	3
		8	3	19.35	19.42	19.46	3
		8	7	19.25	19.14	19.28	3
		15	0	19.64	19.43	19.43	3
3M	256QAM	1	0	18.08	17.99	18.01	5
		1	7	17.87	17.85	17.75	5
		1	14	17.65	17.61	17.58	5
		8	0	17.68	17.63	17.63	5
		8	3	17.55	17.49	17.47	5
		8	7	17.43	17.44	17.43	5
		15	0	17.74	17.69	17.58	5
BW	MCS Index	Channel		131979	132322	132665	3GPP MPR
		Frequence (MHz)		1710.7	1745	1779.3	
1.4M	QPSK	1	0	22.59	22.57	22.39	0
		1	2	22.36	22.31	22.33	0
		1	5	22.51	22.42	22.38	0
		3	0	22.61	22.63	22.50	0
		3	1	22.36	22.46	22.40	0
		3	3	22.35	22.36	22.21	0
		6	0	21.44	21.31	21.40	1
1.4M	16QAM	1	0	22.02	21.85	21.97	1
		1	2	21.80	21.68	21.56	1
		1	5	21.73	21.63	21.68	1
		3	0	21.65	21.63	21.55	1
		3	1	21.63	21.59	21.43	1
		3	3	21.40	21.30	21.35	1
		6	0	20.53	20.38	20.38	2
1.4M	64QAM	1	0	20.89	20.68	20.72	2
		1	2	20.53	20.61	20.42	2
		1	5	20.44	20.30	20.42	2
		3	0	20.53	20.44	20.37	2
		3	1	20.34	20.43	20.36	2
		3	3	20.31	20.18	20.25	2
		6	0	19.47	19.50	19.46	3
1.4M	256QAM	1	0	18.09	18.05	17.99	5
		1	2	17.90	17.81	17.79	5
		1	5	17.64	17.62	17.62	5
		3	0	17.62	17.57	17.66	5
		3	1	17.54	17.45	17.42	5
		3	3	17.45	17.49	17.42	5
		6	0	17.76	17.70	17.54	5

LTE Conducted Power (Full)							
LTE Band 71							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		133222	133297	133372	
		Frequence (MHz)		673	680.5	688	
20M	QPSK	1	0	23.55	23.51	23.49	0
		1	50	23.42	23.34	23.29	0
		1	99	23.32	23.30	23.22	0
		50	0	22.65	22.62	22.54	1
		50	25	22.59	22.50	22.42	1
		50	50	22.51	22.41	22.37	1
		100	0	22.62	22.59	22.51	1
20M	16QAM	1	0	22.73	22.69	22.65	1
		1	50	22.62	22.56	22.54	1
		1	99	22.52	22.47	22.39	1
		50	0	21.65	21.61	21.60	2
		50	25	21.62	21.53	21.44	2
		50	50	21.45	21.36	21.35	2
		100	0	21.62	21.54	21.50	2
20M	64QAM	1	0	21.73	21.68	21.61	2
		1	50	21.66	21.62	21.58	2
		1	99	21.58	21.49	21.42	2
		50	0	20.64	20.55	20.47	3
		50	25	20.56	20.52	20.53	3
		50	50	20.48	20.42	20.39	3
		100	0	20.63	20.53	20.50	3
20M	256QAM	1	0	18.92	18.87	18.83	5
		1	50	18.83	18.78	18.67	5
		1	99	18.79	18.76	18.71	5
		50	0	18.74	18.72	18.66	5
		50	25	18.66	18.57	18.56	5
		50	50	18.59	18.51	18.49	5
		100	0	18.64	18.57	18.49	5
BW	MCS Index	Channel		133197	133297	133397	3GPP MPR
		Frequence (MHz)		670.5	680.5	690.5	
15M	QPSK	1	0	23.38	23.38	23.38	0
		1	37	23.33	23.22	23.13	0
		1	74	23.17	23.11	23.01	0
		36	0	22.56	22.49	22.38	1
		36	19	22.49	22.40	22.20	1
		36	39	22.33	22.23	22.24	1
		75	0	22.54	22.46	22.29	1
15M	16QAM	1	0	22.65	22.60	22.49	1
		1	37	22.48	22.43	22.48	1
		1	74	22.40	22.30	22.26	1
		36	0	21.49	21.54	21.40	2
		36	19	21.58	21.36	21.19	2
		36	39	21.42	21.27	21.31	2
		75	0	21.50	21.53	21.35	2
15M	64QAM	1	0	21.60	21.48	21.38	2
		1	37	21.54	21.49	21.46	2
		1	74	21.50	21.34	21.22	2
		36	0	20.56	20.37	20.33	3
		36	19	20.44	20.41	20.34	3
		36	39	20.34	20.31	20.21	3
		75	0	20.55	20.42	20.38	3
15M	256QAM	1	0	18.89	18.78	18.80	5
		1	37	18.81	18.72	18.57	5
		1	74	18.71	18.71	18.62	5
		36	0	18.65	18.70	18.57	5
		36	19	18.64	18.50	18.49	5
		36	39	18.51	18.50	18.39	5
		75	0	18.64	18.49	18.47	5

LTE Conducted Power (Full)							
LTE Band 71							
BW	MCS Index	Channel		133172	133297	133422	3GPP MPR
		Frequence (MHz)		668	680.5	693	
10M	QPSK	1	0	23.36	23.34	23.36	0
		1	24	23.27	23.29	23.13	0
		1	49	23.10	23.15	23.09	0
		25	0	22.47	22.58	22.44	1
		25	12	22.47	22.43	22.33	1
		25	25	22.40	22.26	22.29	1
		50	0	22.57	22.52	22.30	1
10M	16QAM	1	0	22.63	22.54	22.53	1
		1	24	22.44	22.41	22.41	1
		1	49	22.47	22.27	22.20	1
		25	0	21.52	21.44	21.46	2
		25	12	21.62	21.49	21.39	2
		25	25	21.34	21.27	21.23	2
		50	0	21.59	21.43	21.36	2
10M	64QAM	1	0	21.58	21.63	21.52	2
		1	24	21.53	21.47	21.57	2
		1	49	21.44	21.38	21.39	2
		25	0	20.50	20.48	20.36	3
		25	12	20.41	20.45	20.34	3
		25	25	20.38	20.40	20.27	3
		50	0	20.58	20.40	20.36	3
10M	256QAM	1	0	18.89	18.78	18.82	5
		1	24	18.78	18.70	18.64	5
		1	49	18.73	18.71	18.62	5
		25	0	18.66	18.65	18.64	5
		25	12	18.59	18.56	18.47	5
		25	25	18.50	18.44	18.45	5
		50	0	18.56	18.48	18.46	5
BW	MCS Index	Channel		133147	133297	133447	3GPP MPR
		Frequence (MHz)		665.5	680.5	695.5	
5M	QPSK	1	0	23.50	23.44	23.35	0
		1	12	23.33	23.22	23.18	0
		1	24	23.17	23.12	23.12	0
		12	0	22.61	22.45	22.47	1
		12	6	22.48	22.35	22.36	1
		12	13	22.33	22.25	22.17	1
		25	0	22.48	22.56	22.40	1
5M	16QAM	1	0	22.71	22.48	22.58	1
		1	12	22.41	22.32	22.52	1
		1	24	22.45	22.35	22.25	1
		12	0	21.57	21.47	21.55	2
		12	6	21.50	21.45	21.36	2
		12	13	21.34	21.19	21.15	2
		25	0	21.53	21.46	21.38	2
5M	64QAM	1	0	21.61	21.55	21.40	2
		1	12	21.53	21.42	21.59	2
		1	24	21.54	21.37	21.31	2
		12	0	20.58	20.40	20.34	3
		12	6	20.41	20.42	20.47	3
		12	13	20.36	20.27	20.35	3
		25	0	20.60	20.36	20.31	3
5M	256QAM	1	0	18.90	18.78	18.74	5
		1	12	18.80	18.74	18.66	5
		1	24	18.73	18.69	18.65	5
		12	0	18.74	18.72	18.63	5
		12	6	18.60	18.55	18.53	5
		12	13	18.58	18.41	18.43	5
		25	0	18.60	18.57	18.39	5

NR Conducted Power (Full)							
NR Band 2							
BW	MCS Index	Channel		372000	376000	380000	3GPP MPR
		Frequence (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	23.08	23.13	23.05	0
20M	DFT-S QPSK	1	1	23.16	23.18	23.11	0
		1	53	23.09	23.15	23.02	0
		1	104	23.09	23.12	23.02	0
		50	0	22.07	22.08	22.00	1
		50	28	23.02	23.07	22.99	0
		50	56	22.12	22.13	22.07	1
		100	0	21.91	22.01	21.88	1
20M	DFT-S 16QAM	1	1	22.13	22.16	22.11	1
20M	DFT-S 64QAM	1	1	20.64	20.72	20.56	2.5
20M	DFT-S 256QAM	1	1	18.71	18.79	18.63	4.5
20M	CP QPSK	1	1	21.58	21.61	21.54	1.5
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequence (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	23.01	23.07	22.98	0
15M	DFT-S QPSK	1	1	23.06	23.15	23.04	0
		1	40	23.06	23.13	23.00	0
		1	77	23.07	23.07	22.97	0
		36	0	22.05	22.03	21.90	1
		36	22	22.92	23.05	22.97	0
		36	43	22.05	22.12	21.98	1
		75	0	21.91	21.99	21.85	1
15M	DFT-S 16QAM	1	1	22.10	22.12	22.10	1
15M	DFT-S 64QAM	1	1	20.55	20.67	20.47	2.5
15M	DFT-S 256QAM	1	1	18.69	18.78	18.54	4.5
15M	CP QPSK	1	1	21.49	21.57	21.53	1.5

NR Conducted Power (Full)							
NR Band 2							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequence (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	22.86	23.00	22.98	0
10M	DFT-S QPSK	1	1	22.98	23.11	22.96	0
		1	26	23.05	23.02	22.82	0
		1	50	22.90	23.09	22.95	0
		25	0	21.92	21.95	21.92	1
		25	14	22.87	22.87	22.95	0
		25	27	21.94	22.04	21.87	1
		50	0	21.75	21.93	21.71	1
10M	DFT-S 16QAM	1	1	22.01	22.05	21.95	1
10M	DFT-S 64QAM	1	1	20.47	20.59	20.37	2.5
10M	DFT-S 256QAM	1	1	18.59	18.69	18.46	4.5
10M	CP QPSK	1	1	21.41	21.38	21.40	1.5
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequence (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	23.07	23.00	22.82	0
5M	DFT-S QPSK	1	1	23.13	23.06	22.84	0
		1	13	22.96	23.01	22.86	0
		1	23	22.85	23.08	22.86	0
		12	0	21.91	21.95	21.67	1
		12	7	22.82	22.96	22.78	0
		12	13	22.02	22.00	21.93	1
		25	0	21.86	21.88	21.71	1
5M	DFT-S 16QAM	1	1	22.01	22.04	22.07	1
5M	DFT-S 64QAM	1	1	20.51	20.64	20.38	2.5
5M	DFT-S 256QAM	1	1	18.63	18.63	18.43	4.5
5M	CP QPSK	1	1	21.38	21.58	21.42	1.5

NR Conducted Power (Full)							
NR Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequence (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	23.17	23.32	23.11	0
20M	DFT-S QPSK	1	1	23.22	23.35	23.21	0
		1	53	23.17	23.28	23.15	0
		1	104	23.13	23.27	23.12	0
		50	0	22.31	22.39	22.27	1
		50	28	23.30	23.31	23.26	0
		50	56	22.15	22.18	22.13	1
		100	0	22.21	22.28	22.13	1
20M	DFT-S 16QAM	1	1	22.29	22.31	22.24	1
20M	DFT-S 64QAM	1	1	20.90	20.97	20.80	2.5
20M	DFT-S 256QAM	1	1	18.65	18.72	18.61	4.5
20M	CP QPSK	1	1	21.87	21.89	21.79	1.5
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequence (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	23.14	23.22	23.02	0
15M	DFT-S QPSK	1	1	23.12	23.28	23.12	0
		1	40	23.16	23.25	23.13	0
		1	77	23.03	23.21	23.02	0
		36	0	22.27	22.29	22.22	1
		36	22	23.24	23.21	23.16	0
		36	43	22.10	22.17	22.06	1
		75	0	22.14	22.18	22.08	1
15M	DFT-S 16QAM	1	1	22.20	22.24	22.24	1
15M	DFT-S 64QAM	1	1	20.86	20.95	20.78	2.5
15M	DFT-S 256QAM	1	1	18.61	18.66	18.55	4.5
15M	CP QPSK	1	1	21.82	21.79	21.70	1.5

NR Conducted Power (Full)							
NR Band 5							
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequence (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	23.07	23.16	23.00	0
10M	DFT-S QPSK	1	1	23.10	23.12	23.00	0
		1	26	22.97	23.28	22.90	0
		1	50	22.97	23.25	23.08	0
		25	0	22.31	22.28	22.19	1
		25	14	23.12	23.25	23.22	0
		25	27	22.01	22.01	22.07	1
		50	0	22.16	22.20	22.03	1
10M	DFT-S 16QAM	1	1	22.12	22.27	22.10	1
10M	DFT-S 64QAM	1	1	20.81	20.78	20.74	2.5
10M	DFT-S 256QAM	1	1	18.46	18.54	18.37	4.5
10M	CP QPSK	1	1	21.77	21.80	21.64	1.5
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequence (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	23.04	23.22	22.87	0
5M	DFT-S QPSK	1	1	23.15	23.19	23.08	0
		1	13	23.12	23.17	23.00	0
		1	23	23.06	23.20	22.91	0
		12	0	22.21	22.34	21.93	1
		12	7	23.25	23.13	23.09	0
		12	13	21.93	21.98	22.01	1
		25	0	22.10	22.12	21.95	1
5M	DFT-S 16QAM	1	1	22.22	22.29	22.04	1
5M	DFT-S 64QAM	1	1	20.82	20.90	20.72	2.5
5M	DFT-S 256QAM	1	1	18.52	18.57	18.54	4.5
5M	CP QPSK	1	1	21.73	21.76	21.61	1.5

NR Conducted Power (Full)							
NR Band 7							
BW	MCS Index	Channel		502000	507000	512000	3GPP MPR
		Frequence (MHz)		2510	2535	2560	
20M	DFT-S PI/2 BPSK	1	1	23.03	23.11	23.17	0
20M	DFT-S QPSK	1	1	23.06	23.15	23.18	0
		1	53	23.10	23.11	23.16	0
		1	104	23.04	23.07	23.11	0
		50	0	22.07	22.07	22.15	1
		50	28	23.05	23.11	23.13	0
		50	56	22.06	22.09	22.12	1
		100	0	22.03	22.10	22.17	1
20M	DFT-S 16QAM	1	1	22.07	22.11	22.21	1
20M	DFT-S 64QAM	1	1	20.87	20.89	20.92	2.5
20M	DFT-S 256QAM	1	1	18.22	18.35	18.43	4.5
20M	CP QPSK	1	1	21.57	21.67	21.76	1.5
BW	MCS Index	Channel		501500	507000	512500	3GPP MPR
		Frequence (MHz)		2507.5	2535	2562.5	
15M	DFT-S PI/2 BPSK	1	1	22.99	23.11	23.15	0
15M	DFT-S QPSK	1	1	23.06	23.13	23.11	0
		1	40	23.03	23.07	23.10	0
		1	77	23.00	23.03	23.09	0
		36	0	22.01	22.05	22.11	1
		36	22	22.99	23.09	23.08	0
		36	43	22.03	22.03	22.04	1
		75	0	22.01	22.01	22.16	1
15M	DFT-S 16QAM	1	1	22.04	22.05	22.12	1
15M	DFT-S 64QAM	1	1	20.77	20.88	20.84	2.5
15M	DFT-S 256QAM	1	1	18.21	18.17	18.36	4.5
15M	CP QPSK	1	1	21.53	21.61	21.72	1.5
BW	MCS Index	Channel		501000	507000	513000	3GPP MPR
		Frequence (MHz)		2505	2535	2565	
10M	DFT-S PI/2 BPSK	1	1	22.88	23.03	23.09	0
10M	DFT-S QPSK	1	1	22.95	23.04	23.09	0
		1	26	23.02	23.02	22.97	0
		1	50	22.82	22.89	22.96	0
		25	0	21.90	21.91	22.02	1
		25	14	22.87	22.93	22.98	0
		25	27	21.97	21.87	22.00	1
		50	0	21.98	21.94	22.09	1
10M	DFT-S 16QAM	1	1	22.03	22.00	22.05	1
10M	DFT-S 64QAM	1	1	20.73	20.84	20.80	2.5
10M	DFT-S 256QAM	1	1	18.13	18.20	18.22	4.5
10M	CP QPSK	1	1	21.47	21.55	21.60	1.5
BW	MCS Index	Channel		500500	507000	513500	3GPP MPR
		Frequence (MHz)		2502.5	2535	2567.5	
5M	DFT-S PI/2 BPSK	1	1	22.94	23.08	22.89	0
5M	DFT-S QPSK	1	1	22.98	23.13	22.94	0
		1	13	22.88	22.96	22.85	0
		1	23	22.98	22.87	23.02	0
		12	0	21.95	21.97	21.94	1
		12	7	23.03	23.00	22.91	0
		12	13	21.96	21.91	21.82	1
		25	0	22.02	21.98	22.07	1
5M	DFT-S 16QAM	1	1	21.95	21.94	22.14	1
5M	DFT-S 64QAM	1	1	20.77	20.76	20.88	2.5
5M	DFT-S 256QAM	1	1	18.12	18.32	18.31	4.5
5M	CP QPSK	1	1	21.41	21.55	21.72	1.5

NR Conducted Power (Full)							
NR Band 25							
BW	MCS Index	Channel		372000	376500	381000	3GPP MPR
		Frequence (MHz)		1860	1882.5	1905	
20M	DFT-S PI/2 BPSK	1	1	22.99	22.89	22.83	0
20M	DFT-S QPSK	1	1	23.05	22.91	22.95	0
		1	53	23.01	22.83	22.93	0
		1	104	22.96	22.88	22.88	0
		50	0	22.03	21.94	22.03	1
		50	28	23.02	22.92	23.01	0
		50	56	21.98	21.95	21.97	1
		100	0	22.08	21.98	22.07	1
20M	DFT-S 16QAM	1	1	22.07	22.02	22.03	1
20M	DFT-S 64QAM	1	1	20.75	20.62	20.72	2.5
20M	DFT-S 256QAM	1	1	18.46	18.33	18.41	4.5
20M	CP QPSK	1	1	21.48	21.35	21.41	1.5
BW	MCS Index	Channel		371500	376500	381500	3GPP MPR
		Frequence (MHz)		1857.5	1882.5	1907.5	
15M	DFT-S PI/2 BPSK	1	1	22.90	22.85	22.74	0
15M	DFT-S QPSK	1	1	22.95	22.85	22.87	0
		1	40	22.93	22.76	22.91	0
		1	77	22.89	22.81	22.85	0
		36	0	22.03	21.94	21.96	1
		36	22	22.97	22.91	22.98	0
		36	43	21.93	21.85	21.94	1
		75	0	22.04	21.91	22.01	1
15M	DFT-S 16QAM	1	1	22.06	21.99	22.01	1
15M	DFT-S 64QAM	1	1	20.69	20.60	20.67	2.5
15M	DFT-S 256QAM	1	1	18.38	18.19	18.21	4.5
15M	CP QPSK	1	1	21.45	21.35	21.32	1.5
BW	MCS Index	Channel		371000	376500	382000	3GPP MPR
		Frequence (MHz)		1855	1882.5	1910	
10M	DFT-S PI/2 BPSK	1	1	22.83	22.74	22.79	0
10M	DFT-S QPSK	1	1	23.02	22.90	22.77	0
		1	26	22.83	22.63	22.81	0
		1	50	22.78	22.77	22.68	0
		25	0	21.96	21.87	21.96	1
		25	14	22.96	22.79	22.90	0
		25	27	21.83	21.80	21.85	1
		50	0	21.97	21.96	21.95	1
10M	DFT-S 16QAM	1	1	21.88	21.84	21.92	1
10M	DFT-S 64QAM	1	1	20.68	20.57	20.64	2.5
10M	DFT-S 256QAM	1	1	18.30	18.17	18.20	4.5
10M	CP QPSK	1	1	21.27	21.18	21.28	1.5
BW	MCS Index	Channel		370500	376500	382500	3GPP MPR
		Frequence (MHz)		1852.5	1882.5	1912.5	
5M	DFT-S PI/2 BPSK	1	1	22.91	22.74	22.58	0
5M	DFT-S QPSK	1	1	22.92	22.90	22.72	0
		1	13	22.84	22.71	22.77	0
		1	23	22.83	22.71	22.70	0
		12	0	22.02	21.71	21.91	1
		12	7	22.92	22.87	22.76	0
		12	13	21.91	21.78	21.78	1
		25	0	21.97	21.83	21.84	1
5M	DFT-S 16QAM	1	1	21.93	21.85	21.90	1
5M	DFT-S 64QAM	1	1	20.59	20.61	20.70	2.5
5M	DFT-S 256QAM	1	1	18.33	18.13	18.30	4.5
5M	CP QPSK	1	1	21.35	21.28	21.28	1.5

NR Conducted Power (Full)							
NR Band 30							
BW	MCS Index	RB Size	RB Offset		Mid		3GPP MPR (dB)
		Channel			462000		
		Frequence (MHz)			2310		
10M	DFT-S PI/2 BPSK	1	1		21.38		0
10M	DFT-S QPSK	1	1		21.43		0
		1	26		21.36		0
		1	50		21.39		0
		25	0		20.38		1
		25	14		21.36		0
		25	27		20.36		1
		50	0		20.37		1
10M	DFT-S 16QAM	1	1		20.31		1
10M	DFT-S 64QAM	1	1		19.06		2.5
10M	DFT-S 256QAM	1	1		16.78		4.5
10M	CP QPSK	1	1		19.65		1.5
BW	MCS Index	Channel		461500	462000	462500	3GPP MPR
		Frequence (MHz)		2307.5	2310	2312.5	
5M	DFT-S PI/2 BPSK	1	1	21.21	21.28	21.23	0
5M	DFT-S QPSK	1	1	21.29	21.33	21.22	0
		1	13	21.28	21.29	21.14	0
		1	23	21.30	21.32	21.20	0
		12	0	20.21	20.28	20.12	1
		12	7	21.27	21.30	21.20	0
		12	13	20.26	20.30	20.22	1
		25	0	20.32	20.28	20.19	1
5M	DFT-S 16QAM	1	1	20.23	20.28	20.21	1
5M	DFT-S 64QAM	1	1	18.87	19.00	18.83	2.5
5M	DFT-S 256QAM	1	1	16.68	16.72	16.61	4.5
5M	CP QPSK	1	1	19.57	19.60	19.48	1.5

NR Conducted Power (Full)							
NR Band 66							
BW	MCS Index	Channel		345000	349000	353000	3GPP MPR
		Frequence (MHz)		1725	1745	1765	
30M	DFT-S PI/2 BPSK	1	1	22.97	22.75	22.85	0
30M	DFT-S QPSK	1	1	22.99	22.78	22.86	0
		1	80	22.88	22.73	22.85	0
		1	158	22.72	22.67	22.68	0
		80	0	21.96	21.89	21.95	1
		80	40	22.91	22.82	22.87	0
		80	80	21.93	21.88	21.92	1
		160	0	21.95	21.87	21.93	1
30M	DFT-S 16QAM	1	1	21.93	21.77	21.87	1
30M	DFT-S 64QAM	1	1	20.67	20.62	20.66	2.5
30M	DFT-S 256QAM	1	1	18.56	18.51	18.47	4.5
30M	CP QPSK	1	1	21.45	21.37	21.44	1.5
BW	MCS Index	Channel		344500	349000	353500	3GPP MPR
		Frequence (MHz)		1722.5	1745	1767.5	
25M	DFT-S PI/2 BPSK	1	1	22.92	22.74	22.77	0
25M	DFT-S QPSK	1	1	22.97	22.68	22.82	0
		1	67	22.85	22.66	22.85	0
		1	131	22.63	22.58	22.58	0
		64	0	21.87	21.85	21.87	1
		64	35	22.83	22.82	22.79	0
		64	69	21.88	21.86	21.82	1
		128	0	21.88	21.86	21.91	1
25M	DFT-S 16QAM	1	1	21.92	21.67	21.79	1
25M	DFT-S 64QAM	1	1	20.60	20.59	20.56	2.5
25M	DFT-S 256QAM	1	1	18.54	18.42	18.46	4.5
25M	CP QPSK	1	1	21.35	21.37	21.39	1.5
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequence (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	22.87	22.56	22.66	0
20M	DFT-S QPSK	1	1	22.74	22.64	22.67	0
		1	53	22.60	22.49	22.59	0
		1	104	22.55	22.52	22.63	0
		50	0	21.67	21.63	21.66	1
		50	28	22.68	22.56	22.71	0
		50	56	21.67	21.71	21.67	1
		100	0	21.79	21.54	21.79	1
20M	DFT-S 16QAM	1	1	21.67	21.50	21.68	1
20M	DFT-S 64QAM	1	1	20.47	20.49	20.35	2.5
20M	DFT-S 256QAM	1	1	18.41	18.39	18.32	4.5
20M	CP QPSK	1	1	21.30	21.17	21.31	1.5

NR Conducted Power (Full)							
NR Band 66							
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequence (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	22.88	22.62	22.78	0
15M	DFT-S QPSK	1	1	22.87	22.71	22.71	0
		1	40	22.75	22.56	22.65	0
		1	77	22.58	22.66	22.64	0
		36	0	21.83	21.76	21.84	1
		36	22	22.71	22.60	22.83	0
		36	43	21.86	21.79	21.83	1
		75	0	21.78	21.71	21.79	1
15M	DFT-S 16QAM	1	1	21.86	21.56	21.82	1
15M	DFT-S 64QAM	1	1	20.48	20.43	20.61	2.5
15M	DFT-S 256QAM	1	1	18.35	18.43	18.27	4.5
15M	CP QPSK	1	1	21.32	21.29	21.40	1.5
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequence (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	22.86	22.64	22.61	0
10M	DFT-S QPSK	1	1	22.92	22.64	22.61	0
		1	26	22.71	22.59	22.64	0
		1	50	22.59	22.52	22.51	0
		25	0	21.84	21.74	21.89	1
		25	14	22.84	22.74	22.62	0
		25	27	21.75	21.67	21.83	1
		50	0	21.77	21.76	21.75	1
10M	DFT-S 16QAM	1	1	21.75	21.62	21.77	1
10M	DFT-S 64QAM	1	1	20.61	20.44	20.54	2.5
10M	DFT-S 256QAM	1	1	18.43	18.31	18.21	4.5
10M	CP QPSK	1	1	21.23	21.33	21.28	1.5
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequence (MHz)		1712.5	1745	1777.5	
5M	DFT-S PI/2 BPSK	1	1	22.90	22.60	22.78	0
5M	DFT-S QPSK	1	1	22.81	22.56	22.70	0
		1	13	22.71	22.56	22.65	0
		1	23	22.67	22.51	22.59	0
		12	0	21.76	21.82	21.74	1
		12	7	22.74	22.65	22.72	0
		12	13	21.75	21.66	21.81	1
		25	0	21.81	21.67	21.78	1
5M	DFT-S 16QAM	1	1	21.73	21.55	21.72	1
5M	DFT-S 64QAM	1	1	20.62	20.49	20.44	2.5
5M	DFT-S 256QAM	1	1	18.42	18.35	18.15	4.5
5M	CP QPSK	1	1	21.28	21.27	21.38	1.5

NR Conducted Power (Full)							
NR Band 71							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		134600	136100	137600	
		Frequence (MHz)		673	680.5	688	
20M	DFT-S PI/2 BPSK	1	1	23.47	23.38	23.49	0
20M	DFT-S QPSK	1	1	23.51	23.45	23.53	0
		1	53	23.39	23.38	23.48	0
		1	104	23.45	23.37	23.47	0
		50	0	22.51	22.45	22.58	1
		50	28	23.41	23.37	23.51	0
		50	56	22.48	22.44	22.56	1
		100	0	22.40	22.38	22.49	1
20M	DFT-S 16QAM	1	1	22.37	22.27	22.45	1
20M	DFT-S 64QAM	1	1	21.12	21.02	21.13	2.5
20M	DFT-S 256QAM	1	1	18.96	18.81	19.03	4.5
20M	CP QPSK	1	1	22.02	21.96	22.08	1.5
BW	MCS Index	Channel		134100	136100	138100	3GPP MPR
		Frequence (MHz)		670.5	680.5	690.5	
15M	DFT-S PI/2 BPSK	1	1	23.41	23.31	23.46	0
15M	DFT-S QPSK	1	1	23.49	23.38	23.47	0
		1	40	23.30	23.29	23.38	0
		1	77	23.44	23.30	23.46	0
		36	0	22.48	22.45	22.51	1
		36	22	23.41	23.35	23.50	0
		36	43	22.48	22.35	22.49	1
		75	0	22.38	22.35	22.46	1
15M	DFT-S 16QAM	1	1	22.28	22.20	22.41	1
15M	DFT-S 64QAM	1	1	21.09	20.98	21.08	2.5
15M	DFT-S 256QAM	1	1	18.89	18.77	18.96	4.5
15M	CP QPSK	1	1	21.95	21.93	22.00	1.5
BW	MCS Index	Channel		133600	136100	138600	3GPP MPR
		Frequence (MHz)		668	680.5	693	
10M	DFT-S PI/2 BPSK	1	1	23.31	23.23	23.34	0
10M	DFT-S QPSK	1	1	23.48	23.38	23.50	0
		1	26	23.22	23.26	23.29	0
		1	50	23.34	23.23	23.24	0
		25	0	22.36	22.38	22.46	1
		25	14	23.39	23.14	23.34	0
		25	27	22.29	22.30	22.48	1
		50	0	22.23	22.19	22.33	1
10M	DFT-S 16QAM	1	1	22.25	22.18	22.30	1
10M	DFT-S 64QAM	1	1	20.91	20.86	21.05	2.5
10M	DFT-S 256QAM	1	1	18.94	18.77	18.93	4.5
10M	CP QPSK	1	1	21.87	21.90	21.96	1.5
BW	MCS Index	Channel		133100	136100	139100	3GPP MPR
		Frequence (MHz)		665.5	680.5	695.5	
5M	DFT-S PI/2 BPSK	1	1	23.30	23.31	23.26	0
5M	DFT-S QPSK	1	1	23.31	23.29	23.28	0
		1	13	23.24	23.26	23.15	0
		1	23	23.28	23.33	23.30	0
		12	0	22.48	22.42	22.51	1
		12	7	23.18	23.29	23.28	0
		12	13	22.29	22.24	22.36	1
		25	0	22.29	22.30	22.44	1
5M	DFT-S 16QAM	1	1	22.16	22.11	22.45	1
5M	DFT-S 64QAM	1	1	21.03	20.96	20.94	2.5
5M	DFT-S 256QAM	1	1	18.81	18.56	18.74	4.5
5M	CP QPSK	1	1	21.91	21.90	22.07	1.5

NR Conducted Power (Full)							
NR Band 38							
BW	MCS Index	Channel		516000	519000	522000	3GPP MPR
		Frequence (MHz)		2580	2595	2610	
20M	DFT-S PI/2 BPSK	1	1	24.72	24.73	24.83	0
20M	DFT-S QPSK	1	1	24.78	24.87	24.86	0
		1	26	24.75	24.81	24.79	0
		1	49	24.65	24.77	24.70	0
		25	0	23.75	23.91	23.82	1
		25	13	24.71	24.83	24.81	0
		25	26	23.81	23.87	23.81	1
		50	0	23.89	23.94	23.90	1
20M	DFT-S 16QAM	1	1	23.67	23.78	23.75	1
20M	DFT-S 64QAM	1	1	22.21	22.37	22.30	2.5
20M	DFT-S 256QAM	1	1	19.96	19.98	19.97	4.5
20M	CP QPSK	1	1	23.27	23.32	23.32	1.5
BW	MCS Index	Channel		515500	519000	522500	3GPP MPR
		Frequence (MHz)		2577.5	2595	2612.5	
15M	DFT-S PI/2 BPSK	1	1	24.64	24.72	24.62	0
15M	DFT-S QPSK	1	1	24.61	24.73	24.74	0
		1	19	24.57	24.71	24.64	0
		1	36	24.63	24.67	24.58	0
		18	0	23.67	23.82	23.69	1
		18	10	24.67	24.74	24.77	0
		18	20	23.75	23.81	23.65	1
		36	0	23.74	23.81	23.81	1
15M	DFT-S 16QAM	1	1	23.63	23.68	23.61	1
15M	DFT-S 64QAM	1	1	22.12	22.24	22.26	2.5
15M	DFT-S 256QAM	1	1	19.75	19.76	19.77	4.5
15M	CP QPSK	1	1	23.13	23.20	23.19	1.5

NR Conducted Power (Full)							
NR Band 38							
BW	MCS Index	Channel		515000	519000	523000	3GPP MPR
		Frequence (MHz)		2575	2595	2615	
10M	DFT-S PI/2 BPSK	1	1	24.59	24.64	24.78	0
10M	DFT-S QPSK	1	1	24.64	24.79	24.73	0
		1	11	24.54	24.71	24.70	0
		1	22	24.49	24.70	24.68	0
		12	0	23.69	23.72	23.74	1
		12	6	24.63	24.72	24.73	0
		12	12	23.71	23.76	23.75	1
		24	0	23.87	23.87	23.82	1
10M	DFT-S 16QAM	1	1	23.60	23.68	23.68	1
10M	DFT-S 64QAM	1	1	22.17	22.22	22.19	2.5
10M	DFT-S 256QAM	1	1	19.77	19.82	19.82	4.5
10M	CP QPSK	1	1	23.21	23.18	23.19	1.5

NR Conducted Power (Full)							
NR Band 40							
BW	MCS Index	Channel		468000	470000	472000	3GPP MPR
		Frequence (MHz)		2340	2350	2360	
80M	DFT-S PI/2 BPSK	1	1	23.55	23.62	23.57	0
80M	DFT-S QPSK	1	1	23.61	23.67	23.65	0
		1	109	23.43	23.58	23.49	0
		1	215	23.60	23.63	23.62	0
		108	0	22.71	22.76	22.72	1
		108	55	23.54	23.65	23.57	0
		108	109	22.63	22.73	22.69	1
		216	0	22.68	22.75	22.69	1
80M	DFT-S 16QAM	1	1	22.57	22.71	22.66	1
80M	DFT-S 64QAM	1	1	21.19	21.32	21.29	2.5
80M	DFT-S 256QAM	1	1	19.01	19.07	19.12	4.5
80M	CP QPSK	1	1	22.11	22.19	22.17	1.5

NR Conducted Power (Full)							
NR Band 40							
BW	MCS Index	Channel		466000	470000	474000	3GPP MPR
		Frequence (MHz)		2330	2350	2370	
60M	DFT-S PI/2 BPSK	1	1	23.53	23.62	23.55	0
60M	DFT-S QPSK	1	1	23.61	23.64	23.55	0
		1	81	23.34	23.57	23.40	0
		1	160	23.60	23.62	23.59	0
		81	0	22.65	22.73	22.65	1
		81	41	23.54	23.60	23.53	0
		81	81	22.53	22.65	22.69	1
		162	0	22.64	22.72	22.62	1
60M	DFT-S 16QAM	1	1	22.49	22.63	22.56	1
60M	DFT-S 64QAM	1	1	21.17	21.24	21.23	2.5
60M	DFT-S 256QAM	1	1	18.93	19.04	19.02	4.5
60M	CP QPSK	1	1	22.04	22.15	22.15	1.5
BW	MCS Index	Channel		465000	470000	475000	3GPP MPR
		Frequence (MHz)		2325	2350	2375	
50M	DFT-S PI/2 BPSK	1	1	23.39	23.44	23.54	0
50M	DFT-S QPSK	1	1	23.50	23.49	23.57	0
		1	67	23.31	23.41	23.39	0
		1	131	23.44	23.42	23.48	0
		64	0	22.59	22.58	22.56	1
		64	35	23.34	23.60	23.37	0
		64	69	22.46	22.53	22.63	1
		128	0	22.48	22.66	22.58	1
50M	DFT-S 16QAM	1	1	22.35	22.65	22.65	1
50M	DFT-S 64QAM	1	1	21.06	21.16	21.20	2.5
50M	DFT-S 256QAM	1	1	18.86	18.92	19.02	4.5
50M	CP QPSK	1	1	22.07	22.09	22.03	1.5

NR Conducted Power (Full)							
NR Band 40							
BW	MCS Index	Channel		464000	470000	476000	3GPP MPR
		Frequence (MHz)		2320	2350	2380	
40M	DFT-S PI/2 BPSK	1	1	23.48	23.38	23.30	0
40M	DFT-S QPSK	1	1	23.48	23.56	23.50	0
		1	53	23.39	23.55	23.28	0
		1	104	23.39	23.46	23.49	0
		50	0	22.57	22.69	22.57	1
		50	28	23.40	23.42	23.27	0
		50	56	22.48	22.68	22.47	1
		100	0	22.55	22.61	22.51	1
40M	DFT-S 16QAM	1	1	22.47	22.65	22.62	1
40M	DFT-S 64QAM	1	1	21.14	21.12	21.17	2.5
40M	DFT-S 256QAM	1	1	18.82	18.90	19.06	4.5
40M	CP QPSK	1	1	21.96	22.08	21.99	1.5
BW	MCS Index	Channel		463000	470000	477000	3GPP MPR
		Frequence (MHz)		2315	2350	2385	
30M	DFT-S PI/2 BPSK	1	1	23.46	23.44	23.47	0
30M	DFT-S QPSK	1	1	23.45	23.56	23.57	0
		1	39	23.30	23.51	23.42	0
		1	76	23.42	23.48	23.42	0
		36	0	22.66	22.53	22.64	1
		36	21	23.42	23.53	23.40	0
		36	42	22.48	22.69	22.49	1
		75	0	22.61	22.59	22.54	1
30M	DFT-S 16QAM	1	1	22.38	22.61	22.55	1
30M	DFT-S 64QAM	1	1	20.98	21.14	21.19	2.5
30M	DFT-S 256QAM	1	1	18.83	18.87	18.93	4.5
30M	CP QPSK	1	1	21.98	22.11	22.00	1.5
BW	MCS Index	Channel		462500	470000	477500	3GPP MPR
		Frequence (MHz)		2312.5	2350	2387.5	
25M	DFT-S PI/2 BPSK	1	1	23.30	23.60	23.35	0
25M	DFT-S QPSK	1	1	23.54	23.64	23.59	0
		1	33	23.20	23.42	23.32	0
		1	63	23.39	23.48	23.56	0
		32	0	22.46	22.71	22.60	1
		32	17	23.52	23.48	23.43	0
		32	33	22.50	22.55	22.45	1
		64	0	22.59	22.70	22.51	1
25M	DFT-S 16QAM	1	1	22.49	22.61	22.47	1
25M	DFT-S 64QAM	1	1	21.09	21.17	21.24	2.5
25M	DFT-S 256QAM	1	1	18.81	18.90	18.98	4.5
25M	CP QPSK	1	1	21.99	22.14	22.04	1.5

NR Conducted Power (Full)							
NR Band 40							
BW	MCS Index	Channel		462000	470000	478000	3GPP MPR
		Frequence (MHz)		2310	2350	2390	
20M	DFT-S PI/2 BPSK	1	1	23.42	23.40	23.46	0
20M	DFT-S QPSK	1	1	23.40	23.46	23.44	0
		1	26	23.35	23.45	23.39	0
		1	49	23.41	23.52	23.40	0
		25	0	22.58	22.57	22.51	1
		25	13	23.29	23.60	23.34	0
		25	26	22.40	22.47	22.57	1
		50	0	22.50	22.70	22.50	1
20M	DFT-S 16QAM	1	1	22.43	22.55	22.48	1
20M	DFT-S 64QAM	1	1	20.95	21.30	21.05	2.5
20M	DFT-S 256QAM	1	1	18.75	18.82	18.90	4.5
20M	CP QPSK	1	1	21.85	21.94	22.07	1.5
BW	MCS Index	Channel		461500	470000	478500	3GPP MPR
		Frequence (MHz)		2307.5	2350	2392.5	
15M	DFT-S PI/2 BPSK	1	1	23.20	23.40	23.37	0
15M	DFT-S QPSK	1	1	23.39	23.36	23.31	0
		1	19	23.22	23.40	23.32	0
		1	36	23.39	23.46	23.43	0
		18	0	22.48	22.62	22.40	1
		18	10	23.31	23.41	23.29	0
		18	20	22.24	22.42	22.43	1
		36	0	22.39	22.57	22.47	1
15M	DFT-S 16QAM	1	1	22.41	22.37	22.36	1
15M	DFT-S 64QAM	1	1	20.94	21.20	20.91	2.5
15M	DFT-S 256QAM	1	1	18.76	18.85	18.85	4.5
15M	CP QPSK	1	1	21.90	21.76	21.94	1.5
BW	MCS Index	Channel		461000	470000	479000	3GPP MPR
		Frequence (MHz)		2305	2350	2395	
10M	DFT-S PI/2 BPSK	1	1	23.24	23.44	23.29	0
10M	DFT-S QPSK	1	1	23.29	23.30	23.36	0
		1	11	23.12	23.36	23.20	0
		1	22	23.28	23.41	23.22	0
		12	0	22.54	22.46	22.31	1
		12	6	23.25	23.52	23.04	0
		12	12	22.38	22.35	22.41	1
		24	0	22.35	22.62	22.35	1
10M	DFT-S 16QAM	1	1	22.50	22.55	22.40	1
10M	DFT-S 64QAM	1	1	20.87	21.22	20.90	2.5
10M	DFT-S 256QAM	1	1	18.63	18.90	18.84	4.5
10M	CP QPSK	1	1	21.74	21.75	22.08	1.5

NR Conducted Power (Full)									
NR Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523302	528000	
		Frequence (MHz)		2546.01	2569.5	2592.99	2616.51	2640	
100M	DFT-S PI/2 BPSK	1	1	23.85	23.92	23.96	23.91	23.81	0
100M	DFT-S QPSK	1	1	23.89	23.96	23.98	23.95	23.86	0
		1	137	23.79	23.88	23.95	23.79	23.78	0
		1	271	23.54	23.70	23.78	23.60	23.50	0
		135	0	22.87	22.93	23.03	22.87	22.78	1
		135	69	23.83	23.91	23.97	23.85	23.79	0
		135	138	23.02	23.13	23.22	23.06	23.02	1
		270	0	22.86	22.95	23.01	22.81	22.75	1
100M	DFT-S 16QAM	1	1	22.87	22.88	22.96	22.89	22.79	1
100M	DFT-S 64QAM	1	1	21.20	21.37	21.08	21.34	21.21	2.5
100M	DFT-S 256QAM	1	1	19.71	19.78	19.81	19.75	19.67	4.5
100M	CP QPSK	1	1	22.31	22.51	22.95	22.34	22.30	1.5
BW	MCS Index	Channel		508200	513402	518598	523800	528996	3GPP MPR
		Frequence (MHz)		2541	2567.01	2592.99	2619	2644.98	
90M	DFT-S PI/2 BPSK	1	1	23.81	23.92	23.93	23.89	23.75	0
90M	DFT-S QPSK	1	1	23.79	23.86	23.91	23.93	23.78	0
		1	123	23.77	23.81	23.92	23.73	23.71	0
		1	243	23.46	23.64	23.68	23.55	23.49	0
		120	0	22.86	22.89	23.01	22.81	22.73	1
		120	63	23.79	23.83	23.89	23.83	23.75	0
		120	125	23.01	23.08	23.22	23.00	23.00	1
		243	0	22.80	22.84	22.86	22.81	22.76	1
90M	DFT-S 16QAM	1	1	22.85	22.87	22.89	22.90	22.78	1
90M	DFT-S 64QAM	1	1	21.25	21.38	21.40	21.24	21.25	2.5
90M	DFT-S 256QAM	1	1	19.67	19.73	19.71	19.68	19.61	4.5
90M	CP QPSK	1	1	22.29	22.43	22.43	22.30	22.19	1.5
BW	MCS Index	Channel		507204	509304	518598	524298	529998	3GPP MPR
		Frequence (MHz)		2536.02	2546.52	2592.99	2621.49	2649.99	
80M	DFT-S PI/2 BPSK	1	1	23.71	23.86	23.85	23.87	23.76	0
80M	DFT-S QPSK	1	1	23.85	23.79	23.96	23.86	23.68	0
		1	109	23.64	23.86	23.86	23.62	23.63	0
		1	215	23.42	23.59	23.64	23.54	23.37	0
		108	0	22.80	22.84	22.93	22.84	22.68	1
		108	55	23.71	23.86	23.80	23.76	23.70	0
		108	109	22.92	23.05	23.13	22.90	22.95	1
		216	0	22.75	22.85	22.78	22.85	22.73	1
80M	DFT-S 16QAM	1	1	22.82	22.86	22.91	22.91	22.68	1
80M	DFT-S 64QAM	1	1	21.16	21.34	21.34	21.20	21.14	2.5
80M	DFT-S 256QAM	1	1	19.63	19.72	19.79	19.62	19.57	4.5
80M	CP QPSK	1	1	22.25	22.36	22.47	22.35	22.20	1.5

NR Conducted Power (Full)									
NR Band 41									
BW	MCS Index	Channel		506202	512400	518598	524802	531000	3GPP MPR
		Frequence (MHz)		2531.01	2562	2592.99	2624.01	2655	
70M	DFT-S PI/2 BPSK	1	1	23.74	23.90	23.88	23.80	23.70	0
70M	DFT-S QPSK	1	1	23.83	23.91	23.92	23.85	23.79	0
		1	95	23.64	23.82	23.85	23.73	23.63	0
		1	187	23.38	23.65	23.70	23.54	23.44	0
		90	0	22.78	22.86	22.94	22.83	22.67	1
		90	50	23.75	23.73	23.81	23.74	23.69	0
		90	99	22.93	23.09	23.09	22.95	22.84	1
		180	0	22.74	22.86	22.90	22.79	22.73	1
70M	DFT-S 16QAM	1	1	22.74	22.84	22.90	22.85	22.76	1
70M	DFT-S 64QAM	1	1	21.10	21.33	21.40	21.19	21.15	2.5
70M	DFT-S 256QAM	1	1	19.59	19.65	19.80	19.67	19.53	4.5
70M	CP QPSK	1	1	22.28	22.30	22.49	22.24	22.21	1.5
BW	MCS Index	Channel		505200	511896	518598	525294	531996	3GPP MPR
		Frequence (MHz)		2526	2559.48	2592.99	2626.48	2659.98	
60M	DFT-S PI/2 BPSK	1	1	23.72	23.75	23.85	23.75	23.60	0
60M	DFT-S QPSK	1	1	23.73	23.88	23.87	23.92	23.66	0
		1	81	23.61	23.85	23.80	23.54	23.76	0
		1	160	23.38	23.49	23.70	23.43	23.30	0
		81	0	22.75	22.85	22.99	22.76	22.55	1
		81	41	23.66	23.77	23.71	23.67	23.68	0
		81	81	22.91	23.00	23.15	22.94	22.91	1
		162	0	22.76	22.72	22.92	22.75	22.60	1
60M	DFT-S 16QAM	1	1	22.75	22.91	22.87	22.90	22.69	1
60M	DFT-S 64QAM	1	1	21.09	21.32	21.33	21.09	21.18	2.5
60M	DFT-S 256QAM	1	1	19.54	19.59	19.60	19.60	19.48	4.5
60M	CP QPSK	1	1	22.19	22.34	22.51	22.27	22.09	1.5
BW	MCS Index	Channel		504204	511404	518598	525798	532998	3GPP MPR
		Frequence (MHz)		2521.02	2557.02	2592.99	2628.99	2664.99	
50M	DFT-S PI/2 BPSK	1	1	23.76	23.62	23.82	23.71	23.58	0
50M	DFT-S QPSK	1	1	23.65	23.91	23.84	23.89	23.68	0
		1	67	23.66	23.77	23.73	23.50	23.76	0
		1	131	23.32	23.38	23.67	23.34	23.22	0
		64	0	22.66	22.79	22.98	22.71	22.53	1
		64	35	23.68	23.72	23.64	23.68	23.66	0
		64	69	22.78	22.89	23.05	22.81	22.90	1
		128	0	22.66	22.71	22.88	22.73	22.53	1
50M	DFT-S 16QAM	1	1	22.63	22.85	22.81	22.83	22.68	1
50M	DFT-S 64QAM	1	1	21.12	21.24	21.28	21.01	21.25	2.5
50M	DFT-S 256QAM	1	1	19.47	19.50	19.53	19.56	19.40	4.5
50M	CP QPSK	1	1	22.12	22.21	22.41	22.23	22.05	1.5

NR Conducted Power (Full)									
NR Band 41									
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequence (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	23.60	23.67	23.92	23.75	23.58	0
40M	DFT-S QPSK	1	1	23.59	23.87	23.81	23.87	23.67	0
		1	53	23.63	23.83	23.74	23.51	23.66	0
		1	104	23.25	23.42	23.58	23.32	23.15	0
		50	0	22.70	22.79	22.87	22.70	22.52	1
		50	28	23.60	23.65	23.72	23.65	23.67	0
		50	56	22.79	22.95	23.04	22.92	22.95	1
		100	0	22.66	22.65	22.91	22.72	22.65	1
40M	DFT-S 16QAM	1	1	22.60	22.87	22.80	22.89	22.68	1
40M	DFT-S 64QAM	1	1	21.04	21.27	21.23	20.99	21.19	2.5
40M	DFT-S 256QAM	1	1	19.55	19.51	19.47	19.60	19.47	4.5
40M	CP QPSK	1	1	22.21	22.22	22.42	22.24	21.92	1.5
BW	MCS Index	Channel		502200	510396	518598	526794	534996	3GPP MPR
		Frequence (MHz)		2511	2551.98	2592.99	2633.97	2674.98	
30M	DFT-S PI/2 BPSK	1	1	23.53	23.67	23.85	23.65	23.57	0
30M	DFT-S QPSK	1	1	23.49	23.84	23.75	23.81	23.59	0
		1	39	23.63	23.82	23.69	23.51	23.56	0
		1	76	23.17	23.38	23.58	23.30	23.15	0
		36	0	22.63	22.78	22.83	22.69	22.44	1
		36	21	23.55	23.59	23.72	23.56	23.61	0
		36	42	22.69	22.92	23.02	22.86	22.85	1
		75	0	22.59	22.67	22.84	22.69	22.57	1
30M	DFT-S 16QAM	1	1	22.51	22.87	22.76	22.79	22.63	1
30M	DFT-S 64QAM	1	1	21.05	21.29	21.21	20.98	21.08	2.5
30M	DFT-S 256QAM	1	1	19.42	19.42	19.42	19.43	19.39	4.5
30M	CP QPSK	1	1	22.16	22.23	22.29	22.14	21.99	1.5
BW	MCS Index	Channel		501204	509898	518598	527298	535998	3GPP MPR
		Frequence (MHz)		2506.02	2549.49	2592.99	2636.49	2679.99	
20M	DFT-S PI/2 BPSK	1	1	23.44	23.55	23.76	23.66	23.40	0
20M	DFT-S QPSK	1	1	23.50	23.84	23.71	23.76	23.65	0
		1	26	23.45	23.73	23.63	23.44	23.56	0
		1	49	23.24	23.22	23.46	23.21	23.08	0
		25	0	22.51	22.69	22.75	22.61	22.43	1
		25	13	23.45	23.60	23.60	23.63	23.65	0
		25	26	22.64	22.89	22.96	22.83	22.82	1
		50	0	22.49	22.54	22.82	22.60	22.47	1
20M	DFT-S 16QAM	1	1	22.55	22.81	22.65	22.77	22.57	1
20M	DFT-S 64QAM	1	1	21.01	21.21	21.18	20.96	21.12	2.5
20M	DFT-S 256QAM	1	1	19.47	19.44	19.32	19.46	19.30	4.5
20M	CP QPSK	1	1	22.05	22.18	22.29	22.19	21.98	1.5

NR Conducted Power (Full)									
NR Band 41									
BW	MCS Index	Channel		500700	509646	518598	527544	536496	3GPP MPR
		Frequence (MHz)		2503.5	2548.23	2592.99	2637.72	2682.48	
15M	DFT-S PI/2 BPSK	1	1	23.47	23.60	23.74	23.58	23.45	0
15M	DFT-S QPSK	1	1	23.42	23.75	23.78	23.83	23.53	0
		1	19	23.52	23.67	23.74	23.40	23.58	0
		1	36	23.11	23.27	23.49	23.17	23.14	0
		18	0	22.60	22.69	22.74	22.63	22.41	1
		18	10	23.55	23.55	23.54	23.59	23.62	0
		18	20	22.63	22.84	22.93	22.79	22.84	1
		36	0	22.49	22.52	22.83	22.64	22.49	1
15M	DFT-S 16QAM	1	1	22.46	22.79	22.76	22.86	22.57	1
15M	DFT-S 64QAM	1	1	21.03	21.14	21.20	20.90	21.04	2.5
15M	DFT-S 256QAM	1	1	19.38	19.37	19.32	19.38	19.27	4.5
15M	CP QPSK	1	1	22.10	22.19	22.27	22.14	21.86	1.5
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequence (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	23.43	23.43	23.76	23.55	23.44	0
10M	DFT-S QPSK	1	1	23.41	23.74	23.57	23.65	23.57	0
		1	11	23.53	23.66	23.59	23.36	23.54	0
		1	22	23.04	23.38	23.47	23.27	22.96	0
		12	0	22.59	22.61	22.76	22.62	22.44	1
		12	6	23.47	23.55	23.67	23.47	23.54	0
		12	12	22.65	22.67	22.90	22.72	22.88	1
		24	0	22.49	22.51	22.81	22.58	22.53	1
10M	DFT-S 16QAM	1	1	22.37	22.66	22.60	22.65	22.60	1
10M	DFT-S 64QAM	1	1	21.04	21.22	21.08	20.76	21.01	2.5
10M	DFT-S 256QAM	1	1	19.39	19.30	19.36	19.44	19.35	4.5
10M	CP QPSK	1	1	22.13	22.17	22.23	22.11	21.96	1.5

NR Conducted Power (Full)									
NR Band 41_HPUE									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523302	528000	
		Frequence (MHz)		2546.01	2569.5	2592.99	2616.51	2640	
100M	DFT-S PI/2 BPSK	1	1	25.81	25.85	25.92	25.86	25.88	0
100M	DFT-S QPSK	1	1	25.89	25.91	26.62	25.95	25.97	0
		1	137	25.83	25.87	25.98	25.88	25.93	0
		1	271	26.30	26.39	26.03	26.46	26.52	0
		135	0	24.87	24.89	25.07	24.99	25.06	1
		135	69	25.85	25.94	26.02	25.95	26.01	0
		135	138	24.86	24.88	25.06	24.91	25.00	1
		270	0	-1.02	-1.08	25.13	-1.08	24.87	1
100M	DFT-S 16QAM	1	1	24.89	24.90	25.02	24.90	25.03	1
100M	DFT-S 64QAM	1	1	23.38	23.35	23.43	23.39	23.39	2.5
100M	DFT-S 256QAM	1	1	21.63	21.68	21.76	21.73	21.75	4.5
100M	CP QPSK	1	1	24.38	24.40	24.46	24.55	24.55	1.5
BW	MCS Index	Channel		508200	513402	518598	523800	528996	3GPP MPR
		Frequence (MHz)		2541	2567.01	2592.99	2619	2644.98	
90M	DFT-S PI/2 BPSK	1	1	25.76	25.76	25.92	25.80	25.88	0
90M	DFT-S QPSK	1	1	25.80	25.90	26.00	25.87	25.89	0
		1	123	25.73	25.86	25.98	25.83	25.91	0
		1	243	26.20	26.37	26.61	26.36	26.49	0
		120	0	24.87	24.79	24.99	24.99	25.00	1
		120	63	25.80	25.90	25.94	25.90	26.00	0
		120	125	24.83	24.82	25.04	24.87	24.97	1
		243	0	24.74	24.76	24.85	24.78	24.79	1
90M	DFT-S 16QAM	1	1	24.86	24.82	25.03	24.93	24.88	1
90M	DFT-S 64QAM	1	1	23.30	23.34	23.45	23.36	23.41	2.5
90M	DFT-S 256QAM	1	1	21.59	21.63	21.70	21.63	21.68	4.5
90M	CP QPSK	1	1	24.31	24.34	24.54	24.43	24.53	1.5
BW	MCS Index	Channel		507204	509304	518598	524298	529998	3GPP MPR
		Frequence (MHz)		2536.02	2546.52	2592.99	2621.49	2649.99	
80M	DFT-S PI/2 BPSK	1	1	25.67	25.73	25.83	25.75	25.74	0
80M	DFT-S QPSK	1	1	25.79	25.83	25.91	25.80	25.90	0
		1	109	25.73	25.78	25.92	25.75	25.88	0
		1	215	26.18	26.33	26.44	26.28	26.47	0
		108	0	24.75	24.75	24.97	24.84	24.94	1
		108	55	25.68	25.83	25.99	25.93	25.92	0
		108	109	24.72	24.79	24.98	24.82	24.92	1
		216	0	24.73	24.67	24.86	24.76	24.79	1
80M	DFT-S 16QAM	1	1	24.74	24.82	24.95	24.75	24.87	1
80M	DFT-S 64QAM	1	1	23.20	23.28	23.43	23.23	23.36	2.5
80M	DFT-S 256QAM	1	1	21.57	21.63	21.72	21.67	21.63	4.5
80M	CP QPSK	1	1	24.26	24.22	24.51	24.40	24.51	1.5

NR Conducted Power (Full)									
NR Band 41_HPUE									
BW	MCS Index	Channel		506202	512400	518598	524802	531000	3GPP MPR
		Frequence (MHz)		2531.01	2562	2592.99	2624.01	2655	
70M	DFT-S PI/2 BPSK	1	1	25.75	25.77	25.84	25.81	25.83	0
70M	DFT-S QPSK	1	1	25.78	25.75	25.85	25.81	25.96	0
		1	95	25.74	25.80	25.81	25.77	25.84	0
		1	187	26.13	26.30	26.52	26.31	26.41	0
		90	0	24.79	24.71	24.93	24.94	24.89	1
		90	50	25.76	25.92	25.87	25.79	25.86	0
		90	99	24.68	24.70	24.97	24.85	24.91	1
		180	0	24.75	24.81	24.84	24.76	24.82	1
70M	DFT-S 16QAM	1	1	24.85	24.80	24.89	24.87	24.95	1
70M	DFT-S 64QAM	1	1	23.28	23.23	23.34	23.34	23.30	2.5
70M	DFT-S 256QAM	1	1	21.55	21.57	21.60	21.63	21.62	4.5
70M	CP QPSK	1	1	24.28	24.28	24.49	24.36	24.43	1.5
BW	MCS Index	Channel		505200	511896	518598	525294	531996	3GPP MPR
		Frequence (MHz)		2526	2559.48	2592.99	2626.48	2659.98	
60M	DFT-S PI/2 BPSK	1	1	25.63	25.66	25.79	25.72	25.78	0
60M	DFT-S QPSK	1	1	25.71	25.76	25.83	25.79	25.88	0
		1	81	25.76	25.78	25.76	25.66	25.84	0
		1	160	26.15	26.23	26.55	26.33	26.44	0
		81	0	24.72	24.73	24.88	24.84	24.96	1
		81	41	25.74	25.81	25.87	25.87	25.82	0
		81	81	24.74	24.68	24.88	24.77	24.77	1
		162	0	24.60	24.67	24.81	24.74	24.82	1
60M	DFT-S 16QAM	1	1	24.72	24.79	24.80	24.73	24.86	1
60M	DFT-S 64QAM	1	1	23.22	23.21	23.28	23.17	23.39	2.5
60M	DFT-S 256QAM	1	1	21.51	21.38	21.68	21.48	21.62	4.5
60M	CP QPSK	1	1	24.28	24.24	24.38	24.31	24.39	1.5
BW	MCS Index	Channel		504204	511404	518598	525798	532998	3GPP MPR
		Frequence (MHz)		2521.02	2557.02	2592.99	2628.99	2664.99	
50M	DFT-S PI/2 BPSK	1	1	25.56	25.63	25.85	25.63	25.71	0
50M	DFT-S QPSK	1	1	25.67	25.69	25.84	25.68	25.90	0
		1	67	25.75	25.72	25.77	25.60	25.84	0
		1	131	26.17	26.15	26.42	26.32	26.37	0
		64	0	24.67	24.70	24.86	24.80	24.87	1
		64	35	25.67	25.76	25.87	25.75	25.86	0
		64	69	24.71	24.65	24.84	24.79	24.71	1
		128	0	24.63	24.67	24.85	24.68	24.72	1
50M	DFT-S 16QAM	1	1	24.60	24.74	24.82	24.76	24.89	1
50M	DFT-S 64QAM	1	1	23.15	23.26	23.24	23.13	23.26	2.5
50M	DFT-S 256QAM	1	1	21.40	21.35	21.50	21.48	21.62	4.5
50M	CP QPSK	1	1	24.25	24.22	24.36	24.29	24.39	1.5

NR Conducted Power (Full)									
NR Band 41_HPUE									
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequence (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	25.68	25.62	25.84	25.63	25.64	0
40M	DFT-S QPSK	1	1	25.73	25.69	25.80	25.65	25.86	0
		1	53	25.71	25.71	25.70	25.62	25.78	0
		1	104	26.19	26.27	26.38	26.29	26.31	0
		50	0	24.70	24.70	24.76	24.74	24.96	1
		50	28	25.68	25.75	25.79	25.83	25.79	0
		50	56	24.67	24.66	24.94	24.69	24.71	1
		100	0	24.69	24.66	24.80	24.64	24.65	1
40M	DFT-S 16QAM	1	1	24.64	24.69	24.82	24.65	24.88	1
40M	DFT-S 64QAM	1	1	23.26	23.28	23.21	23.17	23.24	2.5
40M	DFT-S 256QAM	1	1	21.49	21.36	21.55	21.42	21.61	4.5
40M	CP QPSK	1	1	24.19	24.17	24.35	24.25	24.46	1.5
BW	MCS Index	Channel		502200	510396	518598	526794	534996	3GPP MPR
		Frequence (MHz)		2511	2551.98	2592.99	2633.97	2674.98	
30M	DFT-S PI/2 BPSK	1	1	25.50	25.62	25.65	25.68	25.76	0
30M	DFT-S QPSK	1	1	25.65	25.71	25.68	25.60	25.87	0
		1	39	25.58	25.60	25.68	25.57	25.68	0
		1	76	26.12	26.13	26.38	26.17	26.16	0
		36	0	24.56	24.69	24.75	24.78	24.85	1
		36	21	25.69	25.62	25.71	25.73	25.69	0
		36	42	24.67	24.65	24.68	24.66	24.73	1
		75	0	24.59	24.66	24.66	24.67	24.76	1
30M	DFT-S 16QAM	1	1	24.69	24.74	24.66	24.67	24.83	1
30M	DFT-S 64QAM	1	1	23.07	23.18	23.18	23.04	23.28	2.5
30M	DFT-S 256QAM	1	1	21.50	21.33	21.51	21.34	21.51	4.5
30M	CP QPSK	1	1	24.06	24.24	24.29	24.21	24.37	1.5
BW	MCS Index	Channel		501204	509898	518598	527298	535998	3GPP MPR
		Frequence (MHz)		2506.02	2549.49	2592.99	2636.49	2679.99	
20M	DFT-S PI/2 BPSK	1	1	25.52	25.61	25.65	25.60	25.74	0
20M	DFT-S QPSK	1	1	25.59	25.72	25.65	25.61	25.87	0
		1	26	25.54	25.63	25.60	25.49	25.74	0
		1	49	26.06	26.05	26.34	26.12	26.10	0
		25	0	24.45	24.69	24.70	24.66	24.81	1
		25	13	25.70	25.51	25.64	25.76	25.66	0
		25	26	24.57	24.53	24.72	24.74	24.64	1
		50	0	24.49	24.59	24.59	24.62	24.72	1
20M	DFT-S 16QAM	1	1	24.62	24.72	24.61	24.67	24.81	1
20M	DFT-S 64QAM	1	1	23.11	23.06	23.18	22.90	23.16	2.5
20M	DFT-S 256QAM	1	1	21.42	21.20	21.50	21.32	21.49	4.5
20M	CP QPSK	1	1	23.95	24.19	24.26	24.11	24.31	1.5

NR Conducted Power (Full)									
NR Band 41_HPUE									
BW	MCS Index	Channel		500700	509646	518598	527544	536496	3GPP MPR
		Frequence (MHz)		2503.5	2548.23	2592.99	2637.72	2682.48	
15M	DFT-S PI/2 BPSK	1	1	25.47	25.62	25.56	25.65	25.66	0
15M	DFT-S QPSK	1	1	25.57	25.67	25.65	25.55	25.80	0
		1	19	25.45	25.54	25.62	25.53	25.74	0
		1	36	26.02	26.04	26.22	26.19	26.13	0
		18	0	24.47	24.74	24.65	24.69	24.82	1
		18	10	25.67	25.57	25.62	25.67	25.57	0
		18	20	24.65	24.68	24.75	24.57	24.72	1
		36	0	24.51	24.64	24.62	24.65	24.71	1
15M	DFT-S 16QAM	1	1	24.58	24.69	24.64	24.54	24.82	1
15M	DFT-S 64QAM	1	1	22.97	23.03	23.17	23.00	23.25	2.5
15M	DFT-S 256QAM	1	1	21.51	21.23	21.54	21.26	21.49	4.5
15M	CP QPSK	1	1	24.02	24.19	24.18	24.09	24.35	1.5
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequence (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	25.52	25.44	25.63	25.49	25.64	0
10M	DFT-S QPSK	1	1	25.55	25.64	25.54	25.56	25.74	0
		1	11	25.50	25.50	25.51	25.44	25.67	0
		1	22	25.98	25.97	26.21	26.12	26.06	0
		12	0	24.52	24.62	24.57	24.64	24.70	1
		12	6	25.71	25.43	25.58	25.58	25.58	0
		12	12	24.50	24.50	24.52	24.65	24.52	1
		24	0	24.52	24.52	24.64	24.46	24.74	1
10M	DFT-S 16QAM	1	1	24.58	24.61	24.58	24.57	24.74	1
10M	DFT-S 64QAM	1	1	23.05	23.06	22.98	22.88	23.17	2.5
10M	DFT-S 256QAM	1	1	21.42	21.19	21.41	21.17	21.45	4.5
10M	CP QPSK	1	1	23.94	24.18	24.06	24.13	24.17	1.5

NR Conducted Power (Full)								
NR Band 48(3550-3700)								
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	High	3GPP MPR (dB)
		Channel		638000	640444	642888	645332	
		Frequence (MHz)		3570	3606.66	3643.32	3679.98	
40M	DFT-S PI/2 BPSK	1	1	19.43	19.41	19.31	19.01	0
40M	DFT-S QPSK	1	1	19.47	19.43	19.38	19.07	0
		1	53	19.45	19.41	19.41	19.30	0
		1	104	19.38	19.36	19.35	19.23	0
		50	0	18.47	18.37	18.28	18.19	1
		50	28	19.46	19.45	19.35	19.27	0
		50	56	18.43	18.35	18.29	18.16	1
		100	0	18.45	18.35	-4.08	-4.09	1
40M	DFT-S 16QAM	1	1	18.42	18.40	18.34	18.05	1
40M	DFT-S 64QAM	1	1	16.98	16.85	16.89	16.81	2.5
40M	DFT-S 256QAM	1	1	14.67	14.82	14.83	14.70	4.5
40M	CP QPSK	1	1	17.97	17.94	17.87	17.71	1.5
BW	MCS Index	Channel		637668	640334	643000	645666	3GPP MPR
		Frequence (MHz)		3565.02	3605.01	3645	3684.99	
30M	DFT-S PI/2 BPSK	1	1	19.41	19.37	19.22	18.97	0
30M	DFT-S QPSK	1	1	19.41	19.42	19.37	19.02	0
		1	39	19.42	19.35	19.31	19.21	0
		1	76	19.31	19.26	19.26	19.15	0
		36	0	18.45	18.28	18.25	18.11	1
		36	21	19.38	19.45	19.29	19.17	0
		36	42	18.34	18.28	18.26	18.16	1
		75	0	18.37	18.32	-4.09	-4.13	1
30M	DFT-S 16QAM	1	1	18.36	18.32	18.31	18.02	1
30M	DFT-S 64QAM	1	1	16.88	16.77	16.85	16.78	2.5
30M	DFT-S 256QAM	1	1	14.61	14.74	14.80	14.66	4.5
30M	CP QPSK	1	1	17.95	17.91	17.80	17.71	1.5
BW	MCS Index	Channel		637334	640222	643110	646000	3GPP MPR
		Frequence (MHz)		3560.01	3603.33	3646.65	3690	
20M	DFT-S PI/2 BPSK	1	1	19.31	19.31	19.18	18.87	0
20M	DFT-S QPSK	1	1	19.33	19.30	19.33	18.95	0
		1	26	19.35	19.38	19.31	19.25	0
		1	49	19.32	19.33	19.25	19.14	0
		25	0	18.39	18.29	18.18	18.14	1
		25	13	19.30	19.30	19.25	19.20	0
		25	26	18.31	18.24	18.24	18.03	1
		50	0	18.26	18.34	18.20	17.94	1
20M	DFT-S 16QAM	1	1	18.38	18.39	18.34	17.98	1
20M	DFT-S 64QAM	1	1	16.87	16.83	16.79	16.69	2.5
20M	DFT-S 256QAM	1	1	14.84	14.82	14.79	14.66	4.5
20M	CP QPSK	1	1	17.92	17.73	17.70	17.63	1.5

NR Conducted Power (Full)								
NR Band 48(3550-3700)								
BW	MCS Index	Channel		637168	640168	643166	646166	3GPP MPR
		Frequence (MHz)		3557.52	3602.52	3647.49	3692.49	
15M	DFT-S PI/2 BPSK	1	1	19.28	19.25	19.23	18.92	0
15M	DFT-S QPSK	1	1	19.40	19.35	19.35	18.95	0
		1	19	19.33	19.23	19.21	19.20	0
		1	36	19.34	19.26	19.31	19.11	0
		18	0	18.40	18.32	18.23	18.09	1
		18	10	19.32	19.41	19.23	19.15	0
		18	20	18.31	18.20	18.15	17.96	1
		36	0	18.36	18.27	18.21	17.90	1
15M	DFT-S 16QAM	1	1	18.46	18.27	18.26	17.99	1
15M	DFT-S 64QAM	1	1	16.87	16.74	16.79	16.67	2.5
15M	DFT-S 256QAM	1	1	14.77	14.71	14.84	14.61	4.5
15M	CP QPSK	1	1	17.87	17.87	17.68	17.60	1.5
BW	MCS Index	Channel		637000	640110	643222	646332	3GPP MPR
		Frequence (MHz)		3555	3601.65	3648.33	3694.98	
10M	DFT-S PI/2 BPSK	1	1	19.15	19.23	19.21	18.90	0
10M	DFT-S QPSK	1	1	19.29	19.32	19.22	18.87	0
		1	11	19.24	19.39	19.28	19.05	0
		1	22	19.24	19.26	19.21	19.07	0
		12	0	18.27	18.16	18.07	18.06	1
		12	6	19.30	19.31	19.24	19.11	0
		12	12	18.30	18.19	18.24	18.12	1
		24	0	18.28	18.28	18.23	17.94	1
10M	DFT-S 16QAM	1	1	18.33	18.25	18.22	17.85	1
10M	DFT-S 64QAM	1	1	16.80	16.81	16.75	16.58	2.5
10M	DFT-S 256QAM	1	1	14.81	14.69	14.69	14.58	4.5
10M	CP QPSK	1	1	17.85	17.65	17.62	17.65	1.5

NR Conducted Power (Full)							
NR Band 77							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel			633332		
		Frequence (MHz)			3499.98		
100M	DFT-S PI/2 BPSK	1	1		24.46		0
100M	DFT-S QPSK	1	1		24.47		0
		1	137		24.45		0
		1	271		24.41		0
		135	0		23.48		1
		135	69		24.46		0
		135	138		23.47		1
		270	0		23.45		1
100M	DFT-S 16QAM	1	1		23.46		1
100M	DFT-S 64QAM	1	1		21.36		2.5
100M	DFT-S 256QAM	1	1		19.41		4.5
100M	CP QPSK	1	1		22.83		1.5
BW	MCS Index	Channel		633000	633332	633666	3GPP MPR
		Frequence (MHz)		3495	3499.98	3504.99	
90M	DFT-S PI/2 BPSK	1	1	24.34	24.41	24.33	0
90M	DFT-S QPSK	1	1	24.36	24.45	24.27	0
		1	123	24.33	24.42	24.29	0
		1	243	24.35	24.33	24.29	0
		120	0	23.35	23.41	23.28	1
		120	63	24.32	24.36	24.27	0
		120	125	23.37	23.47	23.31	1
		243	0	23.36	23.40	23.25	1
90M	DFT-S 16QAM	1	1	23.39	23.39	23.31	1
90M	DFT-S 64QAM	1	1	21.21	21.27	21.19	2.5
90M	DFT-S 256QAM	1	1	19.29	19.36	19.22	4.5
90M	CP QPSK	1	1	22.70	22.81	22.66	1.5
BW	MCS Index	Channel		632668	633332	634000	3GPP MPR
		Frequence (MHz)		3490.02	3499.98	3510	
80M	DFT-S PI/2 BPSK	1	1	24.28	24.37	24.18	0
80M	DFT-S QPSK	1	1	24.39	24.41	24.33	0
		1	109	24.23	24.30	24.22	0
		1	215	24.35	24.30	24.13	0
		108	0	23.36	23.39	23.22	1
		108	55	24.21	24.38	24.18	0
		108	109	23.30	23.25	23.30	1
		216	0	23.33	23.22	23.18	1
80M	DFT-S 16QAM	1	1	23.32	23.36	23.27	1
80M	DFT-S 64QAM	1	1	21.28	21.17	21.20	2.5
80M	DFT-S 256QAM	1	1	19.22	19.27	19.07	4.5
80M	CP QPSK	1	1	22.56	22.72	22.53	1.5

NR Conducted Power (Full)							
NR Band 77							
BW	MCS Index	Channel		632334	633332	634332	3GPP MPR
		Frequence (MHz)		3485.01	3499.98	3514.98	
70M	DFT-S PI/2 BPSK	1	1	24.22	24.42	24.28	0
70M	DFT-S QPSK	1	1	24.29	24.29	24.11	0
		1	95	24.16	24.23	24.22	0
		1	187	24.30	24.36	24.11	0
		90	0	23.25	23.36	23.16	1
		90	50	24.18	24.34	24.10	0
		90	99	23.40	23.34	23.20	1
		180	0	23.20	23.39	23.31	1
70M	DFT-S 16QAM	1	1	23.30	23.24	23.35	1
70M	DFT-S 64QAM	1	1	21.16	21.15	21.13	2.5
70M	DFT-S 256QAM	1	1	19.14	19.34	19.17	4.5
70M	CP QPSK	1	1	22.59	22.75	22.59	1.5

NR Conducted Power (Full)							
NR Band 77							
BW	MCS Index	Channel		632000	633332	634666	3GPP MPR
		Frequence (MHz)		3480	3499.98	3519.99	
60M	DFT-S PI/2 BPSK	1	1	24.27	24.40	24.24	0
60M	DFT-S QPSK	1	1	24.34	24.41	24.25	0
		1	81	24.36	24.27	24.28	0
		1	160	24.27	24.34	24.19	0
		81	0	23.25	23.44	23.16	1
		81	41	24.34	24.27	24.15	0
		81	81	23.35	23.42	23.18	1
		162	0	23.24	23.33	23.15	1
60M	DFT-S 16QAM	1	1	23.31	23.31	23.24	1
60M	DFT-S 64QAM	1	1	21.20	21.25	21.16	2.5
60M	DFT-S 256QAM	1	1	19.21	19.39	19.16	4.5
60M	CP QPSK	1	1	22.66	22.75	22.56	1.5
BW	MCS Index	Channel		631668	633332	635000	3GPP MPR
		Frequence (MHz)		3475.02	3499.98	3525	
50M	DFT-S PI/2 BPSK	1	1	24.31	24.38	24.28	0
50M	DFT-S QPSK	1	1	24.42	24.32	24.21	0
		1	67	24.35	24.36	24.18	0
		1	131	24.28	24.36	24.18	0
		64	0	23.22	23.31	23.09	1
		64	35	24.20	24.34	24.19	0
		64	69	23.38	23.30	23.33	1
		128	0	23.30	23.33	23.26	1
50M	DFT-S 16QAM	1	1	23.31	23.37	23.16	1
50M	DFT-S 64QAM	1	1	21.19	21.16	21.18	2.5
50M	DFT-S 256QAM	1	1	19.22	19.29	19.11	4.5
50M	CP QPSK	1	1	22.51	22.79	22.60	1.5

NR Conducted Power (Full)							
NR Band 77							
BW	MCS Index	Channel		631334	633332	635332	3GPP MPR
		Frequence (MHz)		3470.01	3499.98	3529.98	
40M	DFT-S PI/2 BPSK	1	1	24.21	24.32	24.28	0
40M	DFT-S QPSK	1	1	24.33	24.32	24.09	0
		1	53	24.16	24.38	24.21	0
		1	104	24.14	24.36	24.07	0
		50	0	23.22	23.31	22.95	1
		50	28	24.12	24.36	24.26	0
		50	56	23.30	23.26	23.19	1
		100	0	23.22	23.29	23.15	1
40M	DFT-S 16QAM	1	1	23.28	23.33	23.28	1
40M	DFT-S 64QAM	1	1	21.07	21.21	21.15	2.5
40M	DFT-S 256QAM	1	1	19.17	19.29	19.11	4.5
40M	CP QPSK	1	1	22.65	22.61	22.51	1.5
BW	MCS Index	Channel		631000	633332	635666	3GPP MPR
		Frequence (MHz)		3465	3499.98	3534.99	
30M	DFT-S PI/2 BPSK	1	1	24.11	24.29	24.24	0
30M	DFT-S QPSK	1	1	24.28	24.23	24.10	0
		1	39	24.09	24.29	24.26	0
		1	76	24.12	24.33	24.08	0
		36	0	23.02	23.28	23.01	1
		36	21	24.06	24.32	24.32	0
		36	42	23.12	23.03	23.19	1
		75	0	23.06	23.13	23.10	1
30M	DFT-S 16QAM	1	1	23.20	23.21	23.18	1
30M	DFT-S 64QAM	1	1	20.97	21.09	20.95	2.5
30M	DFT-S 256QAM	1	1	19.16	19.27	19.08	4.5
30M	CP QPSK	1	1	22.54	22.57	22.42	1.5
BW	MCS Index	Channel		630834	633332	635832	3GPP MPR
		Frequence (MHz)		3462.51	3499.98	3537.48	
25M	DFT-S PI/2 BPSK	1	1	24.08	24.19	24.17	0
25M	DFT-S QPSK	1	1	24.27	24.23	23.80	0
		1	33	24.22	24.22	24.10	0
		1	63	24.04	24.36	23.90	0
		32	0	23.08	23.27	22.99	1
		32	17	24.15	24.24	24.25	0
		32	33	23.19	23.26	23.03	1
		64	0	23.13	23.20	23.10	1
25M	DFT-S 16QAM	1	1	23.20	23.25	23.08	1
25M	DFT-S 64QAM	1	1	21.06	21.07	21.02	2.5
25M	DFT-S 256QAM	1	1	19.07	19.22	19.04	4.5
25M	CP QPSK	1	1	22.62	22.56	22.50	1.5

NR Conducted Power (Full)							
NR Band 77							
BW	MCS Index	Channel		630668	633332	636000	3GPP MPR
		Frequence (MHz)		3460.02	3499.98	3540	
20M	DFT-S PI/2 BPSK	1	1	24.04	24.26	24.11	0
20M	DFT-S QPSK	1	1	24.30	24.29	24.11	0
		1	26	24.08	24.18	24.09	0
		1	49	24.11	24.23	23.96	0
		25	0	23.13	23.17	23.00	1
		25	13	24.20	24.29	24.13	0
		25	26	23.19	23.20	23.16	1
		50	0	23.07	23.14	23.11	1
20M	DFT-S 16QAM	1	1	23.27	23.16	23.14	1
20M	DFT-S 64QAM	1	1	20.98	21.09	21.10	2.5
20M	DFT-S 256QAM	1	1	19.08	19.22	19.09	4.5
20M	CP QPSK	1	1	22.63	22.50	22.49	1.5
BW	MCS Index	Channel		630500	633332	636166	3GPP MPR
		Frequence (MHz)		3457.5	3499.98	3542.49	
15M	DFT-S PI/2 BPSK	1	1	24.09	24.22	24.16	0
15M	DFT-S QPSK	1	1	24.27	24.27	23.97	0
		1	19	24.01	24.24	24.26	0
		1	36	24.09	24.19	24.02	0
		18	0	23.02	23.20	22.95	1
		18	10	24.07	24.17	24.25	0
		18	20	23.15	23.18	23.17	1
		36	0	23.12	23.19	23.15	1
15M	DFT-S 16QAM	1	1	23.19	23.27	23.16	1
15M	DFT-S 64QAM	1	1	20.97	21.05	20.98	2.5
15M	DFT-S 256QAM	1	1	19.14	19.32	19.00	4.5
15M	CP QPSK	1	1	22.56	22.47	22.50	1.5
BW	MCS Index	Channel		630334	633332	636332	3GPP MPR
		Frequence (MHz)		3455.01	3499.98	3544.98	
10M	DFT-S PI/2 BPSK	1	1	23.87	24.31	24.27	0
10M	DFT-S QPSK	1	1	24.17	24.19	23.88	0
		1	11	24.14	24.24	24.17	0
		1	22	24.09	24.18	23.96	0
		12	0	22.95	23.09	22.80	1
		12	6	24.05	24.11	24.06	0
		12	12	23.09	23.08	23.05	1
		24	0	22.98	23.19	22.92	1
10M	DFT-S 16QAM	1	1	23.09	23.20	23.22	1
10M	DFT-S 64QAM	1	1	20.87	21.05	20.95	2.5
10M	DFT-S 256QAM	1	1	19.09	19.31	18.92	4.5
10M	CP QPSK	1	1	22.60	22.57	22.39	1.5

NR Conducted Power (Full)									
NR Band 77									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		650000	653000	656000	659000	662000	
		Frequence (MHz)		3750	3795	3840	3885	3930	
100M	DFT-S PI/2 BPSK	1	1	23.85	23.71	23.78	23.92	24.11	0
100M	DFT-S QPSK	1	1	23.86	23.75	23.83	23.95	24.18	0
		1	137	23.83	23.68	23.78	23.88	24.08	0
		1	271	23.94	23.84	23.84	24.03	24.15	0
		135	0	23.23	23.07	23.16	23.26	23.27	1
		135	69	23.99	23.94	23.94	24.09	24.16	0
		135	138	23.15	23.04	23.06	23.25	23.35	1
		270	0	23.13	23.02	23.05	23.17	23.23	1
100M	DFT-S 16QAM	1	1	23.21	23.06	23.15	23.21	23.32	1
100M	DFT-S 64QAM	1	1	20.91	20.83	20.83	20.93	21.03	2.5
100M	DFT-S 256QAM	1	1	18.88	18.76	18.81	18.95	19.06	4.5
100M	CP QPSK	1	1	22.07	21.93	21.97	22.15	22.19	1.5
BW	MCS Index	Channel		649668	652834	656000	659166	662332	3GPP MPR
		Frequence (MHz)		3745.02	3792.51	3840	3887.49	3934.98	
90M	DFT-S PI/2 BPSK	1	1	23.82	23.63	23.72	23.86	24.01	0
90M	DFT-S QPSK	1	1	23.81	23.71	23.79	23.86	24.15	0
		1	123	23.74	23.61	23.72	23.81	24.04	0
		1	243	23.89	23.76	23.75	23.95	24.08	0
		120	0	23.21	22.97	23.15	23.17	23.20	1
		120	63	23.91	23.89	23.92	24.02	24.07	0
		120	125	23.10	22.97	23.03	23.17	23.30	1
		243	0	23.05	23.02	23.00	23.10	23.13	1
90M	DFT-S 16QAM	1	1	23.21	22.99	23.14	23.14	23.25	1
90M	DFT-S 64QAM	1	1	20.87	20.78	20.78	20.83	21.02	2.5
90M	DFT-S 256QAM	1	1	18.79	18.71	18.79	18.86	19.00	4.5
90M	CP QPSK	1	1	22.07	21.83	21.88	22.07	22.16	1.5
BW	MCS Index	Channel		649334	652666	656000	659334	662666	3GPP MPR
		Frequence (MHz)		3740.01	3789.99	3840	3890.01	3939.99	
80M	DFT-S PI/2 BPSK	1	1	23.79	23.59	23.62	23.84	23.95	0
80M	DFT-S QPSK	1	1	23.80	23.67	23.76	23.89	24.06	0
		1	109	23.77	23.63	23.71	23.73	23.97	0
		1	215	23.86	23.73	23.79	23.84	24.08	0
		108	0	23.18	23.03	23.05	23.15	23.15	1
		108	55	23.96	23.80	23.81	23.96	24.11	0
		108	109	23.09	22.94	22.90	23.10	23.17	1
		216	0	22.81	22.59	22.70	22.83	22.97	1
80M	DFT-S 16QAM	1	1	22.74	22.62	22.73	22.88	23.06	1
80M	DFT-S 64QAM	1	1	21.26	21.09	21.24	21.20	21.40	2.5
80M	DFT-S 256QAM	1	1	19.31	19.26	19.30	19.39	19.55	4.5
80M	CP QPSK	1	1	22.60	22.51	22.54	22.64	22.61	1.5

NR Conducted Power (Full)									
NR Band 77									
BW	MCS Index	Channel		649000	652500	656000	659500	663000	3GPP MPR
		Frequence (MHz)		3735	3787.5	3840	3892.5	3945	
70M	DFT-S PI/2 BPSK	1	1	23.81	23.62	23.70	23.81	24.00	0
70M	DFT-S QPSK	1	1	23.84	23.70	23.73	23.88	24.14	0
		1	95	23.71	23.56	23.77	23.82	24.00	0
		1	187	23.75	23.66	23.81	23.93	24.02	0
		90	0	23.16	22.91	22.98	23.08	23.19	1
		90	50	23.89	23.91	23.83	24.03	24.04	0
		90	99	23.03	23.02	22.87	23.12	23.20	1
		180	0	22.79	22.58	22.69	22.89	22.98	1
70M	DFT-S 16QAM	1	1	22.78	22.64	22.78	22.87	23.07	1
70M	DFT-S 64QAM	1	1	21.29	21.11	21.25	21.34	21.47	2.5
70M	DFT-S 256QAM	1	1	19.28	19.17	19.26	19.45	19.62	4.5
70M	CP QPSK	1	1	22.61	22.41	22.54	22.64	22.76	1.5
BW	MCS Index	Channel		648668	652334	656000	659666	663332	3GPP MPR
		Frequence (MHz)		3730.02	3785.01	3840	3894.99	3949.98	
60M	DFT-S PI/2 BPSK	1	1	23.73	23.62	23.58	23.72	23.98	0
60M	DFT-S QPSK	1	1	23.67	23.53	23.72	23.87	24.08	0
		1	81	23.60	23.52	23.65	23.65	23.87	0
		1	160	23.75	23.78	23.83	23.82	23.97	0
		81	0	23.02	22.97	22.91	23.15	23.11	1
		81	41	23.82	23.72	23.68	23.85	23.98	0
		81	81	23.03	22.91	22.83	23.15	23.22	1
		162	0	22.67	22.47	22.57	22.79	23.01	1
60M	DFT-S 16QAM	1	1	22.59	22.59	22.71	22.78	23.12	1
60M	DFT-S 64QAM	1	1	21.14	20.89	21.16	21.25	21.40	2.5
60M	DFT-S 256QAM	1	1	19.25	19.22	19.33	19.28	19.50	4.5
60M	CP QPSK	1	1	22.55	22.48	22.44	22.55	22.57	1.5
BW	MCS Index	Channel		648334	652166	656000	659834	663666	3GPP MPR
		Frequence (MHz)		3725.01	3782.49	3840	3897.51	3954.99	
50M	DFT-S PI/2 BPSK	1	1	23.71	23.55	23.59	23.71	23.85	0
50M	DFT-S QPSK	1	1	23.63	23.55	23.60	23.80	24.01	0
		1	67	23.61	23.43	23.62	23.67	23.92	0
		1	131	23.68	23.71	23.79	23.82	23.85	0
		64	0	22.98	22.89	22.90	23.08	23.04	1
		64	35	23.79	23.63	23.64	23.76	23.88	0
		64	69	22.91	22.87	22.86	23.17	23.11	1
		128	0	22.65	22.53	22.57	22.75	22.85	1
50M	DFT-S 16QAM	1	1	22.63	22.58	22.58	22.86	23.06	1
50M	DFT-S 64QAM	1	1	21.14	20.96	21.07	21.16	21.40	2.5
50M	DFT-S 256QAM	1	1	19.20	19.17	19.28	19.28	19.42	4.5
50M	CP QPSK	1	1	22.52	22.35	22.37	22.60	22.49	1.5

NR Conducted Power (Full)									
NR Band 77									
BW	MCS Index	Channel		648000	652000	656000	660000	664000	3GPP MPR
		Frequence (MHz)		3720	3780	3840	3900	3960	
40M	DFT-S PI/2 BPSK	1	1	23.62	23.56	23.53	23.74	23.91	0
40M	DFT-S QPSK	1	1	23.64	23.55	23.61	23.78	24.07	0
		1	53	23.53	23.44	23.64	23.55	23.80	0
		1	104	23.68	23.66	23.66	23.83	23.94	0
		50	0	22.99	22.92	22.88	23.09	23.07	1
		50	28	23.77	23.70	23.59	23.82	23.94	0
		50	56	22.93	22.83	22.86	23.10	23.11	1
		100	0	22.64	22.58	22.52	22.66	22.91	1
40M	DFT-S 16QAM	1	1	22.55	22.52	22.57	22.82	23.06	1
40M	DFT-S 64QAM	1	1	21.06	20.91	21.10	21.06	21.33	2.5
40M	DFT-S 256QAM	1	1	19.13	19.15	19.15	19.23	19.44	4.5
40M	CP QPSK	1	1	22.49	22.42	22.47	22.59	22.59	1.5
BW	MCS Index	Channel		647668	651834	656000	660166	664332	3GPP MPR
		Frequence (MHz)		3715.02	3777.51	3840	3902.49	3964.98	
30M	DFT-S PI/2 BPSK	1	1	23.65	23.52	23.51	23.67	23.83	0
30M	DFT-S QPSK	1	1	23.58	23.51	23.53	23.74	24.05	0
		1	39	23.54	23.26	23.54	23.57	23.80	0
		1	76	23.67	23.68	23.62	23.62	23.89	0
		36	0	22.92	22.82	22.94	23.09	23.07	1
		36	21	23.86	23.62	23.58	23.71	23.88	0
		36	42	22.79	22.84	22.72	23.08	23.12	1
		75	0	22.56	22.50	22.46	22.61	22.79	1
30M	DFT-S 16QAM	1	1	22.58	22.52	22.53	22.64	23.08	1
30M	DFT-S 64QAM	1	1	21.02	20.88	20.94	21.08	21.29	2.5
30M	DFT-S 256QAM	1	1	19.12	19.14	19.25	19.17	19.41	4.5
30M	CP QPSK	1	1	22.51	22.26	22.38	22.51	22.52	1.5
BW	MCS Index	Channel		647500	651750	656000	660250	664500	3GPP MPR
		Frequence (MHz)		3712.5	3776.25	3840	3903.75	3967.5	
25M	DFT-S PI/2 BPSK	1	1	23.51	23.50	23.57	23.62	23.68	0
25M	DFT-S QPSK	1	1	23.58	23.52	23.46	23.73	23.97	0
		1	33	23.47	23.20	23.49	23.50	23.76	0
		1	63	23.58	23.59	23.61	23.65	23.77	0
		32	0	22.82	22.69	22.85	23.06	22.94	1
		32	17	23.80	23.60	23.58	23.78	23.83	0
		32	33	22.82	22.76	22.66	23.06	23.01	1
		64	0	22.53	22.44	22.48	22.60	22.67	1
25M	DFT-S 16QAM	1	1	22.57	22.42	22.54	22.74	22.92	1
25M	DFT-S 64QAM	1	1	20.96	20.72	20.94	21.05	21.24	2.5
25M	DFT-S 256QAM	1	1	19.09	19.11	19.08	19.15	19.27	4.5
25M	CP QPSK	1	1	22.36	22.26	22.27	22.54	22.52	1.5

NR Conducted Power (Full)									
NR Band 77									
BW	MCS Index	Channel		647334	651666	656000	660266	664666	3GPP MPR
		Frequence (MHz)		3710.01	3774.99	3840	3903.99	3969.99	
20M	DFT-S PI/2 BPSK	1	1	23.61	23.52	23.46	23.58	23.71	0
20M	DFT-S QPSK	1	1	23.54	23.38	23.52	23.65	23.98	0
		1	26	23.51	23.29	23.49	23.55	23.72	0
		1	49	23.68	23.58	23.61	23.56	23.82	0
		25	0	22.82	22.79	22.85	23.07	23.00	1
		25	13	23.86	23.50	23.54	23.67	23.95	0
		25	26	22.80	22.77	22.66	23.04	23.00	1
		50	0	22.60	22.51	22.44	22.59	22.69	1
20M	DFT-S 16QAM	1	1	22.53	22.36	22.51	22.66	22.93	1
20M	DFT-S 64QAM	1	1	21.03	20.73	20.95	21.01	21.23	2.5
20M	DFT-S 256QAM	1	1	19.10	19.12	19.09	19.06	19.39	4.5
20M	CP QPSK	1	1	22.34	22.19	22.28	22.59	22.54	1.5
BW	MCS Index	Channel		647168	651584	656000	660416	664832	3GPP MPR
		Frequence (MHz)		3707.52	3773.76	3840	3906.24	3972.48	
15M	DFT-S PI/2 BPSK	1	1	23.43	23.43	23.37	23.60	23.74	0
15M	DFT-S QPSK	1	1	23.45	23.35	23.47	23.63	23.95	0
		1	19	23.51	23.23	23.43	23.46	23.73	0
		1	36	23.55	23.58	23.62	23.59	23.88	0
		18	0	22.86	22.78	22.89	23.00	23.03	1
		18	10	23.71	23.42	23.41	23.77	23.72	0
		18	20	22.74	22.74	22.60	22.95	22.97	1
		36	0	22.39	22.44	22.48	22.57	22.74	1
15M	DFT-S 16QAM	1	1	22.42	22.28	22.40	22.69	22.91	1
15M	DFT-S 64QAM	1	1	20.95	20.76	20.94	20.94	21.26	2.5
15M	DFT-S 256QAM	1	1	19.05	19.08	19.10	19.01	19.30	4.5
15M	CP QPSK	1	1	22.28	22.21	22.33	22.50	22.56	1.5
BW	MCS Index	Channel		647000	651500	656000	660500	665000	3GPP MPR
		Frequence (MHz)		3705	3772.5	3840	3907.5	3975	
10M	DFT-S PI/2 BPSK	1	1	23.31	23.29	23.34	23.58	23.68	0
10M	DFT-S QPSK	1	1	23.36	23.43	23.52	23.58	23.90	0
		1	11	23.47	23.21	23.39	23.49	23.71	0
		1	22	23.44	23.56	23.45	23.61	23.84	0
		12	0	22.77	22.79	22.86	22.96	22.98	1
		12	6	23.76	23.34	23.38	23.62	23.66	0
		12	12	22.56	22.66	22.58	22.98	22.90	1
		24	0	22.32	22.34	22.40	22.56	22.68	1
10M	DFT-S 16QAM	1	1	22.36	22.41	22.47	22.56	22.86	1
10M	DFT-S 64QAM	1	1	20.90	20.61	20.90	20.99	21.18	2.5
10M	DFT-S 256QAM	1	1	18.91	19.08	18.96	19.16	19.36	4.5
10M	CP QPSK	1	1	22.33	22.26	22.30	22.48	22.42	1.5

NR Conducted Power (Full)							
NR Band 77_HPUE							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel			633332		
		Frequence (MHz)			3499.98		
100M	DFT-S PI/2 BPSK	1	1		26.52		0
100M	DFT-S QPSK	1	1		26.62		0
		1	137		26.53		0
		1	271		26.51		0
		135	0		25.64		1
		135	69		26.57		0
		135	138		25.55		1
		270	0		25.62		1
100M	DFT-S 16QAM	1	1		25.79		1
100M	DFT-S 64QAM	1	1		24.06		2.5
100M	DFT-S 256QAM	1	1		22.05		4.5
100M	CP QPSK	1	1		25.16		1.5
BW	MCS Index	Channel		633000	633332	633666	3GPP MPR
		Frequence (MHz)		3495	3499.98	3504.99	
90M	DFT-S PI/2 BPSK	1	1	26.42	26.46	26.28	0
90M	DFT-S QPSK	1	1	26.57	26.56	26.49	0
		1	123	26.44	26.44	26.38	0
		1	243	26.51	26.42	26.40	0
		120	0	25.55	25.63	25.52	1
		120	63	26.53	26.47	26.53	0
		120	125	25.40	25.49	25.45	1
		243	0	25.50	25.61	25.45	1
90M	DFT-S 16QAM	1	1	25.69	25.75	25.70	1
90M	DFT-S 64QAM	1	1	23.99	24.01	23.95	2.5
90M	DFT-S 256QAM	1	1	21.87	21.98	21.85	4.5
90M	CP QPSK	1	1	25.02	25.12	25.00	1.5
BW	MCS Index	Channel		632668	633332	634000	3GPP MPR
		Frequence (MHz)		3490.02	3499.98	3510	
80M	DFT-S PI/2 BPSK	1	1	26.32	26.41	26.17	0
80M	DFT-S QPSK	1	1	26.44	26.54	26.48	0
		1	109	26.34	26.49	26.30	0
		1	215	26.28	26.43	26.43	0
		108	0	25.42	25.41	25.36	1
		108	55	26.46	26.54	26.46	0
		108	109	25.43	25.43	25.32	1
		216	0	25.38	25.53	25.50	1
80M	DFT-S 16QAM	1	1	25.73	25.72	25.62	1
80M	DFT-S 64QAM	1	1	23.82	23.93	23.85	2.5
80M	DFT-S 256QAM	1	1	21.91	21.93	21.81	4.5
80M	CP QPSK	1	1	25.09	25.05	24.78	1.5

NR Conducted Power (Full)							
NR Band 77_HPUE							
BW	MCS Index	Channel		632334	633332	634332	3GPP MPR
		Frequence (MHz)		3485.01	3499.98	3514.98	
70M	DFT-S PI/2 BPSK	1	1	26.33	26.40	26.15	0
70M	DFT-S QPSK	1	1	26.51	26.40	26.30	0
		1	95	26.30	26.41	26.22	0
		1	187	26.34	26.36	26.18	0
		90	0	25.48	25.49	25.38	1
		90	50	26.32	26.38	26.20	0
		90	99	25.45	25.45	25.20	1
		180	0	25.51	25.60	25.40	1
70M	DFT-S 16QAM	1	1	25.61	25.65	25.69	1
70M	DFT-S 64QAM	1	1	23.90	23.98	23.76	2.5
70M	DFT-S 256QAM	1	1	21.88	21.83	21.71	4.5
70M	CP QPSK	1	1	25.04	24.96	25.00	1.5
BW	MCS Index	Channel		632000	633332	634666	3GPP MPR
		Frequence (MHz)		3480	3499.98	3519.99	
60M	DFT-S PI/2 BPSK	1	1	26.31	26.38	26.22	0
60M	DFT-S QPSK	1	1	26.45	26.43	26.47	0
		1	81	26.34	26.40	26.34	0
		1	160	26.35	26.38	26.29	0
		81	0	25.50	25.54	25.40	1
		81	41	26.45	26.41	26.35	0
		81	81	25.27	25.42	25.26	1
		162	0	25.52	25.47	25.34	1
60M	DFT-S 16QAM	1	1	25.65	25.57	25.57	1
60M	DFT-S 64QAM	1	1	23.83	23.82	23.92	2.5
60M	DFT-S 256QAM	1	1	21.72	21.88	21.77	4.5
60M	CP QPSK	1	1	25.02	25.03	24.86	1.5
BW	MCS Index	Channel		631668	633332	635000	3GPP MPR
		Frequence (MHz)		3475.02	3499.98	3525	
50M	DFT-S PI/2 BPSK	1	1	26.36	26.32	26.25	0
50M	DFT-S QPSK	1	1	26.39	26.41	26.49	0
		1	67	26.31	26.37	26.29	0
		1	131	26.37	26.31	26.36	0
		64	0	25.50	25.60	25.50	1
		64	35	26.44	26.34	26.37	0
		64	69	25.31	25.40	25.36	1
		128	0	25.35	25.49	25.41	1
50M	DFT-S 16QAM	1	1	25.65	25.67	25.50	1
50M	DFT-S 64QAM	1	1	23.85	23.99	23.93	2.5
50M	DFT-S 256QAM	1	1	21.86	21.98	21.74	4.5
50M	CP QPSK	1	1	24.98	25.12	24.86	1.5

NR Conducted Power (Full)							
NR Band 77_HPUE							
BW	MCS Index	Channel		631334	633332	635332	3GPP MPR
		Frequence (MHz)		3470.01	3499.98	3529.98	
40M	DFT-S PI/2 BPSK	1	1	26.35	26.35	26.11	0
40M	DFT-S QPSK	1	1	26.42	26.50	26.32	0
		1	53	26.28	26.28	26.26	0
		1	104	26.35	26.32	26.24	0
		50	0	25.37	25.45	25.42	1
		50	28	26.28	26.36	26.33	0
		50	56	25.27	25.43	25.18	1
		100	0	25.36	25.43	25.30	1
40M	DFT-S 16QAM	1	1	25.52	25.69	25.59	1
40M	DFT-S 64QAM	1	1	23.89	23.95	23.93	2.5
40M	DFT-S 256QAM	1	1	21.72	21.85	21.70	4.5
40M	CP QPSK	1	1	24.98	24.85	24.93	1.5
BW	MCS Index	Channel		631000	633332	635666	3GPP MPR
		Frequence (MHz)		3465	3499.98	3534.99	
30M	DFT-S PI/2 BPSK	1	1	26.23	26.40	26.06	0
30M	DFT-S QPSK	1	1	26.41	26.37	26.20	0
		1	39	26.16	26.14	26.13	0
		1	76	26.36	26.30	26.11	0
		36	0	25.24	25.30	25.33	1
		36	21	26.23	26.39	26.24	0
		36	42	25.14	25.39	25.22	1
		75	0	25.22	25.36	25.16	1
30M	DFT-S 16QAM	1	1	25.41	25.56	25.48	1
30M	DFT-S 64QAM	1	1	23.81	23.83	23.92	2.5
30M	DFT-S 256QAM	1	1	21.55	21.78	21.64	4.5
30M	CP QPSK	1	1	24.90	24.76	24.84	1.5
BW	MCS Index	Channel		630834	633332	635832	3GPP MPR
		Frequence (MHz)		3462.51	3499.98	3537.48	
25M	DFT-S PI/2 BPSK	1	1	26.28	26.33	25.97	0
25M	DFT-S QPSK	1	1	26.43	26.47	26.11	0
		1	33	26.23	26.09	26.15	0
		1	63	26.30	26.30	26.25	0
		32	0	25.38	25.41	25.25	1
		32	17	26.24	26.37	26.17	0
		32	33	25.16	25.34	24.96	1
		64	0	25.29	25.33	25.24	1
25M	DFT-S 16QAM	1	1	25.40	25.61	25.52	1
25M	DFT-S 64QAM	1	1	23.91	23.96	23.81	2.5
25M	DFT-S 256QAM	1	1	21.70	21.82	21.78	4.5
25M	CP QPSK	1	1	24.89	24.77	24.88	1.5

NR Conducted Power (Full)							
NR Band 77_HPUE							
BW	MCS Index	Channel		630668	633332	636000	3GPP MPR
		Frequence (MHz)		3460.02	3499.98	3540	
20M	DFT-S PI/2 BPSK	1	1	26.26	26.24	26.07	0
20M	DFT-S QPSK	1	1	26.36	26.41	26.30	0
		1	26	26.27	26.21	26.12	0
		1	49	26.39	26.19	26.17	0
		25	0	25.21	25.44	25.28	1
		25	13	26.25	26.41	26.26	0
		25	26	25.13	25.28	25.02	1
		50	0	25.26	25.40	25.21	1
20M	DFT-S 16QAM	1	1	25.49	25.55	25.43	1
20M	DFT-S 64QAM	1	1	23.80	23.80	23.88	2.5
20M	DFT-S 256QAM	1	1	21.50	21.82	21.71	4.5
20M	CP QPSK	1	1	24.95	24.72	24.74	1.5
BW	MCS Index	Channel		630500	633332	636166	3GPP MPR
		Frequence (MHz)		3457.5	3499.98	3542.49	
15M	DFT-S PI/2 BPSK	1	1	26.24	26.36	26.07	0
15M	DFT-S QPSK	1	1	26.34	26.36	26.26	0
		1	19	26.26	26.15	26.29	0
		1	36	26.31	26.32	26.16	0
		18	0	25.33	25.37	25.42	1
		18	10	26.17	26.32	26.24	0
		18	20	25.31	25.29	25.13	1
		36	0	25.28	25.43	25.28	1
15M	DFT-S 16QAM	1	1	25.49	25.61	25.46	1
15M	DFT-S 64QAM	1	1	23.76	23.87	23.88	2.5
15M	DFT-S 256QAM	1	1	21.62	21.83	21.69	4.5
15M	CP QPSK	1	1	24.81	24.83	24.85	1.5
BW	MCS Index	Channel		630334	633332	636332	3GPP MPR
		Frequence (MHz)		3455.01	3499.98	3544.98	
10M	DFT-S PI/2 BPSK	1	1	26.18	26.30	25.97	0
10M	DFT-S QPSK	1	1	26.24	26.28	26.26	0
		1	11	26.22	26.14	26.25	0
		1	22	26.25	26.28	26.11	0
		12	0	25.30	25.33	25.36	1
		12	6	26.17	26.22	26.20	0
		12	12	25.29	25.24	25.05	1
		24	0	25.26	25.36	25.18	1
10M	DFT-S 16QAM	1	1	25.45	25.51	25.42	1
10M	DFT-S 64QAM	1	1	23.66	23.80	23.87	2.5
10M	DFT-S 256QAM	1	1	21.52	21.81	21.68	4.5
10M	CP QPSK	1	1	24.80	24.74	24.85	1.5

NR Conducted Power (Full)									
NR Band 77_HPUE									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		650000	653000	656000	659000	662000	
		Frequence (MHz)		3750	3795	3840	3885	3930	
100M	DFT-S PI/2 BPSK	1	1	25.73	25.58	25.77	25.93	25.98	0
100M	DFT-S QPSK	1	1	25.76	25.63	25.79	25.98	26.15	0
		1	137	25.69	25.61	25.76	25.91	26.03	0
		1	271	25.77	25.72	25.87	25.93	26.11	0
		135	0	25.18	25.11	25.20	25.28	25.32	1
		135	69	25.90	25.90	25.93	26.05	26.13	0
		135	138	25.10	25.02	25.12	25.21	25.31	1
		270	0	25.10	25.03	25.18	25.25	25.26	1
100M	DFT-S 16QAM	1	1	24.90	24.86	24.92	25.06	25.13	1
100M	DFT-S 64QAM	1	1	23.20	23.16	23.29	23.47	23.58	2.5
100M	DFT-S 256QAM	1	1	21.31	21.28	21.32	21.32	21.35	4.5
100M	CP QPSK	1	1	24.46	24.44	24.54	24.66	24.68	1.5
BW	MCS Index	Channel		649668	652834	656000	659166	662332	3GPP MPR
		Frequence (MHz)		3745.02	3792.51	3840	3887.49	3934.98	
90M	DFT-S PI/2 BPSK	1	1	25.68	25.48	25.76	25.85	25.94	-0.03
90M	DFT-S QPSK	1	1	25.76	25.54	25.79	25.97	26.13	-0.01
		1	123	25.62	25.61	25.76	25.85	25.99	-0.07
		1	243	25.75	25.70	25.77	25.86	26.07	-0.07
		120	0	25.12	25.07	25.18	25.22	25.27	-0.09
		120	63	25.85	25.86	25.91	25.99	26.05	-0.01
		120	125	25.00	25.02	25.07	25.11	25.30	-0.09
		243	0	25.04	24.99	25.09	25.22	25.16	-1.03
90M	DFT-S 16QAM	1	1	24.90	24.77	24.89	25.01	25.11	-1.09
90M	DFT-S 64QAM	1	1	23.16	23.15	23.20	23.43	23.55	-2.58
90M	DFT-S 256QAM	1	1	21.29	21.24	21.30	21.29	21.34	-4.56
90M	CP QPSK	1	1	24.44	24.37	24.48	24.61	24.67	-0.54
BW	MCS Index	Channel		649334	652666	656000	659334	662666	3GPP MPR
		Frequence (MHz)		3740.01	3789.99	3840	3890.01	3939.99	
80M	DFT-S PI/2 BPSK	1	1	25.55	25.48	25.66	25.81	25.83	0
80M	DFT-S QPSK	1	1	25.67	25.49	25.74	25.86	26.06	0
		1	109	25.51	25.50	25.68	25.73	25.97	0
		1	215	25.69	25.68	25.76	25.83	25.98	0
		108	0	25.03	25.00	25.08	25.16	25.22	1
		108	55	25.72	25.88	25.80	25.96	26.03	0
		108	109	24.97	25.00	25.03	25.08	25.14	1
		216	0	24.58	24.48	24.68	24.85	24.85	1
80M	DFT-S 16QAM	1	1	24.69	24.56	24.71	24.84	25.03	1
80M	DFT-S 64QAM	1	1	22.99	22.95	23.18	23.23	23.45	2.5
80M	DFT-S 256QAM	1	1	21.18	21.13	21.24	21.37	21.47	4.5
80M	CP QPSK	1	1	24.54	24.51	24.56	24.68	24.81	1.5

NR Conducted Power (Full)									
NR Band 77_HPUE									
BW	MCS Index	Channel		649000	652500	656000	659500	663000	3GPP MPR
		Frequence (MHz)		3735	3787.5	3840	3892.5	3945	
70M	DFT-S PI/2 BPSK	1	1	25.54	25.45	25.69	25.79	25.82	0
70M	DFT-S QPSK	1	1	25.76	25.57	25.71	25.88	26.04	0
		1	95	25.50	25.51	25.75	25.87	25.94	0
		1	187	25.64	25.69	25.83	25.90	26.03	0
		90	0	25.10	25.01	25.14	25.11	25.21	1
		90	50	25.80	25.81	25.85	25.92	25.97	0
		90	99	25.01	24.96	25.11	25.17	25.17	1
		180	0	24.63	24.42	24.69	24.76	24.86	1
70M	DFT-S 16QAM	1	1	24.67	24.52	24.62	24.87	24.97	1
70M	DFT-S 64QAM	1	1	23.07	23.00	23.23	23.32	23.37	2.5
70M	DFT-S 256QAM	1	1	21.14	21.16	21.36	21.30	21.56	4.5
70M	CP QPSK	1	1	24.62	24.54	24.63	24.70	24.69	1.5
BW	MCS Index	Channel		648668	652334	656000	659666	663332	3GPP MPR
		Frequence (MHz)		3730.02	3785.01	3840	3894.99	3949.98	
60M	DFT-S PI/2 BPSK	1	1	25.52	25.44	25.62	25.73	25.77	0
60M	DFT-S QPSK	1	1	25.71	25.49	25.70	25.82	25.97	0
		1	81	25.56	25.45	25.74	25.77	25.91	0
		1	160	25.59	25.46	25.64	25.80	25.95	0
		81	0	24.95	25.04	25.05	25.08	25.24	1
		81	41	25.79	25.81	25.73	25.88	26.10	0
		81	81	24.94	24.84	24.92	25.03	25.16	1
		162	0	24.56	24.54	24.62	24.75	24.72	1
60M	DFT-S 16QAM	1	1	24.59	24.45	24.67	24.76	24.90	1
60M	DFT-S 64QAM	1	1	23.18	22.95	23.17	23.26	23.29	2.5
60M	DFT-S 256QAM	1	1	21.14	21.08	21.17	21.28	21.43	4.5
60M	CP QPSK	1	1	24.48	24.48	24.48	24.68	24.62	1.5
BW	MCS Index	Channel		648334	652166	656000	659834	663666	3GPP MPR
		Frequence (MHz)		3725.01	3782.49	3840	3897.51	3954.99	
50M	DFT-S PI/2 BPSK	1	1	25.56	25.46	25.61	25.73	25.64	0
50M	DFT-S QPSK	1	1	25.70	25.52	25.60	25.78	25.95	0
		1	67	25.45	25.49	25.56	25.80	25.85	0
		1	131	25.58	25.54	25.57	25.76	25.95	0
		64	0	24.92	24.89	24.96	25.12	25.20	1
		64	35	25.71	25.66	25.72	25.95	25.93	0
		64	69	24.99	24.84	24.82	25.05	25.15	1
		128	0	24.49	24.36	24.58	24.65	24.72	1
50M	DFT-S 16QAM	1	1	24.67	24.54	24.65	24.75	24.96	1
50M	DFT-S 64QAM	1	1	23.02	22.96	23.09	23.30	23.30	2.5
50M	DFT-S 256QAM	1	1	21.03	21.01	21.08	21.24	21.44	4.5
50M	CP QPSK	1	1	24.36	24.37	24.45	24.55	24.68	1.5

NR Conducted Power (Full)									
NR Band 77_HPUE									
BW	MCS Index	Channel		648000	652000	656000	660000	664000	3GPP MPR
		Frequence (MHz)		3720	3780	3840	3900	3960	
40M	DFT-S PI/2 BPSK	1	1	25.53	25.40	25.59	25.69	25.72	0
40M	DFT-S QPSK	1	1	25.64	25.39	25.70	25.80	25.89	0
		1	53	25.51	25.53	25.69	25.68	25.90	0
		1	104	25.63	25.46	25.55	25.76	25.83	0
		50	0	24.90	24.94	25.06	25.08	25.20	1
		50	28	25.70	25.75	25.61	25.87	26.08	0
		50	56	24.97	24.81	24.89	24.98	25.11	1
		100	0	24.47	24.41	24.57	24.74	24.72	1
40M	DFT-S 16QAM	1	1	24.67	24.42	24.64	24.73	24.87	1
40M	DFT-S 64QAM	1	1	23.06	23.02	23.25	23.17	23.40	2.5
40M	DFT-S 256QAM	1	1	21.06	20.96	21.07	21.23	21.35	4.5
40M	CP QPSK	1	1	24.41	24.49	24.55	24.60	24.63	1.5
BW	MCS Index	Channel		647668	651834	656000	660166	664332	3GPP MPR
		Frequence (MHz)		3715.02	3777.51	3840	3902.49	3964.98	
30M	DFT-S PI/2 BPSK	1	1	25.50	25.36	25.57	25.68	25.68	0
30M	DFT-S QPSK	1	1	25.59	25.49	25.53	25.74	25.81	0
		1	39	25.38	25.38	25.59	25.66	25.87	0
		1	76	25.49	25.37	25.65	25.76	25.75	0
		36	0	24.84	24.83	25.02	25.10	24.99	1
		36	21	25.68	25.63	25.73	25.78	25.95	0
		36	42	24.89	24.84	24.91	24.98	25.03	1
		75	0	24.53	24.34	24.53	24.66	24.68	1
30M	DFT-S 16QAM	1	1	24.62	24.48	24.62	24.78	24.87	1
30M	DFT-S 64QAM	1	1	22.89	22.86	23.04	23.13	23.36	2.5
30M	DFT-S 256QAM	1	1	20.89	20.80	21.07	21.19	21.35	4.5
30M	CP QPSK	1	1	24.36	24.41	24.47	24.50	24.55	1.5
BW	MCS Index	Channel		647500	651750	656000	660250	664500	3GPP MPR
		Frequence (MHz)		3712.5	3776.25	3840	3903.75	3967.5	
25M	DFT-S PI/2 BPSK	1	1	25.46	25.21	25.48	25.56	25.57	0
25M	DFT-S QPSK	1	1	25.54	25.34	25.55	25.74	25.70	0
		1	33	25.29	25.39	25.55	25.67	25.79	0
		1	63	25.48	25.28	25.50	25.71	25.75	0
		32	0	24.73	24.87	24.92	25.09	24.94	1
		32	17	25.58	25.62	25.57	25.76	25.85	0
		32	33	24.83	24.74	24.79	24.95	25.02	1
		64	0	24.39	24.29	24.48	24.56	24.50	1
25M	DFT-S 16QAM	1	1	24.48	24.41	24.59	24.73	24.67	1
25M	DFT-S 64QAM	1	1	22.74	22.89	23.06	23.11	23.26	2.5
25M	DFT-S 256QAM	1	1	20.91	20.74	21.02	21.27	21.26	4.5
25M	CP QPSK	1	1	24.30	24.36	24.44	24.59	24.43	1.5

NR Conducted Power (Full)									
NR Band 77_HPUE									
BW	MCS Index	Channel		647334	651666	656000	660266	664666	3GPP MPR
		Frequence (MHz)		3710.01	3774.99	3840	3903.99	3969.99	
20M	DFT-S PI/2 BPSK	1	1	25.40	25.23	25.54	25.56	25.64	0
20M	DFT-S QPSK	1	1	25.52	25.38	25.56	25.64	25.83	0
		1	26	25.35	25.35	25.61	25.62	25.73	0
		1	49	25.38	25.30	25.49	25.81	25.66	0
		25	0	24.70	24.76	24.99	25.08	24.92	1
		25	13	25.66	25.57	25.63	25.79	25.84	0
		25	26	24.97	24.82	24.85	24.93	24.98	1
		50	0	24.46	24.25	24.49	24.64	24.62	1
20M	DFT-S 16QAM	1	1	24.47	24.43	24.53	24.65	24.75	1
20M	DFT-S 64QAM	1	1	22.86	22.87	23.04	23.18	23.24	2.5
20M	DFT-S 256QAM	1	1	20.83	20.81	21.03	21.24	21.19	4.5
20M	CP QPSK	1	1	24.23	24.29	24.48	24.55	24.47	1.5
BW	MCS Index	Channel		647168	651584	656000	660416	664832	3GPP MPR
		Frequence (MHz)		3707.52	3773.76	3840	3906.24	3972.48	
15M	DFT-S PI/2 BPSK	1	1	25.39	25.19	25.52	25.53	25.59	0
15M	DFT-S QPSK	1	1	25.44	25.27	25.48	25.56	25.62	0
		1	19	25.29	25.35	25.58	25.63	25.79	0
		1	36	25.33	25.31	25.43	25.71	25.71	0
		18	0	24.67	24.65	24.81	24.96	24.87	1
		18	10	25.49	25.62	25.59	25.70	25.80	0
		18	20	24.93	24.73	24.81	24.94	24.84	1
		36	0	24.40	24.31	24.50	24.67	24.49	1
15M	DFT-S 16QAM	1	1	24.56	24.25	24.42	24.56	24.68	1
15M	DFT-S 64QAM	1	1	22.76	22.83	23.09	23.09	23.23	2.5
15M	DFT-S 256QAM	1	1	20.83	20.72	20.93	21.13	21.21	4.5
15M	CP QPSK	1	1	24.30	24.19	24.35	24.45	24.37	1.5
BW	MCS Index	Channel		647000	651500	656000	660500	665000	3GPP MPR
		Frequence (MHz)		3705	3772.5	3840	3907.5	3975	
10M	DFT-S PI/2 BPSK	1	1	25.27	25.17	25.52	25.46	25.59	0
10M	DFT-S QPSK	1	1	25.40	25.28	25.43	25.49	25.56	0
		1	11	25.26	25.32	25.52	25.67	25.78	0
		1	22	25.29	25.32	25.34	25.72	25.63	0
		12	0	24.69	24.66	24.83	24.95	24.83	1
		12	6	25.49	25.59	25.54	25.69	25.77	0
		12	12	24.85	24.65	24.80	24.84	24.87	1
		24	0	24.29	24.21	24.56	24.52	24.50	1
10M	DFT-S 16QAM	1	1	24.42	24.21	24.35	24.56	24.58	1
10M	DFT-S 64QAM	1	1	22.82	22.80	23.03	23.10	23.25	2.5
10M	DFT-S 256QAM	1	1	20.80	20.72	20.91	21.15	21.13	4.5
10M	CP QPSK	1	1	24.23	24.14	24.36	24.42	24.35	1.5

NR Conducted Power (Full)							
NR Band 78							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel			633332		
		Frequence (MHz)			3499.98		
100M	DFT-S PI/2 BPSK	1	1		24.46		0
100M	DFT-S QPSK	1	1		24.47		0
		1	137		24.42		0
		1	271		24.35		0
		135	0		23.47		1
		135	69		24.45		0
		135	138		23.41		1
		270	0		23.46		1
100M	DFT-S 16QAM	1	1		23.45		1
100M	DFT-S 64QAM	1	1		22.38		2.5
100M	DFT-S 256QAM	1	1		22.36		4.5
100M	CP QPSK	1	1		23.48		1.5
BW	MCS Index	Channel		633000	633332	633666	3GPP MPR
		Frequence (MHz)		3495	3499.98	3504.99	
90M	DFT-S PI/2 BPSK	1	1	24.26	24.37	24.26	0
90M	DFT-S QPSK	1	1	24.37	24.42	24.26	0
		1	123	24.23	24.33	24.23	0
		1	243	24.16	24.27	24.22	0
		120	0	23.43	23.37	23.37	1
		120	63	24.41	24.42	24.29	0
		120	125	23.27	23.40	23.25	1
		243	0	23.27	23.38	23.21	1
90M	DFT-S 16QAM	1	1	23.35	23.39	23.37	1
90M	DFT-S 64QAM	1	1	22.30	22.29	22.26	2.5
90M	DFT-S 256QAM	1	1	22.23	22.31	22.23	4.5
90M	CP QPSK	1	1	23.37	23.47	23.37	1.5
BW	MCS Index	Channel		632668	633332	634000	3GPP MPR
		Frequence (MHz)		3490.02	3499.98	3510	
80M	DFT-S PI/2 BPSK	1	1	24.12	24.31	24.19	0
80M	DFT-S QPSK	1	1	24.30	24.26	24.13	0
		1	109	24.19	24.24	24.21	0
		1	215	24.08	24.19	24.10	0
		108	0	23.30	23.40	23.23	1
		108	55	24.28	24.26	24.18	0
		108	109	23.26	23.32	23.26	1
		216	0	23.18	23.34	23.12	1
80M	DFT-S 16QAM	1	1	23.28	23.36	23.32	1
80M	DFT-S 64QAM	1	1	22.13	22.31	22.28	2.5
80M	DFT-S 256QAM	1	1	22.24	22.13	22.06	4.5
80M	CP QPSK	1	1	23.38	23.37	23.30	1.5

NR Conducted Power (Full)							
NR Band 78							
BW	MCS Index	Channel		632334	633332	634332	3GPP MPR
		Frequence (MHz)		3485.01	3499.98	3514.98	
70M	DFT-S PI/2 BPSK	1	1	24.28	24.23	24.09	0
70M	DFT-S QPSK	1	1	24.31	24.40	24.19	0
		1	95	24.20	24.19	24.03	0
		1	187	24.15	24.27	24.07	0
		90	0	23.35	23.32	23.12	1
		90	50	24.24	24.42	24.13	0
		90	99	23.18	23.27	23.12	1
		180	0	23.27	23.34	23.10	1
70M	DFT-S 16QAM	1	1	23.29	23.24	23.28	1
70M	DFT-S 64QAM	1	1	22.12	22.24	22.20	2.5
70M	DFT-S 256QAM	1	1	22.24	22.28	22.11	4.5
70M	CP QPSK	1	1	23.32	23.39	23.36	1.5
BW	MCS Index	Channel		632000	633332	634666	3GPP MPR
		Frequence (MHz)		3480	3499.98	3519.99	
60M	DFT-S PI/2 BPSK	1	1	24.20	24.43	24.12	0
60M	DFT-S QPSK	1	1	24.24	24.41	24.21	0
		1	81	24.21	24.35	24.15	0
		1	160	24.14	24.17	24.13	0
		81	0	23.37	23.23	23.26	1
		81	41	24.17	24.34	24.32	0
		81	81	23.25	23.32	23.20	1
		162	0	23.31	23.35	23.03	1
60M	DFT-S 16QAM	1	1	23.30	23.28	23.31	1
60M	DFT-S 64QAM	1	1	22.21	22.19	22.18	2.5
60M	DFT-S 256QAM	1	1	22.27	22.20	22.05	4.5
60M	CP QPSK	1	1	23.33	23.40	23.29	1.5
BW	MCS Index	Channel		631668	633332	635000	3GPP MPR
		Frequence (MHz)		3475.02	3499.98	3525	
50M	DFT-S PI/2 BPSK	1	1	24.23	24.43	24.10	0
50M	DFT-S QPSK	1	1	24.29	24.26	24.25	0
		1	67	24.24	24.31	24.09	0
		1	131	24.21	24.23	24.18	0
		64	0	23.27	23.27	23.22	1
		64	35	24.34	24.26	24.15	0
		64	69	23.24	23.37	23.20	1
		128	0	23.34	23.41	23.17	1
50M	DFT-S 16QAM	1	1	23.27	23.37	23.33	1
50M	DFT-S 64QAM	1	1	22.24	22.13	22.27	2.5
50M	DFT-S 256QAM	1	1	22.25	22.18	22.12	4.5
50M	CP QPSK	1	1	23.34	23.40	23.23	1.5

NR Conducted Power (Full)							
NR Band 78							
BW	MCS Index	Channel		631334	633332	635332	3GPP MPR
		Frequence (MHz)		3470.01	3499.98	3529.98	
40M	DFT-S PI/2 BPSK	1	1	24.13	24.28	24.16	0
40M	DFT-S QPSK	1	1	24.25	24.36	24.07	0
		1	53	24.26	24.36	24.04	0
		1	104	23.99	24.26	24.05	0
		50	0	23.36	23.25	23.26	1
		50	28	24.30	24.26	24.22	0
		50	56	23.13	23.30	23.08	1
		100	0	23.20	23.21	23.05	1
40M	DFT-S 16QAM	1	1	23.24	23.31	23.25	1
40M	DFT-S 64QAM	1	1	22.13	22.13	22.08	2.5
40M	DFT-S 256QAM	1	1	22.11	22.11	22.15	4.5
40M	CP QPSK	1	1	23.30	23.29	23.29	1.5
BW	MCS Index	Channel		631000	633332	635666	3GPP MPR
		Frequence (MHz)		3465	3499.98	3534.99	
30M	DFT-S PI/2 BPSK	1	1	24.14	24.10	24.04	0
30M	DFT-S QPSK	1	1	24.21	24.39	24.07	0
		1	39	24.16	24.27	23.94	0
		1	76	23.97	24.15	23.91	0
		36	0	23.32	23.05	23.16	1
		36	21	24.08	24.24	24.03	0
		36	42	23.07	23.21	22.94	1
		75	0	23.11	23.15	23.05	1
30M	DFT-S 16QAM	1	1	23.21	23.26	23.29	1
30M	DFT-S 64QAM	1	1	22.02	22.03	21.97	2.5
30M	DFT-S 256QAM	1	1	22.05	22.04	21.97	4.5
30M	CP QPSK	1	1	23.26	23.22	23.23	1.5
BW	MCS Index	Channel		630834	633332	635832	3GPP MPR
		Frequence (MHz)		3462.51	3499.98	3537.48	
25M	DFT-S PI/2 BPSK	1	1	24.09	24.11	24.05	0
25M	DFT-S QPSK	1	1	24.15	24.30	23.98	0
		1	33	24.12	24.34	24.00	0
		1	63	23.95	24.21	23.92	0
		32	0	23.26	23.12	23.11	1
		32	17	24.30	24.30	23.98	0
		32	33	23.13	23.15	23.01	1
		64	0	23.15	23.19	23.08	1
25M	DFT-S 16QAM	1	1	23.23	23.31	23.21	1
25M	DFT-S 64QAM	1	1	22.01	21.94	22.06	2.5
25M	DFT-S 256QAM	1	1	22.15	21.96	22.01	4.5
25M	CP QPSK	1	1	23.27	23.29	23.20	1.5

NR Conducted Power (Full)							
NR Band 78							
BW	MCS Index	Channel		630668	633332	636000	3GPP MPR
		Frequence (MHz)		3460.02	3499.98	3540	
20M	DFT-S PI/2 BPSK	1	1	24.07	24.10	24.07	0
20M	DFT-S QPSK	1	1	24.21	24.32	23.93	0
		1	26	24.21	24.26	23.91	0
		1	49	23.91	24.17	23.98	0
		25	0	23.31	23.06	23.11	1
		25	13	24.27	24.10	24.07	0
		25	26	23.02	23.19	22.95	1
		50	0	22.99	23.26	23.06	1
20M	DFT-S 16QAM	1	1	23.22	23.25	23.16	1
20M	DFT-S 64QAM	1	1	22.22	22.04	22.17	2.5
20M	DFT-S 256QAM	1	1	22.14	22.07	22.03	4.5
20M	CP QPSK	1	1	23.20	23.16	23.23	1.5
BW	MCS Index	Channel		630500	633332	636166	3GPP MPR
		Frequence (MHz)		3457.5	3499.98	3542.49	
15M	DFT-S PI/2 BPSK	1	1	24.14	24.24	24.02	0
15M	DFT-S QPSK	1	1	24.08	24.25	24.15	0
		1	19	24.18	24.27	23.98	0
		1	36	23.81	24.14	23.89	0
		18	0	23.31	23.15	23.23	1
		18	10	24.18	24.18	24.22	0
		18	20	23.00	23.11	22.99	1
		36	0	23.22	23.07	23.07	1
15M	DFT-S 16QAM	1	1	23.22	23.17	23.15	1
15M	DFT-S 64QAM	1	1	22.12	22.08	22.11	2.5
15M	DFT-S 256QAM	1	1	22.07	22.05	22.10	4.5
15M	CP QPSK	1	1	23.29	23.21	23.31	1.5
BW	MCS Index	Channel		630334	633332	636332	3GPP MPR
		Frequence (MHz)		3455.01	3499.98	3544.98	
10M	DFT-S PI/2 BPSK	1	1	24.05	24.24	24.11	0
10M	DFT-S QPSK	1	1	24.21	24.39	23.94	0
		1	11	24.07	24.20	23.76	0
		1	22	23.81	24.16	24.00	0
		12	0	23.32	23.17	23.13	1
		12	6	24.22	24.11	24.02	0
		12	12	22.96	23.09	22.94	1
		24	0	23.13	23.11	22.98	1
10M	DFT-S 16QAM	1	1	23.17	23.20	23.16	1
10M	DFT-S 64QAM	1	1	22.04	21.93	22.01	2.5
10M	DFT-S 256QAM	1	1	22.01	22.01	21.99	4.5
10M	CP QPSK	1	1	23.21	23.19	23.16	1.5

NR Conducted Power (Full)							
NR Band 78							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel			650000		
		Frequence (MHz)			3750		
100M	DFT-S PI/2 BPSK	1	1		24.46		0
100M	DFT-S QPSK	1	1		24.48		0
		1	137		24.37		0
		1	271		24.35		0
		135	0		23.43		1
		135	69		24.46		0
		135	138		23.47		1
		270	0		23.48		1
100M	DFT-S 16QAM	1	1		23.46		1
100M	DFT-S 64QAM	1	1		21.58		2.5
100M	DFT-S 256QAM	1	1		19.46		4.5
100M	CP QPSK	1	1		22.63		1.5
BW	MCS Index	Channel		649668	650000	650332	3GPP MPR
		Frequence (MHz)		3745.02	3750	3754.98	
90M	DFT-S PI/2 BPSK	1	1	24.36	24.40	24.21	0
90M	DFT-S QPSK	1	1	24.41	24.46	24.38	0
		1	123	24.24	24.30	24.10	0
		1	243	24.20	24.29	24.17	0
		120	0	23.31	23.39	23.26	1
		120	63	24.34	24.42	24.26	0
		120	125	23.34	23.47	23.31	1
		243	0	23.43	23.38	23.27	1
90M	DFT-S 16QAM	1	1	23.40	23.44	23.38	1
90M	DFT-S 64QAM	1	1	21.53	21.50	21.47	2.5
90M	DFT-S 256QAM	1	1	19.36	19.39	19.32	4.5
90M	CP QPSK	1	1	22.53	22.53	22.45	1.5
BW	MCS Index	Channel		649334	650000	650666	3GPP MPR
		Frequence (MHz)		3740.01	3750	3759.99	
80M	DFT-S PI/2 BPSK	1	1	24.18	24.25	24.07	0
80M	DFT-S QPSK	1	1	24.33	24.26	24.39	0
		1	109	24.08	24.25	24.02	0
		1	215	24.15	24.25	24.11	0
		108	0	23.28	23.34	23.11	1
		108	55	24.35	24.43	24.23	0
		108	109	23.28	23.38	23.33	1
		216	0	23.28	23.28	23.23	1
80M	DFT-S 16QAM	1	1	23.22	23.43	23.36	1
80M	DFT-S 64QAM	1	1	21.40	21.42	21.29	2.5
80M	DFT-S 256QAM	1	1	19.31	19.37	19.41	4.5
80M	CP QPSK	1	1	22.48	22.53	22.43	1.5

NR Conducted Power (Full)							
NR Band 78							
BW	MCS Index	Channel		649000	650000	651000	3GPP MPR
		Frequence (MHz)		3735	3750	3765	
70M	DFT-S PI/2 BPSK	1	1	24.30	24.26	24.00	0
70M	DFT-S QPSK	1	1	24.41	24.32	24.31	0
		1	95	24.17	24.20	24.01	0
		1	187	24.17	24.17	24.13	0
		90	0	23.20	23.20	23.04	1
		90	50	24.38	24.30	24.08	0
		90	99	23.27	23.27	23.24	1
		180	0	23.32	23.26	23.16	1
70M	DFT-S 16QAM	1	1	23.23	23.27	23.43	1
70M	DFT-S 64QAM	1	1	21.45	21.46	21.28	2.5
70M	DFT-S 256QAM	1	1	19.40	19.23	19.26	4.5
70M	CP QPSK	1	1	22.40	22.43	22.48	1.5
BW	MCS Index	Channel		648668	650000	651332	3GPP MPR
		Frequence (MHz)		3730.02	3750	3769.98	
60M	DFT-S PI/2 BPSK	1	1	24.11	24.29	24.10	0
60M	DFT-S QPSK	1	1	24.44	24.35	24.33	0
		1	81	24.09	24.20	24.10	0
		1	160	24.22	24.23	24.00	0
		81	0	23.29	23.36	23.19	1
		81	41	24.22	24.39	24.23	0
		81	81	23.37	23.24	23.35	1
		162	0	23.37	23.42	23.16	1
60M	DFT-S 16QAM	1	1	23.32	23.39	23.38	1
60M	DFT-S 64QAM	1	1	21.33	21.50	21.41	2.5
60M	DFT-S 256QAM	1	1	19.40	19.33	19.30	4.5
60M	CP QPSK	1	1	22.43	22.46	22.49	1.5
BW	MCS Index	Channel		648334	650000	651666	3GPP MPR
		Frequence (MHz)		3725.01	3750	3774.99	
50M	DFT-S PI/2 BPSK	1	1	24.20	24.33	24.18	0
50M	DFT-S QPSK	1	1	24.43	24.44	24.25	0
		1	67	24.02	24.23	24.07	0
		1	131	24.16	24.24	24.02	0
		64	0	23.16	23.27	23.07	1
		64	35	24.29	24.30	24.23	0
		64	69	23.22	23.36	23.29	1
		128	0	23.38	23.34	23.33	1
50M	DFT-S 16QAM	1	1	23.25	23.36	23.38	1
50M	DFT-S 64QAM	1	1	21.49	21.46	21.35	2.5
50M	DFT-S 256QAM	1	1	19.24	19.36	19.27	4.5
50M	CP QPSK	1	1	22.45	22.46	22.38	1.5

NR Conducted Power (Full)							
NR Band 78							
BW	MCS Index	Channel		648000	650000	652000	3GPP MPR
		Frequence (MHz)		3720	3750	3780	
40M	DFT-S PI/2 BPSK	1	1	24.15	24.25	24.16	0
40M	DFT-S QPSK	1	1	24.35	24.40	24.24	0
		1	53	23.94	24.21	24.06	0
		1	104	24.13	24.21	23.95	0
		50	0	23.09	23.17	22.99	1
		50	28	24.29	24.25	24.16	0
		50	56	23.13	23.36	23.29	1
		100	0	23.31	23.28	23.32	1
40M	DFT-S 16QAM	1	1	23.19	23.26	23.36	1
40M	DFT-S 64QAM	1	1	21.48	21.36	21.29	2.5
40M	DFT-S 256QAM	1	1	19.18	19.31	19.22	4.5
40M	CP QPSK	1	1	22.39	22.38	22.33	1.5
BW	MCS Index	Channel		647668	650000	652332	3GPP MPR
		Frequence (MHz)		3715.02	3750	3784.98	
30M	DFT-S PI/2 BPSK	1	1	24.12	24.25	23.93	0
30M	DFT-S QPSK	1	1	24.24	24.35	24.20	0
		1	39	23.86	24.01	23.90	0
		1	76	24.02	24.00	23.98	0
		36	0	22.95	23.12	22.92	1
		36	21	24.12	24.14	24.21	0
		36	42	23.10	23.22	23.16	1
		75	0	23.32	23.30	23.27	1
30M	DFT-S 16QAM	1	1	23.17	23.20	23.21	1
30M	DFT-S 64QAM	1	1	21.29	21.32	21.25	2.5
30M	DFT-S 256QAM	1	1	19.07	19.25	19.08	4.5
30M	CP QPSK	1	1	22.35	22.37	22.25	1.5
BW	MCS Index	Channel		647500	650000	652500	3GPP MPR
		Frequence (MHz)		3712.5	3750	3787.5	
25M	DFT-S PI/2 BPSK	1	1	23.98	24.19	23.97	0
25M	DFT-S QPSK	1	1	24.27	24.42	24.21	0
		1	33	23.97	24.12	23.73	0
		1	63	24.14	24.12	23.81	0
		32	0	23.09	23.12	22.76	1
		32	17	24.09	24.06	24.07	0
		32	33	23.18	23.17	23.07	1
		64	0	23.26	23.31	23.18	1
25M	DFT-S 16QAM	1	1	23.14	23.30	23.37	1
25M	DFT-S 64QAM	1	1	21.35	21.28	21.25	2.5
25M	DFT-S 256QAM	1	1	19.14	19.25	19.09	4.5
25M	CP QPSK	1	1	22.35	22.31	22.32	1.5

NR Conducted Power (Full)							
NR Band 78							
BW	MCS Index	Channel		647334	650000	652666	3GPP MPR
		Frequence (MHz)		3710.01	3750	3789.99	
20M	DFT-S PI/2 BPSK	1	1	24.16	24.17	24.04	0
20M	DFT-S QPSK	1	1	24.34	24.23	24.13	0
		1	26	23.91	24.15	23.92	0
		1	49	23.97	24.16	23.85	0
		25	0	23.11	23.20	22.88	1
		25	13	24.13	24.18	24.20	0
		25	26	23.14	23.27	23.25	1
		50	0	23.19	23.15	23.26	1
20M	DFT-S 16QAM	1	1	23.15	23.15	23.22	1
20M	DFT-S 64QAM	1	1	21.32	21.39	21.15	2.5
20M	DFT-S 256QAM	1	1	19.04	19.15	19.15	4.5
20M	CP QPSK	1	1	22.27	22.43	22.28	1.5
BW	MCS Index	Channel		647168	650000	652832	3GPP MPR
		Frequence (MHz)		3707.52	3750	3792.48	
15M	DFT-S PI/2 BPSK	1	1	24.04	24.21	23.96	0
15M	DFT-S QPSK	1	1	24.25	24.29	24.05	0
		1	19	23.87	24.12	23.88	0
		1	36	24.00	24.18	23.83	0
		18	0	23.06	23.15	22.92	1
		18	10	24.13	24.16	24.13	0
		18	20	23.00	23.28	23.21	1
		36	0	23.25	23.15	23.23	1
15M	DFT-S 16QAM	1	1	23.22	23.17	23.19	1
15M	DFT-S 64QAM	1	1	21.40	21.30	21.25	2.5
15M	DFT-S 256QAM	1	1	19.14	19.29	19.11	4.5
15M	CP QPSK	1	1	22.22	22.36	22.25	1.5
BW	MCS Index	Channel		647000	650000	653000	3GPP MPR
		Frequence (MHz)		3705	3750	3795	
10M	DFT-S PI/2 BPSK	1	1	24.08	24.19	24.00	0
10M	DFT-S QPSK	1	1	24.41	24.31	24.00	0
		1	11	23.95	24.07	23.94	0
		1	22	24.08	24.23	23.88	0
		12	0	22.98	23.13	22.95	1
		12	6	24.10	24.24	24.08	0
		12	12	23.14	23.30	23.15	1
		24	0	23.23	23.32	23.29	1
10M	DFT-S 16QAM	1	1	23.05	23.28	23.37	1
10M	DFT-S 64QAM	1	1	21.34	21.31	21.21	2.5
10M	DFT-S 256QAM	1	1	19.15	19.31	19.16	4.5
10M	CP QPSK	1	1	22.37	22.23	22.23	1.5

NR Conducted Power (Full)							
NR Band 78_HPUE							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel			633332		
		Frequence (MHz)			3499.98		
100M	DFT-S PI/2 BPSK	1	1		26.46		0
100M	DFT-S QPSK	1	1		26.47		0
		1	137		26.43		0
		1	271		26.38		0
		135	0		25.67		1
		135	69		26.45		0
		135	138		25.46		1
		270	0		25.52		1
100M	DFT-S 16QAM	1	1		25.46		1
100M	DFT-S 64QAM	1	1		24.03		2.5
100M	DFT-S 256QAM	1	1		21.91		4.5
100M	CP QPSK	1	1		25.18		1.5
BW	MCS Index	Channel		633000	633332	633666	3GPP MPR
		Frequence (MHz)		3495	3499.98	3504.99	
90M	DFT-S PI/2 BPSK	1	1	26.32	26.40	26.30	0
90M	DFT-S QPSK	1	1	26.33	26.42	26.37	0
		1	123	26.31	26.36	26.33	0
		1	243	26.27	26.34	26.24	0
		120	0	25.59	25.60	25.55	1
		120	63	26.23	26.41	26.32	0
		120	125	25.39	25.42	25.42	1
		243	0	25.38	25.47	25.35	1
90M	DFT-S 16QAM	1	1	25.38	25.37	25.44	1
90M	DFT-S 64QAM	1	1	23.81	24.02	23.92	2.5
90M	DFT-S 256QAM	1	1	21.74	21.84	21.85	4.5
90M	CP QPSK	1	1	25.02	25.10	25.02	1.5
BW	MCS Index	Channel		632668	633332	634000	3GPP MPR
		Frequence (MHz)		3490.02	3499.98	3510	
80M	DFT-S PI/2 BPSK	1	1	26.16	26.33	26.27	0
80M	DFT-S QPSK	1	1	26.32	26.36	26.31	0
		1	109	26.38	26.25	26.32	0
		1	215	26.19	26.31	26.26	0
		108	0	25.43	25.54	25.51	1
		108	55	26.23	26.32	26.27	0
		108	109	25.33	25.24	25.33	1
		216	0	25.32	25.36	25.30	1
80M	DFT-S 16QAM	1	1	25.31	25.33	25.35	1
80M	DFT-S 64QAM	1	1	23.70	23.96	23.82	2.5
80M	DFT-S 256QAM	1	1	21.63	21.83	21.80	4.5
80M	CP QPSK	1	1	24.98	25.03	24.91	1.5

NR Conducted Power (Full)							
NR Band 78_HPUE							
BW	MCS Index	Channel		632334	633332	634332	3GPP MPR
		Frequence (MHz)		3485.01	3499.98	3514.98	
70M	DFT-S PI/2 BPSK	1	1	26.25	26.39	26.26	0
70M	DFT-S QPSK	1	1	26.33	26.39	26.24	0
		1	95	26.32	26.36	26.22	0
		1	187	26.10	26.21	26.12	0
		90	0	25.40	25.53	25.33	1
		90	50	26.16	26.32	26.08	0
		90	99	25.28	25.34	25.16	1
		180	0	25.29	25.34	25.28	1
70M	DFT-S 16QAM	1	1	25.31	25.30	25.26	1
70M	DFT-S 64QAM	1	1	23.81	23.93	23.95	2.5
70M	DFT-S 256QAM	1	1	21.69	21.71	21.77	4.5
70M	CP QPSK	1	1	24.95	24.99	24.92	1.5
BW	MCS Index	Channel		632000	633332	634666	3GPP MPR
		Frequence (MHz)		3480	3499.98	3519.99	
60M	DFT-S PI/2 BPSK	1	1	26.22	26.35	26.19	0
60M	DFT-S QPSK	1	1	26.31	26.30	26.42	0
		1	81	26.33	26.29	26.21	0
		1	160	26.22	26.32	26.09	0
		81	0	25.48	25.59	25.57	1
		81	41	26.18	26.35	26.31	0
		81	81	25.34	25.41	25.34	1
		162	0	25.31	25.50	25.34	1
60M	DFT-S 16QAM	1	1	25.41	25.23	25.27	1
60M	DFT-S 64QAM	1	1	23.80	23.97	23.81	2.5
60M	DFT-S 256QAM	1	1	21.65	21.73	21.71	4.5
60M	CP QPSK	1	1	24.91	24.97	24.97	1.5
BW	MCS Index	Channel		631668	633332	635000	3GPP MPR
		Frequence (MHz)		3475.02	3499.98	3525	
50M	DFT-S PI/2 BPSK	1	1	26.30	26.33	26.32	0
50M	DFT-S QPSK	1	1	26.19	26.34	26.37	0
		1	67	26.29	26.21	26.30	0
		1	131	26.10	26.25	26.16	0
		64	0	25.58	25.58	25.52	1
		64	35	26.23	26.28	26.33	0
		64	69	25.26	25.28	25.30	1
		128	0	25.34	25.37	25.32	1
50M	DFT-S 16QAM	1	1	25.27	25.37	25.25	1
50M	DFT-S 64QAM	1	1	23.86	23.83	23.75	2.5
50M	DFT-S 256QAM	1	1	21.69	21.86	21.72	4.5
50M	CP QPSK	1	1	24.92	25.07	25.04	1.5

NR Conducted Power (Full)							
NR Band 78_HPUE							
BW	MCS Index	Channel		631334	633332	635332	3GPP MPR
		Frequence (MHz)		3470.01	3499.98	3529.98	
40M	DFT-S PI/2 BPSK	1	1	26.21	26.37	26.27	0
40M	DFT-S QPSK	1	1	26.33	26.28	26.25	0
		1	53	26.15	26.20	26.23	0
		1	104	26.20	26.13	26.09	0
		50	0	25.44	25.42	25.45	1
		50	28	26.15	26.32	26.10	0
		50	56	25.19	25.41	25.31	1
		100	0	25.27	25.38	25.21	1
40M	DFT-S 16QAM	1	1	25.16	25.33	25.35	1
40M	DFT-S 64QAM	1	1	23.66	23.89	23.79	2.5
40M	DFT-S 256QAM	1	1	21.64	21.72	21.68	4.5
40M	CP QPSK	1	1	24.98	24.93	24.93	1.5
BW	MCS Index	Channel		631000	633332	635666	3GPP MPR
		Frequence (MHz)		3465	3499.98	3534.99	
30M	DFT-S PI/2 BPSK	1	1	26.22	26.26	26.15	0
30M	DFT-S QPSK	1	1	26.21	26.18	26.17	0
		1	39	26.22	26.15	26.15	0
		1	76	26.05	26.07	26.00	0
		36	0	25.47	25.34	25.30	1
		36	21	26.03	26.18	25.99	0
		36	42	25.13	25.27	25.18	1
		75	0	25.24	25.38	25.18	1
30M	DFT-S 16QAM	1	1	25.12	25.17	25.39	1
30M	DFT-S 64QAM	1	1	23.64	23.66	23.77	2.5
30M	DFT-S 256QAM	1	1	21.52	21.71	21.68	4.5
30M	CP QPSK	1	1	24.75	24.90	24.80	1.5
BW	MCS Index	Channel		630834	633332	635832	3GPP MPR
		Frequence (MHz)		3462.51	3499.98	3537.48	
25M	DFT-S PI/2 BPSK	1	1	26.11	26.28	26.17	0
25M	DFT-S QPSK	1	1	26.13	26.22	26.23	0
		1	33	26.14	26.11	26.21	0
		1	63	26.01	26.04	25.90	0
		32	0	25.45	25.45	25.29	1
		32	17	26.04	26.27	26.01	0
		32	33	25.13	25.31	25.16	1
		64	0	25.23	25.44	25.18	1
25M	DFT-S 16QAM	1	1	25.16	25.19	25.39	1
25M	DFT-S 64QAM	1	1	23.72	23.82	23.73	2.5
25M	DFT-S 256QAM	1	1	21.59	21.68	21.60	4.5
25M	CP QPSK	1	1	24.99	24.81	24.94	1.5

NR Conducted Power (Full)							
NR Band 78_HPUE							
BW	MCS Index	Channel		630668	633332	636000	3GPP MPR
		Frequence (MHz)		3460.02	3499.98	3540	
20M	DFT-S PI/2 BPSK	1	1	26.13	26.25	26.17	0
20M	DFT-S QPSK	1	1	26.21	26.12	26.21	0
		1	26	26.09	26.19	26.24	0
		1	49	26.04	26.05	26.01	0
		25	0	25.37	25.40	25.42	1
		25	13	26.09	26.21	26.07	0
		25	26	25.12	25.33	25.30	1
		50	0	25.23	25.38	25.11	1
20M	DFT-S 16QAM	1	1	25.21	25.28	25.31	1
20M	DFT-S 64QAM	1	1	23.62	23.74	23.74	2.5
20M	DFT-S 256QAM	1	1	21.68	21.77	21.66	4.5
20M	CP QPSK	1	1	24.96	24.87	24.89	1.5
BW	MCS Index	Channel		630500	633332	636166	3GPP MPR
		Frequence (MHz)		3457.5	3499.98	3542.49	
15M	DFT-S PI/2 BPSK	1	1	26.20	26.37	26.09	0
15M	DFT-S QPSK	1	1	26.15	26.20	26.17	0
		1	19	26.11	26.17	26.17	0
		1	36	26.03	25.95	25.96	0
		18	0	25.43	25.29	25.42	1
		18	10	26.17	26.14	25.92	0
		18	20	25.15	25.37	25.28	1
		36	0	25.31	25.29	25.18	1
15M	DFT-S 16QAM	1	1	25.16	25.14	25.26	1
15M	DFT-S 64QAM	1	1	23.54	23.77	23.79	2.5
15M	DFT-S 256QAM	1	1	21.62	21.65	21.61	4.5
15M	CP QPSK	1	1	24.85	24.88	24.70	1.5
BW	MCS Index	Channel		630334	633332	636332	3GPP MPR
		Frequence (MHz)		3455.01	3499.98	3544.98	
10M	DFT-S PI/2 BPSK	1	1	26.16	26.31	26.13	0
10M	DFT-S QPSK	1	1	26.13	26.16	26.19	0
		1	11	26.13	26.22	26.10	0
		1	22	26.01	26.00	26.08	0
		12	0	25.37	25.37	25.32	1
		12	6	26.09	26.27	26.07	0
		12	12	25.20	25.27	25.27	1
		24	0	25.27	25.39	25.09	1
10M	DFT-S 16QAM	1	1	25.14	25.17	25.26	1
10M	DFT-S 64QAM	1	1	23.70	23.85	23.76	2.5
10M	DFT-S 256QAM	1	1	21.56	21.70	21.62	4.5
10M	CP QPSK	1	1	24.89	24.84	24.83	1.5

NR Conducted Power (Full)							
NR Band 78_HPUE							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel			650000		
		Frequence (MHz)			3750		
100M	DFT-S PI/2 BPSK	1	1		25.79		0
100M	DFT-S QPSK	1	1		25.85		0
		1	137		25.81		0
		1	271		25.82		0
		135	0		24.97		1
		135	69		25.83		0
		135	138		25.06		1
		270	0		24.97		1
100M	DFT-S 16QAM	1	1		24.83		1
100M	DFT-S 64QAM	1	1		23.39		2.5
100M	DFT-S 256QAM	1	1		21.27		4.5
100M	CP QPSK	1	1		24.32		1.5
BW	MCS Index	Channel		649668	650000	650332	3GPP MPR
		Frequence (MHz)		3745.02	3750	3754.98	
90M	DFT-S PI/2 BPSK	1	1	25.69	25.71	25.67	0
90M	DFT-S QPSK	1	1	25.74	25.82	25.72	0
		1	123	25.65	25.80	25.64	0
		1	243	25.63	25.82	25.77	0
		120	0	24.92	24.88	24.91	1
		120	63	25.60	25.82	25.72	0
		120	125	24.99	24.97	24.91	1
		243	0	24.80	24.95	24.87	1
90M	DFT-S 16QAM	1	1	24.69	24.78	24.76	1
90M	DFT-S 64QAM	1	1	23.26	23.39	23.27	2.5
90M	DFT-S 256QAM	1	1	21.16	21.24	21.26	4.5
90M	CP QPSK	1	1	24.11	24.22	24.22	1.5
BW	MCS Index	Channel		649334	650000	650666	3GPP MPR
		Frequence (MHz)		3740.01	3750	3759.99	
80M	DFT-S PI/2 BPSK	1	1	25.64	25.59	25.58	0
80M	DFT-S QPSK	1	1	25.60	25.73	25.60	0
		1	109	25.56	25.79	25.58	0
		1	215	25.61	25.72	25.73	0
		108	0	24.83	24.79	24.87	1
		108	55	25.50	25.75	25.63	0
		108	109	24.86	24.94	24.84	1
		216	0	24.73	24.91	24.85	1
80M	DFT-S 16QAM	1	1	24.63	24.61	24.62	1
80M	DFT-S 64QAM	1	1	23.27	23.22	23.10	2.5
80M	DFT-S 256QAM	1	1	21.01	21.10	21.26	4.5
80M	CP QPSK	1	1	24.04	24.17	24.15	1.5

NR Conducted Power (Full)							
NR Band 78_HPUE							
BW	MCS Index	Channel		649000	650000	651000	3GPP MPR
		Frequence (MHz)		3735	3750	3765	
70M	DFT-S PI/2 BPSK	1	1	25.51	25.67	25.51	0
70M	DFT-S QPSK	1	1	25.67	25.73	25.62	0
		1	95	25.54	25.64	25.51	0
		1	187	25.54	25.63	25.62	0
		90	0	24.84	24.85	24.76	1
		90	50	25.54	25.73	25.59	0
		90	99	24.96	24.88	24.76	1
		180	0	24.66	24.91	24.82	1
70M	DFT-S 16QAM	1	1	24.68	24.73	24.72	1
70M	DFT-S 64QAM	1	1	23.29	23.21	23.30	2.5
70M	DFT-S 256QAM	1	1	21.05	21.26	21.22	4.5
70M	CP QPSK	1	1	24.05	24.24	24.16	1.5
BW	MCS Index	Channel		648668	650000	651332	3GPP MPR
		Frequence (MHz)		3730.02	3750	3769.98	
60M	DFT-S PI/2 BPSK	1	1	25.58	25.60	25.66	0
60M	DFT-S QPSK	1	1	25.65	25.66	25.66	0
		1	81	25.55	25.81	25.58	0
		1	160	25.51	25.79	25.60	0
		81	0	24.82	24.91	24.79	1
		81	41	25.56	25.68	25.53	0
		81	81	24.85	24.87	24.89	1
		162	0	24.78	24.89	24.73	1
60M	DFT-S 16QAM	1	1	24.58	24.71	24.73	1
60M	DFT-S 64QAM	1	1	23.21	23.31	23.16	2.5
60M	DFT-S 256QAM	1	1	21.00	21.20	21.21	4.5
60M	CP QPSK	1	1	24.13	24.14	24.17	1.5
BW	MCS Index	Channel		648334	650000	651666	3GPP MPR
		Frequence (MHz)		3725.01	3750	3774.99	
50M	DFT-S PI/2 BPSK	1	1	25.54	25.77	25.61	0
50M	DFT-S QPSK	1	1	25.59	25.72	25.70	0
		1	67	25.57	25.70	25.62	0
		1	131	25.52	25.70	25.64	0
		64	0	24.74	24.84	24.76	1
		64	35	25.54	25.66	25.66	0
		64	69	24.83	24.92	24.93	1
		128	0	24.77	24.91	24.73	1
50M	DFT-S 16QAM	1	1	24.64	24.73	24.58	1
50M	DFT-S 64QAM	1	1	23.14	23.30	23.21	2.5
50M	DFT-S 256QAM	1	1	21.11	21.19	21.09	4.5
50M	CP QPSK	1	1	24.18	24.13	24.24	1.5

NR Conducted Power (Full)							
NR Band 78_HPUE							
BW	MCS Index	Channel		648000	650000	652000	3GPP MPR
		Frequence (MHz)		3720	3750	3780	
40M	DFT-S PI/2 BPSK	1	1	25.53	25.62	25.59	0
40M	DFT-S QPSK	1	1	25.66	25.70	25.66	0
		1	53	25.51	25.50	25.56	0
		1	104	25.53	25.62	25.62	0
		50	0	24.67	24.78	24.77	1
		50	28	25.53	25.59	25.57	0
		50	56	24.84	24.91	24.69	1
		100	0	24.69	24.65	24.77	1
40M	DFT-S 16QAM	1	1	24.50	24.71	24.53	1
40M	DFT-S 64QAM	1	1	23.12	23.14	23.19	2.5
40M	DFT-S 256QAM	1	1	21.15	21.16	21.13	4.5
40M	CP QPSK	1	1	24.08	24.07	24.17	1.5
BW	MCS Index	Channel		647668	650000	652332	3GPP MPR
		Frequence (MHz)		3715.02	3750	3784.98	
30M	DFT-S PI/2 BPSK	1	1	25.51	25.50	25.53	0
30M	DFT-S QPSK	1	1	25.53	25.61	25.52	0
		1	39	25.61	25.50	25.51	0
		1	76	25.54	25.56	25.53	0
		36	0	24.61	24.68	24.70	1
		36	21	25.53	25.52	25.50	0
		36	42	24.84	24.89	24.62	1
		75	0	24.61	24.64	24.71	1
30M	DFT-S 16QAM	1	1	25.55	24.59	24.55	1
30M	DFT-S 64QAM	1	1	23.08	23.09	23.15	2.5
30M	DFT-S 256QAM	1	1	21.15	21.11	21.06	4.5
30M	CP QPSK	1	1	24.33	24.15	24.04	1.5
BW	MCS Index	Channel		647500	650000	652500	3GPP MPR
		Frequence (MHz)		3712.5	3750	3787.5	
25M	DFT-S PI/2 BPSK	1	1	25.54	25.62	25.61	0
25M	DFT-S QPSK	1	1	25.52	25.69	25.54	0
		1	33	25.61	25.51	25.53	0
		1	63	25.55	25.52	25.56	0
		32	0	24.59	24.70	24.64	1
		32	17	25.55	25.53	25.60	0
		32	33	24.75	24.99	24.60	1
		64	0	24.69	24.67	24.70	1
25M	DFT-S 16QAM	1	1	24.64	24.72	24.56	1
25M	DFT-S 64QAM	1	1	23.03	23.15	23.04	2.5
25M	DFT-S 256QAM	1	1	21.03	21.06	21.09	4.5
25M	CP QPSK	1	1	24.13	24.05	24.07	1.5

NR Conducted Power (Full)							
NR Band 78_HPUE							
BW	MCS Index	Channel		647334	650000	652666	3GPP MPR
		Frequence (MHz)		3710.01	3750	3789.99	
20M	DFT-S PI/2 BPSK	1	1	25.77	25.63	25.63	0
20M	DFT-S QPSK	1	1	25.68	25.71	25.78	0
		1	26	25.56	25.61	25.58	0
		1	49	25.58	25.69	25.65	0
		25	0	24.73	24.93	24.93	1
		25	13	25.65	25.67	25.69	0
		25	26	24.94	25.12	24.92	1
		50	0	24.84	24.77	24.87	1
20M	DFT-S 16QAM	1	1	24.93	25.09	25.05	1
20M	DFT-S 64QAM	1	1	23.43	23.67	23.45	2.5
20M	DFT-S 256QAM	1	1	21.43	21.47	21.45	4.5
20M	CP QPSK	1	1	24.01	24.04	24.10	1.5
BW	MCS Index	Channel		647168	650000	652832	3GPP MPR
		Frequence (MHz)		3707.52	3750	3792.48	
15M	DFT-S PI/2 BPSK	1	1	25.52	25.51	25.53	0
15M	DFT-S QPSK	1	1	25.56	25.58	25.60	0
		1	19	25.54	25.51	25.61	0
		1	36	25.53	25.56	25.52	0
		18	0	24.66	24.73	24.85	1
		18	10	25.53	25.51	25.55	0
		18	20	24.81	24.74	24.56	1
		36	0	24.69	24.60	24.60	1
15M	DFT-S 16QAM	1	1	24.51	24.68	24.54	1
15M	DFT-S 64QAM	1	1	23.03	23.10	23.01	2.5
15M	DFT-S 256QAM	1	1	21.06	21.07	21.02	4.5
15M	CP QPSK	1	1	24.22	24.12	24.06	1.5
BW	MCS Index	Channel		647000	650000	653000	3GPP MPR
		Frequence (MHz)		3705	3750	3795	
10M	DFT-S PI/2 BPSK	1	1	25.66	25.54	25.56	0
10M	DFT-S QPSK	1	1	25.52	25.60	25.53	0
		1	11	25.55	25.51	25.54	0
		1	22	25.64	25.55	25.63	0
		12	0	24.59	24.63	24.66	1
		12	6	25.55	25.52	25.55	0
		12	12	24.83	24.82	24.73	1
		24	0	24.74	24.64	24.56	1
10M	DFT-S 16QAM	1	1	24.62	24.71	24.63	1
10M	DFT-S 64QAM	1	1	23.01	23.06	23.00	2.5
10M	DFT-S 256QAM	1	1	21.08	21.06	21.00	4.5
10M	CP QPSK	1	1	24.08	24.05	24.12	1.5

NR Conducted Power (Full)_ENDC							
NR Band 2							
BW	MCS Index	Channel		372000	376000	380000	3GPP MPR
		Frequence (MHz)		1860	1880	1900	
20M	DFT-S PI/2 BPSK	1	1	24.47	24.36	24.01	0
20M	DFT-S QPSK	1	1	24.48	24.41	24.03	0
		1	53	24.45	24.36	23.96	0
		1	104	24.46	24.43	24.13	0
		50	0	23.47	23.45	23.15	1
		50	28	24.47	24.42	24.14	0
		50	56	23.46	23.45	23.25	1
		100	0	23.43	23.41	23.16	1
20M	DFT-S 16QAM	1	1	23.38	23.32	23.04	1
20M	DFT-S 64QAM	1	1	21.97	21.95	21.67	2.5
20M	DFT-S 256QAM	1	1	19.93	19.89	19.57	4.5
20M	CP QPSK	1	1	22.95	22.94	22.74	1.5
BW	MCS Index	Channel		371500	376000	380500	3GPP MPR
		Frequence (MHz)		1857.5	1880	1902.5	
15M	DFT-S PI/2 BPSK	1	1	24.39	24.26	23.91	0
15M	DFT-S QPSK	1	1	24.43	24.35	23.94	0
		1	40	24.36	24.35	23.94	0
		1	77	24.42	24.36	24.11	0
		36	0	23.45	23.44	23.14	1
		36	22	24.43	24.36	24.11	0
		36	43	23.43	23.41	23.23	1
		75	0	23.41	23.32	23.14	1
15M	DFT-S 16QAM	1	1	23.29	23.27	23.02	1
15M	DFT-S 64QAM	1	1	21.97	21.86	21.67	2.5
15M	DFT-S 256QAM	1	1	19.90	19.88	19.53	4.5
15M	CP QPSK	1	1	22.94	22.85	22.71	1.5

NR Conducted Power (Full)_ENDC							
NR Band 2							
BW	MCS Index	Channel		371000	376000	381000	3GPP MPR
		Frequence (MHz)		1855	1880	1905	
10M	DFT-S PI/2 BPSK	1	1	24.25	24.25	23.77	0
10M	DFT-S QPSK	1	1	24.43	24.32	23.80	0
		1	26	24.32	24.28	23.86	0
		1	50	24.37	24.32	24.02	0
		25	0	23.35	23.35	23.07	1
		25	14	24.41	24.28	24.07	0
		25	27	23.35	23.34	23.14	1
		50	0	23.29	23.31	23.00	1
10M	DFT-S 16QAM	1	1	23.14	23.16	22.99	1
10M	DFT-S 64QAM	1	1	21.82	21.73	21.59	2.5
10M	DFT-S 256QAM	1	1	19.78	19.88	19.48	4.5
10M	CP QPSK	1	1	22.85	22.84	22.61	1.5
BW	MCS Index	Channel		370500	376000	381500	3GPP MPR
		Frequence (MHz)		1852.5	1880	1907.5	
5M	DFT-S PI/2 BPSK	1	1	24.39	24.11	23.71	0
5M	DFT-S QPSK	1	1	24.31	24.31	23.73	0
		1	13	24.24	24.30	23.77	0
		1	23	24.36	24.27	23.99	0
		12	0	23.31	23.29	23.07	1
		12	7	24.35	24.23	24.02	0
		12	13	23.34	23.26	23.14	1
		25	0	23.36	23.25	23.09	1
5M	DFT-S 16QAM	1	1	23.17	23.27	22.98	1
5M	DFT-S 64QAM	1	1	21.89	21.80	21.65	2.5
5M	DFT-S 256QAM	1	1	19.82	19.77	19.40	4.5
5M	CP QPSK	1	1	22.83	22.82	22.66	1.5

NR Conducted Power (Full)_ENDC							
NR Band 5							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		166800	167300	167800	
		Frequence (MHz)		834	836.5	839	
20M	DFT-S PI/2 BPSK	1	1	24.37	24.23	24.31	0
20M	DFT-S QPSK	1	1	24.43	24.45	24.38	0
		1	53	23.83	23.87	23.81	0
		1	104	23.33	23.38	23.28	0
		50	0	23.36	23.41	23.33	1
		50	28	24.15	24.18	24.13	0
		50	56	22.66	22.75	22.60	1
		100	0	23.10	23.12	23.02	1
20M	DFT-S 16QAM	1	1	23.16	23.25	23.14	1
20M	DFT-S 64QAM	1	1	21.87	21.96	21.83	2.5
20M	DFT-S 256QAM	1	1	19.95	19.95	19.86	4.5
20M	CP QPSK	1	1	22.87	22.91	22.78	1.5
BW	MCS Index	Channel		166300	167300	168300	3GPP MPR
		Frequence (MHz)		831.5	836.5	841.5	
15M	DFT-S PI/2 BPSK	1	1	24.35	24.14	24.23	0
15M	DFT-S QPSK	1	1	24.43	24.35	24.36	0
		1	40	23.77	23.81	23.75	0
		1	77	23.32	23.38	23.25	0
		36	0	23.31	23.39	23.30	1
		36	22	24.08	24.14	24.13	0
		36	43	22.61	22.66	22.53	1
		75	0	23.00	23.03	22.96	1
15M	DFT-S 16QAM	1	1	23.13	23.19	23.11	1
15M	DFT-S 64QAM	1	1	21.85	21.95	21.82	2.5
15M	DFT-S 256QAM	1	1	19.91	19.89	19.80	4.5
15M	CP QPSK	1	1	22.84	22.81	22.69	1.5

NR Conducted Power (Full)_ENDC							
NR Band 5							
BW	MCS Index	Channel		165800	167300	168800	3GPP MPR
		Frequence (MHz)		829	836.5	844	
10M	DFT-S PI/2 BPSK	1	1	24.25	24.09	24.13	0
10M	DFT-S QPSK	1	1	24.38	24.30	24.33	0
		1	26	23.72	23.77	23.69	0
		1	50	23.28	23.26	23.18	0
		25	0	23.21	23.27	23.19	1
		25	14	24.06	24.01	23.98	0
		25	27	22.59	22.61	22.49	1
		50	0	22.91	22.99	22.81	1
10M	DFT-S 16QAM	1	1	23.07	23.12	23.03	1
10M	DFT-S 64QAM	1	1	21.79	21.86	21.78	2.5
10M	DFT-S 256QAM	1	1	19.91	19.83	19.75	4.5
10M	CP QPSK	1	1	22.76	22.77	22.57	1.5
BW	MCS Index	Channel		165300	167300	169300	3GPP MPR
		Frequence (MHz)		826.5	836.5	846.5	
5M	DFT-S PI/2 BPSK	1	1	24.27	24.02	24.03	0
5M	DFT-S QPSK	1	1	24.36	24.22	24.22	0
		1	13	23.64	23.71	23.57	0
		1	23	23.27	23.38	23.03	0
		12	0	23.16	23.30	23.09	1
		12	7	23.94	23.99	23.84	0
		12	13	22.49	22.52	22.37	1
		25	0	22.98	22.88	22.83	1
5M	DFT-S 16QAM	1	1	23.03	23.10	23.07	1
5M	DFT-S 64QAM	1	1	21.80	21.84	21.70	2.5
5M	DFT-S 256QAM	1	1	19.88	19.80	19.70	4.5
5M	CP QPSK	1	1	22.74	22.77	22.56	1.5

NR Conducted Power (Full)_ENDC							
NR Band 7							
BW	MCS Index	Channel		502000	507000	512000	3GPP MPR
		Frequence (MHz)		2510	2535	2560	
20M	DFT-S PI/2 BPSK	1	1	22.61	22.51	23.02	0
20M	DFT-S QPSK	1	1	22.63	22.56	23.08	0
		1	53	22.51	22.55	23.05	0
		1	104	22.52	22.53	23.02	0
		50	0	21.65	21.76	22.19	1
		50	28	22.67	22.75	23.07	0
		50	56	21.68	22.02	22.45	1
		100	0	21.88	22.23	22.53	1
20M	DFT-S 16QAM	1	1	21.65	21.60	21.95	1
20M	DFT-S 64QAM	1	1	20.12	20.12	20.47	2.5
20M	DFT-S 256QAM	1	1	18.26	18.04	18.34	4.5
20M	CP QPSK	1	1	21.03	21.07	21.45	1.5
BW	MCS Index	Channel		501500	507000	512500	3GPP MPR
		Frequence (MHz)		2507.5	2535	2562.5	
15M	DFT-S PI/2 BPSK	1	1	22.59	22.73	22.93	0
15M	DFT-S QPSK	1	1	22.56	22.51	23.08	0
		1	40	22.67	22.51	22.95	0
		1	77	22.54	22.68	22.94	0
		36	0	21.78	21.76	22.10	1
		36	22	22.75	22.70	22.99	0
		36	43	21.65	21.95	22.38	1
		75	0	21.88	22.22	22.52	1
15M	DFT-S 16QAM	1	1	21.70	21.59	21.87	1
15M	DFT-S 64QAM	1	1	20.12	20.02	20.47	2.5
15M	DFT-S 256QAM	1	1	18.32	18.02	18.33	4.5
15M	CP QPSK	1	1	21.21	21.07	21.38	1.5

NR Conducted Power (Full)_ENDC							
NR Band 7							
BW	MCS Index	Channel		501000	507000	513000	3GPP MPR
		Frequence (MHz)		2505	2535	2565	
10M	DFT-S PI/2 BPSK	1	1	22.76	22.61	22.82	0
10M	DFT-S QPSK	1	1	22.53	22.63	22.94	0
		1	26	22.71	22.51	22.89	0
		1	50	22.69	22.92	23.00	0
		25	0	21.87	21.63	22.12	1
		25	14	22.69	22.50	22.99	0
		25	27	21.62	21.92	22.33	1
		50	0	21.74	22.08	22.46	1
10M	DFT-S 16QAM	1	1	21.84	21.75	21.79	1
10M	DFT-S 64QAM	1	1	20.20	20.05	20.29	2.5
10M	DFT-S 256QAM	1	1	18.13	18.02	18.18	4.5
10M	CP QPSK	1	1	21.31	21.25	21.26	1.5
BW	MCS Index	Channel		500500	507000	513500	3GPP MPR
		Frequence (MHz)		2502.5	2535	2567.5	
5M	DFT-S PI/2 BPSK	1	1	22.64	22.73	22.76	0
5M	DFT-S QPSK	1	1	22.68	22.81	23.00	0
		1	13	22.76	22.68	22.93	0
		1	23	22.56	22.82	22.81	0
		12	0	21.59	21.68	22.05	1
		12	7	22.74	22.58	22.88	0
		12	13	21.62	21.93	22.44	1
		25	0	21.80	22.17	22.40	1
5M	DFT-S 16QAM	1	1	21.59	21.94	21.81	1
5M	DFT-S 64QAM	1	1	20.08	20.09	20.44	2.5
5M	DFT-S 256QAM	1	1	18.44	18.88	18.14	4.5
5M	CP QPSK	1	1	21.34	21.02	21.24	1.5

NR Conducted Power (Full)_ENDC							
NR Band 25							
BW	MCS Index	Channel		372000	376500	381000	3GPP MPR
		Frequence (MHz)		1860	1882.5	1905	
20M	DFT-S PI/2 BPSK	1	1	24.06	24.05	23.02	0
20M	DFT-S QPSK	1	1	24.28	24.37	23.48	0
		1	53	23.81	23.86	22.89	0
		1	104	24.32	24.35	23.42	0
		50	0	23.25	23.27	22.28	1
		50	28	23.94	24.03	23.09	0
		50	56	22.64	22.68	21.74	1
		100	0	22.69	22.71	21.80	1
20M	DFT-S 16QAM	1	1	22.92	22.95	21.99	1
20M	DFT-S 64QAM	1	1	21.13	21.17	20.27	2.5
20M	DFT-S 256QAM	1	1	19.23	19.32	18.34	4.5
20M	CP QPSK	1	1	22.23	22.31	21.37	1.5
BW	MCS Index	Channel		371500	376500	381500	3GPP MPR
		Frequence (MHz)		1857.5	1882.5	1907.5	
15M	DFT-S PI/2 BPSK	1	1	24.04	23.99	22.93	0
15M	DFT-S QPSK	1	1	24.18	24.32	23.46	0
		1	40	23.71	23.86	22.79	0
		1	77	24.31	24.29	23.34	0
		36	0	23.23	23.25	22.18	1
		36	22	23.86	23.93	23.05	0
		36	43	22.63	22.68	21.64	1
		75	0	22.60	22.62	21.79	1
15M	DFT-S 16QAM	1	1	22.92	22.91	21.92	1
15M	DFT-S 64QAM	1	1	21.08	21.17	20.20	2.5
15M	DFT-S 256QAM	1	1	19.20	19.25	18.30	4.5
15M	CP QPSK	1	1	22.16	22.30	21.27	1.5

NR Conducted Power (Full)_ENDC							
NR Band 25							
BW	MCS Index	Channel		371000	376500	382000	3GPP MPR
		Frequence (MHz)		1855	1882.5	1910	
10M	DFT-S PI/2 BPSK	1	1	23.96	23.89	22.91	0
10M	DFT-S QPSK	1	1	24.17	24.23	23.39	0
		1	26	23.74	23.79	22.80	0
		1	50	24.27	24.25	23.38	0
		25	0	23.18	23.05	22.06	1
		25	14	23.91	23.84	23.04	0
		25	27	22.60	22.62	21.51	1
		50	0	22.56	22.64	21.73	1
10M	DFT-S 16QAM	1	1	22.77	22.80	21.91	1
10M	DFT-S 64QAM	1	1	21.00	21.00	20.13	2.5
10M	DFT-S 256QAM	1	1	19.15	19.18	18.24	4.5
10M	CP QPSK	1	1	22.15	22.14	21.20	1.5
BW	MCS Index	Channel		370500	376500	382500	3GPP MPR
		Frequence (MHz)		1852.5	1882.5	1912.5	
5M	DFT-S PI/2 BPSK	1	1	24.06	23.87	22.83	0
5M	DFT-S QPSK	1	1	24.18	24.27	23.29	0
		1	13	23.66	23.76	22.69	0
		1	23	24.21	24.22	23.19	0
		12	0	23.10	23.14	21.99	1
		12	7	23.84	23.83	22.83	0
		12	13	22.44	22.54	21.47	1
		25	0	22.62	22.67	21.76	1
5M	DFT-S 16QAM	1	1	22.74	22.86	21.87	1
5M	DFT-S 64QAM	1	1	20.95	21.13	20.20	2.5
5M	DFT-S 256QAM	1	1	19.09	19.23	18.23	4.5
5M	CP QPSK	1	1	22.13	22.24	21.20	1.5

NR Conducted Power (Full)_ENDC							
NR Band 66							
BW	MCS Index	Channel		345000	349000	353000	3GPP MPR
		Frequence (MHz)		1725	1745	1765	
30M	DFT-S PI/2 BPSK	1	1	23.75	22.78	22.76	0
30M	DFT-S QPSK	1	1	23.76	22.83	22.81	0
		1	80	23.07	22.14	22.13	0
		1	158	22.63	21.66	21.63	0
		80	0	22.57	21.54	21.50	1
		80	40	23.31	22.29	22.28	0
		80	80	22.12	21.13	21.11	1
		160	0	22.28	21.35	21.29	1
30M	DFT-S 16QAM	1	1	23.12	22.19	22.12	1
30M	DFT-S 64QAM	1	1	21.03	20.00	19.94	2.5
30M	DFT-S 256QAM	1	1	18.72	17.79	17.69	4.5
30M	CP QPSK	1	1	22.47	21.50	21.45	1.5
BW	MCS Index	Channel		344500	349000	353500	3GPP MPR
		Frequence (MHz)		1722.5	1745	1767.5	
25M	DFT-S PI/2 BPSK	1	1	23.65	22.77	22.68	0
25M	DFT-S QPSK	1	1	23.67	22.79	22.75	0
		1	67	23.04	22.14	22.08	0
		1	131	22.63	21.58	21.61	0
		64	0	22.50	21.46	21.41	1
		64	35	23.28	22.21	22.18	0
		64	69	22.04	21.09	21.06	1
		128	0	22.18	21.27	21.25	1
25M	DFT-S 16QAM	1	1	23.08	22.09	22.08	1
25M	DFT-S 64QAM	1	1	20.96	19.98	19.88	2.5
25M	DFT-S 256QAM	1	1	18.66	17.74	17.61	4.5
25M	CP QPSK	1	1	22.40	21.46	21.35	1.5

NR Conducted Power (Full)_ENDC							
NR Band 66							
BW	MCS Index	Channel		344000	349000	354000	3GPP MPR
		Frequence (MHz)		1720	1745	1770	
20M	DFT-S PI/2 BPSK	1	1	23.58	22.70	22.56	0
20M	DFT-S QPSK	1	1	23.61	22.73	22.60	0
		1	53	22.88	22.04	22.01	0
		1	104	22.53	21.42	21.53	0
		50	0	22.51	21.41	21.28	1
		50	28	23.24	22.12	22.07	0
		50	56	21.92	20.91	20.92	1
		100	0	22.18	21.25	21.19	1
20M	DFT-S 16QAM	1	1	22.96	22.11	22.03	1
20M	DFT-S 64QAM	1	1	20.79	19.96	19.79	2.5
20M	DFT-S 256QAM	1	1	18.50	17.65	17.60	4.5
20M	CP QPSK	1	1	22.37	21.40	21.38	1.5

NR Conducted Power (Full)_ENDC							
NR Band 66							
BW	MCS Index	Channel		343500	349000	354500	3GPP MPR
		Frequence (MHz)		1717.5	1745	1772.5	
15M	DFT-S PI/2 BPSK	1	1	23.57	22.61	22.47	0
15M	DFT-S QPSK	1	1	23.64	22.66	22.49	0
		1	40	22.85	22.01	21.92	0
		1	77	22.65	21.70	21.66	0
		36	0	22.43	21.46	21.27	1
		36	22	23.27	22.10	22.09	0
		36	43	22.10	21.02	21.00	1
		75	0	22.08	21.30	21.15	1
15M	DFT-S 16QAM	1	1	22.96	22.00	22.01	1
15M	DFT-S 64QAM	1	1	20.92	19.84	19.81	2.5
15M	DFT-S 256QAM	1	1	18.54	17.63	17.49	4.5
15M	CP QPSK	1	1	22.44	21.34	21.31	1.5
BW	MCS Index	Channel		343000	349000	355000	3GPP MPR
		Frequence (MHz)		1715	1745	1775	
10M	DFT-S PI/2 BPSK	1	1	23.51	22.56	22.58	0
10M	DFT-S QPSK	1	1	23.55	22.59	22.65	0
		1	26	23.05	21.97	21.95	0
		1	50	22.63	22.56	22.53	0
		25	0	22.51	21.47	21.33	1
		25	14	23.12	22.10	22.13	0
		25	27	22.02	21.00	20.95	1
		50	0	22.13	21.15	21.08	1
10M	DFT-S 16QAM	1	1	23.05	22.08	21.99	1
10M	DFT-S 64QAM	1	1	21.03	19.88	19.81	2.5
10M	DFT-S 256QAM	1	1	18.52	17.68	17.56	4.5
10M	CP QPSK	1	1	22.36	21.33	21.33	1.5
BW	MCS Index	Channel		342500	349000	355500	3GPP MPR
		Frequence (MHz)		1712.5	1745	1777.5	
5M	DFT-S PI/2 BPSK	1	1	23.55	22.67	22.56	0
5M	DFT-S QPSK	1	1	23.61	22.71	22.69	0
		1	13	23.04	21.96	21.97	0
		1	23	22.55	21.54	21.51	0
		12	0	22.50	21.42	21.45	1
		12	7	23.27	22.20	22.14	0
		12	13	21.97	20.90	20.94	1
		25	0	22.23	21.18	21.21	1
5M	DFT-S 16QAM	1	1	22.93	22.09	22.00	1
5M	DFT-S 64QAM	1	1	20.84	19.78	19.91	2.5
5M	DFT-S 256QAM	1	1	18.67	17.67	17.60	4.5
5M	CP QPSK	1	1	22.38	21.33	21.32	1.5

NR Conducted Power (Full)_ENDC							
NR Band 71							
BW	MCS Index	RB Size	RB Offset	Low	Mid	High	3GPP MPR (dB)
		Channel		134600	136100	137600	
		Frequence (MHz)		673	680.5	688	
20M	DFT-S PI/2 BPSK	1	1	24.35	24.41	23.91	0
20M	DFT-S QPSK	1	1	24.41	24.45	24.03	0
		1	53	23.68	23.76	23.32	0
		1	104	23.89	23.91	23.48	0
		50	0	23.27	23.36	22.91	1
		50	28	24.34	24.43	23.98	0
		50	56	23.31	23.38	22.93	1
		100	0	22.64	22.67	22.20	1
20M	DFT-S 16QAM	1	1	23.43	23.43	22.92	1
20M	DFT-S 64QAM	1	1	21.76	21.82	21.36	2.5
20M	DFT-S 256QAM	1	1	19.38	19.38	18.89	4.5
20M	CP QPSK	1	1	22.25	22.27	21.83	1.5
BW	MCS Index	Channel		134100	136100	138100	3GPP MPR
		Frequence (MHz)		670.5	680.5	690.5	
15M	DFT-S PI/2 BPSK	1	1	24.28	24.32	23.83	0
15M	DFT-S QPSK	1	1	24.35	24.36	23.95	0
		1	40	23.60	23.73	23.28	0
		1	77	23.87	23.84	23.48	0
		36	0	23.19	23.35	22.83	1
		36	22	24.24	24.42	23.91	0
		36	43	23.21	23.30	22.91	1
		75	0	22.55	22.61	22.13	1
15M	DFT-S 16QAM	1	1	23.37	23.38	22.88	1
15M	DFT-S 64QAM	1	1	21.73	21.76	21.31	2.5
15M	DFT-S 256QAM	1	1	19.29	19.30	18.87	4.5
15M	CP QPSK	1	1	22.23	22.24	21.77	1.5

NR Conducted Power (Full)_ENDC							
NR Band 71							
BW	MCS Index	Channel		133600	136100	138600	3GPP MPR
		Frequence (MHz)		668	680.5	693	
10M	DFT-S PI/2 BPSK	1	1	24.18	24.23	23.82	0
10M	DFT-S QPSK	1	1	24.20	24.26	23.98	0
		1	26	23.52	23.67	23.18	0
		1	50	23.76	23.83	23.46	0
		25	0	23.26	23.16	22.81	1
		25	14	24.15	24.42	23.93	0
		25	27	23.25	23.23	22.85	1
		50	0	22.50	22.55	21.99	1
10M	DFT-S 16QAM	1	1	23.32	23.27	22.82	1
10M	DFT-S 64QAM	1	1	21.71	21.62	21.20	2.5
10M	DFT-S 256QAM	1	1	19.33	19.22	18.77	4.5
10M	CP QPSK	1	1	22.23	22.13	21.70	1.5
BW	MCS Index	Channel		133100	136100	139100	3GPP MPR
		Frequence (MHz)		665.5	680.5	695.5	
5M	DFT-S PI/2 BPSK	1	1	24.26	24.29	23.73	0
5M	DFT-S QPSK	1	1	24.28	24.30	23.83	0
		1	13	23.58	23.66	23.14	0
		1	23	23.77	23.70	23.33	0
		12	0	23.19	23.27	22.60	1
		12	7	24.29	24.39	23.83	0
		12	13	23.19	23.32	22.75	1
		25	0	22.57	22.61	22.10	1
5M	DFT-S 16QAM	1	1	23.37	23.29	22.84	1
5M	DFT-S 64QAM	1	1	21.57	21.72	21.31	2.5
5M	DFT-S 256QAM	1	1	19.26	19.38	18.77	4.5
5M	CP QPSK	1	1	22.16	22.17	21.76	1.5

NR Conducted Power (Full)_ENDC									
NR Band 41									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523302	528000	
		Frequence (MHz)		2546.01	2569.5	2592.99	2616.51	2640	
100M	DFT-S PI/2 BPSK	1	1	23.95	24.23	23.86	24.17	23.79	0
100M	DFT-S QPSK	1	1	24.08	24.48	23.93	24.36	23.87	0
		1	137	23.97	24.37	23.92	24.31	23.82	0
		1	271	23.68	23.79	23.62	23.77	23.57	0
		135	0	23.23	23.43	23.20	23.38	23.15	1
		135	69	24.25	24.36	24.25	24.27	24.19	0
		135	138	22.78	23.03	22.73	22.96	22.69	1
		270	0	23.22	23.41	23.19	23.36	23.14	1
100M	DFT-S 16QAM	1	1	23.27	23.45	23.25	23.39	23.17	1
100M	DFT-S 64QAM	1	1	21.39	21.62	21.32	21.53	21.31	2.5
100M	DFT-S 256QAM	1	1	19.12	19.39	19.08	19.29	19.06	4.5
100M	CP QPSK	1	1	22.40	22.68	22.37	22.58	22.30	1.5
BW	MCS Index	Channel		508200	513402	518598	523800	528996	3GPP MPR
		Frequence (MHz)		2541	2567.01	2592.99	2619	2644.98	
90M	DFT-S PI/2 BPSK	1	1	23.85	24.17	23.83	24.08	23.69	0
90M	DFT-S QPSK	1	1	23.98	24.47	23.93	24.33	23.78	0
		1	123	23.95	24.36	23.85	24.28	23.75	0
		1	243	23.60	23.69	23.60	23.77	23.49	0
		120	0	23.21	23.39	23.17	23.28	23.07	1
		120	63	24.16	24.33	24.23	24.18	24.09	0
		120	125	22.73	23.00	22.71	22.90	22.63	1
		243	0	23.20	23.34	23.15	23.35	23.13	1
90M	DFT-S 16QAM	1	1	23.18	23.44	23.21	23.37	23.10	1
90M	DFT-S 64QAM	1	1	21.32	21.61	21.31	21.44	21.31	2.5
90M	DFT-S 256QAM	1	1	19.09	19.29	19.06	19.29	19.03	4.5
90M	CP QPSK	1	1	22.36	22.64	22.30	22.55	22.24	1.5

NR Conducted Power (Full)_ENDC									
NR Band 41									
BW	MCS Index	Channel		507204	509304	518598	500298	529998	3GPP MPR
		Frequence (MHz)		2536.02	2546.52	2592.99	2621.49	2649.99	
80M	DFT-S PI/2 BPSK	1	1	23.75	24.15	23.78	24.01	23.68	0
80M	DFT-S QPSK	1	1	23.94	24.44	23.84	24.28	23.71	0
		1	109	23.92	24.31	23.75	24.21	23.66	0
		1	215	23.54	23.64	23.51	23.67	23.41	0
		108	0	23.19	23.29	23.17	23.22	22.97	1
		108	55	24.16	24.30	24.22	24.13	24.02	0
		108	109	22.71	22.98	22.71	22.82	22.54	1
		216	0	22.78	23.17	22.77	22.98	22.59	1
80M	DFT-S 16QAM	1	1	22.98	23.46	22.93	23.23	22.76	1
80M	DFT-S 64QAM	1	1	21.43	21.85	21.26	21.78	21.22	2.5
80M	DFT-S 256QAM	1	1	19.06	19.18	19.00	19.18	18.94	4.5
80M	CP QPSK	1	1	22.69	22.81	22.61	22.71	22.52	1.5
BW	MCS Index	Channel		506202	512400	518598	524802	531000	3GPP MPR
		Frequence (MHz)		2531.01	2562	2592.99	2624.01	2655	
70M	DFT-S PI/2 BPSK	1	1	23.81	24.10	23.79	23.99	23.61	0
70M	DFT-S QPSK	1	1	23.88	24.42	23.83	24.31	23.72	0
		1	95	23.91	24.27	23.77	24.20	23.73	0
		1	187	23.57	23.59	23.53	23.70	23.43	0
		90	0	23.14	23.31	23.15	23.21	22.97	1
		90	50	24.13	24.25	24.13	24.08	24.01	0
		90	99	22.73	22.99	22.67	22.85	22.56	1
		180	0	22.82	23.10	22.83	23.02	22.69	1
70M	DFT-S 16QAM	1	1	22.89	23.47	22.93	23.31	22.71	1
70M	DFT-S 64QAM	1	1	21.40	21.83	21.26	21.77	21.25	2.5
70M	DFT-S 256QAM	1	1	19.01	19.18	19.09	19.26	18.90	4.5
70M	CP QPSK	1	1	22.68	22.88	22.62	22.73	22.47	1.5

NR Conducted Power (Full)_ENDC									
NR Band 41									
BW	MCS Index	Channel		505200	511896	518598	525294	531996	3GPP MPR
		Frequence (MHz)		2526	2559.48	2592.99	2626.48	2659.98	
60M	DFT-S PI/2 BPSK	1	1	23.71	24.01	23.69	23.97	23.61	0
60M	DFT-S QPSK	1	1	23.82	24.42	23.81	24.24	23.67	0
		1	81	23.84	24.22	23.67	24.11	23.65	0
		1	160	23.55	23.49	23.43	23.60	23.38	0
		81	0	23.05	23.31	23.13	23.11	22.87	1
		81	41	24.04	24.17	24.11	24.07	23.95	0
		81	81	22.69	22.94	22.67	22.80	22.52	1
		162	0	22.73	23.09	22.77	23.00	22.62	1
60M	DFT-S 16QAM	1	1	22.89	23.39	22.84	23.29	22.67	1
60M	DFT-S 64QAM	1	1	21.40	21.82	21.21	21.72	21.15	2.5
60M	DFT-S 256QAM	1	1	18.91	19.16	19.08	19.17	18.85	4.5
60M	CP QPSK	1	1	22.60	22.81	22.58	22.64	22.42	1.5
BW	MCS Index	Channel		504204	511404	518598	525798	532998	3GPP MPR
		Frequence (MHz)		2521.02	2557.02	2592.99	2628.99	2664.99	
50M	DFT-S PI/2 BPSK	1	1	23.70	23.96	23.65	23.90	23.61	0
50M	DFT-S QPSK	1	1	23.74	24.40	23.74	24.15	23.67	0
		1	67	23.82	24.19	23.58	24.11	23.59	0
		1	131	23.50	23.43	23.36	23.50	23.34	0
		64	0	22.99	23.27	23.08	23.01	22.86	1
		64	35	24.04	24.14	24.10	23.98	23.89	0
		64	69	22.65	22.87	22.64	22.72	22.47	1
		128	0	22.71	22.97	22.61	22.96	22.61	1
50M	DFT-S 16QAM	1	1	22.76	23.32	22.79	23.14	22.60	1
50M	DFT-S 64QAM	1	1	21.26	21.70	21.14	21.57	21.06	2.5
50M	DFT-S 256QAM	1	1	18.99	18.93	18.90	19.00	18.85	4.5
50M	CP QPSK	1	1	22.45	22.80	22.61	22.57	22.35	1.5

NR Conducted Power (Full)_ENDC									
NR Band 41									
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequence (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	23.67	23.95	23.61	23.88	23.61	0
40M	DFT-S QPSK	1	1	23.74	24.36	23.80	24.24	23.66	0
		1	53	23.76	24.13	23.67	24.04	23.64	0
		1	104	23.49	23.45	23.42	23.52	23.34	0
		50	0	22.98	23.22	23.04	23.09	22.85	1
		50	28	23.94	24.09	24.08	23.98	23.89	0
		50	56	22.63	22.91	22.63	22.74	22.46	1
		100	0	22.63	22.95	22.67	22.94	22.59	1
40M	DFT-S 16QAM	1	1	22.82	23.33	22.74	23.15	22.67	1
40M	DFT-S 64QAM	1	1	21.31	21.66	21.11	21.51	21.13	2.5
40M	DFT-S 256QAM	1	1	19.04	18.98	18.84	19.02	18.78	4.5
40M	CP QPSK	1	1	22.47	22.73	22.63	22.54	22.36	1.5
BW	MCS Index	Channel		502200	510396	518598	526794	534996	3GPP MPR
		Frequence (MHz)		2511	2551.98	2592.99	2633.97	2674.98	
30M	DFT-S PI/2 BPSK	1	1	23.66	23.92	23.52	23.81	23.61	0
30M	DFT-S QPSK	1	1	23.64	24.32	23.74	24.14	23.56	0
		1	39	23.73	24.13	23.67	24.00	23.63	0
		1	76	23.39	23.44	23.40	23.43	23.34	0
		36	0	22.95	23.15	22.98	22.99	22.78	1
		36	21	23.89	24.04	23.99	23.90	23.82	0
		36	42	22.54	22.84	22.61	22.72	22.42	1
		75	0	22.62	22.88	22.65	22.84	22.56	1
30M	DFT-S 16QAM	1	1	22.79	23.28	22.73	23.06	22.67	1
30M	DFT-S 64QAM	1	1	21.21	21.59	21.04	21.46	21.13	2.5
30M	DFT-S 256QAM	1	1	19.03	18.94	18.81	18.98	18.73	4.5
30M	CP QPSK	1	1	22.43	22.63	22.60	22.45	22.36	1.5
BW	MCS Index	Channel		501204	509898	518598	527298	535998	3GPP MPR
		Frequence (MHz)		2506.02	2549.49	2592.99	2636.49	2679.99	
20M	DFT-S PI/2 BPSK	1	1	23.56	23.90	23.43	23.76	23.58	0
20M	DFT-S QPSK	1	1	23.58	24.24	23.72	24.12	23.49	0
		1	26	23.73	24.11	23.64	23.91	23.60	0
		1	49	23.30	23.37	23.40	23.39	23.32	0
		25	0	22.95	23.06	22.91	22.95	22.73	1
		25	13	23.86	24.01	23.89	23.85	23.73	0
		25	26	22.50	22.76	22.52	22.66	22.37	1
		50	0	22.62	22.89	22.45	22.72	22.52	1
20M	DFT-S 16QAM	1	1	22.60	23.26	22.74	23.12	22.51	1
20M	DFT-S 64QAM	1	1	21.17	21.63	21.13	21.46	21.10	2.5
20M	DFT-S 256QAM	1	1	18.80	18.91	18.83	18.86	18.77	4.5
20M	CP QPSK	1	1	22.42	22.62	22.44	22.49	22.19	1.5

NR Conducted Power (Full)_ENDC									
NR Band 41									
BW	MCS Index	Channel		500700	509646	518598	527544	536496	3GPP MPR
		Frequence (MHz)		2503.5	2548.23	2592.99	2637.72	2682.48	
15M	DFT-S PI/2 BPSK	1	1	23.65	23.90	23.49	23.77	23.55	0
15M	DFT-S QPSK	1	1	23.63	24.25	23.70	24.14	23.51	0
		1	19	23.67	24.11	23.67	23.90	23.59	0
		1	36	23.30	23.44	23.35	23.37	23.32	0
		18	0	22.90	23.08	22.91	22.91	22.73	1
		18	10	23.89	24.03	23.99	23.87	23.77	0
		18	20	22.44	22.80	22.60	22.69	22.35	1
		36	0	22.62	22.86	22.42	22.77	22.54	1
15M	DFT-S 16QAM	1	1	22.57	23.30	22.64	23.08	22.52	1
15M	DFT-S 64QAM	1	1	21.15	21.56	21.09	21.48	21.09	2.5
15M	DFT-S 256QAM	1	1	18.84	18.87	18.80	18.86	18.76	4.5
15M	CP QPSK	1	1	22.35	22.65	22.38	22.48	22.24	1.5
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequence (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	23.55	23.88	23.44	23.74	23.54	0
10M	DFT-S QPSK	1	1	23.60	24.21	23.60	24.14	23.41	0
		1	11	23.59	24.08	23.58	23.84	23.49	0
		1	22	23.26	23.40	23.35	23.36	23.25	0
		12	0	22.82	23.05	22.81	22.84	22.67	1
		12	6	23.88	24.03	23.95	23.82	23.75	0
		12	12	22.44	22.76	22.54	22.61	22.30	1
		24	0	22.60	22.81	22.38	22.77	22.51	1
10M	DFT-S 16QAM	1	1	22.51	23.30	22.64	22.98	22.50	1
10M	DFT-S 64QAM	1	1	21.06	21.48	21.07	21.39	21.05	2.5
10M	DFT-S 256QAM	1	1	18.82	18.87	18.78	18.85	18.75	4.5
10M	CP QPSK	1	1	22.25	22.57	22.31	22.42	22.19	1.5

NR Conducted Power (Full)_ENDC									
NR Band 41_HPUE									
BW	MCS Index	RB Size	RB Offset	Low	Mid	Mid	Mid	High	3GPP MPR (dB)
		Channel		509202	513900	518598	523302	528000	
		Frequence (MHz)		2546.01	2569.5	2592.99	2616.51	2640	
100M	DFT-S PI/2 BPSK	1	1	24.85	25.62	24.76	25.41	24.63	0
100M	DFT-S QPSK	1	1	24.91	25.69	24.81	25.58	24.71	0
		1	137	24.82	25.52	24.79	25.47	24.76	0
		1	271	24.75	24.83	24.69	24.82	24.63	0
		135	0	24.26	24.37	24.24	24.28	24.17	1
		135	69	25.34	25.48	25.27	25.42	25.23	0
		135	138	23.98	24.09	23.92	24.01	23.87	1
		270	0	24.46	24.61	24.36	24.56	24.33	1
100M	DFT-S 16QAM	1	1	24.52	24.59	24.50	24.58	24.43	1
100M	DFT-S 64QAM	1	1	22.96	23.13	22.94	23.05	22.85	2.5
100M	DFT-S 256QAM	1	1	20.77	20.86	20.76	20.82	20.69	4.5
100M	CP QPSK	1	1	24.17	24.31	24.11	24.21	24.11	1.5
BW	MCS Index	Channel		508200	513402	518598	523800	528996	3GPP MPR
		Frequence (MHz)		2541	2567.01	2592.99	2619	2644.98	
90M	DFT-S PI/2 BPSK	1	1	24.80	25.53	24.70	25.34	24.58	0
90M	DFT-S QPSK	1	1	24.81	25.67	24.74	25.58	24.62	0
		1	123	24.79	25.47	24.69	25.41	24.71	0
		1	243	24.70	24.75	24.67	24.73	24.53	0
		120	0	24.23	24.28	24.24	24.26	24.11	1
		120	63	25.25	25.39	25.27	25.34	25.23	0
		120	125	23.89	24.08	23.83	23.91	23.78	1
		243	0	24.44	24.56	24.33	24.47	24.29	1
90M	DFT-S 16QAM	1	1	24.48	24.58	24.40	24.52	24.41	1
90M	DFT-S 64QAM	1	1	22.89	23.11	22.84	22.96	22.85	2.5
90M	DFT-S 256QAM	1	1	20.75	20.86	20.72	20.82	20.59	4.5
90M	CP QPSK	1	1	24.09	24.30	24.07	24.18	24.01	1.5

NR Conducted Power (Full)_ENDC									
NR Band 41_HPUE									
BW	MCS Index	Channel		507204	509304	518598	500298	529998	3GPP MPR
		Frequence (MHz)		2536.02	2546.52	2592.99	2621.49	2649.99	
80M	DFT-S PI/2 BPSK	1	1	24.79	25.50	24.65	25.24	24.58	0
80M	DFT-S QPSK	1	1	24.77	25.63	24.72	25.53	24.56	0
		1	109	24.75	25.45	24.59	25.32	24.68	0
		1	215	24.70	24.68	24.59	24.70	24.48	0
		108	0	24.22	24.27	24.16	24.25	24.02	1
		108	55	25.20	25.39	25.17	25.29	25.20	0
		108	109	23.88	24.03	23.74	23.88	23.76	1
		216	0	23.72	24.49	23.67	24.33	23.56	1
80M	DFT-S 16QAM	1	1	23.77	24.66	23.66	24.58	23.62	1
80M	DFT-S 64QAM	1	1	22.19	22.97	22.10	22.84	22.17	2.5
80M	DFT-S 256QAM	1	1	20.13	20.24	20.16	20.15	19.98	4.5
80M	CP QPSK	1	1	23.66	23.77	23.71	23.66	23.61	1.5
BW	MCS Index	Channel		506202	512400	518598	524802	531000	3GPP MPR
		Frequence (MHz)		2531.01	2562	2592.99	2624.01	2655	
70M	DFT-S PI/2 BPSK	1	1	24.78	25.48	24.70	25.31	24.52	0
70M	DFT-S QPSK	1	1	24.80	25.67	24.72	25.54	24.57	0
		1	95	24.78	25.46	24.68	25.39	24.63	0
		1	187	24.67	24.70	24.57	24.73	24.48	0
		90	0	24.16	24.22	24.20	24.24	24.10	1
		90	50	25.18	25.30	25.17	25.25	25.20	0
		90	99	23.89	23.98	23.79	23.82	23.74	1
		180	0	23.74	24.53	23.60	24.24	23.52	1
70M	DFT-S 16QAM	1	1	23.78	24.63	23.68	24.53	23.62	1
70M	DFT-S 64QAM	1	1	22.24	22.89	22.09	22.82	22.16	2.5
70M	DFT-S 256QAM	1	1	20.14	20.20	20.14	20.16	19.99	4.5
70M	CP QPSK	1	1	23.65	23.74	23.69	23.71	23.61	1.5

NR Conducted Power (Full)_ENDC									
NR Band 41_HPUE									
BW	MCS Index	Channel		505200	511896	518598	525294	531996	3GPP MPR
		Frequence (MHz)		2526	2559.48	2592.99	2626.48	2659.98	
60M	DFT-S PI/2 BPSK	1	1	24.69	25.46	24.61	25.25	24.42	0
60M	DFT-S QPSK	1	1	24.78	25.61	24.64	25.53	24.47	0
		1	81	24.76	25.41	24.66	25.33	24.58	0
		1	160	24.67	24.67	24.53	24.67	24.39	0
		81	0	24.07	24.16	24.12	24.20	24.04	1
		81	41	25.11	25.22	25.17	25.20	25.11	0
		81	81	23.80	23.96	23.77	23.79	23.66	1
		162	0	23.71	24.45	23.55	24.23	23.47	1
60M	DFT-S 16QAM	1	1	23.76	24.63	23.64	24.47	23.55	1
60M	DFT-S 64QAM	1	1	22.24	22.84	22.04	22.81	22.14	2.5
60M	DFT-S 256QAM	1	1	20.11	20.11	20.04	20.10	19.99	4.5
60M	CP QPSK	1	1	23.60	23.70	23.69	23.63	23.53	1.5
BW	MCS Index	Channel		504204	511404	518598	525798	532998	3GPP MPR
		Frequence (MHz)		2521.02	2557.02	2592.99	2628.99	2664.99	
50M	DFT-S PI/2 BPSK	1	1	24.59	25.38	24.51	25.16	24.42	0
50M	DFT-S QPSK	1	1	24.70	25.53	24.62	25.53	24.40	0
		1	67	24.66	25.41	24.59	25.26	24.49	0
		1	131	24.61	24.65	24.45	24.67	24.29	0
		64	0	24.03	24.14	24.03	24.13	23.96	1
		64	35	25.08	25.16	25.10	25.18	25.01	0
		64	69	23.77	23.87	23.74	23.72	23.65	1
		128	0	23.60	24.45	23.60	24.20	23.40	1
50M	DFT-S 16QAM	1	1	23.75	24.57	23.59	24.45	23.41	1
50M	DFT-S 64QAM	1	1	22.19	22.82	22.06	22.75	22.05	2.5
50M	DFT-S 256QAM	1	1	20.16	20.14	19.96	20.09	19.89	4.5
50M	CP QPSK	1	1	23.55	23.65	23.60	23.66	23.45	1.5

NR Conducted Power (Full)_ENDC									
NR Band 41_HPUE									
BW	MCS Index	Channel		503202	510900	518598	526296	534000	3GPP MPR
		Frequence (MHz)		2516.01	2554.5	2592.99	2631.48	2670	
40M	DFT-S PI/2 BPSK	1	1	24.68	25.43	24.51	25.19	24.39	0
40M	DFT-S QPSK	1	1	24.71	25.61	24.64	25.49	24.40	0
		1	53	24.69	25.41	24.66	25.26	24.56	0
		1	104	24.60	24.59	24.43	24.63	24.30	0
		50	0	24.04	24.08	24.10	24.12	23.98	1
		50	28	25.09	25.14	25.12	25.12	25.07	0
		50	56	23.79	23.91	23.77	23.70	23.57	1
		100	0	23.64	24.45	23.61	24.17	23.38	1
40M	DFT-S 16QAM	1	1	23.70	24.51	23.58	24.52	23.38	1
40M	DFT-S 64QAM	1	1	22.26	22.86	22.10	22.77	22.02	2.5
40M	DFT-S 256QAM	1	1	20.14	20.15	19.93	20.11	19.89	4.5
40M	CP QPSK	1	1	23.50	23.61	23.58	23.68	23.46	1.5
BW	MCS Index	Channel		502200	510396	518598	526794	534996	3GPP MPR
		Frequence (MHz)		2511	2551.98	2592.99	2633.97	2674.98	
30M	DFT-S PI/2 BPSK	1	1	24.58	25.35	24.47	25.14	24.37	0
30M	DFT-S QPSK	1	1	24.63	25.61	24.57	25.40	24.37	0
		1	39	24.69	25.41	24.65	25.19	24.55	0
		1	76	24.55	24.58	24.43	24.56	24.23	0
		36	0	23.95	24.01	24.04	24.09	23.92	1
		36	21	25.04	25.08	25.06	25.10	25.04	0
		36	42	23.76	23.82	23.73	23.65	23.47	1
		75	0	23.61	24.43	23.58	24.07	23.30	1
30M	DFT-S 16QAM	1	1	23.63	24.45	23.53	24.52	23.29	1
30M	DFT-S 64QAM	1	1	22.23	22.83	22.08	22.68	22.01	2.5
30M	DFT-S 256QAM	1	1	20.12	20.13	19.93	20.05	19.85	4.5
30M	CP QPSK	1	1	23.46	23.56	23.50	23.63	23.45	1.5
BW	MCS Index	Channel		-0.05	-0.08	-0.03	-0.01	-0.03	3GPP MPR
		Frequence (MHz)		2506.02	2549.49	2592.99	2636.49	2679.99	
20M	DFT-S PI/2 BPSK	1	1	24.54	25.35	24.46	25.07	24.34	0
20M	DFT-S QPSK	1	1	24.56	25.56	24.57	25.31	24.35	0
		1	26	24.63	25.41	24.62	25.10	24.46	0
		1	49	24.47	24.48	24.36	24.51	24.17	0
		25	0	23.88	23.91	23.94	24.07	23.89	1
		25	13	25.00	25.04	25.04	25.07	24.95	0
		25	26	23.69	23.75	23.69	23.61	23.40	1
		50	0	23.59	24.27	23.40	24.07	23.35	1
20M	DFT-S 16QAM	1	1	23.53	24.60	23.49	24.30	23.27	1
20M	DFT-S 64QAM	1	1	22.12	22.85	22.09	22.64	21.99	2.5
20M	DFT-S 256QAM	1	1	20.02	20.00	19.87	20.00	19.65	4.5
20M	CP QPSK	1	1	23.45	23.51	23.48	23.59	23.38	1.5

NR Conducted Power (Full)_ENDC									
NR Band 41_HPUE									
BW	MCS Index	Channel		500700	509646	518598	527544	536496	3GPP MPR
		Frequence (MHz)		2503.5	2548.23	2592.99	2637.72	2682.48	
15M	DFT-S PI/2 BPSK	1	1	24.54	25.32	24.42	25.06	24.35	0
15M	DFT-S QPSK	1	1	24.59	25.61	24.53	25.33	24.32	0
		1	19	24.69	25.40	24.64	25.15	24.45	0
		1	36	24.49	24.57	24.40	24.55	24.15	0
		18	0	23.85	23.93	24.01	24.07	23.82	1
		18	10	24.98	25.08	24.99	25.09	24.98	0
		18	20	23.66	23.76	23.68	23.56	23.43	1
		36	0	23.62	24.29	23.39	24.06	23.28	1
15M	DFT-S 16QAM	1	1	23.58	24.57	23.47	24.31	23.31	1
15M	DFT-S 64QAM	1	1	22.13	22.90	22.11	22.63	21.99	2.5
15M	DFT-S 256QAM	1	1	20.02	20.02	19.86	20.06	19.65	4.5
15M	CP QPSK	1	1	23.41	23.45	23.54	23.58	23.42	1.5
BW	MCS Index	Channel		500202	509400	518598	527796	537000	3GPP MPR
		Frequence (MHz)		2501.01	2547	2592.99	2638.98	2685	
10M	DFT-S PI/2 BPSK	1	1	24.51	25.22	24.38	25.00	24.32	0
10M	DFT-S QPSK	1	1	24.51	25.53	24.48	25.33	24.29	0
		1	11	24.62	25.35	24.61	25.07	24.37	0
		1	22	24.42	24.56	24.35	24.48	24.14	0
		12	0	23.80	23.90	23.91	24.06	23.81	1
		12	6	24.96	24.99	24.99	25.09	24.88	0
		12	12	23.66	23.68	23.63	23.53	23.42	1
		24	0	23.52	24.20	23.32	23.99	23.27	1
10M	DFT-S 16QAM	1	1	23.50	24.48	23.46	24.29	23.26	1
10M	DFT-S 64QAM	1	1	22.08	22.85	22.07	22.63	21.93	2.5
10M	DFT-S 256QAM	1	1	19.96	19.96	19.78	20.01	19.59	4.5
10M	CP QPSK	1	1	23.33	23.36	23.51	23.51	23.33	1.5

NR Conducted Power (Full) for MIMO													
NR Band 38													
BW	MCS Index	RB Size	RB Offset	Low			Mid			High			3GPP MPR (dB)
		Channel		516000			519000			522000			
		Frequence (MHz)		2580			2595			2610			
		TX Chain		TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total	
20M	CP QPSK	1	1	18.33	18.77	21.57	18.22	18.47	21.36	18.35	18.75	21.56	0
		1	26	18.23	18.67	21.47	18.08	18.58	21.35	18.21	18.49	21.36	0
		1	49	18.31	18.72	21.53	18.17	18.62	21.41	18.25	18.56	21.42	0
		25	0	16.76	17.14	19.96	16.66	17.09	19.89	16.62	17.14	19.90	1
		25	13	18.39	18.61	21.51	18.38	18.52	21.46	18.34	18.50	21.43	0
		25	26	16.78	17.25	20.03	16.69	17.06	19.89	16.61	17.19	19.92	1
		50	0	16.79	17.19	20.00	16.66	17.01	19.85	16.71	17.06	19.90	1
20M	CP 16QAM	1	1	18	18.14	21.08	17.87	18.02	20.96	17.85	18.01	20.94	1
20M	CP 64QAM	1	1	16.33	16.75	19.56	16.17	16.57	19.38	16.26	16.52	19.40	2.5
20M	CP 256QAM	1	1	13.19	13.83	16.53	13.01	13.67	16.36	13.02	13.79	16.43	4.5

NR Conducted Power (Full) for MIMO																			
NR Band 41																			
BW	MCS Index	RB Size	RB Offset	Low			Mid			High			High			High			3GPP MPR (dB)
		Channel		509202			513900			518598			523302			528000			
		Frequence (MHz)		2546.01			2569.5			2592.99			2616.51			2640			
		TX Chain		TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total	
100M	CP QPSK	1	1	20.07	19.77	22.93	19.99	19.77	22.89	19.99	19.69	22.85	20.05	19.67	22.87	20.47	20.07	23.28	0
		1	137	19.27	19.06	22.18	19.36	19.58	22.48	19.33	19.61	22.48	19.41	19.51	22.47	19.43	19.61	22.53	0
		1	271	19.36	19.53	22.46	19.38	19.61	22.51	19.58	19.75	22.68	19.48	19.56	22.53	20.07	19.77	22.93	0
		135	0	17.86	18.00	20.94	17.91	17.92	20.93	17.89	17.92	20.92	17.91	18.01	20.97	17.94	18.02	20.99	1
		135	69	19.87	19.60	22.75	19.92	19.56	22.75	19.90	19.57	22.75	19.83	19.60	22.73	19.92	19.62	22.78	0
		135	138	18.65	18.26	21.47	18.61	18.32	21.48	18.66	18.26	21.47	18.62	18.26	21.45	18.68	18.33	21.52	1
		270	0	18.32	18.08	21.21	18.26	18.05	21.17	18.33	18.11	21.23	18.31	18.01	21.17	18.35	18.11	21.24	1
100M	CP 16QAM	1	1	18.89	18.87	21.89	18.93	18.90	21.93	18.94	18.84	21.90	18.94	18.87	21.92	18.97	18.94	21.97	1
100M	CP 64QAM	1	1	17.41	17.56	20.50	17.40	17.58	20.50	17.40	17.57	20.50	17.42	17.53	20.49	17.49	17.61	20.56	2.5
100M	CP 256QAM	1	1	14.53	14.58	17.57	14.48	14.65	17.58	14.45	14.62	17.55	14.54	14.59	17.58	14.55	14.67	17.62	4.5

NR Conducted Power (Full) for MIMO																
NR Band 48																
BW	MCS Index	RB Size	RB Offset	Low			Mid			High			High			3GPP MPR (dB)
		Channel		638000			640444			642888			645332			
		Frequence (MHz)		3570			3606.66			3643.32			3679.98			
		TX Chain		TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total	
40M	CP QPSK	1	1	17.56	17.58	20.58	17.46	17.54	20.51	17.51	17.51	20.52	17.55	17.57	20.57	0
		1	53	17.53	17.42	20.49	17.43	17.36	20.41	17.45	17.32	20.40	17.43	17.42	20.44	0
		1	104	17.54	17.47	20.52	17.54	17.45	20.51	17.44	17.42	20.44	17.45	17.42	20.45	0
		50	0	15.95	15.82	18.90	15.86	15.82	18.85	15.88	15.82	18.86	15.92	15.79	18.87	1
		50	28	17.49	17.38	20.45	17.42	17.31	20.38	17.39	17.32	20.37	17.44	17.32	20.39	0
		50	56	15.95	15.81	18.89	15.89	15.78	18.85	15.88	15.78	18.84	15.92	15.78	18.86	1
		100	0	16.01	15.95	18.99	16.01	15.86	18.95	15.94	15.87	18.92	15.98	15.85	18.93	1
40M	CP 16QAM	1	1	16.81	17.02	19.93	16.77	16.95	19.87	16.81	17	19.92	16.78	16.93	19.87	1
40M	CP 64QAM	1	1	15.54	15.66	18.61	15.46	15.56	18.52	15.49	15.65	18.58	15.52	15.63	18.59	2.5
40M	CP 256QAM	1	1	12.67	12.68	15.69	12.6	12.59	15.61	12.63	12.68	15.67	12.63	12.65	15.65	4.5

NR Conducted Power (Full) for MIMO													
NR Band 77													
BW	MCS Index	RB Size	RB Offset	Low			Mid			High			3GPP MPR (dB)
		Channel					633332						
		Frequence (MHz)					3499.98						
		TX Chain		TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total	
100M	CP QPSK	1	1			-	21.58	21.27	24.44			-	0
		1	137			-	21.03	21.17	24.11			-	0
		1	271			-	21.50	21.26	24.39			-	0
		135	0			-	19.62	19.52	22.58			-	1
		135	69			-	21.62	21.22	24.43			-	0
		135	138			-	20.38	19.86	23.14			-	1
		270	0			-	20.01	19.63	22.83			-	1
100M	CP 16QAM	1	1			-	20.6	20.48	23.55			-	1
100M	CP 64QAM	1	1			-	19.14	19.2	22.18			-	2.5
100M	CP 256QAM	1	1			-	16.21	16.25	19.24			-	4.5

NR Conducted Power (Full) for MIMO																			
NR Band 77																			
BW	MCS Index	RB Size	RB Offset	Low			Mid			Mid			Mid			High			3GPP MPR (dB)
		Channel		650000			653000			656000			659000			662000			
		Frequence (MHz)		3750			3795			3840			3885			3930			
		TX Chain		TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total	
100M	CP QPSK	1	1	20.40	21.11	23.78	21.08	21.18	24.14	20.26	21.18	23.75	20.32	21.14	23.76	20.36	21.13	23.77	0
		1	137	20.21	20.69	23.47	20.22	20.72	23.49	20.21	20.62	23.43	20.13	20.66	23.41	20.22	20.71	23.48	0
		1	271	20.35	21.11	23.76	20.41	21.21	23.84	20.40	20.79	23.61	20.39	20.71	23.56	20.41	20.98	23.71	0
		135	0	18.64	19.17	21.92	18.65	19.22	21.95	18.63	19.18	21.92	18.63	19.15	21.91	18.59	19.18	21.91	1
		135	69	20.14	20.79	23.49	20.20	20.82	23.53	20.15	20.76	23.48	20.19	20.76	23.49	20.15	20.78	23.49	0
		135	138	18.79	19.35	22.09	18.80	19.42	22.13	18.78	19.37	22.10	18.76	19.32	22.06	18.77	19.34	22.07	1
		270	0	18.54	19.25	21.92	18.63	19.30	21.99	18.55	19.21	21.90	18.54	19.29	21.94	18.55	19.20	21.90	1
100M	CP 16QAM	1	1	19.96	20.24	23.11	20.04	20.34	23.20	20.01	20.3	23.17	19.94	20.29	23.13	20	20.33	23.18	1
100M	CP 64QAM	1	1	18.03	18.61	21.34	18.1	18.62	21.38	18.06	18.62	21.36	18.01	18.55	21.30	18.04	18.53	21.30	2.5
100M	CP 256QAM	1	1	15.2	15.75	18.49	15.24	15.76	18.52	15.23	15.66	18.46	15.2	15.73	18.48	15.24	15.66	18.47	4.5

NR Conducted Power (Full) for MIMO													
NR Band 78													
BW	MCS Index	RB Size	RB Offset	Low			Mid			High			3GPP MPR (dB)
		Channel					633332						
		Frequence (MHz)					3499.98						
		TX Chain		TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total	
100M	CP QPSK	1	1			-	21.41	21.27	24.35			-	0
		1	137			-	21.37	21.02	24.21			-	0
		1	271			-	21.40	21.24	24.33			-	0
		135	0			-	19.89	20.03	22.97			-	1
		135	69			-	21.23	21.13	24.19			-	0
		135	138			-	19.56	19.74	22.66			-	1
		270	0			-	19.87	19.84	22.87			-	1
100M	CP 16QAM	1	1			-	20.76	20.91	23.85			-	1
100M	CP 64QAM	1	1			-	19.49	19.27	22.39			-	2.5
100M	CP 256QAM	1	1			-	16.44	16.15	19.31			-	4.5

NR Conducted Power (Full) for MIMO													
NR Band 78													
BW	MCS Index	RB Size	RB Offset	Low			Mid			High			3GPP MPR (dB)
		Channel					650000						
		Frequence (MHz)					3750						
		TX Chain		TX1	TX2	Total	TX1	TX2	Total	TX1	TX2	Total	
100M	CP QPSK	1	1			-	21.16	21.17	24.18			-	0
		1	137			-	21.08	21.01	24.06			-	0
		1	271			-	21.09	21.11	24.11			-	0
		135	0			-	19.64	19.64	22.65			-	1
		135	69			-	20.90	20.93	23.93			-	0
		135	138			-	19.26	19.45	22.37			-	1
		270	0			-	19.43	19.51	22.48			-	1
100M	CP 16QAM	1	1			-	20.45	20.59	23.53			-	1
100M	CP 64QAM	1	1			-	19.06	18.89	21.99			-	2.5
100M	CP 256QAM	1	1			-	16.07	15.84	18.97			-	4.5

Uplink Carrier Aggregation Scenarios Conducted Power

Confugure	Combination	PCC							SCC							Measurement Power				
		Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Band	BW (MHz)	Modulation	RB Size	RB Offset	UL Channel	UL Frequency (MHz)	Maximum Tune-up Power	MPR Level (dB)	Tx Power with UL-CAActive(dBm)		
																		PCC	SCC	Total
Intra Band Contiguous	2C	2	20	QPSK20M	1	0	18700	1860	2	20	QPSK20M	1	99	18898	1879.8	24.0	0-8.5	12.21	12.01	15.12
					1	99						1	0			24.0	0	19.35	19.26	22.32
		2	20	QPSK20M	1	0	18801	1870.1	2	20	QPSK20M	1	99	18999	1889.9	24.0	0-8.5	12.13	12.36	15.26
					1	99						1	0			24.0	0	19.25	19.29	22.28
		2	20	QPSK20M	1	0	18902	1880.2	2	20	QPSK20M	1	99	19100	1900	24.0	0-8.5	15.15	15.07	18.12
					1	99						1	0			24.0	0	18.96	19.01	22.00
	5B	5	10	QPSK10M	1	0	20450	829	5	10	QPSK10M	1	49	20549	838.9	24.0	0-8.5	16.26	16.19	19.24
					1	49						1	0			24.0	0	16.1	16.1	19.11
		5	10	QPSK10M	1	0	20476	831.6	5	10	QPSK10M	1	49	20575	841.5	24.0	0-8.5	16.12	16.14	19.14
					1	49						1	0			24.0	0	19.96	19.9	22.94
		5	10	QPSK10M	1	0	20501	834.1	5	10	QPSK10M	1	49	20600	844	24.0	0-8.5	16.08	16.06	19.08
					1	49						1	0			24.0	0	19.9	19.88	22.90
	7C	7	20	QPSK20M	1	0	20850	2510	7	20	QPSK20M	1	99	21048	2529.8	24.0	0-8.5	15.54	15.5	18.53
					1	99						1	0			24.0	0	19.41	19.42	22.43
		7	20	QPSK20M	1	0	21001	2525.1	7	20	QPSK20M	1	99	21199	2544.9	24.0	0-8.5	15.56	15.55	18.57
					1	99						1	0			24.0	0	19.52	19.38	22.46
		7	20	QPSK20M	1	0	21152	2540.2	7	20	QPSK20M	1	99	21350	2560	24.0	0-8.5	15.29	15.37	18.34
					1	99						1	0			24.0	0	19.39	19.37	22.39
	38C	38	20	QPSK20M	1	0	37850	2580	38	20	QPSK20M	1	99	38048	2599.8	24.0	0-8.5	16.85	16.77	19.82
					1	99						1	0			24.0	0	20.9	20.85	23.89
		38	20	QPSK20M	1	0	37901	2585.1	38	20	QPSK20M	1	99	38099	2604.9	24.0	0-8.5	16.89	16.88	19.90
					1	99						1	0			24.0	0	20.86	20.85	23.87
		38	20	QPSK20M	1	0	37952	2590.2	38	20	QPSK20M	1	99	38150	2610	24.0	0-8.5	16.87	16.75	19.82
					1	99						1	0			24.0	0	20.78	20.84	23.82
	41C	41	20	QPSK20M	1	0	39750_FCC	2506	41	20	QPSK20M	1	99	39948_FCC	2525.8	23.5	0-8.5	16.12	16.08	19.11
					1	99						1	0			23.5	0	20.05	20	23.04
		41	20	QPSK20M	1	0	40529	2583.9	41	20	QPSK20M	1	99	40712	2602.2	23.5	0-8.5	16.01	15.96	19.00
					1	99						1	0			23.5	0	19.92	19.92	22.93
		41	20	QPSK20M	1	0	41292	2660.2	41	20	QPSK20M	1	99	41490	2680	23.5	0-8.5	16.05	16.1	19.09
					1	99						1	0			23.5	0	20.02	20.04	23.04
	42C	42	20	QPSK20M	1	0	42190	3460	42	20	QPSK20M	1	99	42388	3479.8	22.5	0-8.5	16.03	16.03	19.04
					1	99						1	0			22.5	0	19.39	19.39	22.40
		42	20	QPSK20M	1	0	42491	3490.1	42	20	QPSK20M	1	99	42689	3509.9	22.5	0-8.5	15.97	16.03	19.01
					1	99						1	0			22.5	0	19.39	19.37	22.39
		42	20	QPSK20M	1	0	43292	3570.2	42	20	QPSK20M	1	99	43490	3590	22.5	0-8.5	15.94	15.91	18.94
					1	99						1	0			22.5	0	19.27	19.25	22.27
	43C	43	20	QPSK20M	1	0	43690	3610	43	20	QPSK20M	1	99	43888	3629.8	22.5	0-8.5	14.59	14.51	17.56
					1	99						1	0			22.5	0	18.41	18.47	21.45
		43	20	QPSK20M	1	0	44090	3650	43	20	QPSK20M	1	99	44288	3669.8	22.5	0-8.5	14.48	14.47	17.49
					1	99						1	0			22.5	0	18.35	18.4	21.39
		43	20	QPSK20M	1	0	44292	3670.2	43	20	QPSK20M	1	99	44490	3690	22.5	0-8.5	14.33	14.43	17.39
					1	99						1	0			22.5	0	18.31	18.29	21.31
	48C_FCC	48	20	QPSK20M	1	0	55340	3560	48	20	QPSK20M	1	99	55538	3579.8	20.5	0-8.5	13.07	13.2	16.15
					1	99						1	0			20.5	0	16.91	16.93	19.93
		48	20	QPSK20M	1	0	55891	3615.1	48	20	QPSK20M	1	99	56089	3634.9	20.5	0-8.5	13.03	13.09	16.07
					1	99						1	0			20.5	0	16.84	16.81	19.84
		48	20	QPSK20M	1	0	56442	3670.2	48	20	QPSK20M	1	99	56640	3690	20.5	0-8.5	12.86	12.92	15.90
					1	99						1	0			20.5	0	16.57	16.7	19.65
	66B	66	10	QPSK10M	1	0	132022	1715	66	10	QPSK20M	1	49	132121	1724.9	24.0	0-8.5	15.57	15.52	18.56
					1	49						1	0			24.0	0	19.14	19.26	22.21
		66	10	QPSK10M	1	0	132373	1750.1	66	10	QPSK20M	1	49	132472	1760	24.0	0-8.5	15.34	15.41	18.39
					1	49						1	0			24.0	0	19.23	19.2	22.23
		66	10	QPSK10M	1	0	132523	1765.1	66	10	QPSK20M	1	49	132622	1775	24.0	0-8.5	15.26	15.29	18.29
					1	49						1	0			24.0	0	19.12	19.24	22.19
	66C	66	20	QPSK20M	1	0	132072	1720	66	20	QPSK20M	1	99	132270	1739.8	24.0	0-8.5	15.56	15.57	18.58
					1	99						1	0			24.0	0	19.35	19.43	22.40
		66	20	QPSK20M	1	0	132323	1745.1	66	20	QPSK20M	1	99	132521	1764.9	24.0	0-8.5	15.46	15.53	18.51
					1	99						1	0			24.0	0	19.27	19.27	22.28
		66	20	QPSK20M	1	0	132374	1750.2	66	20	QPSK20M	1	99	132572	1770	24.0	0-8.5	15.35	15.34	18.36
					1	99						1	0			24.0	0	19.23	19.35	22.30

Conducted Power (Full)			
WLAN2.4GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11b	1	2412	20.97
	6	2437	20.98
	11	2462	20.96
	12	2467	18.96
	13	2472	15.48
802.11g	1	2412	19.43
	6	2437	20.88
	11	2462	18.65
	12	2467	15.43
	13	2472	11.88
802.11n HT20	1	2412	19.35
	6	2437	20.93
	11	2462	18.73
802.11n HT40	3	2422	16.22
	6	2437	20.86
	9	2452	15.95
	10	2457	10.93
	11	2462	10.92
802.11ax HE20	1	2412	19.43
	6	2437	20.87
	11	2462	18.69
	12	2467	15.42
	13	2472	11.95
802.11ax HE40	3	2422	16.11
	6	2437	20.92
	9	2452	15.89
	10	2457	10.89
	11	2462	10.92

Conducted Power (Full)			
WLAN2.4GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11b	1	2412	20.97
	6	2437	20.99
	11	2462	20.96
	12	2467	18.98
	13	2472	15.45
802.11g	1	2412	18.61
	6	2437	20.85
	11	2462	18.63
	12	2467	15.43
	13	2472	11.92
802.11n HT20	1	2412	18.63
	6	2437	20.89
	11	2462	18.72
802.11n HT40	3	2422	16.37
	6	2437	20.95
	9	2452	16.85
	10	2457	10.93
	11	2462	10.92
802.11ax HE20	1	2412	18.66
	6	2437	20.88
	11	2462	18.67
	12	2467	15.41
	13	2472	11.87
802.11ax HE40	3	2422	16.37
	6	2437	20.88
	9	2452	16.93
	10	2457	10.91
	11	2462	10.88

Conducted Power (Full)					
WLAN2.4GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11b	1	2412			
	6	2437			
	11	2462			
	12	2467			
	13	2472			
802.11g	1	2412			
	6	2437			
	11	2462			
	12	2467			
	13	2472			
802.11n HT20	1	2412	16.38	16.43	19.42
	6	2437	17.93	17.92	20.94
	11	2462	15.61	15.67	18.65
802.11n HT40	3	2422	13.23	13.21	16.23
	6	2437	17.96	17.97	20.98
	9	2452	12.98	12.96	15.98
	10	2457	8.47	8.45	11.47
	11	2462	9.45	9.47	12.47
802.11ax HE20	1	2412	16.36	16.43	19.41
	6	2437	17.91	17.87	20.90
	11	2462	15.63	15.69	18.67
	12	2467	12.37	12.45	15.42
	13	2472	9.89	9.92	12.92
802.11ax HE40	3	2422	13.18	13.13	16.17
	6	2437	17.93	17.91	20.93
	9	2452	12.87	12.86	15.88
	10	2457	9.86	9.87	12.88
	11	2462	9.92	9.91	12.93

Conducted Power (Full)			
Bluetooth Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
BR / EDR	0	2402	9.72
	39	2441	9.99
	78	2480	10.48
LE	0	2402	8.21
	19	2440	8.42
	39	2480	8.95

Conducted Power (Full)			
WLAN 5.2GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	36	5180	19.61
	40	5200	20.65
	44	5220	20.66
	48	5240	20.73
802.11n HT20	36	5180	19.72
	40	5200	20.66
	44	5220	20.67
	48	5240	20.65
802.11n HT40	38	5190	19.27
	46	5230	20.83
802.11ac VHT80	42	5210	18.72
802.11ax HE20	36	5180	19.61
	40	5200	20.73
	44	5220	20.65
	48	5240	20.65
802.11ax HE40	38	5190	19.13
	46	5230	20.69
802.11ax HE80	42	5210	18.69

Conducted Power (Full)			
WLAN 5.2GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	36	5180	19.18
	40	5200	20.93
	44	5220	20.95
	48	5240	20.97
802.11n HT20	36	5180	19.13
	40	5200	20.92
	44	5220	20.95
	48	5240	20.96
802.11n HT40	38	5190	17.67
	46	5230	19.41
802.11ac VHT80	42	5210	18.72
802.11ax HE20	36	5180	19.13
	40	5200	20.96
	44	5220	20.92
	48	5240	20.88
802.11ax HE40	38	5190	17.67
	46	5230	19.37
802.11ax HE80	42	5210	18.72

Conducted Power (Full)					
WLAN 5.2GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	36	5180			
	40	5200			
	44	5220			
	48	5240			
802.11n HT20	36	5180	16.87	16.93	19.91
	40	5200	17.93	17.95	20.95
	44	5220	17.87	17.92	20.91
	48	5240	17.92	17.96	20.95
802.11n HT40	38	5190	16.46	16.47	19.48
	46	5230	17.93	17.96	20.96
802.11ac VHT80	42	5210	15.96	15.95	18.97
802.11ax HE20	36	5180	16.87	16.91	19.9
	40	5200	17.93	17.95	20.95
	44	5220	17.97	17.91	20.95
	48	5240	17.91	17.91	20.92
802.11ax HE40	38	5190	16.43	16.45	19.45
	46	5230	17.92	17.87	20.91
802.11ax HE80	42	5210	15.87	15.91	18.9

Conducted Power (Full)			
WLAN 5.3GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	52	5260	20.91
	56	5280	20.96
	60	5300	20.97
	64	5320	20.95
802.11n HT20	52	5260	20.89
	56	5280	20.92
	60	5300	20.95
	64	5320	20.88
802.11n HT40	54	5270	20.98
	62	5310	18.23
802.11ac VHT80	58	5290	18.46
802.11ac VHT160	50	5250	15.95
802.11ax HE20	52	5260	20.96
	56	5280	20.89
	60	5300	20.97
	64	5320	20.96
802.11ax HE40	54	5270	20.95
	62	5310	18.17
802.11ax HE80	58	5290	18.42
802.11ax HE160	50	5250	15.87

Conducted Power (Full)			
WLAN 5.3GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	52	5260	20.95
	56	5280	20.98
	60	5300	20.97
	64	5320	18.98
802.11n HT20	52	5260	20.91
	56	5280	20.88
	60	5300	20.92
	64	5320	18.89
802.11n HT40	54	5270	20.47
	62	5310	16.95
802.11ac VHT80	58	5290	17.68
802.11ac VHT160	50	5250	15.22
802.11ax HE20	52	5260	20.91
	56	5280	20.87
	60	5300	20.86
	64	5320	18.96
802.11ax HE40	54	5270	20.43
	62	5310	16.97
802.11ax HE80	58	5290	17.65
802.11ax HE160	50	5250	15.22

Conducted Power (Full)					
WLAN 5.3GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	52	5260			
	56	5280			
	60	5300			
	64	5320			
802.11n HT20	52	5260	17.87	17.91	20.9
	56	5280	17.86	17.88	20.88
	60	5300	17.92	17.95	20.95
	64	5320	17.87	17.93	20.91
802.11n HT40	54	5270	17.98	17.98	20.99
	62	5310	15.21	15.23	18.23
802.11ac VHT80	58	5290	15.41	15.45	18.44
802.11ac VHT160	50	5250	12.87	12.87	15.88
802.11ax HE20	52	5260	17.92	17.96	20.95
	56	5280	17.88	17.87	20.89
	60	5300	17.97	17.93	20.96
	64	5320	17.93	17.93	20.94
802.11ax HE40	54	5270	17.91	17.88	20.91
	62	5310	15.12	15.13	18.14
802.11ax HE80	58	5290	15.43	15.45	18.45
802.11ax HE160	50	5250	12.92	12.91	15.93

Conducted Power (Full)			
WLAN 5.6GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	100	5500	20.96
	116	5580	20.93
	120	5600	20.91
	124	5620	20.92
	132	5660	20.87
	140	5700	20.95
	144	5720	20.88
802.11n HT20	100	5500	20.91
	116	5580	20.93
	120	5600	20.95
	124	5620	20.97
	132	5660	20.95
	140	5700	20.96
	144	5720	20.92
802.11n HT40	102	5510	19.96
	110	5550	20.88
	118	5590	20.93
	126	5630	20.87
	134	5670	20.87
	142	5710	20.92
802.11ac VHT80	106	5530	17.98
	122	5610	20.97
	138	5690	20.98
802.11ac VHT160	114	5570	16.21
802.11ax HE20	100	5500	20.95
	116	5580	20.93
	120	5600	20.93
	124	5620	20.92
	132	5660	20.94
	140	5700	20.91
	144	5720	20.93
802.11ax HE40	102	5510	19.93
	110	5550	20.95
	118	5590	20.87
	126	5630	20.95
	134	5670	20.92
	142	5710	20.97
802.11ax HE80	106	5530	17.89
	122	5610	20.93
	138	5690	20.88
802.11ax HE160	114	5570	16.16

Conducted Power (Full)			
WLAN 5.6GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	100	5500	19.91
	116	5580	20.95
	120	5600	20.92
	124	5620	20.97
	132	5660	20.89
	140	5700	20.88
	144	5720	20.92
802.11n HT20	100	5500	19.97
	116	5580	20.92
	120	5600	20.95
	124	5620	20.87
	132	5660	20.92
	140	5700	20.89
	144	5720	20.87
802.11n HT40	102	5510	17.89
	110	5550	20.18
	118	5590	20.89
	126	5630	20.95
	134	5670	20.88
	142	5710	20.95
802.11ac VHT80	106	5530	17.96
	122	5610	20.96
	138	5690	20.98
802.11ac VHT160	114	5570	15.45
802.11ax HE20	100	5500	19.96
	116	5580	20.92
	120	5600	20.91
	124	5620	20.93
	132	5660	20.88
	140	5700	20.93
	144	5720	20.92
802.11ax HE40	102	5510	17.91
	110	5550	20.22
	118	5590	20.87
	126	5630	20.97
	134	5670	20.95
	142	5710	20.96
802.11ax HE80	106	5530	17.96
	122	5610	20.95
	138	5690	20.91
802.11ax HE160	114	5570	15.46

Conducted Power (Full)					
WLAN 5.6GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	100	5500			
	116	5580			
	120	5600			
	124	5620			
	132	5660			
	140	5700			
	144	5720			
802.11n HT20	100	5500	17.87	17.87	20.88
	116	5580	17.93	17.95	20.95
	120	5600	17.96	17.96	20.97
	124	5620	17.92	17.87	20.91
	132	5660	17.91	17.93	20.93
	140	5700	17.92	17.89	20.92
	144	5720	17.89	17.97	20.94
802.11n HT40	102	5510	16.95	16.93	19.95
	110	5550	17.96	17.92	20.95
	118	5590	17.87	17.89	20.89
	126	5630	17.88	17.92	20.91
	134	5670	17.91	17.92	20.93
	142	5710	17.97	17.88	20.94
802.11ac VHT80	106	5530	14.97	14.98	17.99
	122	5610	17.97	17.95	20.97
	138	5690	17.96	17.98	20.98
802.11ac VHT160	114	5570	13.18	13.21	16.21
802.11ax HE20	100	5500	17.87	17.97	20.93
	116	5580	17.91	17.92	20.93
	120	5600	17.96	17.95	20.97
	124	5620	17.92	17.93	20.94
	132	5660	17.92	17.96	20.95
	140	5700	17.95	17.92	20.95
	144	5720	17.97	17.87	20.93
802.11ax HE40	102	5510	16.88	16.87	19.89
	110	5550	17.91	17.88	20.91
	118	5590	17.89	17.89	20.9
	126	5630	17.91	17.93	20.93
	134	5670	17.89	17.92	20.92
	142	5710	17.87	17.95	20.92
802.11ax HE80	106	5530	14.93	14.88	17.92
	122	5610	17.97	17.91	20.95
	138	5690	17.88	17.87	20.89
802.11ax HE160	114	5570	13.17	13.22	16.21

Conducted Power (Full)			
WLAN 5.8GHz Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	149	5745	20.86
	153	5765	20.87
	157	5785	20.89
	161	5805	20.91
	165	5825	20.86
802.11n HT20	149	5745	20.93
	153	5765	20.95
	157	5785	20.86
	161	5805	20.91
	165	5825	20.92
802.11n HT40	151	5755	20.92
	159	5795	20.88
802.11ac VHT20	149	5745	20.89
	153	5765	20.95
	157	5785	20.91
	161	5805	20.92
	165	5825	20.93
802.11ac VHT40	151	5755	20.89
	159	5795	20.92
802.11ac VHT80	155	5775	20.97
802.11ax HE20	149	5745	20.92
	153	5765	20.95
	157	5785	20.95
	161	5805	20.88
	165	5825	20.85
802.11ax HE40	151	5755	20.91
	159	5795	20.92
802.11ax HE80	155	5775	19.86

Conducted Power (Full)			
WLAN 5.8GHz Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	149	5745	20.93
	153	5765	20.92
	157	5785	20.93
	161	5805	20.95
	165	5825	20.88
802.11n HT20	149	5745	20.93
	153	5765	20.92
	157	5785	20.88
	161	5805	20.85
	165	5825	20.92
802.11n HT40	151	5755	20.88
	159	5795	20.95
802.11ac VHT20	149	5745	20.93
	153	5765	20.92
	157	5785	20.95
	161	5805	20.91
	165	5825	20.93
802.11ac VHT40	151	5755	20.86
	159	5795	20.92
802.11ac VHT80	155	5775	20.98
802.11ax HE20	149	5745	20.91
	153	5765	20.89
	157	5785	20.85
	161	5805	20.89
	165	5825	20.95
802.11ax HE40	151	5755	20.88
	159	5795	20.91
802.11ax HE80	155	5775	19.96

Conducted Power (Full)					
WLAN 5.8GHz Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	149	5745			
	153	5765			
	157	5785			
	161	5805			
	165	5825			
802.11n HT20	149	5745	17.88	17.92	20.91
	153	5765	17.89	17.87	20.89
	157	5785	17.92	17.85	20.9
	161	5805	17.85	17.89	20.88
	165	5825	17.91	17.92	20.93
802.11n HT40	151	5755	17.88	17.93	20.92
	159	5795	17.87	17.95	20.92
802.11ac VHT20	149	5745	17.91	17.92	20.93
	153	5765	17.87	17.86	20.88
	157	5785	17.87	17.91	20.9
	161	5805	17.92	17.92	20.93
	165	5825	17.93	17.85	20.9
802.11ac VHT40	151	5755	17.93	17.95	20.95
	159	5795	17.88	17.93	20.92
802.11ac VHT80	155	5775	17.95	17.98	20.98
802.11ax HE20	149	5745	17.85	17.95	20.91
	153	5765	17.86	17.88	20.88
	157	5785	17.85	17.87	20.87
	161	5805	17.85	17.88	20.88
	165	5825	17.88	17.88	20.89
802.11ax HE40	151	5755	17.87	17.91	20.9
	159	5795	17.93	17.88	20.92
802.11ax HE80	155	5775	16.87	16.89	19.89

Conducted Power (Full)			
UNII-5 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	1	5955	13.45
	5	5975	13.41
	9	5995	13.45
	13	6015	13.37
	17	6035	13.42
	21	6055	13.43
	25	6075	13.41
	29	6095	13.45
	33	6115	13.39
	37	6135	13.43
	41	6155	13.39
	45	6175	13.35
	49	6195	13.42
	53	6215	13.41
	57	6235	13.45
	61	6255	13.41
	65	6275	13.37
	69	6295	13.35
	73	6315	13.46
	77	6335	13.37
	81	6355	13.43
	85	6375	13.42
	89	6395	13.43
	93	6415	13.41
802.11ax HE20	1	5955	13.42
	5	5975	13.45
	9	5995	13.36
	13	6015	13.45
	17	6035	13.42
	21	6055	13.41
	25	6075	13.45
	29	6095	13.36
	33	6115	13.42
	37	6135	13.45
	41	6155	13.37
	45	6175	13.38
	49	6195	13.36
	53	6215	13.37
	57	6235	13.45
	61	6255	13.39
	65	6275	13.37
	69	6295	13.41
	73	6315	13.37
	77	6335	13.45
	81	6355	13.39
	85	6375	13.41
	89	6395	13.42
	93	6415	13.41
802.11ax HE40	3	5965	13.37
	11	6005	13.42
	19	6045	13.38
	27	6085	13.45
	35	6125	13.46
	43	6165	13.41
	51	6205	13.42
	59	6245	13.43
	67	6285	13.36
	75	6325	13.39
	83	6365	13.37
	91	6405	13.36
802.11ax HE80	7	5985	13.39
	23	6065	13.43
	39	6145	13.42
	55	6225	13.36
	71	6305	13.35
	87	6385	13.38
802.11ax HE160	15	6025	13.48
	47	6185	13.47
	79	6345	13.46

Conducted Power (Full)			
UNII-5 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	1	5955	13.38
	5	5975	13.42
	9	5995	13.43
	13	6015	13.41
	17	6035	13.35
	21	6055	13.42
	25	6075	13.41
	29	6095	13.37
	33	6115	13.43
	37	6135	13.39
	41	6155	13.36
	45	6175	13.43
	49	6195	13.36
	53	6215	13.36
	57	6235	13.43
	61	6255	13.46
	65	6275	13.36
	69	6295	13.45
	73	6315	13.36
	77	6335	13.42
	81	6355	13.43
	85	6375	13.42
	89	6395	13.43
	93	6415	13.38
802.11ax HE20	1	5955	13.42
	5	5975	13.42
	9	5995	13.35
	13	6015	13.35
	17	6035	13.36
	21	6055	13.45
	25	6075	13.43
	29	6095	13.45
	33	6115	13.42
	37	6135	13.36
	41	6155	13.41
	45	6175	13.43
	49	6195	13.37
	53	6215	13.41
	57	6235	13.38
	61	6255	13.42
	65	6275	13.39
	69	6295	13.41
	73	6315	13.41
	77	6335	13.39
	81	6355	13.36
	85	6375	13.37
	89	6395	13.35
	93	6415	13.38
802.11ax HE40	3	5965	13.38
	11	6005	13.45
	19	6045	13.42
	27	6085	13.38
	35	6125	13.39
	43	6165	13.42
	51	6205	13.45
	59	6245	13.43
	67	6285	13.45
	75	6325	13.41
	83	6365	13.43
	91	6405	13.38
802.11ax HE80	7	5985	13.38
	23	6065	13.39
	39	6145	13.42
	55	6225	13.42
	71	6305	13.41
	87	6385	13.37
802.11ax HE160	15	6025	13.48
	47	6185	13.46
	79	6345	13.45

Conducted Power (Full)					
UNII-5 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	1	5955			
	5	5975			
	9	5995			
	13	6015			
	17	6035			
	21	6055			
	25	6075			
	29	6095			
	33	6115			
	37	6135			
	41	6155			
	45	6175			
	49	6195			
	53	6215			
	57	6235			
	61	6255			
	65	6275			
	69	6295			
	73	6315			
	77	6335			
	81	6355			
	85	6375			
	89	6395			
	93	6415			
802.11ax HE20	1	5955	10.43	10.42	13.44
	5	5975	10.41	10.45	13.44
	9	5995	10.41	10.41	13.42
	13	6015	10.38	10.42	13.41
	17	6035	10.38	10.37	13.39
	21	6055	10.35	10.36	13.37
	25	6075	10.39	10.43	13.42
	29	6095	10.45	10.41	13.44
	33	6115	10.35	10.38	13.38
	37	6135	10.43	10.42	13.44
	41	6155	10.45	10.39	13.43
	45	6175	10.39	10.38	13.4
	49	6195	10.38	10.36	13.38
	53	6215	10.42	10.37	13.41
	57	6235	10.43	10.37	13.41
	61	6255	10.41	10.41	13.42
	65	6275	10.35	10.35	13.36
	69	6295	10.37	10.42	13.41
	73	6315	10.36	10.39	13.39
	77	6335	10.36	10.43	13.41
	81	6355	10.37	10.39	13.39
	85	6375	10.42	10.45	13.45
	89	6395	10.42	10.35	13.4
	93	6415	10.37	10.43	13.41
802.11ax HE40	3	5965	10.36	10.42	13.4
	11	6005	10.4	10.42	13.42
	19	6045	10.41	10.41	13.42
	27	6085	10.35	10.39	13.38
	35	6125	10.38	10.36	13.38
	43	6165	10.43	10.39	13.42
	51	6205	10.38	10.45	13.43
	59	6245	10.45	10.35	13.41
	67	6285	10.35	10.35	13.36
	75	6325	10.45	10.38	13.43
	83	6365	10.46	10.43	13.46
	91	6405	10.39	10.38	13.4
802.11ax HE80	7	5985	10.41	10.39	13.41
	23	6065	10.43	10.43	13.44
	39	6145	10.38	10.45	13.43
	55	6225	10.36	10.42	13.4
	71	6305	10.42	10.39	13.42
	87	6385	10.38	10.45	13.43
802.11ax HE160	15	6025	10.45	10.48	13.48
	47	6185	10.43	10.47	13.46
	79	6345	10.46	10.45	13.47

Conducted Power (Full)			
UNII-6 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	97	6435	13.39
	101	6455	13.42
	105	6475	13.38
	109	6495	13.45
	113	6515	13.38
802.11ax HE20	97	6435	13.36
	101	6455	13.45
	105	6475	13.45
	109	6495	13.43
	113	6515	13.41
802.11ax HE40	99	6445	13.41
	107	6485	13.38
	115	6525	13.37
802.11ax HE80	103	6465	13.38
	119	6545	13.39
802.11ax HE160	111	6505	13.47

Conducted Power (Full)			
UNII-6 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	97	6435	13.42
	101	6455	13.37
	105	6475	13.38
	109	6495	13.38
	113	6515	13.43
802.11ax HE20	97	6435	13.41
	101	6455	13.45
	105	6475	13.41
	109	6495	13.39
	113	6515	13.38
802.11ax HE40	99	6445	13.42
	107	6485	13.37
	115	6525	13.43
802.11ax HE80	103	6465	13.41
	119	6545	13.37
802.11ax HE160	111	6505	13.46

Conducted Power (Full)					
UNII-6 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	97	6435			
	101	6455			
	105	6475			
	109	6495			
	113	6515			
802.11ax HE20	97	6435	10.39	10.42	13.42
	101	6455	10.45	10.39	13.43
	105	6475	10.35	10.38	13.38
	109	6495	10.42	10.36	13.4
	113	6515	10.43	10.37	13.41
802.11ax HE40	99	6445	10.46	10.35	13.42
	107	6485	10.42	10.45	13.45
	115	6525	10.41	10.37	13.4
802.11ax HE80	103	6465	10.45	10.37	13.42
	119	6545	10.37	10.36	13.38
802.11ax HE160	111	6505	10.43	10.46	13.46

Conducted Power (Full)			
UNII-7 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	117	6535	13.43
	121	6555	13.41
	125	6575	13.45
	129	6595	13.39
	133	6615	13.36
	137	6635	13.42
	141	6655	13.35
	145	6675	13.45
	149	6695	13.41
	153	6715	13.38
	157	6735	13.36
	161	6755	13.42
	165	6775	13.35
	169	6795	13.35
	173	6815	13.43
	177	6835	13.35
	181	6855	13.36
	185	6875	13.38
802.11ax HE20	117	6535	13.35
	121	6555	13.38
	125	6575	13.35
	129	6595	13.43
	133	6615	13.41
	137	6635	13.37
	141	6655	13.45
	145	6675	13.35
	149	6695	13.41
	153	6715	13.42
	157	6735	13.35
	161	6755	13.37
	165	6775	13.35
	169	6795	13.43
	173	6815	13.41
	177	6835	13.43
	181	6855	13.42
	185	6875	13.45
802.11ax HE40	123	6565	13.45
	131	6605	13.43
	139	6645	13.35
	147	6685	13.38
	155	6725	13.41
	163	6765	13.42
	171	6805	13.45
	179	6845	13.42
	187	6885	13.37
802.11ax HE80	135	6625	13.43
	151	6705	13.41
	167	6785	13.45
	183	6865	13.42
802.11ax HE160	143	6665	13.46
	175	6825	13.45

Conducted Power (Full)			
UNII-7 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	117	6535	13.37
	121	6555	13.41
	125	6575	13.46
	129	6595	13.36
	133	6615	13.37
	137	6635	13.42
	141	6655	13.43
	145	6675	13.37
	149	6695	13.42
	153	6715	13.37
	157	6735	13.43
	161	6755	13.43
	165	6775	13.42
	169	6795	13.35
	173	6815	13.38
	177	6835	13.35
	181	6855	13.45
	185	6875	13.35
802.11ax HE20	117	6535	13.43
	121	6555	13.42
	125	6575	13.43
	129	6595	13.35
	133	6615	13.41
	137	6635	13.41
	141	6655	13.38
	145	6675	13.37
	149	6695	13.43
	153	6715	13.38
	157	6735	13.41
	161	6755	13.39
	165	6775	13.36
	169	6795	13.37
	173	6815	13.41
	177	6835	13.39
	181	6855	13.43
	185	6875	13.45
802.11ax HE40	123	6565	13.37
	131	6605	13.35
	139	6645	13.42
	147	6685	13.45
	155	6725	13.45
	163	6765	13.37
	171	6805	13.37
	179	6845	13.41
	187	6885	13.36
802.11ax HE80	135	6625	13.43
	151	6705	13.36
	167	6785	13.37
	183	6865	13.36
802.11ax HE160	143	6665	13.47
	175	6825	13.46

Conducted Power (Full)					
UNII-7 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	117	6535			
	121	6555			
	125	6575			
	129	6595			
	133	6615			
	137	6635			
	141	6655			
	145	6675			
	149	6695			
	153	6715			
	157	6735			
	161	6755			
	165	6775			
	169	6795			
	173	6815			
	177	6835			
	181	6855			
	185	6875			
802.11ax HE20	117	6535	10.45	10.39	13.43
	121	6555	10.39	10.36	13.39
	125	6575	10.36	10.36	13.37
	129	6595	10.38	10.45	13.43
	133	6615	10.45	10.36	13.42
	137	6635	10.41	10.35	13.39
	141	6655	10.38	10.39	13.4
	145	6675	10.39	10.42	13.42
	149	6695	10.41	10.45	13.44
	153	6715	10.46	10.43	13.46
	157	6735	10.43	10.36	13.41
	161	6755	10.41	10.43	13.43
	165	6775	10.37	10.42	13.41
	169	6795	10.39	10.38	13.4
	173	6815	10.39	10.42	13.42
	177	6835	10.41	10.36	13.4
	181	6855	10.39	10.35	13.38
	185	6875	10.38	10.39	13.4
802.11ax HE40	123	6565	10.38	10.37	13.39
	131	6605	10.45	10.36	13.42
	139	6645	10.38	10.45	13.43
	147	6685	10.37	10.37	13.38
	155	6725	10.42	10.42	13.43
	163	6765	10.45	10.43	13.45
	171	6805	10.35	10.42	13.4
	179	6845	10.41	10.41	13.42
	187	6885	10.45	10.36	13.42
802.11ax HE80	135	6625	10.35	10.36	13.37
	151	6705	10.37	10.45	13.42
	167	6785	10.43	10.37	13.41
	183	6865	10.41	10.42	13.43
802.11ax HE160	143	6665	10.47	10.45	13.47
	175	6825	10.43	10.46	13.46

Conducted Power (Full)			
UNII-8 Ant 0			
Mode	Channel	Frequency	SISO Ant 0 Avg. Power
802.11a	189	6895	13.37
	193	6915	13.35
	197	6935	13.36
	201	6955	13.37
	205	6975	13.36
	209	6995	13.39
	213	7015	13.45
	217	7035	13.45
	221	7055	13.41
	225	7075	13.42
	229	7095	13.39
	233	7115	13.39
802.11ax HE20	189	6895	13.45
	193	6915	13.45
	197	6935	13.36
	201	6955	13.45
	205	6975	13.41
	209	6995	13.35
	213	7015	13.41
	217	7035	13.43
	221	7055	13.41
	225	7075	13.37
	229	7095	13.41
	233	7115	13.35
802.11ax HE40	195	6925	13.35
	203	6965	13.42
	211	7005	13.38
	219	7045	13.43
	227	7085	13.42
802.11ax HE80	199	6945	13.45
	215	7025	13.42
802.11ax HE160	207	6985	13.47

Conducted Power (Full)			
UNII-8 Ant 1			
Mode	Channel	Frequency	SISO Ant 1 Avg. Power
802.11a	189	6895	13.43
	193	6915	13.35
	197	6935	13.39
	201	6955	13.38
	205	6975	13.41
	209	6995	13.35
	213	7015	13.46
	217	7035	13.42
	221	7055	13.42
	225	7075	13.41
	229	7095	13.38
	233	7115	13.39
802.11ax HE20	189	6895	13.45
	193	6915	13.39
	197	6935	13.37
	201	6955	13.37
	205	6975	13.45
	209	6995	13.41
	213	7015	13.42
	217	7035	13.35
	221	7055	13.35
	225	7075	13.41
	229	7095	13.38
	233	7115	13.35
802.11ax HE40	195	6925	13.39
	203	6965	13.43
	211	7005	13.41
	219	7045	13.38
	227	7085	13.38
802.11ax HE80	199	6945	13.39
	215	7025	13.41
802.11ax HE160	207	6985	13.47

Conducted Power (Full)					
UNII-8 Ant 0+1					
Mode	Channel	Frequency	MIMO Ant 0 Avg. Power	MIMO Ant 1 Avg. Power	MIMO Ant 0+1 Avg. Power
802.11a	189	6895			
	193	6915			
	197	6935			
	201	6955			
	205	6975			
	209	6995			
	213	7015			
	217	7035			
	221	7055			
	225	7075			
	229	7095			
	233	7115			
802.11ax HE20	189	6895	10.41	10.38	13.41
	193	6915	10.38	10.41	13.41
	197	6935	10.36	10.43	13.41
	201	6955	10.37	10.39	13.39
	205	6975	10.43	10.45	13.45
	209	6995	10.42	10.41	13.43
	213	7015	10.39	10.37	13.39
	217	7035	10.41	10.41	13.42
	221	7055	10.45	10.42	13.45
	225	7075	10.37	10.41	13.4
	229	7095	10.45	10.42	13.45
	233	7115	10.45	10.43	13.45
802.11ax HE40	195	6925	10.39	10.39	13.4
	203	6965	10.37	10.35	13.37
	211	7005	10.39	10.46	13.44
	219	7045	10.42	10.37	13.41
	227	7085	10.38	10.45	13.43
802.11ax HE80	199	6945	10.42	10.43	13.44
	215	7025	10.35	10.42	13.4
802.11ax HE160	207	6985	10.46	10.46	13.47

Conducted Power (Full)		
RFID		
Mode	Frequency	Avg. Power
RFID	13.56	-29.93

Appendix F. SAR and Incident Power Density Test Result

SAR Results for Body Exposure Condition.

Note:
1. SAR testing for WLAN / BT was performed on the maximum power mode.
2. SAR testing for LTE / NR was performed on the maximum power mode.
3. The “< 0.001” means there is no SAR value or the SAR is too low to be measured.
4. Per KDB 388624 APPENDIX OVER6G, the minimum of 5 channels to perform IPD across U-NII 5,6,7 and 8. and measured results were scaled by factor 1.545 to reported power density when measurement uncertainty exceed 30%.