


Photographs of EUT Setup and Antenna Location

The photographs of EUT and setup for SAR testing are shown as follows.


<Front Face View> Tablet



Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WWAN Main Ant 0	1.91	230.60	190.98	15.87
WWAN Aux Ant 2	2.00	230.60	15.87	212.37
WWAN MIMO1 Ant 1	22.47	165.00	289.73	2.00
WWAN MIMO2 Ant 3	107.47	87.00	2.00	289.73
WLAN Main Ant 0	22.47	165.00	2.00	289.73
WLAN/BT Aux Ant 1	107.47	87.00	289.73	2.00

Antenna	Support Band
WWAN Main Ant 0	WCDMA: B2, B4, B5 LTE: B2, B4, B5, B7, B12, B13, B14, B17, B25, B26, B38, B41, B66, B71 5G NR: n2, n5, n7, n12, n13, n14, n25, n26, n38, n41, n66, n71
WWAN Aux Ant 2	5G NR: n38, n41
WWAN MIMO1 Ant 1	5G NR: n48, n77, n78
WWAN MIMO2 Ant 3	LTE: B42, B43, B48 5G NR: n48, n77, n78


<Right Side View> Convertible PC Tablet Mode



Antenna	To Front Side	To Rear Side
	(mm)	(mm)
WWAN Main Ant 0	5.00	25.00
WWAN Aux Ant 2	5.00	25.00
WWAN MIMO1 Ant 1	5.00	25.00
WWAN MIMO2 Ant 3	5.00	25.00
WLAN Main Ant 0	5.00	25.00
WLAN/BT Aux Ant 1	5.00	25.00

Antenna	Support Band
WWAN Main Ant 0	WCDMA: B2, B4, B5 LTE: B2, B4, B5, B7, B12, B13, B14, B17, B25, B26, B38, B41, B66, B71 5G NR: n2, n5, n7, n12, n13, n14, n25, n26, n38, n41, n66, n71
WWAN Aux Ant 2	5G NR: n38, n41
WWAN MIMO1 Ant 1	5G NR: n48, n77, n78
WWAN MIMO2 Ant 3	LTE: B42, B43, B48 5G NR: n48, n77, n78


<Front Face View> Laptop Mode (180°)



Antenna	To Top/Bottom Side	To Baseline	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WWAN Main Ant 0	1.91	230.60	190.98	15.87
WWAN Aux Ant 2	2.00	230.60	15.87	212.37
WWAN MIMO1 Ant 1	22.47	165.00	289.73	2.00
WWAN MIMO2 Ant 3	107.47	87.00	2.00	289.73
WLAN Main Ant 0	22.47	165.00	2.00	289.73
WLAN/BT Aux Ant 1	107.47	87.00	289.73	2.00

Antenna	Support Band
WWAN Main Ant 0	WCDMA: B2, B4, B5 LTE: B2, B4, B5, B7, B12, B13, B14, B17, B25, B26, B38, B41, B66, B71 5G NR: n2, n5, n7, n12, n13, n14, n25, n26, n38, n41, n66, n71
WWAN Aux Ant 2	5G NR: n38, n41
WWAN MIMO1 Ant 1	5G NR: n48, n77, n78
WWAN MIMO2 Ant 3	LTE: B42, B43, B48 5G NR: n48, n77, n78

<Right Side View> Laptop Mode(90°)



Antenna	Rear Face
	(mm)
WWAN Main Ant 0	230.60
WWAN Aux Ant 2	230.60
WWAN MIMO1 Ant 1	165.60
WWAN MIMO2 Ant 3	87.60
WLAN Main Ant 0	165.60
WLAN/BT Aux Ant 1	87.60

Antenna	Support Band
WWAN Main Ant 0	WCDMA: B2, B4, B5 LTE: B2, B4, B5, B7, B12, B13, B14, B17, B25, B26, B38, B41, B66, B71 5G NR: n2, n5, n7, n12, n13, n14, n25, n26, n38, n41, n66, n71
WWAN Aux Ant 2	5G NR: n38, n41
WWAN MIMO1 Ant 1	5G NR: n48, n77, n78
WWAN MIMO2 Ant 3	LTE: B42, B43, B48 5G NR: n48, n77, n78

<Photographs of Bottom Body SAR Test Setup>



Bottom of EUT Tested at 0 mm

<Photographs of Body SAR Test Setup>




Rear Face of EUT with Bat1 Tested at 0 mm




Left Side of EUT with Bat1 Tested at 0 mm



Right Side of EUT with Bat1 Tested at 0 mm



Top Side of EUT with Bat1 Tested at 0 mm



Bottom Side of EUT with Bat1 Tested at 0 mm



Top Side of EUT with Bat2 Tested at 0 mm

<Photographs of Body SAR Test Setup>



Left Side of EUT with Bat2 Tested at 0 mm

<Photographs of Power Density Test Setup>



Right Side of EUT Tested at 0 mm