


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Tablet




Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WWAN Main Ant 0	1.91	230.60	190.98	15.87
WLAN Main Ant 0	22.47	165.00	2.00	289.73
WLAN/BT Aux Ant 1	107.47	87.00	289.73	2.00

<Right Side View> Convertible PC Tablet Mode




Antenna	To Front Side	To Rear Side
	(mm)	(mm)
WWAN Main Ant 0	5.00	25.00
WLAN Main Ant 0	5.00	25.00
WLAN/BT Aux Ant 1	5.00	25.00

<Front Face View> Laptop Mode (180°)



Antenna	To Top/Bottom Side	To Baseline	To Left Side	To Right Side
	(mm)	(mm)	(mm)	(mm)
WWAN Main Ant 0	1.91	230.60	190.98	15.87
WLAN Main Ant 0	22.47	165.00	2.00	289.73
WLAN/BT Aux Ant 1	107.47	87.00	289.73	2.00

<Right Side View> Laptop Mode(90°)



Antenna	Rear Face
	(mm)
WWAN Main Ant 0	230.60
WLAN Main Ant 0	165.60
WLAN/BT Aux Ant 1	87.60

<Photographs of Bottom Body SAR Test Setup>



Bottom of EUT Tested at 0 mm

<Photographs of Body SAR Test Setup>




Rear Face of EUT with Bat1 Tested at 0 mm




Left Side of EUT with Bat1 Tested at 0 mm



Right Side of EUT with Bat1 Tested at 0 mm



Top Side of EUT with Bat1 Tested at 0 mm




Bottom Side of EUT with Bat1 Tested at 0 mm



Top Side of EUT with Bat2 Tested at 0 mm

<Photographs of Power Density Test Setup>



Right Side of EUT Tested at 0 mm