












Conducted Spurious CDMA Ch. 1013



Conducted Spurious CDMA Ch. 0384

Conducted Spurious CDMA Ch. 0777


Power Out. CDMA Ch. 1013**Power Out. CDMA Ch. 0777**



Power Out. CDMA Ch. 0384**Channel Power. CDMA Ch. 0384**

Occupied Bandwidth. CDMA Ch. 0384

Band Edge. CDMA Ch. 1013**Band Edge. CDMA Ch. 0777**

FCC ID: R2NSXT-800U
Manufacturer: SUNG IL TELECOM CO., LTD.
CDMA 1x WLL Terminal
Channel: 869.0 ~ 894.0 MHz
Test Mode: CDMA Receiving Band





9 November, 2004 15:51

Standard : FCC PART.15
 Manufacturer : SUNG IL TELECOM
 Model : SXT-800U
 Operator : W.J. LEE
 AC Power : 120V 60Hz
 Temp, Humidity : 20 52
 Remark1 : Operation Mode
 Remark2 : Battery ON
 Remark3 :
 :



Final Result

--- N Phase ---

No.	Frequency	Reading QP	Reading AV	c.f	Result QP	Result AV	Limit QP	Limit AV	Margin QP	Margin AV	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB]	[dB]	
1	0.204	46.6	41.5	1.1	47.7	42.6	63.4	53.4	15.7	10.8	
2	0.404	44.2	38.1	0.4	44.6	38.5	57.8	47.8	13.2	9.3	

--- L1 Phase ---

No.	Frequency	Reading QP	Reading AV	c.f	Result QP	Result AV	Limit QP	Limit AV	Margin QP	Margin AV	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB]	[dB]	
1	0.204	47.0	41.4	1.0	48.0	42.4	63.4	53.4	15.4	11.0	
2	0.401	42.8	38.9	0.5	43.3	39.4	57.8	47.8	14.5	8.4	



***** DIGITAL EMC *****
 <<CONDUCTED EMISSION>>

9 November, 2004 16:06

Standard : FCC PART.15
 Manufacturer : SUNG IL TELECOM
 Model : SXT-800U
 Operator : W.J. LEE
 AC Power : 120V 60Hz
 Temp, Humidity : 20 52
 Remark1 : Operation Mode
 Remark2 : Battery OFF
 Remark3 :
 :

 Final Result

--- N Phase ---

No.	Frequency	Reading QP	Reading AV	c.f	Result QP	Result AV	Limit QP	Limit AV	Margin QP	Margin AV	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB]	[dB]	
1	0.150	36.4	0.0	1.8	38.2	0.0	66.0	56.0	27.8	0.0	
2	0.253	5.4	39.5	0.9	6.3	40.4	61.7	51.7	55.4	11.3	

--- L1 Phase ---

No.	Frequency	Reading QP	Reading AV	c.f	Result QP	Result AV	Limit QP	Limit AV	Margin QP	Margin AV	Remark
	[MHz]	[dB(μV)]	[dB(μV)]	[dB]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB(μV)]	[dB]	[dB]	
1	0.254	45.3	44.3	0.9	46.2	45.2	61.6	51.6	15.4	6.4	