

Antenna Specification

Ruisheng Precision Manufacturing Technology (Changzhou) Co., LTD

Product Name: Smart Phone

Model Name: CP12p

FCC ID: R38YLCP12P

Antenna Specification:



GSM/WCDMA/LTE: FPC Antenna;

Bluetooth: FPC Antenna;

WLAN: FPC Antenna


天线增益(Antenna Gain)

Standard	Band	Frequency	Gain (dbi)
FDD-LTE	FDD-B1	2090	0.42
FDD-LTE	FDD-B2	1970	-0.51
FDD-LTE	FDD-B3	1880	-1.75
FDD-LTE	FDD-B4	2690	0.42
FDD-LTE	FDD-B5	870	-1.96
FDD-LTE	FDD-B7	2500	-1.85
FDD-LTE	FDD-B8	915	-1.87
FDD-LTE	FDD-B12	735	-1.94
FDD-LTE	FDD-B13	755	-2.03
FDD-LTE	FDD-B17	735	-1.94
FDD-LTE	FDD-B25	1970	-0.51
FDD-LTE	FDD-B26	870	-1.96
FDD-LTE	FDD-B28	735	-1.94
FDD-LTE	FDD-66	2090	0.42
WCDMA	WCDMA-B1	2090	0.42
WCDMA	WCDMA-B2	1970	-0.51
WCDMA	WCDMA-B4	2690	0.42
WCDMA	WCDMA-B5	870	-1.96
WCDMA	WCDMA-B8	915	-1.87
GSM	GSM 850	870	-1.96
GSM	GSM 900	915	-1.87
GSM	DCS 1800	1880	-1.75
GSM	PCS 1900	1970	-0.51
GPS		2440	0.08
2.4G		1560	-1.7
5G		5170	-1.7




1880

LTE B3
DCS 1800




870

LTE B5/26
GSM 850
WCDMA-5





2500

LTE B7





915

LTE B8
GSM 900
WCDMA-8



735

LTE
B12/17/28



755

LTE B13

