



Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 66 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.613MHz	-77.79	-13.00	-64.79	PK	Hor
2*	150.038MHz	-77.06	-13.00	-64.06	PK	Hor
3*	967.505MHz	-60.68	-13.00	-47.68	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	46.611MHz	-77.64	-13.00	-64.64	PK	Ver
2*	157.191MHz	-76.90	-13.00	-63.90	PK	Ver
3*	956.835MHz	-60.38	-13.00	-47.38	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 66 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	48.309MHz	-77.97	-13.00	-64.97	PK	Hor
2*	156.221MHz	-76.90	-13.00	-63.90	PK	Hor
3*	979.873MHz	-60.43	-13.00	-47.43	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	60.919MHz	-77.96	-13.00	-64.96	PK	Ver
2*	150.038MHz	-76.68	-13.00	-63.68	PK	Ver
3*	973.568MHz	-60.07	-13.00	-47.07	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 24.2°C
M/N: CP12t	Humidity: 45%RH
Test Voltage: Battery	Test Data: 2023-03-11
Test Mode: LTE Band 66 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	50.249MHz	-77.47	-13.00	-64.47	PK	Hor
2*	162.163MHz	-76.57	-13.00	-63.57	PK	Hor
3*	947.499MHz	-59.61	-13.00	-46.61	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	37.881MHz	-76.42	-13.00	-63.42	PK	Ver
2*	158.889MHz	-75.85	-13.00	-62.85	PK	Ver
3*	987.390MHz	-59.85	-13.00	-46.85	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 2 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.725GHz	-48.52	-13.00	-35.52	PK	Hor
2*	8.941GHz	-43.32	-13.00	-30.32	PK	Hor
3*	17.862GHz	-40.31	-13.00	-27.31	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.863GHz	-48.51	-13.00	-35.51	PK	Ver
2*	8.446GHz	-43.92	-13.00	-30.92	PK	Ver
3*	17.926GHz	-40.35	-13.00	-27.35	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 2 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.423GHz	-49.61	-13.00	-36.61	PK	Hor
2*	7.594GHz	-43.02	-13.00	-30.02	PK	Hor
3*	17.836GHz	-40.19	-13.00	-27.19	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.666GHz	-48.58	-13.00	-35.58	PK	Ver
2*	9.009GHz	-42.94	-13.00	-29.94	PK	Ver
3*	17.892GHz	-40.04	-13.00	-27.04	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 2 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.719GHz	-48.91	-13.00	-35.91	PK	Hor
2*	8.875GHz	-42.17	-13.00	-29.17	PK	Hor
3*	17.962GHz	-40.31	-13.00	-27.31	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.766GHz	-49.20	-13.00	-36.20	PK	Ver
2*	8.965GHz	-43.61	-13.00	-30.61	PK	Ver
3*	17.890GHz	-39.18	-13.00	-26.18	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 4 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.846GHz	-48.73	-13.00	-35.73	PK	Hor
2*	8.874GHz	-43.05	-13.00	-30.05	PK	Hor
3*	16.790GHz	-43.27	-13.00	-30.27	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.372GHz	-49.08	-13.00	-36.08	PK	Ver
2*	8.918GHz	-43.01	-13.00	-30.01	PK	Ver
3*	14.284GHz	-43.87	-13.00	-30.87	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 4 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.724GHz	-48.97	-13.00	-35.97	PK	Hor
2*	8.520GHz	-43.65	-13.00	-30.65	PK	Hor
3*	14.982GHz	-43.54	-13.00	-30.54	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.310GHz	-48.22	-13.00	-35.22	PK	Ver
2*	8.930GHz	-43.26	-13.00	-30.26	PK	Ver
3*	14.430GHz	-43.07	-13.00	-30.07	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 4 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.668GHz	-48.71	-13.00	-35.71	PK	Hor
2*	8.590GHz	-43.19	-13.00	-30.19	PK	Hor
3*	16.370GHz	-43.12	-13.00	-30.12	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.432GHz	-48.77	-13.00	-35.77	PK	Ver
2*	8.996GHz	-43.37	-13.00	-30.37	PK	Ver
3*	14.416GHz	-42.71	-13.00	-29.71	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 5 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.947GHz	-49.90	-13.00	-36.90	PK	Hor
2*	4.911GHz	-48.76	-13.00	-35.76	PK	Hor
3*	8.874GHz	-43.18	-13.00	-30.18	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.056GHz	-50.01	-13.00	-37.01	PK	Ver
2*	4.615GHz	-47.84	-13.00	-34.84	PK	Ver
3*	8.994GHz	-43.12	-13.00	-30.12	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 5 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.867GHz	-49.24	-13.00	-36.24	PK	Hor
2*	4.775GHz	-48.36	-13.00	-35.36	PK	Hor
3*	8.931GHz	-42.75	-13.00	-29.75	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.294GHz	-49.99	-13.00	-36.99	PK	Ver
2*	5.007GHz	-48.77	-13.00	-35.77	PK	Ver
3*	8.989GHz	-43.20	-13.00	-30.20	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 5 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.142GHz	-50.01	-13.00	-37.01	PK	Hor
2*	4.829GHz	-49.05	-13.00	-36.05	PK	Hor
3*	8.936GHz	-42.03	-13.00	-29.03	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.304GHz	-49.58	-13.00	-36.58	PK	Ver
2*	4.787GHz	-48.98	-13.00	-35.98	PK	Ver
3*	8.940GHz	-43.38	-13.00	-30.38	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 7 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.772GHz	-48.65	-13.00	-35.65	PK	Hor
2*	8.994GHz	-44.10	-13.00	-31.10	PK	Hor
3*	17.958GHz	-41.31	-13.00	-28.31	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.734GHz	-47.86	-13.00	-34.86	PK	Ver
2*	8.939GHz	-43.34	-13.00	-30.34	PK	Ver
3*	17.677GHz	-39.64	-13.00	-26.64	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 7 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.772GHz	-48.89	-13.00	-35.89	PK	Hor
2*	9.009GHz	-43.16	-13.00	-30.16	PK	Hor
3*	17.900GHz	-40.36	-13.00	-27.36	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	5.004GHz	-48.57	-13.00	-35.57	PK	Ver
2*	8.994GHz	-43.15	-13.00	-30.15	PK	Ver
3*	17.904GHz	-40.70	-13.00	-27.70	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 7 Highest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.774GHz	-47.94	-13.00	-34.94	PK	Hor
2*	8.937GHz	-43.11	-13.00	-30.11	PK	Hor
3*	17.970GHz	-39.86	-13.00	-26.86	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	4.736GHz	-49.61	-13.00	-36.61	PK	Ver
2*	8.920GHz	-43.22	-13.00	-30.22	PK	Ver
3*	17.902GHz	-39.81	-13.00	-26.81	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 12 Lowest	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.754GHz	-50.09	-13.00	-37.09	PK	Hor
2*	4.808GHz	-48.34	-13.00	-35.34	PK	Hor
3*	6.720GHz	-46.47	-13.00	-33.47	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.250GHz	-49.55	-13.00	-36.55	PK	Ver
2*	4.695GHz	-48.68	-13.00	-35.68	PK	Ver
3*	6.727GHz	-46.76	-13.00	-33.76	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 12 Middle	
Note:	




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.230GHz	-49.93	-13.00	-36.93	PK	Hor
2*	4.644GHz	-48.68	-13.00	-35.68	PK	Hor
3*	6.177GHz	-46.83	-13.00	-33.83	PK	Hor




No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	2.798GHz	-49.90	-13.00	-36.90	PK	Ver
2*	4.728GHz	-48.05	-13.00	-35.05	PK	Ver
3*	6.186GHz	-47.11	-13.00	-34.11	PK	Ver

Project: LGT23B071	Test Engineer: Dylan.shi
EUT: Smart Phone	Temperature: 26.7°C
M/N: CP12t	Humidity: 52%RH
Test Voltage: Battery	Test Data: 2023-03-12
Test Mode: LTE Band 12 Highest	
Note:	



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.425GHz	-49.62	-13.00	-36.62	PK	Hor
2*	4.830GHz	-48.87	-13.00	-35.87	PK	Hor
3*	6.582GHz	-47.21	-13.00	-34.21	PK	Hor



No.	Frequency	Level dBm	Limit dBm	Margin dB	Detector	Polar
1*	3.269GHz	-49.86	-13.00	-36.86	PK	Ver
2*	4.267GHz	-49.11	-13.00	-36.11	PK	Ver
3*	6.657GHz	-47.47	-13.00	-34.47	PK	Ver