Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0 Extended



Band38 QPSK BW=10MHz Channel=38200 RB Size=1 Position=#Max Normal



Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0 Normal



Band38 QPSK BW=15MHz Channel=37825 RB Size=1 Position=#0 Extended



Band38 QPSK BW=15MHz Channel=37825 RB Size=1 Position=#Max Extended



Band38 QPSK BW=15MHz Channel=37825 RB Size=1 Position=#0 Normal



Band38 QPSK BW=15MHz Channel=37825 RB Size=1 Position=#Max Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2551.25	2555	1000	2554.71875	-39.49	-25
2	2555	2565	1000	2557.54	-29.1	-13
3	2565	2569	1000	2567.576	-33.36	-10
4	2569	2570	300	2569.927	-38.7	-10

Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2551.25	2555	1000	2554.9325	-37.67	-25
2	2555	2565	1000	2563.81	-26.85	-13
3	2565	2569	1000	2568.884	-23.39	-10
4	2569	2570	300	2569.945	-23.84	-10

Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0 Extended



Band38 QPSK BW=15MHz Channel=38175 RB Size=1 Position=#0 Extended



Band38 QPSK BW=15MHz Channel=38175 RB Size=1 Position=#0 Normal



Band38 QPSK BW=15MHz Channel=38175 RB Size=1 Position=#Max Extended



Band38 QPSK BW=15MHz Channel=38175 RB Size=1 Position=#Max Normal



Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0 Extended



Band38 QPSK BW=20MHz Channel=37850 RB Size=1 Position=#0 Extended



Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	300	2620.029	-24.21	-10
2	2621	2625	1000	2621.192	-21.18	-10
3	2625	2635	1000	2625.1	-25.61	-13
4	2635	2638.75	1000	2635.22875	-35.57	-25

Band38 QPSK BW=20MHz Channel=37850 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2545	2550	1000	2549.955	-39.19	-25
2	2550	2565	1000	2563.125	-29.26	-13
3	2565	2569	1000	2568.776	-20.85	-10
4	2569	2570	430	2569.983	-16.53	-10

Band38 QPSK BW=20MHz Channel=37850 RB Size=1 Position=#Max Extended



Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0 Extended



Band38 QPSK BW=20MHz Channel=37850 RB Size=1 Position=#Max Normal



Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0 Normal



Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#0 Extended



Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#Max Extended



Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#0 Normal



Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#Max Normal



Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0 Extended



Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#0 Extended



Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	430	2620.203	-27.68	-10
2	2621	2625	1000	2621.232	-25.63	-10
3	2625	2640	1000	2625.255	-28.42	-13
4	2640	2645	1000	2640.375	-38.03	-25

Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2560	2564	1000	2563.792	-32.98	-25
2	2564	2565	1000	2564.845	-25.24	-13
3	2565	2569	1000	2568.056	-17.81	-10
4	2569	2570	100	2569.989	-19.16	-10

Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#Max Extended



Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0 Extended



Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#Max Normal



Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0 Normal



Band38 QPSK BW=5MHz Channel=38225 RB Size=1 Position=#0 Extended



Band38 QPSK BW=5MHz Channel=38225 RB Size=1 Position=#0 Normal



Band38 QPSK BW=5MHz Channel=38225 RB Size=1 Position=#Max Normal



Band38 QPSK BW=5MHz Channel=38225 RB Size=1 Position=#Max Extended



Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0 Extended



Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0 Normal



Band40(2305-2315) 16QAM BW=10MHz Channel=38750 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2288.368	-54.37	-37
2	2292	2296	1000	2295.816	-50.19	-31
3	2296	2300	1000	2299.664	-44.57	-25
4	2300	2304	1000	2304	-28.36	-13
5	2304	2305	100	2304.977	-29.47	-13
6	2315	2316	100	2315.244	-59.3	-13
7	2316	2320	1000	2316.048	-43.36	-13
8	2320	2324	1000	2323.252	-38.55	-25
9	2324	2328	1000	2324.904	-47.28	-31
10	2328	2337	1000	2336.334	-55.19	-37

Band40(2305-2315) 16QAM BW=10MHz Channel=38750 RB Size=1 Position=#0 Extended



Band40(2305-2315) 16QAM BW=10MHz Channel=38750 RB Size=50 Position=#0 Extended



Band40(2305-2315) 16QAM BW=10MHz Channel=38750 RB Size=50 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2288.116	-55.3	-37
2	2292	2296	1000	2295.608	-51.82	-31
3	2296	2300	1000	2299.688	-46.32	-25
4	2300	2304	1000	2303.776	-39.78	-13
5	2304	2305	100	2304.993	-45.58	-13
6	2315	2316	100	2315.062	-45.33	-13
7	2316	2320	1000	2316.276	-33.34	-13
8	2320	2324	1000	2321.612	-44.76	-25
9	2324	2328	1000	2325.188	-52.68	-31
10	2328	2337	1000	2328.369	-55.39	-37

Band40(2305-2315) 16QAM BW=5MHz Channel=38725 RB Size=1 Position=#0 Extended



Band40(2305-2315) 16QAM BW=5MHz Channel=38725 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2290.208	-55.19	-37
2	2292	2296	1000	2293.888	-55.35	-31
3	2296	2300	1000	2299.692	-44.38	-25
4	2300	2304	1000	2304	-17.47	-13
5	2304	2305	51	2304.958	-29.75	-13
6	2310	2311	51	2310.532	-59.4	-13
7	2311	2320	1000	2313.835	-39.47	-13
8	2320	2324	1000	2320.548	-55.38	-25
9	2324	2328	1000	2326.736	-55.34	-31
10	2328	2337	1000	2335.947	-55.33	-37

Band40(2305-2315) 16QAM BW=5MHz Channel=38725 RB Size=25 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2288.76	-55.18	-37
2	2292	2296	1000	2294.54	-53.6	-31
3	2296	2300	1000	2299.884	-44.41	-25
4	2300	2304	1000	2303.996	-31.36	-13
5	2304	2305	51	2304.889	-42.81	-13
6	2310	2311	51	2310.053	-42.75	-13
7	2311	2320	1000	2311.009	-31.4	-13
8	2320	2324	1000	2321.436	-54.55	-25
9	2324	2328	1000	2326.796	-55.48	-31
10	2328	2337	1000	2328.729	-55.34	-37

Band40(2305-2315) 16QAM BW=5MHz Channel=38725 RB Size=25 Position=#0 Extended



Band40(2305-2315) 16QAM BW=5MHz Channel=38775 RB Size=1 Position=#0 Extended



Band40(2305-2315) 16QAM BW=5MHz Channel=38775 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2289.632	-55.22	-37
2	2292	2296	1000	2295.8	-55.37	-31
3	2296	2300	1000	2298.684	-55.19	-25
4	2300	2309	1000	2309	-16.97	-13
5	2309	2310	51	2309.95	-29.43	-13
6	2315	2316	51	2315.453	-56.72	-13
7	2316	2320	1000	2319.092	-37.53	-13
8	2320	2324	1000	2320.168	-43.91	-25
9	2324	2328	1000	2324.62	-55.22	-31
10	2328	2337	1000	2330.979	-55.21	-37

Band40(2305-2315) 16QAM BW=5MHz Channel=38775 RB Size=25 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2289.572	-55.25	-37
2	2292	2296	1000	2295.124	-55.38	-31
3	2296	2300	1000	2298.464	-55.25	-25
4	2300	2309	1000	2308.982	-30.63	-13
5	2309	2310	51	2309.998	-39.57	-13
6	2315	2316	51	2315.011	-43.09	-13
7	2316	2320	1000	2316.092	-30.67	-13
8	2320	2324	1000	2320.344	-46.14	-25
9	2324	2328	1000	2325.188	-55.4	-31
10	2328	2337	1000	2330.322	-55.55	-37

Band40(2305-2315) 16QAM BW=5MHz Channel=38775 RB Size=25 Position=#0 Extended



Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=1 Position=#0 Extended



Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2288.356	-53.67	-37
2	2292	2296	1000	2294.964	-51.64	-31
3	2296	2300	1000	2298.456	-41.02	-25
4	2300	2304	1000	2303.984	-26.99	-13
5	2304	2305	100	2304.978	-31.44	-13
6	2315	2316	100	2315.484	-57.07	-13
7	2316	2320	1000	2318.432	-43.9	-13
8	2320	2324	1000	2323.508	-37.07	-25
9	2324	2328	1000	2324.008	-45.94	-31
10	2328	2337	1000	2331.105	-55.36	-37

Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=50 Position=#0 Extended



Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=50 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2289.964	-55.33	-37
2	2292	2296	1000	2295.516	-51.55	-31
3	2296	2300	1000	2299.316	-45.12	-25
4	2300	2304	1000	2303.912	-38.29	-13
5	2304	2305	100	2304.895	-44.96	-13
6	2315	2316	100	2315.087	-45.67	-13
7	2316	2320	1000	2317.14	-36.77	-13
8	2320	2324	1000	2320.172	-43.1	-25
9	2324	2328	1000	2324.676	-51.26	-31
10	2328	2337	1000	2328.171	-55.3	-37

Band40(2305-2315) QPSK BW=5MHz Channel=38725 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2291.636	-55.16	-37
2	2292	2296	1000	2295.976	-55.11	-31
3	2296	2300	1000	2299.608	-42.39	-25
4	2300	2304	1000	2303.992	-16.33	-13
5	2304	2305	51	2304.964	-28.83	-13
6	2310	2311	51	2310.088	-57.11	-13
7	2311	2320	1000	2314.096	-38.81	-13
8	2320	2324	1000	2322.172	-55.2	-25
9	2324	2328	1000	2327.064	-55.49	-31
10	2328	2337	1000	2335.101	-55.4	-37

Band40(2305-2315) QPSK BW=5MHz Channel=38725 RB Size=1 Position=#0 Extended



Band40(2305-2315) QPSK BW=5MHz Channel=38725 RB Size=25 Position=#0 Extended



Band40(2305-2315) QPSK BW=5MHz Channel=38725 RB Size=25 Position=#0 Normal



Band40(2305-2315) QPSK BW=5MHz Channel=38775 RB Size=1 Position=#0 Extended



Band40(2305-2315) QPSK BW=5MHz Channel=38775 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2289.592	-55.3	-37
2	2292	2296	1000	2294.56	-55.13	-31
3	2296	2300	1000	2296.988	-54.93	-25
4	2300	2309	1000	2309	-15.81	-13
5	2309	2310	51	2310	-27.7	-13
6	2315	2316	51	2315.267	-55.84	-13
7	2316	2320	1000	2318.732	-36.61	-13
8	2320	2324	1000	2320.116	-42.6	-25
9	2324	2328	1000	2325.524	-55.4	-31
10	2328	2337	1000	2328.378	-55.48	-37

Band40(2305-2315) QPSK BW=5MHz Channel=38775 RB Size=25 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2288	2292	1000	2288.148	-55.22	-37
2	2292	2296	1000	2292.644	-55.44	-31
3	2296	2300	1000	2296.86	-55.19	-25
4	2300	2309	1000	2308.982	-29.74	-13
5	2309	2310	51	2309.924	-42.68	-13
6	2315	2316	51	2315.001	-41.46	-13
7	2316	2320	1000	2316.004	-29.24	-13
8	2320	2324	1000	2320.64	-46.82	-25
9	2324	2328	1000	2324.4	-55.42	-31
10	2328	2337	1000	2329.044	-55.34	-37

Band40(2305-2315) QPSK BW=5MHz Channel=38775 RB Size=25 Position=#0 Extended



Band40(2350-2360) 16QAM BW=10MHz Channel=39200 RB Size=1 Position=#0 Extended



Band40(2350-2360) 16QAM BW=10MHz Channel=39200 RB Size=1 Position=#0 Normal



Band40(2350-2360) 16QAM BW=10MHz Channel=39200 RB Size=50 Position=#0 Normal



Band40(2350-2360) 16QAM BW=10MHz Channel=39200 RB Size=50 Position=#0 Extended



Band40(2350-2360) 16QAM BW=5MHz Channel=39175 RB Size=1 Position=#0 Extended



Band40(2350-2360) 16QAM BW=5MHz Channel=39175 RB Size=1 Position=#0 Normal



Band40(2350-2360) 16QAM BW=5MHz Channel=39175 RB Size=25 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2328	2337	1000	2335.695	-56.49	-37
2	2337	2341	1000	2340.92	-56.42	-31
3	2341	2345	1000	2344.792	-53.7	-25
4	2345	2349	1000	2348.992	-32.61	-13
5	2349	2350	51	2349.999	-44.89	-13
6	2355	2356	51	2355.008	-47.16	-13
7	2356	2365	1000	2356.018	-34.87	-13
8	2365	2380	1000	2379.43	-56.13	-40

Band40(2350-2360) 16QAM BW=5MHz Channel=39175 RB Size=25 Position=#0 Extended



Band40(2350-2360) 16QAM BW=5MHz Channel=39225 RB Size=1 Position=#0 Extended



Band40(2350-2360) 16QAM BW=5MHz Channel=39225 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2328	2337	1000	2332.896	-56.47	-37
2	2337	2341	1000	2339.924	-56.47	-31
3	2341	2345	1000	2343.536	-56.4	-25
4	2345	2354	1000	2354	-19.74	-13
5	2354	2355	51	2355	-32.18	-13
6	2360	2361	51	2360.009	-62.96	-13
7	2361	2365	1000	2363.908	-43.88	-13
8	2365	2380	1000	2365.015	-53.06	-40

Band40(2350-2360) 16QAM BW=5MHz Channel=39225 RB Size=25 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2328	2337	1000	2335.11	-56.47	-37
2	2337	2341	1000	2339.272	-56.44	-31
3	2341	2345	1000	2343.076	-56.4	-25
4	2345	2354	1000	2354	-33.72	-13
5	2354	2355	51	2354.998	-45.43	-13
6	2360	2361	51	2360.004	-47.9	-13
7	2361	2365	1000	2361.008	-35.32	-13
8	2365	2380	1000	2365.18	-55.08	-40

Band40(2350-2360) 16QAM BW=5MHz Channel=39225 RB Size=25 Position=#0 Extended



Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=1 Position=#0 Extended



Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=1 Position=#0 Normal



Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=50 Position=#0 Normal



Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=50 Position=#0 Extended



Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=1 Position=#0 Extended



Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=1 Position=#0 Normal



Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=25 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2328	2337	1000	2336.343	-56.48	-37
2	2337	2341	1000	2340.456	-56.42	-31
3	2341	2345	1000	2344.9	-53.84	-25
4	2345	2349	1000	2349	-31.98	-13
5	2349	2350	51	2349.97	-44.61	-13
6	2355	2356	51	2355.003	-45.57	-13
7	2356	2365	1000	2356.009	-33.02	-13
8	2365	2380	1000	2378.44	-56.14	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=25 Position=#0 Extended



Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=1 Position=#0 Extended



Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2328	2337	1000	2336.433	-56.47	-37
2	2337	2341	1000	2337.316	-56.46	-31
3	2341	2345	1000	2344.76	-56.4	-25
4	2345	2354	1000	2354	-18.52	-13
5	2354	2355	51	2354.976	-32.72	-13
6	2360	2361	51	2360.026	-63.05	-13
7	2361	2365	1000	2363.908	-42.78	-13
8	2365	2380	1000	2365.06	-52.66	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=25 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2328	2337	1000	2336.217	-56.48	-37
2	2337	2341	1000	2339.452	-56.45	-31
3	2341	2345	1000	2343.584	-56.43	-25
4	2345	2354	1000	2354	-32.88	-13
5	2354	2355	51	2354.996	-46.72	-13
6	2360	2361	51	2360.004	-46.66	-13
7	2361	2365	1000	2361.004	-33.4	-13
8	2365	2380	1000	2365.165	-55.2	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=25 Position=#0 Extended



Band41 16QAM BW=10MHz Channel=39700 RB Size=1 Position=#0 Extended



Band41 16QAM BW=10MHz Channel=39700 RB Size=1 Position=#0 Normal



Band41 16QAM BW=10MHz Channel=39700 RB Size=1 Position=#Max Extended



Band41 16QAM BW=10MHz Channel=39700 RB Size=50 Position=#0 Extended



Band41 16QAM BW=10MHz Channel=39700 RB Size=1 Position=#Max Normal



Band41 16QAM BW=10MHz Channel=39700 RB Size=50 Position=#0 Normal



Band41 16QAM BW=10MHz Channel=41540 RB Size=1 Position=#0 Extended



Band41 16QAM BW=10MHz Channel=41540 RB Size=1 Position=#Max Extended



Band41 16QAM BW=10MHz Channel=41540 RB Size=1 Position=#0 Normal



Band41 16QAM BW=10MHz Channel=41540 RB Size=1 Position=#Max Normal



Band41 16QAM BW=10MHz Channel=41540 RB Size=50 Position=#0 Extended



Band41 16QAM BW=15MHz Channel=39725 RB Size=1 Position=#0 Extended



Band41 16QAM BW=10MHz Channel=41540 RB Size=50 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	200	2690.113	-28.46	-10
2	2691	2695	1000	2691.94	-24.84	-10
3	2695	2700	1000	2697.495	-31.32	-13
4	2700	2702.5	1000	2700.2925	-38.25	-25

Band41 16QAM BW=15MHz Channel=39725 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2477.25	2481	1000	2479.4625	-38.49	-25
2	2481	2495	1000	2494.3	-18.94	-13
3	2495	2496	150	2495.974	-24.37	-13

Band41 16QAM BW=15MHz Channel=39725 RB Size=1 Position=#Max Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2477.25	2481	1000	2480.89125	-40.09	-25
2	2481	2495	1000	2483.87	-32.47	-13
3	2495	2496	150	2495.206	-46.73	-13

Band41 16QAM BW=15MHz Channel=39725 RB Size=1 Position=#Max Extended



Band41 16QAM BW=15MHz Channel=39725 RB Size=75 Position=#0 Extended



Band41 16QAM BW=15MHz Channel=39725 RB Size=75 Position=#0 Normal



Band41 16QAM BW=15MHz Channel=41515 RB Size=1 Position=#0 Normal



Band41 16QAM BW=15MHz Channel=41515 RB Size=1 Position=#0 Extended



Band41 16QAM BW=15MHz Channel=41515 RB Size=1 Position=#Max Extended



Band41 16QAM BW=15MHz Channel=41515 RB Size=1 Position=#Max Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	300	2690.005	-17.82	-10
2	2691	2695	1000	2691.216	-19.17	-10
3	2695	2705	1000	2695.29	-27.33	-13
4	2705	2708.75	1000	2705.37875	-38.92	-25

Band41 16QAM BW=15MHz Channel=41515 RB Size=75 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	300	2690.227	-28.43	-10
2	2691	2695	1000	2691.196	-23.49	-10
3	2695	2705	1000	2695.04	-30.08	-13
4	2705	2708.75	1000	2705.8175	-36	-25

Band41 16QAM BW=15MHz Channel=41515 RB Size=75 Position=#0 Extended



Band41 16QAM BW=20MHz Channel=39750 RB Size=1 Position=#0 Extended



Band41 16QAM BW=20MHz Channel=39750 RB Size=1 Position=#0 Normal



Band41 16QAM BW=20MHz Channel=39750 RB Size=1 Position=#Max Normal



Band41 16QAM BW=20MHz Channel=39750 RB Size=1 Position=#Max Extended



Band41 16QAM BW=20MHz Channel=39750 RB Size=100 Position=#0 Extended



Band41 16QAM BW=20MHz Channel=39750 RB Size=100 Position=#0 Normal

Band41 16QAM BW=20MHz Channel=41490 RB Size=1 Position=#0 Normal



Band41 16QAM BW=20MHz Channel=41490 RB Size=1 Position=#0 Extended



Band41 16QAM BW=20MHz Channel=41490 RB Size=1 Position=#Max Extended



Band41 16QAM BW=20MHz Channel=41490 RB Size=100 Position=#0 Extended



Band41 16QAM BW=20MHz Channel=41490 RB Size=1 Position=#Max Normal



Band41 16QAM BW=20MHz Channel=41490 RB Size=100 Position=#0 Normal



Band41 16QAM BW=5MHz Channel=39675 RB Size=1 Position=#0 Extended



Band41 16QAM BW=5MHz Channel=39675 RB Size=1 Position=#Max Extended



Band41 16QAM BW=5MHz Channel=39675 RB Size=1 Position=#0 Normal



Band41 16QAM BW=5MHz Channel=39675 RB Size=1 Position=#Max Normal



Band41 16QAM BW=5MHz Channel=39675 RB Size=25 Position=#0 Extended



Band41 16QAM BW=5MHz Channel=41565 RB Size=1 Position=#0 Extended



Band41 16QAM BW=5MHz Channel=39675 RB Size=25 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2486	2490	1000	2489.656	-36.81	-25
2	2490	2495	1000	2494.895	-24.59	-13
3	2495	2496	51	2495.979	-32.78	-13

Band41 16QAM BW=5MHz Channel=41565 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	100	2690.201	-43.09	-10
2	2691	2695	1000	2694.192	-29.61	-10
3	2695	2696	1000	2695.139	-34.38	-13
4	2696	2700	1000	2696.152	-39.18	-25

Band41 16QAM BW=5MHz Channel=41565 RB Size=1 Position=#Max Extended



Band41 16QAM BW=5MHz Channel=41565 RB Size=1 Position=#Max Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	100	2690.008	-21.04	-10
2	2691	2695	1000	2691.48	-19.99	-10
3	2695	2696	1000	2695.105	-30.44	-13
4	2696	2700	1000	2696.696	-38.54	-25

Band41 16QAM BW=5MHz Channel=41565 RB Size=25 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	100	2690.011	-32.53	-10
2	2691	2695	1000	2691.476	-24.36	-10
3	2695	2696	1000	2695.661	-30.76	-13
4	2696	2700	1000	2696.76	-35.12	-25

Band41 16QAM BW=5MHz Channel=41565 RB Size=25 Position=#0 Extended



Band41 QPSK BW=10MHz Channel=39700 RB Size=1 Position=#0 Extended



Band41 QPSK BW=10MHz Channel=39700 RB Size=1 Position=#Max Extended



Band41 QPSK BW=10MHz Channel=39700 RB Size=1 Position=#0 Normal



Band41 QPSK BW=10MHz Channel=39700 RB Size=1 Position=#Max Normal



Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0 Extended



Band41 QPSK BW=10MHz Channel=41540 RB Size=1 Position=#0 Extended



Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2483.5	2486	1000	2485.9975	-39.56	-25
2	2486	2495	1000	2495	-25.74	-13
3	2495	2496	100	2495.998	-33.95	-13

Band41 QPSK BW=10MHz Channel=41540 RB Size=1 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	200	2690.239	-41.26	-10
2	2691	2695	1000	2691.74	-32.21	-10
3	2695	2700	1000	2698.125	-26.5	-13
4	2700	2702.5	1000	2701.5475	-39.65	-25

Band41 QPSK BW=10MHz Channel=41540 RB Size=1 Position=#Max Extended



Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0 Extended



Band41 QPSK BW=10MHz Channel=41540 RB Size=1 Position=#Max Normal



Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0 Normal



Band41 QPSK BW=15MHz Channel=39725 RB Size=1 Position=#0 Extended



Band41 QPSK BW=15MHz Channel=39725 RB Size=1 Position=#Max Extended



Band41 QPSK BW=15MHz Channel=39725 RB Size=1 Position=#0 Normal



Band41 QPSK BW=15MHz Channel=39725 RB Size=1 Position=#Max Normal



Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0 Normal



Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0 Extended



Band41 QPSK BW=15MHz Channel=41515 RB Size=1 Position=#0 Extended



Band41 QPSK BW=15MHz Channel=41515 RB Size=1 Position=#0 Normal



Band41 QPSK BW=15MHz Channel=41515 RB Size=1 Position=#Max Normal



Band41 QPSK BW=15MHz Channel=41515 RB Size=1 Position=#Max Extended



Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0 Extended



Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0 Normal



Band41 QPSK BW=20MHz Channel=39750 RB Size=1 Position=#0 Extended



Band41 QPSK BW=20MHz Channel=39750 RB Size=1 Position=#0 Normal



Band41 QPSK BW=20MHz Channel=39750 RB Size=1 Position=#Max Extended



Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0 Extended



Band41 QPSK BW=20MHz Channel=39750 RB Size=1 Position=#Max Normal



Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0 Normal



Band41 QPSK BW=20MHz Channel=41490 RB Size=1 Position=#0 Extended



Band41 QPSK BW=20MHz Channel=41490 RB Size=1 Position=#Max Extended



Band41 QPSK BW=20MHz Channel=41490 RB Size=1 Position=#0 Normal



Band41 QPSK BW=20MHz Channel=41490 RB Size=1 Position=#Max Normal



Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0 Normal



Band41 QPSK BW=20MHz Channel=41490 RB Size=100 Position=#0 Extended



Band41 QPSK BW=5MHz Channel=39675 RB Size=1 Position=#0 Extended



Band41 QPSK BW=5MHz Channel=39675 RB Size=1 Position=#0 Normal



Band41 QPSK BW=5MHz Channel=39675 RB Size=1 Position=#Max Normal



Band41 QPSK BW=5MHz Channel=39675 RB Size=1 Position=#Max Extended



Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0 Extended



Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0 Normal



Band41 QPSK BW=5MHz Channel=41565 RB Size=1 Position=#0 Extended



Band41 QPSK BW=5MHz Channel=41565 RB Size=1 Position=#0 Normal



Band41 QPSK BW=5MHz Channel=41565 RB Size=1 Position=#Max Extended



Band41 QPSK BW=5MHz Channel=41565 RB Size=1 Position=#Max Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	100	2690.008	-17.45	-10
2	2691	2695	1000	2691.292	-17.95	-10
3	2695	2696	1000	2695.054	-29.74	-13
4	2696	2700	1000	2696.036	-34.78	-25

Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0 Normal



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2690	2691	100	2690.013	-31.37	-10
2	2691	2695	1000	2691.252	-25.12	-10
3	2695	2696	1000	2695.874	-31.94	-13
4	2696	2700	1000	2696.292	-33.58	-25

Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0 Extended



Band66 16QAM BW=1.4MHz Channel=131979 RB Size=1 Position=#0 Normal

Band66 16QAM BW=1.4MHz Channel=131979 RB Size=1 Position=#0 Extended



Band66 16QAM BW=1.4MHz Channel=131979 RB Size=1 Position=#Max Extended



Band66 16QAM BW=1.4MHz Channel=131979 RB Size=1 Position=#Max Normal

Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0 Normal

Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0 Extended



Band66 16QAM BW=1.4MHz Channel=132665 RB Size=1 Position=#0 Extended



Band66 16QAM BW=1.4MHz Channel=132665 RB Size=1 Position=#0 Normal

Band66 16QAM BW=1.4MHz Channel=132665 RB Size=1 Position=#Max Normal

Band66 16QAM BW=1.4MHz Channel=132665 RB Size=1 Position=#Max Extended



Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0 Extended



Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0 Normal