







802.11be 40MHz Chain1 5670MHz RU484




802.11be 40MHz Chain1 5710MHz RU484




802.11be 40MHz Chain1 5755MHz RU484



802.11be 40MHz Chain1 5795MHz RU484



802.11be 80MHz Chain0 5210MHz RU996



802.11be 80MHz Chain0 5290MHz RU996

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。







This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.2 Maximum Conducted Output Power

7.2.1 Duty Cycle


Mode		Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11a		99.05	0.04	0.48	0.01
802.11n_20		99.66	0.01	0.19	0.01
802.11n_40		99.67	0.01	0.19	0.01
802.11ac_80		99.34	0.03	0.37	0.01
802.11ac_160		98.87	0.05	0.63	0.01
802.11be_20		99.66	0.01	0.19	0.01
802.11be_40		99.67	0.01	0.19	0.01
802.11be_80		99.59	0.02	0.23	0.01
802.11be_160		99.59	0.02	0.23	0.01
Mode	RU Config	Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11be_20	242	98.94	0.05	0.59	0.01
	26 RU	99.61	0.02	0.20	0.01
	52 RU	99.61	0.02	0.20	0.01
	106 RU	99.35	0.03	0.33	0.01
	52+26 MRU	99.56	0.02	0.22	0.01
	106+26 MRU	99.54	0.02	0.23	0.01
802.11be_40	484	98.65	0.06	0.86	0.01
802.11be_80	996	98.08	0.08	1.23	0.01
	484+242 MRU	98.58	0.06	0.90	0.01
802.11be_160	996*2	97.84	0.09	1.23	2.00
	996+484 MRU	98.31	0.07	1.08	0.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.2.2 Duty Cycle test plots



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11be 20MHz Chain0 5180MHz RU106 53



802.11be 20MHz Chain0 5180MHz 52+26 MRU1




802.11be 20MHz Chain0 5180MHz 106+26 MRU1



802.11be 40MHz Chain0 5190MHz RU484



802.11be 80MHz Chain0 5210MHz RU996



802.11be 80MHz Chain0 5210MHz 484+242 MRU4


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11be 160MHz Chain0 5250MHz 996*2



802.11be 160MHz Chain0 5250MHz 996+484 MRU1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.2.3 FCC Output Power

802.11a_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
36	5180	6	16	14.83	14.27	57.158	17.57	23.12	PASS
44	5220	6	19	14.77	14.76	59.934	17.78	23.12	PASS
48	5240	6	19	13.69	13.33	44.931	16.53	23.12	PASS
52	5260	6	19	14.43	13.37	49.477	16.94	23.12	PASS
60	5300	6	19	15.02	13.54	54.381	17.35	23.12	PASS
64	5320	6	15.5	12.10	12.71	34.894	15.43	23.12	PASS
100	5500	6	14	13.02	11.58	34.444	15.37	23.12	PASS
120	5600	6	19	16.25	13.14	62.797	17.98	23.12	PASS
140	5700	6	14	13.91	11.80	39.753	15.99	23.12	PASS
144	5720	6	15	14.98	12.90	50.993	17.08	23.12	PASS
149	5745	6	19	17.37	16.54	99.691	19.99	29.14	PASS
157	5785	6	19	16.81	16.45	92.161	19.65	29.14	PASS
165	5825	6	19	16.32	16.17	84.283	19.26	29.14	PASS

802.11n_HT20_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
36	5180	MCS0	16	14.75	14.32	56.956	17.56	23.12	PASS
44	5220	MCS0	19	14.79	14.76	60.119	17.79	23.12	PASS
48	5240	MCS0	19	13.67	13.49	45.667	16.60	23.12	PASS
52	5260	MCS0	19	14.46	13.43	50.010	16.99	23.12	PASS
60	5300	MCS0	19	14.91	14.37	58.391	17.66	23.12	PASS
64	5320	MCS0	15	11.57	12.17	30.871	14.90	23.12	PASS
100	5500	MCS0	14	12.99	11.62	34.466	15.37	23.12	PASS
120	5600	MCS0	19	15.70	13.50	59.606	17.75	23.12	PASS
140	5700	MCS0	14.5	14.44	12.38	45.145	16.55	23.12	PASS
144	5720	MCS0	15	14.86	12.84	49.906	16.98	23.12	PASS
149	5745	MCS0	19	17.03	16.27	92.933	19.68	29.14	PASS
157	5785	MCS0	19	16.63	16.24	88.196	19.45	29.14	PASS
165	5825	MCS0	19	16.20	15.96	81.222	19.10	29.14	PASS

802.11n_HT40_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
38	5190	MCS0	14	13.23	12.66	39.528	15.97	23.12	PASS
46	5230	MCS0	15.5	13.32	13.54	44.117	16.45	23.12	PASS
54	5270	MCS0	15.5	13.46	13.76	45.996	16.63	23.12	PASS
62	5310	MCS0	14	11.40	11.86	29.179	14.65	23.12	PASS
102	5510	MCS0	11	10.63	9.58	20.660	13.15	23.12	PASS
118	5590	MCS0	14.5	14.11	12.42	43.265	16.36	23.12	PASS
134	5670	MCS0	12	12.42	10.31	28.226	14.51	23.12	PASS
142	5710	MCS0	15.5	16.21	14.03	67.143	18.27	23.12	PASS
151	5755	MCS0	15.5	15.96	14.15	65.513	18.16	29.14	PASS
159	5795	MCS0	16.5	16.04	14.78	70.310	18.47	29.14	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ac_VHT80_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
42	5210	MCS0	13	11.97	11.71	30.556	14.85	23.12	PASS
58	5290	MCS0	14.5	11.86	12.14	31.705	15.01	23.12	PASS
106	5530	MCS0	11.5	10.98	9.85	22.186	13.46	23.12	PASS
122	5610	MCS0	13.5	13.44	11.65	36.691	15.65	23.12	PASS
138	5690	MCS0	14	14.59	12.72	47.467	16.76	23.12	PASS
155	5775	MCS0	15	14.96	13.59	54.173	17.34	29.14	PASS

802.11ac_VHT160_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
50	5250	MCS0	11	10.73	11.09	24.680	13.92	23.12	PASS
114	5570	MCS0	6	6.78	5.37	8.207	9.14	23.12	PASS

802.11be_EHT20_SU_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
36	5180	MCS0	15.5	14.38	13.95	52.305	17.19	23.12	PASS
44	5220	MCS0	20	14.75	14.91	60.895	17.85	23.12	PASS
48	5240	MCS0	20	13.57	13.62	45.816	16.61	23.12	PASS
52	5260	MCS0	20	14.61	13.75	52.679	17.22	23.12	PASS
60	5300	MCS0	20	14.91	14.44	58.836	17.70	23.12	PASS
64	5320	MCS0	14.5	11.29	11.84	28.766	14.59	23.12	PASS
100	5500	MCS0	14	13.05	11.67	34.911	15.43	23.12	PASS
120	5600	MCS0	20	15.72	13.50	59.778	17.77	23.12	PASS
140	5700	MCS0	13.5	13.55	11.60	37.142	15.70	23.12	PASS
144	5720	MCS0	15	14.97	12.97	51.277	17.10	23.12	PASS
149	5745	MCS0	18.5	16.25	15.97	81.797	19.13	29.14	PASS
157	5785	MCS0	20	16.62	16.30	88.676	19.48	29.14	PASS
165	5825	MCS0	19	15.90	15.89	77.805	18.91	29.14	PASS

802.11be_EHT40_SU_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
38	5190	MCS0	13.5	12.53	11.99	33.752	15.28	23.12	PASS
46	5230	MCS0	15.5	13.16	13.33	42.272	16.26	23.12	PASS
54	5270	MCS0	16	13.75	13.99	48.824	16.89	23.12	PASS
62	5310	MCS0	14	11.18	11.67	27.839	14.45	23.12	PASS
102	5510	MCS0	11	10.49	9.40	19.924	12.99	23.12	PASS
118	5590	MCS0	14.5	13.99	12.19	41.661	16.20	23.12	PASS
134	5670	MCS0	11.5	11.64	9.66	23.859	13.78	23.12	PASS
142	5710	MCS0	15.5	16.10	13.84	65.013	18.13	23.12	PASS
151	5755	MCS0	15.5	15.68	13.90	61.592	17.90	29.14	PASS
159	5795	MCS0	16	15.29	14.07	59.393	17.74	29.14	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11be_EHT80_SU_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
42	5210	MCS0	12.5	11.65	11.38	28.348	14.53	23.12	PASS
58	5290	MCS0	14	11.58	11.88	29.790	14.74	23.12	PASS
106	5530	MCS0	11.5	11.11	10.00	22.901	13.60	23.12	PASS
122	5610	MCS0	12.5	12.70	10.86	30.795	14.88	23.12	PASS
138	5690	MCS0	14	14.72	12.86	48.944	16.90	23.12	PASS
155	5775	MCS0	15	14.99	13.77	55.346	17.43	29.14	PASS

802.11be_EHT160_SU_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
50	5250	MCS0	11.5	10.65	10.80	23.625	13.73	23.12	PASS
114	5570	MCS0	10	10.41	8.95	18.833	12.75	23.12	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT20_RU_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
36	5180	MCS0	242	13	11.80	11.22	28.355	14.53	23.12	PASS
		MCS0	26/0	4	2.64	2.36	3.556	5.51	23.12	PASS
		MCS0	52/37	6.5	5.36	4.56	6.289	7.99	23.12	PASS
		MCS0	106/53	9.5	8.22	7.70	12.521	10.98	23.12	PASS
		MCS0	52+26 MRU1	9	7.80	7.16	11.223	10.50	23.12	PASS
		MCS0	106+26 MRU1	11.5	10.25	9.68	19.882	12.98	23.12	PASS
44	5220	MCS0	242	20	14.89	14.72	60.428	17.81	23.12	PASS
48	5240	MCS0	242	20	13.33	13.20	42.384	16.27	23.12	PASS
52	5260	MCS0	242	20	14.33	13.37	48.787	16.88	23.12	PASS
60	5300	MCS0	242	20	14.53	14.21	54.696	17.38	23.12	PASS
64	5320	MCS0	242	12.5	9.31	9.73	17.913	12.53	23.12	PASS
		MCS0	26/8	-2	-0.57	-1.61	1.566	1.95	23.12	PASS
		MCS0	52/40	1.5	3.28	5.46	5.640	7.51	23.12	PASS
		MCS0	106/54	9.5	6.29	6.69	8.919	9.50	23.12	PASS
		MCS0	52+26 MRU3	7	3.70	4.10	4.914	6.91	23.12	PASS
		MCS0	106+26 MRU2	10.5	7.14	7.67	11.024	10.42	23.12	PASS
100	5500	MCS0	242	11	10.18	8.91	18.188	12.60	23.12	PASS
		MCS0	26/0	-5	1.07	1.95	2.844	4.54	23.12	PASS
		MCS0	52/37	-2	3.88	4.86	5.502	7.40	23.12	PASS
		MCS0	106/53	1	6.75	7.46	10.299	10.13	23.12	PASS
		MCS0	52+26 MRU1	0	5.78	6.48	8.229	9.15	23.12	PASS
		MCS0	106+26 MRU1	2.5	8.16	8.76	14.063	11.48	23.12	PASS
120	5600	MCS0	242	20	15.71	14.42	64.853	18.12	23.12	PASS
140	5700	MCS0	242	10.5	11.29	9.12	21.606	13.35	23.12	PASS
		MCS0	26/8	-5.5	1.55	1.50	2.839	4.53	23.12	PASS
		MCS0	52/40	-2.5	4.39	4.62	5.641	7.51	23.12	PASS
		MCS0	106/54	0.5	7.26	7.41	10.825	10.34	23.12	PASS
		MCS0	52+26 MRU3	-1.5	5.36	5.49	6.974	8.43	23.12	PASS
		MCS0	106+26 MRU2	1.5	8.20	7.85	12.702	11.04	23.12	PASS
144	5720	MCS0	242	14.5	15.00	12.89	51.033	17.08	23.12	PASS
149	5745	MCS0	242	16	16.02	14.57	68.578	18.36	29.14	PASS
		MCS0	26/0	5.5	6.38	4.80	7.360	8.67	29.14	PASS
		MCS0	52/37	8.5	9.44	7.59	14.521	11.62	29.14	PASS
		MCS0	106/53	11	11.80	9.83	24.742	13.93	29.14	PASS
		MCS0	52+26 MRU1	9.5	10.31	8.38	17.623	12.46	29.14	PASS
		MCS0	106+26 MRU1	11.5	12.30	10.42	27.998	14.47	29.14	PASS
157	5785	MCS0	242	20	16.51	16.63	90.719	19.58	29.14	PASS
165	5825	MCS0	242	17	15.18	14.68	62.284	17.94	29.14	PASS
		MCS0	26/8	7	6.15	5.48	7.647	8.84	29.14	PASS
		MCS0	52/40	10	9.14	8.13	14.695	11.67	29.14	PASS
		MCS0	106/54	12.5	11.58	10.51	25.624	14.09	29.14	PASS
		MCS0	52+26 MRU3	11	10.00	9.06	18.050	12.56	29.14	PASS
		MCS0	106+26 MRU2	13.5	12.48	11.45	31.665	15.01	29.14	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT40_RU_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
38	5190	MCS0	484	13	12.44	11.86	32.878	15.17	23.12	PASS
46	5230	MCS0	484	14	12.13	12.34	33.463	15.25	23.12	PASS
54	5270	MCS0	484	14.5	12.59	13.02	38.191	15.82	23.12	PASS
62	5310	MCS0	484	13.5	11.12	11.52	27.126	14.33	23.12	PASS
102	5510	MCS0	484	10.5	10.42	9.23	19.386	12.87	23.12	PASS
118	5590	MCS0	484	14	13.52	12.04	38.478	15.85	23.12	PASS
134	5670	MCS0	484	11	11.64	9.33	23.153	13.65	23.12	PASS
142	5710	MCS0	484	15	15.53	13.52	58.205	17.65	23.12	PASS
151	5755	MCS0	484	14	14.28	12.82	45.924	16.62	29.14	PASS
159	5795	MCS0	484	15	14.35	13.38	48.993	16.90	29.14	PASS

802.11be_EHT80_RU_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
42	5210	MCS0	996	11.5	11.43	11.10	26.808	14.28	23.12	PASS
		MCS0	484+242 MRU4	9.5	9.31	9.18	16.819	12.26	23.12	PASS
58	5290	MCS0	996	12.5	10.76	11.06	24.701	13.93	23.12	PASS
		MCS0	484+242 MRU1	11	9.11	9.54	17.150	12.34	23.12	PASS
106	5530	MCS0	996	9.5	9.82	8.64	16.922	12.28	23.12	PASS
		MCS0	484+242 MRU4	7.5	8.12	6.93	11.424	10.58	23.12	PASS
122	5610	MCS0	996	10.5	11.36	9.57	22.757	13.57	23.12	PASS
		MCS0	484+242 MRU1	9	9.99	8.27	16.699	12.23	23.12	PASS
138	5690	MCS0	996	12.5	13.92	11.93	40.295	16.05	23.12	PASS
155	5775	MCS0	996	12	12.89	11.54	33.742	15.28	29.14	PASS
		MCS0	484+242 MRU1	10	10.88	9.51	21.190	13.26	29.14	PASS
		MCS0	484+242 MRU4	10	11.14	9.63	22.196	13.46	29.14	PASS

802.11be_EHT160_RU_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
50	5250	MCS0	996*2	10.5	10.35	10.48	22.032	13.43	23.12	PASS
		MCS0	996+484 MRU1	9	8.22	8.48	13.697	11.37	23.12	PASS
		MCS0	996+484 MRU2	8.5	8.41	8.50	14.027	11.47	23.12	PASS
114	5570	MCS0	996*2	10	10.98	9.42	21.305	13.28	23.12	PASS
		MCS0	996+484 MRU3	7	8.13	6.75	11.243	10.51	23.12	PASS
		MCS0	996+484 MRU4	8.5	9.52	7.99	15.263	11.84	23.12	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7.2.4 ISED Conducted Output Power and EIRP

802.11a_2TX

CH	Frequency (MHz)	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
		Ch0	Ch1				
52	5260	14.43	13.37	49.477	16.94	23.43	PASS
60	5300	15.02	13.54	54.381	17.35	23.33	PASS
64	5320	12.10	12.71	34.894	15.43	23.32	PASS
100	5500	13.02	11.58	34.444	15.37	23.29	PASS
120	5600	16.25	13.14	62.797	17.98	23.98	PASS
140	5700	13.91	11.80	39.753	15.99	23.28	PASS
144	5720	14.98	12.90	50.993	17.08	23.28	PASS
149	5745	17.37	16.54	99.691	19.99	29.14	PASS
157	5785	16.81	16.45	92.161	19.65	29.14	PASS
165	5825	16.32	16.17	84.283	19.26	29.14	PASS

802.11n_HT20_2TX

CH	Frequency (MHz)	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
		Ch0	Ch1				
52	5260	14.46	13.43	50.010	16.99	23.6	PASS
60	5300	14.91	14.37	58.391	17.66	23.57	PASS
64	5320	11.57	12.17	30.871	14.90	23.55	PASS
100	5500	12.99	11.62	34.466	15.37	23.54	PASS
120	5600	15.70	13.50	59.606	17.75	23.98	PASS
140	5700	14.44	12.38	45.145	16.55	23.55	PASS
144	5720	14.86	12.84	49.906	16.98	23.55	PASS
149	5745	17.03	16.27	92.933	19.68	29.14	PASS
157	5785	16.63	16.24	88.196	19.45	29.14	PASS
165	5825	16.20	15.96	81.222	19.10	29.14	PASS

802.11n_HT40_2TX

CH	Frequency (MHz)	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
		Ch0	Ch1				
54	5270	13.46	13.76	45.996	16.63	23.98	PASS
62	5310	11.40	11.86	29.179	14.65	23.98	PASS
102	5510	10.63	9.58	20.660	13.15	23.98	PASS
118	5590	14.11	12.42	43.265	16.36	23.98	PASS
134	5670	12.42	10.31	28.226	14.51	23.98	PASS
142	5710	16.21	14.03	67.143	18.27	23.98	PASS
151	5755	15.96	14.15	65.513	18.16	29.14	PASS
159	5795	16.04	14.78	70.310	18.47	29.14	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ac_VHT80_2TX

CH	Frequency (MHz)	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
		Ch0	Ch1				
58	5290	11.86	12.14	31.705	15.01	23.98	PASS
106	5530	10.98	9.85	22.186	13.46	23.98	PASS
122	5610	13.44	11.65	36.691	15.65	23.98	PASS
138	5690	14.59	12.72	47.467	16.76	23.98	PASS
155	5775	14.96	13.59	54.173	17.34	29.14	PASS

802.11ac_VHT160_2TX

CH	Frequency (MHz)	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
		Ch0	Ch1				
50	5250	10.73	11.09	24.680	13.92	23.98	PASS
114	5570	6.78	5.37	8.207	9.14	23.98	PASS

802.11be_EHT20_SU_2TX

CH	Frequency (MHz)	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
		Ch0	Ch1				
52	5260	14.61	13.75	52.679	17.22	23.98	PASS
60	5300	14.91	14.44	58.836	17.70	23.98	PASS
64	5320	11.29	11.84	28.766	14.59	23.98	PASS
100	5500	13.05	11.67	34.911	15.43	23.98	PASS
120	5600	15.72	13.50	59.778	17.77	23.98	PASS
140	5700	13.55	11.60	37.142	15.70	23.98	PASS
144	5720	14.97	12.97	51.277	17.10	23.98	PASS
149	5745	16.25	15.97	81.797	19.13	29.14	PASS
157	5785	16.62	16.30	88.676	19.48	29.14	PASS
165	5825	15.90	15.89	77.805	18.91	29.14	PASS

802.11be_EHT40_SU_2TX

CH	Frequency (MHz)	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
		Ch0	Ch1				
54	5270	13.75	13.99	48.824	16.89	23.98	PASS
62	5310	11.18	11.67	27.839	14.45	23.98	PASS
102	5510	10.49	9.40	19.924	12.99	23.98	PASS
118	5590	13.99	12.19	41.661	16.20	23.98	PASS
134	5670	11.64	9.66	23.859	13.78	23.98	PASS
142	5710	16.10	13.84	65.013	18.13	23.98	PASS
151	5755	15.68	13.90	61.592	17.90	29.14	PASS
159	5795	15.29	14.07	59.393	17.74	29.14	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT80_SU_2TX

CH	Frequency (MHz)	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
		Ch0	Ch1				
58	5290	11.58	11.88	29.790	14.74	23.98	PASS
106	5530	11.11	10.00	22.901	13.60	23.98	PASS
122	5610	12.70	10.86	30.795	14.88	23.98	PASS
138	5690	14.72	12.86	48.944	16.90	23.98	PASS
155	5775	14.99	13.77	55.346	17.43	29.14	PASS

802.11be_EHT160_SU_2TX

CH	Frequency (MHz)	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
		Ch0	Ch1				
50	5250	10.65	10.91	23.934	13.79	23.98	PASS
114	5570	10.41	8.95	18.833	12.75	23.98	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT20_RU_2TX

CH	Frequency (MHz)	RU config.	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
			Ch0	Ch1				
52	5260	242	14.33	13.37	48.787	16.88	23.98	PASS
60	5300	242	14.53	14.21	54.696	17.38	23.92	PASS
64	5320	242	9.31	9.73	17.913	12.53	23.79	PASS
		26/8	-0.57	-1.61	1.566	1.95	23.79	PASS
		52/40	3.28	5.46	5.640	7.51	23.79	PASS
		106/54	6.29	6.69	8.919	9.50	23.79	PASS
		52+26 MRU3	3.70	4.10	4.914	6.91	23.79	PASS
		106+26 MRU2	7.14	7.67	11.024	10.42	23.79	PASS
100	5500	242	10.18	8.91	18.188	12.60	23.79	PASS
		26/0	1.07	1.95	2.844	4.54	23.79	PASS
		52/37	3.88	4.86	5.502	7.40	23.79	PASS
		106/53	6.75	7.46	10.299	10.13	23.79	PASS
		52+26 MRU1	5.78	6.48	8.229	9.15	23.79	PASS
		106+26 MRU1	8.16	8.76	14.063	11.48	23.79	PASS
120	5600	242	15.71	14.42	64.853	18.12	23.98	PASS
140	5700	242	11.29	9.12	21.606	13.35	23.79	PASS
		26/8	1.55	1.50	2.839	4.53	23.79	PASS
		52/40	4.39	4.62	5.641	7.51	23.79	PASS
		106/54	7.26	7.41	10.825	10.34	23.79	PASS
		52+26 MRU3	5.36	5.49	6.974	8.43	23.79	PASS
		106+26 MRU2	8.20	7.85	12.702	11.04	23.79	PASS
144	5720	242	15.00	12.89	51.033	17.08	23.79	PASS
149	5745	242	16.02	14.57	68.578	18.36	29.14	PASS
		26/0	6.38	4.80	7.360	8.67	29.14	PASS
		52/37	9.44	7.59	14.521	11.62	29.14	PASS
		106/53	11.80	9.83	24.742	13.93	29.14	PASS
		52+26 MRU1	10.31	8.38	17.623	12.46	29.14	PASS
		106+26 MRU1	12.30	10.42	27.998	14.47	29.14	PASS
157	5785	242	16.51	16.63	90.719	19.58	29.14	PASS
165	5825	242	15.18	14.68	62.284	17.94	29.14	PASS
		26/8	6.15	5.48	7.647	8.84	29.14	PASS
		52/40	9.14	8.13	14.695	11.67	29.14	PASS
		106/54	11.58	10.51	25.624	14.09	29.14	PASS
		52+26 MRU3	10.00	9.06	18.050	12.56	29.14	PASS
		106+26 MRU2	12.48	11.45	31.665	15.01	29.14	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT40_RU_2TX

CH	Frequency (MHz)	RU config.	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
			Ch0	Ch1				
54	5270	484	12.59	13.02	38.191	15.82	23.98	PASS
62	5310	484	11.12	11.52	27.126	14.33	23.98	PASS
102	5510	484	10.42	9.23	19.386	12.87	23.98	PASS
118	5590	484	13.52	12.04	38.478	15.85	23.98	PASS
134	5670	484	11.64	9.33	23.153	13.65	23.98	PASS
142	5710	484	15.53	13.52	58.205	17.65	23.98	PASS
151	5755	484	14.28	12.82	45.924	16.62	29.14	PASS
159	5795	484	14.35	13.38	48.993	16.90	29.14	PASS

802.11be_EHT80_RU_2TX

CH	Frequency (MHz)	RU config.	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
			Ch0	Ch1				
58	5290	996	10.76	11.06	24.701	13.93	23.98	PASS
		484+242 MRU4	9.11	9.54	17.150	12.34	23.98	PASS
106	5530	996	9.82	8.64	16.922	12.28	23.98	PASS
		484+242 MRU1	8.12	6.93	11.424	10.58	23.98	PASS
122	5610	996	11.36	9.57	22.757	13.57	23.98	PASS
		484+242 MRU1	9.99	8.27	16.699	12.23	23.98	PASS
138	5690	996	13.92	11.93	40.295	16.05	23.98	PASS
155	5775	996	12.89	11.54	33.742	15.28	29.14	PASS
		484+242 MRU1	10.88	9.51	21.190	13.26	29.14	PASS
		484+242 MRU4	10.88	9.51	21.190	13.26	29.14	PASS

802.11be_EHT160_RU_2TX

CH	Frequency (MHz)	RU config.	AVERAGE POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
			Ch0	Ch1				
50	5250	996*2	10.35	10.48	22.032	13.43	23.98	PASS
		996+484 MRU1	8.22	8.48	13.697	11.37	23.98	PASS
		996+484 MRU2	8.41	8.50	14.027	11.47	23.98	PASS
114	5570	996*2	10.98	9.42	21.305	13.28	23.98	PASS
		996+484 MRU3	8.13	6.75	11.243	10.51	23.98	PASS
		996+484 MRU4	9.52	7.99	15.263	11.84	23.98	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.2.5 EIRP

802.11a_2TX

CH	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	11.88	6.86	74.817	18.74	22.28	PASS
44	5220	11.10	6.86	62.517	17.96	22.3	PASS
48	5240	11.14	6.86	63.096	18.00	22.31	PASS
52	5260	16.94	6.86	239.883	23.80	29.43	PASS
60	5300	17.35	6.86	263.633	24.21	29.33	PASS
64	5320	15.43	6.86	169.434	22.29	29.32	PASS
100	5500	15.37	6.86	167.109	22.23	29.29	PASS
120	5600	17.98	6.86	304.789	24.84	30	PASS
140	5700	15.99	6.86	192.752	22.85	29.28	PASS

802.11n_HT20_2TX

CH	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	11.85	6.86	74.302	18.71	22.54	PASS
44	5220	11.02	6.86	61.376	17.88	22.56	PASS
48	5240	11.66	6.86	71.121	18.52	22.56	PASS
52	5260	16.99	6.86	242.661	23.85	29.6	PASS
60	5300	17.66	6.86	283.139	24.52	29.57	PASS
64	5320	14.90	6.86	149.968	21.76	29.55	PASS
100	5500	15.37	6.86	167.109	22.23	29.54	PASS
120	5600	17.75	6.86	289.068	24.61	30	PASS
140	5700	16.55	6.86	219.280	23.41	29.55	PASS

802.11n_HT40_2TX

CH	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	14.99	6.86	153.109	21.85	23.01	PASS
46	5230	13.93	6.86	119.950	20.79	23.01	PASS
54	5270	16.63	6.86	223.357	23.49	30	PASS
62	5310	14.65	6.86	141.579	21.51	30	PASS
102	5510	13.15	6.86	100.231	20.01	30	PASS
118	5590	16.36	6.86	209.894	23.22	30	PASS
134	5670	14.51	6.86	137.088	21.37	30	PASS

802.11ac_VHT80_2TX

CH	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	14.85	6.86	148.252	21.71	23.01	PASS
58	5290	15.01	6.86	153.815	21.87	30	PASS
106	5530	13.46	6.86	107.647	20.32	30	PASS
122	5610	15.65	6.86	178.238	22.51	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ac_VHT160_2TX

CH	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	13.92	6.86	119.674	20.78	23.01	PASS
114	5570	9.14	6.86	39.811	16.00	30	PASS

802.11be_EHT20_SU_2TX

CH	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	12.53	6.86	86.896	19.39	22.8	PASS
44	5220	11.66	6.86	71.121	18.52	22.88	PASS
48	5240	12.14	6.86	79.433	19.00	22.84	PASS
52	5260	17.22	6.86	255.859	24.08	30	PASS
60	5300	17.70	6.86	285.759	24.56	29.92	PASS
64	5320	14.59	6.86	139.637	21.45	29.79	PASS
100	5500	15.43	6.86	169.434	22.29	29.79	PASS
120	5600	17.77	6.86	290.402	24.63	30	PASS
140	5700	15.70	6.86	180.302	22.56	29.79	PASS

802.11be_EHT40_SU_2TX

CH	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	14.80	6.86	146.555	21.66	23.01	PASS
46	5230	14.31	6.86	130.918	21.17	23.01	PASS
54	5270	16.89	6.86	237.137	23.75	30	PASS
62	5310	14.45	6.86	135.207	21.31	30	PASS
102	5510	12.99	6.86	96.605	19.85	30	PASS
118	5590	16.20	6.86	202.302	23.06	30	PASS
134	5670	13.78	6.86	115.878	20.64	30	PASS

802.11be_EHT80_SU_2TX

CH	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	14.60	6.86	139.959	21.46	23.01	PASS
58	5290	14.74	6.86	144.544	21.60	30	PASS
106	5530	13.60	6.86	111.173	20.46	30	PASS
122	5610	14.88	6.86	149.279	21.74	30	PASS

802.11be_EHT160_SU_2TX

CH	Frequency (MHz)	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	13.79	6.86	116.145	20.65	23.01	PASS
114	5570	12.75	6.86	91.411	19.61	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT20_RU_2TX

CH	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	242	12.16	6.86	79.799	19.02	22.8	PASS
		26/0	3.87	6.86	11.830	10.73	22.8	PASS
		52/37	6.28	6.86	20.606	13.14	22.8	PASS
		106/53	9.25	6.86	40.832	16.11	22.8	PASS
		52+26 MRU1	7.21	6.86	25.527	14.07	22.8	PASS
		106+26 MRU1	9.18	6.86	40.179	16.04	22.8	PASS
44	5220	242	11.33	6.86	65.917	18.19	22.88	PASS
48	5240	242	11.07	6.86	62.087	17.93	22.84	PASS
52	5260	242	16.88	6.86	236.592	23.74	30	PASS
60	5300	242	17.38	6.86	265.461	24.24	29.92	PASS
64	5320	242	12.53	6.86	86.896	19.39	29.79	PASS
		26/8	1.95	6.86	7.603	8.81	29.79	PASS
		52/40	7.51	6.86	27.353	14.37	29.79	PASS
		106/54	9.50	6.86	43.251	16.36	29.79	PASS
		52+26 MRU3	6.91	6.86	23.823	13.77	29.79	PASS
		106+26 MRU2	10.42	6.86	53.456	17.28	29.79	PASS
100	5500	242	12.60	6.86	88.308	19.46	29.79	PASS
		26/0	4.54	6.86	13.804	11.40	29.79	PASS
		52/37	7.40	6.86	26.669	14.26	29.79	PASS
		106/53	10.13	6.86	50.003	16.99	29.79	PASS
		52+26 MRU1	9.15	6.86	39.902	16.01	29.79	PASS
		106+26 MRU1	11.48	6.86	68.234	18.34	29.79	PASS
120	5600	242	18.12	6.86	314.775	24.98	30	PASS
140	5700	242	13.35	6.86	104.954	20.21	29.79	PASS
		26/8	4.53	6.86	13.772	11.39	29.79	PASS
		52/40	7.51	6.86	27.353	14.37	29.79	PASS
		106/54	10.34	6.86	52.481	17.20	29.79	PASS
		52+26 MRU3	8.43	6.86	33.806	15.29	29.79	PASS
		106+26 MRU2	11.04	6.86	61.660	17.90	29.79	PASS

802.11be_EHT40_RU_2TX

CH	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	484	15.17	6.86	159.588	22.03	23.01	PASS
46	5230	484	14.21	6.86	127.938	21.07	23.01	PASS
54	5270	484	15.82	6.86	185.353	22.68	30	PASS
62	5310	484	14.33	6.86	131.522	21.19	30	PASS
102	5510	484	12.87	6.86	93.972	19.73	30	PASS
118	5590	484	15.85	6.86	186.638	22.71	30	PASS
134	5670	484	13.65	6.86	112.460	20.51	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11be_EHT80_RU_2TX

CH	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	996	14.28	6.86	130.017	21.14	23.01	PASS
		484+242 MRU4	12.26	6.86	81.658	19.12	23.01	PASS
58	5290	996	13.93	6.86	119.950	20.79	30	PASS
		484+242 MRU1	12.34	6.86	83.176	19.20	30	PASS
106	5530	996	12.28	6.86	82.035	19.14	30	PASS
		484+242 MRU4	10.58	6.86	55.463	17.44	30	PASS
122	5610	996	13.57	6.86	110.408	20.43	30	PASS
		484+242 MRU1	12.23	6.86	81.096	19.09	30	PASS

802.11be_EHT160_RU_2TX

CH	Frequency (MHz)	RU config.	TOTAL POWER (dBm)	Antenna Gain (dBi)	EIRP (mW)	EIRP (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	996*2	13.43	6.86	106.905	20.29	23.01	PASS
		996+484 MRU1	11.37	6.86	66.527	18.23	23.01	PASS
		996+484 MRU2	11.47	6.86	68.077	18.33	23.01	PASS
114	5570	996*2	13.28	6.86	103.276	20.14	30	PASS
		996+484 MRU3	10.51	6.86	54.576	17.37	30	PASS
		996+484 MRU4	11.84	6.86	74.131	18.70	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7.3 Maximum Power Spectral Density

7.3.1 FCC

POWER DENSITY 802.11a MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	3.922	3.765	0.00	6.85		7.13 dBm/MHz	-0.28
5220	4.087	3.300	0.00	6.72		7.13 dBm/MHz	-0.41
5240	2.892	2.338	0.00	5.63		7.13 dBm/MHz	-1.50
5260	2.744	1.616	0.00	5.23		7.13 dBm/MHz	-1.90
5300	2.400	1.555	0.00	5.01		7.13 dBm/MHz	-2.12
5320	0.162	1.188	0.00	3.72		7.13 dBm/MHz	-3.41
5500	2.638	1.850	0.00	5.27		7.13 dBm/MHz	-1.86
5600	3.294	2.321	0.00	5.84		7.13 dBm/MHz	-1.29
5700	4.482	2.305	0.00	6.54		7.13 dBm/MHz	-0.59
5720 (U-NII 2C)	5.035	2.567	0.00	6.98		7.13 dBm/MHz	-0.15
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	-0.661	-2.683	0.00	2.22	3.67	26.13 dBm/500kHz	-22.46
5745	0.798	0.165	0.00	2.22	5.72	26.13 dBm/500kHz	-20.41
5785	0.472	0.256	0.00	2.22	5.60	26.13 dBm/500kHz	-20.53
5825	0.620	0.047	0.00	2.22	5.57	26.13 dBm/500kHz	-20.56

POWER DENSITY 802.11n HT20 MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	3.514	3.042	0.00	6.29		7.13 dBm/MHz	-0.84
5220	3.988	3.344	0.00	6.69		7.13 dBm/MHz	-0.44
5240	2.892	2.621	0.00	5.77		7.13 dBm/MHz	-1.36
5260	2.766	1.302	0.00	5.11		7.13 dBm/MHz	-2.02
5300	2.460	1.447	0.00	4.99		7.13 dBm/MHz	-2.14
5320	-0.460	0.458	0.00	3.03		7.13 dBm/MHz	-4.10
5500	2.361	1.375	0.00	4.91		7.13 dBm/MHz	-2.22
5600	3.501	2.157	0.00	5.89		7.13 dBm/MHz	-1.24
5700	4.681	2.550	0.00	6.76		7.13 dBm/MHz	-0.37
5720 (U-NII 2C)	4.462	2.324	0.00	6.53		7.13 dBm/MHz	-0.60
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	-1.051	-2.969	0.00	2.22	3.33	26.13 dBm/500kHz	-22.80
5745	0.235	-0.139	0.00	2.22	5.28	26.13 dBm/500kHz	-20.85
5785	0.078	-0.187	0.00	2.22	5.18	26.13 dBm/500kHz	-20.95
5825	0.259	-0.233	0.00	2.22	5.25	26.13 dBm/500kHz	-20.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11n HT40 MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	-1.120	-1.548	0.00	1.68		7.13 dBm/MHz	-5.45
5230	0.269	0.416	0.00	3.35		7.13 dBm/MHz	-3.78
5270	-0.871	-0.321	0.00	2.42		7.13 dBm/MHz	-4.71
5310	-2.878	-1.873	0.00	0.66		7.13 dBm/MHz	-6.47
5510	-2.658	-3.387	0.00	0.00		7.13 dBm/MHz	-7.13
5590	-0.322	-1.856	0.00	1.99		7.13 dBm/MHz	-5.14
5670	-0.587	-2.260	0.00	1.67		7.13 dBm/MHz	-5.46
5710 (U-NII 2C)	2.726	0.946	0.00	4.94		7.13 dBm/MHz	-2.19
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	-2.964	-5.392	0.00	2.22	1.22	26.13 dBm/500kHz	-24.91
5755	-3.722	-4.866	0.00	2.22	0.97	26.13 dBm/500kHz	-25.16
5795	-2.988	-3.758	0.00	2.22	1.87	26.13 dBm/500kHz	-24.26

POWER DENSITY 802.11ac VHT80 MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	-5.053	-4.622	0.00	-1.82		7.13 dBm/MHz	-8.95
5290	-5.090	-5.180	0.00	-2.12		7.13 dBm/MHz	-9.25
5530	-5.528	-6.610	0.00	-3.03		7.13 dBm/MHz	-10.16
5610	-2.987	-4.062	0.00	-0.48		7.13 dBm/MHz	-7.61
5690 (U-NII 2C)	-1.478	-3.189	0.00	0.76		7.13 dBm/MHz	-6.37
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	-7.622	-9.385	0.00	2.22	-3.18	26.13 dBm/500kHz	-29.31
5775	-7.288	-8.438	0.00	2.22	-2.59	26.13 dBm/500kHz	-28.72

POWER DENSITY 802.11ac VHT160 MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5250	-9.109	-8.696	0.00	-5.89		7.13 dBm/MHz	-13.02
5570	-13.302	-14.188	0.00	-10.71		7.13 dBm/MHz	-17.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11be EHT20 SU MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	3.926	3.469	0.00	6.71		7.13 dBm/MHz	-0.42
5220	3.682	3.871	0.00	6.79		7.13 dBm/MHz	-0.34
5240	2.375	1.149	0.00	4.82		7.13 dBm/MHz	-2.31
5260	2.611	1.733	0.00	5.20		7.13 dBm/MHz	-1.93
5300	2.546	2.167	0.00	5.37		7.13 dBm/MHz	-1.76
5320	0.142	0.407	0.00	3.29		7.13 dBm/MHz	-3.84
5500	4.439	1.627	0.00	6.27		7.13 dBm/MHz	-0.86
5600	3.118	2.106	0.00	5.65		7.13 dBm/MHz	-1.48
5700	4.760	1.716	0.00	6.51		7.13 dBm/MHz	-0.62
5720 (U-NII 2C)	4.585	2.502	0.00	6.68		7.13 dBm/MHz	-0.45
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	-0.782	-2.351	0.00	2.22	3.73	26.13 dBm/500kHz	-22.40
5745	0.140	-0.122	0.00	2.22	5.24	26.13 dBm/500kHz	-20.89
5785	0.383	-0.084	0.00	2.22	5.39	26.13 dBm/500kHz	-20.74
5825	0.167	-0.149	0.00	2.22	5.24	26.13 dBm/500kHz	-20.89

POWER DENSITY 802.11be EHT40 SU MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	-2.029	-2.376	0.00	0.81		7.13 dBm/MHz	-6.32
5230	0.059	0.228	0.00	3.15		7.13 dBm/MHz	-3.98
5270	-0.499	-0.162	0.00	2.68		7.13 dBm/MHz	-4.45
5310	-3.033	-2.676	0.00	0.16		7.13 dBm/MHz	-6.97
5510	-3.093	-3.696	0.00	-0.37		7.13 dBm/MHz	-7.50
5590	-0.720	-2.122	0.00	1.65		7.13 dBm/MHz	-5.48
5670	-1.239	-3.012	0.00	0.97		7.13 dBm/MHz	-6.16
5710 (U-NII 2C)	2.793	0.957	0.00	4.98		7.13 dBm/MHz	-2.15
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	-3.199	-5.315	0.00	2.22	1.10	26.13 dBm/500kHz	-25.03
5755	-3.629	-5.353	0.00	2.22	0.82	26.13 dBm/500kHz	-25.31
5795	-3.482	-4.185	0.00	2.22	1.41	26.13 dBm/500kHz	-24.72

POWER DENSITY 802.11be EHT80 SU MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	-5.279	-4.961	0.00	-2.11		7.13 dBm/MHz	-9.24
5290	-5.374	-5.202	0.00	-2.28		7.13 dBm/MHz	-9.41
5530	-5.517	-6.172	0.00	-2.82		7.13 dBm/MHz	-9.95
5610	-3.686	-4.754	0.00	-1.18		7.13 dBm/MHz	-8.31
5690 (U-NII 2C)	-1.151	-2.922	0.00	1.06		7.13 dBm/MHz	-6.07
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	-7.420	-8.719	0.00	2.22	-2.79	26.13 dBm/500kHz	-28.92
5775	-7.172	-8.082	0.00	2.22	-2.37	26.13 dBm/500kHz	-28.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11be EHT160 SU MODE						
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)	Limit	Margin (dB)
5250	-8.844	-8.304	0.00	-5.56	7.13 dBm/MHz	-12.69
5570	-9.143	-10.486	0.00	-6.75	7.13 dBm/MHz	-13.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11b EHT20 RU MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	242	-0.193	-2.593	0.00	1.78		7.13 dBm/MHz	-5.35
	26/0	-0.494	-2.162	0.00	1.76		7.13 dBm/MHz	-5.37
	52/37	-0.862	-3.079	0.00	1.18		7.13 dBm/MHz	-5.95
	106/53	-0.697	-2.784	0.00	1.39		7.13 dBm/MHz	-5.74
	52+26 MRU1	-0.887	-3.002	0.00	1.19		7.13 dBm/MHz	-5.94
	106+26 MRU1	-0.636	-2.524	0.00	1.53		7.13 dBm/MHz	-5.60
5220	242	3.057	3.101	0.00	6.09		7.13 dBm/MHz	-1.04
5240	242	2.079	1.709	0.00	4.91		7.13 dBm/MHz	-2.22
5260	242	1.950	0.500	0.00	4.30		7.13 dBm/MHz	-2.83
5300	242	1.473	1.534	0.00	4.51		7.13 dBm/MHz	-2.62
5320	242	-3.295	-5.223	0.00	-1.14		7.13 dBm/MHz	-8.27
	26/8	-4.466	-4.732	0.00	-1.59		7.13 dBm/MHz	-8.72
	52/40	-3.844	-4.812	0.00	-1.29		7.13 dBm/MHz	-8.42
	106/54	-3.901	-5.706	0.00	-1.70		7.13 dBm/MHz	-8.83
	52+26 MRU3	-3.959	-6.103	0.00	-1.89		7.13 dBm/MHz	-9.02
	106+26 MRU2	-3.645	-5.360	0.00	-1.41		7.13 dBm/MHz	-8.54
5500	242	-1.232	-5.297	0.00	0.20		7.13 dBm/MHz	-6.93
	26/0	-2.294	-3.916	0.00	-0.02		7.13 dBm/MHz	-7.15
	52/37	-2.058	-4.234	0.00	0.00		7.13 dBm/MHz	-7.13
	106/53	-2.722	-4.362	0.00	-0.45		7.13 dBm/MHz	-7.58
	52+26 MRU1	-2.048	-3.902	0.00	0.13		7.13 dBm/MHz	-7.00
	106+26 MRU1	-2.141	-4.146	0.00	-0.02		7.13 dBm/MHz	-7.15
5600	242	2.436	1.365	0.00	4.94		7.13 dBm/MHz	-2.19
5700	242	0.264	-3.375	0.00	1.83		7.13 dBm/MHz	-5.30
	26/8	-0.945	-2.162	0.00	1.50		7.13 dBm/MHz	-5.63
	52/40	-0.812	-1.671	0.00	1.79		7.13 dBm/MHz	-5.34
	106/54	-0.688	-1.750	0.00	1.82		7.13 dBm/MHz	-5.31
	52+26 MRU3	-1.242	-2.412	0.00	1.22		7.13 dBm/MHz	-5.91
	106+26 MRU2	-0.652	-2.163	0.00	1.67		7.13 dBm/MHz	-5.46
5720 (U-NII 2C)	242	4.570	2.833	0.00	6.80		7.13 dBm/MHz	-0.33
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	242	-0.521	-2.384	0.00	2.22	3.88	26.13 dBm/500kHz	-22.25
5745	242	-1.928	-3.599	0.00	2.22	2.55	26.13 dBm/500kHz	-23.58
	26/0	-1.671	-4.234	0.00	2.22	2.46	26.13 dBm/500kHz	-23.67
	52/37	-1.788	-4.097	0.00	2.22	2.44	26.13 dBm/500kHz	-23.69
	106/53	-2.152	-4.749	0.00	2.22	1.97	26.13 dBm/500kHz	-24.16
	52+26 MRU1	-2.197	-4.579	0.00	2.22	2.00	26.13 dBm/500kHz	-24.13
	106+26 MRU1	-2.220	-4.672	0.00	2.22	1.96	26.13 dBm/500kHz	-24.17
5785	242	-0.728	-1.025	0.00	2.22	4.36	26.13 dBm/500kHz	-21.77
5825	242	-1.412	-2.250	0.00	2.22	3.42	26.13 dBm/500kHz	-22.71
	26/8	-1.551	-3.030	0.00	2.22	3.00	26.13 dBm/500kHz	-23.13
	52/40	-1.165	-3.047	0.00	2.22	3.23	26.13 dBm/500kHz	-22.90
	106/54	-1.585	-3.156	0.00	2.22	2.93	26.13 dBm/500kHz	-23.20
	52+26 MRU3	-1.142	-3.239	0.00	2.22	3.17	26.13 dBm/500kHz	-22.96
	106+26 MRU2	-1.020	-3.002	0.00	2.22	3.33	26.13 dBm/500kHz	-22.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11be EHT40 RU MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	484	-2.679	-5.298	0.00	-0.78		7.13 dBm/MHz	-7.91
5230	484	-1.549	-4.481	0.00	0.24		7.13 dBm/MHz	-6.89
5270	484	-2.675	-5.127	0.00	-0.72		7.13 dBm/MHz	-7.85
5310	484	-4.430	-6.641	0.00	-2.39		7.13 dBm/MHz	-9.52
5510	484	-4.131	-8.268	0.00	-2.71		7.13 dBm/MHz	-9.84
5590	484	-2.017	-4.779	0.00	-0.17		7.13 dBm/MHz	-7.30
5670	484	-2.190	-5.772	0.00	-0.61		7.13 dBm/MHz	-7.74
5710 (U-NII 2C)	484	1.587	-1.862	0.00	3.21		7.13 dBm/MHz	-3.92
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	484	-4.888	-7.665	0.00	2.22	-0.83	26.13 dBm/500kHz	-26.96
5755	484	-5.642	-7.985	0.00	2.22	-1.43	26.13 dBm/500kHz	-27.56
5795	484	-5.192	-6.790	0.00	2.22	-0.69	26.13 dBm/500kHz	-26.82

POWER DENSITY 802.11be EHT80 RU MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	996	-6.442	-8.719	0.00	-4.42		7.13 dBm/MHz	-11.55
	484+242 MRU4	-6.976	-9.022	0.00	-4.87		7.13 dBm/MHz	-12.00
5290	996	-7.251	-9.733	0.00	-5.31		7.13 dBm/MHz	-12.44
	484+242 MRU1	-7.822	-10.170	0.00	-5.83		7.13 dBm/MHz	-12.96
5530	996	-7.852	-11.729	0.00	-6.36		7.13 dBm/MHz	-13.49
	484+242 MRU4	-8.449	-12.438	0.00	-6.99		7.13 dBm/MHz	-14.12
5610	996	-5.704	-8.818	0.00	-3.98		7.13 dBm/MHz	-11.11
	484+242 MRU1	-6.097	-8.636	0.00	-4.17		7.13 dBm/MHz	-11.30
5690 (U-NII 2C)	996	-3.072	-6.354	0.00	-1.40		7.13 dBm/MHz	-8.53
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Total Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	996	-9.079	-12.185	0.00	2.22	-5.13	26.13 dBm/500kHz	-31.26
5775	996	-9.888	-11.918	0.00	2.22	-5.56	26.13 dBm/500kHz	-31.69
	484+242 MRU1	-10.432	-12.369	0.00	2.22	-6.06	26.13 dBm/500kHz	-32.19
	484+242 MRU4	-10.624	-12.525	0.00	2.22	-6.24	26.13 dBm/500kHz	-32.37

POWER DENSITY 802.11be EHT160 RU MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Total Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5250	996*2	-10.309	-12.311	0.09	-8.10		7.13 dBm/MHz	-15.23
	996+484 MRU1	-10.972	-12.887	0.00	-8.81		7.13 dBm/MHz	-15.94
	996+484 MRU2	-10.771	-12.522	0.00	-8.55		7.13 dBm/MHz	-15.68
5570	996*2	-9.466	-13.042	0.09	-7.80		7.13 dBm/MHz	-14.93
	996+484 MRU3	-10.274	-13.327	0.00	-8.53		7.13 dBm/MHz	-15.66
	996+484 MRU4	-9.896	-13.913	0.00	-8.45		7.13 dBm/MHz	-15.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11a 20MHz Chain0_5260MHz




802.11a 20MHz Chain1_5260MHz




802.11a 20MHz Chain0_5300MHz



802.11a 20MHz Chain1_5300MHz



802.11a 20MHz Chain0_5320MHz



802.11a 20MHz Chain1_5320MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11a 20MHz Chain0_5500MHz




802.11a 20MHz Chain1_5500MHz




802.11a 20MHz Chain0_5600MHz



802.11a 20MHz Chain1_5600MHz



802.11a 20MHz Chain0_5700MHz




802.11a 20MHz Chain1_5700MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



802.11a_20MHz_Chain0_5720MHz_UNII 2C



802.11a_20MHz_Chain0_5720MHz_UNII 3




802.11a_20MHz_Chain1_5720MHz_UNII 2C



802.11a_20MHz_Chain1_5720MHz_UNII 3



802.11a_20MHz_Chain0_5745MHz



802.11a_20MHz_Chain1_5745MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.