

## **Certification Exhibit**


**FCC ID: R7PNG0R1S3  
IC: 5294A-NG0R1S3**

**FCC Rule Part: 15.247  
IC Radio Standards Specification: RSS-247**


**ACS Project Number: 15-0460**

**Manufacturer: Landis+Gyr Technology, Inc.  
Model: S5 SBR**


## **Label Information**



TOP VIEW  
SHIELD REMOVED FOR CLARITY



TOP VIEW



BOTTOM VIEW

NOTES:

1. THIS ASSEMBLY SHALL BE IN ACCORDANCE WITH DOCUMENT NUMBER 95-1062. SURFACES SHALL BE CONSIDERED "CLASS D" SURFACES UNLESS OTHERWISE SPECIFIED.
2. ONLY APPROVED SOURCES PER BILL OF MATERIAL TO BE USED.
3. THIS ASSEMBLY TO BE BUILT IN THE ORDER OF PRECEDENCE: THIS DRAWING SPECIFICATION, THEN THE IPC-A-610 LATEST REVISION CLASS 2.
4. PRIOR TO ATTACHING LABELS OR ADHESIVE PARTS, CLEAN DESIGNATED SURFACE AREAS USING DENATURED ALCOHOL.
5. ALL SOLDER PROCESSES SHOULD USE LEAD-FREE SOLDER.
6. BOARD TO BE ASEMBLED WITH NO-CLEAN FLUX, NO WASHING AFTER ASSEMBLY.
7. SEE BOM FOR NON-POPULATED COMPONENTS.
8. IF RF SHIELD COVER IS REMOVED AFTER INSTALLED, DO NOT RE-USE THE COVER.

9. COMPONENT 01 TO BE INSTALLED FROM THE NEAR SIDE OF THE BOTTOM VIEW.

10. LABEL (ITEM 02) SECTION "A" TO BE LOCATED "APPROXIMATELY AS SHOWN" SECTIONS B, AND C TO BE SHIPPED WITH PRODUCT.

11. LABEL (ITEM 03) SHALL NOT COVER ANY PORTION OF COMPONENTS, OR TEST POINTS, AND TO BE LOCATED "APPROXIMATELY AS SHOWN".

12. INFORMATION IN SILK SCREEN.

| DO NOT SCALE DRAWING                                                                                                                                                                                                                                                                                                                                           |  |  | TITLE:                       |                             |                    |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|------------------------------|-----------------------------|--------------------|
| UNLESS OTHERWISE SPECIFIED:<br>DIMENSIONS ARE IN INCHES (MM)<br>DIMENSIONS ARE AFTER FINISH IS APPLIED<br>ANGLE TOLERANCE DOES NOT APPLY TO<br>IMPLIED 90° ANGLES<br>TOLERANCES ON:<br>DECIMAL FRACTION ANGLES<br>1PL ± .1 ±1/64 ±1°<br>2PL ± .02<br>3PL ± .005<br>MUST BE FREE FROM FLASH AND BURRS.<br>BREAK ALL SHARP EDGES.<br>( ) DENOTES REFERENCE ONLY. |  |  | PCBA W/TOOLING HOLES, S5 SBR |                             |                    |
|                                                                                                                                                                                                                                                                                                                                                                |  |  | THIRD ANGLE<br>PROJECTION    | APPROVED BY:<br>M. BERKOBIN | DATED:<br>12/11/15 |
|                                                                                                                                                                                                                                                                                                                                                                |  |  |                              | DRAWN BY:<br>S. DAO         | DATED:<br>12/11/15 |
| LANDIS+GYR CONFIDENTIAL INFORMATION:<br>THIS DOCUMENT CONTAINS INFORMATION PROPRIETARY TO LANDIS + GYR<br>FAMILY OF COMPANIES (WHICH INCLUDES THE COMPANIES FORMERLY<br>KNOWN AS HUNT AND CELLNET) ANY USE OR DISCLOSURE WITHOUT<br>WRITTEN PERMISSION IS PROHIBITED.                                                                                          |  |  | DRAWING NO.<br>73-2552       |                             | REVISION:<br>AA    |

