



MODEL LXC-1940DF

CAUTION: TO PREVENT ELECTRIC SHOCK, DO NOT REMOVE BACK.
NO USER-SERVICEABLE PARTS INSIDE. REFER SERVICING TO
QUALIFIED SERVICE PERSONNEL.

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERAT-
ION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS: (1) THIS
DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND (2) THIS
DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING
INTERFERENCE THAT MAY CAUSE UNDESIRABLE OPERATION.

FCC ID: R95LXC940DF

MADE IN CHINA

COMPLIES WITH FDA RADIATION PERFORMANCE STANDARDS, 21
CFR SUBCHAPTER J. APPLICABLE AT DATE OF MANUFACTURE.

This class B digital apparatus meets all requirements of the Canadian Interference-Causing Equipment Regulations.
Cet appareil numérique de la class B respecte toutes les exigences du Règlement sur le matériel brouilleur du Canada.
As an ENERGY STAR Partner, DAEWOO Lucoms Co., Ltd. has determined
that this product meets the Energy Star guidelines for energy efficiency.

ZHEJIANG XING DAEWOO LUCOMS TECHNOLOGY CO., LTD.
1 Hongxi Road Taizhou Zhejiang P.R.C. 318015, China

POWER

100-240Vac 50/60Hz 2.0-1.0A

SERIAL NO.

MANUFACTURED

CHASSIS NO.

940DF

DHHS CODE : STNF


FACTORY ID : S


S/N:XL2543AC00





LP 59636













LXC-940D/DF MAIN

S:N/9979800635

FXC-840D

83718

RA 3C



46052032







CA103



LXC-940B/DF CONTROL



GD-0300003024
2002CAP0426500



SAMSUNG

MADE BY SAMSUNG, KOREA

TYPE
K-
序号

M46QCK761X851
(T4/DFTM/Samtron) # 1

X-RAY WARNING: When picture tubes are operated at very high voltage and when personal exposure is prolonged at close range, special shielding precautions are needed. X-ray radiation may be needed.

CAUTION: HIGH-VACUUM PICTURE TUBES MUST BE REFERRED TO QUALIFIED SERVICE PERSONNEL FOR REPAIR OR REPLACEMENT.

WARNING: THIS CATHODE RAY TUBE IS EQUIPPED WITH AN INTEGRAL IMPLSION PROTECTION. IT IS NOT A CATHODE RAY TUBE OF THE SAME TYPE. CONTINUED SAFETY.

AVERTISSEMENT: CE TUBE À CATHODES EST ÉQUIPÉ D'UN DISPOSITIF INTÉGRÉ DE PROTECTION CONTRE L'IMPLOSION. REMPLACER PAR UN TUBE DE MÊME MODÈLE NE COMPROMETTRE LA SÉCURITÉ.

韓國釜山製造

在高压下工作时产生的辐射对长期暴露在其周围的人体有害,因此必须采取屏蔽防护措施。小心: 高压真空管搬动时应咨询专业人员, 以免发生危险。为防爆型显象管, 替换时, 为防止 X 射线损伤, 保证管子的防爆安全性, 型号管子。

36532



LR29031

