




4.9.2.62 11N40_102 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6876.0938	43.57	20.85	54.00	10.43	150	360	Horizontal
2	6911.4956	53.14	20.91	74.00	20.86	150	360	Horizontal
3	11020.0000	40.90	-2.19	54.00	13.10	150	0	Horizontal
4	11020.0000	52.52	-2.19	74.00	21.48	150	292	Horizontal
5	16530.0000	55.21	0.29	74.00	18.79	150	292	Horizontal
6	16530.0000	43.44	0.29	54.00	10.56	150	42	Horizontal
7	17998.3499	47.56	1.72	54.00	6.44	150	292	Horizontal





4.9.2.63 11N40_110 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6979.2990	43.28	21.26	54.00	10.72	150	219	Horizontal
2	6989.4995	53.25	21.27	74.00	20.75	150	219	Horizontal
3	11100.0000	41.22	-2.25	54.00	12.78	150	39	Horizontal
4	11100.0000	52.51	-2.25	74.00	21.49	150	291	Horizontal
5	16650.0000	55.38	0.40	74.00	18.62	150	39	Horizontal
6	16650.0000	43.94	0.40	54.00	10.06	150	90	Horizontal
7	17941.6971	47.11	1.70	54.00	6.89	150	140	Horizontal





4.9.2.64 11N40_134 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6902.4951	52.82	20.83	74.00	21.18	150	360	Horizontal
2	6956.4978	43.48	21.26	54.00	10.52	150	360	Horizontal
3	11340.0000	41.36	-2.22	54.00	12.64	150	41	Horizontal
4	11340.0000	52.92	-2.22	74.00	21.08	150	142	Horizontal
5	17010.0000	55.27	0.68	74.00	18.73	150	142	Horizontal
6	17010.0000	43.20	0.68	54.00	10.80	150	41	Horizontal
7	18000.0000	47.46	1.72	54.00	6.54	150	342	Horizontal





4.9.2.65 11N40_151 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6941.4971	43.32	21.18	54.00	10.68	150	270	Horizontal
2	6978.0989	52.84	21.26	74.00	21.16	150	170	Horizontal
3	11510.0000	39.86	-2.07	54.00	14.14	150	91	Horizontal
4	11510.0000	50.79	-2.07	74.00	23.21	150	0	Horizontal
5	17265.0000	55.87	0.54	74.00	18.13	150	292	Horizontal
6	17265.0000	45.11	0.54	54.00	8.89	150	140	Horizontal
7	17991.1996	47.14	1.72	54.00	6.86	150	140	Horizontal





4.9.2.66 11N40_159 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6790.8895	43.62	20.44	54.00	10.38	150	221	Horizontal
2	6851.1926	53.07	20.88	74.00	20.93	150	68	Horizontal
3	11590.0000	38.89	-2.50	54.00	15.11	150	342	Horizontal
4	11590.0000	49.76	-2.50	74.00	24.24	150	42	Horizontal
5	17385.0000	55.98	1.21	74.00	18.02	150	342	Horizontal
6	17385.0000	45.14	1.21	54.00	8.86	150	191	Horizontal
7	17999.4500	47.07	1.72	54.00	6.93	150	142	Horizontal





4.9.2.67 11AC20_36 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6902.4951	53.00	20.83	74.00	21.00	150	0	Vertical
2	6983.7992	43.66	21.27	54.00	10.34	150	90	Vertical
3	10360.0000	39.67	-3.63	54.00	14.33	150	118	Vertical
4	10360.0000	50.37	-3.63	74.00	23.63	150	68	Vertical
5	15540.0000	52.43	0.46	74.00	21.57	150	18	Vertical
6	15540.0000	41.65	0.46	54.00	12.35	150	269	Vertical
7	17999.4500	47.14	1.72	54.00	6.86	150	68	Vertical





4.9.2.68 11AC20_44 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6937.5969	53.24	21.14	74.00	20.76	150	41	Vertical
2	6974.4987	43.57	21.26	54.00	10.43	150	141	Vertical
3	10440.0000	39.92	-3.24	54.00	14.08	150	271	Vertical
4	10440.0000	51.24	-3.24	74.00	22.76	150	68	Vertical
5	15660.0000	53.03	0.43	74.00	20.97	150	118	Vertical
6	15660.0000	42.38	0.43	54.00	11.62	150	18	Vertical
7	17626.5313	46.53	2.32	54.00	7.47	150	18	Vertical





4.9.2.69 11AC20_48 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6840.6920	42.96	20.79	54.00	11.04	150	191	Vertical
2	6972.9987	52.71	21.26	74.00	21.29	150	140	Vertical
3	10480.0000	39.96	-2.94	54.00	14.04	150	169	Vertical
4	10480.0000	50.95	-2.94	74.00	23.05	150	169	Vertical
5	15720.0000	54.05	0.29	74.00	19.95	150	169	Vertical
6	15720.0000	42.14	0.29	54.00	11.86	150	271	Vertical
7	17990.0995	46.95	1.72	54.00	7.05	150	68	Vertical





4.9.2.70 11AC20_52 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6937.8969	43.69	21.15	54.00	10.31	150	191	Vertical
2	6958.2979	52.46	21.26	74.00	21.54	150	291	Vertical
3	10520.0000	40.48	-2.80	54.00	13.52	150	360	Vertical
4	10520.0000	51.38	-2.80	74.00	22.62	150	269	Vertical
5	15780.0000	52.22	-0.72	74.00	21.78	150	319	Vertical
6	15780.0000	41.14	-0.72	54.00	12.86	150	69	Vertical
7	17998.3499	47.17	1.72	54.00	6.83	150	319	Vertical





4.9.2.71 11AC20_60 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6960.9981	43.38	21.26	54.00	10.62	150	41	Vertical
2	6964.2982	52.74	21.26	74.00	21.26	150	241	Vertical
3	10600.0000	40.95	-2.86	54.00	13.05	150	118	Vertical
4	10600.0000	51.82	-2.86	74.00	22.18	150	269	Vertical
5	15900.0000	52.09	-0.51	74.00	21.91	150	218	Vertical
6	15900.0000	41.45	-0.51	54.00	12.55	150	67	Vertical
7	17678.7839	46.81	2.35	54.00	7.19	150	218	Vertical





4.9.2.72 11AC20_64 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6993.0997	43.38	21.27	54.00	10.62	150	190	Vertical
2	6997.5999	53.02	21.27	74.00	20.98	150	292	Vertical
3	10640.0000	41.08	-2.84	54.00	12.92	150	325	Vertical
4	10640.0000	52.61	-2.84	74.00	21.39	150	71	Vertical
5	15960.0000	51.68	-0.61	74.00	22.32	150	224	Vertical
6	15960.0000	40.78	-0.61	54.00	13.22	150	275	Vertical
7	17519.8260	46.52	2.00	54.00	7.48	150	18	Vertical





4.9.2.73 11AC20_100 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6829.5915	53.22	20.69	74.00	20.78	150	190	Vertical
2	6973.8987	43.78	21.26	54.00	10.22	150	39	Vertical
3	11000.0000	40.58	-2.17	54.00	13.42	150	18	Vertical
4	11000.0000	51.11	-2.17	74.00	22.89	150	68	Vertical
5	16500.0000	43.40	0.34	54.00	10.60	150	119	Vertical
6	16500.0000	55.42	0.34	74.00	18.58	150	169	Vertical
7	17946.0973	47.04	1.70	54.00	6.96	150	18	Vertical





4.9.2.74 11AC20_116 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6923.4962	52.95	21.02	74.00	21.05	150	342	Vertical
2	6959.7980	43.62	21.26	54.00	10.38	150	292	Vertical
3	11160.0000	41.41	-2.32	54.00	12.59	150	360	Vertical
4	11160.0000	53.10	-2.32	74.00	20.90	150	269	Vertical
5	16740.0000	55.05	0.71	74.00	18.95	150	68	Vertical
6	16740.0000	42.92	0.71	54.00	11.08	150	360	Vertical
7	17995.0498	46.84	1.72	54.00	7.16	150	169	Vertical





4.9.2.75 11AC20_140 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6943.5972	43.67	21.20	54.00	10.33	150	40	Vertical
2	6945.9973	52.70	21.22	74.00	21.30	150	342	Vertical
3	11400.0000	40.14	-2.15	54.00	13.86	150	118	Vertical
4	11400.0000	50.79	-2.15	74.00	23.21	150	269	Vertical
5	17100.0000	55.03	0.04	74.00	18.97	150	18	Vertical
6	17100.0000	44.63	0.04	54.00	9.37	150	68	Vertical
7	17975.2488	47.01	1.71	54.00	6.99	150	269	Vertical





4.9.2.76 11AC20_149 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6967.8984	53.37	21.26	74.00	20.63	150	40	Vertical
2	6969.0985	43.68	21.26	54.00	10.32	150	342	Vertical
3	11490.0000	39.77	-2.03	54.00	14.23	150	360	Vertical
4	11490.0000	51.35	-2.03	74.00	22.65	150	320	Vertical
5	17235.0000	56.40	0.33	74.00	17.60	150	169	Vertical
6	17235.0000	45.28	0.33	54.00	8.72	150	169	Vertical
7	18000.0000	46.81	1.72	54.00	7.19	150	360	Vertical





4.9.2.77 11AC20_157 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6753.6877	52.42	20.63	74.00	21.58	150	191	Vertical
2	6819.9910	42.87	20.59	54.00	11.13	150	241	Vertical
3	11570.0000	39.56	-2.39	54.00	14.44	150	18	Vertical
4	11570.0000	51.44	-2.39	74.00	22.56	150	226	Vertical
5	17355.0000	55.87	1.06	74.00	18.13	150	326	Vertical
6	17355.0000	45.27	1.06	54.00	8.73	150	226	Vertical
7	17933.4467	46.83	1.70	54.00	7.17	150	326	Vertical





4.9.2.78 11AC20_165 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6711.3856	51.61	19.95	74.00	22.39	150	242	Vertical
2	6931.2966	43.61	21.09	54.00	10.39	150	141	Vertical
3	11650.0000	39.62	-2.49	54.00	14.38	150	121	Vertical
4	11650.0000	51.72	-2.49	74.00	22.28	150	68	Vertical
5	17475.0000	56.18	1.76	74.00	17.82	150	274	Vertical
6	17475.0000	45.09	1.76	54.00	8.91	150	172	Vertical
7	17984.0492	46.72	1.72	54.00	7.28	150	18	Vertical





4.9.2.79 11AC20_36 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6915.9958	52.60	20.95	74.00	21.40	150	271	Horizontal
2	6975.3988	43.66	21.26	54.00	10.34	150	321	Horizontal
3	10360.0000	39.26	-3.63	54.00	14.74	150	141	Horizontal
4	10360.0000	49.26	-3.63	74.00	24.74	150	0	Horizontal
5	15540.0000	52.18	0.46	74.00	21.82	150	292	Horizontal
6	15540.0000	41.19	0.46	54.00	12.81	150	292	Horizontal
7	17997.7999	47.19	1.72	54.00	6.81	150	141	Horizontal





4.9.2.80 11AC20_44 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6750.9875	52.41	20.64	74.00	21.59	150	321	Horizontal
2	6936.9969	43.20	21.14	54.00	10.80	150	219	Horizontal
3	10440.0000	39.72	-3.24	54.00	14.28	150	88	Horizontal
4	10440.0000	52.27	-3.24	74.00	21.73	150	288	Horizontal
5	15660.0000	52.29	0.43	74.00	21.71	150	342	Horizontal
6	15660.0000	41.68	0.43	54.00	12.32	150	288	Horizontal
7	17998.3499	46.97	1.72	54.00	7.03	150	188	Horizontal





4.9.2.81 11AC20_48 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6918.0959	52.64	20.97	74.00	21.36	150	18	Horizontal
2	6973.5987	43.50	21.26	54.00	10.50	150	360	Horizontal
3	10480.0000	40.47	-2.94	54.00	13.53	150	242	Horizontal
4	10480.0000	52.39	-2.94	74.00	21.61	150	92	Horizontal
5	15720.0000	53.70	0.29	74.00	20.30	150	41	Horizontal
6	15720.0000	42.47	0.29	54.00	11.53	150	142	Horizontal
7	17944.4472	46.91	1.70	54.00	7.09	150	342	Horizontal





4.9.2.82 11AC20_52 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6834.9918	53.14	20.74	74.00	20.86	150	218	Horizontal
2	6975.0988	43.38	21.26	54.00	10.62	150	18	Horizontal
3	10520.0000	40.41	-2.80	54.00	13.59	150	192	Horizontal
4	10520.0000	53.00	-2.80	74.00	21.00	150	142	Horizontal
5	15780.0000	52.88	-0.72	74.00	21.12	150	242	Horizontal
6	15780.0000	41.38	-0.72	54.00	12.62	150	242	Horizontal
7	17933.4467	47.00	1.70	54.00	7.00	150	0	Horizontal





4.9.2.83 11AC20_60 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6867.9934	52.65	20.86	74.00	21.35	150	360	Horizontal
2	6958.8979	43.24	21.26	54.00	10.76	150	18	Horizontal
3	10600.0000	40.66	-2.86	54.00	13.34	150	241	Horizontal
4	10600.0000	52.23	-2.86	74.00	21.77	150	291	Horizontal
5	15900.0000	51.92	-0.51	74.00	22.08	150	90	Horizontal
6	15900.0000	41.64	-0.51	54.00	12.36	150	140	Horizontal
7	17676.0338	46.71	2.35	54.00	7.29	150	140	Horizontal





4.9.2.84 11AC20_64 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6860.7930	52.04	20.87	74.00	21.96	150	321	Horizontal
2	6957.9979	44.00	21.26	54.00	10.00	150	360	Horizontal
3	10640.0000	41.33	-2.84	54.00	12.67	150	342	Horizontal
4	10640.0000	51.87	-2.84	74.00	22.13	150	342	Horizontal
5	15960.0000	51.97	-0.61	74.00	22.03	150	92	Horizontal
6	15960.0000	40.90	-0.61	54.00	13.10	150	92	Horizontal
7	17992.2996	46.93	1.72	54.00	7.07	150	92	Horizontal





4.9.2.85 11AC20_100 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6854.7927	53.09	20.88	74.00	20.91	150	68	Horizontal
2	6969.6985	43.18	21.26	54.00	10.82	150	18	Horizontal
3	11000.0000	39.96	-2.17	54.00	14.04	150	241	Horizontal
4	11000.0000	51.84	-2.17	74.00	22.16	150	192	Horizontal
5	16500.0000	54.49	0.34	74.00	19.51	150	241	Horizontal
6	16500.0000	43.77	0.34	54.00	10.23	150	91	Horizontal
7	17951.0476	47.04	1.71	54.00	6.96	150	142	Horizontal





4.9.2.86 11AC20_116 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6891.9946	43.02	20.82	54.00	10.98	150	220	Horizontal
2	6951.9976	52.53	21.26	74.00	21.47	150	360	Horizontal
3	11160.0000	40.97	-2.32	54.00	13.03	150	342	Horizontal
4	11160.0000	52.44	-2.32	74.00	21.56	150	92	Horizontal
5	16740.0000	54.19	0.71	74.00	19.81	150	0	Horizontal
6	16740.0000	43.33	0.71	54.00	10.67	150	92	Horizontal
7	17944.4472	46.95	1.70	54.00	7.05	150	242	Horizontal





4.9.2.87 11AC20_140 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6957.3979	43.34	21.26	54.00	10.66	150	360	Horizontal
2	6994.5997	53.09	21.27	74.00	20.91	150	220	Horizontal
3	11400.0000	40.68	-2.15	54.00	13.32	150	342	Horizontal
4	11400.0000	51.26	-2.15	74.00	22.74	150	0	Horizontal
5	17100.0000	55.87	0.04	74.00	18.13	150	242	Horizontal
6	17100.0000	44.33	0.04	54.00	9.67	150	242	Horizontal
7	17959.2980	47.05	1.71	54.00	6.95	150	242	Horizontal





4.9.2.88 11AC20_149 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6879.0940	43.65	20.84	54.00	10.35	150	360	Horizontal
2	6960.0980	52.74	21.26	74.00	21.26	150	270	Horizontal
3	11490.0000	39.38	-2.03	54.00	14.62	150	141	Horizontal
4	11490.0000	50.61	-2.03	74.00	23.39	150	242	Horizontal
5	17235.0000	56.12	0.33	74.00	17.88	150	242	Horizontal
6	17235.0000	44.84	0.33	54.00	9.16	150	191	Horizontal
7	17949.9475	46.98	1.70	54.00	7.02	150	342	Horizontal





4.9.2.89 11AC20_157 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6893.4947	52.63	20.82	74.00	21.37	150	320	Horizontal
2	6930.6965	43.97	21.08	54.00	10.03	150	118	Horizontal
3	11570.0000	39.60	-2.39	54.00	14.40	150	42	Horizontal
4	11570.0000	51.04	-2.39	74.00	22.96	150	42	Horizontal
5	17355.0000	55.88	1.06	74.00	18.12	150	0	Horizontal
6	17355.0000	45.35	1.06	54.00	8.65	150	0	Horizontal
7	17993.9497	46.89	1.72	54.00	7.11	150	92	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.9.2.90 11AC20_165 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6784.5892	43.09	20.48	54.00	10.91	150	118	Horizontal
2	6855.9928	52.81	20.88	74.00	21.19	150	360	Horizontal
3	11650.0000	39.57	-2.49	54.00	14.43	150	292	Horizontal
4	11650.0000	50.47	-2.49	74.00	23.53	150	292	Horizontal
5	17475.0000	56.75	1.76	74.00	17.25	150	242	Horizontal
6	17475.0000	44.90	1.76	54.00	9.10	150	192	Horizontal
7	17998.8999	46.88	1.72	54.00	7.12	150	192	Horizontal





4.9.2.91 11AC40_38 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6890.7945	43.20	20.82	54.00	10.80	150	190	Vertical
2	6994.2997	52.98	21.27	74.00	21.02	150	0	Vertical
3	10380.0000	38.83	-3.60	54.00	15.17	150	320	Vertical
4	10380.0000	50.74	-3.60	74.00	23.26	150	360	Vertical
5	15570.0000	53.44	0.29	74.00	20.56	150	18	Vertical
6	15570.0000	41.77	0.29	54.00	12.23	150	270	Vertical
7	17941.1471	46.82	1.70	54.00	7.18	150	360	Vertical





4.9.2.92 11AC40_46 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6959.4980	43.74	21.26	54.00	10.26	150	140	Vertical
2	6970.5985	52.45	21.26	74.00	21.55	150	0	Vertical
3	10460.0000	40.33	-3.09	54.00	13.67	150	71	Vertical
4	10460.0000	52.57	-3.09	74.00	21.43	150	221	Vertical
5	15690.0000	55.44	0.58	74.00	18.56	150	71	Vertical
6	15690.0000	42.63	0.58	54.00	11.37	150	170	Vertical
7	17706.8353	46.52	2.22	54.00	7.48	150	271	Vertical





4.9.2.93 11AC40_54 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6964.5982	43.33	21.26	54.00	10.67	150	41	Vertical
2	6995.1998	53.07	21.27	74.00	20.93	150	292	Vertical
3	10540.0000	41.60	-2.81	54.00	12.40	150	360	Vertical
4	10540.0000	51.64	-2.81	74.00	22.36	150	18	Vertical
5	15810.0000	51.96	-0.99	74.00	22.04	150	218	Vertical
6	15810.0000	41.06	-0.99	54.00	12.94	150	168	Vertical
7	17989.5495	46.57	1.72	54.00	7.43	150	318	Vertical





4.9.2.94 11AC40_62 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6936.3968	44.14	21.13	54.00	9.86	150	241	Vertical
2	6972.3986	53.67	21.26	74.00	20.33	150	40	Vertical
3	10620.0000	40.75	-2.85	54.00	13.25	150	118	Vertical
4	10620.0000	52.16	-2.85	74.00	21.84	150	167	Vertical
5	15930.0000	51.99	-0.56	74.00	22.01	150	218	Vertical
6	15930.0000	41.58	-0.56	54.00	12.42	150	268	Vertical
7	17948.8474	46.94	1.70	54.00	7.06	150	268	Vertical





4.9.2.95 11AC40_102 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6936.3968	43.58	21.13	54.00	10.42	150	39	Vertical
2	6998.7999	52.58	21.27	74.00	21.42	150	242	Vertical
3	11020.0000	40.28	-2.19	54.00	13.72	150	68	Vertical
4	11020.0000	51.78	-2.19	74.00	22.22	150	118	Vertical
5	16530.0000	54.67	0.29	74.00	19.33	150	118	Vertical
6	16530.0000	42.88	0.29	54.00	11.12	150	68	Vertical
7	17948.8474	46.64	1.70	54.00	7.36	150	118	Vertical





4.9.2.96 11AC40_110 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6882.3941	43.41	20.84	54.00	10.59	150	342	Vertical
2	6977.7989	53.29	21.26	74.00	20.71	150	292	Vertical
3	11100.0000	41.02	-2.25	54.00	12.98	150	360	Vertical
4	11100.0000	52.15	-2.25	74.00	21.85	150	360	Vertical
5	16650.0000	54.98	0.40	74.00	19.02	150	320	Vertical
6	16650.0000	44.03	0.40	54.00	9.97	150	219	Vertical
7	17953.2477	46.77	1.71	54.00	7.23	150	18	Vertical





4.9.2.97 11AC40_134 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6867.6934	52.57	20.86	74.00	21.43	150	291	Vertical
2	6980.7990	44.27	21.26	54.00	9.73	150	191	Vertical
3	11340.0000	41.19	-2.22	54.00	12.81	150	122	Vertical
4	11340.0000	51.44	-2.22	74.00	22.56	150	18	Vertical
5	17010.0000	55.10	0.68	74.00	18.90	150	222	Vertical
6	17010.0000	42.64	0.68	54.00	11.36	150	122	Vertical
7	17854.2427	46.83	1.09	54.00	7.17	150	172	Vertical





4.9.2.98 11AC40_151 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6941.4971	52.88	21.18	74.00	21.12	150	142	Vertical
2	6949.2975	43.42	21.25	54.00	10.58	150	142	Vertical
3	11510.0000	39.79	-2.07	54.00	14.21	150	18	Vertical
4	11510.0000	50.00	-2.07	74.00	24.00	150	117	Vertical
5	17265.0000	56.21	0.54	74.00	17.79	150	18	Vertical
6	17265.0000	44.57	0.54	54.00	9.43	150	67	Vertical
7	17994.4997	46.85	1.72	54.00	7.15	150	117	Vertical





4.9.2.99 11AC40_159 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6738.0869	43.27	20.43	54.00	10.73	150	90	Vertical
2	6955.8978	52.76	21.26	74.00	21.24	150	241	Vertical
3	11510.0000	39.88	-2.07	54.00	14.12	150	269	Vertical
4	11510.0000	50.35	-2.07	74.00	23.65	150	360	Vertical
5	17265.0000	56.06	0.54	74.00	17.94	150	168	Vertical
6	17265.0000	45.23	0.54	54.00	8.77	150	319	Vertical
7	17937.2969	46.73	1.70	54.00	7.27	150	219	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.9.2.100 11AC40_38 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6948.6974	44.30	21.24	54.00	9.70	150	360	Horizontal
2	6958.8979	52.33	21.26	74.00	21.67	150	68	Horizontal
3	10380.0000	38.87	-3.60	54.00	15.13	150	242	Horizontal
4	10380.0000	51.11	-3.60	74.00	22.89	150	191	Horizontal
5	15570.0000	52.95	0.29	74.00	21.05	150	40	Horizontal
6	15570.0000	42.03	0.29	54.00	11.97	150	0	Horizontal
7	17512.1256	46.63	1.97	54.00	7.37	150	342	Horizontal





4.9.2.101 11AC40_46 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6840.0920	52.25	20.79	74.00	21.75	150	18	Horizontal
2	6903.0952	43.39	20.84	54.00	10.61	150	360	Horizontal
3	10460.0000	39.78	-3.09	54.00	14.22	150	0	Horizontal
4	10460.0000	51.09	-3.09	74.00	22.91	150	90	Horizontal
5	15690.0000	53.50	0.58	74.00	20.50	150	191	Horizontal
6	15690.0000	42.45	0.58	54.00	11.55	150	191	Horizontal
7	17996.6998	47.07	1.72	54.00	6.93	150	90	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.9.2.102 11AC40_54 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6879.9940	43.19	20.84	54.00	10.81	150	169	Horizontal
2	6965.4983	52.40	21.26	74.00	21.60	150	360	Horizontal
3	10540.0000	40.63	-2.81	54.00	13.37	150	91	Horizontal
4	10540.0000	51.49	-2.81	74.00	22.51	150	291	Horizontal
5	15810.0000	52.10	-0.99	74.00	21.90	150	291	Horizontal
6	15810.0000	41.31	-0.99	54.00	12.69	150	291	Horizontal
7	17994.4997	46.68	1.72	54.00	7.32	150	291	Horizontal





4.9.2.103 11AC40_62 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6875.4938	44.37	20.85	54.00	9.63	150	119	Horizontal
2	6948.9975	52.90	21.25	74.00	21.10	150	360	Horizontal
3	10620.0000	40.87	-2.85	54.00	13.13	150	242	Horizontal
4	10620.0000	52.11	-2.85	74.00	21.89	150	42	Horizontal
5	15930.0000	52.71	-0.56	74.00	21.29	150	0	Horizontal
6	15930.0000	41.38	-0.56	54.00	12.62	150	242	Horizontal
7	18000.0000	46.79	1.72	54.00	7.21	150	192	Horizontal





4.9.2.104 11AC40_102 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6727.2864	43.14	20.24	54.00	10.86	150	18	Horizontal
2	6998.1999	52.47	21.27	74.00	21.53	150	220	Horizontal
3	11020.0000	40.98	-2.19	54.00	13.02	150	86	Horizontal
4	11020.0000	52.99	-2.19	74.00	21.01	150	292	Horizontal
5	16530.0000	54.03	0.29	74.00	19.97	150	292	Horizontal
6	16530.0000	43.34	0.29	54.00	10.66	150	342	Horizontal
7	17999.4500	47.00	1.72	54.00	7.00	150	86	Horizontal





4.9.2.105 11AC40_110 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6717.3859	52.45	20.06	74.00	21.55	150	360	Horizontal
2	6891.9946	43.59	20.82	54.00	10.41	150	68	Horizontal
3	11100.0000	40.88	-2.25	54.00	13.12	150	241	Horizontal
4	11100.0000	51.09	-2.25	74.00	22.91	150	241	Horizontal
5	16650.0000	54.54	0.40	74.00	19.46	150	0	Horizontal
6	16650.0000	43.96	0.40	54.00	10.04	150	241	Horizontal
7	17932.8966	46.95	1.70	54.00	7.05	150	141	Horizontal





4.9.2.106 11AC40_134 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6864.6932	51.83	20.86	74.00	22.17	150	219	Horizontal
2	6979.5990	43.62	21.26	54.00	10.38	150	269	Horizontal
3	11340.0000	41.13	-2.22	54.00	12.87	150	342	Horizontal
4	11340.0000	51.80	-2.22	74.00	22.20	150	192	Horizontal
5	17010.0000	53.61	0.68	74.00	20.39	150	0	Horizontal
6	17010.0000	42.62	0.68	54.00	11.38	150	292	Horizontal
7	17995.0498	46.83	1.72	54.00	7.17	150	342	Horizontal





4.9.2.107 11AC40_151 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6948.9975	43.39	21.25	54.00	10.61	150	360	Horizontal
2	6975.0988	52.90	21.26	74.00	21.10	150	68	Horizontal
3	11510.0000	39.45	-2.07	54.00	14.55	150	141	Horizontal
4	11510.0000	50.83	-2.07	74.00	23.17	150	240	Horizontal
5	17265.0000	44.53	0.54	54.00	9.47	150	291	Horizontal
6	17265.0000	58.80	0.54	74.00	15.20	150	0	Horizontal
7	17983.4992	46.68	1.72	54.00	7.32	150	90	Horizontal





4.9.2.108 11AC40_159 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6920.7960	43.29	21.00	54.00	10.71	150	169	Horizontal
2	6987.3994	52.85	21.27	74.00	21.15	150	118	Horizontal
3	11590.0000	49.76	-2.50	74.00	24.24	150	92	Horizontal
4	11590.0000	39.03	-2.50	54.00	14.97	150	342	Horizontal
5	17385.0000	55.13	1.21	74.00	18.87	150	92	Horizontal
6	17385.0000	44.83	1.21	54.00	9.17	150	292	Horizontal
7	17893.8447	46.78	1.61	54.00	7.22	150	342	Horizontal





4.9.2.109 11AC80_42 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6842.7921	42.64	20.82	54.00	11.36	150	0	Vertical
2	6986.7993	53.82	21.27	74.00	20.18	150	90	Vertical
3	10420.0000	39.33	-3.40	54.00	14.67	150	168	Vertical
4	10420.0000	50.94	-3.40	74.00	23.06	150	268	Vertical
5	15630.0000	52.22	0.28	74.00	21.78	150	118	Vertical
6	15630.0000	41.56	0.28	54.00	12.44	150	268	Vertical
7	17858.0929	46.80	1.14	54.00	7.20	150	118	Vertical





4.9.2.110 11AC80_58 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6956.1978	53.38	21.26	74.00	20.62	150	292	Vertical
2	6968.4984	44.70	21.26	54.00	9.30	150	241	Vertical
3	10580.0000	41.01	-2.84	54.00	12.99	150	360	Vertical
4	10580.0000	51.89	-2.84	74.00	22.11	150	118	Vertical
5	15870.0000	52.19	-0.67	74.00	21.81	150	18	Vertical
6	15870.0000	41.15	-0.67	54.00	12.85	150	118	Vertical
7	17992.2996	46.60	1.72	54.00	7.40	150	217	Vertical





4.9.2.111 11AC80_106 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6964.8982	43.61	21.26	54.00	10.39	150	142	Vertical
2	6966.6983	54.81	21.26	74.00	19.19	150	191	Vertical
3	11060.0000	40.79	-2.22	54.00	13.21	150	269	Vertical
4	11060.0000	51.85	-2.22	74.00	22.15	150	318	Vertical
5	16590.0000	55.28	0.20	74.00	18.72	150	68	Vertical
6	16590.0000	43.47	0.20	54.00	10.53	150	269	Vertical
7	17997.7999	46.78	1.72	54.00	7.22	150	169	Vertical





4.9.2.112 11AC80_122 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6747.9874	52.43	20.61	74.00	21.57	150	190	Vertical
2	6955.5978	43.41	21.26	54.00	10.59	150	140	Vertical
3	11220.0000	41.51	-2.35	54.00	12.49	150	169	Vertical
4	11220.0000	52.73	-2.35	74.00	21.27	150	68	Vertical
5	16830.0000	54.47	0.94	74.00	19.53	150	68	Vertical
6	16830.0000	43.68	0.94	54.00	10.32	150	220	Vertical
7	17986.2493	46.72	1.72	54.00	7.28	150	271	Vertical





4.9.2.113 11AC80_155 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6914.4957	52.70	20.94	74.00	21.30	150	141	Vertical
2	6937.5969	43.54	21.14	54.00	10.46	150	191	Vertical
3	11550.0000	39.51	-2.29	54.00	14.49	150	360	Vertical
4	11550.0000	50.89	-2.29	74.00	23.11	150	168	Vertical
5	17325.0000	55.05	0.91	74.00	18.95	150	320	Vertical
6	17325.0000	44.94	0.91	54.00	9.06	150	219	Vertical
7	17987.8994	46.84	1.72	54.00	7.16	150	360	Vertical





4.9.2.114 11AC80_42 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6876.9939	52.95	20.84	74.00	21.05	150	321	Horizontal
2	6996.9999	43.90	21.27	54.00	10.10	150	18	Horizontal
3	10420.0000	39.24	-3.40	54.00	14.76	150	242	Horizontal
4	10420.0000	50.76	-3.40	74.00	23.24	150	90	Horizontal
5	15630.0000	52.49	0.28	74.00	21.51	150	292	Horizontal
6	15630.0000	41.09	0.28	54.00	12.91	150	191	Horizontal
7	17626.5313	46.34	2.32	54.00	7.66	150	292	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.9.2.115 11AC80_58 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6945.0973	52.80	21.21	74.00	21.20	150	218	Horizontal
2	6999.1000	43.31	21.27	54.00	10.69	150	68	Horizontal
3	10580.0000	41.35	-2.84	54.00	12.65	150	40	Horizontal
4	10580.0000	52.09	-2.84	74.00	21.91	150	240	Horizontal
5	15870.0000	51.83	-0.67	74.00	22.17	150	342	Horizontal
6	15870.0000	40.84	-0.67	54.00	13.16	150	40	Horizontal
7	17990.0995	46.78	1.72	54.00	7.22	150	90	Horizontal





4.9.2.116 11AC80_106 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6955.2978	52.31	21.26	74.00	21.69	150	271	Horizontal
2	6975.9988	43.96	21.26	54.00	10.04	150	271	Horizontal
3	11060.0000	40.52	-2.22	54.00	13.48	150	242	Horizontal
4	11060.0000	51.15	-2.22	74.00	22.85	150	342	Horizontal
5	16590.0000	53.66	0.20	74.00	20.34	150	292	Horizontal
6	16590.0000	43.70	0.20	54.00	10.30	150	342	Horizontal
7	17996.1498	46.82	1.72	54.00	7.18	150	292	Horizontal





4.9.2.117 11AC80_122 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6884.4942	52.40	20.83	74.00	21.60	150	68	Horizontal
2	6885.6943	43.57	20.83	54.00	10.43	150	170	Horizontal
3	11220.0000	42.23	-2.35	54.00	11.77	150	91	Horizontal
4	11220.0000	52.09	-2.35	74.00	21.91	150	0	Horizontal
5	16830.0000	54.89	0.94	74.00	19.11	150	91	Horizontal
6	16830.0000	43.98	0.94	54.00	10.02	150	91	Horizontal
7	17943.3472	46.74	1.70	54.00	7.26	150	0	Horizontal





4.9.2.118 11AC80_155 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6977.1989	43.59	21.26	54.00	10.41	150	218	Horizontal
2	6997.5999	53.23	21.27	74.00	20.77	150	68	Horizontal
3	11550.0000	39.54	-2.29	54.00	14.46	150	92	Horizontal
4	11550.0000	51.46	-2.29	74.00	22.54	150	242	Horizontal
5	17325.0000	55.70	0.91	74.00	18.30	150	92	Horizontal
6	17325.0000	44.43	0.91	54.00	9.57	150	342	Horizontal
7	17598.4799	46.29	2.30	54.00	7.71	150	191	Horizontal

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported .

3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All modes have been tested, but only the worst case data displayed in this report.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 26012053, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.10 Band Edge (Radiated)

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
		74.0	Peak Value
Test Setup:			






Test Procedure:	a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80); Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass





4.10.1 Test plots

4.10.1.1 11A20_36 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5144.3722	34.64	15.47	54.00	19.36	150	52	Vertical
2	5144.7224	49.24	15.47	74.00	24.76	150	58	Vertical
3	5149.0245	37.28	15.51	54.00	16.72	150	63	Vertical
4	5149.3247	53.09	15.51	74.00	20.91	150	73	Vertical
5	5180.0000	96.18	15.56	68.30	-27.88	150	73	Vertical
6	5180.0000	86.64	15.56	0.00	-86.64	150	68	Vertical





4.10.1.2 11A20_36 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5131.9660	50.32	15.36	74.00	23.68	150	54	Horizontal
2	5133.8669	35.48	15.38	54.00	18.52	150	60	Horizontal
3	5148.1241	40.52	15.50	54.00	13.48	150	66	Horizontal
4	5149.2746	56.45	15.51	74.00	17.55	150	66	Horizontal
5	5180.0000	101.73	15.56	68.30	-33.43	150	60	Horizontal
6	5180.0000	91.55	15.56	0.00	-91.55	150	66	Horizontal





4.10.1.3 11A20_48 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	96.53	15.49	68.30	-28.23	150	213	Vertical
2	5240.0000	86.74	15.49	0.00	-86.74	150	213	Vertical
3	5351.2856	53.94	15.95	74.00	20.06	150	165	Vertical
4	5355.4277	39.57	15.97	54.00	14.43	150	193	Vertical
5	5377.7589	39.54	16.11	54.00	14.46	150	165	Vertical
6	5381.0905	53.52	16.13	74.00	20.48	150	241	Vertical





4.10.1.4 11A20_48 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	104.93	15.49	68.30	-36.63	150	235	Horizontal
2	5240.0000	95.28	15.49	0.00	-95.28	150	235	Horizontal
3	5353.4467	53.13	15.96	74.00	20.87	150	187	Horizontal
4	5354.7974	39.70	15.97	54.00	14.30	150	344	Horizontal
5	5376.4082	53.21	16.10	74.00	20.79	150	160	Horizontal
6	5385.5028	39.76	16.16	54.00	14.24	150	338	Horizontal





4.10.1.5 11A20_52 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5115.7579	52.76	15.23	74.00	21.24	150	151	Vertical
2	5122.7814	38.59	15.29	54.00	15.41	150	227	Vertical
3	5145.6528	38.57	15.48	54.00	15.43	150	76	Vertical
4	5147.5438	52.22	15.50	74.00	21.78	150	221	Vertical
5	5260.0000	96.87	15.51	68.30	-28.57	150	213	Vertical
6	5260.0000	86.59	15.51	0.00	-86.59	150	221	Vertical





4.10.1.6 11A20_52 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5122.0610	52.83	15.28	74.00	21.17	150	22	Horizontal
2	5122.5113	38.48	15.28	54.00	15.52	150	68	Horizontal
3	5143.0415	38.74	15.46	54.00	15.26	150	48	Horizontal
4	5145.5628	52.78	15.48	74.00	21.22	150	227	Horizontal
5	5260.0000	105.23	15.51	68.30	-36.93	150	234	Horizontal
6	5260.0000	95.85	15.51	0.00	-95.85	150	234	Horizontal





4.10.1.7 11A20_64 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	98.02	15.80	68.30	-29.72	150	42	Vertical
2	5320.0000	88.11	15.80	0.00	-88.11	150	42	Vertical
3	5361.6808	34.66	16.01	54.00	19.34	150	77	Vertical
4	5361.8809	48.08	16.01	74.00	25.92	150	91	Vertical
5	5389.2446	34.16	16.18	54.00	19.84	150	42	Vertical
6	5392.0460	47.74	16.20	74.00	26.26	150	23	Vertical





4.10.1.8 11A20_64 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	106.13	15.80	68.30	-37.83	150	236	Horizontal
2	5320.0000	97.03	15.80	0.00	-97.03	150	236	Horizontal
3	5350.6753	41.70	15.94	54.00	12.30	150	236	Horizontal
4	5351.3257	55.44	15.95	74.00	18.56	150	229	Horizontal
5	5358.7794	39.00	15.99	54.00	15.00	150	236	Horizontal
6	5360.4802	52.77	16.00	74.00	21.23	150	229	Horizontal





4.10.1.9 11A20_100 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5448.3842	38.91	16.25	54.00	15.09	100	200	Vertical
2	5453.7869	54.33	16.25	74.00	19.67	100	189	Vertical
3	5455.7079	39.29	16.25	54.00	14.71	100	194	Vertical
4	5470.0000	58.52	16.25	68.30	9.78	100	178	Vertical
5	5500.0000	94.27	16.25	0.00	-94.27	100	178	Vertical
6	5500.0000	103.98	16.25	68.30	-35.68	100	178	Vertical





4.10.1.10 11A20_100 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5447.0635	41.20	16.25	54.00	12.80	100	237	Horizontal
2	5453.9070	57.22	16.25	74.00	16.78	100	237	Horizontal
3	5457.2686	43.01	16.25	54.00	10.99	100	237	Horizontal
4	5467.2936	61.38	16.25	68.30	6.92	100	232	Horizontal
5	5500.0000	105.95	16.25	68.30	-37.65	100	232	Horizontal
6	5500.0000	96.27	16.25	0.00	-96.27	100	71	Horizontal





4.10.1.11 11A20_140 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	99.57	16.80	68.30	-31.27	150	29	Vertical
2	5725.3077	54.06	16.96	68.30	14.24	150	34	Vertical
3	5738.1841	49.70	17.04	68.30	18.60	150	218	Vertical
4	5752.5563	49.23	17.12	68.30	19.07	150	165	Vertical
5	5776.4882	48.42	17.16	68.30	19.88	150	192	Vertical





4.10.1.12 11A20_140 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	103.24	16.80	68.30	-34.94	150	67	Horizontal
2	5726.5433	59.35	16.97	68.30	8.95	150	232	Horizontal
3	5736.7534	56.78	17.04	68.30	11.52	150	227	Horizontal
4	5741.5658	54.70	17.07	68.30	13.60	150	232	Horizontal
5	5751.7109	51.83	17.12	68.30	16.47	150	232	Horizontal





4.10.1.13 11A20_149 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5649.9450	47.09	16.53	68.30	21.21	150	52	Vertical
2	5683.9120	47.32	16.71	93.39	46.07	150	302	Vertical
3	5703.1716	47.65	16.82	106.19	58.54	150	140	Vertical
4	5723.0615	54.87	16.95	117.88	63.01	150	29	Vertical
5	5745.0000	95.74	17.09	0.00	-95.74	150	214	Vertical





4.10.1.14 11A20_149 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5645.3927	47.51	16.54	68.30	20.79	150	0	Horizontal
2	5680.6903	49.45	16.70	91.01	41.56	150	228	Horizontal
3	5713.4667	53.16	16.89	109.07	55.91	150	344	Horizontal
4	5723.6918	61.13	16.95	119.32	58.19	150	228	Horizontal
5	5745.0000	102.03	17.09	0.00	-102.03	150	233	Horizontal





4.10.1.15 11A20_165 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	96.14	17.23	0.00	-96.14	150	203	Vertical
2	5853.1166	49.34	17.25	115.19	65.85	150	43	Vertical
3	5860.3277	53.64	17.23	109.41	55.77	150	30	Vertical
4	5881.6508	48.97	17.17	100.38	51.41	150	20	Vertical
5	5939.1071	48.14	17.71	68.30	20.16	150	226	Vertical




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



4.10.1.16 11A20_165 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	102.77	17.23	0.00	-102.77	150	234	Horizontal
2	5853.8919	52.80	17.25	113.43	60.63	150	234	Horizontal
3	5866.7634	51.24	17.21	107.61	56.37	150	239	Horizontal
4	5891.7309	49.30	17.13	92.92	43.62	150	234	Horizontal
5	5935.3077	47.28	17.65	68.30	21.02	150	95	Horizontal





4.10.1.17 11N20_36 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5133.8169	33.01	15.38	54.00	20.99	150	35	Vertical
2	5139.6198	47.99	15.43	74.00	26.01	150	68	Vertical
3	5147.4737	36.29	15.50	54.00	17.71	150	198	Vertical
4	5148.4242	51.32	15.51	74.00	22.68	150	219	Vertical
5	5180.0000	95.72	15.56	68.30	-27.42	150	176	Vertical
6	5180.0000	85.28	15.56	0.00	-85.28	150	176	Vertical





4.10.1.18 11N20_36 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5135.2676	36.10	15.39	54.00	17.90	150	68	Horizontal
2	5136.4182	51.00	15.40	74.00	23.00	150	74	Horizontal
3	5148.3242	58.97	15.51	74.00	15.03	150	231	Horizontal
4	5148.5243	42.50	15.51	54.00	11.50	150	231	Horizontal
5	5180.0000	101.59	15.56	68.30	-33.29	150	57	Horizontal
6	5180.0000	91.79	15.56	0.00	-91.79	150	63	Horizontal





4.10.1.19 11N20_48 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	95.87	15.49	68.30	-27.57	150	144	Vertical
2	5240.0000	86.08	15.49	0.00	-86.08	150	210	Vertical
3	5352.5463	39.40	15.96	54.00	14.60	150	319	Vertical
4	5354.6173	53.63	15.97	74.00	20.37	150	16	Vertical
5	5386.1331	53.64	16.16	74.00	20.36	150	131	Vertical
6	5388.1141	39.69	16.18	54.00	14.31	150	253	Vertical





4.10.1.20 11N20_48 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	104.71	15.49	68.30	-36.41	150	229	Horizontal
2	5240.0000	94.20	15.49	0.00	-94.20	150	236	Horizontal
3	5360.1101	39.68	16.00	54.00	14.32	150	77	Horizontal
4	5361.5508	53.64	16.01	74.00	20.36	150	16	Horizontal
5	5382.8014	39.65	16.14	54.00	14.35	150	168	Horizontal
6	5385.1426	53.35	16.16	74.00	20.65	150	324	Horizontal





4.10.1.21 11N20_52 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5111.4357	52.54	15.19	74.00	21.46	150	323	Vertical
2	5115.5778	38.48	15.22	54.00	15.52	150	168	Vertical
3	5140.1601	38.59	15.44	54.00	15.41	150	78	Vertical
4	5146.0130	52.26	15.49	74.00	21.74	150	360	Vertical
5	5260.0000	96.94	15.51	68.30	-28.64	150	216	Vertical
6	5260.0000	86.66	15.51	0.00	-86.66	150	209	Vertical





4.10.1.22 11N20_52 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5118.4592	53.30	15.25	74.00	20.70	150	228	Horizontal
2	5120.9805	38.57	15.27	54.00	15.43	150	110	Horizontal
3	5138.8094	52.27	15.42	74.00	21.73	150	104	Horizontal
4	5138.8995	38.76	15.42	54.00	15.24	150	269	Horizontal
5	5260.0000	104.64	15.51	68.30	-36.34	150	221	Horizontal
6	5260.0000	95.16	15.51	0.00	-95.16	150	228	Horizontal





4.10.1.23 11N20_64 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	97.09	15.80	68.30	-28.79	150	49	Vertical
2	5320.0000	86.92	15.80	0.00	-86.92	150	35	Vertical
3	5352.2761	48.44	15.95	74.00	25.56	150	70	Vertical
4	5354.0770	35.46	15.97	54.00	18.54	150	181	Vertical
5	5366.1831	49.00	16.04	74.00	25.00	150	230	Vertical
6	5373.7369	34.30	16.09	54.00	19.70	150	181	Vertical





4.10.1.24 11N20_64 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	104.88	15.80	68.30	-36.58	150	234	Horizontal
2	5320.0000	95.60	15.80	0.00	-95.60	150	241	Horizontal
3	5352.5763	53.63	15.96	74.00	20.37	150	241	Horizontal
4	5352.7264	39.94	15.96	54.00	14.06	150	241	Horizontal
5	5371.7859	51.34	16.08	74.00	22.66	150	241	Horizontal
6	5372.4362	37.36	16.08	54.00	16.64	150	241	Horizontal





4.10.1.25 11N20_100 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5438.9595	33.43	16.25	54.00	20.57	150	19	Vertical
2	5456.3682	49.13	16.25	74.00	24.87	150	40	Vertical
3	5456.4282	34.48	16.25	54.00	19.52	150	35	Vertical
4	5467.5938	53.19	16.25	68.30	15.11	150	225	Vertical
5	5500.0000	100.17	16.25	68.30	-31.87	150	35	Vertical
6	5500.0000	89.78	16.25	0.00	-89.78	150	35	Vertical





4.10.1.26 11N20_100 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5442.6213	36.33	16.25	54.00	17.67	150	231	Horizontal
2	5456.1881	39.09	16.25	54.00	14.91	150	231	Horizontal
3	5456.8484	55.17	16.25	74.00	18.83	150	231	Horizontal
4	5468.1941	61.15	16.25	68.30	7.15	150	75	Horizontal
5	5500.0000	102.93	16.25	68.30	-34.63	150	231	Horizontal
6	5500.0000	93.69	16.25	0.00	-93.69	150	237	Horizontal





4.10.1.27 11N20_140 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	99.66	16.80	68.30	-31.36	200	214	Vertical
2	5725.0000	54.45	16.96	68.30	13.85	200	218	Vertical
3	5744.2971	53.30	17.08	68.30	15.00	200	306	Vertical
4	5759.6448	53.14	17.13	68.30	15.16	100	59	Vertical





4.10.1.28 11N20_140 ANT 1_ Horizontal



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	105.32	16.80	68.30	-37.02	100	225	Horizontal
2	5725.0000	59.21	16.96	68.30	9.09	100	285	Horizontal
3	5734.8024	56.55	17.02	68.30	11.75	100	229	Horizontal
4	5768.2291	53.83	17.15	68.30	14.47	100	225	Horizontal

