


29. DC_n26(Part22)_SCS15_5M_H_Outer Full(QPSK)

29.4. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.15	-1.61	30	Pass	401
849	850	0.051	RMS	849	-39.43	-13	Pass	401
850	874	0.1	RMS	850	-46.26	-13	Pass	401



29. DC_n26(Part22)_SCS15_10M_L_Edge_1RB_Left(QPSK)

29.5. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-58.91	-13	Pass	401
823	824	0.1	RMS	824	-24.74	-13	Pass	401
824	844	0.1	RMS	824.4	11.2	30	Pass	401



29. DC_n26(Part22)_SCS15_10M_L_Outer Full(QPSK)

29.6. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-46.48	-13	Pass	401
823	824	0.1	RMS	824	-37.34	-13	Pass	401
824	844	0.1	RMS	827.85	-4.3	30	Pass	401



29. DC_n26(Part22)_SCS15_10M_H_Edge_1RB_Right(QPSK)

29.7. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.6	11.13	30	Pass	401
849	850	0.1	RMS	849	-25.66	-13	Pass	401
850	874	0.1	RMS	850	-59.5	-13	Pass	401



29. DC_n26(Part22)_SCS15_10M_H_Outer Full(QPSK)

29.8. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.85	-4.35	30	Pass	401
849	850	0.1	RMS	849.005	-43.98	-13	Pass	401
850	874	0.1	RMS	850.18	-44.94	-13	Pass	401



29. DC_n26(Part22)_SCS15_20M_L_Edge_1RB_Left(QPSK)

29.9. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-60.63	-13	Pass	401
823	824	0.2	RMS	824	-26.83	-13	Pass	401
824	844	0.1	RMS	824.55	11.18	30	Pass	401



29. DC_n26(Part22)_SCS15_20M_L_Outer Full(QPSK)

29.10. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-43.77	-13	Pass	401
823	824	0.2	RMS	823.998	-39.22	-13	Pass	401
824	844	0.1	RMS	839.55	-7.51	30	Pass	401



29. DC_n26(Part22)_SCS15_20M_H_Edge_1RB_Right(QPSK)

29.11. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	11.09	30	Pass	401
849	850	0.2	RMS	849	-28.02	-13	Pass	401
850	874	0.1	RMS	850	-60.51	-13	Pass	401



29. DC_n26(Part22)_SCS15_20M_H_Outer Full(QPSK)

29.12. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.2	-7.12	30	Pass	401
849	850	0.2	RMS	849.173	-44.21	-13	Pass	401
850	874	0.1	RMS	850.06	-49.03	-13	Pass	401



29. DC_n26(Part22)_SCS15_5M_L_Edge_1RB_Left(16QAM)

29.13. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-59.31	-13	Pass	401
823	824	0.051	RMS	824	-24.97	-13	Pass	401
824	844	0.1	RMS	824.3	10.4	30	Pass	401



29. DC_n26(Part22)_SCS15_5M_L_Outer Full(16QAM)

29.14. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.76	-51.21	-13	Pass	401
823	824	0.051	RMS	824	-38.96	-13	Pass	401
824	844	0.1	RMS	825.5	-2.66	30	Pass	401



29. DC_n26(Part22)_SCS15_5M_H_Edge_1RB_Right(16QAM)

29.15. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	10.5	30	Pass	401
849	850	0.051	RMS	849	-25.91	-13	Pass	401
850	874	0.1	RMS	850	-59.99	-13	Pass	401



29. DC_n26(Part22)_SCS15_5M_H_Outer Full(16QAM)

29.16. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	846.75	-2.82	30	Pass	401
849	850	0.051	RMS	849	-38.39	-13	Pass	401
850	874	0.1	RMS	850.36	-45.09	-13	Pass	401



29. DC_n26(Part22)_SCS15_10M_L_Edge_1RB_Left(16QAM)

29.17. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-58.64	-13	Pass	401
823	824	0.1	RMS	824	-23.95	-13	Pass	401
824	844	0.1	RMS	824.4	10.51	30	Pass	401



29. DC_n26(Part22)_SCS15_10M_L_Outer Full(16QAM)

29.18. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.94	-47.95	-13	Pass	401
823	824	0.1	RMS	824	-40.57	-13	Pass	401
824	844	0.1	RMS	825.1	-5.08	30	Pass	401



29. DC_n26(Part22)_SCS15_10M_H_Edge_1RB_Right(16QAM)

29.19. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.6	10.33	30	Pass	401
849	850	0.1	RMS	849	-24.82	-13	Pass	401
850	874	0.1	RMS	850.06	-59.91	-13	Pass	401



29. DC_n26(Part22)_SCS15_10M_H_Outer Full(16QAM)

29.20. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	840.1	-5.49	30	Pass	401
849	850	0.1	RMS	849.023	-45.07	-13	Pass	401
850	874	0.1	RMS	850.18	-46.35	-13	Pass	401



29. DC_n26(Part22)_SCS15_20M_L_Edge_1RB_Left(16QAM)

29.21. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-59.92	-13	Pass	401
823	824	0.2	RMS	824	-26.26	-13	Pass	401
824	844	0.1	RMS	824.55	10.55	30	Pass	401



29. DC_n26(Part22)_SCS15_20M_L_Outer Full(16AQM)

29.22. NR Band Edge for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-45.09	-13	Pass	401
823	824	0.2	RMS	824	-39.66	-13	Pass	401
824	844	0.1	RMS	826.05	-8.31	30	Pass	401



29. DC_n26(Part22)_SCS15_20M_H_Edge_1RB_Right(16AQM)

29.23. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	10.38	30	Pass	401
849	850	0.2	RMS	849	-27.7	-13	Pass	401
850	874	0.1	RMS	850	-60.77	-13	Pass	401



29. DC_n26(Part22)_SCS15_20M_H_Outer Full(16AQM)

29.24. NR Band Edge for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.1	-8.19	30	Pass	401
849	850	0.2	RMS	849.003	-46.81	-13	Pass	401
850	874	0.1	RMS	850.12	-50.38	-13	Pass	401



30. NR_n26(Part90)_SCS15_5M_L_Edge_1RB_Left(QPSK)

30.1. NR Band Edge_in-band for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
813.5	813.962	0.051	RMS	813.963	-28.36	-13	Pass	401
813.962	814	0.051	RMS	814	-25.84	-20	Pass	401



30. NR_n26(Part90)_SCS15_5M_L_Outer_Full(QPSK)

30.2. NR Band Edge_in-band for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
813.5	813.962	0.051	RMS	813.963	-38.58	-13	Pass	401
813.962	814	0.051	RMS	814	-36.55	-20	Pass	401



30. NR_n26(Part90)_SCS15_5M_H_Edge_1RB_Right(QPSK)

30.3. NR Band Edge_in-band for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
824	824.038	0.051	RMS	824	-25.64	-20	Pass	401
824.038	824.5	0.051	RMS	824.038	-27.94	-13	Pass	401



30. NR_n26(Part90)_SCS15_5M_H_Outer_Full(QPSK)

30.4. NR Band Edge_in-band for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
824	824.038	0.051	RMS	824.001	-39.03	-20	Pass	401
824.038	824.5	0.051	RMS	824.038	-41.21	-13	Pass	401



30. NR_n26(Part90)_SCS15_10M_L_Edge_1RB_Left(QPSK)

30.5. NR Band Edge_in-band for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
813.5	813.962	0.1	RMS	813.96	-26.52	-13	Pass	401
813.962	814	0.1	RMS	814	-24.54	-20	Pass	401



30. NR_n26(Part90)_SCS15_10M_L_Outer_Full(QPSK)

30.6. NR Band Edge_in-band for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
813.5	813.962	0.1	RMS	813.963	-40.04	-13	Pass	401
813.962	814	0.1	RMS	813.999	-38.32	-20	Pass	401



30. NR_n26(Part90)_SCS15_10M_H_Edge_1RB_Right(QPSK)

30.7. NR Band Edge_in-band for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
824	824.038	0.1	RMS	824	-24.86	-20	Pass	401
824.038	824.5	0.1	RMS	824.038	-26.8	-13	Pass	401



30. NR_n26(Part90)_SCS15_10M_H_Outer_Full(QPSK)

30.8. NR Band Edge_in-band for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
824	824.038	0.1	RMS	824.001	-47.15	-20	Pass	401
824.038	824.5	0.1	RMS	824.328	-46.96	-13	Pass	401



30. NR_n26(Part90)_SCS15_5M_L_Edge_1RB_Left(16QAM)

30.9. NR Band Edge_in-band for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
813.5	813.962	0.051	RMS	813.963	-27.04	-13	Pass	401
813.962	814	0.051	RMS	814	-24.62	-20	Pass	401



30. NR_n26(Part90)_SCS15_5M_L_Outer_Full(16QAM)

30.10. NR Band Edge_in-band for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
813.5	813.962	0.051	RMS	813.963	-40.16	-13	Pass	401
813.962	814	0.051	RMS	814	-38.4	-20	Pass	401



30. NR_n26(Part90)_SCS15_5M_H_Edge_1RB_Right(16QAM)

30.11. NR Band Edge_in-band for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
824	824.038	0.051	RMS	824	-26.02	-20	Pass	401
824.038	824.5	0.051	RMS	824.038	-28.44	-13	Pass	401



30. NR_n26(Part90)_SCS15_5M_H_Outer_Full(16QAM)

30.12. NR Band Edge_in-band for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
824	824.038	0.051	RMS	824	-38.09	-20	Pass	401
824.038	824.5	0.051	RMS	824.038	-40.22	-13	Pass	401



30. NR_n26(Part90)_SCS15_10M_L_Edge_1RB_Left(16QAM)

30.13. NR Band Edge_in-band for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
813.5	813.962	0.1	RMS	813.963	-25.65	-13	Pass	401
813.962	814	0.1	RMS	814	-23.59	-20	Pass	401



30. NR_n26(Part90)_SCS15_10M_L_Outer_Full(16QAM)

30.14. NR Band Edge_in-band for Lower(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
813.5	813.962	0.1	RMS	813.963	-43.31	-13	Pass	401
813.962	814	0.1	RMS	813.999	-42.1	-20	Pass	401



30. NR_n26(Part90)_SCS15_10M_H_Edge_1RB_Right(16QAM)

30.15. NR Band Edge_in-band for Upper(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
824	824.038	0.1	RMS	824.002	-24.98	-20	Pass	401
824.038	824.5	0.1	RMS	824.038	-26.85	-13	Pass	401



30. NR_n26(Part90)_SCS15_10M_H_Outer_Full(16QAM)


30.16. NR Band Edge_in-band for Upper(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
824	824.038	0.1	RMS	824.012	-48.05	-20	Pass	401
824.038	824.5	0.1	RMS	824.184	-47.45	-13	Pass	401




31. NR_n26(Part90)_SCS15_5M_L_Edge_1RB_Left(QPSK)

31.1. NR Band Edge_out-of-band for Lower(NTNV)




31. NR_n26(Part90)_SCS15_5M_L_Outer_Full(QPSK)

31.2. NR Band Edge_out-of-band for Lower(NTNV)




31. NR_n26(Part90)_SCS15_5M_H_Edge_1RB_Right(QPSK)

31.3. NR Band Edge_out-of-band for Upper(NTNV)




31. NR_n26(Part90)_SCS15_5M_H_Outer_Full(QPSK)

31.4. NR Band Edge_out-of-band for Upper(NTNV)




31. NR_n26(Part90)_SCS15_10M_L_Edge_1RB_Left(QPSK)

31.5. NR Band Edge_out-of-band for Lower(NTNV)




31. NR_n26(Part90)_SCS15_10M_L_Outer_Full(QPSK)

31.6. NR Band Edge_out-of-band for Lower(NTNV)




31. NR_n26(Part90)_SCS15_10M_H_Edge_1RB_Right(QPSK)

31.7. NR Band Edge_out-of-band for Upper(NTNV)




31. NR_n26(Part90)_SCS15_10M_H_Outer_Full(QPSK)

31.8. NR Band Edge_out-of-band for Upper(NTNV)




31. NR_n26(Part90)_SCS15_5M_L_Edge_1RB_Left(16QAM)

31.9. NR Band Edge_out-of-band for Lower(NTNV)




31. NR_n26(Part90)_SCS15_5M_L_Outer_Full(16QAM)

31.10. NR Band Edge_out-of-band for Lower(NTNV)




31. NR_n26(Part90)_SCS15_5M_H_Edge_1RB_Right(16QAM)

31.11. NR Band Edge_out-of-band for Upper(NTNV)




31. NR_n26(Part90)_SCS15_5M_H_Outer_Full(16QAM)

31.12. NR Band Edge_out-of-band for Upper(NTNV)




31. NR_n26(Part90)_SCS15_10M_L_Edge_1RB_Left(16QAM)

31.13. NR Band Edge_out-of-band for Lower(NTNV)




31. NR_n26(Part90)_SCS15_10M_L_Outer_Full(16QAM)

31.14. NR Band Edge_out-of-band for Lower(NTNV)




31. NR_n26(Part90)_SCS15_10M_H_Edge_1RB_Right(16QAM)

31.15. NR Band Edge_out-of-band for Upper(NTNV)



31. NR_n26(Part90)_SCS15_10M_H_Outer_Full(16QAM)


31.16. NR Band Edge_out-of-band for Upper(NTNV)



32. n38 30kHz_PC3


32.1. Band Edge for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2549.313	-49.91	-25	Pass	401
2550	2565	1	RMS	2563.725	-44.37	-13	Pass	401
2565	2569	1	RMS	2568.99	-26.94	-10	Pass	401
2569	2570	0.39	RMS	2570	-15.23	-10	Pass	401
2570	2610	1	RMS	2571	21.82	30	Pass	401




32.2. Band Edge for SA(NTNV)(Subtest:4, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2527.438	-48.41	-25	Pass	401
2550	2565	1	RMS	2558.925	-25.97	-13	Pass	401
2565	2569	1	RMS	2568.91	-20.05	-10	Pass	401
2569	2570	0.39	RMS	2569.55	-24.33	-10	Pass	401
2570	2610	1	RMS	2580	10.12	30	Pass	401




32.3. Band Edge for SA(NTNV)(Subtest:7, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2619	21.81	30	Pass	401
2620	2621	0.4	RMS	2620	-20.82	-10	Pass	4
2621	2625	1	RMS	2621	-27.78	-10	Pass	401
2625	2640	1	RMS	2625.488	-43.45	-13	Pass	401
2640	2665	1	RMS	2640.063	-49.49	-25	Pass	401




32.4. Band Edge for SA(NTNV)(Subtest:8, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2612.2	10.5	30	Pass	401
2620	2621	0.4	RMS	2620	-37.82	-10	Pass	4
2621	2625	1	RMS	2623.11	-23.3	-10	Pass	401
2625	2640	1	RMS	2626.388	-24.93	-13	Pass	401
2640	2665	1	RMS	2651.625	-42.64	-25	Pass	401




32.5. Band Edge for SA(NTNV)(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2548.438	-50.08	-25	Pass	401
2550	2565	1	RMS	2564.325	-45.08	-13	Pass	401
2565	2569	1	RMS	2568.99	-29.1	-10	Pass	401
2569	2570	0.39	RMS	2569.998	-17.41	-10	Pass	401
2570	2610	1	RMS	2571	20.72	30	Pass	401




32.6. Band Edge for SA(NTNV)(Subtest:4, Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2525	2550	1	RMS	2543.813	-45.41	-25	Pass	401
2550	2565	1	RMS	2554.875	-35.79	-13	Pass	401
2565	2569	1	RMS	2567.82	-23.18	-10	Pass	401
2569	2570	0.39	RMS	2569.285	-26.98	-10	Pass	401
2570	2610	1	RMS	2581.5	8.9	30	Pass	401




32.7. Band Edge for SA(NTNV)(Subtest:7, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2618.9	20.73	30	Pass	401
2620	2621	0.4	RMS	2620	-21.13	-10	Pass	4
2621	2625	1	RMS	2621	-27.9	-10	Pass	401
2625	2640	1	RMS	2625.413	-43.94	-13	Pass	401
2640	2665	1	RMS	2640	-49.72	-25	Pass	401




32.8. Band Edge for SA(NTNV)(Subtest:8, Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2580	2620	1	RMS	2611.3	8.94	30	Pass	401
2620	2621	0.4	RMS	2621	-39.57	-10	Pass	4
2621	2625	1	RMS	2621.93	-23.91	-10	Pass	401
2625	2640	1	RMS	2633.963	-34.77	-13	Pass	401
2640	2665	1	RMS	2644.563	-43.45	-25	Pass	401




32.9. Band Edge for SA(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2540	1	RMS	2539.813	-50.83	-25	Pass	401
2540	2565	1	RMS	2564.813	-45.86	-13	Pass	401
2565	2569	1	RMS	2569	-37.9	-10	Pass	5
2569	2570	0.62	RMS	2570	-13.55	-10	Pass	401
2570	2670	1	RMS	2571.25	21.28	30	Pass	401




32.10. Band Edge for SA(NTNV)(Subtest:4, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2540	1	RMS	2540	-40.95	-25	Pass	401
2540	2565	1	RMS	2565	-26.01	-13	Pass	401
2565	2569	1	RMS	2568	-23.5	-10	Pass	5
2569	2570	0.62	RMS	2569.98	-24.49	-10	Pass	401
2570	2670	1	RMS	2577.75	3.66	30	Pass	401




32.11. Band Edge for SA(NTNV)(Subtest:7, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	1	RMS	2618.75	20.6	30	Pass	401
2620	2621	0.6	RMS	2620	-21.55	-10	Pass	3
2621	2625	1	RMS	2621	-33.68	-10	Pass	401
2625	2650	1	RMS	2625.438	-46.37	-13	Pass	401
2650	2725	1	RMS	2719	-50.83	-25	Pass	401




32.12. Band Edge for SA(NTNV)(Subtest:8, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	1	RMS	2598.5	7.34	30	Pass	401
2620	2621	0.6	RMS	2620	-19.68	-10	Pass	3
2621	2625	1	RMS	2621.68	-16.87	-10	Pass	401
2625	2650	1	RMS	2625	-18.16	-13	Pass	401
2650	2725	1	RMS	2650.188	-36.59	-25	Pass	401




32.13. Band Edge for SA(NTNV)(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2540	1	RMS	2539.438	-50.88	-25	Pass	401
2540	2565	1	RMS	2564.313	-44.88	-13	Pass	401
2565	2569	1	RMS	2569	-38.21	-10	Pass	5
2569	2570	0.62	RMS	2570	-13.33	-10	Pass	401
2570	2670	1	RMS	2571.25	20.9	30	Pass	401




32.14. Band Edge for SA(NTNV)(Subtest:4, Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2465	2540	1	RMS	2540	-40.13	-25	Pass	401
2540	2565	1	RMS	2565	-24.51	-13	Pass	401
2565	2569	1	RMS	2569	-23.81	-10	Pass	5
2569	2570	0.62	RMS	2569.995	-24.56	-10	Pass	401
2570	2670	1	RMS	2588.25	2.44	30	Pass	401




32.15. Band Edge for SA(NTNV)(Subtest:7, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	1	RMS	2618.75	19.25	30	Pass	401
2620	2621	0.6	RMS	2620	-20.76	-10	Pass	3
2621	2625	1	RMS	2621	-33.96	-10	Pass	401
2625	2650	1	RMS	2625.5	-46.72	-13	Pass	401
2650	2725	1	RMS	2713.563	-50.81	-25	Pass	401



32.16. Band Edge for SA(NTNV)(Subtest:8, Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2520	2620	1	RMS	2605	6.22	30	Pass	401
2620	2621	0.6	RMS	2620	-20.2	-10	Pass	3
2621	2625	1	RMS	2621.01	-17.19	-10	Pass	401
2625	2650	1	RMS	2625.063	-18.41	-13	Pass	401
2650	2725	1	RMS	2650	-37.73	-25	Pass	401



33. n41 30kHz_PC3


33.1. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.763	-44.53	-25	Pass	401
2490	2495	1	RMS	2495	-28.05	-10	Pass	401
2495	2496	0.051	RMS	2495.995	-27.34	-10	Pass	401
2496	2596	1	RMS	2497	21.89	30	Pass	401




33.2. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-28.02	-25	Pass	401
2490	2495	1	RMS	2494.988	-25.31	-10	Pass	401
2495	2496	0.4	RMS	2496	-30.24	-10	Pass	4
2496	2596	1	RMS	2510.25	10.32	30	Pass	401




33.3. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.24	30	Pass	401
2690	2691	0.1	RMS	2690	-24.74	-10	Pass	401
2691	2695	1	RMS	2691	-28.85	-10	Pass	401
2695	2710	1	RMS	2698.263	-44.28	-13	Pass	401
2710	2795	1	RMS	2775.025	-49.92	-25	Pass	401




33.4. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2680	9.64	30	Pass	401
2690	2691	0.4	RMS	2690	-32.48	-10	Pass	4
2691	2695	1	RMS	2691.11	-26.95	-10	Pass	401
2695	2710	1	RMS	2695.413	-29.2	-13	Pass	401
2710	2715	1	RMS	2712.075	-46.98	-25	Pass	401
2715	2795	1	RMS	2715.2	-47.33	-25	Pass	401




33.5. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.515	-45.86	-25	Pass	401
2490	2495	1	RMS	2495	-27.86	-10	Pass	401
2495	2496	0.051	RMS	2495.988	-27.2	-10	Pass	401
2496	2596	1	RMS	2497	21.93	30	Pass	401




33.6. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-33.02	-25	Pass	401
2490	2495	1	RMS	2494.788	-30.2	-10	Pass	401
2495	2496	1.2	RMS	2496	-27.27	-10	Pass	2
2496	2596	1	RMS	2522.75	5.43	30	Pass	401



33.7. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.43	30	Pass	401
2690	2691	0.1	RMS	2690.005	-24.85	-10	Pass	401
2691	2695	1	RMS	2691	-29.56	-10	Pass	401
2695	2750	1	RMS	2695.55	-46.83	-13	Pass	401
2750	2795	1	RMS	2782.85	-49.89	-25	Pass	401




33.8. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2662.75	5.02	30	Pass	401
2690	2691	1.2	RMS	2690	-27.44	-10	Pass	2
2691	2695	1	RMS	2691.04	-30.24	-10	Pass	401
2695	2750	1	RMS	2695	-32.11	-13	Pass	401
2750	2755	1	RMS	2751.85	-50.01	-25	Pass	401
2755	2795	1	RMS	2771.2	-49.81	-25	Pass	401




33.9. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2487.773	-44.44	-25	Pass	401
2490	2495	1	RMS	2495	-28.69	-10	Pass	401
2495	2496	0.051	RMS	2495.995	-27.61	-10	Pass	401
2496	2596	1	RMS	2497	21.74	30	Pass	401




33.10. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-33.16	-25	Pass	401
2490	2495	1	RMS	2494.275	-32.65	-10	Pass	401
2495	2496	1	RMS	2496	-31.87	-10	Pass	2
2496	2596	1	RMS	2519.5	2.91	30	Pass	401




33.11. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.49	30	Pass	401
2690	2691	0.1	RMS	2690.005	-24.82	-10	Pass	401
2691	2695	1	RMS	2691.01	-29.37	-10	Pass	401
2695	2790	1	RMS	2700.225	-44.84	-13	Pass	401
2790	2795	1	RMS	2792.475	-49.88	-25	Pass	401




33.12. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2599.75	3.47	30	Pass	401
2690	2691	2	RMS	2691	-30.7	-10	Pass	2
2691	2695	1	RMS	2691.4	-32.76	-10	Pass	401
2695	2790	1	RMS	2695.95	-33.06	-13	Pass	401
2790	2795	1	RMS	2790.288	-49.96	-25	Pass	401




33.13. Band Edge for SA(NTNV)(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2487.278	-46.05	-25	Pass	401
2490	2495	1	RMS	2495	-28.69	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-28.34	-13	Pass	401
2496	2596	1	RMS	2497	20.93	30	Pass	401




33.14. Band Edge for SA(NTNV)(Subtest:4, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-29.7	-25	Pass	401
2490	2495	1	RMS	2495	-26.94	-13	Pass	401
2495	2496	0.4	RMS	2496	-30.31	-13	Pass	4
2496	2596	1	RMS	2507.25	9.19	30	Pass	401




33.15. Band Edge for SA(NTNV)(Subtest:7, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.37	30	Pass	401
2690	2691	0.1	RMS	2690.005	-24.08	-13	Pass	401
2691	2695	1	RMS	2691	-28.67	-13	Pass	401
2695	2710	1	RMS	2698.075	-46.15	-13	Pass	401
2710	2795	1	RMS	2786.925	-49.72	-25	Pass	401




33.16. Band Edge for SA(NTNV)(Subtest:8, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2673	8.73	30	Pass	401
2690	2691	0.4	RMS	2690	-33.71	-13	Pass	4
2691	2695	1	RMS	2691.15	-29.31	-13	Pass	401
2695	2710	1	RMS	2695.075	-31.06	-13	Pass	401
2710	2715	1	RMS	2710.513	-46.78	-25	Pass	401
2715	2795	1	RMS	2715.4	-48.05	-25	Pass	401




33.17. Band Edge for SA(NTNV)(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-46.5	-25	Pass	401
2490	2495	1	RMS	2495	-28.71	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-28.22	-13	Pass	401
2496	2596	1	RMS	2497	20.98	30	Pass	401




33.18. Band Edge for SA(NTNV)(Subtest:4, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.258	-34.23	-25	Pass	401
2490	2495	1	RMS	2494.65	-31.99	-13	Pass	401
2495	2496	1.2	RMS	2496	-29.03	-13	Pass	2
2496	2596	1	RMS	2522.25	4.48	30	Pass	401



33.19. Band Edge for SA(NTNV)(Subtest:7, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.18	30	Pass	401
2690	2691	0.1	RMS	2690.018	-25.62	-13	Pass	401
2691	2695	1	RMS	2691	-30.86	-13	Pass	401
2695	2750	1	RMS	2696.375	-47.32	-13	Pass	401
2750	2795	1	RMS	2765.3	-49.77	-25	Pass	401




33.20. Band Edge for SA(NTNV)(Subtest:8, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2656.5	4.07	30	Pass	401
2690	2691	1.2	RMS	2690	-28.4	-13	Pass	2
2691	2695	1	RMS	2691.04	-33.1	-13	Pass	401
2695	2750	1	RMS	2695	-34.44	-13	Pass	401
2750	2755	1	RMS	2754.263	-49.94	-25	Pass	401
2755	2795	1	RMS	2794	-49.7	-25	Pass	401




33.21. Band Edge for SA(NTNV)(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2485.05	-46.52	-25	Pass	401
2490	2495	1	RMS	2495	-30.14	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-29.04	-13	Pass	401
2496	2596	1	RMS	2497	20.9	30	Pass	401




33.22. Band Edge for SA(NTNV)(Subtest:4, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-36.07	-25	Pass	401
2490	2495	1	RMS	2494.963	-35.17	-13	Pass	401
2495	2496	1	RMS	2496	-33.15	-13	Pass	2
2496	2596	1	RMS	2515.25	2.14	30	Pass	401




33.23. Band Edge for SA(NTNV)(Subtest:7, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.49	30	Pass	401
2690	2691	0.1	RMS	2690.01	-24.88	-13	Pass	401
2691	2695	1	RMS	2691	-29.97	-13	Pass	401
2695	2790	1	RMS	2699.75	-45.57	-13	Pass	401
2790	2795	1	RMS	2794.713	-49.79	-25	Pass	401



33.24. Band Edge for SA(NTNV)(Subtest:8, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2597.75	2.46	30	Pass	401
2690	2691	2	RMS	2691	-33.3	-13	Pass	2
2691	2695	1	RMS	2693.39	-35.99	-13	Pass	401
2695	2790	1	RMS	2695	-36.47	-13	Pass	401
2790	2795	1	RMS	2793.538	-49.8	-25	Pass	401



34. n66 15kHz


34.1. Band Edge for SA(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-40.06	-13	Pass	401
1708	1709	1	RMS	1709	-37.05	-13	Pass	2
1709	1710	0.051	RMS	1710	-16.3	-13	Pass	401
1710	1730	1	RMS	1710.3	21.96	30	Pass	401




34.2. Band Edge for SA(NTNV)(Subtest:4, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-34.59	-13	Pass	401
1708	1709	1	RMS	1709	-31.45	-13	Pass	2
1709	1710	0.051	RMS	1710	-29.99	-13	Pass	401
1710	1730	1	RMS	1713.8	15.74	30	Pass	401




34.3. Band Edge for SA(NTNV)(Subtest:7, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	21.58	30	Pass	401
1780	1781	0.051	RMS	1780.003	-18.04	-13	Pass	401
1781	1782	1	RMS	1782	-38.4	-13	Pass	2
1782	1805	1	RMS	1782	-38.52	-13	Pass	401




34.4. Band Edge for SA(NTNV)(Subtest:8, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.95	15.43	30	Pass	401
1780	1781	0.051	RMS	1780	-29.25	-13	Pass	401
1781	1782	1	RMS	1781	-29.41	-13	Pass	2
1782	1805	1	RMS	1782	-30.29	-13	Pass	401




34.5. Band Edge for SA(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1701.1	-40.91	-13	Pass	401
1708	1709	1	RMS	1709	-39	-13	Pass	2
1709	1710	0.2	RMS	1710	-17.87	-13	Pass	401
1710	1730	1	RMS	1710.5	21.97	30	Pass	401




34.6. Band Edge for SA(NTNV)(Subtest:4, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-31.09	-13	Pass	401
1708	1709	1	RMS	1709	-29.13	-13	Pass	2
1709	1710	0.2	RMS	1710	-33.76	-13	Pass	401
1710	1730	1	RMS	1724.8	9.96	30	Pass	401




34.7. Band Edge for SA(NTNV)(Subtest:7, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	21.64	30	Pass	401
1780	1781	0.2	RMS	1780.003	-19.37	-13	Pass	401
1781	1782	1	RMS	1781	-40.59	-13	Pass	2
1782	1805	1	RMS	1788.843	-38.98	-13	Pass	401




34.8. Band Edge for SA(NTNV)(Subtest:8, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1774.95	9.64	30	Pass	401
1780	1781	0.2	RMS	1780.263	-34.21	-13	Pass	401
1781	1782	1	RMS	1781	-29	-13	Pass	2
1782	1805	1	RMS	1782	-29.83	-13	Pass	401




34.9. Band Edge for SA(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1703.975	-43.12	-13	Pass	401
1708	1709	1	RMS	1709	-40.24	-13	Pass	2
1709	1710	0.4	RMS	1710	-19.84	-13	Pass	4
1710	1730	1	RMS	1710.6	22.05	30	Pass	401




34.10. Band Edge for SA(NTNV)(Subtest:4, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1701.618	-33.43	-13	Pass	401
1708	1709	1	RMS	1709	-34.08	-13	Pass	2
1709	1710	0.39	RMS	1710	-32.88	-13	Pass	401
1710	1730	1	RMS	1729.85	6.7	30	Pass	401



34.11. Band Edge for SA(NTNV)(Subtest:7, Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.3	21.93	30	Pass	401
1780	1781	0.4	RMS	1780	-20.95	-13	Pass	4
1781	1782	1	RMS	1781	-41.95	-13	Pass	2
1782	1805	1	RMS	1785.968	-42.78	-13	Pass	401




34.12. Band Edge for SA(NTNV)(Subtest:8, Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1760.05	6.62	30	Pass	401
1780	1781	0.39	RMS	1780	-29.75	-13	Pass	401
1781	1782	1	RMS	1782	-27.63	-13	Pass	2
1782	1805	1	RMS	1788.038	-26.12	-13	Pass	401




34.13. Band Edge for SA(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-41.3	-13	Pass	401
1708	1709	1	RMS	1709	-39.99	-13	Pass	2
1709	1710	0.051	RMS	1710	-19.4	-13	Pass	401
1710	1730	1	RMS	1710.4	20.68	30	Pass	401




34.14. Band Edge for SA(NTNV)(Subtest:4, Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.713	-30.97	-13	Pass	401
1708	1709	1	RMS	1709	-30.52	-13	Pass	2
1709	1710	0.051	RMS	1709.995	-32.61	-13	Pass	401
1710	1730	1	RMS	1712.55	14.6	30	Pass	401




34.15. Band Edge for SA(NTNV)(Subtest:7, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.65	20.53	30	Pass	401
1780	1781	0.051	RMS	1780	-18.15	-13	Pass	401
1781	1782	1	RMS	1782	-37.98	-13	Pass	2
1782	1805	1	RMS	1782.058	-38.72	-13	Pass	401




34.16. Band Edge for SA(NTNV)(Subtest:8, Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1776.4	14.35	30	Pass	401
1780	1781	0.051	RMS	1780	-31.31	-13	Pass	401
1781	1782	1	RMS	1781	-33.49	-13	Pass	2
1782	1805	1	RMS	1782.23	-34.25	-13	Pass	401




34.17. Band Edge for SA(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1700.985	-40.32	-13	Pass	401
1708	1709	1	RMS	1709	-41.82	-13	Pass	2
1709	1710	0.2	RMS	1710	-20.26	-13	Pass	401
1710	1730	1	RMS	1710.5	20.96	30	Pass	401




34.18. Band Edge for SA(NTNV)(Subtest:4, Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1707.885	-30.88	-13	Pass	401
1708	1709	1	RMS	1709	-28.87	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-33.41	-13	Pass	401
1710	1730	1	RMS	1720.2	8.96	30	Pass	401




34.19. Band Edge for SA(NTNV)(Subtest:7, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	20.49	30	Pass	401
1780	1781	0.2	RMS	1780	-20.09	-13	Pass	401
1781	1782	1	RMS	1781	-41.96	-13	Pass	2
1782	1805	1	RMS	1788.785	-39.46	-13	Pass	401




34.20. Band Edge for SA(NTNV)(Subtest:8, Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1770.2	8.66	30	Pass	401
1780	1781	0.2	RMS	1780.108	-35.16	-13	Pass	401
1781	1782	1	RMS	1781	-30.59	-13	Pass	2
1782	1805	1	RMS	1782.058	-30.7	-13	Pass	401




34.21. Band Edge for SA(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1703.975	-43.6	-13	Pass	401
1708	1709	1	RMS	1709	-41	-13	Pass	2
1709	1710	0.4	RMS	1710	-21	-13	Pass	4
1710	1730	1	RMS	1710.65	21.04	30	Pass	401




34.22. Band Edge for SA(NTNV)(Subtest:4, Channel:346000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708	1	RMS	1708	-34.26	-13	Pass	401
1708	1709	1	RMS	1709	-33.81	-13	Pass	2
1709	1710	0.39	RMS	1710	-33.08	-13	Pass	401
1710	1730	1	RMS	1729.8	5.62	30	Pass	401



34.23. Band Edge for SA(NTNV)(Subtest:7, Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.35	20.76	30	Pass	401
1780	1781	0.4	RMS	1780	-21.77	-13	Pass	4
1781	1782	1	RMS	1781	-42.96	-13	Pass	2
1782	1805	1	RMS	1785.968	-43.75	-13	Pass	401



34.24. Band Edge for SA(NTNV)(Subtest:8, Channel:352000, Bandwidth:40, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1766.9	5.64	30	Pass	401
1780	1781	0.39	RMS	1780	-31.22	-13	Pass	401
1781	1782	1	RMS	1782	-29.56	-13	Pass	2
1782	1805	1	RMS	1787.865	-28.87	-13	Pass	401



35. DC_5A_n7A_SCS15


35.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2494	-45.53	-25	Pass	401
2494	2496	1	RMS	2494.215	-45.14	-13	Pass	401
2496	2499	1	RMS	2499	-36.8	-10	Pass	4
2499	2500	0.051	RMS	2500	-16.36	-10	Pass	401
2500	2520	1	RMS	2500.3	21.5	30	Pass	401




35.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.62	-38.97	-25	Pass	401
2494	2496	1	RMS	2495.955	-38.38	-13	Pass	401
2496	2499	1	RMS	2499	-31.41	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.5	-10	Pass	401
2500	2520	1	RMS	2503.85	15.18	30	Pass	401




35.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	21.34	30	Pass	401
2570	2571	0.051	RMS	2570	-19.1	-10	Pass	401
2571	2575	1	RMS	2571	-37.95	-10	Pass	5
2575	2576	1	RMS	2575.738	-44.58	-13	Pass	401
2576	2595	1	RMS	2576	-45.21	-25	Pass	401




35.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2568.6	14.97	30	Pass	401
2570	2571	0.1	RMS	2570	-25.8	-10	Pass	401
2571	2575	1	RMS	2571	-32.6	-10	Pass	5
2575	2576	1	RMS	2575.953	-37.85	-13	Pass	401
2576	2595	1	RMS	2576	-37.37	-25	Pass	401




35.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.925	-50.49	-25	Pass	401
2485	2496	1	RMS	2494.378	-42.77	-13	Pass	401
2496	2499	1	RMS	2499	-36.88	-10	Pass	4
2499	2500	0.051	RMS	2500	-21.97	-10	Pass	401
2500	2520	1	RMS	2500.45	21.72	30	Pass	401




35.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-46.31	-25	Pass	401
2485	2496	1	RMS	2495.973	-35.6	-13	Pass	401
2496	2499	1	RMS	2499	-31.09	-10	Pass	4
2499	2500	0.3	RMS	2500	-24.39	-10	Pass	401
2500	2520	1	RMS	2512.05	10.77	30	Pass	401




35.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.66	30	Pass	401
2570	2571	0.051	RMS	2570	-24.22	-10	Pass	401
2571	2575	1	RMS	2571	-38	-10	Pass	5
2575	2585	1	RMS	2575.625	-42.2	-13	Pass	401
2585	2595	1	RMS	2585.1	-50.09	-25	Pass	401




35.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2561.6	10.54	30	Pass	401
2570	2571	0.3	RMS	2570.103	-33.63	-10	Pass	401
2571	2575	1	RMS	2571	-30.84	-10	Pass	5
2575	2585	1	RMS	2578.925	-37.18	-13	Pass	401
2585	2595	1	RMS	2587.3	-43.86	-25	Pass	401




35.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2475.413	-50.78	-25	Pass	401
2480	2496	1	RMS	2494.6	-41.18	-13	Pass	401
2496	2499	1	RMS	2499	-37.25	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.24	-10	Pass	401
2500	2520	1	RMS	2500.5	21.62	30	Pass	401




35.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.975	-50.68	-25	Pass	401
2480	2496	1	RMS	2495.96	-33.66	-13	Pass	401
2496	2499	1	RMS	2499	-30.01	-10	Pass	4
2499	2500	0.39	RMS	2500	-21.37	-10	Pass	401
2500	2520	1	RMS	2514.85	9.74	30	Pass	401




35.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.45	21.56	30	Pass	401
2570	2571	0.051	RMS	2570	-27.47	-10	Pass	401
2571	2575	1	RMS	2571	-37.95	-10	Pass	5
2575	2590	1	RMS	2575.6	-41.23	-13	Pass	401
2590	2595	1	RMS	2590.538	-50.41	-25	Pass	401




35.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.2	9.63	30	Pass	401
2570	2571	0.39	RMS	2570.005	-31.75	-10	Pass	401
2571	2575	1	RMS	2571	-29.74	-10	Pass	5
2575	2590	1	RMS	2575.3	-35.97	-13	Pass	401
2590	2595	1	RMS	2590	-47.56	-25	Pass	401




35.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.81	-44.39	-25	Pass	401
2494	2496	1	RMS	2494.005	-44.44	-13	Pass	401
2496	2499	1	RMS	2499	-37.79	-10	Pass	4
2499	2500	0.051	RMS	2500	-19.48	-10	Pass	401
2500	2520	1	RMS	2500.3	20.55	30	Pass	401




35.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.81	-39.77	-25	Pass	401
2494	2496	1	RMS	2495.97	-38.71	-13	Pass	401
2496	2499	1	RMS	2499	-31.86	-10	Pass	4
2499	2500	0.1	RMS	2500	-27.07	-10	Pass	401
2500	2520	1	RMS	2501.55	14.31	30	Pass	401




35.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@24, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	20.21	30	Pass	401
2570	2571	0.051	RMS	2570.003	-18.96	-10	Pass	401
2571	2575	1	RMS	2571	-38.54	-10	Pass	5
2575	2576	1	RMS	2575.993	-45.68	-13	Pass	401
2576	2595	1	RMS	2576	-45.75	-25	Pass	401




35.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.6	14.05	30	Pass	401
2570	2571	0.1	RMS	2570	-28.53	-10	Pass	401
2571	2575	1	RMS	2571	-33.3	-10	Pass	5
2575	2576	1	RMS	2575.163	-38.58	-13	Pass	401
2576	2595	1	RMS	2576.285	-39.44	-25	Pass	401




35.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.675	-50.63	-25	Pass	401
2485	2496	1	RMS	2494.02	-43.58	-13	Pass	401
2496	2499	1	RMS	2499	-37.88	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-24.64	-10	Pass	401
2500	2520	1	RMS	2500.45	20.63	30	Pass	401




35.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.925	-47.04	-25	Pass	401
2485	2496	1	RMS	2495.67	-37.24	-13	Pass	401
2496	2499	1	RMS	2499	-32.67	-10	Pass	4
2499	2500	0.3	RMS	2500	-24.44	-10	Pass	401
2500	2520	1	RMS	2512.5	9.56	30	Pass	401




35.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@78, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	20.33	30	Pass	401
2570	2571	0.051	RMS	2570	-23.99	-10	Pass	401
2571	2575	1	RMS	2571	-38.11	-10	Pass	5
2575	2585	1	RMS	2576.45	-43.36	-13	Pass	401
2585	2595	1	RMS	2585.475	-50.3	-25	Pass	401




35.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.9	9.46	30	Pass	401
2570	2571	0.3	RMS	2570.155	-35.33	-10	Pass	401
2571	2575	1	RMS	2571	-32.98	-10	Pass	5
2575	2585	1	RMS	2575.1	-37.93	-13	Pass	401
2585	2595	1	RMS	2585.35	-44.39	-25	Pass	401




35.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2476.813	-50.81	-25	Pass	401
2480	2496	1	RMS	2494.04	-43.36	-13	Pass	401
2496	2499	1	RMS	2499	-39.11	-10	Pass	4
2499	2500	0.051	RMS	2500	-28.83	-10	Pass	401
2500	2520	1	RMS	2500.55	20.58	30	Pass	401




35.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:20450, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.788	-50.74	-25	Pass	401
2480	2496	1	RMS	2495.92	-35.39	-13	Pass	401
2496	2499	1	RMS	2499	-32.06	-10	Pass	4
2499	2500	0.39	RMS	2500	-21.18	-10	Pass	401
2500	2520	1	RMS	2510.25	8.6	30	Pass	401




35.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@105, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	20.31	30	Pass	401
2570	2571	0.051	RMS	2570.003	-28.14	-10	Pass	401
2571	2575	1	RMS	2571	-39.38	-10	Pass	5
2575	2590	1	RMS	2575.863	-43.44	-13	Pass	401
2590	2595	1	RMS	2590.275	-50.48	-25	Pass	401



35.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:20600, LTE BW:10, QPSK, LTE RB:50@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2560.05	8.57	30	Pass	401
2570	2571	0.39	RMS	2570.003	-35.02	-10	Pass	401
2571	2575	1	RMS	2571	-32.28	-10	Pass	5
2575	2590	1	RMS	2575.075	-37.37	-13	Pass	401
2590	2595	1	RMS	2590.025	-48.4	-25	Pass	401



36. DC_7A_n5A_SCS15


36.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.16	-43.54	-13	Pass	401
823	824	0.051	RMS	823.998	-17.6	-13	Pass	401
824	844	0.1	RMS	824.35	19.49	30	Pass	401




36.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-37.83	-13	Pass	401
823	824	0.051	RMS	824	-30.39	-13	Pass	401
824	844	0.1	RMS	826.15	6.43	30	Pass	401




36.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	19	30	Pass	401
849	850	0.051	RMS	849	-16.42	-13	Pass	401
850	874	0.1	RMS	850.78	-44.07	-13	Pass	401




36.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	845.05	6.18	30	Pass	401
849	850	0.051	RMS	849	-29.63	-13	Pass	401
850	874	0.1	RMS	850.06	-38.58	-13	Pass	401




36.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	817.48	-46.59	-13	Pass	401
823	824	0.15	RMS	824	-17.16	-13	Pass	401
824	844	0.1	RMS	824.45	19.42	30	Pass	401




36.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-37.23	-13	Pass	401
823	824	0.15	RMS	823.998	-30.94	-13	Pass	401
824	844	0.1	RMS	827.3	2.12	30	Pass	401



36.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	18.94	30	Pass	401
849	850	0.15	RMS	849.003	-16.15	-13	Pass	401
850	874	0.1	RMS	850.06	-53.44	-13	Pass	401




36.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	841.7	1.76	30	Pass	401
849	850	0.15	RMS	849.038	-37.84	-13	Pass	401
850	874	0.1	RMS	850	-40.15	-13	Pass	401




36.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.02	-44.86	-13	Pass	401
823	824	0.2	RMS	823.998	-18.54	-13	Pass	401
824	844	0.1	RMS	824.55	19.39	30	Pass	401




36.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-35.68	-13	Pass	401
823	824	0.2	RMS	824	-31.44	-13	Pass	401
824	844	0.1	RMS	840.45	0.44	30	Pass	401



36.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	19.22	30	Pass	401
849	850	0.2	RMS	849.005	-17.81	-13	Pass	401
850	874	0.1	RMS	850.66	-54.02	-13	Pass	401




36.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	842.5	0.93	30	Pass	401
849	850	0.2	RMS	849.17	-36.26	-13	Pass	401
850	874	0.1	RMS	850.18	-40.47	-13	Pass	401




36.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.22	-42.87	-13	Pass	401
823	824	0.051	RMS	824	-18.59	-13	Pass	401
824	844	0.1	RMS	824.35	18.51	30	Pass	401




36.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:165300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-38.17	-13	Pass	401
823	824	0.051	RMS	824	-30.51	-13	Pass	401
824	844	0.1	RMS	826.9	5.46	30	Pass	401




36.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.65	18.09	30	Pass	401
849	850	0.051	RMS	849	-17.28	-13	Pass	401
850	874	0.1	RMS	850.84	-43.36	-13	Pass	401




36.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:169300, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	846.9	5.18	30	Pass	401
849	850	0.051	RMS	849	-31.31	-13	Pass	401
850	874	0.1	RMS	850.42	-37.44	-13	Pass	401




36.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	817.42	-47.03	-13	Pass	401
823	824	0.15	RMS	823.998	-18.36	-13	Pass	401
824	844	0.1	RMS	824.5	18.5	30	Pass	401




36.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.52	-38.04	-13	Pass	401
823	824	0.15	RMS	824	-31.62	-13	Pass	401
824	844	0.1	RMS	826.7	1.26	30	Pass	401




36.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@78, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.5	18.17	30	Pass	401
849	850	0.15	RMS	849	-17.2	-13	Pass	401
850	874	0.1	RMS	850.06	-53.51	-13	Pass	401




36.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:168300, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	843	0.8	30	Pass	401
849	850	0.15	RMS	849.288	-37.89	-13	Pass	401
850	874	0.1	RMS	850.18	-40.18	-13	Pass	401




36.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.14	-46.88	-13	Pass	401
823	824	0.2	RMS	824	-19.9	-13	Pass	401
824	844	0.1	RMS	824.55	18.58	30	Pass	401




36.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:166800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	822.88	-36.43	-13	Pass	401
823	824	0.2	RMS	823.998	-32.1	-13	Pass	401
824	844	0.1	RMS	826.55	-0.14	30	Pass	401



36.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	18.22	30	Pass	401
849	850	0.2	RMS	849.003	-18.98	-13	Pass	401
850	874	0.1	RMS	850	-53.59	-13	Pass	401



36.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:167800, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	837.95	0.1	30	Pass	401
849	850	0.2	RMS	849.193	-37.48	-13	Pass	401
850	874	0.1	RMS	850.18	-41.69	-13	Pass	401



37. DC_7A_n66A_SCS15


37.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-41.72	-13	Pass	401
1708	1709	1	RMS	1709	-36.74	-13	Pass	2
1709	1710	0.05	RMS	1710	-16.96	-13	Pass	21
1710	1750	1	RMS	1710.3	21.98	30	Pass	401




37.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-32.9	-13	Pass	401
1708	1709	1	RMS	1709	-30.04	-13	Pass	2
1709	1710	0.051	RMS	1710	-28.5	-13	Pass	401
1710	1750	1	RMS	1712.3	15.76	30	Pass	401




37.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	21.71	30	Pass	401
1780	1781	0.051	RMS	1780.003	-17.44	-13	Pass	401
1781	1782	1	RMS	1781	-37.41	-13	Pass	2
1782	1805	1	RMS	1782	-40.66	-13	Pass	401




37.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1778.85	15.53	30	Pass	401
1780	1781	0.051	RMS	1780	-28.06	-13	Pass	401
1781	1782	1	RMS	1781	-31.6	-13	Pass	2
1782	1805	1	RMS	1783.438	-34.73	-13	Pass	401




37.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1701.013	-42.61	-13	Pass	401
1708	1709	1	RMS	1709	-37.65	-13	Pass	2
1709	1710	0.2	RMS	1710	-17.03	-13	Pass	401
1710	1750	1	RMS	1710.5	22.03	30	Pass	401




37.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-30.43	-13	Pass	401
1708	1709	1	RMS	1709	-28.18	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-32.22	-13	Pass	401
1710	1750	1	RMS	1716.4	10.03	30	Pass	401




37.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	21.98	30	Pass	401
1780	1781	0.2	RMS	1780	-18.38	-13	Pass	401
1781	1782	1	RMS	1781	-37.73	-13	Pass	2
1782	1805	1	RMS	1789.015	-41.39	-13	Pass	401




37.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1766.4	10.05	30	Pass	401
1780	1781	0.2	RMS	1780.14	-35.42	-13	Pass	401
1781	1782	1	RMS	1781	-30.46	-13	Pass	2
1782	1805	1	RMS	1782	-31.56	-13	Pass	401




37.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:346000, NR BW:40, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.893	-43.76	-13	Pass	401
1708	1709	1	RMS	1709	-38.85	-13	Pass	2
1709	1710	0.4	RMS	1710	-19.36	-13	Pass	4
1710	1750	1	RMS	1710.6	22.28	30	Pass	401




37.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:346000, NR BW:40, SCS:15, DFT-s-OFDM, QPSK, NR RB:216@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.893	-35.21	-13	Pass	401
1708	1709	1	RMS	1709	-34.18	-13	Pass	2
1709	1710	0.39	RMS	1710	-31.83	-13	Pass	401
1710	1750	1	RMS	1740.5	6.77	30	Pass	401




37.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:352000, NR BW:40, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@215, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.3	21.82	30	Pass	401
1780	1781	0.4	RMS	1780	-20.86	-13	Pass	4
1781	1782	1	RMS	1781	-41.6	-13	Pass	2
1782	1805	1	RMS	1782	-46.79	-13	Pass	401




37.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:352000, NR BW:40, SCS:15, DFT-s-OFDM, QPSK, NR RB:216@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1760.1	6.92	30	Pass	401
1780	1781	0.39	RMS	1780	-32.72	-13	Pass	401
1781	1782	1	RMS	1781	-34.08	-13	Pass	2
1782	1805	1	RMS	1789.188	-33	-13	Pass	401




37.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-41.48	-13	Pass	401
1708	1709	1	RMS	1709	-39.81	-13	Pass	2
1709	1710	0.051	RMS	1710	-19.43	-13	Pass	401
1710	1750	1	RMS	1710.3	20.93	30	Pass	401




37.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:342500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.94	-13	Pass	401
1708	1709	1	RMS	1709	-29.74	-13	Pass	2
1709	1710	0.051	RMS	1710	-31.27	-13	Pass	401
1710	1750	1	RMS	1712.2	14.61	30	Pass	401




37.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@24, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.6	20.77	30	Pass	401
1780	1781	0.051	RMS	1780	-18.28	-13	Pass	401
1781	1782	1	RMS	1781	-38.64	-13	Pass	2
1782	1805	1	RMS	1782.058	-39.77	-13	Pass	401




37.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:355500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1777.5	14.54	30	Pass	401
1780	1781	0.051	RMS	1780	-30.63	-13	Pass	401
1781	1782	1	RMS	1781	-32.69	-13	Pass	2
1782	1805	1	RMS	1782.115	-34.56	-13	Pass	401




37.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1700.905	-41.94	-13	Pass	401
1708	1709	1	RMS	1709	-40.11	-13	Pass	2
1709	1710	0.2	RMS	1710	-20.25	-13	Pass	401
1710	1750	1	RMS	1710.5	20.79	30	Pass	401




37.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:344000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1708	-31.49	-13	Pass	401
1708	1709	1	RMS	1709	-30.55	-13	Pass	2
1709	1710	0.2	RMS	1709.998	-34.31	-13	Pass	401
1710	1750	1	RMS	1720.1	8.93	30	Pass	401




37.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@105, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.4	20.6	30	Pass	401
1780	1781	0.2	RMS	1780	-19.79	-13	Pass	401
1781	1782	1	RMS	1781	-39.91	-13	Pass	2
1782	1805	1	RMS	1788.728	-42.2	-13	Pass	401




37.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:354000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1770.15	8.7	30	Pass	401
1780	1781	0.2	RMS	1780.068	-37.95	-13	Pass	401
1781	1782	1	RMS	1781	-32.98	-13	Pass	2
1782	1805	1	RMS	1782	-33.73	-13	Pass	401




37.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:346000, NR BW:40, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1704.13	-42.76	-13	Pass	401
1708	1709	1	RMS	1709	-39.41	-13	Pass	2
1709	1710	0.4	RMS	1710	-20.79	-13	Pass	4
1710	1750	1	RMS	1710.6	21.13	30	Pass	401




37.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:346000, NR BW:40, SCS:15, DFT-s-OFDM, 16QAM, NR RB:216@0, LTE Ch:20850, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708	1	RMS	1707.893	-35.72	-13	Pass	401
1708	1709	1	RMS	1709	-35.49	-13	Pass	2
1709	1710	0.39	RMS	1710	-32.98	-13	Pass	401
1710	1750	1	RMS	1737	5.7	30	Pass	401




37.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:352000, NR BW:40, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@215, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.3	21.2	30	Pass	401
1780	1781	0.4	RMS	1780	-20.7	-13	Pass	4
1781	1782	1	RMS	1781	-42.26	-13	Pass	2
1782	1805	1	RMS	1785.853	-45.81	-13	Pass	401



37.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:352000, NR BW:40, SCS:15, DFT-s-OFDM, 16QAM, NR RB:216@0, LTE Ch:21350, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1760	5.69	30	Pass	401
1780	1781	0.39	RMS	1780	-34.3	-13	Pass	401
1781	1782	1	RMS	1781	-35.62	-13	Pass	2
1782	1805	1	RMS	1791.258	-35.59	-13	Pass	401



38. DC_25A_n41A_SCS30


38.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-40.31	-25	Pass	401
2490	2495	1	RMS	2495	-26.33	-13	Pass	401
2495	2496	0.051	RMS	2496	-25.65	-13	Pass	401
2496	2596	1	RMS	2497	22.22	30	Pass	401




38.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-41.97	-25	Pass	401
2490	2495	1	RMS	2494.988	-29.87	-13	Pass	401
2495	2496	0.4	RMS	2496	-32.28	-13	Pass	4
2496	2596	1	RMS	2510.5	10.68	30	Pass	401




38.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@50, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.58	30	Pass	401
2690	2691	0.1	RMS	2690.003	-22.09	-13	Pass	401
2691	2695	1	RMS	2691	-26.2	-13	Pass	401
2695	2710	1	RMS	2697.85	-38.34	-13	Pass	401
2710	2795	1	RMS	2710.638	-49.04	-25	Pass	401




38.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2679.75	10.01	30	Pass	401
2690	2691	0.4	RMS	2690	-33.93	-13	Pass	4
2691	2695	1	RMS	2691.11	-29.61	-13	Pass	401
2695	2710	1	RMS	2695.225	-35.57	-13	Pass	401
2710	2715	1	RMS	2715	-40.05	-25	Pass	401
2715	2795	1	RMS	2715.4	-40.05	-25	Pass	401




38.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-42.71	-25	Pass	401
2490	2495	1	RMS	2495	-27.03	-13	Pass	401
2495	2496	0.051	RMS	2496	-25.76	-13	Pass	401
2496	2596	1	RMS	2497	22.14	30	Pass	401




38.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2481.833	-32.68	-25	Pass	401
2490	2495	1	RMS	2494.075	-25.76	-13	Pass	401
2495	2496	1.2	RMS	2496	-27.68	-13	Pass	2
2496	2596	1	RMS	2546.25	5.97	30	Pass	401




38.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@161, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.69	30	Pass	401
2690	2691	0.1	RMS	2690.003	-23.95	-13	Pass	401
2691	2695	1	RMS	2691	-28.46	-13	Pass	401
2695	2750	1	RMS	2717.963	-40.17	-13	Pass	401
2750	2795	1	RMS	2773.625	-49.17	-25	Pass	401




38.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2634.25	5.52	30	Pass	401
2690	2691	1.2	RMS	2690	-27.86	-13	Pass	2
2691	2695	1	RMS	2691.09	-33.76	-13	Pass	401
2695	2750	1	RMS	2695.275	-35.53	-13	Pass	401
2750	2755	1	RMS	2754.063	-49.47	-25	Pass	401
2755	2795	1	RMS	2763.1	-49.3	-25	Pass	401




38.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.763	-44.99	-25	Pass	401
2490	2495	1	RMS	2495	-28.23	-13	Pass	401
2495	2496	0.051	RMS	2495.988	-27.08	-13	Pass	401
2496	2596	1	RMS	2497	22.22	30	Pass	401




38.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-36.45	-25	Pass	401
2490	2495	1	RMS	2494.075	-36.26	-13	Pass	401
2495	2496	1	RMS	2496	-33.48	-13	Pass	2
2496	2596	1	RMS	2560.25	3.89	30	Pass	401



38.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@272, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.92	30	Pass	401
2690	2691	0.1	RMS	2690	-23.93	-13	Pass	401
2691	2695	1	RMS	2691	-28.34	-13	Pass	401
2695	2790	1	RMS	2695.475	-43.96	-13	Pass	401
2790	2795	1	RMS	2791.45	-49.29	-25	Pass	401




38.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2634.25	3.72	30	Pass	401
2690	2691	2	RMS	2690	-32.56	-13	Pass	2
2691	2695	1	RMS	2691.59	-34.98	-13	Pass	401
2695	2790	1	RMS	2695.95	-34.79	-13	Pass	401
2790	2795	1	RMS	2792.763	-49.36	-25	Pass	401




38.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-39.98	-25	Pass	401
2490	2495	1	RMS	2495	-28.67	-13	Pass	401
2495	2496	0.051	RMS	2496	-27.87	-13	Pass	401
2496	2596	1	RMS	2497	21.08	30	Pass	401




38.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:50@0, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-40.03	-25	Pass	401
2490	2495	1	RMS	2494.688	-31.89	-13	Pass	401
2495	2496	0.4	RMS	2496	-32.85	-13	Pass	4
2496	2596	1	RMS	2512.5	9.41	30	Pass	401




38.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1@50, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.54	30	Pass	401
2690	2691	0.1	RMS	2690.015	-22.4	-13	Pass	401
2691	2695	1	RMS	2691	-27.5	-13	Pass	401
2695	2710	1	RMS	2698.038	-39.72	-13	Pass	401
2710	2795	1	RMS	2772.475	-49.49	-25	Pass	401




38.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:50@0, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2681.25	8.85	30	Pass	401
2690	2691	0.4	RMS	2690	-33.32	-13	Pass	4
2691	2695	1	RMS	2691.01	-22.37	-13	Pass	401
2695	2710	1	RMS	2695.6	-28.79	-13	Pass	401
2710	2715	1	RMS	2710.925	-39.52	-25	Pass	401
2715	2795	1	RMS	2715	-41.08	-25	Pass	401




38.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-43.03	-25	Pass	401
2490	2495	1	RMS	2495	-28.98	-13	Pass	401
2495	2496	0.051	RMS	2496	-27.65	-13	Pass	401
2496	2596	1	RMS	2497	20.87	30	Pass	401




38.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:162@0, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.01	-35.11	-25	Pass	401
2490	2495	1	RMS	2494.938	-33.82	-13	Pass	401
2495	2496	1.2	RMS	2496	-30.12	-13	Pass	2
2496	2596	1	RMS	2547.25	4.75	30	Pass	401



38.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1@161, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.54	30	Pass	401
2690	2691	0.1	RMS	2690.01	-25.34	-13	Pass	401
2691	2695	1	RMS	2691	-29.86	-13	Pass	401
2695	2750	1	RMS	2717.825	-43.09	-13	Pass	401
2750	2795	1	RMS	2768.338	-49.59	-25	Pass	401




38.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:162@0, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2636	4.58	30	Pass	401
2690	2691	1.2	RMS	2690	-29.05	-13	Pass	2
2691	2695	1	RMS	2692.54	-26.51	-13	Pass	401
2695	2750	1	RMS	2696.513	-31.37	-13	Pass	401
2750	2755	1	RMS	2751.65	-49.74	-25	Pass	401
2755	2795	1	RMS	2769.8	-49.59	-25	Pass	401




38.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2487.278	-46.29	-25	Pass	401
2490	2495	1	RMS	2494.975	-29.36	-13	Pass	401
2495	2496	0.051	RMS	2495.985	-28.44	-13	Pass	401
2496	2596	1	RMS	2497	20.78	30	Pass	401




38.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:270@0, LTE Ch:26140, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-37.55	-25	Pass	401
2490	2495	1	RMS	2494.9	-36.99	-13	Pass	401
2495	2496	1	RMS	2496	-34.51	-13	Pass	2
2496	2596	1	RMS	2550.5	3.22	30	Pass	401



38.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1@272, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.63	30	Pass	401
2690	2691	0.1	RMS	2690.01	-24.58	-13	Pass	401
2691	2695	1	RMS	2691.02	-29.73	-13	Pass	401
2695	2790	1	RMS	2698.088	-45.59	-13	Pass	401
2790	2795	1	RMS	2792.988	-49.56	-25	Pass	401



38.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:270@0, LTE Ch:26590, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2644.5	3.03	30	Pass	401
2690	2691	2	RMS	2690	-34.47	-13	Pass	2
2691	2695	1	RMS	2693.37	-36.17	-13	Pass	401
2695	2790	1	RMS	2698.563	-36.35	-13	Pass	401
2790	2795	1	RMS	2795	-49.57	-25	Pass	401



39. DC_26A_n41A_SCS30


39.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-42.95	-25	Pass	401
2490	2495	1	RMS	2495	-28.71	-13	Pass	401
2495	2496	0.051	RMS	2496	-28.28	-13	Pass	401
2496	2596	1	RMS	2497	22.07	30	Pass	401




39.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.763	-42.12	-25	Pass	401
2490	2495	1	RMS	2494.675	-30.99	-13	Pass	401
2495	2496	0.4	RMS	2496	-32.32	-13	Pass	4
2496	2596	1	RMS	2510.5	10.64	30	Pass	401




39.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@50, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.53	30	Pass	401
2690	2691	0.1	RMS	2690.01	-23.49	-13	Pass	401
2691	2695	1	RMS	2691.01	-27.66	-13	Pass	401
2695	2710	1	RMS	2695.263	-39.86	-13	Pass	401
2710	2795	1	RMS	2790.963	-49.22	-25	Pass	401




39.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:50@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2680.25	10.23	30	Pass	401
2690	2691	0.4	RMS	2690	-33.27	-13	Pass	4
2691	2695	1	RMS	2691.02	-30.09	-13	Pass	401
2695	2710	1	RMS	2696.2	-35.98	-13	Pass	401
2710	2715	1	RMS	2714.85	-39.92	-25	Pass	401
2715	2795	1	RMS	2715.2	-39.83	-25	Pass	401




39.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-46.19	-25	Pass	401
2490	2495	1	RMS	2495	-27.22	-13	Pass	401
2495	2496	0.051	RMS	2495.995	-26.27	-13	Pass	401
2496	2596	1	RMS	2497	22.05	30	Pass	401




39.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.01	-33.3	-25	Pass	401
2490	2495	1	RMS	2494.925	-26.34	-13	Pass	401
2495	2496	1.2	RMS	2496	-27.72	-13	Pass	2
2496	2596	1	RMS	2546.25	5.6	30	Pass	401




39.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@161, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.65	30	Pass	401
2690	2691	0.1	RMS	2690.005	-25.48	-13	Pass	401
2691	2695	1	RMS	2691.01	-30.01	-13	Pass	401
2695	2750	1	RMS	2717.963	-43.8	-13	Pass	401
2750	2795	1	RMS	2770.25	-49.22	-25	Pass	401




39.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:162@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2637.25	5.59	30	Pass	401
2690	2691	1.2	RMS	2690	-27.91	-13	Pass	2
2691	2695	1	RMS	2691.12	-33.3	-13	Pass	401
2695	2750	1	RMS	2695.963	-35.18	-13	Pass	401
2750	2755	1	RMS	2754.838	-49.34	-25	Pass	401
2755	2795	1	RMS	2777.4	-49.24	-25	Pass	401




39.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-48.52	-25	Pass	401
2490	2495	1	RMS	2495	-28.8	-13	Pass	401
2495	2496	0.051	RMS	2495.985	-27.34	-13	Pass	401
2496	2596	1	RMS	2497	22.07	30	Pass	401




39.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-35.69	-25	Pass	401
2490	2495	1	RMS	2494.338	-35.38	-13	Pass	401
2495	2496	1	RMS	2496	-32.85	-13	Pass	2
2496	2596	1	RMS	2546.25	4.22	30	Pass	401




39.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:1@272, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	22.18	30	Pass	401
2690	2691	0.1	RMS	2690.003	-24.5	-13	Pass	401
2691	2695	1	RMS	2691	-29.1	-13	Pass	401
2695	2790	1	RMS	2695.95	-46.19	-13	Pass	401
2790	2795	1	RMS	2794.713	-49.24	-25	Pass	401




39.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:270@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2636.25	4.14	30	Pass	401
2690	2691	2	RMS	2691	-31.93	-13	Pass	2
2691	2695	1	RMS	2694.95	-34.22	-13	Pass	401
2695	2790	1	RMS	2695.95	-33.8	-13	Pass	401
2790	2795	1	RMS	2793.775	-49.26	-25	Pass	401




39.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.02	-43.08	-25	Pass	401
2490	2495	1	RMS	2495	-28.74	-13	Pass	401
2495	2496	0.051	RMS	2495.985	-27.97	-13	Pass	401
2496	2596	1	RMS	2497	21.24	30	Pass	401




39.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:50@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2488.763	-38.05	-25	Pass	401
2490	2495	1	RMS	2494.888	-32.05	-13	Pass	401
2495	2496	0.4	RMS	2496	-33.85	-13	Pass	4
2496	2596	1	RMS	2507.75	9.52	30	Pass	401




39.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1@50, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.83	30	Pass	401
2690	2691	0.1	RMS	2690.01	-23.22	-13	Pass	401
2691	2695	1	RMS	2691.01	-27.91	-13	Pass	401
2695	2710	1	RMS	2695.3	-42.33	-13	Pass	401
2710	2795	1	RMS	2767.588	-49.54	-25	Pass	401




39.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, 16QAM, NR RB:50@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2681.25	9.06	30	Pass	401
2690	2691	0.4	RMS	2690	-36.22	-13	Pass	4
2691	2695	1	RMS	2694.66	-27.51	-13	Pass	401
2695	2710	1	RMS	2697.513	-36.47	-13	Pass	401
2710	2715	1	RMS	2711	-40.21	-25	Pass	401
2715	2795	1	RMS	2715	-40.77	-25	Pass	401




39.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2490	-45.67	-25	Pass	401
2490	2495	1	RMS	2495	-29.02	-13	Pass	401
2495	2496	0.051	RMS	2496	-27.99	-13	Pass	401
2496	2596	1	RMS	2497	21.09	30	Pass	401




39.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:162@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.01	-35.05	-25	Pass	401
2490	2495	1	RMS	2490.763	-34.52	-13	Pass	401
2495	2496	1.2	RMS	2496	-29.82	-13	Pass	2
2496	2596	1	RMS	2547.25	4.76	30	Pass	401




39.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1@161, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.79	30	Pass	401
2690	2691	0.1	RMS	2690.01	-24.95	-13	Pass	401
2691	2695	1	RMS	2691	-29.97	-13	Pass	401
2695	2750	1	RMS	2717.825	-44.85	-13	Pass	401
2750	2795	1	RMS	2779.7	-49.4	-25	Pass	401




39.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, 16QAM, NR RB:162@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2636.25	4.65	30	Pass	401
2690	2691	1.2	RMS	2690	-29.28	-13	Pass	2
2691	2695	1	RMS	2691.07	-34.5	-13	Pass	401
2695	2750	1	RMS	2698.988	-35.81	-13	Pass	401
2750	2755	1	RMS	2754.763	-49.64	-25	Pass	401
2755	2795	1	RMS	2776.1	-49.52	-25	Pass	401




39.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2486.783	-48.12	-25	Pass	401
2490	2495	1	RMS	2495	-29.71	-13	Pass	401
2495	2496	0.051	RMS	2496	-28.61	-13	Pass	401
2496	2596	1	RMS	2497	21.28	30	Pass	401




39.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:270@0, LTE Ch:26765, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490	1	RMS	2489.753	-37.41	-25	Pass	401
2490	2495	1	RMS	2494.988	-36.78	-13	Pass	401
2495	2496	1	RMS	2496	-34.19	-13	Pass	2
2496	2596	1	RMS	2552.5	3.14	30	Pass	401



39.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:1@272, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	21.11	30	Pass	401
2690	2691	0.1	RMS	2690.01	-25.02	-13	Pass	401
2691	2695	1	RMS	2691	-29.95	-13	Pass	401
2695	2790	1	RMS	2695	-46.97	-13	Pass	401
2790	2795	1	RMS	2792.35	-49.53	-25	Pass	401



39.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, 16QAM, NR RB:270@0, LTE Ch:26965, LTE BW:15, QPSK, LTE RB:75@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2636.5	3.29	30	Pass	401
2690	2691	2	RMS	2691	-33.92	-13	Pass	2
2691	2695	1	RMS	2693.55	-36.03	-13	Pass	401
2695	2790	1	RMS	2701.413	-36.16	-13	Pass	401
2790	2795	1	RMS	2792.75	-49.41	-25	Pass	401



40. DC_66A_n7A_SCS15


40.1. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.905	-43.07	-25	Pass	401
2494	2496	1	RMS	2494.02	-43.18	-13	Pass	401
2496	2499	1	RMS	2499	-33.68	-10	Pass	4
2499	2500	0.051	RMS	2500	-16.78	-10	Pass	401
2500	2520	1	RMS	2500.25	21.16	30	Pass	401




40.2. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.478	-37.58	-25	Pass	401
2494	2496	1	RMS	2494.225	-37.66	-13	Pass	401
2496	2499	1	RMS	2499	-31.62	-10	Pass	4
2499	2500	0.1	RMS	2500	-26.65	-10	Pass	401
2500	2520	1	RMS	2503.75	14.99	30	Pass	401




40.3. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.7	21.1	30	Pass	401
2570	2571	0.051	RMS	2570.003	-19	-10	Pass	401
2571	2575	1	RMS	2571	-35.59	-10	Pass	5
2575	2576	1	RMS	2575.933	-43.43	-13	Pass	401
2576	2595	1	RMS	2576.095	-43.58	-25	Pass	401




40.4. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, QPSK, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.8	14.88	30	Pass	401
2570	2571	0.1	RMS	2570.005	-26.05	-10	Pass	401
2571	2575	1	RMS	2571	-32.24	-10	Pass	5
2575	2576	1	RMS	2575.978	-36.55	-13	Pass	401
2576	2595	1	RMS	2576.095	-36.42	-25	Pass	401




40.5. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.95	-49.69	-25	Pass	401
2485	2496	1	RMS	2494.02	-40.75	-13	Pass	401
2496	2499	1	RMS	2499	-33.73	-10	Pass	4
2499	2500	0.051	RMS	2500	-22.28	-10	Pass	401
2500	2520	1	RMS	2500.35	21.36	30	Pass	401




40.6. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.95	-44.46	-25	Pass	401
2485	2496	1	RMS	2496	-36.96	-13	Pass	401
2496	2499	1	RMS	2499	-30.97	-10	Pass	4
2499	2500	0.3	RMS	2499.998	-24.62	-10	Pass	401
2500	2520	1	RMS	2512.95	10.63	30	Pass	401




40.7. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	21.37	30	Pass	401
2570	2571	0.051	RMS	2570.003	-23.71	-10	Pass	401
2571	2575	1	RMS	2571	-35.42	-10	Pass	5
2575	2585	1	RMS	2576	-40.72	-13	Pass	401
2585	2595	1	RMS	2585.275	-49.6	-25	Pass	401




40.8. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, QPSK, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2565.1	10.44	30	Pass	401
2570	2571	0.3	RMS	2570.068	-33.25	-10	Pass	401
2571	2575	1	RMS	2571	-30.88	-10	Pass	5
2575	2585	1	RMS	2579.225	-37.15	-13	Pass	401
2585	2595	1	RMS	2585.3	-43.54	-25	Pass	401




40.9. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2477.013	-50.58	-25	Pass	401
2480	2496	1	RMS	2493.88	-40.33	-13	Pass	401
2496	2499	1	RMS	2499	-33.82	-10	Pass	4
2499	2500	0.051	RMS	2500	-25.48	-10	Pass	401
2500	2520	1	RMS	2500.5	21.36	30	Pass	401




40.10. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2480	-50.22	-25	Pass	401
2480	2496	1	RMS	2496	-34.31	-13	Pass	401
2496	2499	1	RMS	2499	-30.64	-10	Pass	4
2499	2500	0.39	RMS	2500	-21.7	-10	Pass	401
2500	2520	1	RMS	2514.9	9.54	30	Pass	401




40.11. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.35	21.32	30	Pass	401
2570	2571	0.051	RMS	2570.003	-27.22	-10	Pass	401
2571	2575	1	RMS	2571	-35.02	-10	Pass	5
2575	2590	1	RMS	2575.863	-40.25	-13	Pass	401
2590	2595	1	RMS	2590.838	-50.24	-25	Pass	401




40.12. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, QPSK, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2556.45	9.4	30	Pass	401
2570	2571	0.39	RMS	2570.01	-32.03	-10	Pass	401
2571	2575	1	RMS	2571	-29.88	-10	Pass	5
2575	2590	1	RMS	2575	-36.19	-13	Pass	401
2590	2595	1	RMS	2590.075	-49.08	-25	Pass	401




40.13. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.668	-43.66	-25	Pass	401
2494	2496	1	RMS	2494.02	-43.9	-13	Pass	401
2496	2499	1	RMS	2499	-34.08	-10	Pass	4
2499	2500	0.051	RMS	2500	-19.54	-10	Pass	401
2500	2520	1	RMS	2500.3	20.21	30	Pass	401




40.14. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:500500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2494	1	RMS	2493.668	-39.74	-25	Pass	401
2494	2496	1	RMS	2495.95	-38.04	-13	Pass	401
2496	2499	1	RMS	2499	-32.73	-10	Pass	4
2499	2500	0.1	RMS	2500	-27.66	-10	Pass	401
2500	2520	1	RMS	2501.45	13.9	30	Pass	401




40.15. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@24, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.6	19.9	30	Pass	401
2570	2571	0.051	RMS	2570	-19.39	-10	Pass	401
2571	2575	1	RMS	2571	-36.02	-10	Pass	5
2575	2576	1	RMS	2575.998	-45.43	-13	Pass	401
2576	2595	1	RMS	2576.19	-45.26	-25	Pass	401




40.16. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:513500, NR BW:5, SCS:15, DFT-s-OFDM, 16QAM, NR RB:25@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2566.7	13.72	30	Pass	401
2570	2571	0.1	RMS	2570	-28.79	-10	Pass	401
2571	2575	1	RMS	2571	-33.07	-10	Pass	5
2575	2576	1	RMS	2575.503	-37.89	-13	Pass	401
2576	2595	1	RMS	2576.048	-38.43	-25	Pass	401




40.17. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2484.925	-50.63	-25	Pass	401
2485	2496	1	RMS	2493.855	-42.76	-13	Pass	401
2496	2499	1	RMS	2499	-35.64	-10	Pass	4
2499	2500	0.051	RMS	2500	-24.76	-10	Pass	401
2500	2520	1	RMS	2500.45	20.25	30	Pass	401




40.18. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:501500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2485	1	RMS	2485	-45.17	-25	Pass	401
2485	2496	1	RMS	2495.615	-37.06	-13	Pass	401
2496	2499	1	RMS	2499	-32.8	-10	Pass	4
2499	2500	0.3	RMS	2500	-24.66	-10	Pass	401
2500	2520	1	RMS	2512.7	9.3	30	Pass	401




40.19. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@78, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.5	19.94	30	Pass	401
2570	2571	0.051	RMS	2570	-24.49	-10	Pass	401
2571	2575	1	RMS	2571	-36.3	-10	Pass	5
2575	2585	1	RMS	2576.125	-43.44	-13	Pass	401
2585	2595	1	RMS	2585.325	-50.41	-25	Pass	401




40.20. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512500, NR BW:15, SCS:15, DFT-s-OFDM, 16QAM, NR RB:75@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2557.7	9.12	30	Pass	401
2570	2571	0.3	RMS	2570.028	-35.33	-10	Pass	401
2571	2575	1	RMS	2571	-32.85	-10	Pass	5
2575	2585	1	RMS	2575.15	-39.28	-13	Pass	401
2585	2595	1	RMS	2585.2	-43.77	-25	Pass	401




40.21. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.213	-51.25	-25	Pass	401
2480	2496	1	RMS	2493.92	-42.54	-13	Pass	401
2496	2499	1	RMS	2499	-36.66	-10	Pass	4
2499	2500	0.051	RMS	2500	-28.4	-10	Pass	401
2500	2520	1	RMS	2500.5	20.26	30	Pass	401




40.22. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:502000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2480	1	RMS	2479.863	-50.95	-25	Pass	401
2480	2496	1	RMS	2496	-36.05	-13	Pass	401
2496	2499	1	RMS	2499	-32.34	-10	Pass	4
2499	2500	0.39	RMS	2500	-21.56	-10	Pass	401
2500	2520	1	RMS	2510.2	8.15	30	Pass	401




40.23. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:1@105, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2569.4	19.9	30	Pass	401
2570	2571	0.051	RMS	2570	-28.4	-10	Pass	401
2571	2575	1	RMS	2571	-37.2	-10	Pass	5
2575	2590	1	RMS	2575.938	-42.96	-13	Pass	401
2590	2595	1	RMS	2590.275	-50.93	-25	Pass	401



40.24. Band Edge for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:512000, NR BW:20, SCS:15, DFT-s-OFDM, 16QAM, NR RB:100@0, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2550	2570	1	RMS	2560.15	8.21	30	Pass	401
2570	2571	0.39	RMS	2570.108	-35.13	-10	Pass	401
2571	2575	1	RMS	2571	-32.79	-10	Pass	5
2575	2590	1	RMS	2575.038	-37.8	-13	Pass	401
2590	2595	1	RMS	2590	-49.49	-25	Pass	401



END