



RSE-V&H DC_7A_n5A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.555	-57.93	4.93	-25.0	-32.93	57.00	Vertical	Horizontal	N/A
882.873	-32.05	4.99	-25.0	-7.05	15.00	Vertical	Horizontal	N/A
2534.000	-43.31	10.25	-25.0	-18.31	100.00	Vertical	Horizontal	N/A
2652.900	-36.57	9.77	-25.0	-11.57	316.00	Vertical	Horizontal	N/A
6654.750	-39.20	14.93	-25.0	-14.20	247.00	Vertical	Horizontal	Pass
13348.500	-37.91	16.48	-25.0	-12.91	141.00	Vertical	Horizontal	Pass


27.2 DC_7A_n5A BW20(LTE)+BW15(NR)

RSE-H&H DC_7A_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.604	-61.46	4.93	-25.0	-36.46	237.00	Horizontal	Horizontal	N/A
876.276	-26.32	4.67	-25.0	-1.32	116.00	Horizontal	Horizontal	N/A
2535.700	-43.08	10.24	-25.0	-18.08	210.00	Horizontal	Horizontal	N/A
2648.000	-22.35	9.83	-25.0	2.65	110.00	Horizontal	Horizontal	N/A
7804.500	-39.34	16.04	-25.0	-14.34	124.00	Horizontal	Horizontal	Pass
13381.049	-38.04	16.83	-25.0	-13.04	240.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.798	-58.46	4.94	-25.0	-33.46	300.00	Horizontal	Vertical	N/A
878.023	-30.86	4.76	-25.0	-5.86	131.00	Horizontal	Vertical	N/A
2652.900	-22.81	9.77	-25.0	2.19	107.00	Horizontal	Vertical	N/A
6653.500	-39.11	15.02	-25.0	-14.11	161.00	Horizontal	Vertical	Pass
13381.313	-38.61	16.83	-25.0	-13.61	348.00	Horizontal	Vertical	Pass
20217.600	-41.20	12.96	-25.0	-16.20	63.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
836.700	-60.30	4.94	-25.0	-35.30	164.00	Vertical	Vertical	N/A
875.598	-34.33	4.82	-25.0	-9.33	336.00	Vertical	Vertical	N/A
2660.800	-29.90	9.12	-25.0	-4.90	160.00	Vertical	Vertical	N/A
7858.500	-39.04	14.30	-25.0	-14.04	9.00	Vertical	Vertical	Pass
13804.987	-38.24	16.89	-25.0	-13.24	217.00	Vertical	Vertical	Pass
19645.198	-40.44	12.93	-25.0	-15.44	108.00	Vertical	Vertical	Pass


RSE-V&H DC_7A_n5A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
835.779	-61.66	4.90	-25.0	-36.66	319.00	Vertical	Horizontal	N/A
874.579	-39.76	4.87	-25.0	-14.76	125.00	Vertical	Horizontal	N/A
2662.100	-34.42	9.03	-25.0	-9.42	183.00	Vertical	Horizontal	N/A
6652.250	-38.58	15.07	-25.0	-13.58	360.00	Vertical	Horizontal	Pass
13809.188	-38.21	16.80	-25.0	-13.21	214.00	Vertical	Horizontal	Pass
18198.450	-40.43	12.86	-25.0	-15.43	203.00	Vertical	Horizontal	Pass


27.3 DC_7A_n5A BW20(LTE)+BW20(NR)

RSE-H&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
838.252	-62.27	5.00	-25.0	-37.27	52.00	Horizontal	Horizontal	N/A
875.985	-27.31	4.73	-25.0	-2.31	103.00	Horizontal	Horizontal	N/A
2662.100	-21.79	9.03	-25.0	3.21	114.00	Horizontal	Horizontal	N/A
6762.500	-39.06	14.35	-25.0	-14.06	308.00	Horizontal	Horizontal	Pass
13371.862	-38.73	16.75	-25.0	-13.73	177.00	Horizontal	Horizontal	Pass
19718.552	-40.79	12.94	-25.0	-15.79	118.00	Horizontal	Horizontal	Pass

RSE-H&V DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.865	-60.10	4.98	-25.0	-35.10	296.00	Horizontal	Vertical	N/A
875.209	-25.83	4.85	-25.0	-0.83	118.00	Horizontal	Vertical	N/A
2534.200	-42.66	10.25	-25.0	-17.66	58.00	Horizontal	Vertical	N/A
2655.500	-23.43	9.56	-25.0	1.57	110.00	Horizontal	Vertical	N/A
6654.000	-39.36	15.00	-25.0	-14.36	177.00	Horizontal	Vertical	Pass
13387.612	-37.92	16.89	-25.0	-12.92	75.00	Horizontal	Vertical	Pass

RSE-V&V DC_7A_n5A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
837.476	-61.42	4.97	-25.0	-36.42	15.00	Vertical	Vertical	N/A
875.840	-39.91	4.76	-25.0	-14.91	214.00	Vertical	Vertical	N/A
2662.800	-30.53	9.15	-25.0	-5.53	147.00	Vertical	Vertical	N/A
6702.500	-39.60	15.54	-25.0	-14.60	142.00	Vertical	Vertical	Pass
13335.375	-38.03	15.96	-25.0	-13.03	360.00	Vertical	Vertical	Pass
19678.050	-40.70	12.94	-25.0	-15.70	287.00	Vertical	Vertical	Pass

RSE-V&H DC_7A_n5A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
839.610	-60.66	5.05	-25.0	-35.66	327.00	Vertical	Horizontal	N/A
872.154	-39.69	4.97	-25.0	-14.69	83.00	Vertical	Horizontal	N/A
2535.500	-42.87	10.24	-25.0	-17.87	232.00	Vertical	Horizontal	N/A
2655.600	-34.13	9.55	-25.0	-9.13	189.00	Vertical	Horizontal	N/A
6631.500	-38.87	14.85	-25.0	-13.87	7.00	Vertical	Horizontal	Pass
13362.938	-38.39	16.66	-25.0	-13.39	49.00	Vertical	Horizontal	Pass

28 DC_26A_n41A


28.1 DC_26A_n41A BW15(LTE)+BW20(NR)

RSE-H&H DC_26A_n41A BW15(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-47.38	4.46	-25.0	-22.38	326.00	Horizontal	Horizontal	N/A
883.115	-33.50	4.99	-25.0	-8.50	98.00	Horizontal	Horizontal	N/A
2591.300	-38.65	10.39	-25.0	-13.65	154.00	Horizontal	Horizontal	N/A
4553.250	-45.17	9.28	-25.0	-20.17	130.00	Horizontal	Horizontal	Pass
6687.000	-39.09	14.52	-25.0	-14.09	289.00	Horizontal	Horizontal	Pass
13375.013	-38.12	16.78	-25.0	-13.12	325.00	Horizontal	Horizontal	Pass

RSE-H&V DC_26A_n41A BW15(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.769	-49.09	4.46	-25.0	-24.09	17.00	Horizontal	Vertical	N/A
883.115	-32.40	4.99	-25.0	-7.40	0.00	Horizontal	Vertical	N/A
2600.400	-42.90	10.46	-25.0	-17.90	80.00	Horizontal	Vertical	N/A
6647.250	-39.15	15.22	-25.0	-14.15	333.00	Horizontal	Vertical	Pass
13387.875	-38.78	16.90	-25.0	-13.78	360.00	Horizontal	Vertical	Pass
18028.474	-39.92	12.85	-25.0	-14.92	102.00	Horizontal	Vertical	Pass

RSE-V&V DC_26A_n41A BW15(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-53.06	4.46	-25.0	-28.06	165.00	Vertical	Vertical	N/A
878.604	-37.78	4.81	-25.0	-12.78	40.00	Vertical	Vertical	N/A
2051.300	-46.85	5.25	-25.0	-21.85	86.00	Vertical	Vertical	Pass
2591.300	-41.15	10.39	-25.0	-16.15	318.00	Vertical	Vertical	N/A
6739.250	-39.61	15.04	-25.0	-14.61	152.00	Vertical	Vertical	Pass
13819.688	-38.50	16.55	-25.0	-13.50	57.00	Vertical	Vertical	Pass


RSE-V&H DC_26A_n41A BW15(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-49.93	4.46	-25.0	-24.93	19.00	Vertical	Horizontal	N/A
879.769	-35.67	4.79	-25.0	-10.67	2.00	Vertical	Horizontal	N/A
2620.200	-42.70	10.41	-25.0	-17.70	13.00	Vertical	Horizontal	Pass
4358.000	-43.68	9.37	-25.0	-18.68	132.00	Vertical	Horizontal	Pass
6651.000	-39.10	15.07	-25.0	-14.10	16.00	Vertical	Horizontal	Pass
13346.662	-38.45	16.41	-25.0	-13.45	78.00	Vertical	Horizontal	Pass


28.2 DC_26A_n41A BW15(LTE)+BW60(NR)

RSE-H&H DC_26A_n41A BW15(LTE)+BW60(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-53.95	4.46	-25.0	-28.95	313.00	Horizontal	Horizontal	N/A
872.639	-36.81	4.88	-25.0	-11.81	1.00	Horizontal	Horizontal	N/A
2563.000	-27.91	10.18	-25.0	-2.91	154.00	Horizontal	Horizontal	N/A
2627.300	-28.23	10.05	-25.0	-3.23	154.00	Horizontal	Horizontal	N/A
6660.750	-39.21	14.74	-25.0	-14.21	186.00	Horizontal	Horizontal	Pass
13371.600	-37.75	16.74	-25.0	-12.75	168.00	Horizontal	Horizontal	Pass

RSE-H&V DC_26A_n41A BW15(LTE)+BW60(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.818	-56.59	4.46	-25.0	-31.59	14.00	Horizontal	Vertical	N/A
877.150	-37.20	4.67	-25.0	-12.20	0.00	Horizontal	Vertical	N/A
2559.100	-34.66	9.74	-25.0	-9.66	142.00	Horizontal	Vertical	N/A
2628.900	-33.77	9.64	-25.0	-8.77	216.00	Horizontal	Vertical	N/A
7789.250	-38.59	15.56	-25.0	-13.59	27.00	Horizontal	Vertical	Pass
13798.162	-38.77	16.89	-25.0	-13.77	190.00	Horizontal	Vertical	Pass

RSE-V&V DC_26A_n41A BW15(LTE)+BW60(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-52.66	4.46	-25.0	-27.66	188.00	Vertical	Vertical	N/A
882.582	-38.54	4.99	-25.0	-13.54	40.00	Vertical	Vertical	N/A
2558.300	-29.28	9.40	-25.0	-4.28	202.00	Vertical	Vertical	N/A
2630.000	-31.44	9.62	-25.0	-6.44	191.00	Vertical	Vertical	N/A
6684.250	-39.01	14.63	-25.0	-14.01	301.00	Vertical	Vertical	Pass
13367.925	-38.41	16.71	-25.0	-13.41	324.00	Vertical	Vertical	Pass


RSE-V&H DC_26A_n41A BW15(LTE)+BW60(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-53.77	4.46	-25.0	-28.77	96.00	Vertical	Horizontal	N/A
870.844	-38.10	4.99	-25.0	-13.10	12.00	Vertical	Horizontal	N/A
2560.600	-39.99	10.08	-25.0	-14.99	57.00	Vertical	Horizontal	N/A
2633.600	-39.16	9.46	-25.0	-14.16	93.00	Vertical	Horizontal	N/A
4124.750	-44.16	9.00	-25.0	-19.16	153.00	Vertical	Horizontal	Pass
13387.088	-37.95	16.89	-25.0	-12.95	235.00	Vertical	Horizontal	Pass


28.3 DC_26A_n41A BW15(LTE)+BW100(NR)

RSE-H&H DC_26A_n41A BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-43.88	4.46	-25.0	-18.88	321.00	Horizontal	Horizontal	N/A
882.873	-34.46	4.99	-25.0	-9.46	169.00	Horizontal	Horizontal	N/A
2559.400	-25.72	9.86	-25.0	-0.72	137.00	Horizontal	Horizontal	N/A
2632.900	-23.02	9.47	-25.0	1.98	156.00	Horizontal	Horizontal	N/A
6652.250	-38.50	15.07	-25.0	-13.50	280.00	Horizontal	Horizontal	Pass
13380.525	-37.95	16.83	-25.0	-12.95	123.00	Horizontal	Horizontal	Pass

RSE-H&V DC_26A_n41A BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.915	-50.24	4.46	-25.0	-25.24	354.00	Horizontal	Vertical	N/A
872.057	-32.37	4.98	-25.0	-7.37	167.00	Horizontal	Vertical	N/A
2561.100	-28.63	10.16	-25.0	-3.63	151.00	Horizontal	Vertical	N/A
2632.900	-27.93	9.47	-25.0	-2.93	241.00	Horizontal	Vertical	N/A
6764.750	-39.57	14.22	-25.0	-14.57	185.00	Horizontal	Vertical	Pass
13386.563	-38.16	16.88	-25.0	-13.16	117.00	Horizontal	Vertical	Pass

RSE-V&V DC_26A_n41A BW15(LTE)+BW100(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.866	-46.60	4.46	-25.0	-21.60	160.00	Vertical	Vertical	N/A
877.150	-29.29	4.67	-25.0	-4.29	345.00	Vertical	Vertical	N/A
2562.600	-24.98	10.18	-25.0	0.02	345.00	Vertical	Vertical	N/A
2627.100	-24.33	10.14	-25.0	0.67	83.00	Vertical	Vertical	N/A
6655.000	-38.70	14.97	-25.0	-13.70	244.00	Vertical	Vertical	Pass
13796.850	-38.31	16.80	-25.0	-13.31	244.00	Vertical	Vertical	Pass

RSE-V&H DC_26A_n41A BW15(LTE)+BW100(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
824.915	-46.29	4.46	-25.0	-21.29	68.00	Vertical	Horizontal	N/A
875.113	-29.41	4.86	-25.0	-4.41	199.00	Vertical	Horizontal	N/A
2559.100	-31.42	9.74	-25.0	-6.42	279.00	Vertical	Horizontal	N/A
2628.400	-30.14	9.75	-25.0	-5.14	211.00	Vertical	Horizontal	N/A
6678.000	-38.90	14.54	-25.0	-13.90	140.00	Vertical	Horizontal	Pass
13840.162	-37.87	16.07	-25.0	-12.87	284.00	Vertical	Horizontal	Pass

29 DC_66A_n7A

29.1 DC_66A_n7A BW20(LTE)+BW5(NR)

RSE-H&H DC_66A_n7A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.678	-67.36	-15.52	-25.0	-42.36	296.00	Horizontal	Horizontal	Pass
1736.700	-46.86	2.04	-25.0	-21.86	169.00	Horizontal	Horizontal	N/A
2138.200	-16.90	4.49	-25.0	8.10	120.00	Horizontal	Horizontal	N/A
2535.900	-41.51	8.31	-25.0	-16.51	114.00	Horizontal	Horizontal	N/A
2654.800	-19.92	9.08	-25.0	5.08	108.00	Horizontal	Horizontal	N/A
13390.763	-38.56	16.92	-25.0	-13.56	128.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n7A BW20(LTE)+BW5(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
146.836	-66.81	-22.28	-25.0	-41.81	322.00	Horizontal	Vertical	Pass
1736.700	-45.98	2.04	-25.0	-20.98	183.00	Horizontal	Vertical	N/A
2152.400	-17.80	3.73	-25.0	7.20	118.00	Horizontal	Vertical	N/A
2535.700	-43.46	8.31	-25.0	-18.46	216.00	Horizontal	Vertical	N/A
2654.200	-19.53	9.10	-25.0	5.47	99.00	Horizontal	Vertical	N/A
13369.763	-38.75	16.73	-25.0	-13.75	208.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n7A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
87.230	-62.98	-20.30	-25.0	-37.98	256.00	Vertical	Vertical	Pass
1736.900	-48.78	2.04	-25.0	-23.78	100.00	Vertical	Vertical	N/A
2152.200	-35.02	3.71	-25.0	-10.02	191.00	Vertical	Vertical	N/A
2536.100	-41.60	8.31	-25.0	-16.60	107.00	Vertical	Vertical	N/A
2654.600	-34.09	9.10	-25.0	-9.09	93.00	Vertical	Vertical	N/A
13393.651	-38.52	16.95	-25.0	-13.52	73.00	Vertical	Vertical	Pass


RSE-V&H DC_66A_n7A BW20(LTE)+BW5(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
88.054	-62.82	-20.09	-25.0	-37.82	297.00	Vertical	Horizontal	Pass
2137.400	-35.11	4.53	-25.0	-10.11	211.00	Vertical	Horizontal	N/A
2535.200	-43.10	8.32	-25.0	-18.10	353.00	Vertical	Horizontal	N/A
2654.300	-32.74	9.10	-25.0	-7.74	165.00	Vertical	Horizontal	N/A
6680.500	-39.22	14.54	-25.0	-14.22	252.00	Vertical	Horizontal	Pass
13344.300	-38.48	16.32	-25.0	-13.48	18.00	Vertical	Horizontal	Pass


29.2 DC_66A_n7A BW20(LTE)+BW15(NR)

RSE-H&H DC_66A_n7A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.921	-63.78	-15.49	-25.0	-38.78	289.00	Horizontal	Horizontal	Pass
1736.900	-46.50	2.04	-25.0	-21.50	191.00	Horizontal	Horizontal	N/A
2141.100	-18.40	4.46	-25.0	6.60	123.00	Horizontal	Horizontal	N/A
2537.800	-40.74	8.30	-25.0	-15.74	154.00	Horizontal	Horizontal	N/A
2649.500	-26.98	9.41	-25.0	-1.98	136.00	Horizontal	Horizontal	N/A
13820.213	-38.06	16.54	-25.0	-13.06	256.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n7A BW20(LTE)+BW15(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
159.738	-70.11	-19.54	-25.0	-45.11	304.00	Horizontal	Vertical	Pass
1736.700	-46.56	2.04	-25.0	-21.56	192.00	Horizontal	Vertical	N/A
2146.600	-19.91	4.28	-25.0	5.09	119.00	Horizontal	Vertical	N/A
2537.800	-44.40	8.30	-25.0	-19.40	230.00	Horizontal	Vertical	N/A
2649.400	-26.47	9.39	-25.0	-1.47	106.00	Horizontal	Vertical	N/A
13373.438	-37.97	16.76	-25.0	-12.97	316.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n7A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
34.219	-64.85	-23.13	-25.0	-39.85	360.00	Vertical	Vertical	Pass
1736.500	-49.05	2.04	-25.0	-24.05	99.00	Vertical	Vertical	N/A
2151.600	-31.75	3.92	-25.0	-6.75	203.00	Vertical	Vertical	N/A
2535.400	-44.36	8.32	-25.0	-19.36	197.00	Vertical	Vertical	N/A
2651.500	-33.41	9.36	-25.0	-8.41	145.00	Vertical	Vertical	N/A
13344.037	-38.42	16.31	-25.0	-13.42	71.00	Vertical	Vertical	Pass


RSE-V&H DC_66A_n7A BW20(LTE)+BW15(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
86.842	-63.60	-20.41	-25.0	-38.60	324.00	Vertical	Horizontal	Pass
2143.700	-37.02	4.46	-25.0	-12.02	170.00	Vertical	Horizontal	N/A
2651.400	-39.40	9.36	-25.0	-14.40	196.00	Vertical	Horizontal	N/A
7785.250	-38.97	15.47	-25.0	-13.97	220.00	Vertical	Horizontal	Pass
13380.263	-38.18	16.82	-25.0	-13.18	289.00	Vertical	Horizontal	Pass
19764.900	-39.77	12.94	-25.0	-14.77	363.00	Vertical	Horizontal	Pass


29.3 DC_66A_n7A BW20(LTE)+BW20(NR)

RSE-H&H DC_66A_n7A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
203.824	-65.83	-15.50	-25.0	-40.83	296.00	Horizontal	Horizontal	Pass
1736.900	-45.33	2.04	-25.0	-20.33	1.00	Horizontal	Horizontal	N/A
2149.800	-18.17	4.07	-25.0	6.83	127.00	Horizontal	Horizontal	N/A
2539.100	-44.33	8.29	-25.0	-19.33	167.00	Horizontal	Horizontal	N/A
2647.200	-24.89	9.26	-25.0	0.11	186.00	Horizontal	Horizontal	N/A
13425.150	-38.48	16.46	-25.0	-13.48	174.00	Horizontal	Horizontal	Pass

RSE-H&V DC_66A_n7A BW20(LTE)+BW20(NR)




Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
147.224	-69.74	-22.24	-25.0	-44.74	174.00	Horizontal	Vertical	Pass
1736.900	-45.74	2.04	-25.0	-20.74	185.00	Horizontal	Vertical	N/A
2141.000	-20.71	4.45	-25.0	4.29	113.00	Horizontal	Vertical	N/A
2646.600	-28.62	9.26	-25.0	-3.62	100.00	Horizontal	Vertical	N/A
7055.750	-39.19	14.14	-25.0	-14.19	327.00	Horizontal	Vertical	Pass
13359.787	-37.68	16.63	-25.0	-12.68	62.00	Horizontal	Vertical	Pass

RSE-V&V DC_66A_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
86.891	-68.94	-20.39	-25.0	-43.94	276.00	Vertical	Vertical	Pass
1736.600	-48.66	2.04	-25.0	-23.66	142.00	Vertical	Vertical	N/A
2142.100	-30.78	4.40	-25.0	-5.78	209.00	Vertical	Vertical	N/A
2647.300	-33.33	9.28	-25.0	-8.33	136.00	Vertical	Vertical	N/A
6643.750	-39.32	15.13	-25.0	-14.32	13.00	Vertical	Vertical	Pass
13388.662	-38.94	16.90	-25.0	-13.94	29.00	Vertical	Vertical	Pass

RSE-V&H DC_66A_n7A BW20(LTE)+BW20(NR)



Frequency (MHz)	Result (dBm)	Factor (dB)	PK Limit (dBm)	Over Limit (dB)	Table (o)	ANT	EUT	Verdict
86.600	-66.65	-20.48	-25.0	-41.65	290.00	Vertical	Horizontal	Pass
1736.900	-47.01	2.04	-25.0	-22.01	347.00	Vertical	Horizontal	N/A
2143.100	-35.20	4.34	-25.0	-10.20	219.00	Vertical	Horizontal	N/A
2646.600	-39.16	9.26	-25.0	-14.16	186.00	Vertical	Horizontal	N/A
6643.750	-39.02	15.13	-25.0	-14.02	231.00	Vertical	Horizontal	Pass
13393.125	-38.13	16.95	-25.0	-13.13	35.00	Vertical	Horizontal	Pass