



Spectrum Plot


64QAM-26815



64QAM-26915




64QAM-27015




LTE Band 26_10M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26840	829	8.9584	26840	829	9.966
26915	836.5	8.9875	26915	836.5	9.968
26990	844	8.9731	26990	844	10.01
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26840	829	8.9676	26840	829	9.918
26915	836.5	8.9874	26915	836.5	9.837
26990	844	8.9585	26990	844	9.840
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26840	829	8.9746	26840	829	9.880
26915	836.5	8.9738	26915	836.5	9.869
26990	844	8.9631	26990	844	9.834

Spectrum Plot

QPSK-26840




QPSK-26915




QPSK-26990




16QAM-26840



16QAM-26915




16QAM-26990




Spectrum Plot


64QAM-26840



64QAM-26915




64QAM-26990




LTE Band 26_15M					
QPSK					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26865	831.5	13.462	26865	831.5	14.62
26915	836.5	13.458	26915	836.5	14.69
26965	841.5	13.463	26965	841.5	14.65
16QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26865	831.5	13.458	26865	831.5	14.74
26915	836.5	13.455	26915	836.5	14.67
26965	841.5	13.437	26965	841.5	14.72
64QAM					
Channel	Frequency (MHz)	99% Occupied Bandwidth (MHz)	Channel	Frequency (MHz)	26dB Bandwidth (MHz)
26865	831.5	13.458	26865	831.5	14.67
26915	836.5	13.468	26915	836.5	14.63
26965	841.5	13.427	26965	841.5	14.73

Spectrum Plot

QPSK-26865




QPSK-26915




QPSK-26965




16QAM-26865



16QAM-26915




16QAM-26965




Spectrum Plot


64QAM-26865




64QAM-26915





64QAM-26965





APPENDIX C - CONDUCTED SPURIOUS EMISSIONS





















APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode	TX Mode
-----------	---------


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		0.0182	45.61	13.78	59.39	122.40	-63.01	AVG		
2	*	0.0451	39.25	12.55	51.80	114.52	-62.72	AVG		
3		0.0901	28.47	12.66	41.13	108.51	-67.38	AVG		

Test Mode	TX Mode
-----------	---------


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		0.3997	30.57	12.26	42.83	95.57	-52.74	AVG		
2		0.7793	31.64	11.89	43.53	69.77	-26.24	QP		
3	*	2.2250	35.22	11.20	46.42	69.54	-23.12	QP		

Test Mode	TX Mode
-----------	---------


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	0.0186	44.13	13.65	57.78	122.21	-64.43	AVG		
2		0.0421	36.72	12.63	49.35	115.12	-65.77	AVG		
3		0.0881	29.03	12.65	41.68	108.71	-67.03	AVG		

Test Mode	TX Mode
-----------	---------

Ant 90°




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		0.3133	31.25	12.48	43.73	97.69	-53.96	AVG		
2		0.7550	28.64	11.90	40.54	70.05	-29.51	QP		
3	*	2.1668	29.16	11.22	40.38	69.54	-29.16	QP		

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1000MHZ)


Test Mode	GSM850_TX CH190_GSM_Main Antenna
-----------	----------------------------------

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		90.6250	-66.73	-6.08	-72.81	-13.00	-59.81	peak	
2		157.5550	-65.89	-1.39	-67.28	-13.00	-54.28	peak	
3		205.5700	-65.61	-5.45	-71.06	-13.00	-58.06	peak	
4		455.8300	-78.19	2.00	-76.19	-13.00	-63.19	peak	
5		625.0950	-76.64	4.78	-71.86	-13.00	-58.86	peak	
6	*	948.1050	-76.17	9.67	-66.50	-13.00	-53.50	peak	


Test Mode	GSM850_ TX CH190_GSM_Main Antenna
-----------	-----------------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		110.0250	-69.64	-4.64	-74.28	-13.00	-61.28	peak	
2		159.9800	-69.46	-1.08	-70.54	-13.00	-57.54	peak	
3		207.0250	-62.94	-5.50	-68.44	-13.00	-55.44	peak	
4		313.7250	-71.40	-1.19	-72.59	-13.00	-59.59	peak	
5		625.0950	-76.97	4.78	-72.19	-13.00	-59.19	peak	
6	*	948.1050	-73.60	9.67	-63.93	-13.00	-50.93	peak	

Test Mode	GSM850_TX CH190_GSM_Second Antenna
-----------	------------------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		46.0050	-60.52	-4.38	-64.90	-13.00	-51.90	peak	
2	*	64.9200	-52.96	-5.26	-58.22	-13.00	-45.22	peak	
3		127.4850	-66.47	-3.15	-69.62	-13.00	-56.62	peak	
4		180.8350	-64.62	-3.31	-67.93	-13.00	-54.93	peak	
5		507.7250	-66.36	2.40	-63.96	-13.00	-50.96	peak	
6		948.1050	-75.44	9.67	-65.77	-13.00	-52.77	peak	

Test Mode	GSM850_ TX CH190_GSM_Second Antenna
-----------	-------------------------------------

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		91.1100	-65.64	-6.02	-71.66	-13.00	-58.66	peak	
2		141.5500	-68.08	-2.87	-70.95	-13.00	-57.95	peak	
3		205.0850	-62.72	-5.42	-68.14	-13.00	-55.14	peak	
4		318.0900	-70.46	-1.12	-71.58	-13.00	-58.58	peak	
5		625.0950	-76.16	4.78	-71.38	-13.00	-58.38	peak	
6	*	948.1050	-75.90	9.67	-66.23	-13.00	-53.23	peak	

Test Mode	WCDMA Band V_TX CH4182_Main Antenna
-----------	-------------------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		48.9150	-66.57	-4.17	-70.74	-13.00	-57.74	peak	
2		78.5000	-62.68	-7.86	-70.54	-13.00	-57.54	peak	
3	*	169.1950	-66.74	-2.38	-69.12	-13.00	-56.12	peak	
4		205.0850	-65.94	-5.42	-71.36	-13.00	-58.36	peak	
5		317.1200	-78.09	-1.14	-79.23	-13.00	-66.23	peak	
6		625.0950	-76.62	4.78	-71.84	-13.00	-58.84	peak	

Test Mode	WCDMA Band V_TX CH4182_Main Antenna
-----------	-------------------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		111.4800	-69.55	-4.41	-73.96	-13.00	-60.96	peak	
2		141.0650	-68.85	-2.90	-71.75	-13.00	-58.75	peak	
3	*	205.0850	-63.30	-5.42	-68.72	-13.00	-55.72	peak	
4		241.4600	-68.56	-3.95	-72.51	-13.00	-59.51	peak	
5		317.6050	-71.14	-1.13	-72.27	-13.00	-59.27	peak	
6		625.0950	-77.45	4.78	-72.67	-13.00	-59.67	peak	


Test Mode	WCDMA Band V_TX CH4182_Second Antenna
-----------	---------------------------------------

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		50.3700	-69.51	-3.97	-73.48	-13.00	-60.48	peak	
2		101.2950	-67.79	-5.24	-73.03	-13.00	-60.03	peak	
3	*	157.0700	-65.21	-1.46	-66.67	-13.00	-53.67	peak	
4		205.5700	-65.00	-5.45	-70.45	-13.00	-57.45	peak	
5		436.9150	-72.29	1.59	-70.70	-13.00	-57.70	peak	
6		625.0950	-76.71	4.78	-71.93	-13.00	-58.93	peak	


Test Mode	WCDMA Band V_TX CH4182_Second Antenna
-----------	---------------------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		109.5400	-69.78	-4.67	-74.45	-13.00	-61.45	peak	
2		156.5850	-69.37	-1.52	-70.89	-13.00	-57.89	peak	
3		205.0850	-62.75	-5.42	-68.17	-13.00	-55.17	peak	
4		319.0600	-71.61	-1.11	-72.72	-13.00	-59.72	peak	
5		625.0950	-76.70	4.78	-71.92	-13.00	-58.92	peak	
6	*	948.1050	-75.58	9.67	-65.91	-13.00	-52.91	peak	

Test Mode	LTE Band 5_TX CH20525_1.4M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		76.0750	-56.73	-7.44	-64.17	-13.00	-51.17	peak	
2	*	156.1000	-61.87	-1.59	-63.46	-13.00	-50.46	peak	
3		178.4100	-64.24	-3.08	-67.32	-13.00	-54.32	peak	
4		299.1750	-72.94	-1.44	-74.38	-13.00	-61.38	peak	
5		455.8300	-78.44	2.00	-76.44	-13.00	-63.44	peak	
6		638.6750	-69.02	5.08	-63.94	-13.00	-50.94	peak	

Test Mode	LTE Band 5_TX CH20525_1.4M_Main Antenna
-----------	---


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		117.7850	-65.55	-3.48	-69.03	-13.00	-56.03	peak	
2	*	152.2200	-66.39	-2.08	-68.47	-13.00	-55.47	peak	
3		201.2050	-65.85	-5.26	-71.11	-13.00	-58.11	peak	
4		299.1750	-67.28	-1.44	-68.72	-13.00	-55.72	peak	
5		316.6350	-72.33	-1.15	-73.48	-13.00	-60.48	peak	
6		452.9200	-78.29	1.97	-76.32	-13.00	-63.32	peak	

Test Mode	LTE Band 5_TX CH20525_5M_Main Antenna
-----------	---------------------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		87.2300	-56.66	-6.70	-63.36	-13.00	-50.36	peak	
2		153.1900	-62.95	-1.97	-64.92	-13.00	-51.92	peak	
3	*	167.2550	-60.55	-2.10	-62.65	-13.00	-49.65	peak	
4		185.6850	-63.55	-3.95	-67.50	-13.00	-54.50	peak	
5		250.1900	-71.74	-3.69	-75.43	-13.00	-62.43	peak	
6		299.1750	-73.81	-1.44	-75.25	-13.00	-62.25	peak	

Test Mode LTE Band 5_TX CH20525_5M_Main Antenna


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	116.3300	-64.93	-3.69	-68.62	-13.00	-55.62	peak	
2		151.7350	-66.79	-2.14	-68.93	-13.00	-55.93	peak	
3		200.7200	-65.13	-5.25	-70.38	-13.00	-57.38	peak	
4		299.1750	-67.40	-1.44	-68.84	-13.00	-55.84	peak	
5		316.6350	-72.67	-1.15	-73.82	-13.00	-60.82	peak	
6		358.8300	-75.60	-0.41	-76.01	-13.00	-63.01	peak	


Test Mode LTE Band 5_TX CH20525_10M_Main Antenna

Vertical




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	87.2300	-56.67	-6.70	-63.37	-13.00	-50.37	peak	
2		105.1750	-60.42	-4.97	-65.39	-13.00	-52.39	peak	
3		159.4950	-63.84	-1.15	-64.99	-13.00	-51.99	peak	
4		185.2000	-63.66	-3.88	-67.54	-13.00	-54.54	peak	
5		299.1750	-73.90	-1.44	-75.34	-13.00	-62.34	peak	
6		455.8300	-77.25	2.00	-75.25	-13.00	-62.25	peak	

Test Mode	LTE Band 5_TX CH20525_10M_Main Antenna
-----------	--




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		106.6300	-63.44	-4.87	-68.31	-13.00	-55.31	peak	
2		152.2200	-66.32	-2.08	-68.40	-13.00	-55.40	peak	
3		203.1450	-65.06	-5.35	-70.41	-13.00	-57.41	peak	
4	*	299.1750	-66.38	-1.44	-67.82	-13.00	-54.82	peak	
5		316.6350	-72.80	-1.15	-73.95	-13.00	-60.95	peak	
6		455.8300	-77.50	2.00	-75.50	-13.00	-62.50	peak	

Test Mode	LTE Band 5_TX CH20525_1.4M_Second Antenna
-----------	---



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	157.0700	-65.04	-1.46	-66.50	-13.00	-53.50	peak	
2		181.3200	-66.29	-3.36	-69.65	-13.00	-56.65	peak	
3		205.0850	-65.72	-5.42	-71.14	-13.00	-58.14	peak	
4		255.0400	-70.44	-3.17	-73.61	-13.00	-60.61	peak	
5		749.2550	-76.43	6.38	-70.05	-13.00	-57.05	peak	
6		948.1050	-76.51	9.67	-66.84	-13.00	-53.84	peak	


Test Mode	LTE Band 5_TX CH20525_1.4M_Second Antenna
-----------	---



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		143.9750	-70.28	-2.73	-73.01	-13.00	-60.01	peak	
2		207.5100	-63.24	-5.53	-68.77	-13.00	-55.77	peak	
3		321.4850	-71.49	-1.07	-72.56	-13.00	-59.56	peak	
4		617.8200	-76.02	4.62	-71.40	-13.00	-58.40	peak	
5		786.6000	-78.87	6.88	-71.99	-13.00	-58.99	peak	
6	*	922.4000	-75.08	9.01	-66.07	-13.00	-53.07	peak	

Test Mode LTE Band 5_TX CH20525_5M_Second Antenna


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		115.8450	-69.34	-3.76	-73.10	-13.00	-60.10	peak	
2	*	159.9800	-67.36	-1.08	-68.44	-13.00	-55.44	peak	
3		181.3200	-65.81	-3.36	-69.17	-13.00	-56.17	peak	
4		205.5700	-65.43	-5.45	-70.88	-13.00	-57.88	peak	
5		455.8300	-77.74	2.00	-75.74	-13.00	-62.74	peak	
6		625.0950	-76.55	4.78	-71.77	-13.00	-58.77	peak	

Test Mode	LTE Band 5_TX CH20525_5M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		159.4950	-70.12	-1.15	-71.27	-13.00	-58.27	peak	
2		206.5400	-63.85	-5.50	-69.35	-13.00	-56.35	peak	
3		310.3300	-71.53	-1.24	-72.77	-13.00	-59.77	peak	
4		433.0350	-74.67	1.48	-73.19	-13.00	-60.19	peak	
5		625.0950	-77.71	4.78	-72.93	-13.00	-59.93	peak	
6	*	948.1050	-76.57	9.67	-66.90	-13.00	-53.90	peak	

Test Mode	LTE Band 5_TX CH20525_10M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1	*	70.2550	-58.06	-6.36	-64.42	-13.00	-51.42	peak	
2		122.6350	-62.80	-3.15	-65.95	-13.00	-52.95	peak	
3		159.9800	-66.95	-1.08	-68.03	-13.00	-55.03	peak	
4		546.5250	-74.22	2.75	-71.47	-13.00	-58.47	peak	
5		766.2300	-77.54	6.61	-70.93	-13.00	-57.93	peak	
6		948.1050	-77.16	9.67	-67.49	-13.00	-54.49	peak	

Test Mode	LTE Band 5_TX CH20525_10M_Second Antenna
-----------	--


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		143.9750	-69.70	-2.73	-72.43	-13.00	-59.43	peak	
2		206.0550	-63.72	-5.47	-69.19	-13.00	-56.19	peak	
3		321.0000	-71.32	-1.08	-72.40	-13.00	-59.40	peak	
4		455.8300	-78.11	2.00	-76.11	-13.00	-63.11	peak	
5		625.0950	-77.00	4.78	-72.22	-13.00	-59.22	peak	
6	*	948.1050	-75.98	9.67	-66.31	-13.00	-53.31	peak	

Test Mode	LTE Band 26_TX CH26915_1.4M_Main Antenna
-----------	--


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.5300	-65.24	-7.70	-72.94	-13.00	-59.94	peak	
2		101.2950	-66.66	-5.24	-71.90	-13.00	-58.90	peak	
3		160.4650	-65.18	-1.15	-66.33	-13.00	-53.33	peak	
4		181.3200	-62.15	-3.36	-65.51	-13.00	-52.51	peak	
5		265.7100	-69.79	-2.87	-72.66	-13.00	-59.66	peak	
6	*	699.3000	-66.26	6.00	-60.26	-13.00	-47.26	peak	

Test Mode	LTE Band 26_TX CH26915_1.4M_Main Antenna
-----------	--

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		71.7100	-70.16	-6.64	-76.80	-13.00	-63.80	peak	
2		111.9650	-70.96	-4.34	-75.30	-13.00	-62.30	peak	
3	*	151.2500	-69.83	-2.21	-72.04	-13.00	-59.04	peak	
4		203.1450	-68.07	-5.35	-73.42	-13.00	-60.42	peak	
5		241.9450	-72.50	-3.94	-76.44	-13.00	-63.44	peak	
6		320.5150	-73.46	-1.08	-74.54	-13.00	-61.54	peak	

Test Mode	LTE Band 26_TX CH26915_5M_Main Antenna
-----------	--

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	83.8350	-57.03	-7.39	-64.42	-13.00	-51.42	peak	
2		95.9600	-66.35	-5.61	-71.96	-13.00	-58.96	peak	
3		159.9800	-65.08	-1.08	-66.16	-13.00	-53.16	peak	
4		181.3200	-63.40	-3.36	-66.76	-13.00	-53.76	peak	
5		265.7100	-73.52	-2.87	-76.39	-13.00	-63.39	peak	
6		455.8300	-78.63	2.00	-76.63	-13.00	-63.63	peak	

Test Mode	LTE Band 26_TX CH26915_5M_Main Antenna
-----------	--


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		71.7100	-69.99	-6.64	-76.63	-13.00	-63.63	peak	
2		112.4500	-71.28	-4.27	-75.55	-13.00	-62.55	peak	
3	*	159.9800	-70.59	-1.08	-71.67	-13.00	-58.67	peak	
4		203.1450	-68.31	-5.35	-73.66	-13.00	-60.66	peak	
5		311.7850	-72.76	-1.22	-73.98	-13.00	-60.98	peak	
6		426.7300	-78.09	1.32	-76.77	-13.00	-63.77	peak	


Test Mode	LTE Band 26_TX CH26915_15M_Main Antenna
-----------	---

Vertical




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		72.6800	-64.63	-6.83	-71.46	-13.00	-58.46	peak	
2		96.9300	-65.28	-5.54	-70.82	-13.00	-57.82	peak	
3		158.0400	-65.49	-1.34	-66.83	-13.00	-53.83	peak	
4	*	181.3200	-63.19	-3.36	-66.55	-13.00	-53.55	peak	
5		265.7100	-72.46	-2.87	-75.33	-13.00	-62.33	peak	
6		516.4550	-75.07	2.47	-72.60	-13.00	-59.60	peak	

Test Mode	LTE Band 26_TX CH26915_15M_Main Antenna
-----------	---




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		71.7100	-70.16	-6.64	-76.80	-13.00	-63.80	peak	
2		111.4800	-70.70	-4.41	-75.11	-13.00	-62.11	peak	
3	*	143.9750	-69.30	-2.73	-72.03	-13.00	-59.03	peak	
4		204.6000	-67.92	-5.41	-73.33	-13.00	-60.33	peak	
5		317.6050	-73.59	-1.13	-74.72	-13.00	-61.72	peak	
6		455.8300	-78.50	2.00	-76.50	-13.00	-63.50	peak	

Test Mode	LTE Band 26_TX CH26915_1.4M_Second Antenna
-----------	--



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		116.3300	-69.51	-3.69	-73.20	-13.00	-60.20	peak	
2		169.1950	-64.31	-2.38	-66.69	-13.00	-53.69	peak	
3		455.8300	-78.22	2.00	-76.22	-13.00	-63.22	peak	
4		625.0950	-76.83	4.78	-72.05	-13.00	-59.05	peak	
5		859.8350	-79.46	7.97	-71.49	-13.00	-58.49	peak	
6	*	948.1050	-75.34	9.67	-65.67	-13.00	-52.67	peak	


Test Mode	LTE Band 26_TX CH26915_1.4M_Second Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		169.1950	-69.15	-2.38	-71.53	-13.00	-58.53	peak	
2		206.5400	-63.11	-5.50	-68.61	-13.00	-55.61	peak	
3		321.9700	-71.40	-1.06	-72.46	-13.00	-59.46	peak	
4		625.0950	-76.76	4.78	-71.98	-13.00	-58.98	peak	
5		848.1950	-78.95	7.82	-71.13	-13.00	-58.13	peak	
6	*	948.1050	-77.39	9.67	-67.72	-13.00	-54.72	peak	


Test Mode	LTE Band 26_TX CH26915_5M_Second Antenna
-----------	--

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	91.1100	-58.16	-6.02	-64.18	-13.00	-51.18	peak	
2		181.3200	-63.64	-3.36	-67.00	-13.00	-54.00	peak	
3		262.3150	-74.34	-2.73	-77.07	-13.00	-64.07	peak	
4		353.9800	-70.38	-0.52	-70.90	-13.00	-57.90	peak	
5		625.0950	-76.57	4.78	-71.79	-13.00	-58.79	peak	
6		948.1050	-76.36	9.67	-66.69	-13.00	-53.69	peak	


Test Mode	LTE Band 26_TX CH26915_5M_Second Antenna
-----------	--



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		169.1950	-69.92	-2.38	-72.30	-13.00	-59.30	peak	
2		207.5100	-63.84	-5.53	-69.37	-13.00	-56.37	peak	
3		321.9700	-71.53	-1.06	-72.59	-13.00	-59.59	peak	
4		455.8300	-78.19	2.00	-76.19	-13.00	-63.19	peak	
5	*	630.9150	-68.89	4.91	-63.98	-13.00	-50.98	peak	
6		948.1050	-75.02	9.67	-65.35	-13.00	-52.35	peak	

Test Mode	LTE Band 26_TX CH26915_15M_Second Antenna
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		115.3600	-70.43	-3.84	-74.27	-13.00	-61.27	peak	
2		159.0100	-67.49	-1.21	-68.70	-13.00	-55.70	peak	
3		313.2400	-76.50	-1.20	-77.70	-13.00	-64.70	peak	
4		607.1500	-75.37	4.40	-70.97	-13.00	-57.97	peak	
5		779.8100	-74.88	6.79	-68.09	-13.00	-55.09	peak	
6	*	948.1050	-75.83	9.67	-66.16	-13.00	-53.16	peak	

Test Mode	LTE Band 26_TX CH26915_15M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		159.9800	-69.79	-1.08	-70.87	-13.00	-57.87	peak	
2		207.0250	-64.11	-5.50	-69.61	-13.00	-56.61	peak	
3		321.0000	-71.50	-1.08	-72.58	-13.00	-59.58	peak	
4		625.0950	-77.39	4.78	-72.61	-13.00	-59.61	peak	
5		824.9150	-78.22	7.46	-70.76	-13.00	-57.76	peak	
6	*	948.1050	-77.14	9.67	-67.47	-13.00	-54.47	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1000MHZ)


Test Mode	GSM850_ TX CH190_GSM_Main Antenna
-----------	-----------------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	14413.00	-68.96	29.92	-39.04	-13.00	-26.04	peak	

Test Mode	GSM850_ TX CH190_GSM_Main Antenna
-----------	-----------------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14421.50	-68.55	29.91	-38.64	-13.00	-25.64	peak	


Test Mode	GSM850_ TX CH190_GSM_Second Antenna
-----------	-------------------------------------

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14090.00	-69.57	30.14	-39.43	-13.00	-26.43	peak	


Test Mode	GSM850_ TX CH190_GSM_Second Antenna
-----------	-------------------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14370.50	-68.70	29.95	-38.75	-13.00	-25.75	peak	

Test Mode	WCDMA Band V_TX CH4182_Main Antenna
-----------	-------------------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14472.50	-68.92	29.88	-39.04	-13.00	-26.04	peak	


Test Mode	WCDMA Band V_TX CH4182_Main Antenna
-----------	-------------------------------------

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14447.00	-69.72	29.90	-39.82	-13.00	-26.82	peak	

Test Mode	WCDMA Band V_TX CH4182_Second Antenna
-----------	---------------------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	13750.00	-68.10	29.33	-38.77	-13.00	-25.77	peak	


Test Mode	WCDMA Band V_TX CH4182_Second Antenna
-----------	---------------------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13801.00	-68.97	29.50	-39.47	-13.00	-26.47	peak	

Test Mode	LTE Band 5_TX CH20525_1.4M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14574.50	-68.55	29.59	-38.96	-13.00	-25.96	peak	

Test Mode LTE Band 5_TX CH20525_1.4M_Main Antenna


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14557.50	-68.16	29.64	-38.52	-13.00	-25.52	peak	

Test Mode LTE Band 5_TX CH20525_5M_Main Antenna


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14455.50	-69.29	29.89	-39.40	-13.00	-26.40	peak	

Test Mode	LTE Band 5_TX CH20525_5M_Main Antenna
-----------	---------------------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14489.50	-68.56	29.86	-38.70	-13.00	-25.70	peak	

Test Mode	LTE Band 5_TX CH20525_10M_Main Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	13988.00	-69.39	30.17	-39.22	-13.00	-26.22	peak	


Test Mode	LTE Band 5_TX CH20525_10M_Main Antenna
-----------	--

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14438.50	-68.33	29.90	-38.43	-13.00	-25.43	peak	


Test Mode	LTE Band 5_TX CH20525_1.4M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14455.50	-68.87	29.89	-38.98	-13.00	-25.98	peak	

Test Mode	LTE Band 5_TX CH20525_1.4M_Second Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14336.50	-68.78	29.98	-38.80	-13.00	-25.80	peak	


Test Mode LTE Band 5_TX CH20525_5M_Second Antenna

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14404.50	-68.93	29.93	-39.00	-13.00	-26.00	peak	


Test Mode	LTE Band 5_TX CH20525_5M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14532.00	-68.78	29.74	-39.04	-13.00	-26.04	peak	

Test Mode	LTE Band 5_TX CH20525_10M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14251.50	-69.57	30.03	-39.54	-13.00	-26.54	peak	

Test Mode	LTE Band 5_TX CH20525_10M_Second Antenna
-----------	--


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14455.50	-68.85	29.89	-38.96	-13.00	-25.96	peak	


Test Mode	LTE Band 26_TX CH26915_1.4M_Main Antenna
-----------	--

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14498.00	-69.09	29.86	-39.23	-13.00	-26.23	peak	

Test Mode	LTE Band 26_TX CH26915_1.4M_Main Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14362.00	-69.23	29.96	-39.27	-13.00	-26.27	peak	


Test Mode	LTE Band 26_TX CH26915_5M_Main Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	13775.50	-68.47	29.41	-39.06	-13.00	-26.06	peak	

Test Mode	LTE Band 26_TX CH26915_5M_Main Antenna
-----------	--


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14549.00	-68.71	29.68	-39.03	-13.00	-26.03	peak	

Test Mode	LTE Band 26_TX CH26915_15M_Main Antenna
-----------	---


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14243.00	-68.92	30.04	-38.88	-13.00	-25.88	peak	

Test Mode	LTE Band 26_TX CH26915_15M_Main Antenna
-----------	---


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	13894.50	-69.14	29.84	-39.30	-13.00	-26.30	peak	

Test Mode	LTE Band 26_TX CH26915_1.4M_Second Antenna
-----------	--


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14583.00	-69.11	29.56	-39.55	-13.00	-26.55	peak	


Test Mode	LTE Band 26_TX CH26915_1.4M_Second Antenna
-----------	--

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14515.00	-69.11	29.81	-39.30	-13.00	-26.30	peak	


Test Mode	LTE Band 26_TX CH26915_5M_Second Antenna
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14549.00	-69.11	29.68	-39.43	-13.00	-26.43	peak	


Test Mode	LTE Band 26_TX CH26915_5M_Second Antenna
-----------	--

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14498.00	-68.92	29.86	-39.06	-13.00	-26.06	peak	

Test Mode	LTE Band 26_TX CH26915_15M_Second Antenna
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14566.00	-68.75	29.62	-39.13	-13.00	-26.13	peak	


Test Mode	LTE Band 26_TX CH26915_15M_Second Antenna
-----------	---




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	14404.50	-68.71	29.93	-38.78	-13.00	-25.78	peak	

APPENDIX G - BAND EDGE

GSM850_GSM Spectrum Plot




GSM850_EDGE Spectrum Plot



WCDMA Band V_WCDMA Spectrum Plot



WCDMA Band V_HSDPA Spectrum Plot



WCDMA Band V_HSUPA Spectrum Plot

