



No. I22N02158-RF-NR

n25, 20MHz Bandwidth, CP-16QAM (PAPR)



n25, 20MHz Bandwidth, CP-64QAM (PAPR)





No. I22N02158-RF-NR

n25, 20MHz Bandwidth, CP-256QAM (PAPR)






No. I22N02158-RF-NR


n38,40MHz

Frequency (MHz)	PAPR (dB)							
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM	DFT-s-64QAM	DFT-s-256QAM	CP-QPSK	CP-16QAM	CP-64QAM
2595	4.22	5.22	5.91	6.11	6.23	7.27	7.33	7.70

n38, 40MHz Bandwidth, DFT-s-pi/2 BPSK (PAPR)




n38, 40MHz Bandwidth, DFT-s-QPSK (PAPR)






No. I22N02158-RF-NR

n38, 40MHz Bandwidth, DFT-s-16QAM (PAPR)




n38, 40MHz Bandwidth, DFT-s-64QAM (PAPR)






No. I22N02158-RF-NR

n38, 40MHz Bandwidth, DFT-s-256QAM (PAPR)




n38, 40MHz Bandwidth, CP-QPSK (PAPR)






No. I22N02158-RF-NR

n38, 40MHz Bandwidth, CP-16QAM (PAPR)




n38, 40MHz Bandwidth, CP-64QAM (PAPR)





No. I22N02158-RF-NR

n38, 40MHz Bandwidth, CP-256QAM (PAPR)






No. I22N02158-RF-NR


n41, 100MHz

Frequency (MHz)	PAPR (dB)							
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM	DFT-s-64QAM	DFT-s-256QAM	CP-QPSK	CP-16QAM	CP-64QAM
2592.99	4.47	5.10	5.81	6.01	6.28	7.15	7.20	7.40

n41, 100MHz Bandwidth, DFT-s-pi/2 BPSK (PAPR)




n41, 100MHz Bandwidth, DFT-s-QPSK (PAPR)






No. I22N02158-RF-NR

n41, 100MHz Bandwidth, DFT-s-16QAM (PAPR)




n41, 100MHz Bandwidth, DFT-s-64QAM (PAPR)






No. I22N02158-RF-NR

n41, 100MHz Bandwidth, DFT-s-256QAM (PAPR)




n41, 100MHz Bandwidth, CP-QPSK (PAPR)






No. I22N02158-RF-NR

n41, 100MHz Bandwidth, CP-16QAM (PAPR)




n41, 100MHz Bandwidth, CP-64QAM (PAPR)





No. I22N02158-RF-NR

n41, 100MHz Bandwidth, CP-256QAM (PAPR)






No. I22N02158-RF-NR


DC_5A-n66A,20MHz

Frequency (MHz)	PAPR (dB)							
	DFT-s-pi/2 BPSK	DFT-s-QPSK	DFT-s-16QAM	DFT-s-64QAM	DFT-s-256QAM	CP-QPSK	CP-16QAM	CP-64QAM
1745	4.38	5.54	6.26	6.34	6.66	8.14	8.20	8.18

DC_5A-n66A,20MHz Bandwidth, DFT-s-pi/2 BPSK (PAPR)



DC_5A-n66A,20MHz Bandwidth, DFT-s-QPSK (PAPR)





No. I22N02158-RF-NR

DC_5A-n66A,20MHz Bandwidth, DFT-s-16QAM (PAPR)



DC_5A-n66A,20MHz Bandwidth, DFT-s-64QAM (PAPR)






No. I22N02158-RF-NR

DC_5A-n66A,20MHz Bandwidth, DFT-s-256QAM (PAPR)




DC_5A-n66A,20MHz Bandwidth, CP-QPSK (PAPR)





No. I22N02158-RF-NR

DC_5A-n66A,20MHz Bandwidth, CP-16QAM (PAPR)



DC_5A-n66A,20MHz Bandwidth, CP-64QAM (PAPR)





No. I22N02158-RF-NR

DC_5A-n66A,20MHz Bandwidth, CP-256QAM (PAPR)



Note: Expanded measurement uncertainty is $U = 0.48$, $k = 2$

END OF REPORT