


## 14.26. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -73.88      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -71.74      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 813.4           | -58.04      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 824.8           | 20.22       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 860.5           | -64.03      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1649            | -47.59      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6956            | -41.73      | -13         | Pass    | 7001        |



#### 14.27. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -74.41      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -72.57      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -59.78      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 829.8           | 21.13       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 867.2           | -63.94      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1659            | -46.41      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6961            | -41.61      | -13         | Pass    | 7001        |



## 14.28. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -74.31      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72         | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 814             | -59.57      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 829.8           | 20.18       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 882.9           | -63.96      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1659            | -47.51      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6960            | -41.63      | -13         | Pass    | 7001        |



#### 14.29. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -74.18      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -72.22      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 808.2           | -58.07      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 834.8           | 20.97       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 862.6           | -64.02      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1669            | -46.45      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6958            | -41.64      | -13         | Pass    | 7001        |



### 14.30. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -75         | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -70.92      | -13         | Pass    | 2986        |
| 30                    | 814                  | 0.1       | RMS      | 808.3           | -58.93      | -13         | Pass    | 7841        |
| 814                   | 860                  | 0.1       | RMS      | 834.8           | 20.22       | 60          | Pass    | 461         |
| 860                   | 1000                 | 0.1       | RMS      | 861.3           | -63.99      | -13         | Pass    | 1401        |
| 1000                  | 3000                 | 1         | RMS      | 1669            | -47.27      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | RMS      | 6962            | -41.72      | -13         | Pass    | 7001        |



## 15. LTE\_Band26(part90)


**15.1. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:1,  
Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -67.55      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -61.97      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 803.6           | -52.08      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.3           | 26.33       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 943.7           | -52.98      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1628            | -37.12      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7700            | -30.19      | -13         | Pass    | 7001        |




## 15.2. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -67.75      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.23            | -64.55      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 803.6           | -52.4       | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.25          | 26.92       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 970.9           | -52.79      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1628            | -37.4       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7989            | -30.18      | -13         | Pass    | 7001        |




**15.3. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -67.52      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -63.86      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 807.9           | -53.32      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 818.55          | 26.81       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 977.6           | -52.66      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1637            | -36.71      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7698            | -29.97      | -13         | Pass    | 7001        |




#### 15.4. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -66.57      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.3             | -64.68      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 470.2           | -53.04      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 818.55          | 26.58       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 859.7           | -52.77      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1637            | -36.03      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7065            | -30.32      | -13         | Pass    | 7001        |




**15.5. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -66.57      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.18            | -62.15      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 761             | -52.73      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 822.85          | 26.45       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 829.3           | -52.54      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1646            | -36.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7598            | -29.58      | -13         | Pass    | 7001        |




# 15.6. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.013           | -67.75      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.42            | -65.14      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 798.5           | -52.64      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 822.85          | 26.71       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 830             | -53.19      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1646            | -36.34      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7209            | -29.94      | -13         | Pass    | 7001        |




**15.7. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:7,  
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -67.26      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.27            | -64.84      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 809             | -46.43      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.2           | 26.41       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 928             | -52.86      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1628            | -37.6       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7396            | -30.27      | -13         | Pass    | 7001        |




# 15.8. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -67.64      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -64.69      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 809             | -45.93      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.2           | 26.84       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 937.7           | -52.85      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1628            | -37.34      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7182            | -30.36      | -13         | Pass    | 7001        |




# 15.9. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -68.58      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.42            | -64.67      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 807.1           | -51.88      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 817.75          | 26.95       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 837.3           | -52.7       | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1636            | -36.2       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7691            | -30.41      | -13         | Pass    | 7001        |




# 15.10. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -67.62      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -64.61      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 288.8           | -53.5       | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 817.75          | 26.71       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 950.2           | -53.2       | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1636            | -37         | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7246            | -30.29      | -13         | Pass    | 7001        |




**15.11. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -66.51      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -63.8       | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 764.7           | -53.24      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 821.2           | 26.63       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 831.3           | -47.67      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1642            | -36.28      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7572            | -30.23      | -13         | Pass    | 7001        |




# 15.12. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -66.37      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.16            | -63.42      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 801             | -53.01      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 821.3           | 26.97       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 831.3           | -49.67      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1643            | -36.56      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7182            | -30.08      | -13         | Pass    | 7001        |




### 15.13. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -67.51      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.21            | -63.6       | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 808.3           | -48.78      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.35          | 26.87       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 831.5           | -50.3       | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1629            | -36.44      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7203            | -29.99      | -13         | Pass    | 7001        |




**15.14. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -66.2       | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.17            | -64.93      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 808.8           | -49.89      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.3           | 27.08       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 831.6           | -50.48      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1629            | -36.87      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7687            | -29.64      | -13         | Pass    | 7001        |




**15.15. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.01            | -67.88      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.28            | -63.61      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 808.2           | -48.05      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 816.85          | 26.95       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 834.3           | -50.09      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1634            | -37.2       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7000            | -29.98      | -13         | Pass    | 7001        |




**15.16. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -67.86      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.25            | -63.51      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 808.2           | -48.41      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 816.8           | 26.87       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 834             | -51.41      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1634            | -37.07      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7187            | -29.79      | -13         | Pass    | 7001        |




**15.17. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:17,  
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.014           | -67.63      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.25            | -64.46      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 808.6           | -52.64      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 819.35          | 26.76       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 829.2           | -47.51      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1639            | -35.69      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7209            | -29.75      | -13         | Pass    | 7001        |




**15.18. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:18,  
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.015           | -66.77      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -63.73      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 808.7           | -53.27      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 819.3           | 26.95       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 829.5           | -47.45      | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1639            | -37.15      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7465            | -29.66      | -13         | Pass    | 7001        |




**15.19. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.009           | -66.17      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.18            | -64.52      | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 806.9           | -44.11      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.6           | 26.9        | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 832             | -44.4       | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1629            | -36.85      | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 7160            | -30.35      | -13         | Pass    | 7001        |



**15.20. LTE Spurious Emission at Antenna Terminals\_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | Peak     | 0.011           | -65.16      | -13         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | Peak     | 0.15            | -63.9       | -13         | Pass    | 2986        |
| 30                    | 809                  | 0.1       | Peak     | 806.9           | -45.66      | -13         | Pass    | 7791        |
| 809                   | 829                  | 0.1       | Peak     | 814.55          | 26.84       | 60          | Pass    | 401         |
| 829                   | 1000                 | 0.1       | Peak     | 832.5           | -44.8       | -13         | Pass    | 1711        |
| 1000                  | 3000                 | 1         | Peak     | 1629            | -37.2       | -13         | Pass    | 2001        |
| 3000                  | 10000                | 1         | Peak     | 6950            | -30.05      | -13         | Pass    | 7001        |



## 16. LTE\_Band38


### 16.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.37      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.55      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 847.5           | -59.83      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2559            | -45.25      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.15         | 23.75       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2954.675        | -45.06      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11851           | -46.97      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26015           | -33.28      | -25         | Pass    | 14502       |




## 16.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -47.25      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -68.65      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 860.407         | -59.93      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -45.61      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.325        | 23.31       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2949.125        | -45.12      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11850           | -46.97      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25997           | -33.3       | -25         | Pass    | 14502       |




### 16.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.51      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.57      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 971.581         | -59.74      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2559            | -46.4       | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2592.725        | 24.23       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2961.15         | -45.13      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11849           | -46.92      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25995           | -33.23      | -25         | Pass    | 14502       |




#### 16.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -47.32      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.05      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.8           | -59.9       | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2558            | -46.46      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2592.9          | 23.3        | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2956.525        | -45.09      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11843           | -46.95      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26000           | -33.22      | -25         | Pass    | 14502       |




# 16.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -46.5       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.02      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841             | -59.89      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2523            | -46.52      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2615.3          | 23.71       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2958.375        | -45.16      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11856           | -46.95      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26003           | -33.24      | -25         | Pass    | 14502       |




# 16.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -47.78      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.04      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.1           | -59.85      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2558            | -46.39      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2615.125        | 23.57       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2947.275        | -45.12      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11851           | -46.95      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26004           | -33.24      | -25         | Pass    | 14502       |




**16.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.013           | -48.58      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.84      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 847.8           | -59.86      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -41.57      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.325        | 23.96       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2957.45         | -45.12      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11856           | -46.84      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26002           | -33.2       | -25         | Pass    | 14502       |




# 16.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -46.87      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -68.85      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 851.301         | -59.87      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -41.36      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.5          | 23.41       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2952.825        | -45.15      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11862           | -46.97      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26016           | -33.2       | -25         | Pass    | 14502       |



**16.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -46.24      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.35      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 963.376         | -59.87      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -45.63      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2590.45         | 23.83       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2942.65         | -45.1       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11855           | -46.91      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26003           | -33.23      | -25         | Pass    | 14502       |



## 16.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -45.04      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.36      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 844.9           | -59.64      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2558            | -46.01      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2590.45         | 22.76       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2959.3          | -45.1       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11855           | -46.97      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26001           | -33.21      | -25         | Pass    | 14502       |



### 16.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.89      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.34      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.1           | -59.85      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2558            | -46.02      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2610.4          | 23.68       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2630            | -44.63      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11841           | -46.92      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26003           | -33.24      | -25         | Pass    | 14502       |



## 16.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.54      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.23            | -68.43      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 855.404         | -59.85      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -46.14      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2610.4          | 23.26       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2630            | -44.56      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11841           | -46.91      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26010           | -33.3       | -25         | Pass    | 14502       |



### 16.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -45.78      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.45      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 843.2           | -59.88      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2558            | -41.87      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.675        | 24.32       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2956.525        | -45.14      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11843           | -46.88      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26011           | -33.15      | -25         | Pass    | 14502       |



# 16.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.011           | -46.44      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.35      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 610.1           | -59.64      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -41.03      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.85         | 23.16       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2953.75         | -45.12      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11852           | -46.86      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26006           | -33.25      | -25         | Pass    | 14502       |



### 16.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -47.49      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.28      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 847.5           | -59.82      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -45.51      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2588.175        | 23.71       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2944.5          | -45.09      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11843           | -46.92      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26000           | -33.1       | -25         | Pass    | 14502       |



## 16.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.012           | -46.08      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.48      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 848.7           | -59.9       | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2559            | -46.02      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2588.35         | 23.02       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2958.375        | -45.11      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11831           | -46.97      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26004           | -33.24      | -25         | Pass    | 14502       |



### 16.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -47.54      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -67.81      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 842.3           | -59.8       | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -46.21      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2605.675        | 24.36       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2631.85         | -43.77      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11850           | -46.91      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26003           | -33.24      | -25         | Pass    | 14502       |



## 16.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.46      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.29      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 830.2           | -59.87      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2558            | -46.19      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2605.85         | 23.14       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2631.85         | -43.56      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11854           | -46.84      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25992           | -33.2       | -25         | Pass    | 14502       |



### 16.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.02      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.28      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 840.9           | -59.79      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2559            | -42.1       | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2570.85         | 23.61       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2930.625        | -45.12      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11850           | -46.93      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26023           | -33.31      | -25         | Pass    | 14502       |



## 16.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.33      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.02      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 844.1           | -59.78      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2558            | -42.87      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2571.025        | 23.36       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2955.6          | -45.13      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11848           | -46.94      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26001           | -33.2       | -25         | Pass    | 14502       |



## 16.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.47      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.59      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 831.6           | -59.86      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -45.7       | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2586.075        | 24.13       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2957.45         | -45.08      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11832           | -46.9       | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25990           | -33.19      | -25         | Pass    | 14502       |



## 16.22. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.009           | -46.48      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -68.87      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 840.9           | -59.74      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -45.75      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2585.9          | 23.32       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2944.5          | -45.12      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11855           | -46.97      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26004           | -33.21      | -25         | Pass    | 14502       |



### 16.23. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -47.41      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.42      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 855.905         | -59.91      | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2560            | -46.21      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2601.125        | 23.78       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2633.7          | -44.13      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11850           | -46.89      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 25995           | -33.27      | -25         | Pass    | 14502       |



## 16.24. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.01            | -46.62      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.4       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 843.7           | -59.9       | -25         | Pass    | 9701        |
| 1000                  | 2560                 | 1         | RMS      | 2559            | -46.03      | -25         | Pass    | 1561        |
| 2560                  | 2630                 | 1         | RMS      | 2601.125        | 22.81       | 60          | Pass    | 401         |
| 2630                  | 3000                 | 1         | RMS      | 2636.475        | -43.88      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11848           | -46.86      | -25         | Pass    | 9002        |
| 12000                 | 26500                | 1         | RMS      | 26001           | -33.18      | -25         | Pass    | 14502       |



## 17. LTE\_Band41 full


### 17.1. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.6       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -67.83      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 842.2           | -59.85      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -46.27      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.165        | 23.43       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2953.5          | -45.14      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11840           | -46.98      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26010           | -33.22      | -25         | Pass    | 15002       |




## 17.2. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.56      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.77      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 834.5           | -59.82      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -45.84      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.165        | 22.08       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2956.5          | -45.07      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11855           | -46.93      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26018           | -33.22      | -25         | Pass    | 15002       |




### 17.3. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.78      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.86      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 850.301         | -59.87      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -46.78      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2590.86         | 23.48       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2957.25         | -45.13      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11849           | -46.84      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26001           | -33.07      | -25         | Pass    | 15002       |




#### 17.4. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.04      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.25      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 970.28          | -59.89      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -46.82      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2590.86         | 22.24       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2959.5          | -45.1       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11848           | -46.83      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 25990           | -33.22      | -25         | Pass    | 15002       |




**17.5. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.22      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.31      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 724.6           | -59.33      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -46.79      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2685.02         | 22.82       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2958.75         | -45.14      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11843           | -46.88      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26013           | -33.25      | -25         | Pass    | 15002       |




# 17.6. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.07      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.34      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 854.203         | -59.88      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2479            | -46.76      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2685.02         | 22.63       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2947.5          | -45.13      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11840           | -46.88      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26028           | -33.2       | -25         | Pass    | 15002       |




**17.7. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.17      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.17      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 850.401         | -59.87      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -42.96      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.165        | 23.56       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2956.5          | -45.12      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11846           | -46.84      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26001           | -33.16      | -25         | Pass    | 15002       |




# 17.8. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.12      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.17      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 846.2           | -59.8       | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -42.02      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.165        | 22.34       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2953.5          | -45.11      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11843           | -46.88      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26009           | -33.18      | -25         | Pass    | 15002       |



**17.9. LTE Spurious Emission at Antenna Terminals\_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.98      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.3       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 832             | -59.83      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -46.71      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2588.185        | 23.82       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2956.5          | -45.11      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11854           | -46.82      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26010           | -33.18      | -25         | Pass    | 15002       |



## 17.10. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -51         | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.17            | -68.58      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 876.218         | -59.88      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2480            | -46.72      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2588.185        | 21.5        | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2953.5          | -45.12      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11846           | -46.86      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26001           | -33.07      | -25         | Pass    | 15002       |



### 17.11. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -51.16      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.25            | -68.39      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 719.9           | -59.45      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2480            | -46.74      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2680.205        | 23.53       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2700            | -44.59      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11854           | -46.88      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26019           | -33.18      | -25         | Pass    | 15002       |



## 17.12. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.95      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.58      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 841.9           | -59.83      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -46.73      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2680.205        | 22.95       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2700            | -44.56      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11849           | -46.84      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26003           | -33.13      | -25         | Pass    | 15002       |



### 17.13. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -51.11      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.96      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 847.1           | -59.84      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -42.73      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.7          | 22.66       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2958.75         | -45.13      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11853           | -46.95      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26001           | -33.17      | -25         | Pass    | 15002       |



# 17.14. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.64      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.19            | -68.82      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 837             | -59.89      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -42.49      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.7          | 22.63       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2956.5          | -45.1       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11852           | -46.85      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26021           | -33.28      | -25         | Pass    | 15002       |



### 17.15. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.94      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.21            | -69.06      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 856.205         | -59.94      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2483            | -46.71      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2586.045        | 24.1        | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2954.25         | -45.12      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11852           | -46.95      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 25998           | -33.25      | -25         | Pass    | 15002       |



### 17.16. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.91      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -67.42      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 832.8           | -59.86      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2485            | -46.73      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2586.045        | 23.09       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2934            | -45.12      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11829           | -46.91      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26004           | -33.19      | -25         | Pass    | 15002       |



### 17.17. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -50.89      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -68.8       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 820.2           | -59.8       | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2480            | -46.75      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2675.39         | 23.25       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2702.25         | -44.17      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11846           | -46.9       | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26010           | -33.19      | -25         | Pass    | 15002       |



### 17.18. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -51.86      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.18            | -68.45      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849.1           | -59.9       | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2484            | -46.75      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2675.925        | 22.21       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2702.25         | -43         | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11839           | -46.86      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26016           | -33.2       | -25         | Pass    | 15002       |



### 17.19. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -51.68      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.16            | -67.78      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 849             | -59.72      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -43.34      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.7          | 22.69       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2956.5          | -45.1       | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11852           | -46.8       | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26003           | -33.15      | -25         | Pass    | 15002       |



## 17.20. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -51.9       | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.34            | -68.86      | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 944.363         | -59.76      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2486            | -43.1       | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2496.7          | 21.74       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2957.25         | -45.11      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11833           | -46.89      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 25985           | -33.2       | -25         | Pass    | 15002       |



## 17.21. LTE Spurious Emission at Antenna

Terminals\_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

| Start Frequency (MHz) | Stop Frequency (MHz) | RBW (MHz) | Detector | Frequency (MHz) | Power (dBm) | Limit (dBm) | Verdict | Sweep Point |
|-----------------------|----------------------|-----------|----------|-----------------|-------------|-------------|---------|-------------|
| 0.009                 | 0.15                 | 0.001     | RMS      | 0.041           | -51.72      | -25         | Pass    | 401         |
| 0.15                  | 30                   | 0.01      | RMS      | 0.15            | -68.4       | -25         | Pass    | 2986        |
| 30                    | 1000                 | 0.1       | RMS      | 838.3           | -59.67      | -25         | Pass    | 9701        |
| 1000                  | 2486                 | 1         | RMS      | 2479            | -46.73      | -25         | Pass    | 1487        |
| 2486                  | 2700                 | 1         | RMS      | 2583.905        | 23.32       | 60          | Pass    | 401         |
| 2700                  | 3000                 | 1         | RMS      | 2945.25         | -45.11      | -25         | Pass    | 401         |
| 3000                  | 12000                | 1         | RMS      | 11840           | -46.79      | -25         | Pass    | 9002        |
| 12000                 | 27000                | 1         | RMS      | 26012           | -33.2       | -25         | Pass    | 15002       |

