




802.11be(EHT320)_MCH_6585MHz_4xRU996_Left_MIMO_NTNV




802.11be(EHT320)_MCH_6585MHz_484+2X996_/_Ant10_NTNV




802.11be(EHT320)_MCH_6585MHz_484+2X996 / _Ant8_NTNV




802.11be(EHT320)_MCH_6585MHz_484+2X996 / _MIMO_NTNV




802.11be(EHT320)_MCH_6585MHz_P-80M-RU996+2X996 / Ant10_NTNV



802.11be(EHT320)_MCH_6585MHz_P-80M-RU996+2X996 / Ant8_NTNV




802.11be(EHT320)_MCH_6585MHz_P-80M-RU996+2X996 / MIMO_NTNV




4.2.12 E.I.R.PSD


802.11be(EHT40)_HCH_6525MHz_RU484_Left_Ant10_NTNV




802.11be(EHT40)_HCH_6525MHz_RU484_Left_Ant8_NTNV




802.11be(EHT40)_HCH_6525MHz_RU484_Left_MIMO_NTNV




802.11be(EHT40)_HCH_6525MHz_26+106 / Ant10_NTNV




802.11be(EHT40)_HCH_6525MHz_26+106 / Ant8_NTNV




802.11be(EHT40)_HCH_6525MHz_26+106 / MIMO_NTNV




802.11be(EHT80)_HCH_6545MHz_RU996_Left_Ant10_NTNV




802.11be(EHT80)_HCH_6545MHz_RU996_Left_Ant8_NTNV




802.11be(EHT80)_HCH_6545MHz_RU996_Left_MIMO_NTNV




802.11be(EHT80)_HCH_6545MHz_242+484 / Ant10_NTNV




802.11be(EHT80)_HCH_6545MHz_242+484_/_Ant8_NTNV




802.11be(EHT80)_HCH_6545MHz_242+484_/_MIMO_NTNV




802.11be(EHT160)_HCH_6505MHz_2xRU996_Left_Ant10_NTNV




802.11be(EHT160)_HCH_6505MHz_2xRU996_Left_Ant8_NTNV




802.11be(EHT160)_HCH_6505MHz_2xRU996_Left_MIMO_NTNV




802.11be(EHT160)_HCH_6505MHz_484+996_/_Ant10_NTNV




802.11be(EHT160)_HCH_6505MHz_484+996 / _Ant8_NTNV




802.11be(EHT160)_HCH_6505MHz_484+996 / _MIMO_NTNV




802.11be(EHT320)_MCH_6585MHz_4xRU996_Left_Ant10_NTNV




802.11be(EHT320)_MCH_6585MHz_4xRU996_Left_Ant8_NTNV




802.11be(EHT320)_MCH_6585MHz_4xRU996_Left_MIMO_NTNV




802.11be(EHT320)_MCH_6585MHz_484+2X996_/_Ant10_NTNV




802.11be(EHT320)_MCH_6585MHz_484+2X996 / _Ant8_NTNV




802.11be(EHT320)_MCH_6585MHz_484+2X996 / _MIMO_NTNV




802.11be(EHT320)_MCH_6585MHz_P-80M-RU996+2X996 / Ant10_NTNV



802.11be(EHT320)_MCH_6585MHz_P-80M-RU996+2X996 / Ant8_NTNV




802.11be(EHT320)_MCH_6585MHz_P-80M-RU996+2X996 / MIMO_NTNV




4.2.13 PSD


802.11be(EHT320)_MCH_6425MHz_4xRU996_Left_Ant10_NTNV




802.11be(EHT320)_MCH_6425MHz_4xRU996_Left_Ant8_NTNV




802.11be(EHT320)_MCH_6425MHz_4xRU996_Left_MIMO_NTNV




802.11be(EHT320)_MCH_6425MHz_484+2X996_/_Ant10_NTNV




802.11be(EHT320)_MCH_6425MHz_484+2X996 / _Ant8_NTNV




802.11be(EHT320)_MCH_6425MHz_484+2X996 / _MIMO_NTNV




802.11be(EHT320)_MCH_6425MHz_P-80M-RU996+2X996_ / Ant10_NTNV



802.11be(EHT320)_MCH_6425MHz_P-80M-RU996+2X996_ / Ant8_NTNV




802.11be(EHT320)_MCH_6425MHz_P-80M-RU996+2X996 / MIMO_NTNV




4.2.14 E.I.R.PSD


802.11be(EHT320)_MCH_6425MHz_4xRU996_Left_Ant10_NTNV




802.11be(EHT320)_MCH_6425MHz_4xRU996_Left_Ant8_NTNV




802.11be(EHT320)_MCH_6425MHz_4xRU996_Left_MIMO_NTNV




802.11be(EHT320)_MCH_6425MHz_484+2X996_/_Ant10_NTNV




802.11be(EHT320)_MCH_6425MHz_484+2X996 / _Ant8_NTNV




802.11be(EHT320)_MCH_6425MHz_484+2X996 / _MIMO_NTNV




802.11be(EHT320)_MCH_6425MHz_P-80M-RU996+2X996_ / Ant10_NTNV



802.11be(EHT320)_MCH_6425MHz_P-80M-RU996+2X996_ / Ant8_NTNV



802.11be(EHT320)_MCH_6425MHz_P-80M-RU996+2X996 / MIMO_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant10

Ant10										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be (EHT20)	MIMO	5955	RU242	Left	20	102	5955.020	5925 to 6425	Pass
							120	5955.000	5925 to 6425	Pass
							138	5955.020	5925 to 6425	Pass
						-30	120	5955.000	5925 to 6425	Pass
						-20	120	5954.980	5925 to 6425	Pass
						-10	120	5954.980	5925 to 6425	Pass
						0	120	5955.000	5925 to 6425	Pass
						10	120	5955.060	5925 to 6425	Pass
						30	120	5955.060	5925 to 6425	Pass
						40	120	5955.020	5925 to 6425	Pass
						50	120	5955.000	5925 to 6425	Pass
						6175	RU242	Left	20	102
			120	6175.020	5925 to 6425					Pass
			138	6175.020	5925 to 6425					Pass
			-30	120	6175.000				5925 to 6425	Pass
			-20	120	6175.020				5925 to 6425	Pass
			-10	120	6175.020				5925 to 6425	Pass
			0	120	6174.960				5925 to 6425	Pass
			10	120	6174.980				5925 to 6425	Pass
			30	120	6175.000				5925 to 6425	Pass
			40	120	6175.040				5925 to 6425	Pass
			50	120	6174.980				5925 to 6425	Pass
			6415	RU242	Left				20	102
						120	6415.000	5925 to 6425		Pass
						138	6415.000	5925 to 6425		Pass
						-30	120	6415.000	5925 to 6425	Pass
						-20	120	6414.980	5925 to 6425	Pass
						-10	120	6415.000	5925 to 6425	Pass
						0	120	6415.000	5925 to 6425	Pass
						10	120	6414.980	5925 to 6425	Pass
						30	120	6415.000	5925 to 6425	Pass
						40	120	6414.960	5925 to 6425	Pass
						50	120	6415.020	5925 to 6425	Pass
						802.11be (EHT40)	MIMO	5965	RU484	Left
	120	5965.000	5925 to 6425	Pass						
	138	5965.040	5925 to 6425	Pass						
	-30	120	5965.000	5925 to 6425	Pass					
	-20	120	5965.000	5925 to 6425	Pass					
	-10	120	5965.000	5925 to 6425	Pass					
	0	120	5964.960	5925 to 6425	Pass					
	10	120	5965.040	5925 to 6425	Pass					
	30	120	5965.000	5925 to 6425	Pass					
	40	120	5965.040	5925 to 6425	Pass					
	50	120	5965.040	5925 to 6425	Pass					
	6165	RU484	Left	20	102					
					120	6165.000		5925 to 6425	Pass	

							138	6165.000	5925 to 6425	Pass
						-30	120	6165.040	5925 to 6425	Pass
						-20	120	6165.000	5925 to 6425	Pass
						-10	120	6164.960	5925 to 6425	Pass
						0	120	6165.000	5925 to 6425	Pass
						10	120	6165.000	5925 to 6425	Pass
						30	120	6165.000	5925 to 6425	Pass
						40	120	6165.000	5925 to 6425	Pass
						50	120	6165.000	5925 to 6425	Pass
			6405	RU484	Left	20	102	6404.960	5925 to 6425	Pass
							120	6404.960	5925 to 6425	Pass
							138	6405.000	5925 to 6425	Pass
						-30	120	6404.960	5925 to 6425	Pass
						-20	120	6404.960	5925 to 6425	Pass
						-10	120	6405.000	5925 to 6425	Pass
						0	120	6405.000	5925 to 6425	Pass
						10	120	6405.000	5925 to 6425	Pass
						30	120	6404.960	5925 to 6425	Pass
						40	120	6404.960	5925 to 6425	Pass
						50	120	6404.960	5925 to 6425	Pass
	802.11be (EHT80)	MIMO	5985	RU996	Left	20	102	5985.000	5925 to 6425	Pass
							120	5985.000	5925 to 6425	Pass
							138	5984.925	5925 to 6425	Pass
						-30	120	5985.000	5925 to 6425	Pass
						-20	120	5985.000	5925 to 6425	Pass
						-10	120	5985.000	5925 to 6425	Pass
						0	120	5985.000	5925 to 6425	Pass
						10	120	5985.000	5925 to 6425	Pass
						30	120	5985.000	5925 to 6425	Pass
						40	120	5984.925	5925 to 6425	Pass
						50	120	5985.000	5925 to 6425	Pass
			6145	RU996	Left	20	102	6145.000	5925 to 6425	Pass
							120	6144.925	5925 to 6425	Pass
							138	6145.000	5925 to 6425	Pass
						-30	120	6145.000	5925 to 6425	Pass
						-20	120	6145.000	5925 to 6425	Pass
						-10	120	6145.000	5925 to 6425	Pass
						0	120	6145.000	5925 to 6425	Pass
						10	120	6145.000	5925 to 6425	Pass
						30	120	6145.000	5925 to 6425	Pass
						40	120	6145.000	5925 to 6425	Pass
						50	120	6144.925	5925 to 6425	Pass
			6385	RU996	Left	20	102	6384.850	5925 to 6425	Pass
							120	6385.000	5925 to 6425	Pass
							138	6385.000	5925 to 6425	Pass
						-30	120	6385.000	5925 to 6425	Pass
						-20	120	6385.000	5925 to 6425	Pass
						-10	120	6385.000	5925 to 6425	Pass
						0	120	6385.000	5925 to 6425	Pass
						10	120	6385.000	5925 to 6425	Pass
						30	120	6385.000	5925 to 6425	Pass
						40	120	6385.000	5925 to 6425	Pass
						50	120	6385.000	5925 to 6425	Pass
	802.11be (EHT160)	MIMO	6025	2xRU996	Left	20	102	6024.850	5925 to 6425	Pass
							120	6025.000	5925 to 6425	Pass
							138	6025.000	5925 to 6425	Pass
						-30	120	6024.925	5925 to 6425	Pass
						-20	120	6024.850	5925 to 6425	Pass
						-10	120	6024.775	5925 to 6425	Pass
						0	120	6024.925	5925 to 6425	Pass

						10	120	6025.000	5925 to 6425	Pass
						30	120	6024.700	5925 to 6425	Pass
						40	120	6024.850	5925 to 6425	Pass
						50	120	6024.850	5925 to 6425	Pass
			6185	2xRU996	Left	20	102	6185.000	5925 to 6425	Pass
							120	6184.925	5925 to 6425	Pass
							138	6184.925	5925 to 6425	Pass
						-30	120	6185.000	5925 to 6425	Pass
						-20	120	6184.850	5925 to 6425	Pass
						-10	120	6184.925	5925 to 6425	Pass
						0	120	6185.000	5925 to 6425	Pass
						10	120	6184.925	5925 to 6425	Pass
						30	120	6184.775	5925 to 6425	Pass
						40	120	6185.375	5925 to 6425	Pass
						50	120	6183.650	5925 to 6425	Pass
			6345	2xRU996	Left	20	102	6345.525	5925 to 6425	Pass
							120	6345.150	5925 to 6425	Pass
							138	6345.900	5925 to 6425	Pass
						-30	120	6345.300	5925 to 6425	Pass
						-20	120	6344.925	5925 to 6425	Pass
						-10	120	6345.000	5925 to 6425	Pass
						0	120	6345.075	5925 to 6425	Pass
						10	120	6345.075	5925 to 6425	Pass
						30	120	6345.075	5925 to 6425	Pass
						40	120	6344.925	5925 to 6425	Pass
						50	120	6345.075	5925 to 6425	Pass
			6105	4xRU996	Left	20	102	6104.850	5925 to 6425	Pass
							120	6105.000	5925 to 6425	Pass
							138	6104.925	5925 to 6425	Pass
						-30	120	6104.850	5925 to 6425	Pass
						-20	120	6104.925	5925 to 6425	Pass
						-10	120	6104.925	5925 to 6425	Pass
						0	120	6104.850	5925 to 6425	Pass
						10	120	6104.925	5925 to 6425	Pass
						30	120	6104.925	5925 to 6425	Pass
						40	120	6104.925	5925 to 6425	Pass
						50	120	6104.850	5925 to 6425	Pass
			6265	4xRU996	Left	20	102	6265.075	5925 to 6425	Pass
							120	6265.000	5925 to 6425	Pass
							138	6265.075	5925 to 6425	Pass
						-30	120	6265.000	5925 to 6425	Pass
						-20	120	6265.000	5925 to 6425	Pass
						-10	120	6265.000	5925 to 6425	Pass
						0	120	6265.000	5925 to 6425	Pass
						10	120	6265.000	5925 to 6425	Pass
						30	120	6264.925	5925 to 6425	Pass
						40	120	6265.000	5925 to 6425	Pass
						50	120	6265.075	5925 to 6425	Pass

5.1.2 Ant10

Ant10										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be (EHT20)	MIMO	6435	RU242	Left	20	102	6434.940	6425 to 6525	Pass
							120	6434.980	6425 to 6525	Pass
							138	6434.940	6425 to 6525	Pass

						-30	120	6435.000	6425 to 6525	Pass
						-20	120	6435.000	6425 to 6525	Pass
						-10	120	6435.000	6425 to 6525	Pass
						0	120	6434.960	6425 to 6525	Pass
						10	120	6435.000	6425 to 6525	Pass
						30	120	6434.980	6425 to 6525	Pass
						40	120	6434.960	6425 to 6525	Pass
						50	120	6434.980	6425 to 6525	Pass
			6475	RU242	Left	20	102	6474.980	6425 to 6525	Pass
							120	6475.000	6425 to 6525	Pass
							138	6475.000	6425 to 6525	Pass
						-30	120	6475.000	6425 to 6525	Pass
						-20	120	6475.020	6425 to 6525	Pass
						-10	120	6474.980	6425 to 6525	Pass
						0	120	6475.000	6425 to 6525	Pass
						10	120	6475.000	6425 to 6525	Pass
						30	120	6475.020	6425 to 6525	Pass
						40	120	6475.020	6425 to 6525	Pass
						50	120	6475.020	6425 to 6525	Pass
			6515	RU242	Left	20	102	6515.000	6425 to 6525	Pass
							120	6515.000	6425 to 6525	Pass
							138	6515.020	6425 to 6525	Pass
						-30	120	6515.000	6425 to 6525	Pass
						-20	120	6515.000	6425 to 6525	Pass
						-10	120	6515.020	6425 to 6525	Pass
						0	120	6515.040	6425 to 6525	Pass
						10	120	6514.980	6425 to 6525	Pass
						30	120	6515.000	6425 to 6525	Pass
						40	120	6515.040	6425 to 6525	Pass
						50	120	6515.000	6425 to 6525	Pass
	802.11be (EHT40)	MIMO	6445	RU484	Left	20	102	6445.000	6425 to 6525	Pass
							120	6445.000	6425 to 6525	Pass
							138	6444.960	6425 to 6525	Pass
						-30	120	6444.920	6425 to 6525	Pass
						-20	120	6444.960	6425 to 6525	Pass
						-10	120	6444.960	6425 to 6525	Pass
						0	120	6444.960	6425 to 6525	Pass
						10	120	6445.000	6425 to 6525	Pass
						30	120	6444.960	6425 to 6525	Pass
						40	120	6444.960	6425 to 6525	Pass
						50	120	6444.960	6425 to 6525	Pass
			6485	RU484	Left	20	102	6485.080	6425 to 6525	Pass
							120	6485.080	6425 to 6525	Pass
							138	6485.000	6425 to 6525	Pass
						-30	120	6485.000	6425 to 6525	Pass
						-20	120	6485.040	6425 to 6525	Pass
						-10	120	6485.000	6425 to 6525	Pass
						0	120	6485.000	6425 to 6525	Pass
						10	120	6485.000	6425 to 6525	Pass
						30	120	6485.080	6425 to 6525	Pass
						40	120	6485.040	6425 to 6525	Pass
						50	120	6485.000	6425 to 6525	Pass
	802.11be (EHT80)	MIMO	6465	RU996	Left	20	102	6465.000	6425 to 6525	Pass
							120	6465.000	6425 to 6525	Pass
							138	6465.000	6425 to 6525	Pass
						-30	120	6465.000	6425 to 6525	Pass
						-20	120	6465.000	6425 to 6525	Pass
						-10	120	6465.075	6425 to 6525	Pass
						0	120	6465.000	6425 to 6525	Pass
						10	120	6465.000	6425 to 6525	Pass

						30	120	6465.000	6425 to 6525	Pass
						40	120	6465.000	6425 to 6525	Pass
						50	120	6465.000	6425 to 6525	Pass

5.1.3 Ant10

Ant10										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be (EHT20)	MIMO	6535	RU242	Left	20	102	6535.000	6525 to 6875	Pass
							120	6535.000	6525 to 6875	Pass
							138	6535.000	6525 to 6875	Pass
						-30	120	6535.000	6525 to 6875	Pass
						-20	120	6534.980	6525 to 6875	Pass
						-10	120	6535.000	6525 to 6875	Pass
						0	120	6535.020	6525 to 6875	Pass
						10	120	6535.000	6525 to 6875	Pass
						30	120	6535.020	6525 to 6875	Pass
						40	120	6535.000	6525 to 6875	Pass
						50	120	6535.000	6525 to 6875	Pass
			6695	RU242	Left	20	102	6695.000	6525 to 6875	Pass
							120	6695.040	6525 to 6875	Pass
							138	6695.020	6525 to 6875	Pass
						-30	120	6694.980	6525 to 6875	Pass
						-20	120	6694.960	6525 to 6875	Pass
						-10	120	6695.000	6525 to 6875	Pass
						0	120	6694.980	6525 to 6875	Pass
						10	120	6695.020	6525 to 6875	Pass
						30	120	6695.000	6525 to 6875	Pass
						40	120	6694.980	6525 to 6875	Pass
						50	120	6695.000	6525 to 6875	Pass
			6855	RU242	Left	20	102	6854.980	6525 to 6875	Pass
							120	6855.000	6525 to 6875	Pass
							138	6855.000	6525 to 6875	Pass
						-30	120	6855.000	6525 to 6875	Pass
						-20	120	6855.000	6525 to 6875	Pass
						-10	120	6855.000	6525 to 6875	Pass
						0	120	6854.980	6525 to 6875	Pass
						10	120	6855.000	6525 to 6875	Pass
						30	120	6854.980	6525 to 6875	Pass
						40	120	6855.000	6525 to 6875	Pass
						50	120	6855.000	6525 to 6875	Pass
	802.11be (EHT40)	MIMO	6565	RU484	Left	20	102	6564.960	6525 to 6875	Pass
							120	6564.960	6525 to 6875	Pass
							138	6564.920	6525 to 6875	Pass
						-30	120	6564.920	6525 to 6875	Pass
						-20	120	6564.960	6525 to 6875	Pass
						-10	120	6565.000	6525 to 6875	Pass
						0	120	6565.000	6525 to 6875	Pass
						10	120	6564.960	6525 to 6875	Pass
						30	120	6564.960	6525 to 6875	Pass
						40	120	6565.040	6525 to 6875	Pass
						50	120	6565.000	6525 to 6875	Pass
			6685	RU484	Left	20	102	6685.000	6525 to 6875	Pass
							120	6684.920	6525 to 6875	Pass
							138	6684.960	6525 to 6875	Pass
						-30	120	6685.000	6525 to 6875	Pass

						-20	120	6685.000	6525 to 6875	Pass
						-10	120	6685.000	6525 to 6875	Pass
						0	120	6684.920	6525 to 6875	Pass
						10	120	6684.960	6525 to 6875	Pass
						30	120	6685.000	6525 to 6875	Pass
						40	120	6685.000	6525 to 6875	Pass
						50	120	6684.960	6525 to 6875	Pass
						20	102	6844.960	6525 to 6875	Pass
							120	6844.960	6525 to 6875	Pass
							138	6844.960	6525 to 6875	Pass
						-30	120	6844.960	6525 to 6875	Pass
						-20	120	6844.960	6525 to 6875	Pass
						-10	120	6845.000	6525 to 6875	Pass
						0	120	6845.000	6525 to 6875	Pass
						10	120	6844.960	6525 to 6875	Pass
						30	120	6845.000	6525 to 6875	Pass
						40	120	6845.000	6525 to 6875	Pass
						50	120	6845.000	6525 to 6875	Pass
	802.11be (EHT80)	MIMO	6625	RU996	Left	20	102	6625.075	6525 to 6875	Pass
							120	6625.000	6525 to 6875	Pass
							138	6625.000	6525 to 6875	Pass
						-30	120	6625.075	6525 to 6875	Pass
						-20	120	6624.925	6525 to 6875	Pass
						-10	120	6625.000	6525 to 6875	Pass
						0	120	6625.000	6525 to 6875	Pass
						10	120	6625.075	6525 to 6875	Pass
						30	120	6625.000	6525 to 6875	Pass
						40	120	6625.000	6525 to 6875	Pass
						50	120	6625.000	6525 to 6875	Pass
			6705	RU996	Left	20	102	6704.850	6525 to 6875	Pass
							120	6704.925	6525 to 6875	Pass
							138	6705.000	6525 to 6875	Pass
						-30	120	6704.850	6525 to 6875	Pass
						-20	120	6704.850	6525 to 6875	Pass
						-10	120	6705.000	6525 to 6875	Pass
						0	120	6704.925	6525 to 6875	Pass
						10	120	6704.925	6525 to 6875	Pass
						30	120	6705.000	6525 to 6875	Pass
						40	120	6704.925	6525 to 6875	Pass
						50	120	6705.000	6525 to 6875	Pass
			6785	RU996	Left	20	102	6785.000	6525 to 6875	Pass
							120	6785.000	6525 to 6875	Pass
							138	6785.000	6525 to 6875	Pass
						-30	120	6785.000	6525 to 6875	Pass
						-20	120	6785.000	6525 to 6875	Pass
						-10	120	6785.000	6525 to 6875	Pass
						0	120	6785.000	6525 to 6875	Pass
						10	120	6784.925	6525 to 6875	Pass
						30	120	6785.000	6525 to 6875	Pass
						40	120	6784.925	6525 to 6875	Pass
						50	120	6785.000	6525 to 6875	Pass
	802.11be (EHT160)	MIMO	6665	2xRU996	Left	20	102	6665.000	6525 to 6875	Pass
							120	6665.000	6525 to 6875	Pass
							138	6665.000	6525 to 6875	Pass
						-30	120	6664.925	6525 to 6875	Pass
						-20	120	6665.000	6525 to 6875	Pass
						-10	120	6665.000	6525 to 6875	Pass
						0	120	6664.850	6525 to 6875	Pass
						10	120	6664.925	6525 to 6875	Pass
						30	120	6664.925	6525 to 6875	Pass
						30	120	6664.925	6525 to 6875	Pass

						40	120	6664.925	6525 to 6875	Pass
						50	120	6664.850	6525 to 6875	Pass

5.1.4 Ant10

Ant10										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be (EHT20)	MIMO	6895	RU242	Left	20	102	6895.000	6875 to 7125	Pass
							120	6895.000	6875 to 7125	Pass
							138	6895.000	6875 to 7125	Pass
						-30	120	6894.980	6875 to 7125	Pass
						-20	120	6894.980	6875 to 7125	Pass
						-10	120	6895.000	6875 to 7125	Pass
						0	120	6894.980	6875 to 7125	Pass
						10	120	6894.980	6875 to 7125	Pass
						30	120	6895.000	6875 to 7125	Pass
						40	120	6894.980	6875 to 7125	Pass
						50	120	6895.040	6875 to 7125	Pass
			6995	RU242	Left	20	102	6994.980	6875 to 7125	Pass
							120	6994.980	6875 to 7125	Pass
							138	6995.000	6875 to 7125	Pass
						-30	120	6995.000	6875 to 7125	Pass
						-20	120	6995.000	6875 to 7125	Pass
						-10	120	6994.980	6875 to 7125	Pass
						0	120	6995.020	6875 to 7125	Pass
						10	120	6995.020	6875 to 7125	Pass
						30	120	6994.980	6875 to 7125	Pass
						40	120	6995.000	6875 to 7125	Pass
						50	120	6995.020	6875 to 7125	Pass
			7115	RU242	Left	20	102	7114.980	6875 to 7125	Pass
							120	7114.980	6875 to 7125	Pass
							138	7114.980	6875 to 7125	Pass
						-30	120	7115.040	6875 to 7125	Pass
						-20	120	7115.000	6875 to 7125	Pass
						-10	120	7114.980	6875 to 7125	Pass
						0	120	7114.980	6875 to 7125	Pass
						10	120	7115.020	6875 to 7125	Pass
						30	120	7115.000	6875 to 7125	Pass
						40	120	7114.980	6875 to 7125	Pass
						50	120	7115.020	6875 to 7125	Pass
	802.11be (EHT40)	MIMO	6925	RU484	Left	20	102	6925.000	6875 to 7125	Pass
							120	6924.960	6875 to 7125	Pass
							138	6925.000	6875 to 7125	Pass
						-30	120	6925.040	6875 to 7125	Pass
						-20	120	6925.000	6875 to 7125	Pass
						-10	120	6925.000	6875 to 7125	Pass
						0	120	6925.000	6875 to 7125	Pass
						10	120	6925.000	6875 to 7125	Pass
						30	120	6925.000	6875 to 7125	Pass
						40	120	6925.040	6875 to 7125	Pass
						50	120	6924.960	6875 to 7125	Pass
			7005	RU484	Left	20	102	7004.960	6875 to 7125	Pass
							120	7004.920	6875 to 7125	Pass
							138	7004.960	6875 to 7125	Pass
						-30	120	7004.960	6875 to 7125	Pass
						-20	120	7005.000	6875 to 7125	Pass

	802.11be (EHT80)	MIMO	7085	RU484	Left	-10	120	7005.000	6875 to 7125	Pass
						0	120	7005.000	6875 to 7125	Pass
						10	120	7004.960	6875 to 7125	Pass
						30	120	7005.000	6875 to 7125	Pass
						40	120	7005.000	6875 to 7125	Pass
						50	120	7005.000	6875 to 7125	Pass
						20	102	7085.000	6875 to 7125	Pass
							120	7085.000	6875 to 7125	Pass
							138	7085.000	6875 to 7125	Pass
						-30	120	7085.000	6875 to 7125	Pass
						-20	120	7085.040	6875 to 7125	Pass
						-10	120	7084.920	6875 to 7125	Pass
						0	120	7085.000	6875 to 7125	Pass
						10	120	7085.040	6875 to 7125	Pass
						30	120	7084.960	6875 to 7125	Pass
						40	120	7084.960	6875 to 7125	Pass
						50	120	7085.000	6875 to 7125	Pass
			6945	RU996	Left	20	102	6945.000	6875 to 7125	Pass
							120	6945.000	6875 to 7125	Pass
							138	6945.000	6875 to 7125	Pass
						-30	120	6944.925	6875 to 7125	Pass
						-20	120	6945.000	6875 to 7125	Pass
						-10	120	6945.000	6875 to 7125	Pass
						0	120	6944.925	6875 to 7125	Pass
						10	120	6945.000	6875 to 7125	Pass
						30	120	6945.000	6875 to 7125	Pass
						40	120	6945.000	6875 to 7125	Pass
						50	120	6944.925	6875 to 7125	Pass
			7025	RU996	Left	20	102	7024.925	6875 to 7125	Pass
							120	7025.000	6875 to 7125	Pass
							138	7024.925	6875 to 7125	Pass
						-30	120	7025.000	6875 to 7125	Pass
						-20	120	7025.000	6875 to 7125	Pass
						-10	120	7025.075	6875 to 7125	Pass
						0	120	7024.925	6875 to 7125	Pass
						10	120	7025.000	6875 to 7125	Pass
						30	120	7024.925	6875 to 7125	Pass
						40	120	7025.000	6875 to 7125	Pass
						50	120	7025.000	6875 to 7125	Pass
	802.11be (EHT160)	MIMO	6985	2xRU996	Left	20	102	6985.000	6875 to 7125	Pass
							120	6984.925	6875 to 7125	Pass
							138	6985.000	6875 to 7125	Pass
						-30	120	6984.925	6875 to 7125	Pass
						-20	120	6985.150	6875 to 7125	Pass
						-10	120	6984.925	6875 to 7125	Pass
						0	120	6985.000	6875 to 7125	Pass
						10	120	6985.000	6875 to 7125	Pass
						30	120	6984.925	6875 to 7125	Pass
						40	120	6984.925	6875 to 7125	Pass
						50	120	6985.000	6875 to 7125	Pass

5.1.5 Ant10

Ant10										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be	MIMO	6875	RU242	Left	20	102	6875.000	6525 to 7125	Pass

	(EHT20)						120	6874.960	6525 to 7125	Pass
							138	6875.000	6525 to 7125	Pass
						-30	120	6874.980	6525 to 7125	Pass
						-20	120	6874.960	6525 to 7125	Pass
						-10	120	6874.980	6525 to 7125	Pass
						0	120	6874.980	6525 to 7125	Pass
						10	120	6874.980	6525 to 7125	Pass
						30	120	6875.040	6525 to 7125	Pass
						40	120	6875.000	6525 to 7125	Pass
						50	120	6874.980	6525 to 7125	Pass
	802.11be (EHT40)	MIMO	6885	RU484	Left	20	102	6884.960	6525 to 7125	Pass
							120	6884.960	6525 to 7125	Pass
							138	6885.000	6525 to 7125	Pass
						-30	120	6884.960	6525 to 7125	Pass
						-20	120	6884.960	6525 to 7125	Pass
						-10	120	6885.000	6525 to 7125	Pass
						0	120	6884.960	6525 to 7125	Pass
						10	120	6884.920	6525 to 7125	Pass
						30	120	6884.960	6525 to 7125	Pass
						40	120	6885.000	6525 to 7125	Pass
						50	120	6885.000	6525 to 7125	Pass
	802.11be (EHT80)	MIMO	6865	RU996	Left	20	102	6864.925	6525 to 7125	Pass
							120	6864.925	6525 to 7125	Pass
							138	6865.000	6525 to 7125	Pass
						-30	120	6864.925	6525 to 7125	Pass
						-20	120	6865.000	6525 to 7125	Pass
						-10	120	6865.000	6525 to 7125	Pass
						0	120	6864.925	6525 to 7125	Pass
						10	120	6864.925	6525 to 7125	Pass
						30	120	6864.925	6525 to 7125	Pass
						40	120	6865.000	6525 to 7125	Pass
						50	120	6864.850	6525 to 7125	Pass
	802.11be (EHT160)	MIMO	6825	2xRU996	Left	20	102	6825.000	6525 to 7125	Pass
							120	6824.700	6525 to 7125	Pass
							138	6824.925	6525 to 7125	Pass
						-30	120	6824.925	6525 to 7125	Pass
						-20	120	6824.925	6525 to 7125	Pass
						-10	120	6824.925	6525 to 7125	Pass
						0	120	6825.075	6525 to 7125	Pass
						10	120	6825.000	6525 to 7125	Pass
						30	120	6824.925	6525 to 7125	Pass
						40	120	6824.925	6525 to 7125	Pass
						50	120	6824.925	6525 to 7125	Pass
	802.11be (EHT320)	MIMO	6745	4xRU996	Left	20	102	6744.925	6525 to 7125	Pass
							120	6744.925	6525 to 7125	Pass
							138	6745.075	6525 to 7125	Pass
						-30	120	6745.000	6525 to 7125	Pass
						-20	120	6745.075	6525 to 7125	Pass
						-10	120	6745.075	6525 to 7125	Pass
						0	120	6744.925	6525 to 7125	Pass
						10	120	6745.000	6525 to 7125	Pass
						30	120	6745.000	6525 to 7125	Pass
						40	120	6744.925	6525 to 7125	Pass
						50	120	6744.925	6525 to 7125	Pass
			6905	4xRU996	Left	20	102	6905.000	6525 to 7125	Pass
							120	6905.000	6525 to 7125	Pass
							138	6905.000	6525 to 7125	Pass
						-30	120	6905.075	6525 to 7125	Pass
						-20	120	6905.000	6525 to 7125	Pass
						-10	120	6905.000	6525 to 7125	Pass
						0	120	6905.000	6525 to 7125	Pass

						0	120	6905.075	6525 to 7125	Pass
						10	120	6905.075	6525 to 7125	Pass
						30	120	6905.000	6525 to 7125	Pass
						40	120	6905.000	6525 to 7125	Pass
						50	120	6905.000	6525 to 7125	Pass

5.1.6 Ant10

Ant10										
ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be (EHT40)	MIMO	6525	RU484	Left	20	102	6525.000	6425 to 6875	Pass
							120	6524.960	6425 to 6875	Pass
							138	6524.960	6425 to 6875	Pass
						-30	120	6525.000	6425 to 6875	Pass
						-20	120	6525.000	6425 to 6875	Pass
						-10	120	6524.960	6425 to 6875	Pass
						0	120	6525.000	6425 to 6875	Pass
						10	120	6524.960	6425 to 6875	Pass
						30	120	6524.960	6425 to 6875	Pass
						40	120	6524.960	6425 to 6875	Pass
						50	120	6524.960	6425 to 6875	Pass
	802.11be (EHT80)	MIMO	6545	RU996	Left	20	102	6544.925	6425 to 6875	Pass
							120	6545.000	6425 to 6875	Pass
							138	6545.000	6425 to 6875	Pass
						-30	120	6544.850	6425 to 6875	Pass
						-20	120	6545.000	6425 to 6875	Pass
						-10	120	6544.925	6425 to 6875	Pass
						0	120	6544.925	6425 to 6875	Pass
						10	120	6545.000	6425 to 6875	Pass
						30	120	6545.000	6425 to 6875	Pass
						40	120	6545.000	6425 to 6875	Pass
						50	120	6545.000	6425 to 6875	Pass
	802.11be (EHT160)	MIMO	6505	2xRU996	Left	20	102	6505.000	6425 to 6875	Pass
							120	6505.375	6425 to 6875	Pass
							138	6503.350	6425 to 6875	Pass
						-30	120	6505.075	6425 to 6875	Pass
						-20	120	6505.900	6425 to 6875	Pass
						-10	120	6504.925	6425 to 6875	Pass
						0	120	6504.925	6425 to 6875	Pass
						10	120	6504.925	6425 to 6875	Pass
						30	120	6505.000	6425 to 6875	Pass
						40	120	6505.075	6425 to 6875	Pass
						50	120	6505.075	6425 to 6875	Pass
	802.11be (EHT320)	MIMO	6585	4xRU996	Left	20	102	6585.225	6425 to 6875	Pass
							120	6585.075	6425 to 6875	Pass
							138	6585.075	6425 to 6875	Pass
						-30	120	6585.150	6425 to 6875	Pass
						-20	120	6585.075	6425 to 6875	Pass
						-10	120	6585.075	6425 to 6875	Pass
						0	120	6585.075	6425 to 6875	Pass
						10	120	6585.000	6425 to 6875	Pass
						30	120	6585.375	6425 to 6875	Pass
						40	120	6585.225	6425 to 6875	Pass
						50	120	6585.075	6425 to 6875	Pass

5.1.7 Ant10

Ant10										
ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
NTNV	802.11be (EHT320)	MIMO	6425	4xRU996	Left	20	102	6424.925	5925 to 6875	Pass
							120	6425.000	5925 to 6875	Pass
							138	6425.075	5925 to 6875	Pass
						-30	120	6425.000	5925 to 6875	Pass
						-20	120	6425.000	5925 to 6875	Pass
						-10	120	6425.075	5925 to 6875	Pass
						0	120	6424.925	5925 to 6875	Pass
						10	120	6425.000	5925 to 6875	Pass
						30	120	6424.925	5925 to 6875	Pass
						40	120	6425.075	5925 to 6875	Pass
						50	120	6425.075	5925 to 6875	Pass

6. Emission Mask

6.1 Test Result

6.1.1 EMask

ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT20)	MIMO	5955	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
			6175	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
			6415	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
	802.11be (EHT40)	MIMO	5965	RU484	Left	10	Refer To Test Graph		Pass
				RU26+106	/	10	Refer To Test Graph		Pass
			6165	RU484	Left	10	Refer To Test Graph		Pass
				RU26+106	/	10	Refer To Test Graph		Pass
			6405	RU484	Left	10	Refer To Test Graph		Pass
				RU26+106	/	10	Refer To Test Graph		Pass
	802.11be (EHT80)	MIMO	5985	RU996	Left	10	Refer To Test Graph		Pass
				RU242+484	/	10	Refer To Test Graph		Pass
			6145	RU996	Left	10	Refer To Test Graph		Pass
				RU242+484	/	10	Refer To Test Graph		Pass
			6385	RU996	Left	10	Refer To Test Graph		Pass
				RU242+484	/	10	Refer To Test Graph		Pass
	802.11be (EHT160)	MIMO	6025	2xRU996	Left	10	Refer To Test Graph		Pass
				RU484+996	/	10	Refer To Test Graph		Pass
			6185	2xRU996	Left	10	Refer To Test Graph		Pass
				RU484+996	/	10	Refer To Test Graph		Pass
			6345	2xRU996	Left	10	Refer To Test Graph		Pass
				RU484+996	/	10	Refer To Test Graph		Pass
	802.11be (EHT320)	MIMO	6105	4xRU996	Left	10	Refer To Test Graph		Pass
				RU484+2X996	/	10	Refer To Test Graph		Pass
			6265	P-80M-RU996+2X996	/	10	Refer To Test Graph		Pass
				4xRU996	Left	10	Refer To Test Graph		Pass
				RU484+2X996	/	10	Refer To Test Graph		Pass
				P-80M-RU996+2X996	/	10	Refer To Test Graph		Pass

6.1.2 EMask

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT20)	MIMO	6435	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
			6475	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
			6515	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
	802.11be (EHT40)	MIMO	6445	RU484	Left	10	Refer To Test Graph		Pass
				RU26+106	/	10	Refer To Test Graph		Pass
			6485	RU484	Left	10	Refer To Test Graph		Pass
				RU26+106	/	10	Refer To Test Graph		Pass
	802.11be (EHT80)	MIMO	6465	RU996	Left	10	Refer To Test Graph		Pass
				RU242+484	/	10	Refer To Test Graph		Pass

6.1.3 EMask

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT20)	MIMO	6535	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
			6695	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
			6855	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
	802.11be (EHT40)	MIMO	6565	RU484	Left	10	Refer To Test Graph		Pass
				RU26+106	/	10	Refer To Test Graph		Pass
			6685	RU484	Left	10	Refer To Test Graph		Pass
				RU26+106	/	10	Refer To Test Graph		Pass
			6845	RU484	Left	10	Refer To Test Graph		Pass
				RU26+106	/	10	Refer To Test Graph		Pass
	802.11be (EHT80)	MIMO	6625	RU996	Left	10	Refer To Test Graph		Pass
				RU242+484	/	10	Refer To Test Graph		Pass
			6705	RU996	Left	10	Refer To Test Graph		Pass
				RU242+484	/	10	Refer To Test Graph		Pass
			6785	RU996	Left	10	Refer To Test Graph		Pass
				RU242+484	/	10	Refer To Test Graph		Pass
	802.11be (EHT160)	MIMO	6665	2xRU996	Left	10	Refer To Test Graph		Pass
				RU484+996	/	10	Refer To Test Graph		Pass

6.1.4 EMask

ENV	Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT20)	MIMO	6895	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
			6995	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
			7115	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
	802.11be (EHT40)	MIMO	6925	RU484	Left	10	Refer To Test Graph		Pass
				RU26+106	/	10	Refer To Test Graph		Pass

	802.11be (EHT80)	MIMO	7005	RU484	Left	10	Refer To Test Graph	Pass
				RU26+106	/	10	Refer To Test Graph	Pass
			7085	RU484	Left	10	Refer To Test Graph	Pass
				RU26+106	/	10	Refer To Test Graph	Pass
			6945	RU996	Left	10	Refer To Test Graph	Pass
				RU242+484	/	10	Refer To Test Graph	Pass
	802.11be (EHT160)	MIMO	7025	RU996	Left	10	Refer To Test Graph	Pass
				RU242+484	/	10	Refer To Test Graph	Pass
			6985	2xRU996	Left	10	Refer To Test Graph	Pass
				RU484+996	/	10	Refer To Test Graph	Pass

6.1.5 EMask

ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT20)	MIMO	6875	RU242	Left	10	Refer To Test Graph		Pass
				RU26+52	/	10	Refer To Test Graph		Pass
	802.11be (EHT40)	MIMO	6885	RU484	Left	10	Refer To Test Graph		Pass
				RU26+106	/	10	Refer To Test Graph		Pass
	802.11be (EHT80)	MIMO	6865	RU996	Left	10	Refer To Test Graph		Pass
				RU242+484	/	10	Refer To Test Graph		Pass
	802.11be (EHT160)	MIMO	6825	2xRU996	Left	10	Refer To Test Graph		Pass
				RU484+996	/	10	Refer To Test Graph		Pass
	802.11be (EHT320)	MIMO	6745	4xRU996	Left	10	Refer To Test Graph		Pass
				RU484+2X996	/	10	Refer To Test Graph		Pass
				P-80M-RU996+2X996	/	10	Refer To Test Graph		Pass
			6905	4xRU996	Left	10	Refer To Test Graph		Pass
				RU484+2X996	/	10	Refer To Test Graph		Pass
				P-80M-RU996+2X996	/	10	Refer To Test Graph		Pass

6.1.6 EMask


ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT40)	MIMO	6525	RU484	Left	10	Refer To Test Graph		Pass
				RU26+106	/	10	Refer To Test Graph		Pass
	802.11be (EHT80)	MIMO	6545	RU996	Left	10	Refer To Test Graph		Pass
				RU242+484	/	10	Refer To Test Graph		Pass
	802.11be (EHT160)	MIMO	6505	2xRU996	Left	10	Refer To Test Graph		Pass
				RU484+996	/	10	Refer To Test Graph		Pass
	802.11be (EHT320)	MIMO	6585	4xRU996	Left	10	Refer To Test Graph		Pass
				RU484+2X996	/	10	Refer To Test Graph		Pass
				P-80M-RU996+2X996	/	10	Refer To Test Graph		Pass

6.1.7 EMask


ENV	Mode	Tx Type	Frequency (MHz)	RU	RU Pos	ANT	Test Result	Limit	Verdict
NTNV	802.11be (EHT320)	MIMO	6425	4xRU996	Left	10	Refer To Test Graph		Pass
				RU484+2X996	/	10	Refer To Test Graph		Pass
				P-80M-RU996+2X996	/	10	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 EMask




802.11be(EHT20)_MCH_6175MHz_RU242_Left_Ant10_NTNV




802.11be(EHT20)_MCH_6175MHz_26+52_/_Ant10_NTNV




802.11be(EHT20) HCH_6415MHz_RU242_Left_Ant10_NTNV




802.11be(EHT20) HCH_6415MHz_26+52_ / Ant10_NTNV




802.11be(EHT40)_LCH_5965MHz_RU484_Left_Ant10_NTNV



802.11be(EHT40)_LCH_5965MHz_26+106_ / Ant10_NTNV



802.11be(EHT40)_MCH_6165MHz_RU484_Left_Ant10_NTNV



802.11be(EHT40)_MCH_6165MHz_26+106 / Ant10_NTNV

