



11be(EHT320)_TX_CH_191_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126.74	38.89	36.15	-14.44	60.60	88.30	27.70	Horizontal
2	7166.7	40.06	36.20	-14.27	61.99	88.30	26.31	Horizontal

11be(EHT320)_TX_CH_191_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.28	27.46	36.15	-14.44	49.17	68.30	19.13	Horizontal
2	7173.18	27.85	36.21	-14.24	49.82	68.30	18.48	Horizontal

11be(EHT320)_TX_CH_191_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.12	27.68	36.15	-14.45	49.38	68.30	18.92	Vertical
2	7167.78	27.70	36.20	-14.26	49.64	68.30	18.66	Vertical

11be(EHT320)_TX_CH_191_Vertica_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7129.98	38.78	36.16	-14.43	60.51	88.30	27.79	Vertical
2	7165.62	39.39	36.20	-14.27	61.32	88.30	26.98	Vertical

11be(EHT160)_TX_CH_207_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7128.88	39.79	36.15	-14.43	61.51	88.30	26.79	Horizontal
2	7150.48	40.44	36.18	-14.34	62.28	88.30	26.02	Horizontal

11be(EHT160)_TX_CH_207_Horizontal_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.44	38.93	36.15	-14.44	60.64	88.30	27.66	Horizontal
2	7150.84	39.41	36.18	-14.34	61.25	88.30	27.05	Horizontal


11be(EHT160)_TX_CH_207_Vertical_Average



Data List

NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.8	38.79	36.15	-14.44	60.51	88.30	27.79	Vertical
2	7155.52	39.53	36.19	-14.32	61.40	88.30	26.90	Vertical


11be(EHT160)_TX_CH_207_Vertica_Peak



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7129.96	39.13	36.16	-14.43	60.86	88.30	27.44	Vertical
2	7153.72	39.49	36.18	-14.32	61.35	88.30	26.95	Vertical

11be(EHT80)_TX_CH_215_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.08	39.37	36.15	-14.44	61.08	88.30	27.22	Horizontal
2	7150.12	39.67	36.18	-14.34	61.51	88.30	26.79	Horizontal

11be(EHT80)_TX_CH_215_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.8	28.20	36.15	-14.45	49.90	68.30	18.40	Horizontal
2	7144.36	28.34	36.17	-14.36	50.15	68.30	18.15	Horizontal

11be(EHT80)_TX_CH_215_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.48	28.19	36.15	-14.45	49.89	68.30	18.41	Vertical
2	7150.12	28.42	36.18	-14.34	50.26	68.30	18.04	Vertical

11be(EHT80)_TX_CH_215_Vertica_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7129.96	38.98	36.16	-14.43	60.71	88.30	27.59	Vertical
2	7150.12	39.82	36.18	-14.34	61.66	88.30	26.64	Vertical


11be(EHT40)_TX_CH_227_Horizontal_Peak



Data List


NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7126.92	38.91	36.15	-14.44	60.62	88.30	27.68	Horizontal
2	7146.84	39.19	36.18	-14.35	61.01	88.30	27.29	Horizontal

11be(EHT40)_TX_CH_227_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125.96	27.62	36.15	-14.45	49.33	68.30	18.97	Horizontal
2	7138.44	27.82	36.17	-14.39	49.60	68.30	18.70	Horizontal

11be(EHT40)_TX_CH_227_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7127.88	27.62	36.15	-14.44	49.34	68.30	18.96	Vertical
2	7141.8	27.70	36.17	-14.38	49.49	68.30	18.81	Vertical

11be(EHT40)_TX_CH_227_Vertica_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7128.12	39.69	36.15	-14.44	61.41	88.30	26.89	Vertical
2	7145.16	38.62	36.17	-14.36	60.43	88.30	27.87	Vertical

11be(EHT20)_TX_CH_233_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	47.47	36.15	-14.45	69.17	88.30	19.13	Horizontal
2	7125.375	42.90	36.15	-14.45	64.60	88.30	23.70	Horizontal

11be(EHT20)_TX_CH_233_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	36.15	36.15	-14.45	57.85	68.30	10.45	Horizontal
2	7125.54	29.87	36.15	-14.45	51.57	68.30	16.73	Horizontal

11be(EHT20)_TX_CH_233_Veritical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	40.66	36.15	-14.45	62.36	68.30	5.94	Vertical
2	7125.54	32.45	36.15	-14.45	54.15	68.30	14.15	Vertical

11be(EHT20)_TX_CH_233_Vertica_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	48.69	36.15	-14.45	70.39	88.30	17.91	Vertical
2	7125.54	40.65	36.15	-14.45	62.35	88.30	25.95	Vertical

11be(EHT20)_Partial_RU_TX_CH_001_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5918.24	27.19	34.52	-14.54	47.18	68.30	21.12	Horizontal
2	5922.44	27.21	34.54	-14.54	47.21	68.30	21.09	Horizontal

11be(EHT20)_Partial_RU_TX_CH_001_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5910.26	39.23	34.49	-14.53	59.19	88.30	29.11	Horizontal
2	5923.42	41.22	34.54	-14.54	61.22	88.30	27.08	Horizontal

11be(EHT20)_Partial_RU_TX_CH_001_Vertical_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5913.9	27.23	34.51	-14.53	47.20	68.30	21.10	Vertical
2	5919.5	27.33	34.53	-14.54	47.32	68.30	20.98	Vertical

11be(EHT20)_Partial_RU_TX_CH_001_Vertical_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5915.02	39.84	34.51	-14.53	59.82	88.30	28.48	Vertical
2	5921.6	39.70	34.53	-14.54	59.70	88.30	28.60	Vertical

11be(EHT20)_Partial_RU_TX_CH_233_Horizontal_Average




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	37.43	36.15	-14.45	59.13	68.30	9.17	Horizontal
2	7125.375	32.47	36.15	-14.45	54.17	68.30	14.13	Horizontal

11be(EHT20)_Partial_RU_TX_CH_233_Horizontal_Peak




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	43.24	36.15	-14.45	64.94	88.30	23.36	Horizontal
2	7127.85	38.03	36.15	-14.44	59.75	88.30	28.55	Horizontal

11be(EHT20)_Partial_RU_TX_CH_233_Vertical_Average



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	40.82	36.15	-14.45	62.52	68.30	5.78	Vertical
2	7125.21	38.15	36.15	-14.45	59.85	68.30	8.45	Vertical

11be(EHT20)_Partial_RU_TX_CH_233_Vertical_Peak



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7125	45.25	36.15	-14.45	66.95	88.30	21.35	Vertical
2	7128.015	38.37	36.15	-14.44	60.09	88.30	28.21	Vertical

Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading(dBμV) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit(dBμV/m) – Level(dBμV/m)

---End of Report---