

LTE CA 2A 7ALow

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	59.29	-48.50	28.82	-55.65	-13.00	42.65	Horizontal
2	4912.5	50.19	-48.03	31.01	-62.09	-13.00	49.09	Horizontal
3	6924.75	50.78	-46.70	35.38	-55.80	-13.00	42.80	Horizontal
4	9034.5	48.16	-43.06	37.45	-52.71	-13.00	39.71	Horizontal
5	12353.25	49.82	-39.64	39.19	-45.89	-13.00	32.89	Horizontal
6	16401.75	53.24	-37.36	38.56	-40.82	-13.00	27.82	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	57.12	-48.50	28.82	-57.82	-13.00	44.82	Vertical
2	4661.25	50.66	-47.98	30.45	-62.12	-13.00	49.12	Vertical
3	6666.75	50.10	-46.72	34.97	-56.91	-13.00	43.91	Vertical
4	9078.75	47.99	-42.91	37.51	-52.67	-13.00	39.67	Vertical
5	13091.25	49.48	-38.49	38.94	-45.33	-13.00	32.33	Vertical
6	17533.5	50.90	-36.82	42.00	-39.18	-13.00	26.18	Vertical

LTE CA 2A 7A_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3289.5	49.24	-48.04	28.33	-65.73	-13.00	52.73	Horizontal
2	4899.75	50.36	-48.03	30.98	-61.95	-13.00	48.95	Horizontal
3	7098.75	50.71	-45.84	35.68	-54.71	-13.00	41.71	Horizontal
4	9018	47.82	-43.11	37.43	-53.13	-13.00	40.13	Horizontal
5	13317	49.82	-39.10	39.28	-45.27	-13.00	32.27	Horizontal
6	16894.5	52.89	-36.62	38.76	-40.23	-13.00	27.23	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3261.75	49.44	-48.08	28.31	-65.59	-13.00	52.59	Vertical
2	4850.25	49.96	-48.02	30.87	-62.45	-13.00	49.45	Vertical
3	7070.25	50.89	-46.06	35.63	-54.80	-13.00	41.80	Vertical
4	9590.25	48.34	-42.25	38.23	-50.95	-13.00	37.95	Vertical
5	12304.5	49.95	-39.72	39.22	-45.82	-13.00	32.82	Vertical
6	16744.5	54.07	-37.74	38.70	-40.23	-13.00	27.23	Vertical

LTE CA 2A 7A_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	55.35	-48.24	28.95	-59.20	-13.00	46.20	Horizontal
2	4662	50.33	-47.98	30.46	-62.45	-13.00	49.45	Horizontal
3	6456.75	50.54	-46.96	34.54	-57.15	-13.00	44.15	Horizontal
4	9287.25	47.98	-42.96	37.80	-52.44	-13.00	39.44	Horizontal
5	13115.25	49.66	-38.45	38.97	-45.07	-13.00	32.07	Horizontal
6	17605.5	50.48	-36.88	42.43	-39.23	-13.00	26.23	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	52.67	-48.24	28.95	-61.88	-13.00	48.88	Vertical
2	4992	50.54	-48.01	31.18	-61.55	-13.00	48.55	Vertical
3	6786.75	50.74	-46.84	35.16	-56.21	-13.00	43.21	Vertical
4	9042	48.52	-43.03	37.46	-52.31	-13.00	39.31	Vertical
5	11588.25	49.79	-39.80	39.44	-45.83	-13.00	32.83	Vertical
6	16574.25	53.55	-37.34	38.63	-40.42	-13.00	27.42	Vertical

LTE CA 4A 5A_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3617.625	46.73	-48.32	28.69	-68.16	-13.00	55.16	Horizontal
2	5133.375	53.02	-47.84	31.57	-58.51	-13.00	45.51	Horizontal
3	7071	45.35	-46.05	35.63	-60.34	-13.00	47.34	Horizontal
4	9593.625	40.74	-42.25	38.23	-58.54	-13.00	45.54	Horizontal
5	12016.125	37.63	-39.45	39.39	-57.69	-13.00	44.69	Horizontal
6	17914.5	34.56	-36.46	44.29	-52.88	-13.00	39.88	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3422.25	48.63	-48.38	28.44	-66.58	-13.00	53.58	Vertical
2	4600.875	46.44	-48.00	30.32	-66.50	-13.00	53.50	Vertical
3	6420	45.02	-46.94	34.40	-62.79	-13.00	49.79	Vertical
4	8521.875	42.35	-44.21	36.87	-60.25	-13.00	47.25	Vertical
5	10274.625	40.79	-41.40	38.99	-56.88	-13.00	43.88	Vertical
6	14710.875	35.96	-36.70	40.23	-55.77	-13.00	42.77	Vertical

LTE CA 4A 5A_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3600	45.83	-48.28	28.66	-69.05	-13.00	56.05	Horizontal
2	5170.5	52.56	-47.87	31.68	-58.89	-13.00	45.89	Horizontal
3	7411.125	44.83	-46.17	36.24	-60.36	-13.00	47.36	Horizontal
4	10251.375	40.75	-41.63	38.98	-57.17	-13.00	44.17	Horizontal
5	14712.375	35.75	-36.70	40.23	-55.98	-13.00	42.98	Horizontal
6	17908.5	34.97	-36.45	44.25	-52.49	-13.00	39.49	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3602.25	46.19	-48.29	28.66	-68.69	-13.00	55.69	Vertical
2	5170.875	51.02	-47.87	31.68	-60.43	-13.00	47.43	Vertical
3	5751.375	53.19	-47.57	32.70	-56.94	-13.00	43.94	Vertical
4	7068	44.88	-46.08	35.62	-60.83	-13.00	47.83	Vertical
5	10050	41.08	-41.79	38.84	-57.13	-13.00	44.13	Vertical
6	14719.875	35.72	-36.71	40.23	-56.03	-13.00	43.03	Vertical

LTE CA 4A 5A_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3290.625	46.06	-48.04	28.33	-68.91	-13.00	55.91	Horizontal
2	5208.375	51.60	-47.88	31.78	-59.76	-13.00	46.76	Horizontal
3	7040.625	44.94	-46.29	35.57	-61.03	-13.00	48.03	Horizontal
4	9592.875	41.34	-42.25	38.23	-57.94	-13.00	44.94	Horizontal
5	11984.25	36.97	-39.51	39.40	-58.40	-13.00	45.40	Horizontal
6	17558.25	33.24	-36.83	42.15	-56.70	-13.00	43.70	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3472.125	46.02	-48.32	28.48	-69.09	-13.00	56.09	Vertical
2	4692.75	46.00	-47.96	30.52	-66.70	-13.00	53.70	Vertical
3	6937.125	44.96	-46.68	35.40	-61.58	-13.00	48.58	Vertical
4	9869.25	40.51	-42.14	38.62	-58.27	-13.00	45.27	Vertical
5	12605.625	37.74	-39.01	39.04	-57.49	-13.00	44.49	Vertical
6	17688.75	34.42	-37.70	42.93	-55.61	-13.00	42.61	Vertical

LTE CA 4A 7A_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3399.75	46.38	-48.41	28.42	-68.87	-13.00	55.87	Horizontal
2	4757.625	46.82	-47.99	30.67	-65.76	-13.00	52.76	Horizontal
3	6475.875	44.66	-46.98	34.61	-62.97	-13.00	49.97	Horizontal
4	8260.125	42.62	-44.40	36.59	-60.46	-13.00	47.46	Horizontal
5	10497.75	39.44	-40.66	39.15	-57.33	-13.00	44.33	Horizontal
6	14712.75	35.60	-36.70	40.23	-56.13	-13.00	43.13	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3356.625	45.78	-48.25	28.39	-69.34	-13.00	56.34	Vertical
2	4607.625	46.17	-48.00	30.34	-66.75	-13.00	53.75	Vertical
3	6449.25	44.94	-46.96	34.51	-62.77	-13.00	49.77	Vertical
4	8072.625	43.08	-44.65	36.38	-60.45	-13.00	47.45	Vertical
5	10892.25	38.67	-40.07	39.42	-57.23	-13.00	44.23	Vertical
6	14594.25	36.60	-37.99	40.24	-56.41	-13.00	43.41	Vertical

LTE CA 4A 7A_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3381.75	46.01	-48.34	28.41	-69.19	-13.00	56.19	Horizontal
2	4358.625	46.10	-47.97	29.87	-67.26	-13.00	54.26	Horizontal
3	5701.875	46.51	-47.49	32.68	-63.56	-13.00	50.56	Horizontal
4	7541.625	43.81	-45.50	36.39	-60.56	-13.00	47.56	Horizontal
5	10058.625	41.01	-41.80	38.84	-57.21	-13.00	44.21	Horizontal
6	14716.875	35.36	-36.71	40.23	-56.38	-13.00	43.38	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3493.125	45.46	-48.30	28.49	-69.60	-13.00	56.60	Vertical
2	4309.875	45.77	-47.81	29.80	-67.51	-13.00	54.51	Vertical
3	5747.625	45.77	-47.57	32.70	-64.36	-13.00	51.36	Vertical
4	7452	44.39	-46.17	36.31	-60.73	-13.00	47.73	Vertical
5	10861.875	38.57	-40.28	39.40	-57.57	-13.00	44.57	Vertical
6	14714.625	35.28	-36.70	40.23	-56.46	-13.00	43.46	Vertical

LTE CA 4A 7A_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3292.5	45.73	-48.04	28.33	-69.24	-13.00	56.24	Horizontal
2	4321.5	46.68	-47.85	29.81	-66.62	-13.00	53.62	Horizontal
3	6448.125	44.83	-46.96	34.50	-62.89	-13.00	49.89	Horizontal
4	8911.5	41.83	-43.93	37.30	-60.06	-13.00	47.06	Horizontal
5	10851.375	39.28	-40.36	39.40	-56.94	-13.00	43.94	Horizontal
6	17677.875	34.58	-37.59	42.87	-55.41	-13.00	42.41	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3468.75	45.64	-48.33	28.48	-69.47	-13.00	56.47	Vertical
2	4848	46.28	-48.02	30.87	-66.13	-13.00	53.13	Vertical
3	6858.375	44.55	-46.80	35.27	-62.23	-13.00	49.23	Vertical
4	10239.75	40.54	-41.75	38.97	-57.50	-13.00	44.50	Vertical
5	13649.25	37.55	-38.52	39.77	-56.45	-13.00	43.45	Vertical
6	17883	34.42	-36.61	44.10	-53.35	-13.00	40.35	Vertical

LTE CA 5A 7A_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1133.3333	48.74	-50.04	24.83	-71.73	-13.00	58.73	Horizontal
2	1648.8889	53.45	-49.83	25.57	-66.06	-13.00	53.06	Horizontal
3	2484.8889	49.61	-48.99	27.17	-67.46	-13.00	54.46	Horizontal
4	3744.4444	49.95	-48.57	28.89	-64.99	-13.00	51.99	Horizontal
5	5704.8889	51.25	-47.51	32.68	-58.84	-13.00	45.84	Horizontal
6	8008	49.48	-44.45	36.31	-53.92	-13.00	40.92	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1102.6667	48.92	-49.96	24.85	-71.45	-13.00	58.45	Vertical
2	1648.8889	51.90	-49.83	25.57	-67.61	-13.00	54.61	Vertical
3	2554.6667	50.27	-49.05	27.30	-66.74	-13.00	53.74	Vertical
4	3787.1111	49.52	-48.45	28.96	-65.23	-13.00	52.23	Vertical
5	5695.1111	51.82	-47.51	32.68	-58.27	-13.00	45.27	Vertical
6	7588.4444	49.78	-44.86	36.38	-53.95	-13.00	40.95	Vertical

LTE CA 5A 7A_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1110.2222	49.15	-49.98	24.84	-71.24	-13.00	58.24	Horizontal
2	1664	50.46	-49.80	25.60	-69.00	-13.00	56.00	Horizontal
3	2985.7778	49.78	-48.36	28.07	-65.77	-13.00	52.77	Horizontal
4	4308.4444	49.27	-48.03	29.79	-64.23	-13.00	51.23	Horizontal
5	5839.5556	51.05	-47.44	32.74	-58.92	-13.00	45.92	Horizontal
6	8042.2222	50.19	-44.58	36.35	-53.30	-13.00	40.30	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1119.1111	48.84	-50.00	24.84	-71.58	-13.00	58.58	Vertical
2	1664	49.46	-49.80	25.60	-70.00	-13.00	57.00	Vertical
3	2822.2222	49.39	-48.70	27.78	-66.79	-13.00	53.79	Vertical
4	3802.6667	50.08	-48.41	28.98	-64.61	-13.00	51.61	Vertical
5	5723.5556	51.60	-47.55	32.69	-58.52	-13.00	45.52	Vertical
6	8021.7778	49.88	-44.50	36.32	-53.56	-13.00	40.56	Vertical

LTE CA 5A 7A_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1136	48.51	-50.05	24.83	-71.97	-13.00	58.97	Horizontal
2	1679.1111	50.02	-49.76	25.62	-69.39	-13.00	56.39	Horizontal
3	2458.2222	51.34	-49.14	27.12	-65.94	-13.00	52.94	Horizontal
4	3989.3333	49.07	-48.36	29.28	-65.27	-13.00	52.27	Horizontal
5	5932	50.89	-47.21	32.77	-58.80	-13.00	45.80	Horizontal
6	8049.7778	49.42	-44.61	36.35	-54.09	-13.00	41.09	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1102.6667	48.54	-49.96	24.85	-71.83	-13.00	58.83	Vertical
2	1679.1111	51.49	-49.76	25.62	-67.92	-13.00	54.92	Vertical
3	2860.4444	49.41	-48.74	27.85	-66.74	-13.00	53.74	Vertical
4	3703.1111	50.40	-48.69	28.82	-64.73	-13.00	51.73	Vertical
5	5691.1111	51.70	-47.52	32.68	-58.40	-13.00	45.40	Vertical
6	8008.8889	49.69	-44.45	36.31	-53.71	-13.00	40.71	Vertical

LTE CA 5A 66A_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1088.8889	48.77	-49.81	24.86	-71.45	-13.00	58.45	Horizontal
2	1649.3333	55.11	-49.83	25.57	-64.40	-13.00	51.40	Horizontal
3	2480	52.17	-49.02	27.16	-64.94	-13.00	51.94	Horizontal
4	3738.2222	50.11	-48.59	28.88	-64.86	-13.00	51.86	Horizontal
5	5692.4444	51.52	-47.51	32.68	-58.58	-13.00	45.58	Horizontal
6	8003.1111	49.20	-44.43	36.30	-54.19	-13.00	41.19	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1084.8889	48.75	-49.77	24.86	-71.42	-13.00	58.42	Vertical
2	1649.3333	53.74	-49.83	25.57	-65.77	-13.00	52.77	Vertical
3	2977.3333	49.06	-48.40	28.06	-66.54	-13.00	53.54	Vertical
4	3921.3333	49.44	-48.41	29.17	-65.06	-13.00	52.06	Vertical
5	5661.3333	51.13	-47.57	32.66	-59.03	-13.00	46.03	Vertical
6	8002.2222	49.52	-44.43	36.30	-53.87	-13.00	40.87	Vertical

LTE CA 5A 66A_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1161.3333	48.77	-50.12	24.82	-71.79	-13.00	58.79	Horizontal
2	1664	52.28	-49.80	25.60	-67.18	-13.00	54.18	Horizontal
3	2727.1111	50.25	-48.91	27.61	-66.31	-13.00	53.31	Horizontal
4	3748	49.88	-48.56	28.90	-65.04	-13.00	52.04	Horizontal
5	5701.7778	51.60	-47.50	32.68	-58.48	-13.00	45.48	Horizontal
6	7991.5556	49.34	-44.51	36.30	-54.13	-13.00	41.13	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1182.2222	49.08	-50.18	24.81	-71.55	-13.00	58.55	Vertical
2	1810.2222	49.18	-49.83	25.83	-70.09	-13.00	57.09	Vertical
3	3028.4444	49.74	-48.47	28.12	-65.87	-13.00	52.87	Vertical
4	3800.8889	49.27	-48.41	28.98	-65.42	-13.00	52.42	Vertical
5	5520	50.70	-47.45	32.61	-59.40	-13.00	46.40	Vertical
6	8590.6667	47.79	-43.90	36.95	-54.42	-13.00	41.42	Vertical

LTE CA 5A 66A_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1130.2222	48.81	-50.03	24.83	-71.65	-13.00	58.65	Horizontal
2	1679.1111	49.58	-49.76	25.62	-69.83	-13.00	56.83	Horizontal
3	2728	49.91	-48.91	27.61	-66.65	-13.00	53.65	Horizontal
4	3744	49.87	-48.57	28.89	-65.07	-13.00	52.07	Horizontal
5	5732	51.40	-47.57	32.69	-58.74	-13.00	45.74	Horizontal
6	7989.3333	49.11	-44.54	36.30	-54.38	-13.00	41.38	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1054.6667	48.53	-49.40	24.87	-71.25	-13.00	58.25	Vertical
2	1679.1111	50.59	-49.76	25.62	-68.82	-13.00	55.82	Vertical
3	3034.2222	49.83	-48.51	28.13	-65.81	-13.00	52.81	Vertical
4	3759.1111	50.00	-48.53	28.91	-64.87	-13.00	51.87	Vertical
5	5607.5556	51.16	-47.66	32.64	-59.11	-13.00	46.11	Vertical
6	7597.3333	48.99	-44.71	36.38	-54.60	-13.00	41.60	Vertical

LTE CA 7A 66A_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3175	50.22	-48.24	28.24	-65.04	-25.00	40.04	Horizontal
2	3952	49.37	-48.23	29.22	-64.90	-25.00	39.90	Horizontal
3	6423.5	51.12	-46.94	34.41	-56.67	-25.00	31.67	Horizontal
4	9030	48.96	-43.07	37.44	-51.93	-25.00	26.93	Horizontal
5	13120	50.12	-38.46	38.98	-44.62	-25.00	19.62	Horizontal
6	16582.5	54.64	-37.28	38.63	-39.27	-25.00	14.27	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3294.5	49.77	-48.04	28.34	-65.19	-25.00	40.19	Vertical
2	4095.5	49.87	-48.07	29.45	-64.00	-25.00	39.00	Vertical
3	5744	51.60	-47.56	32.70	-58.52	-25.00	33.52	Vertical
4	8726.5	48.86	-44.09	37.10	-53.39	-25.00	28.39	Vertical
5	11590.5	50.32	-39.80	39.44	-45.30	-25.00	20.30	Vertical
6	15190.5	51.62	-36.81	39.86	-40.60	-25.00	15.60	Vertical

LTE CA 7A 66A_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3309.5	49.85	-48.07	28.35	-65.13	-25.00	40.13	Horizontal
2	4136	49.93	-48.17	29.52	-63.98	-25.00	38.98	Horizontal
3	6148	51.54	-47.46	33.36	-57.82	-25.00	32.82	Horizontal
4	8998.5	48.97	-43.18	37.40	-52.07	-25.00	27.07	Horizontal
5	12613	50.42	-39.03	39.03	-44.83	-25.00	19.83	Horizontal
6	16544	54.80	-37.54	38.62	-39.38	-25.00	14.38	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3288.5	49.76	-48.04	28.33	-65.21	-25.00	40.21	Vertical
2	4671.5	50.15	-47.97	30.48	-62.60	-25.00	37.60	Vertical
3	6911.5	50.87	-46.72	35.36	-55.75	-25.00	30.75	Vertical
4	8629.5	48.84	-44.01	36.99	-53.44	-25.00	28.44	Vertical
5	12362	50.61	-39.62	39.18	-45.09	-25.00	20.09	Vertical
6	15420	53.42	-37.39	39.44	-39.79	-25.00	14.79	Vertical

LTE CA 7A 66A_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3274.5	50.15	-48.06	28.32	-64.85	-25.00	39.85	Horizontal
2	4295.5	49.38	-47.81	29.77	-63.91	-25.00	38.91	Horizontal
3	6295.5	51.08	-47.33	33.92	-57.59	-25.00	32.59	Horizontal
4	8422	49.89	-44.15	36.76	-52.75	-25.00	27.75	Horizontal
5	11488.5	50.40	-40.06	39.45	-45.47	-25.00	20.47	Horizontal
6	17366	53.01	-37.32	41.00	-38.58	-25.00	13.58	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3209.5	49.93	-48.15	28.27	-65.21	-25.00	40.21	Vertical
2	4338.5	50.54	-47.91	29.84	-62.79	-25.00	37.79	Vertical
3	6699.5	50.50	-46.55	35.02	-56.29	-25.00	31.29	Vertical
4	9088	49.04	-42.88	37.52	-51.58	-25.00	26.58	Vertical
5	12652	50.98	-39.14	39.01	-44.41	-25.00	19.41	Vertical
6	17347.5	52.78	-37.30	40.89	-38.90	-25.00	13.90	Vertical

LTE CA 7C_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3302	49.80	-48.04	28.34	-65.16	-25.00	40.16	Horizontal
2	5002	55.66	-48.01	31.21	-56.40	-25.00	31.40	Horizontal
3	7051	52.05	-46.21	35.59	-53.83	-25.00	28.83	Horizontal
4	9994.5	49.75	-41.72	38.79	-48.44	-25.00	23.44	Horizontal
5	13106	50.36	-38.42	38.96	-44.36	-25.00	19.36	Horizontal
6	16890	53.99	-36.67	38.76	-39.18	-25.00	14.18	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3333	50.51	-48.16	28.37	-64.54	-25.00	39.54	Vertical
2	4086.5	50.15	-48.08	29.44	-63.75	-25.00	38.75	Vertical
3	5002	57.58	-48.01	31.21	-54.48	-25.00	29.48	Vertical
4	7125	51.42	-45.92	35.73	-54.04	-25.00	29.04	Vertical
5	10415	49.48	-41.15	39.09	-47.84	-25.00	22.84	Vertical
6	16855	54.34	-37.09	38.74	-39.26	-25.00	14.26	Vertical

LTE CA 7C_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3283.5	50.29	-48.05	28.33	-64.69	-25.00	39.69	Horizontal
2	4605.5	50.56	-48.00	30.33	-62.37	-25.00	37.37	Horizontal
3	6454	50.74	-46.96	34.53	-56.96	-25.00	31.96	Horizontal
4	9051.5	49.46	-43.00	37.47	-51.33	-25.00	26.33	Horizontal
5	13706.5	50.50	-38.04	39.86	-42.94	-25.00	17.94	Horizontal
6	17922.5	52.23	-36.48	44.34	-35.17	-25.00	10.17	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3306.5	49.57	-48.05	28.35	-65.40	-25.00	40.40	Vertical
2	5032.5	56.88	-47.95	31.29	-55.04	-25.00	30.04	Vertical
3	7666.5	50.22	-45.00	36.37	-53.67	-25.00	28.67	Vertical
4	10896	50.13	-40.04	39.43	-45.74	-25.00	20.74	Vertical
5	13679	50.58	-38.20	39.82	-43.06	-25.00	18.06	Vertical
6	17596.5	51.42	-36.83	42.38	-38.29	-25.00	13.29	Vertical

LTE CA 7C_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3421	49.72	-48.38	28.44	-65.49	-25.00	40.49	Horizontal
2	4298.5	49.97	-47.79	29.78	-63.30	-25.00	38.30	Horizontal
3	5774.5	51.57	-47.61	32.71	-58.59	-25.00	33.59	Horizontal
4	7558	50.27	-45.24	36.39	-53.84	-25.00	28.84	Horizontal
5	12247	51.14	-39.78	39.25	-44.65	-25.00	19.65	Horizontal
6	16602	54.12	-37.17	38.64	-39.67	-25.00	14.67	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3462	50.03	-48.34	28.47	-65.10	-25.00	40.10	Vertical
2	5062.5	56.18	-47.89	31.38	-55.60	-25.00	30.60	Vertical
3	7593.5	50.24	-44.67	36.38	-53.31	-25.00	28.31	Vertical
4	10212.5	49.64	-42.02	38.95	-48.69	-25.00	23.69	Vertical
5	13171.5	50.20	-38.61	39.06	-44.62	-25.00	19.62	Vertical
6	16891	53.95	-36.66	38.76	-39.21	-25.00	14.21	Vertical

LTE CA 38C_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3291	49.87	-48.04	28.33	-65.10	-25.00	40.10	Horizontal
2	4288	49.55	-47.85	29.76	-63.80	-25.00	38.80	Horizontal
3	6227.5	50.98	-47.49	33.66	-58.10	-25.00	33.10	Horizontal
4	8668	48.75	-44.07	37.03	-53.55	-25.00	28.55	Horizontal
5	12337	50.95	-39.67	39.20	-44.78	-25.00	19.78	Horizontal
6	16316	53.54	-37.66	38.53	-40.85	-25.00	15.85	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3169	49.94	-48.26	28.24	-65.34	-25.00	40.34	Vertical
2	4680	49.90	-47.97	30.50	-62.83	-25.00	37.83	Vertical
3	7592	50.10	-44.70	36.38	-53.48	-25.00	28.48	Vertical
4	10454	49.70	-40.92	39.12	-47.36	-25.00	22.36	Vertical
5	13254.5	50.89	-38.91	39.18	-44.10	-25.00	19.10	Vertical
6	16532.5	54.64	-37.62	38.61	-39.63	-25.00	14.63	Vertical

LTE CA 38C_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3298.5	49.19	-48.03	28.34	-65.76	-25.00	40.76	Horizontal
2	4473.5	50.03	-48.01	30.06	-63.19	-25.00	38.19	Horizontal
3	6919	51.14	-46.71	35.37	-55.45	-25.00	30.45	Horizontal
4	8618.5	48.61	-44.00	36.98	-53.67	-25.00	28.67	Horizontal
5	11576	50.46	-39.84	39.44	-45.20	-25.00	20.20	Horizontal
6	15388	53.07	-37.30	39.50	-39.99	-25.00	14.99	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3202	50.32	-48.16	28.26	-64.84	-25.00	39.84	Vertical
2	4324.5	50.09	-47.86	29.82	-63.21	-25.00	38.21	Vertical
3	5761.5	51.89	-47.59	32.70	-58.25	-25.00	33.25	Vertical
4	9523.5	48.92	-42.34	38.13	-50.55	-25.00	25.55	Vertical
5	12654.5	50.60	-39.14	39.01	-44.80	-25.00	19.80	Vertical
6	15379.5	52.94	-37.36	39.52	-40.17	-25.00	15.17	Vertical

LTE CA 38C_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3259	49.65	-48.08	28.31	-65.39	-25.00	40.39	Horizontal
2	4310	49.26	-47.81	29.80	-64.02	-25.00	39.02	Horizontal
3	6100	50.91	-47.38	33.18	-58.55	-25.00	33.55	Horizontal
4	8651.5	48.96	-44.05	37.02	-53.33	-25.00	28.33	Horizontal
5	11632	50.58	-39.73	39.44	-44.98	-25.00	19.98	Horizontal
6	17458.5	52.10	-37.04	41.55	-38.65	-25.00	13.65	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3276	49.69	-48.06	28.32	-65.31	-25.00	40.31	Vertical
2	4244	49.99	-48.10	29.69	-63.68	-25.00	38.68	Vertical
3	6909	50.79	-46.72	35.35	-55.83	-25.00	30.83	Vertical
4	9504	48.82	-42.36	38.11	-50.70	-25.00	25.70	Vertical
5	13712.5	50.33	-38.10	39.87	-43.16	-25.00	18.16	Vertical
6	16594	54.40	-37.20	38.64	-39.42	-25.00	14.42	Vertical

LTE CA 41C_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3282	49.68	-48.05	28.33	-65.31	-25.00	40.31	Horizontal
2	4842	49.89	-48.02	30.85	-62.54	-25.00	37.54	Horizontal
3	6800	50.81	-46.89	35.18	-56.16	-25.00	31.16	Horizontal
4	9440.5	48.32	-42.77	38.02	-51.70	-25.00	26.70	Horizontal
5	13162.5	50.07	-38.59	39.04	-44.73	-25.00	19.73	Horizontal
6	16994	54.55	-37.31	38.80	-39.22	-25.00	14.22	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3495.5	49.55	-48.30	28.50	-65.51	-25.00	40.51	Vertical
2	4994	56.32	-48.01	31.19	-55.76	-25.00	30.76	Vertical
3	6920.5	50.94	-46.70	35.37	-55.65	-25.00	30.65	Vertical
4	9502.5	49.37	-42.37	38.10	-50.15	-25.00	25.15	Vertical
5	13105	50.06	-38.42	38.96	-44.66	-25.00	19.66	Vertical
6	16880	54.49	-36.79	38.75	-38.81	-25.00	13.81	Vertical

LTE CA 41C_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3276	50.14	-48.06	28.32	-64.86	-25.00	39.86	Horizontal
2	4431	49.95	-48.07	29.99	-63.39	-25.00	38.39	Horizontal
3	6286.5	50.93	-47.35	33.89	-57.79	-25.00	32.79	Horizontal
4	8592	48.91	-43.99	36.95	-53.39	-25.00	28.39	Horizontal
5	12737.5	50.73	-39.28	38.96	-44.85	-25.00	19.85	Horizontal
6	15434.5	52.73	-37.51	39.42	-40.63	-25.00	15.63	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3291	49.20	-48.04	28.33	-65.77	-25.00	40.77	Vertical
2	4588.5	49.81	-48.00	30.29	-63.15	-25.00	38.15	Vertical
3	6757.5	50.70	-46.75	35.11	-56.19	-25.00	31.19	Vertical
4	8792.5	48.89	-44.00	37.17	-53.20	-25.00	28.20	Vertical
5	12257	50.44	-39.77	39.25	-45.34	-25.00	20.34	Vertical
6	15398.5	53.35	-37.23	39.48	-39.66	-25.00	14.66	Vertical

LTE CA 41C_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3247	49.95	-48.10	28.30	-65.11	-25.00	40.11	Horizontal
2	4322	50.28	-47.85	29.82	-63.02	-25.00	38.02	Horizontal
3	6414.5	50.88	-46.94	34.38	-56.94	-25.00	31.94	Horizontal
4	8591	48.60	-44.00	36.95	-53.71	-25.00	28.71	Horizontal
5	12313.5	50.85	-39.71	39.21	-44.91	-25.00	19.91	Horizontal
6	16660.5	54.20	-37.51	38.66	-39.91	-25.00	14.91	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3279	50.21	-48.06	28.32	-64.78	-25.00	39.78	Vertical
2	4290	49.53	-47.84	29.76	-63.80	-25.00	38.80	Vertical
3	6843.5	51.27	-46.82	35.25	-55.56	-25.00	30.56	Vertical
4	8656.5	49.00	-44.05	37.02	-53.29	-25.00	28.29	Vertical
5	11683.5	49.92	-39.68	39.43	-45.59	-25.00	20.59	Vertical
6	15415	52.65	-37.35	39.45	-40.50	-25.00	15.50	Vertical

LTE CA 66C_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3344.625	45.54	-48.20	28.38	-69.54	-13.00	56.54	Horizontal
2	4324.5	45.86	-47.86	29.82	-67.44	-13.00	54.44	Horizontal
3	6488.25	44.34	-46.98	34.66	-63.25	-13.00	50.25	Horizontal
4	8555.25	41.74	-44.11	36.91	-60.72	-13.00	47.72	Horizontal
5	10870.125	38.35	-40.22	39.41	-57.72	-13.00	44.72	Horizontal
6	14223.375	37.13	-38.60	40.28	-56.46	-13.00	43.46	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3254.25	45.68	-48.09	28.30	-69.37	-13.00	56.37	Vertical
2	4449	45.62	-48.05	30.02	-67.67	-13.00	54.67	Vertical
3	6410.625	44.37	-46.94	34.36	-63.47	-13.00	50.47	Vertical
4	7951.875	42.66	-44.85	36.31	-61.14	-13.00	48.14	Vertical
5	10779.75	39.03	-40.78	39.35	-57.66	-13.00	44.66	Vertical
6	14720.25	34.92	-36.71	40.23	-56.83	-13.00	43.83	Vertical

LTE CA 66C_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3265.875	45.52	-48.07	28.31	-69.50	-13.00	56.50	Horizontal
2	4316.25	45.60	-47.83	29.81	-67.69	-13.00	54.69	Horizontal
3	6408	44.22	-46.93	34.35	-63.62	-13.00	50.62	Horizontal
4	7922.25	43.29	-45.19	36.32	-60.85	-13.00	47.85	Horizontal
5	10864.875	38.12	-40.26	39.41	-57.99	-13.00	44.99	Horizontal
6	13881	36.18	-38.78	40.12	-57.74	-13.00	44.74	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3387.375	45.93	-48.36	28.41	-69.28	-13.00	56.28	Vertical
2	4485.75	45.95	-48.00	30.08	-67.23	-13.00	54.23	Vertical
3	6398.625	44.15	-46.94	34.31	-63.73	-13.00	50.73	Vertical
4	8317.5	42.73	-44.47	36.65	-60.35	-13.00	47.35	Vertical
5	11208.375	37.39	-40.35	39.48	-58.74	-13.00	45.74	Vertical
6	14574.75	36.45	-38.11	40.24	-56.67	-13.00	43.67	Vertical

LTE CA 66C_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3258.375	45.72	-48.08	28.31	-69.32	-13.00	56.32	Horizontal
2	4112.625	46.29	-48.10	29.48	-67.59	-13.00	54.59	Horizontal
3	5708.25	45.42	-47.50	32.68	-64.66	-13.00	51.66	Horizontal
4	7954.5	42.67	-44.82	36.31	-61.10	-13.00	48.10	Horizontal
5	10107	40.32	-41.89	38.87	-57.95	-13.00	44.95	Horizontal
6	14715.75	35.73	-36.71	40.23	-56.01	-13.00	43.01	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3232.125	46.32	-48.12	28.29	-68.77	-13.00	55.77	Vertical
2	4358.625	46.59	-47.97	29.87	-66.77	-13.00	53.77	Vertical
3	6302.25	45.42	-47.31	33.95	-63.20	-13.00	50.20	Vertical
4	8004.375	42.36	-44.32	36.30	-60.92	-13.00	47.92	Vertical
5	10467.375	39.17	-40.84	39.13	-57.81	-13.00	44.81	Vertical
6	14717.25	35.17	-36.71	40.23	-56.57	-13.00	43.57	Vertical

LTE CA 2A 5A_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	57.07	-48.50	28.82	-57.87	-13.00	44.87	Horizontal
2	5146.5	50.23	-47.85	31.61	-61.27	-13.00	48.27	Horizontal
3	7053	51.00	-46.19	35.60	-54.86	-13.00	41.86	Horizontal
4	10031.25	48.83	-41.75	38.82	-49.36	-13.00	36.36	Horizontal
5	12660	50.21	-39.16	39.00	-45.20	-13.00	32.20	Horizontal
6	16596	53.47	-37.19	38.64	-40.34	-13.00	27.34	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3702	56.32	-48.50	28.82	-58.62	-13.00	45.62	Vertical
2	4740	50.04	-47.98	30.63	-62.57	-13.00	49.57	Vertical
3	6261.75	50.64	-47.41	33.79	-58.23	-13.00	45.23	Vertical
4	10320.75	48.63	-41.17	39.02	-48.77	-13.00	35.77	Vertical
5	13086	49.49	-38.54	38.93	-45.38	-13.00	32.38	Vertical
6	17369.25	52.05	-37.33	41.02	-39.52	-13.00	26.52	Vertical

LTE CA 2A 5A_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.5	53.48	-48.37	28.89	-61.26	-13.00	48.26	Horizontal
2	4919.25	49.58	-48.03	31.02	-62.68	-13.00	49.68	Horizontal
3	7015.5	50.45	-46.48	35.53	-55.76	-13.00	42.76	Horizontal
4	9500.25	48.81	-42.37	38.10	-50.72	-13.00	37.72	Horizontal
5	12009	49.63	-39.44	39.39	-45.67	-13.00	32.67	Horizontal
6	15390.75	52.67	-37.28	39.50	-40.38	-13.00	27.38	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3741.75	52.59	-48.37	28.89	-62.16	-13.00	49.16	Vertical
2	5081.25	50.75	-47.86	31.43	-60.94	-13.00	47.94	Vertical
3	7563.75	49.47	-45.15	36.39	-54.55	-13.00	41.55	Vertical
4	10276.5	49.09	-41.38	38.99	-48.56	-13.00	35.56	Vertical
5	13721.25	50.12	-38.19	39.88	-43.45	-13.00	30.45	Vertical
6	17329.5	52.49	-37.28	40.78	-39.28	-13.00	26.28	Vertical

LTE CA 2A 5A_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	53.06	-48.24	28.95	-61.49	-13.00	48.49	Horizontal
2	5352.75	50.53	-47.75	32.19	-60.29	-13.00	47.29	Horizontal
3	7587	49.58	-44.78	36.38	-54.08	-13.00	41.08	Horizontal
4	10312.5	48.65	-41.16	39.02	-48.75	-13.00	35.75	Horizontal
5	13749	49.93	-38.48	39.92	-43.89	-13.00	30.89	Horizontal
6	17345.25	52.46	-37.30	40.87	-39.23	-13.00	26.23	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3782.25	52.52	-48.24	28.95	-62.03	-13.00	49.03	Vertical
2	5673	52.46	-47.55	32.67	-57.68	-13.00	44.68	Vertical
3	7113.75	50.22	-45.88	35.70	-55.22	-13.00	42.22	Vertical
4	9532.5	48.10	-42.33	38.15	-51.34	-13.00	38.34	Vertical
5	12289.5	50.77	-39.74	39.23	-45.00	-13.00	32.00	Vertical
6	17530.5	51.07	-36.82	41.98	-39.03	-13.00	26.03	Vertical