

SA Band 2_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3303.75	48.85	-48.04	28.34	-66.11	-13.00	53.11	Horizontal
2	4422	49.62	-48.08	29.98	-63.75	-13.00	50.75	Horizontal
3	5808.75	51.25	-47.61	32.72	-58.89	-13.00	45.89	Horizontal
4	8221.5	48.68	-44.26	36.54	-54.30	-13.00	41.30	Horizontal
5	11636.25	49.24	-39.73	39.44	-46.31	-13.00	33.31	Horizontal
6	16904.25	52.81	-36.58	38.76	-40.27	-13.00	27.27	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3222	49.30	-48.13	28.28	-65.81	-13.00	52.81	Vertical
2	4554	49.42	-47.99	30.22	-63.61	-13.00	50.61	Vertical
3	6191.25	50.95	-47.54	33.53	-58.32	-13.00	45.32	Vertical
4	9044.25	47.83	-43.02	37.46	-52.99	-13.00	39.99	Vertical
5	12667.5	50.14	-39.18	39.00	-45.30	-13.00	32.30	Vertical
6	17576.25	50.63	-36.83	42.26	-39.20	-13.00	26.20	Vertical

SA Band 2_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3438.75	48.90	-48.36	28.45	-66.27	-13.00	53.27	Horizontal
2	4923	49.91	-48.03	31.03	-62.34	-13.00	49.34	Horizontal
3	7203.75	50.88	-46.20	35.87	-54.71	-13.00	41.71	Horizontal
4	9066	48.00	-42.95	37.49	-52.72	-13.00	39.72	Horizontal
5	13901.25	50.25	-38.74	40.15	-43.59	-13.00	30.59	Horizontal
6	17555.25	50.48	-36.83	42.13	-39.47	-13.00	26.47	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3177	50.17	-48.23	28.24	-65.08	-13.00	52.08	Vertical
2	4146.75	49.72	-48.20	29.53	-64.21	-13.00	51.21	Vertical
3	5701.5	51.26	-47.49	32.68	-58.81	-13.00	45.81	Vertical
4	7603.5	49.63	-44.59	36.38	-53.84	-13.00	40.84	Vertical
5	11946.75	49.15	-39.72	39.41	-46.43	-13.00	33.43	Vertical
6	16359	53.36	-37.50	38.54	-40.86	-13.00	27.86	Vertical

SA Band 2_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3174.75	49.39	-48.24	28.24	-65.87	-13.00	52.87	Horizontal
2	4008	49.15	-48.17	29.31	-64.97	-13.00	51.97	Horizontal
3	5805.75	51.63	-47.62	32.72	-58.53	-13.00	45.53	Horizontal
4	8640	48.08	-44.03	37.00	-54.21	-13.00	41.21	Horizontal
5	12644.25	49.71	-39.11	39.01	-45.65	-13.00	32.65	Horizontal
6	17985	51.32	-36.58	44.71	-35.81	-13.00	22.81	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3285	49.38	-48.05	28.33	-65.60	-13.00	52.60	Vertical
2	4338.75	49.00	-47.91	29.84	-64.33	-13.00	51.33	Vertical
3	6131.25	50.97	-47.43	33.30	-58.42	-13.00	45.42	Vertical
4	8946.75	47.67	-43.63	37.34	-53.88	-13.00	40.88	Vertical
5	11657.25	48.95	-39.71	39.43	-46.58	-13.00	33.58	Vertical
6	16592.25	54.86	-37.21	38.64	-38.98	-13.00	25.98	Vertical

SA Band 5_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1273.7778	53.23	-50.16	24.54	-67.64	-13.00	54.64	Horizontal
2	1742.6667	50.27	-49.77	25.71	-69.05	-13.00	56.05	Horizontal
3	2472.4444	49.69	-49.06	27.15	-67.48	-13.00	54.48	Horizontal
4	3639.1111	50.73	-48.57	28.72	-64.37	-13.00	51.37	Horizontal
5	4858.6667	49.83	-48.11	30.89	-62.65	-13.00	49.65	Horizontal
6	7999.1111	49.65	-44.43	36.30	-53.74	-13.00	40.74	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1159.1111	48.56	-50.12	24.82	-72.00	-13.00	59.00	Vertical
2	1856.8889	49.03	-49.79	25.94	-70.08	-13.00	57.08	Vertical
3	2658.6667	50.16	-49.07	27.49	-66.68	-13.00	53.68	Vertical
4	4431.1111	49.25	-48.10	29.99	-64.12	-13.00	51.12	Vertical
5	5861.3333	50.61	-47.29	32.74	-59.20	-13.00	46.20	Vertical
6	7611.5556	49.51	-44.74	36.38	-54.11	-13.00	41.11	Vertical

SA Band 5_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1206.2222	48.66	-50.22	24.78	-72.05	-13.00	59.05	Horizontal
2	1857.3333	48.89	-49.79	25.94	-70.22	-13.00	57.22	Horizontal
3	2810.6667	49.74	-48.69	27.76	-66.45	-13.00	53.45	Horizontal
4	3962.6667	49.17	-48.38	29.24	-65.23	-13.00	52.23	Horizontal
5	6097.3333	50.99	-47.03	33.17	-58.13	-13.00	45.13	Horizontal
6	8192	48.41	-44.28	36.51	-54.61	-13.00	41.61	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1170.2222	48.76	-50.15	24.81	-71.83	-13.00	58.83	Vertical
2	1654.2222	49.36	-49.82	25.58	-70.13	-13.00	57.13	Vertical
3	2255.5556	49.27	-49.29	26.76	-68.52	-13.00	55.52	Vertical
4	3413.7778	48.97	-48.65	28.43	-66.51	-13.00	53.51	Vertical
5	4998.6667	49.83	-47.96	31.20	-62.20	-13.00	49.20	Vertical
6	7578.6667	49.81	-45.02	36.38	-54.08	-13.00	41.08	Vertical

SA Band 5_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1233.7778	49.07	-50.20	24.68	-71.70	-13.00	58.70	Horizontal
2	1753.7778	50.86	-49.78	25.73	-68.45	-13.00	55.45	Horizontal
3	2480.4444	52.55	-49.01	27.16	-64.56	-13.00	51.56	Horizontal
4	4011.5556	49.29	-48.34	29.32	-64.99	-13.00	51.99	Horizontal
5	6125.7778	50.97	-47.13	33.28	-58.15	-13.00	45.15	Horizontal
6	8179.1111	48.75	-44.35	36.50	-54.36	-13.00	41.36	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1212.8889	48.89	-50.22	24.75	-71.83	-13.00	58.83	Vertical
2	1827.5556	49.01	-49.82	25.87	-70.20	-13.00	57.20	Vertical
3	2819.1111	50.00	-48.70	27.77	-66.18	-13.00	53.18	Vertical
4	4148.8889	49.55	-48.31	29.54	-64.48	-13.00	51.48	Vertical
5	6093.3333	50.99	-47.05	33.15	-58.16	-13.00	45.16	Vertical
6	8051.1111	49.44	-44.61	36.36	-54.08	-13.00	41.08	Vertical

SA Band 7_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3252.5	49.83	-48.09	28.30	-65.22	-25.00	40.22	Horizontal
2	4097	49.89	-48.06	29.46	-63.98	-25.00	38.98	Horizontal
3	5001.5	54.05	-48.01	31.20	-58.01	-25.00	33.01	Horizontal
4	7632.5	50.62	-44.78	36.37	-53.04	-25.00	28.04	Horizontal
5	11402.5	49.60	-40.08	39.46	-46.28	-25.00	21.28	Horizontal
6	16869.5	54.15	-36.91	38.75	-39.28	-25.00	14.28	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3303.5	49.79	-48.04	28.34	-65.17	-25.00	40.17	Vertical
2	4116.5	50.45	-48.11	29.49	-63.43	-25.00	38.43	Vertical
3	5001.5	56.25	-48.01	31.20	-55.81	-25.00	30.81	Vertical
4	6505.5	51.53	-46.99	34.71	-56.01	-25.00	31.01	Vertical
5	9060.5	48.82	-42.97	37.48	-51.93	-25.00	26.93	Vertical
6	14766	50.42	-36.79	40.22	-41.41	-25.00	16.41	Vertical

SA Band 7_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3257.5	49.75	-48.09	28.31	-65.29	-25.00	40.29	Horizontal
2	4570.5	50.10	-47.99	30.26	-62.90	-25.00	37.90	Horizontal
3	6167.5	51.56	-47.49	33.44	-57.76	-25.00	32.76	Horizontal
4	9040	48.69	-43.04	37.46	-52.15	-25.00	27.15	Horizontal
5	13101.5	49.53	-38.40	38.95	-45.18	-25.00	20.18	Horizontal
6	17378	52.82	-37.34	41.07	-38.71	-25.00	13.71	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3279.5	50.34	-48.06	28.32	-64.65	-25.00	39.65	Vertical
2	4391.5	50.18	-48.08	29.93	-63.24	-25.00	38.24	Vertical
3	6597.5	50.94	-47.05	34.86	-56.51	-25.00	31.51	Vertical
4	9523.5	48.76	-42.34	38.13	-50.71	-25.00	25.71	Vertical
5	13178	50.09	-38.63	39.07	-44.74	-25.00	19.74	Vertical
6	16911	53.82	-36.64	38.76	-39.31	-25.00	14.31	Vertical

SA Band 7_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3448.5	49.21	-48.35	28.46	-65.94	-25.00	40.94	Horizontal
2	4688	50.60	-47.96	30.51	-62.11	-25.00	37.11	Horizontal
3	6368.5	50.89	-47.05	34.20	-57.22	-25.00	32.22	Horizontal
4	9048	48.31	-43.01	37.47	-52.49	-25.00	27.49	Horizontal
5	12272	50.68	-39.76	39.24	-45.10	-25.00	20.10	Horizontal
6	16224.5	52.62	-37.74	38.49	-41.89	-25.00	16.89	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3330	49.29	-48.14	28.36	-65.75	-25.00	40.75	Vertical
2	4256.5	49.98	-48.03	29.71	-63.60	-25.00	38.60	Vertical
3	6728	50.78	-46.65	35.06	-56.06	-25.00	31.06	Vertical
4	9484.5	48.99	-42.48	38.08	-50.67	-25.00	25.67	Vertical
5	12302	50.70	-39.73	39.22	-45.07	-25.00	20.07	Vertical
6	16591.5	54.39	-37.22	38.64	-39.45	-25.00	14.45	Vertical

SA Band 12_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1399	61.44	-50.01	24.10	-59.73	-13.00	46.73	Horizontal
2	1783.5	48.52	-49.82	25.78	-70.78	-13.00	57.78	Horizontal
3	3033.5	49.67	-48.50	28.13	-65.96	-13.00	52.96	Horizontal
4	4220	49.36	-48.29	29.65	-64.54	-13.00	51.54	Horizontal
5	4906	67.23	-48.16	30.99	-45.19	-13.00	32.19	Horizontal
6	7563	49.35	-45.27	36.39	-54.79	-13.00	41.79	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1358.5	49.08	-50.06	24.25	-71.99	-13.00	58.99	Vertical
2	1587.5	49.31	-49.92	25.41	-70.46	-40.00	30.46	Vertical
3	2522	50.02	-48.96	27.24	-66.96	-13.00	53.96	Vertical
4	4132.5	49.46	-48.29	29.51	-64.58	-13.00	51.58	Vertical
5	6100	50.11	-47.01	33.18	-58.98	-13.00	45.98	Vertical
6	8010	49.88	-44.46	36.31	-53.53	-13.00	40.53	Vertical

SA Band 12_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1401	68.40	-50.01	24.11	-52.76	-13.00	39.76	Horizontal
2	1802.5	48.46	-49.84	25.81	-70.83	-13.00	57.83	Horizontal
3	2541	49.60	-49.01	27.27	-67.40	-13.00	54.40	Horizontal
4	3831	48.99	-48.42	29.03	-65.66	-13.00	52.66	Horizontal
5	5749.5	51.72	-47.61	32.70	-58.45	-13.00	45.45	Horizontal
6	8001	49.32	-44.42	36.30	-54.06	-13.00	41.06	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1401	68.29	-50.01	24.11	-52.87	-13.00	39.87	Vertical
2	1894	48.70	-49.76	26.04	-70.28	-13.00	57.28	Vertical
3	2696	49.67	-49.01	27.55	-67.04	-13.00	54.04	Vertical
4	4234	49.11	-48.25	29.67	-64.72	-13.00	51.72	Vertical
5	6292	50.64	-47.37	33.91	-58.08	-13.00	45.08	Vertical
6	8004	49.26	-44.44	36.30	-54.13	-13.00	41.13	Vertical

SA Band 12_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1403	68.32	-50.00	24.12	-52.82	-13.00	39.82	Horizontal
2	1846	48.78	-49.80	25.92	-70.36	-13.00	57.36	Horizontal
3	2736.5	49.71	-48.88	27.63	-66.81	-13.00	53.81	Horizontal
4	3814	48.75	-48.41	29.00	-65.92	-13.00	52.92	Horizontal
5	5683	51.70	-47.53	32.67	-58.42	-13.00	45.42	Horizontal
6	8022	49.54	-44.50	36.32	-53.90	-13.00	40.90	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1403	66.42	-50.00	24.12	-54.72	-13.00	41.72	Vertical
2	1778	48.83	-49.81	25.77	-70.48	-13.00	57.48	Vertical
3	3200.5	49.80	-48.62	28.26	-65.82	-13.00	52.82	Vertical
4	4042.5	48.67	-48.31	29.37	-65.53	-13.00	52.53	Vertical
5	5626.5	50.87	-47.62	32.65	-59.36	-13.00	46.36	Vertical
6	7603	49.34	-44.69	36.38	-54.23	-13.00	41.23	Vertical

SA Band 26_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1239.1111	49.08	-50.19	24.66	-71.71	-13.00	58.71	Horizontal
2	1723.5556	51.39	-49.75	25.69	-67.93	-13.00	54.93	Horizontal
3	2533.7778	49.69	-48.99	27.26	-67.30	-13.00	54.30	Horizontal
4	4245.7778	49.23	-48.21	29.69	-64.55	-13.00	51.55	Horizontal
5	5801.3333	51.21	-47.71	32.72	-59.04	-13.00	46.04	Horizontal
6	8032.8889	49.80	-44.54	36.34	-53.67	-13.00	40.67	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1156	48.68	-50.11	24.82	-71.86	-13.00	58.86	Vertical
2	1628.8889	50.72	-49.87	25.54	-68.87	-13.00	55.87	Vertical
3	2409.3333	49.92	-49.43	27.04	-67.73	-13.00	54.73	Vertical
4	3912.8889	49.00	-48.42	29.16	-65.52	-13.00	52.52	Vertical
5	5668.4444	51.23	-47.55	32.67	-58.92	-13.00	45.92	Vertical
6	7649.7778	49.63	-44.97	36.37	-54.23	-13.00	41.23	Vertical

SA Band 26_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1154.6667	48.82	-50.10	24.82	-71.72	-13.00	58.72	Horizontal
2	1738.2222	52.70	-49.77	25.71	-66.62	-13.00	53.62	Horizontal
3	3023.5556	49.76	-48.44	28.12	-65.82	-13.00	52.82	Horizontal
4	4033.7778	48.98	-48.32	29.35	-65.25	-13.00	52.25	Horizontal
5	5679.1111	51.38	-47.54	32.67	-58.74	-13.00	45.74	Horizontal
6	7996	49.18	-44.46	36.30	-54.24	-13.00	41.24	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1170.6667	48.77	-50.15	24.81	-71.82	-13.00	58.82	Vertical
2	1791.1111	49.13	-49.83	25.79	-70.17	-13.00	57.17	Vertical
3	2808	49.68	-48.69	27.75	-66.51	-13.00	53.51	Vertical
4	3905.3333	48.75	-48.43	29.15	-65.79	-13.00	52.79	Vertical
5	5764.8889	51.35	-47.64	32.71	-58.85	-13.00	45.85	Vertical
6	8257.3333	48.42	-44.55	36.58	-54.81	-13.00	41.81	Vertical

SA Band 26_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1316.8889	52.32	-50.11	24.39	-68.66	-13.00	55.66	Horizontal
2	1753.3333	51.18	-49.78	25.73	-68.13	-13.00	55.13	Horizontal
3	2660.4444	50.30	-49.07	27.49	-66.54	-13.00	53.54	Horizontal
4	3978.2222	49.11	-48.37	29.27	-65.25	-13.00	52.25	Horizontal
5	5708.4444	51.15	-47.52	32.68	-58.95	-13.00	45.95	Horizontal
6	7593.3333	49.91	-44.78	36.38	-53.75	-13.00	40.75	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1302.6667	48.66	-50.13	24.44	-72.29	-13.00	59.29	Vertical
2	1833.7778	48.93	-49.81	25.88	-70.26	-13.00	57.26	Vertical
3	3020.4444	49.24	-48.42	28.12	-66.32	-13.00	53.32	Vertical
4	4241.3333	49.23	-48.22	29.69	-64.57	-13.00	51.57	Vertical
5	6608.8889	50.25	-47.09	34.87	-57.23	-13.00	44.23	Vertical
6	8203.1111	48.47	-44.25	36.52	-54.51	-13.00	41.51	Vertical

SA Band 38_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3277.5	49.50	-48.06	28.32	-65.50	-25.00	40.50	Horizontal
2	4598	50.25	-48.00	30.32	-62.69	-25.00	37.69	Horizontal
3	7058.5	51.37	-46.15	35.61	-54.43	-25.00	29.43	Horizontal
4	11004	49.66	-40.69	39.50	-46.79	-25.00	21.79	Horizontal
5	14718	50.63	-36.71	40.23	-41.11	-25.00	16.11	Horizontal
6	17365	52.98	-37.32	40.99	-38.61	-25.00	13.61	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3294	49.81	-48.04	28.34	-65.15	-25.00	40.15	Vertical
2	4312.5	50.28	-47.82	29.80	-63.00	-25.00	38.00	Vertical
3	6709.5	51.44	-46.58	35.04	-55.37	-25.00	30.37	Vertical
4	9128.5	48.95	-43.04	37.58	-51.77	-25.00	26.77	Vertical
5	12684	50.44	-39.23	38.99	-45.06	-25.00	20.06	Vertical
6	16632.5	54.25	-37.35	38.65	-39.71	-25.00	14.71	Vertical

SA Band 38_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3276	49.92	-48.06	28.32	-65.08	-25.00	40.08	Horizontal
2	4310.5	49.56	-47.81	29.80	-63.72	-25.00	38.72	Horizontal
3	6313	51.20	-47.27	33.99	-57.34	-25.00	32.34	Horizontal
4	9119.5	48.67	-42.98	37.57	-52.00	-25.00	27.00	Horizontal
5	12908.5	50.92	-39.43	38.85	-44.91	-25.00	19.91	Horizontal
6	16856	54.13	-37.07	38.74	-39.46	-25.00	14.46	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3319.5	49.74	-48.10	28.36	-65.27	-25.00	40.27	Vertical
2	4238	49.98	-48.14	29.68	-63.74	-25.00	38.74	Vertical
3	5730	51.93	-47.54	32.69	-58.18	-25.00	33.18	Vertical
4	9050.5	48.88	-43.00	37.47	-51.91	-25.00	26.91	Vertical
5	12011.5	49.85	-39.44	39.39	-45.46	-25.00	20.46	Vertical
6	17389.5	53.37	-37.35	41.14	-38.10	-25.00	13.10	Vertical

SA Band 38_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3428.5	49.44	-48.38	28.44	-65.75	-25.00	40.75	Horizontal
2	4098	50.00	-48.06	29.46	-63.87	-25.00	38.87	Horizontal
3	5764.5	51.85	-47.59	32.71	-58.30	-25.00	33.30	Horizontal
4	8016.5	50.17	-44.38	36.32	-53.15	-25.00	28.15	Horizontal
5	10888.5	49.17	-40.09	39.42	-46.76	-25.00	21.76	Horizontal
6	15213.5	51.78	-36.81	39.82	-40.48	-25.00	15.48	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3360	49.20	-48.26	28.39	-65.93	-25.00	40.93	Vertical
2	4837.5	50.67	-48.02	30.84	-61.77	-25.00	36.77	Vertical
3	6689.5	51.05	-46.60	35.00	-55.81	-25.00	30.81	Vertical
4	9066	48.89	-42.95	37.49	-51.83	-25.00	26.83	Vertical
5	11933	50.27	-39.80	39.41	-45.39	-25.00	20.39	Vertical
6	16446	54.51	-37.58	38.58	-39.75	-25.00	14.75	Vertical

SA Band 41_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3306.5	49.96	-48.05	28.35	-65.01	-25.00	40.01	Horizontal
2	4511.5	50.64	-47.98	30.13	-62.48	-25.00	37.48	Horizontal
3	6379.5	51.40	-47.01	34.24	-56.63	-25.00	31.63	Horizontal
4	9772.5	48.83	-42.17	38.48	-50.12	-25.00	25.12	Horizontal
5	13706.5	50.16	-38.04	39.86	-43.28	-25.00	18.28	Horizontal
6	16921	53.91	-36.72	38.77	-39.30	-25.00	14.30	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3309	49.40	-48.06	28.35	-65.58	-25.00	40.58	Vertical
2	4341.5	50.38	-47.92	29.85	-62.95	-25.00	37.95	Vertical
3	6470.5	51.19	-46.97	34.59	-56.45	-25.00	31.45	Vertical
4	10235.5	49.36	-41.79	38.96	-48.72	-25.00	23.72	Vertical
5	13193.5	50.15	-38.68	39.09	-44.70	-25.00	19.70	Vertical
6	17488	51.76	-36.88	41.73	-38.66	-25.00	13.66	Vertical

SA Band 41_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3173	49.95	-48.24	28.24	-65.32	-25.00	40.32	Horizontal
2	4061	49.92	-48.11	29.40	-64.05	-25.00	39.05	Horizontal
3	5654.5	51.97	-47.59	32.66	-58.21	-25.00	33.21	Horizontal
4	8040.5	50.46	-44.49	36.34	-52.95	-25.00	27.95	Horizontal
5	12264.5	51.12	-39.76	39.24	-44.66	-25.00	19.66	Horizontal
6	16552	54.61	-37.49	38.62	-39.52	-25.00	14.52	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3191	50.36	-48.19	28.25	-64.84	-25.00	39.84	Vertical
2	4311	49.59	-47.82	29.80	-63.69	-25.00	38.69	Vertical
3	5717	52.13	-47.52	32.69	-57.96	-25.00	32.96	Vertical
4	8975	48.51	-43.39	37.37	-52.76	-25.00	27.76	Vertical
5	12236.5	50.33	-39.79	39.26	-45.46	-25.00	20.46	Vertical
6	16881	54.33	-36.78	38.75	-38.95	-25.00	13.95	Vertical

SA Band 41_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3208.5	49.86	-48.15	28.27	-65.28	-25.00	40.28	Horizontal
2	4335	49.74	-47.90	29.84	-63.58	-25.00	38.58	Horizontal
3	5742.5	52.61	-47.56	32.70	-57.51	-25.00	32.51	Horizontal
4	7980.5	50.30	-44.52	36.30	-53.18	-25.00	28.18	Horizontal
5	10527	49.52	-40.81	39.17	-47.38	-25.00	22.38	Horizontal
6	14816	51.02	-36.93	40.22	-40.95	-25.00	15.95	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3263.5	50.19	-48.08	28.31	-64.84	-25.00	39.84	Vertical
2	4244	50.04	-48.10	29.69	-63.63	-25.00	38.63	Vertical
3	5664.5	52.77	-47.56	32.67	-57.39	-25.00	32.39	Vertical
4	9056.5	48.57	-42.98	37.48	-52.19	-25.00	27.19	Vertical
5	12202	51.02	-39.82	39.28	-44.78	-25.00	19.78	Vertical
6	16322.5	53.32	-37.64	38.53	-41.05	-25.00	16.05	Vertical

SA Band 66_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3361.875	46.13	-48.27	28.39	-69.01	-13.00	56.01	Horizontal
2	4327.875	45.78	-47.87	29.82	-67.53	-13.00	54.53	Horizontal
3	5955	45.59	-47.34	32.78	-64.23	-13.00	51.23	Horizontal
4	7820.625	42.92	-45.02	36.34	-61.03	-13.00	48.03	Horizontal
5	10901.625	38.59	-40.02	39.43	-57.26	-13.00	44.26	Horizontal
6	14716.5	35.27	-36.71	40.23	-56.47	-13.00	43.47	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3196.5	46.12	-48.17	28.26	-69.05	-13.00	56.05	Vertical
2	4688.25	46.21	-47.96	30.51	-66.50	-13.00	53.50	Vertical
3	6300.75	44.43	-47.32	33.94	-64.20	-13.00	51.20	Vertical
4	8008.5	42.52	-44.34	36.31	-60.77	-13.00	47.77	Vertical
5	10391.625	39.62	-41.23	39.07	-57.80	-13.00	44.80	Vertical
6	14704.875	35.31	-36.69	40.23	-56.41	-13.00	43.41	Vertical

SA Band 66_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3265.125	46.17	-48.08	28.31	-68.85	-13.00	55.85	Horizontal
2	4149.375	45.94	-48.21	29.54	-67.99	-13.00	54.99	Horizontal
3	5410.5	45.69	-47.71	32.35	-64.93	-13.00	51.93	Horizontal
4	6811.875	44.30	-46.87	35.20	-62.63	-13.00	49.63	Horizontal
5	9045.375	41.21	-43.02	37.46	-59.61	-13.00	46.61	Horizontal
6	13851	37.09	-38.87	40.08	-56.96	-13.00	43.96	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3331.875	45.80	-48.15	28.37	-69.25	-13.00	56.25	Vertical
2	4689.75	45.72	-47.96	30.52	-66.99	-13.00	53.99	Vertical
3	6486.375	44.64	-46.98	34.65	-62.95	-13.00	49.95	Vertical
4	8433	41.70	-44.17	36.78	-60.95	-13.00	47.95	Vertical
5	10275.375	39.77	-41.39	38.99	-57.89	-13.00	44.89	Vertical
6	14590.5	36.36	-38.01	40.24	-56.67	-13.00	43.67	Vertical

SA Band 66_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3279	45.79	-48.06	28.32	-69.20	-13.00	56.20	Horizontal
2	4269.75	46.26	-47.96	29.73	-67.22	-13.00	54.22	Horizontal
3	5601.75	45.79	-47.70	32.64	-64.53	-13.00	51.53	Horizontal
4	7599.375	43.11	-44.58	36.38	-60.35	-13.00	47.35	Horizontal
5	10777.875	39.29	-40.78	39.34	-57.41	-13.00	44.41	Horizontal
6	13875	37.18	-38.80	40.11	-56.77	-13.00	43.77	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3291.375	46.19	-48.04	28.33	-68.78	-13.00	55.78	Vertical
2	4153.125	46.16	-48.22	29.55	-67.77	-13.00	54.77	Vertical
3	6366.75	44.21	-47.06	34.19	-63.92	-13.00	50.92	Vertical
4	9002.625	42.13	-43.16	37.40	-58.89	-13.00	45.89	Vertical
5	10905	38.09	-40.04	39.43	-57.78	-13.00	44.78	Vertical
6	14604	36.31	-37.90	40.24	-56.61	-13.00	43.61	Vertical

SA Band 77 3450-3550_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7077.875	43.96	-46.07	35.64	-61.73	-13.00	48.73	Horizontal
2	7950.9167	42.32	-44.61	36.31	-61.24	-13.00	48.24	Horizontal
3	8934.1667	40.57	-43.58	37.33	-60.94	-13.00	47.94	Horizontal
4	10076.0208	39.86	-41.66	38.85	-58.20	-13.00	45.20	Horizontal
5	13641.0208	35.04	-38.14	39.76	-58.60	-13.00	45.60	Horizontal
6	17632.4792	32.54	-37.09	42.59	-57.21	-13.00	44.21	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6940.3542	44.34	-46.05	35.40	-61.56	-13.00	48.56	Vertical
2	7827.2917	42.31	-44.92	36.33	-61.53	-13.00	48.53	Vertical
3	8932.7292	40.79	-43.58	37.33	-60.72	-13.00	47.72	Vertical
4	10285.8958	38.70	-41.22	39.00	-58.78	-13.00	45.78	Vertical
5	13748.3542	34.97	-38.23	39.92	-58.59	-13.00	45.59	Vertical
6	17669.375	33.78	-37.49	42.82	-56.16	-13.00	43.16	Vertical

SA Band 77 3700-3980_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7170.8333	43.79	-45.64	35.81	-61.30	-13.00	48.30	Horizontal
2	7857.9583	42.26	-44.94	36.33	-61.61	-13.00	48.61	Horizontal
3	9045.3333	40.51	-43.39	37.46	-60.67	-13.00	47.67	Horizontal
4	10360.6458	39.01	-41.18	39.05	-58.38	-13.00	45.38	Horizontal
5	13895.9375	35.25	-38.35	40.14	-58.21	-13.00	45.21	Horizontal
6	17672.25	33.77	-37.52	42.83	-56.18	-13.00	43.18	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7012.2292	44.28	-45.93	35.52	-61.39	-13.00	48.39	Vertical
2	7952.3542	42.05	-44.60	36.31	-61.50	-13.00	48.50	Vertical
3	9008.9167	40.92	-43.58	37.41	-60.51	-13.00	47.51	Vertical
4	10270.5625	39.53	-41.37	38.99	-58.11	-13.00	45.11	Vertical
5	13871.0208	35.28	-38.39	40.11	-58.27	-13.00	45.27	Vertical
6	17672.7292	34.13	-37.53	42.84	-55.82	-13.00	42.82	Vertical

SA Band 77 3700-3980_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7178.0208	43.64	-45.60	35.82	-61.39	-13.00	48.39	Horizontal
2	7827.7708	42.74	-44.92	36.33	-61.10	-13.00	48.10	Horizontal
3	9505.3333	39.99	-42.60	38.11	-59.76	-13.00	46.76	Horizontal
4	10878.1458	37.34	-40.23	39.41	-58.74	-13.00	45.74	Horizontal
5	13740.2083	35.13	-38.18	39.91	-58.40	-13.00	45.40	Horizontal
6	17660.2708	33.74	-37.39	42.76	-56.15	-13.00	43.15	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7177.5417	43.53	-45.60	35.82	-61.51	-13.00	48.51	Vertical
2	8334.25	41.92	-44.49	36.67	-61.16	-13.00	48.16	Vertical
3	9852.7292	39.14	-41.92	38.59	-59.44	-13.00	46.44	Vertical
4	10737.75	38.18	-40.67	39.32	-58.44	-13.00	45.44	Vertical
5	13638.625	35.26	-38.15	39.76	-58.39	-13.00	45.39	Vertical
6	17998.0833	33.49	-36.99	44.79	-53.97	-13.00	40.97	Vertical

SA Band 77 3700-3980_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6929.8125	43.89	-46.07	35.39	-62.05	-13.00	49.05	Horizontal
2	7964.8125	42.26	-44.52	36.31	-61.21	-13.00	48.21	Horizontal
3	9978.75	39.54	-41.75	38.77	-58.70	-13.00	45.70	Horizontal
4	11211.6458	36.79	-40.01	39.48	-59.00	-13.00	46.00	Horizontal
5	13287.875	35.58	-38.59	39.23	-59.03	-13.00	46.03	Horizontal
6	17794.4375	33.74	-38.00	43.57	-55.95	-13.00	42.95	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7169.3958	43.33	-45.65	35.80	-61.78	-13.00	48.78	Vertical
2	8555.1458	40.73	-43.93	36.91	-61.55	-13.00	48.55	Vertical
3	10076.9792	39.88	-41.66	38.85	-58.18	-13.00	45.18	Vertical
4	11607.9167	35.74	-39.27	39.44	-59.35	-13.00	46.35	Vertical
5	14575.3958	34.75	-38.18	40.24	-58.45	-13.00	45.45	Vertical
6	17795.3958	33.41	-38.00	43.57	-56.28	-13.00	43.28	Vertical

SA Band 78 3450-3550_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7149.75	43.72	-45.78	35.77	-61.55	-13.00	48.55	Horizontal
2	7833.5208	42.84	-44.92	36.33	-61.01	-13.00	48.01	Horizontal
3	9507.7292	40.03	-42.58	38.11	-59.70	-13.00	46.70	Horizontal
4	10858.0208	37.42	-40.29	39.40	-58.73	-13.00	45.73	Horizontal
5	13874.375	34.98	-38.39	40.11	-58.55	-13.00	45.55	Horizontal
6	17996.1667	33.76	-36.99	44.78	-53.71	-13.00	40.71	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6902.0208	44.95	-46.14	35.34	-61.10	-13.00	48.10	Vertical
2	7795.6667	41.91	-44.91	36.34	-61.92	-13.00	48.92	Vertical
3	9508.2083	40.26	-42.57	38.11	-59.46	-13.00	46.46	Vertical
4	10520.6875	38.19	-40.70	39.16	-58.60	-13.00	45.60	Vertical
5	12832.1875	36.10	-39.00	38.90	-59.26	-13.00	46.26	Vertical
6	17663.1458	33.67	-37.42	42.78	-56.24	-13.00	43.24	Vertical

SA Band 78 3700-3800_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6850.2708	44.24	-46.37	35.26	-62.13	-13.00	49.13	Horizontal
2	7947.0833	41.96	-44.64	36.31	-61.63	-13.00	48.63	Horizontal
3	9385.5417	40.67	-42.83	37.94	-59.48	-13.00	46.48	Horizontal
4	10720.0208	37.86	-40.74	39.30	-58.83	-13.00	45.83	Horizontal
5	12955.8125	35.76	-38.66	38.83	-59.33	-13.00	46.33	Horizontal
6	14578.75	35.49	-38.17	40.24	-57.70	-13.00	44.70	Horizontal
7	17666.5	33.59	-37.46	42.80	-56.33	-13.00	43.33	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7028.0417	44.25	-45.97	35.55	-61.43	-13.00	48.43	Vertical
2	8438.2292	40.90	-44.10	36.78	-61.68	-13.00	48.68	Vertical
3	10047.75	39.59	-41.69	38.83	-58.52	-13.00	45.52	Vertical
4	12843.6875	35.89	-38.90	38.89	-59.38	-13.00	46.38	Vertical
5	14574.4375	35.07	-38.18	40.24	-58.13	-13.00	45.13	Vertical
6	17658.3542	33.66	-37.37	42.75	-56.22	-13.00	43.22	Vertical