

1.1. Test Band = NSA Band 4A_N2_ TM1**1.1.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4936.5	50.12	-48.02	31.06	-62.10	-13.00	49.10	Horizontal
2	6891.75	50.53	-46.74	35.33	-56.15	-13.00	43.15	Horizontal
3	8538	48.51	-44.16	36.89	-54.02	-13.00	41.02	Horizontal
4	11562	49.83	-39.88	39.44	-45.87	-13.00	32.87	Horizontal
5	13700.25	49.51	-37.97	39.85	-43.87	-13.00	30.87	Horizontal
6	17987.25	52.06	-36.58	44.72	-35.06	-13.00	22.06	Horizontal

1.2. Test Band = NSA Band 4A_N2_ TM1**1.2.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4605.75	49.66	-48.00	30.33	-63.27	-13.00	50.27	Vertical
2	5318.25	50.54	-47.77	32.09	-60.40	-13.00	47.40	Vertical
3	7593	49.70	-44.68	36.38	-53.86	-13.00	40.86	Vertical
4	9501	48.27	-42.37	38.10	-51.26	-13.00	38.26	Vertical
5	13149	49.73	-38.55	39.02	-45.05	-13.00	32.05	Vertical
6	17970	51.88	-36.55	44.62	-35.31	-13.00	22.31	Vertical

1.3. Test Band = NSA Band 4A_N2_ TM1**1.3.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4707.75	49.86	-47.96	30.56	-62.81	-13.00	49.81	Horizontal
2	6293.25	50.50	-47.34	33.91	-58.18	-13.00	45.18	Horizontal
3	7593	49.69	-44.68	36.38	-53.87	-13.00	40.87	Horizontal
4	10335	48.72	-41.18	39.03	-48.69	-13.00	35.69	Horizontal
5	15231.75	51.64	-37.05	39.78	-40.88	-13.00	27.88	Horizontal
6	17998.5	51.76	-36.60	44.79	-35.31	-13.00	22.31	Horizontal

1.4. Test Band = NSA Band 4A_N2_ TM1**1.4.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4704	49.69	-47.96	30.55	-62.98	-13.00	49.98	Vertical
2	6417	50.45	-46.94	34.38	-57.37	-13.00	44.37	Vertical
3	8450.25	48.92	-44.20	36.80	-53.74	-13.00	40.74	Vertical
4	10928.25	49.33	-40.20	39.45	-46.69	-13.00	33.69	Vertical
5	13715.25	50.06	-38.13	39.87	-43.46	-13.00	30.46	Vertical
6	17988.75	52.34	-36.58	44.73	-34.77	-13.00	21.77	Vertical

1.5. Test Band = NSA Band 4A_N2_ TM1**1.5.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4350.75	49.49	-47.95	29.86	-63.86	-13.00	50.86	Horizontal
2	5505	50.46	-47.61	32.60	-59.81	-13.00	46.81	Horizontal
3	7608.75	49.87	-44.63	36.38	-53.64	-13.00	40.64	Horizontal
4	10472.25	48.98	-40.81	39.13	-47.96	-13.00	34.96	Horizontal
5	13539.75	49.69	-39.13	39.61	-45.09	-13.00	32.09	Horizontal
6	17985.75	52.00	-36.58	44.71	-35.12	-13.00	22.12	Horizontal

1.6. Test Band = NSA Band 4A_N2_ TM1**1.6.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4125	49.62	-48.14	29.50	-64.28	-13.00	51.28	Vertical
2	5301.75	50.63	-47.78	32.04	-60.36	-13.00	47.36	Vertical
3	7674.75	49.16	-45.05	36.37	-54.78	-13.00	41.78	Vertical
4	9666	48.74	-42.14	38.33	-50.33	-13.00	37.33	Vertical
5	13161.75	50.07	-38.59	39.04	-44.73	-13.00	31.73	Vertical
6	17989.5	51.46	-36.58	44.74	-35.65	-13.00	22.65	Vertical

1.7. Test Band = NSA Band 7A_N5_ TM1**1.7.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4136.4444	49.44	-48.30	29.52	-64.60	-13.00	51.60	Horizontal
2	5347.1111	50.38	-47.64	32.17	-60.35	-13.00	47.35	Horizontal
3	6218.2222	50.62	-47.47	33.63	-58.48	-13.00	45.48	Horizontal
4	7122.2222	50.64	-46.02	35.72	-54.92	-13.00	41.92	Horizontal
5	7993.7778	49.64	-44.49	36.30	-53.81	-13.00	40.81	Horizontal
6	8996.8889	47.96	-42.96	37.40	-52.86	-13.00	39.86	Horizontal

1.8. Test Band = NSA Band 7A_N5_ TM1**1.8.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1280.8889	48.91	-50.15	24.52	-71.98	-13.00	58.98	Vertical
2	2374.6667	50.72	-49.39	26.97	-66.96	-13.00	53.96	Vertical
3	3749.3333	50.14	-48.56	28.90	-64.78	-13.00	51.78	Vertical
4	5441.3333	50.70	-47.42	32.44	-59.54	-13.00	46.54	Vertical
5	6812	50.69	-46.88	35.20	-56.26	-13.00	43.26	Vertical
6	8997.7778	47.75	-42.95	37.40	-53.06	-13.00	40.06	Vertical

1.9. Test Band = NSA Band 7A_N5_ TM1**1.9.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1129.3333	49.85	-50.03	24.84	-70.61	-13.00	57.61	Horizontal
2	1564.4444	49.39	-49.89	25.25	-70.51	-13.00	57.51	Horizontal
3	2252.4444	51.13	-49.30	26.75	-66.68	-13.00	53.68	Horizontal
4	3627.1111	51.00	-48.54	28.70	-64.10	-13.00	51.10	Horizontal
5	5713.3333	51.14	-47.53	32.69	-58.96	-13.00	45.96	Horizontal
6	8998.2222	47.71	-42.94	37.40	-53.09	-13.00	40.09	Horizontal

1.10. Test Band = NSA Band 7A_N5_ TM1**1.10.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1110.6667	49.78	-49.98	24.84	-70.62	-13.00	57.62	Vertical
2	1616.4444	50.46	-49.90	25.52	-69.17	-13.00	56.17	Vertical
3	2253.7778	50.48	-49.30	26.76	-67.32	-13.00	54.32	Vertical
4	3569.7778	49.44	-48.46	28.61	-65.67	-13.00	52.67	Vertical
5	5340.8889	50.46	-47.66	32.15	-60.31	-13.00	47.31	Vertical
6	8029.3333	49.58	-44.53	36.33	-53.88	-13.00	40.88	Vertical

1.11. Test Band = NSA Band 7A_N5_ TM1**1.11.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1098.2222	49.82	-49.93	24.85	-70.52	-13.00	57.52	Horizontal
2	1828.8889	50.33	-49.81	25.87	-68.87	-13.00	55.87	Horizontal
3	2808.8889	51.64	-48.69	27.76	-64.55	-13.00	51.55	Horizontal
4	4120	49.49	-48.28	29.49	-64.56	-13.00	51.56	Horizontal
5	6155.5556	51.38	-47.28	33.39	-57.77	-13.00	44.77	Horizontal
6	7930.2222	50.54	-45.17	36.31	-53.58	-13.00	40.58	Horizontal

1.12. Test Band = NSA Band 7A_N5_ TM1**1.12.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1048	49.35	-49.32	24.88	-70.35	-13.00	57.35	Vertical
2	1750.2222	50.40	-49.78	25.73	-68.91	-13.00	55.91	Vertical
3	2999.5556	51.67	-48.29	28.10	-63.78	-13.00	50.78	Vertical
4	4743.5556	49.61	-48.05	30.64	-63.07	-13.00	50.07	Vertical
5	6322.2222	50.73	-47.34	34.02	-57.84	-13.00	44.84	Vertical
6	9000	47.70	-42.92	37.40	-53.08	-13.00	40.08	Vertical

1.13. Test Band = NSA Band 66A_N5_ TM1**1.13.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4412.8889	49.58	-48.06	29.96	-63.78	-13.00	50.78	Horizontal
2	5196.8889	50.80	-48.01	31.75	-60.72	-13.00	47.72	Horizontal
3	5600.8889	51.23	-47.67	32.64	-59.06	-13.00	46.06	Horizontal
4	6800.8889	50.57	-46.94	35.18	-56.44	-13.00	43.44	Horizontal
5	7942.6667	49.61	-45.04	36.31	-54.38	-13.00	41.38	Horizontal
6	8995.1111	47.72	-42.98	37.39	-53.12	-13.00	40.12	Horizontal

1.14. Test Band = NSA Band 66A_N5_ TM1**1.14.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1036	49.88	-49.17	24.88	-69.67	-13.00	56.67	Vertical
2	1500	52.50	-49.83	24.80	-67.79	-13.00	54.79	Vertical
3	2600.8889	53.75	-49.17	27.38	-63.30	-13.00	50.30	Vertical
4	3616.8889	51.00	-48.52	28.69	-64.09	-13.00	51.09	Vertical
5	5628	51.19	-47.62	32.65	-59.04	-13.00	46.04	Vertical
6	8992	47.86	-43.01	37.39	-53.02	-13.00	40.02	Vertical

1.15. Test Band = NSA Band 66A_N5_ TM1**1.15.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1127.5556	49.90	-50.03	24.84	-70.55	-13.00	57.55	Horizontal
2	1881.3333	49.14	-49.77	26.00	-69.88	-13.00	56.88	Horizontal
3	2698.6667	51.27	-49.00	27.56	-65.43	-13.00	52.43	Horizontal
4	4055.5556	49.07	-48.30	29.39	-65.10	-13.00	52.10	Horizontal
5	5414.2222	50.07	-47.43	32.36	-60.26	-13.00	47.26	Horizontal
6	7088.8889	50.62	-46.06	35.66	-55.04	-13.00	42.04	Horizontal

1.16. Test Band = NSA Band 66A_N5_ TM1**1.16.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1157.3333	49.91	-50.11	24.82	-70.64	-13.00	57.64	Vertical
2	1624.8889	54.58	-49.88	25.54	-65.02	-13.00	52.02	Vertical
3	2246.2222	50.99	-49.32	26.74	-66.85	-13.00	53.85	Vertical
4	2999.5556	51.62	-48.29	28.10	-63.83	-13.00	50.83	Vertical
5	4978.6667	50.00	-48.00	31.15	-62.11	-13.00	49.11	Vertical
6	8010.6667	49.62	-44.46	36.31	-53.79	-13.00	40.79	Vertical

1.17. Test Band = NSA Band 66A_N5_ TM1**1.17.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1126.2222	49.81	-50.02	24.84	-70.64	-13.00	57.64	Horizontal
2	1624.8889	53.42	-49.88	25.54	-66.18	-13.00	53.18	Horizontal
3	2602.2222	54.08	-49.17	27.38	-62.96	-13.00	49.96	Horizontal
4	3669.3333	50.66	-48.63	28.77	-64.46	-13.00	51.46	Horizontal
5	5224.4444	50.85	-47.96	31.83	-60.55	-13.00	47.55	Horizontal
6	8967.1111	48.75	-43.30	37.36	-52.45	-13.00	39.45	Horizontal

1.18. Test Band = NSA Band 66A_N5_ TM1**1.18.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1235.5556	50.19	-50.19	24.68	-70.59	-13.00	57.59	Vertical
2	1884	49.99	-49.76	26.01	-69.02	-13.00	56.02	Vertical
3	2589.7778	51.55	-49.14	27.36	-65.49	-13.00	52.49	Vertical
4	4835.5556	49.98	-48.07	30.84	-62.52	-13.00	49.52	Vertical
5	7144	50.50	-46.07	35.76	-55.07	-13.00	42.07	Vertical
6	8593.3333	48.17	-43.88	36.95	-54.01	-13.00	41.01	Vertical

1.19. Test Band = NSA Band 4A_N7_ TM1**1.19.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4357	49.66	-47.97	29.87	-63.70	-25.00	38.70	Horizontal
2	5729	52.39	-47.54	32.69	-57.71	-25.00	32.71	Horizontal
3	8024	50.18	-44.42	36.33	-53.17	-25.00	28.17	Horizontal
4	10361	49.57	-41.20	39.05	-47.84	-25.00	22.84	Horizontal
5	12312	51.20	-39.71	39.21	-44.56	-25.00	19.56	Horizontal
6	16380.5	53.44	-37.42	38.55	-40.69	-25.00	15.69	Horizontal

1.20. Test Band = NSA Band 4A_N7_ TM1**1.20.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	5663.5	51.80	-47.57	32.67	-58.36	-25.00	33.36	Vertical
2	7393	50.88	-46.17	36.21	-54.34	-25.00	29.34	Vertical
3	9522.5	49.81	-42.34	38.13	-49.66	-25.00	24.66	Vertical
4	11494.5	50.28	-40.06	39.45	-45.59	-25.00	20.59	Vertical
5	14706.5	51.06	-36.69	40.23	-40.66	-25.00	15.66	Vertical
6	17946	52.62	-36.51	44.48	-34.68	-25.00	9.68	Vertical

1.21. Test Band = NSA Band 4A_N7_ TM1**1.21.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4516.5	50.29	-47.98	30.14	-62.82	-25.00	37.82	Horizontal
2	5591	52.17	-47.69	32.64	-58.15	-25.00	33.15	Horizontal
3	7078	51.22	-46.00	35.64	-54.40	-25.00	29.40	Horizontal
4	8661	48.78	-44.06	37.03	-53.51	-25.00	28.51	Horizontal
5	10879	49.65	-40.16	39.42	-46.35	-25.00	21.35	Horizontal
6	16298	53.30	-37.72	38.52	-41.16	-25.00	16.16	Horizontal

1.22. Test Band = NSA Band 4A_N7_ TM1**1.22.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4596	50.27	-48.00	30.31	-62.68	-25.00	37.68	Vertical
2	5645.5	52.45	-47.60	32.66	-57.76	-25.00	32.76	Vertical
3	6927.5	51.51	-46.69	35.38	-55.06	-25.00	30.06	Vertical
4	8969.5	48.68	-43.43	37.37	-52.65	-25.00	27.65	Vertical
5	10848.5	49.85	-40.38	39.39	-46.39	-25.00	21.39	Vertical
6	15173.5	51.40	-37.12	39.89	-41.09	-25.00	16.09	Vertical

1.23. Test Band = NSA Band 4A_N7_ TM1**1.23.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4282.5	49.77	-47.88	29.75	-63.62	-25.00	38.62	Horizontal
2	5643.5	51.32	-47.61	32.66	-58.89	-25.00	33.89	Horizontal
3	6744	50.94	-46.70	35.09	-55.93	-25.00	30.93	Horizontal
4	8767	49.08	-44.03	37.14	-53.07	-25.00	28.07	Horizontal
5	10902	49.64	-40.02	39.43	-46.21	-25.00	21.21	Horizontal
6	15425.5	52.77	-37.44	39.43	-40.49	-25.00	15.49	Horizontal

1.24. Test Band = NSA Band 4A_N7_ TM1**1.24.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4329	50.10	-47.88	29.83	-63.21	-25.00	38.21	Vertical
2	6081.5	51.22	-47.40	33.11	-58.33	-25.00	33.33	Vertical
3	7955	50.03	-44.82	36.31	-53.74	-25.00	28.74	Vertical
4	10687	50.04	-41.04	39.28	-46.98	-25.00	21.98	Vertical
5	12717.5	50.89	-39.28	38.97	-44.68	-25.00	19.68	Vertical
6	16576	54.21	-37.32	38.63	-39.74	-25.00	14.74	Vertical

1.25. Test Band = NSA Band 5A_N7_ TM1**1.25.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4252.5	50.24	-48.06	29.70	-63.37	-25.00	38.37	Horizontal
2	5343.5	51.30	-47.75	32.16	-59.55	-25.00	34.55	Horizontal
3	6460.5	51.43	-46.97	34.55	-56.25	-25.00	31.25	Horizontal
4	8023	50.17	-44.41	36.33	-53.18	-25.00	28.18	Horizontal
5	10476.5	49.65	-40.79	39.13	-47.27	-25.00	22.27	Horizontal
6	17958	52.39	-36.53	44.55	-34.85	-25.00	9.85	Horizontal

1.26. Test Band = NSA Band 5A_N7_ TM1**1.26.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4503.5	50.14	-47.98	30.11	-62.99	-25.00	37.99	Vertical
2	6262.5	51.47	-47.41	33.80	-57.40	-25.00	32.40	Vertical
3	8005	50.00	-44.32	36.31	-53.28	-25.00	28.28	Vertical
4	10405	49.63	-41.21	39.08	-47.76	-25.00	22.76	Vertical
5	12603	50.73	-39.00	39.04	-44.49	-25.00	19.49	Vertical
6	16912.5	53.94	-36.65	38.77	-39.21	-25.00	14.21	Vertical

1.27. Test Band = NSA Band 5A_N7_ TM1**1.27.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4912	50.85	-48.03	31.01	-61.43	-25.00	36.43	Horizontal
2	5928.5	51.72	-47.25	32.77	-58.02	-25.00	33.02	Horizontal
3	8047.5	50.19	-44.53	36.35	-53.25	-25.00	28.25	Horizontal
4	10425	49.77	-41.09	39.10	-47.49	-25.00	22.49	Horizontal
5	13706.5	50.40	-38.04	39.86	-43.04	-25.00	18.04	Horizontal
6	17955.5	52.64	-36.53	44.53	-34.62	-25.00	9.62	Horizontal

1.28. Test Band = NSA Band 5A_N7_ TM1**1.28.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4595	50.59	-48.00	30.31	-62.36	-25.00	37.36	Vertical
2	6661.5	50.74	-46.74	34.96	-56.30	-25.00	31.30	Vertical
3	8396.5	49.07	-44.13	36.74	-53.58	-25.00	28.58	Vertical
4	10920.5	49.79	-40.15	39.44	-46.18	-25.00	21.18	Vertical
5	13870.5	50.86	-38.81	40.11	-43.11	-25.00	18.11	Vertical
6	17866	51.45	-36.77	44.00	-36.59	-25.00	11.59	Vertical

1.29. Test Band = NSA Band 5A_N7_ TM1**1.29.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4573	50.94	-47.99	30.26	-62.05	-25.00	37.05	Horizontal
2	5764	51.81	-47.59	32.71	-58.34	-25.00	33.34	Horizontal
3	8634.5	48.61	-44.02	37.00	-53.67	-25.00	28.67	Horizontal
4	10917	49.71	-40.13	39.44	-46.24	-25.00	21.24	Horizontal
5	13855.5	50.95	-38.85	40.08	-43.08	-25.00	18.08	Horizontal
6	16877.5	54.16	-36.82	38.75	-39.17	-25.00	14.17	Horizontal

1.30. Test Band = NSA Band 5A_N7_ TM1**1.30.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4598	50.02	-48.00	30.32	-62.92	-25.00	37.92	Vertical
2	6095.5	51.10	-47.39	33.16	-58.38	-25.00	33.38	Vertical
3	7598.5	50.45	-44.59	36.38	-53.02	-25.00	28.02	Vertical
4	10989.5	49.98	-40.63	39.49	-46.41	-25.00	21.41	Vertical
5	13723.5	50.53	-38.21	39.89	-43.06	-25.00	18.06	Vertical
6	17843	51.77	-37.00	43.86	-36.63	-25.00	11.63	Vertical

1.31. Test Band = NSA Band 7A_N7_ TM1**1.31.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4513.5	49.91	-47.98	30.13	-63.20	-25.00	38.20	Horizontal
2	6300	51.15	-47.32	33.94	-57.49	-25.00	32.49	Horizontal
3	8002	50.16	-44.31	36.30	-53.11	-25.00	28.11	Horizontal
4	10390.5	50.09	-41.23	39.07	-47.33	-25.00	22.33	Horizontal
5	12318.5	51.13	-39.70	39.21	-44.62	-25.00	19.62	Horizontal
6	15400.5	52.94	-37.22	39.48	-40.07	-25.00	15.07	Horizontal

1.32. Test Band = NSA Band 7A_N7_ TM1**1.32.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4124	50.16	-48.13	29.50	-63.73	-25.00	38.73	Vertical
2	5761.5	52.01	-47.59	32.70	-58.13	-25.00	33.13	Vertical
3	7593	50.61	-44.68	36.38	-52.95	-25.00	27.95	Vertical
4	10500	49.08	-40.65	39.15	-47.68	-25.00	22.68	Vertical
5	12672.5	51.04	-39.19	39.00	-44.42	-25.00	19.42	Vertical
6	16898	53.75	-36.57	38.76	-39.32	-25.00	14.32	Vertical

1.33. Test Band = NSA Band 7A_N7_ TM1**1.33.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4111.5	50.51	-48.09	29.48	-63.37	-25.00	38.37	Horizontal
2	5812	52.03	-47.59	32.72	-58.10	-25.00	33.10	Horizontal
3	8010.5	49.89	-44.35	36.31	-53.41	-25.00	28.41	Horizontal
4	10881	49.99	-40.14	39.42	-46.00	-25.00	21.00	Horizontal
5	13520	50.85	-39.16	39.58	-43.99	-25.00	18.99	Horizontal
6	17984	52.40	-36.57	44.70	-34.73	-25.00	9.73	Horizontal

1.34. Test Band = NSA Band 7A_N7_ TM1**1.34.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4374.5	50.60	-48.03	29.90	-62.79	-25.00	37.79	Vertical
2	5883	52.03	-47.24	32.75	-57.71	-25.00	32.71	Vertical
3	8053.5	50.42	-44.56	36.36	-53.04	-25.00	28.04	Vertical
4	11415	50.22	-40.08	39.46	-45.66	-25.00	20.66	Vertical
5	13705	50.61	-38.02	39.86	-42.81	-25.00	17.81	Vertical
6	17900.5	53.28	-36.44	44.20	-34.22	-25.00	9.22	Vertical

1.35. Test Band = NSA Band 7A_N7_ TM1**1.35.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4328	49.88	-47.87	29.82	-63.43	-25.00	38.43	Horizontal
2	5749.5	52.13	-47.57	32.70	-58.00	-25.00	33.00	Horizontal
3	7600.5	50.47	-44.57	36.38	-52.98	-25.00	27.98	Horizontal
4	9637.5	48.96	-42.18	38.29	-50.19	-25.00	25.19	Horizontal
5	12706	51.08	-39.27	38.98	-44.48	-25.00	19.48	Horizontal
6	15214.5	51.62	-36.83	39.81	-40.65	-25.00	15.65	Horizontal

1.36. Test Band = NSA Band 7A_N7_ TM1**1.36.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4486.5	50.64	-48.00	30.08	-62.54	-25.00	37.54	Vertical
2	6416	50.86	-46.94	34.38	-56.96	-25.00	31.96	Vertical
3	9507.5	49.36	-42.36	38.11	-50.15	-25.00	25.15	Vertical
4	13263.5	50.52	-38.95	39.20	-44.49	-25.00	19.49	Vertical
5	15404.5	52.65	-37.26	39.47	-40.40	-25.00	15.40	Vertical
6	17994	52.07	-36.59	44.76	-35.02	-25.00	10.02	Vertical

1.37. Test Band = NSA Band 66A_N7_ TM1**1.37.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4580	51.07	-48.00	30.28	-61.91	-25.00	36.91	Horizontal
2	6144.5	51.33	-47.46	33.35	-58.04	-25.00	33.04	Horizontal
3	8037.5	50.50	-44.48	36.34	-52.90	-25.00	27.90	Horizontal
4	10453.5	49.33	-40.92	39.12	-47.74	-25.00	22.74	Horizontal
5	15232.5	52.29	-37.06	39.78	-40.24	-25.00	15.24	Horizontal
6	17991	52.50	-36.59	44.75	-34.60	-25.00	9.60	Horizontal

1.38. Test Band = NSA Band 66A_N7_ TM1**1.38.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4109	50.21	-48.09	29.47	-63.66	-25.00	38.66	Vertical
2	5507.5	50.90	-47.62	32.60	-59.37	-25.00	34.37	Vertical
3	7157.5	50.74	-46.04	35.78	-54.78	-25.00	29.78	Vertical
4	8935.5	48.82	-43.72	37.33	-52.84	-25.00	27.84	Vertical
5	10899	50.10	-40.02	39.43	-45.75	-25.00	20.75	Vertical
6	14863.5	51.37	-37.18	40.21	-40.86	-25.00	15.86	Vertical

1.39. Test Band = NSA Band 66A_N7_ TM1**1.39.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4144	49.64	-48.19	29.53	-64.28	-25.00	39.28	Horizontal
2	4827	50.61	-48.02	30.82	-61.85	-25.00	36.85	Horizontal
3	5710.5	52.06	-47.51	32.68	-58.02	-25.00	33.02	Horizontal
4	7176.5	51.15	-46.11	35.82	-54.41	-25.00	29.41	Horizontal
5	9965.5	48.72	-41.84	38.75	-49.63	-25.00	24.63	Horizontal
6	13612	50.21	-38.92	39.72	-44.25	-25.00	19.25	Horizontal

1.40. Test Band = NSA Band 66A_N7_ TM1**1.40.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4230	49.67	-48.19	29.67	-64.11	-25.00	39.11	Vertical
2	5354	51.12	-47.75	32.19	-59.70	-25.00	34.70	Vertical
3	7145	51.36	-46.00	35.76	-54.14	-25.00	29.14	Vertical
4	9625.5	48.98	-42.20	38.28	-50.21	-25.00	25.21	Vertical
5	13703.5	50.88	-38.01	39.86	-42.53	-25.00	17.53	Vertical
6	16910	53.76	-36.63	38.76	-39.37	-25.00	14.37	Vertical

1.41. Test Band = NSA Band 66A_N7_ TM1**1.41.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4096.5	49.97	-48.06	29.45	-63.90	-25.00	38.90	Horizontal
2	5590.5	51.69	-47.69	32.64	-58.63	-25.00	33.63	Horizontal
3	7108.5	51.06	-45.86	35.70	-54.37	-25.00	29.37	Horizontal
4	9123	48.89	-43.00	37.57	-51.80	-25.00	26.80	Horizontal
5	12634.5	50.79	-39.09	39.02	-44.54	-25.00	19.54	Horizontal
6	16563	53.94	-37.41	38.63	-40.11	-25.00	15.11	Horizontal

1.42. Test Band = NSA Band 66A_N7_ TM1**1.42.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4111.5	49.73	-48.09	29.48	-64.15	-25.00	39.15	Vertical
2	5585.5	51.35	-47.69	32.63	-58.96	-25.00	33.96	Vertical
3	7550.5	50.73	-45.36	36.39	-53.50	-25.00	28.50	Vertical
4	10465	49.89	-40.86	39.13	-47.10	-25.00	22.10	Vertical
5	13294.5	50.91	-39.07	39.24	-44.18	-25.00	19.18	Vertical
6	16935.5	54.28	-36.84	38.77	-39.04	-25.00	14.04	Vertical

1.43. Test Band = NSA Band 7A_N26_ TM1 Part 22H**1.43.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4223.1111	49.36	-48.28	29.66	-64.53	-13.00	51.53	Horizontal
2	5037.7778	50.32	-47.94	31.31	-61.58	-13.00	48.58	Horizontal
3	5331.1111	50.65	-47.70	32.13	-60.18	-13.00	47.18	Horizontal
4	6662.6667	50.17	-46.86	34.96	-56.99	-13.00	43.99	Horizontal
5	8005.3333	49.34	-44.44	36.31	-54.05	-13.00	41.05	Horizontal
6	8986.2222	47.98	-43.08	37.38	-52.97	-13.00	39.97	Horizontal

1.44. Test Band = NSA Band 7A_N26_ TM1 Part 22H**1.44.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4285.7778	49.84	-48.08	29.76	-63.74	-13.00	50.74	Vertical
2	5072	50.94	-47.93	31.40	-60.85	-13.00	47.85	Vertical
3	5878.2222	50.81	-47.17	32.75	-58.87	-13.00	45.87	Vertical
4	6946.2222	50.62	-46.58	35.41	-55.80	-13.00	42.80	Vertical
5	8002.2222	50.30	-44.43	36.30	-53.09	-13.00	40.09	Vertical
6	9000	47.78	-42.92	37.40	-53.00	-13.00	40.00	Vertical

1.45. Test Band = NSA Band 7A_N26_ TM1 Part 22H**1.45.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4178.2222	49.48	-48.34	29.59	-64.53	-13.00	51.53	Horizontal
2	5108.8889	51.28	-47.93	31.50	-60.40	-13.00	47.40	Horizontal
3	5881.7778	50.94	-47.15	32.75	-58.71	-13.00	45.71	Horizontal
4	6701.7778	49.81	-46.70	35.02	-57.13	-13.00	44.13	Horizontal
5	7444.4444	50.05	-46.11	36.30	-55.02	-13.00	42.02	Horizontal
6	8964.8889	48.07	-43.33	37.36	-53.16	-13.00	40.16	Horizontal

1.46. Test Band = NSA Band 7A_N26_ TM1 Part 22H**1.46.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4315.5556	49.11	-48.03	29.80	-64.38	-13.00	51.38	Vertical
2	5023.1111	50.05	-47.95	31.26	-61.90	-13.00	48.90	Vertical
3	5788	51.03	-47.69	32.72	-59.21	-13.00	46.21	Vertical
4	6508.4444	49.77	-47.08	34.71	-57.85	-13.00	44.85	Vertical
5	7590.2222	49.74	-44.83	36.38	-53.97	-13.00	40.97	Vertical
6	8609.3333	48.16	-43.88	36.97	-54.01	-13.00	41.01	Vertical

1.47. Test Band = NSA Band 7A_N26_ TM1 Part 22H**1.47.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4657.7778	50.17	-48.06	30.45	-62.71	-13.00	49.71	Horizontal
2	5335.1111	50.36	-47.69	32.14	-60.45	-13.00	47.45	Horizontal
3	6126.6667	51.06	-47.14	33.28	-58.06	-13.00	45.06	Horizontal
4	7029.3333	50.78	-46.48	35.55	-55.41	-13.00	42.41	Horizontal
5	7642.2222	49.75	-44.93	36.37	-54.07	-13.00	41.07	Horizontal
6	8999.5556	47.79	-42.93	37.40	-53.00	-13.00	40.00	Horizontal

1.48. Test Band = NSA Band 7A_N26_ TM1 Part 22H**1.48.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4147.5556	49.62	-48.31	29.54	-64.41	-13.00	51.41	Vertical
2	4828	49.68	-48.06	30.82	-62.82	-13.00	49.82	Vertical
3	5605.7778	50.87	-47.66	32.64	-59.41	-13.00	46.41	Vertical
4	6543.5556	49.93	-47.10	34.77	-57.66	-13.00	44.66	Vertical
5	7592.8889	49.37	-44.79	36.38	-54.29	-13.00	41.29	Vertical
6	8996	47.89	-42.97	37.40	-52.94	-13.00	39.94	Vertical

1.49. Test Band = NSA Band 7A_N26_ TM1 Part 90S**1.49.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4132.4444	49.57	-48.29	29.51	-64.47	-13.00	51.47	Horizontal
2	4704.4444	49.76	-48.08	30.55	-63.03	-13.00	50.03	Horizontal
3	5705.3333	51.41	-47.51	32.68	-58.68	-13.00	45.68	Horizontal
4	6535.5556	49.96	-47.09	34.76	-57.63	-13.00	44.63	Horizontal
5	7591.5556	49.74	-44.81	36.38	-53.95	-13.00	40.95	Horizontal
6	8982.6667	48.79	-43.12	37.38	-52.21	-13.00	39.21	Horizontal

1.50. Test Band = NSA Band 7A_N26_ TM1 Part 90S**1.50.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4170.2222	49.37	-48.33	29.57	-64.65	-13.00	51.65	Vertical
2	5056.8889	50.46	-47.94	31.36	-61.38	-13.00	48.38	Vertical
3	5750.6667	51.60	-47.61	32.70	-58.57	-13.00	45.57	Vertical
4	6987.1111	50.63	-46.66	35.48	-55.81	-13.00	42.81	Vertical
5	8004	49.50	-44.44	36.30	-53.89	-13.00	40.89	Vertical
6	8988.8889	47.73	-43.05	37.39	-53.19	-13.00	40.19	Vertical

1.51. Test Band = NSA Band 66A_N38_TM1**1.51.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3665.5	51.27	-48.43	28.76	-63.66	-25.00	38.66	Horizontal
2	4912.5	51.18	-48.03	31.01	-61.10	-25.00	36.10	Horizontal
3	6511	50.61	-47.00	34.72	-56.93	-25.00	31.93	Horizontal
4	8142	49.43	-44.53	36.46	-53.90	-25.00	28.90	Horizontal
5	10033	49.68	-41.76	38.82	-48.51	-25.00	23.51	Horizontal
6	13701.5	50.23	-37.99	39.85	-43.16	-25.00	18.16	Horizontal

1.52. Test Band = NSA Band 66A_N38_TM1**1.52.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3306	49.92	-48.05	28.34	-65.05	-25.00	40.05	Vertical
2	5145.5	51.04	-47.85	31.61	-60.46	-25.00	35.46	Vertical
3	7608.5	50.81	-44.62	36.38	-52.70	-25.00	27.70	Vertical
4	9954.5	49.57	-41.89	38.74	-48.84	-25.00	23.84	Vertical
5	13730	50.82	-38.28	39.90	-42.83	-25.00	17.83	Vertical
6	17877	51.99	-36.67	44.06	-35.87	-25.00	10.87	Vertical

1.53. Test Band = NSA Band 66A_N38_ TM1**1.53.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3292	49.76	-48.04	28.33	-65.21	-25.00	40.21	Horizontal
2	4225.5	49.77	-48.21	29.66	-64.04	-25.00	39.04	Horizontal
3	7141	50.72	-45.98	35.75	-54.77	-25.00	29.77	Horizontal
4	9392	49.12	-43.04	37.95	-51.23	-25.00	26.23	Horizontal
5	11520	51.11	-40.00	39.45	-44.70	-25.00	19.70	Horizontal
6	16889	53.69	-36.68	38.76	-39.50	-25.00	14.50	Horizontal

1.54. Test Band = NSA Band 66A_N38_ TM1**1.54.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3327	49.76	-48.13	28.36	-65.27	-25.00	40.27	Vertical
2	4709.5	50.42	-47.96	30.56	-62.24	-25.00	37.24	Vertical
3	6699.5	50.45	-46.55	35.02	-56.34	-25.00	31.34	Vertical
4	9525	49.67	-42.34	38.14	-49.79	-25.00	24.79	Vertical
5	15215.5	51.67	-36.84	39.81	-40.62	-25.00	15.62	Vertical
6	17962.5	52.53	-36.54	44.58	-34.70	-25.00	9.70	Vertical

1.55. Test Band = NSA Band 66A_N38_ TM1**1.55.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3092	50.15	-48.34	28.17	-65.28	-25.00	40.28	Horizontal
2	5086.5	51.09	-47.85	31.44	-60.57	-25.00	35.57	Horizontal
3	6729.5	50.70	-46.65	35.07	-56.14	-25.00	31.14	Horizontal
4	9716	48.85	-42.11	38.40	-50.12	-25.00	25.12	Horizontal
5	12114.5	50.57	-39.66	39.33	-45.02	-25.00	20.02	Horizontal
6	15208	51.80	-36.74	39.83	-40.38	-25.00	15.38	Horizontal

1.56. Test Band = NSA Band 66A_N38_ TM1**1.56.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3172	50.09	-48.25	28.24	-65.18	-25.00	40.18	Vertical
2	4488	50.53	-48.00	30.08	-62.64	-25.00	37.64	Vertical
3	5767	51.98	-47.60	32.71	-58.17	-25.00	33.17	Vertical
4	8005	50.07	-44.32	36.31	-53.21	-25.00	28.21	Vertical
5	11416.5	50.23	-40.08	39.46	-45.65	-25.00	20.65	Vertical
6	16116	53.37	-38.04	38.45	-41.49	-25.00	16.49	Vertical

1.57. Test Band = NSA Band 41A_N41_ TM1**1.57.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4072	49.95	-48.09	29.42	-63.99	-25.00	38.99	Horizontal
2	5076	50.93	-47.87	31.41	-60.78	-25.00	35.78	Horizontal
3	7110	51.06	-45.87	35.70	-54.37	-25.00	29.37	Horizontal
4	9557	49.11	-42.30	38.18	-50.27	-25.00	25.27	Horizontal
5	13206	50.19	-38.72	39.11	-44.68	-25.00	19.68	Horizontal
6	16881	53.91	-36.78	38.75	-39.37	-25.00	14.37	Horizontal

1.58. Test Band = NSA Band 41A_N41_ TM1**1.58.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4226	49.94	-48.21	29.66	-63.87	-25.00	38.87	Vertical
2	5034.5	50.92	-47.94	31.30	-60.99	-25.00	35.99	Vertical
3	6627	51.22	-46.92	34.90	-56.05	-25.00	31.05	Vertical
4	8027.5	49.98	-44.43	36.33	-53.38	-25.00	28.38	Vertical
5	10652	49.17	-41.13	39.26	-47.96	-25.00	22.96	Vertical
6	14670.5	49.98	-37.05	40.23	-42.10	-25.00	17.10	Vertical

1.59. Test Band = NSA Band 41A_N41_ TM1**1.59.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4292	50.08	-47.83	29.77	-63.24	-25.00	38.24	Horizontal
2	5721	51.83	-47.52	32.69	-58.27	-25.00	33.27	Horizontal
3	7594.5	50.27	-44.66	36.38	-53.27	-25.00	28.27	Horizontal
4	9819	49.07	-42.18	38.55	-49.83	-25.00	24.83	Horizontal
5	13273.5	50.77	-38.99	39.21	-44.27	-25.00	19.27	Horizontal
6	17990	52.84	-36.58	44.74	-34.26	-25.00	9.26	Horizontal

1.60. Test Band = NSA Band 41A_N41_ TM1**1.60.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4258	49.47	-48.02	29.71	-64.10	-25.00	39.10	Vertical
2	5365	51.05	-47.74	32.22	-59.73	-25.00	34.73	Vertical
3	7068	51.75	-46.08	35.62	-53.96	-25.00	28.96	Vertical
4	9090.5	48.69	-42.87	37.53	-51.91	-25.00	26.91	Vertical
5	11833	50.50	-39.91	39.42	-45.25	-25.00	20.25	Vertical
6	17474	52.34	-36.96	41.64	-38.24	-25.00	13.24	Vertical

1.61. Test Band = NSA Band 41A_N41_ TM1**1.61.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4151	50.76	-48.21	29.54	-63.17	-25.00	38.17	Horizontal
2	5537.5	51.32	-47.64	32.62	-58.97	-25.00	33.97	Horizontal
3	6802.5	50.90	-46.89	35.18	-56.06	-25.00	31.06	Horizontal
4	9083.5	48.95	-42.89	37.52	-51.69	-25.00	26.69	Horizontal
5	10933.5	50.69	-40.24	39.45	-45.36	-25.00	20.36	Horizontal
6	17996	52.27	-36.59	44.78	-34.81	-25.00	9.81	Horizontal

1.62. Test Band = NSA Band 41A_N41_ TM1**1.62.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4375	50.28	-48.03	29.90	-63.11	-25.00	38.11	Vertical
2	5595.5	51.92	-47.70	32.64	-58.40	-25.00	33.40	Vertical
3	7979	50.30	-44.54	36.30	-53.20	-25.00	28.20	Vertical
4	9901.5	48.84	-42.10	38.66	-49.86	-25.00	24.86	Vertical
5	12291	50.88	-39.74	39.23	-44.89	-25.00	19.89	Vertical
6	16000.5	53.39	-37.90	38.40	-41.37	-25.00	16.37	Vertical

1.63. Test Band = NSA Band 66A_N41_ TM1**1.63.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4163	50.59	-48.25	29.56	-63.36	-25.00	38.36	Horizontal
2	5260	52.14	-47.82	31.93	-59.02	-25.00	34.02	Horizontal
3	7131	51.77	-45.94	35.74	-53.70	-25.00	28.70	Horizontal
4	8970	48.47	-43.43	37.37	-52.85	-25.00	27.85	Horizontal
5	11604.5	50.34	-39.77	39.44	-45.25	-25.00	20.25	Horizontal
6	16884.5	54.00	-36.73	38.75	-39.24	-25.00	14.24	Horizontal

1.64. Test Band = NSA Band 66A_N41_ TM1**1.64.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4100	49.77	-48.06	29.46	-64.09	-25.00	39.09	Vertical
2	5345.5	51.13	-47.75	32.17	-59.72	-25.00	34.72	Vertical
3	7053.5	51.63	-46.19	35.60	-54.22	-25.00	29.22	Vertical
4	9493	49.31	-42.42	38.09	-50.28	-25.00	25.28	Vertical
5	12665.5	51.22	-39.17	39.00	-44.21	-25.00	19.21	Vertical
6	16680.5	54.77	-37.63	38.67	-39.44	-25.00	14.44	Vertical

1.65. Test Band = NSA Band 66A_N41_ TM1**1.65.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4083	49.84	-48.08	29.43	-64.07	-25.00	39.07	Horizontal
2	5325	51.19	-47.77	32.11	-59.73	-25.00	34.73	Horizontal
3	7400	50.58	-46.17	36.22	-54.63	-25.00	29.63	Horizontal
4	9984	48.93	-41.77	38.78	-49.32	-25.00	24.32	Horizontal
5	13724.5	50.64	-38.22	39.89	-42.96	-25.00	17.96	Horizontal
6	17381	53.30	-37.34	41.09	-38.21	-25.00	13.21	Horizontal

1.66. Test Band = NSA Band 66A_N41_ TM1**1.66.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4145	49.76	-48.20	29.53	-64.16	-25.00	39.16	Vertical
2	5710	52.03	-47.51	32.68	-58.05	-25.00	33.05	Vertical
3	7300.5	51.12	-46.16	36.04	-54.26	-25.00	29.26	Vertical
4	9531.5	49.33	-42.33	38.14	-50.11	-25.00	25.11	Vertical
5	12634	50.71	-39.09	39.02	-44.62	-25.00	19.62	Vertical
6	17545.5	51.94	-36.82	42.07	-38.07	-25.00	13.07	Vertical

1.67. Test Band = NSA Band 66A_N41_ TM1**1.67.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4099.5	50.18	-48.06	29.46	-63.68	-25.00	38.68	Horizontal
2	5592.5	51.31	-47.69	32.64	-59.01	-25.00	34.01	Horizontal
3	7183.5	51.05	-46.14	35.83	-54.52	-25.00	29.52	Horizontal
4	9919	48.39	-42.03	38.69	-50.22	-25.00	25.22	Horizontal
5	12272.5	51.53	-39.75	39.24	-44.25	-25.00	19.25	Horizontal
6	17471	52.02	-36.98	41.63	-38.59	-25.00	13.59	Horizontal

1.68. Test Band = NSA Band 66A_N41_ TM1**1.68.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4287.5	49.70	-47.85	29.76	-63.65	-25.00	38.65	Vertical
2	5487.5	50.88	-47.62	32.57	-59.44	-25.00	34.44	Vertical
3	7162.5	50.88	-46.06	35.79	-54.65	-25.00	29.65	Vertical
4	10513.5	49.43	-40.73	39.16	-47.40	-25.00	22.40	Vertical
5	13702.5	50.59	-38.00	39.85	-42.81	-25.00	17.81	Vertical
6	17969.5	52.48	-36.55	44.62	-34.71	-25.00	9.71	Vertical

1.69. Test Band = NSA Band 2A_N66_ TM1**1.69.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4072.5	46.38	-48.09	29.42	-67.56	-13.00	54.56	Horizontal
2	5549.625	45.50	-47.65	32.62	-64.79	-13.00	51.79	Horizontal
3	7051.875	44.99	-46.20	35.59	-60.88	-13.00	47.88	Horizontal
4	9627.375	40.64	-42.20	38.28	-58.54	-13.00	45.54	Horizontal
5	12348	37.89	-39.65	39.19	-57.83	-13.00	44.83	Horizontal
6	17920.125	35.18	-36.47	44.32	-52.23	-13.00	39.23	Horizontal

1.70. Test Band = NSA Band 2A_N66_ TM1**1.70.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4102.125	46.37	-48.07	29.46	-67.49	-13.00	54.49	Vertical
2	5550.375	45.29	-47.66	32.62	-65.01	-13.00	52.01	Vertical
3	7438.875	44.05	-46.17	36.29	-61.09	-13.00	48.09	Vertical
4	9510.375	41.21	-42.36	38.11	-58.29	-13.00	45.29	Vertical
5	12114	37.47	-39.66	39.33	-58.12	-13.00	45.12	Vertical
6	17232.75	36.31	-37.36	40.20	-56.12	-13.00	43.12	Vertical

1.71. Test Band = NSA Band 2A_N66_ TM1**1.71.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4108.125	45.85	-48.08	29.47	-68.02	-13.00	55.02	Horizontal
2	5384.625	45.59	-47.73	32.28	-65.12	-13.00	52.12	Horizontal
3	7093.875	45.15	-45.88	35.67	-60.32	-13.00	47.32	Horizontal
4	9634.125	40.61	-42.19	38.29	-58.55	-13.00	45.55	Horizontal
5	12115.125	37.58	-39.66	39.33	-58.01	-13.00	45.01	Horizontal
6	17977.875	35.17	-36.56	44.67	-51.99	-13.00	38.99	Horizontal

1.72. Test Band = NSA Band 2A_N66_ TM1**1.72.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4233	46.52	-48.17	29.67	-67.24	-13.00	54.24	Vertical
2	5185.5	46.14	-47.88	31.72	-65.28	-13.00	52.28	Vertical
3	6437.625	44.82	-46.95	34.46	-62.93	-13.00	49.93	Vertical
4	7956.375	43.00	-44.80	36.31	-60.75	-13.00	47.75	Vertical
5	10259.25	40.42	-41.55	38.98	-57.41	-13.00	44.41	Vertical
6	15402	36.20	-37.24	39.48	-56.82	-13.00	43.82	Vertical

1.73. Test Band = NSA Band 2A_N66_ TM1**1.73.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4151.625	46.18	-48.21	29.54	-67.75	-13.00	54.75	Horizontal
2	5190.375	45.83	-47.88	31.73	-65.58	-13.00	52.58	Horizontal
3	6407.625	44.74	-46.93	34.35	-63.11	-13.00	50.11	Horizontal
4	8019	43.59	-44.39	36.32	-59.74	-13.00	46.74	Horizontal
5	10863	39.43	-40.27	39.40	-56.70	-13.00	43.70	Horizontal
6	14632.5	36.37	-37.54	40.24	-56.19	-13.00	43.19	Horizontal

1.74. Test Band = NSA Band 2A_N66_ TM1**1.74.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4125	46.27	-48.14	29.50	-67.63	-13.00	54.63	Vertical
2	5183.25	45.86	-47.88	31.71	-65.57	-13.00	52.57	Vertical
3	6693	44.45	-46.59	35.01	-62.39	-13.00	49.39	Vertical
4	8425.125	42.11	-44.15	36.77	-60.54	-13.00	47.54	Vertical
5	11491.875	38.46	-40.06	39.45	-57.41	-13.00	44.41	Vertical
6	16377.375	36.08	-37.43	38.55	-58.06	-13.00	45.06	Vertical

1.75. Test Band = NSA Band 5A_N66_ TM1**1.75.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4276.875	45.66	-47.91	29.74	-67.77	-13.00	54.77	Horizontal
2	5305.125	45.59	-47.78	32.05	-65.39	-13.00	52.39	Horizontal
3	7178.625	44.81	-46.12	35.82	-60.75	-13.00	47.75	Horizontal
4	9507.375	41.33	-42.36	38.11	-58.18	-13.00	45.18	Horizontal
5	11613.75	38.07	-39.75	39.44	-57.51	-13.00	44.51	Horizontal
6	15922.875	36.11	-38.00	38.54	-58.61	-13.00	45.61	Horizontal

1.76. Test Band = NSA Band 5A_N66_ TM1**1.76.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4028.25	46.89	-48.15	29.35	-67.17	-13.00	54.17	Vertical
2	5052	46.12	-47.91	31.35	-65.71	-13.00	52.71	Vertical
3	6253.5	45.24	-47.43	33.76	-63.68	-13.00	50.68	Vertical
4	7965.75	43.56	-44.69	36.31	-60.09	-13.00	47.09	Vertical
5	10385.25	40.36	-41.23	39.07	-57.06	-13.00	44.06	Vertical
6	14593.125	37.71	-37.99	40.24	-55.30	-13.00	42.30	Vertical

1.77. Test Band = NSA Band 5A_N66_ TM1**1.77.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4111.125	46.59	-48.09	29.48	-67.29	-13.00	54.29	Horizontal
2	5502.75	45.98	-47.61	32.60	-64.29	-13.00	51.29	Horizontal
3	7150.125	44.78	-46.02	35.77	-60.73	-13.00	47.73	Horizontal
4	9546.375	41.26	-42.31	38.16	-58.14	-13.00	45.14	Horizontal
5	13872	37.60	-38.81	40.11	-56.36	-13.00	43.36	Horizontal
6	17909.25	35.19	-36.45	44.26	-52.27	-13.00	39.27	Horizontal

1.78. Test Band = NSA Band 5A_N66_ TM1**1.78.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4109.625	46.89	-48.09	29.48	-66.98	-13.00	53.98	Vertical
2	5199.75	46.06	-47.89	31.76	-65.33	-13.00	52.33	Vertical
3	7096.875	45.35	-45.85	35.67	-60.09	-13.00	47.09	Vertical
4	9871.5	40.25	-42.14	38.62	-58.53	-13.00	45.53	Vertical
5	13900.125	38.36	-38.73	40.15	-55.48	-13.00	42.48	Vertical
6	17295	36.12	-37.26	40.57	-55.83	-13.00	42.83	Vertical

1.79. Test Band = NSA Band 5A_N66_ TM1**1.79.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4110.75	46.10	-48.09	29.48	-67.78	-13.00	54.78	Horizontal
2	5347.5	45.22	-47.75	32.17	-65.62	-13.00	52.62	Horizontal
3	7591.875	43.39	-44.70	36.38	-60.19	-13.00	47.19	Horizontal
4	11533.875	37.79	-39.96	39.45	-57.99	-13.00	44.99	Horizontal
5	13855.875	37.95	-38.85	40.08	-56.08	-13.00	43.08	Horizontal
6	17967	35.11	-36.55	44.60	-52.10	-13.00	39.10	Horizontal

1.80. Test Band = NSA Band 5A_N66_ TM1**1.80.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3415.875	46.09	-48.39	28.43	-69.13	-13.00	56.13	Vertical
2	4926	45.44	-48.02	31.04	-66.81	-13.00	53.81	Vertical
3	7593.75	42.93	-44.67	36.38	-60.62	-13.00	47.62	Vertical
4	10072.5	41.49	-41.82	38.85	-56.74	-13.00	43.74	Vertical
5	13199.625	37.90	-38.70	39.10	-56.96	-13.00	43.96	Vertical
6	17916	34.92	-36.47	44.30	-52.51	-13.00	39.51	Vertical

1.81. Test Band = NSA Band 12A_N66_ TM1**1.81.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4194.375	46.30	-48.34	29.61	-67.69	-13.00	54.69	Horizontal
2	5562.75	45.76	-47.67	32.63	-64.54	-13.00	51.54	Horizontal
3	7084.125	45.09	-45.95	35.65	-60.47	-13.00	47.47	Horizontal
4	9908.625	40.96	-42.07	38.67	-57.70	-13.00	44.70	Horizontal
5	12720.75	38.07	-39.28	38.97	-57.50	-13.00	44.50	Horizontal
6	17917.875	34.26	-36.47	44.31	-53.16	-13.00	40.16	Horizontal

1.82. Test Band = NSA Band 12A_N66_ TM1**1.82.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4279.875	45.93	-47.90	29.75	-67.48	-13.00	54.48	Vertical
2	5602.5	46.05	-47.69	32.64	-64.26	-13.00	51.26	Vertical
3	7057.5	44.90	-46.16	35.60	-60.91	-13.00	47.91	Vertical
4	9007.5	41.69	-43.15	37.41	-59.30	-13.00	46.30	Vertical
5	11484.75	38.05	-40.06	39.45	-57.82	-13.00	44.82	Vertical
6	15972.375	35.87	-37.94	38.45	-58.88	-13.00	45.88	Vertical

1.83. Test Band = NSA Band 12A_N66_ TM1**1.83.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4109.25	46.56	-48.09	29.47	-67.31	-13.00	54.31	Horizontal
2	5236.125	45.82	-47.85	31.86	-65.43	-13.00	52.43	Horizontal
3	7025.25	45.67	-46.41	35.55	-60.45	-13.00	47.45	Horizontal
4	9013.875	42.06	-43.12	37.42	-58.90	-13.00	45.90	Horizontal
5	12286.125	37.60	-39.74	39.23	-58.17	-13.00	45.17	Horizontal
6	17909.625	34.77	-36.46	44.26	-52.69	-13.00	39.69	Horizontal

1.84. Test Band = NSA Band 12A_N66_ TM1**1.84.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4123.875	46.04	-48.13	29.50	-67.85	-13.00	54.85	Vertical
2	5182.875	46.04	-47.88	31.71	-65.39	-13.00	52.39	Vertical
3	6812.25	44.61	-46.87	35.20	-62.32	-13.00	49.32	Vertical
4	8570.25	42.44	-44.06	36.93	-59.95	-13.00	46.95	Vertical
5	11153.625	38.64	-40.35	39.48	-57.48	-13.00	44.48	Vertical
6	15879	35.87	-38.09	38.62	-58.87	-13.00	45.87	Vertical

1.85. Test Band = NSA Band 12A_N66_ TM1**1.85.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4270.875	46.16	-47.95	29.73	-67.32	-13.00	54.32	Horizontal
2	5550.375	45.68	-47.66	32.62	-64.62	-13.00	51.62	Horizontal
3	7212	44.65	-46.20	35.88	-60.92	-13.00	47.92	Horizontal
4	10216.125	40.55	-41.98	38.95	-57.74	-13.00	44.74	Horizontal
5	14366.25	36.86	-38.53	40.26	-56.66	-13.00	43.66	Horizontal
6	17914.875	35.67	-36.46	44.29	-51.76	-13.00	38.76	Horizontal

1.86. Test Band = NSA Band 12A_N66_ TM1**1.86.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4110.75	46.33	-48.09	29.48	-67.55	-13.00	54.55	Vertical
2	5559.375	45.77	-47.66	32.62	-64.53	-13.00	51.53	Vertical
3	7495.875	44.69	-46.17	36.39	-60.35	-13.00	47.35	Vertical
4	9511.875	41.09	-42.35	38.12	-58.41	-13.00	45.41	Vertical
5	13086.375	37.75	-38.53	38.93	-57.12	-13.00	44.12	Vertical
6	17911.875	34.73	-36.46	44.27	-52.72	-13.00	39.72	Vertical

1.87. Test Band = NSA Band 7A_N77_ TM1**1.87.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6891.9583	44.36	-46.18	35.33	-61.75	-13.00	48.75	Horizontal
2	7831.6042	42.72	-44.92	36.33	-61.13	-13.00	48.13	Horizontal
3	9499.1042	40.54	-42.65	38.10	-59.27	-13.00	46.27	Horizontal
4	11979.2708	36.38	-38.84	39.40	-58.32	-13.00	45.32	Horizontal
5	14591.6875	36.37	-38.15	40.24	-56.80	-13.00	43.80	Horizontal
6	17982.2708	34.58	-37.03	44.69	-53.02	-13.00	40.02	Horizontal

1.88. Test Band = NSA Band 7A_N77_ TM1**1.88.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6934.125	44.30	-46.06	35.39	-61.63	-13.00	48.63	Vertical
2	8034.2917	42.18	-44.32	36.34	-61.07	-13.00	48.07	Vertical
3	9628.9583	39.71	-41.88	38.28	-59.15	-13.00	46.15	Vertical
4	11572.4583	37.10	-39.46	39.44	-58.18	-13.00	45.18	Vertical
5	14598.3958	36.20	-38.13	40.24	-56.95	-13.00	43.95	Vertical
6	17998.5625	34.21	-36.98	44.79	-53.24	-13.00	40.24	Vertical

1.89. Test Band = NSA Band 7A_N77_ TM1**1.89.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7081.7083	44.27	-46.07	35.65	-61.42	-13.00	48.42	Horizontal
2	8559.4583	41.39	-43.95	36.92	-60.90	-13.00	47.90	Horizontal
3	10902.5833	38.03	-40.18	39.43	-57.98	-13.00	44.98	Horizontal
4	13897.8542	36.60	-38.34	40.15	-56.86	-13.00	43.86	Horizontal
5	15421.6042	34.90	-37.90	39.44	-58.82	-13.00	45.82	Horizontal
6	17960.2292	34.17	-37.09	44.56	-53.62	-13.00	40.62	Horizontal

1.90. Test Band = NSA Band 7A_N77_ TM1**1.90.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7213.4792	43.62	-45.53	35.88	-61.28	-13.00	48.28	Vertical
2	8448.2917	41.39	-44.03	36.79	-61.11	-13.00	48.11	Vertical
3	9505.3333	40.54	-42.60	38.11	-59.21	-13.00	46.21	Vertical
4	12321.3958	37.02	-39.11	39.21	-58.14	-13.00	45.14	Vertical
5	13891.1458	36.34	-38.36	40.14	-57.14	-13.00	44.14	Vertical
6	17998.0833	34.63	-36.99	44.79	-52.83	-13.00	39.83	Vertical

1.91. Test Band = NSA Band 7A_N77_ TM1**1.91.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6853.1458	43.86	-46.36	35.27	-62.49	-13.00	49.49	Horizontal
2	8046.75	42.57	-44.34	36.35	-60.68	-13.00	47.68	Horizontal
3	9513.4792	40.99	-42.53	38.12	-58.68	-13.00	45.68	Horizontal
4	11445	37.32	-39.88	39.46	-58.37	-13.00	45.37	Horizontal
5	13904.5625	36.56	-38.38	40.16	-56.92	-13.00	43.92	Horizontal
6	17996.1667	34.03	-36.99	44.78	-53.44	-13.00	40.44	Horizontal

1.92. Test Band = NSA Band 7A_N77_ TM1**1.92.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6776.9583	43.95	-46.52	35.14	-62.68	-13.00	49.68	Vertical
2	7962.4167	42.81	-44.53	36.31	-60.68	-13.00	47.68	Vertical
3	10734.875	38.97	-40.68	39.31	-57.66	-13.00	44.66	Vertical
4	12948.625	36.39	-38.63	38.83	-58.67	-13.00	45.67	Vertical
5	15879.2083	34.91	-37.90	38.62	-59.63	-13.00	46.63	Vertical
6	17999.0417	33.71	-36.98	44.79	-53.74	-13.00	40.74	Vertical

1.93. Test Band = NSA Band 7A_N77 3450-3550_ TM1**1.93.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6887.6458	43.96	-46.20	35.32	-62.18	-13.00	49.18	Horizontal
2	8033.8125	42.44	-44.32	36.34	-60.81	-13.00	47.81	Horizontal
3	9632.3125	39.67	-41.90	38.29	-59.21	-13.00	46.21	Horizontal
4	11480.4583	36.89	-40.02	39.45	-58.93	-13.00	45.93	Horizontal
5	14233.75	35.67	-38.36	40.28	-57.68	-13.00	44.68	Horizontal
6	17252.9792	35.14	-37.14	40.32	-56.94	-13.00	43.94	Horizontal

1.94. Test Band = NSA Band 7A_N77 3450-3550_ TM1**1.94.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6731.4375	43.80	-46.35	35.07	-62.74	-13.00	49.74	Vertical
2	7947.5625	43.66	-44.64	36.31	-59.93	-13.00	46.93	Vertical
3	9386.0208	40.69	-42.83	37.94	-59.46	-13.00	46.46	Vertical
4	10987.3958	37.60	-40.48	39.49	-58.64	-13.00	45.64	Vertical
5	13905.0417	36.69	-38.38	40.16	-56.79	-13.00	43.79	Vertical
6	17999.5208	34.83	-36.98	44.80	-52.61	-13.00	39.61	Vertical

1.95. Test Band = NSA Band 41A_N77_ TM1**1.95.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6792.2917	44.29	-46.57	35.17	-62.37	-13.00	49.37	Horizontal
2	8551.7917	41.70	-43.91	36.91	-60.57	-13.00	47.57	Horizontal
3	10360.1667	39.34	-41.18	39.05	-58.05	-13.00	45.05	Horizontal
4	12939.0417	37.07	-38.59	38.84	-57.94	-13.00	44.94	Horizontal
5	14588.8125	36.18	-38.15	40.24	-56.99	-13.00	43.99	Horizontal
6	17997.125	33.84	-36.99	44.78	-53.63	-13.00	40.63	Horizontal

1.96. Test Band = NSA Band 41A_N77_ TM1**1.96.1. Test Channel = Low**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6893.3958	44.16	-46.17	35.33	-61.94	-13.00	48.94	Vertical
2	8330.4167	41.04	-44.50	36.66	-62.06	-13.00	49.06	Vertical
3	9407.1042	40.31	-42.80	37.97	-59.78	-13.00	46.78	Vertical
4	10898.2708	38.17	-40.17	39.43	-57.84	-13.00	44.84	Vertical
5	13755.0625	36.92	-38.26	39.93	-56.67	-13.00	43.67	Vertical
6	17998.0833	34.32	-36.99	44.79	-53.14	-13.00	40.14	Vertical

1.97. Test Band = NSA Band 41A_N77_ TM1**1.97.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6571.875	44.24	-46.42	34.82	-62.63	-13.00	49.63	Horizontal
2	7965.7708	42.65	-44.51	36.31	-60.81	-13.00	47.81	Horizontal
3	9634.2292	40.41	-41.91	38.29	-58.47	-13.00	45.47	Horizontal
4	11610.7917	36.38	-39.29	39.44	-58.73	-13.00	45.73	Horizontal
5	15057.9167	34.22	-38.12	40.10	-59.06	-13.00	46.06	Horizontal
6	18000	33.99	-36.98	44.80	-53.45	-13.00	40.45	Horizontal

1.98. Test Band = NSA Band 41A_N77_ TM1**1.98.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6610.6875	43.75	-46.41	34.88	-63.04	-13.00	50.04	Vertical
2	8020.3958	42.13	-44.30	36.32	-61.11	-13.00	48.11	Vertical
3	9881.9583	39.62	-41.85	38.63	-58.86	-13.00	45.86	Vertical
4	12104.8125	36.39	-39.42	39.34	-58.95	-13.00	45.95	Vertical
5	14715.3125	35.35	-38.07	40.23	-57.76	-13.00	44.76	Vertical
6	18000	34.45	-36.98	44.80	-52.99	-13.00	39.99	Vertical

1.99. Test Band = NSA Band 41A_N77_ TM1**1.99.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6532.1042	43.95	-46.41	34.75	-62.97	-13.00	49.97	Horizontal
2	7828.25	43.04	-44.92	36.33	-60.81	-13.00	47.81	Horizontal
3	9509.1667	40.72	-42.57	38.11	-58.99	-13.00	45.99	Horizontal
4	12032.4583	35.91	-38.83	39.38	-58.80	-13.00	45.80	Horizontal
5	15412.5	34.54	-37.88	39.46	-59.14	-13.00	46.14	Horizontal
6	17995.6875	34.31	-36.99	44.77	-53.17	-13.00	40.17	Horizontal

1.100. Test Band = NSA Band 41A_N77_ TM1**1.100.1. Test Channel = High**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6684	43.99	-46.27	34.99	-62.55	-13.00	49.55	Vertical
2	7962.4167	42.74	-44.53	36.31	-60.75	-13.00	47.75	Vertical
3	10048.2292	39.96	-41.69	38.83	-58.15	-13.00	45.15	Vertical
4	11991.25	35.98	-38.68	39.40	-58.56	-13.00	45.56	Vertical
5	14578.75	36.20	-38.17	40.24	-56.99	-13.00	43.99	Vertical
6	17996.1667	33.92	-36.99	44.78	-53.55	-13.00	40.55	Vertical

1.101. Test Band = NSA Band 41A_N77 3450-3550_ TM1**1.101.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6934.6042	44.16	-46.06	35.40	-61.77	-13.00	48.77	Horizontal
2	8037.6458	43.12	-44.33	36.34	-60.13	-13.00	47.13	Horizontal
3	10293.0833	39.50	-41.15	39.01	-57.90	-13.00	44.90	Horizontal
4	12809.6667	36.92	-39.20	38.91	-58.62	-13.00	45.62	Horizontal
5	15066.0625	34.29	-38.15	40.08	-59.04	-13.00	46.04	Horizontal
6	17983.7083	34.36	-37.03	44.70	-53.22	-13.00	40.22	Horizontal

1.102. Test Band = NSA Band 41A_N77 3450-3550_ TM1**1.102.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7023.25	43.92	-45.96	35.54	-61.75	-13.00	48.75	Vertical
2	8414.75	41.79	-44.26	36.76	-60.97	-13.00	47.97	Vertical
3	9506.2917	41.19	-42.59	38.11	-58.55	-13.00	45.55	Vertical
4	11281.6042	37.55	-40.36	39.47	-58.60	-13.00	45.60	Vertical
5	13888.2708	36.84	-38.36	40.13	-56.65	-13.00	43.65	Vertical
6	17998.5625	33.93	-36.98	44.79	-53.52	-13.00	40.52	Vertical

1.103. Test Band = NSA Band 2A_N78 3450-3550_ TM1**1.103.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6986.3542	44.94	-45.94	35.48	-60.78	-13.00	47.78	Horizontal
2	7823.4583	42.74	-44.92	36.34	-61.10	-13.00	48.10	Horizontal
3	9613.625	39.59	-41.80	38.26	-59.21	-13.00	46.21	Horizontal
4	11996.5208	35.48	-38.61	39.40	-58.99	-13.00	45.99	Horizontal
5	13865.75	36.98	-38.40	40.10	-56.58	-13.00	43.58	Horizontal
6	17999.5208	33.90	-36.98	44.80	-53.54	-13.00	40.54	Horizontal

1.104. Test Band = NSA Band 2A_N78 3450-3550_ TM1**1.104.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6773.6042	44.47	-46.50	35.14	-62.16	-13.00	49.16	Vertical
2	8535.0208	41.95	-43.84	36.89	-60.26	-13.00	47.26	Vertical
3	10495.7708	38.59	-40.60	39.15	-58.12	-13.00	45.12	Vertical
4	13638.1458	36.14	-38.15	39.76	-57.52	-13.00	44.52	Vertical
5	15869.1458	34.80	-37.93	38.64	-59.76	-13.00	46.76	Vertical
6	17993.2917	34.08	-37.00	44.76	-53.42	-13.00	40.42	Vertical

1.105. Test Band = NSA Band 2A_N78 3700-3800_ TM1**1.105.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6689.2708	43.78	-46.26	35.00	-62.74	-13.00	49.74	Horizontal
2	8443.9792	41.55	-44.06	36.79	-60.98	-13.00	47.98	Horizontal
3	10289.25	39.57	-41.19	39.00	-57.88	-13.00	44.88	Horizontal
4	12716.2292	37.17	-39.05	38.97	-58.17	-13.00	45.17	Horizontal
5	15390.9375	34.74	-37.87	39.50	-58.89	-13.00	45.89	Horizontal
6	17998.5625	34.34	-36.98	44.79	-53.11	-13.00	40.11	Horizontal

1.106. Test Band = NSA Band 2A_N78 3700-3800_ TM1**1.106.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6679.6875	44.07	-46.28	34.99	-62.48	-13.00	49.48	Vertical
2	8037.6458	42.81	-44.33	36.34	-60.44	-13.00	47.44	Vertical
3	9507.25	40.76	-42.58	38.11	-58.97	-13.00	45.97	Vertical
4	11354.4375	37.32	-40.05	39.46	-58.52	-13.00	45.52	Vertical
5	14218.8958	35.86	-38.27	40.28	-57.39	-13.00	44.39	Vertical
6	17998.0833	34.31	-36.99	44.79	-53.15	-13.00	40.15	Vertical

1.107. Test Band = NSA Band 4A_N78 3450-3550_ TM1**1.107.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6774.0833	43.67	-46.51	35.14	-62.96	-13.00	49.96	Horizontal
2	7860.8333	42.45	-44.94	36.33	-61.42	-13.00	48.42	Horizontal
3	9509.1667	40.50	-42.57	38.11	-59.21	-13.00	46.21	Horizontal
4	11485.25	37.48	-40.03	39.45	-58.36	-13.00	45.36	Horizontal
5	14233.75	35.82	-38.36	40.28	-57.53	-13.00	44.53	Horizontal
6	17998.0833	34.23	-36.99	44.79	-53.23	-13.00	40.23	Horizontal

1.108. Test Band = NSA Band 4A_N78 3450-3550_ TM1**1.108.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6658.6042	43.75	-46.32	34.95	-62.87	-13.00	49.87	Vertical
2	7978.7083	42.85	-44.42	36.30	-60.52	-13.00	47.52	Vertical
3	9633.2708	39.79	-41.91	38.29	-59.09	-13.00	46.09	Vertical
4	11399	37.40	-39.72	39.46	-58.12	-13.00	45.12	Vertical
5	14348.2708	36.25	-38.75	40.27	-57.49	-13.00	44.49	Vertical
6	17980.8333	34.31	-37.03	44.68	-53.30	-13.00	40.30	Vertical

1.109. Test Band = NSA Band 4A_N78 3700-3800_ TM1**1.109.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6841.6458	44.44	-46.41	35.25	-61.98	-13.00	48.98	Horizontal
2	7968.6458	42.59	-44.49	36.31	-60.85	-13.00	47.85	Horizontal
3	9374.5208	40.79	-42.84	37.92	-59.39	-13.00	46.39	Horizontal
4	11146.9583	37.15	-40.03	39.49	-58.66	-13.00	45.66	Horizontal
5	13916.5417	36.32	-38.47	40.17	-57.24	-13.00	44.24	Horizontal
6	17996.6458	34.41	-36.99	44.78	-53.06	-13.00	40.06	Horizontal

1.110. Test Band = NSA Band 4A_N78 3700-3800_ TM1**1.110.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6732.3958	43.79	-46.36	35.07	-62.75	-13.00	49.75	Vertical
2	8049.1458	42.37	-44.35	36.35	-60.88	-13.00	47.88	Vertical
3	10033.375	39.82	-41.70	38.82	-58.32	-13.00	45.32	Vertical
4	12235.625	36.67	-39.59	39.26	-58.92	-13.00	45.92	Vertical
5	14727.2917	35.66	-38.00	40.23	-57.37	-13.00	44.37	Vertical
6	17997.125	33.80	-36.99	44.78	-53.67	-13.00	40.67	Vertical

1.111. Test Band = NSA Band 5A_N78 3450-3550_ TM1**1.111.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7063.5	44.35	-46.04	35.61	-61.33	-13.00	48.33	Horizontal
2	8447.3333	41.46	-44.04	36.79	-61.05	-13.00	48.05	Horizontal
3	9864.7083	40.23	-41.89	38.61	-58.31	-13.00	45.31	Horizontal
4	12247.125	37.27	-39.54	39.25	-58.28	-13.00	45.28	Horizontal
5	15405.7917	34.55	-37.86	39.47	-59.10	-13.00	46.10	Horizontal
6	17977.4792	34.22	-37.04	44.66	-53.42	-13.00	40.42	Horizontal

1.112. Test Band = NSA Band 5A_N78 3450-3550_ TM1**1.112.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6776.4792	44.08	-46.52	35.14	-62.55	-13.00	49.55	Vertical
2	8048.6667	42.20	-44.35	36.35	-61.05	-13.00	48.05	Vertical
3	10244.2083	40.07	-41.64	38.97	-57.86	-13.00	44.86	Vertical
4	12734.9167	37.04	-39.10	38.96	-58.37	-13.00	45.37	Vertical
5	15398.125	34.70	-37.85	39.48	-58.92	-13.00	45.92	Vertical
6	17997.125	34.07	-36.99	44.78	-53.40	-13.00	40.40	Vertical

1.113. Test Band = NSA Band 5A_N78 3700-3800_ TM1**1.113.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6693.1042	44.06	-46.25	35.01	-62.44	-13.00	49.44	Horizontal
2	8032.8542	42.74	-44.32	36.34	-60.51	-13.00	47.51	Horizontal
3	10102.8542	39.66	-41.64	38.87	-58.37	-13.00	45.37	Horizontal
4	11734.4167	36.42	-39.66	39.43	-59.07	-13.00	46.07	Horizontal
5	13894.5	36.63	-38.35	40.14	-56.84	-13.00	43.84	Horizontal
6	17302.3333	34.91	-37.11	40.61	-56.85	-13.00	43.85	Horizontal

1.114. Test Band = NSA Band 5A_N78 3700-3800_ TM1**1.114.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6716.1042	43.47	-46.30	35.05	-63.04	-13.00	50.04	Vertical
2	8036.2083	42.38	-44.33	36.34	-60.87	-13.00	47.87	Vertical
3	9637.5833	39.82	-41.93	38.29	-59.08	-13.00	46.08	Vertical
4	11146.9583	36.83	-40.03	39.49	-58.98	-13.00	45.98	Vertical
5	13639.1042	36.27	-38.15	39.76	-57.38	-13.00	44.38	Vertical
6	17993.2917	33.94	-37.00	44.76	-53.56	-13.00	40.56	Vertical

1.115. Test Band = NSA Band 7A_N78 3450-3550_ TM1**1.115.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6805.2292	44.37	-46.58	35.19	-62.28	-13.00	49.28	Horizontal
2	8031.4167	42.32	-44.32	36.33	-60.93	-13.00	47.93	Horizontal
3	9361.1042	40.08	-42.86	37.91	-60.14	-13.00	47.14	Horizontal
4	10907.375	38.04	-40.20	39.44	-57.98	-13.00	44.98	Horizontal
5	13898.8125	36.53	-38.34	40.15	-56.92	-13.00	43.92	Horizontal
6	17986.5833	34.14	-37.02	44.72	-53.42	-13.00	40.42	Horizontal

1.116. Test Band = NSA Band 7A_N78 3450-3550_ TM1**1.116.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6679.2083	44.00	-46.28	34.99	-62.55	-13.00	49.55	Vertical
2	7995	42.04	-44.30	36.30	-61.22	-13.00	48.22	Vertical
3	9881.9583	40.09	-41.85	38.63	-58.39	-13.00	45.39	Vertical
4	12114.875	36.88	-39.45	39.33	-58.50	-13.00	45.50	Vertical
5	14722.5	35.38	-38.03	40.23	-57.68	-13.00	44.68	Vertical
6	17922.375	33.60	-37.20	44.33	-54.52	-13.00	41.52	Vertical

1.117. Test Band = NSA Band 7A_N78 3700-3800_ TM1**1.117.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6902.0208	43.71	-46.14	35.34	-62.34	-13.00	49.34	Horizontal
2	8429.6042	42.28	-44.16	36.77	-60.37	-13.00	47.37	Horizontal
3	10049.1875	40.04	-41.69	38.83	-58.07	-13.00	45.07	Horizontal
4	12901.6667	36.34	-38.42	38.86	-58.48	-13.00	45.48	Horizontal
5	14717.2292	35.78	-38.06	40.23	-57.31	-13.00	44.31	Horizontal
6	18000	34.31	-36.98	44.80	-53.13	-13.00	40.13	Horizontal

1.118. Test Band = NSA Band 7A_N78 3700-3800_ TM1**1.118.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6773.125	44.21	-46.50	35.14	-62.42	-13.00	49.42	Vertical
2	8326.1042	40.83	-44.51	36.66	-62.28	-13.00	49.28	Vertical
3	9989.2917	39.29	-41.75	38.79	-58.93	-13.00	45.93	Vertical
4	12024.7917	36.13	-38.77	39.39	-58.51	-13.00	45.51	Vertical
5	15881.125	35.28	-37.89	38.61	-59.26	-13.00	46.26	Vertical
6	18000	33.60	-36.98	44.80	-53.84	-13.00	40.84	Vertical

1.119. Test Band = NSA Band 38A_N78 3450-3550_ TM1**1.119.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6946.1042	44.05	-46.03	35.41	-61.83	-13.00	48.83	Horizontal
2	8441.1042	41.65	-44.08	36.79	-60.91	-13.00	47.91	Horizontal
3	10392.75	39.45	-41.24	39.07	-57.97	-13.00	44.97	Horizontal
4	12897.3542	36.25	-38.43	38.86	-58.58	-13.00	45.58	Horizontal
5	15873.9375	34.87	-37.92	38.63	-59.68	-13.00	46.68	Horizontal
6	17997.6042	34.20	-36.99	44.79	-53.26	-13.00	40.26	Horizontal

1.120. Test Band = NSA Band 38A_N78 3450-3550_ TM1**1.120.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6730.9583	44.21	-46.35	35.07	-62.33	-13.00	49.33	Vertical
2	7818.6667	42.78	-44.91	36.34	-61.06	-13.00	48.06	Vertical
3	8971.0625	41.05	-43.61	37.37	-60.45	-13.00	47.45	Vertical
4	10853.7083	38.47	-40.30	39.40	-57.69	-13.00	44.69	Vertical
5	12976.4167	36.52	-38.75	38.81	-58.68	-13.00	45.68	Vertical
6	17978.4375	34.24	-37.04	44.67	-53.39	-13.00	40.39	Vertical

1.121. Test Band = NSA Band 38A_N78 3700-3800_ TM1**1.121.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6839.7292	44.56	-46.42	35.24	-61.87	-13.00	48.87	Horizontal
2	8043.875	42.55	-44.34	36.35	-60.70	-13.00	47.70	Horizontal
3	9510.6042	40.35	-42.55	38.11	-59.35	-13.00	46.35	Horizontal
4	11975.9167	36.05	-38.89	39.40	-58.69	-13.00	45.69	Horizontal
5	14709.0833	36.12	-38.11	40.23	-57.02	-13.00	44.02	Horizontal
6	17999.5208	34.45	-36.98	44.80	-52.99	-13.00	39.99	Horizontal

1.122. Test Band = NSA Band 38A_N78 3700-3800_ TM1**1.122.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6714.6667	43.50	-46.29	35.04	-63.01	-13.00	50.01	Vertical
2	7596.3333	42.82	-44.93	36.38	-60.98	-13.00	47.98	Vertical
3	9049.1667	41.19	-43.36	37.47	-59.97	-13.00	46.97	Vertical
4	10909.7708	38.31	-40.20	39.44	-57.72	-13.00	44.72	Vertical
5	13878.6875	36.76	-38.38	40.12	-56.76	-13.00	43.76	Vertical
6	17998.5625	34.59	-36.98	44.79	-52.86	-13.00	39.86	Vertical

1.123. Test Band = NSA Band 41A_N78 3450-3550_ TM1**1.123.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6832.0625	44.22	-46.45	35.23	-62.26	-13.00	49.26	Horizontal
2	8038.6042	41.94	-44.33	36.34	-61.31	-13.00	48.31	Horizontal
3	9303.125	39.86	-42.94	37.82	-60.51	-13.00	47.51	Horizontal
4	12342.4792	36.37	-38.90	39.19	-58.59	-13.00	45.59	Horizontal
5	14839.4167	34.20	-37.88	40.22	-58.72	-13.00	45.72	Horizontal
6	18000	34.61	-36.98	44.80	-52.83	-13.00	39.83	Horizontal

1.124. Test Band = NSA Band 41A_N78 3450-3550_ TM1**1.124.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6938.4375	44.00	-46.05	35.40	-61.91	-13.00	48.91	Vertical
2	7966.25	42.62	-44.51	36.31	-60.84	-13.00	47.84	Vertical
3	9060.1875	39.81	-43.30	37.48	-61.27	-13.00	48.27	Vertical
4	10484.2708	38.70	-40.68	39.14	-58.10	-13.00	45.10	Vertical
5	12889.6875	36.25	-38.50	38.87	-58.64	-13.00	45.64	Vertical
6	16544.7708	35.63	-37.67	38.62	-58.68	-13.00	45.68	Vertical

1.125. Test Band = NSA Band 41A_N78 3700-3800_ TM1**1.125.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6730.9583	44.21	-46.35	35.07	-62.33	-13.00	49.33	Horizontal
2	8052.0208	42.76	-44.35	36.36	-60.50	-13.00	47.50	Horizontal
3	9863.75	39.79	-41.89	38.61	-58.75	-13.00	45.75	Horizontal
4	11585.3958	36.05	-39.35	39.44	-59.12	-13.00	46.12	Horizontal
5	14599.3542	36.44	-38.13	40.24	-56.71	-13.00	43.71	Horizontal
6	17994.7292	34.18	-36.99	44.77	-53.31	-13.00	40.31	Horizontal

1.126. Test Band = NSA Band 41A_N78 3700-3800_ TM1**1.126.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6658.125	44.01	-46.32	34.95	-62.62	-13.00	49.62	Vertical
2	8007.4583	42.38	-44.28	36.31	-60.85	-13.00	47.85	Vertical
3	9514.4375	40.83	-42.52	38.12	-58.83	-13.00	45.83	Vertical
4	10868.0833	39.25	-40.26	39.41	-56.86	-13.00	43.86	Vertical
5	13843.7083	36.55	-38.44	40.07	-57.09	-13.00	44.09	Vertical
6	17999.0417	33.74	-36.98	44.79	-53.71	-13.00	40.71	Vertical

1.127. Test Band = NSA Band 66A_N78 3450-3550_ TM1**1.127.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6810.5	44.19	-46.55	35.20	-62.42	-13.00	49.42	Horizontal
2	8439.6667	41.57	-44.09	36.78	-61.00	-13.00	48.00	Horizontal
3	9885.3125	39.90	-41.84	38.64	-58.56	-13.00	45.56	Horizontal
4	11581.0833	36.21	-39.38	39.44	-58.99	-13.00	45.99	Horizontal
5	13852.3333	36.78	-38.43	40.08	-56.83	-13.00	43.83	Horizontal
6	18000	34.29	-36.98	44.80	-53.15	-13.00	40.15	Horizontal

1.128. Test Band = NSA Band 66A_N78 3450-3550_ TM1**1.128.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6741.9792	43.73	-46.39	35.09	-62.83	-13.00	49.83	Vertical
2	8042.4375	42.06	-44.34	36.35	-61.19	-13.00	48.19	Vertical
3	9389.8542	40.66	-42.82	37.95	-59.48	-13.00	46.48	Vertical
4	11489.5625	37.09	-40.05	39.45	-58.77	-13.00	45.77	Vertical
5	13882.5208	36.71	-38.37	40.12	-56.80	-13.00	43.80	Vertical
6	17968.8542	34.11	-37.07	44.61	-53.60	-13.00	40.60	Vertical

1.129. Test Band = NSA Band 66A_N78 3700-3800_ TM1**1.129.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6769.7708	43.95	-46.49	35.13	-62.67	-13.00	49.67	Horizontal
2	7856.5208	42.66	-44.94	36.33	-61.21	-13.00	48.21	Horizontal
3	9381.7083	40.31	-42.83	37.93	-59.85	-13.00	46.85	Horizontal
4	10899.2292	37.95	-40.17	39.43	-58.05	-13.00	45.05	Horizontal
5	13865.75	36.28	-38.40	40.10	-57.28	-13.00	44.28	Horizontal
6	17898.8958	33.98	-37.27	44.19	-54.35	-13.00	41.35	Horizontal

1.130. Test Band = NSA Band 66A_N78 3700-3800_ TM1**1.130.1. Test Channel = Mid**

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6729.0417	43.76	-46.34	35.07	-62.78	-13.00	49.78	Vertical
2	8031.4167	42.59	-44.32	36.33	-60.66	-13.00	47.66	Vertical
3	10066.9167	39.96	-41.67	38.85	-58.12	-13.00	45.12	Vertical
4	12903.1042	36.92	-38.42	38.86	-57.91	-13.00	44.91	Vertical
5	15045.4583	34.04	-38.07	40.12	-59.17	-13.00	46.17	Vertical
6	17917.5833	34.51	-37.21	44.31	-53.66	-13.00	40.66	Vertical