

NR CA N5_N7_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3043	49.72	-47.55	28.13	-64.95	-25.00	39.95	Horizontal
2	3908.5	49.62	-48.28	29.15	-64.77	-25.00	39.77	Horizontal
3	5681.5	51.60	-47.53	32.67	-58.52	-25.00	33.52	Horizontal
4	8193	49.80	-44.22	36.51	-53.17	-25.00	28.17	Horizontal
5	11425.5	50.38	-40.07	39.46	-45.50	-25.00	20.50	Horizontal
6	16591.5	54.13	-37.22	38.64	-39.71	-25.00	14.71	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3278	49.89	-48.06	28.32	-65.11	-25.00	40.11	Vertical
2	4111	50.04	-48.09	29.48	-63.84	-25.00	38.84	Vertical
3	5001.5	55.91	-48.01	31.20	-56.15	-25.00	31.15	Vertical
4	7134	50.56	-45.96	35.74	-54.91	-25.00	29.91	Vertical
5	10966.5	49.67	-40.47	39.48	-46.58	-25.00	21.58	Vertical
6	16458	54.10	-37.63	38.58	-40.21	-25.00	15.21	Vertical

NR CA N5_N7_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3195.5	50.46	-48.17	28.26	-64.72	-25.00	39.72	Horizontal
2	4078	49.67	-48.09	29.42	-64.25	-25.00	39.25	Horizontal
3	5021.5	52.34	-47.97	31.26	-59.63	-25.00	34.63	Horizontal
4	7605	49.94	-44.60	36.38	-53.54	-25.00	28.54	Horizontal
5	9997.5	49.03	-41.71	38.80	-49.14	-25.00	24.14	Horizontal
6	14893.5	51.29	-37.34	40.21	-41.10	-25.00	16.10	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3259	49.94	-48.08	28.31	-65.10	-25.00	40.10	Vertical
2	4088.5	49.26	-48.07	29.44	-64.63	-25.00	39.63	Vertical
3	5021.5	55.06	-47.97	31.26	-56.91	-25.00	31.91	Vertical
4	7112	51.27	-45.87	35.70	-54.16	-25.00	29.16	Vertical
5	10049	49.03	-41.78	38.83	-49.18	-25.00	24.18	Vertical
6	15177	51.83	-37.06	39.88	-40.61	-25.00	15.61	Vertical

NR CA N5_N7_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3185	49.88	-48.21	28.25	-65.34	-25.00	40.34	Horizontal
2	4227	49.95	-48.20	29.66	-63.85	-25.00	38.85	Horizontal
3	5707.5	53.11	-47.50	32.68	-56.97	-25.00	31.97	Horizontal
4	7612	49.60	-44.65	36.38	-53.93	-25.00	28.93	Horizontal
5	10894	49.22	-40.05	39.43	-46.67	-25.00	21.67	Horizontal
6	15362.5	52.70	-37.48	39.55	-40.50	-25.00	15.50	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3262.5	50.30	-48.08	28.31	-64.73	-25.00	39.73	Vertical
2	4222.5	49.75	-48.23	29.66	-64.08	-25.00	39.08	Vertical
3	5734	52.12	-47.54	32.69	-57.99	-25.00	32.99	Vertical
4	7641.5	50.00	-44.84	36.37	-53.72	-25.00	28.72	Vertical
5	10491	49.30	-40.70	39.14	-47.52	-25.00	22.52	Vertical
6	15397.5	52.20	-37.24	39.48	-40.81	-25.00	15.81	Vertical

NR CA N7_N26_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1114.2222	48.87	-49.99	24.84	-71.54	-13.00	58.54	Horizontal
2	1723.5556	52.58	-49.75	25.69	-66.74	-13.00	53.74	Horizontal
3	2524.8889	49.55	-48.97	27.24	-67.43	-13.00	54.43	Horizontal
4	3870.6667	48.68	-48.42	29.09	-65.91	-13.00	52.91	Horizontal
5	5778.6667	51.05	-47.67	32.71	-59.17	-13.00	46.17	Horizontal
6	8600	47.48	-43.83	36.96	-54.65	-13.00	41.65	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1146.2222	48.64	-50.08	24.83	-71.87	-13.00	58.87	Vertical
2	1813.3333	54.81	-49.83	25.83	-64.44	-13.00	51.44	Vertical
3	2457.7778	49.59	-49.14	27.12	-67.69	-13.00	54.69	Vertical
4	3733.3333	50.34	-48.60	28.87	-64.65	-13.00	51.65	Vertical
5	5415.5556	50.40	-47.43	32.36	-59.93	-13.00	46.93	Vertical
6	8027.5556	49.22	-44.52	36.33	-54.23	-13.00	41.23	Vertical

NR CA N7_N26_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1087.1111	48.70	-49.79	24.86	-71.50	-13.00	58.50	Horizontal
2	1740	50.34	-49.77	25.71	-68.98	-13.00	55.98	Horizontal
3	2689.7778	50.20	-49.02	27.54	-66.54	-13.00	53.54	Horizontal
4	4231.5556	48.75	-48.26	29.67	-65.10	-13.00	52.10	Horizontal
5	6124.8889	50.10	-47.13	33.27	-59.01	-13.00	46.01	Horizontal
6	8616.8889	48.08	-43.91	36.98	-54.11	-13.00	41.11	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1357.7778	51.41	-50.06	24.25	-69.66	-13.00	56.66	Vertical
2	1872	48.75	-49.78	25.98	-70.31	-13.00	57.31	Vertical
3	2666.6667	49.92	-49.06	27.50	-66.90	-13.00	53.90	Vertical
4	3988.4444	48.72	-48.36	29.28	-65.62	-13.00	52.62	Vertical
5	5719.5556	51.13	-47.54	32.69	-58.99	-13.00	45.99	Vertical
6	8585.7778	47.70	-43.93	36.94	-54.55	-13.00	41.55	Vertical

NR CA N7_N26_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1090.2222	48.28	-49.83	24.85	-71.96	-13.00	58.96	Horizontal
2	1752.8889	51.11	-49.78	25.73	-68.20	-13.00	55.20	Horizontal
3	2647.1111	49.88	-49.09	27.46	-67.01	-13.00	54.01	Horizontal
4	3921.3333	49.03	-48.41	29.17	-65.47	-13.00	52.47	Horizontal
5	6101.7778	50.42	-47.02	33.19	-58.67	-13.00	45.67	Horizontal
6	8187.5556	48.30	-44.30	36.51	-54.75	-13.00	41.75	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1121.7778	48.67	-50.01	24.84	-71.76	-13.00	58.76	Vertical
2	1989.3333	49.20	-49.68	26.27	-69.47	-13.00	56.47	Vertical
3	3030.6667	49.84	-48.48	28.12	-65.78	-13.00	52.78	Vertical
4	3772.8889	49.54	-48.49	28.94	-65.27	-13.00	52.27	Vertical
5	5694.2222	51.25	-47.51	32.68	-58.84	-13.00	45.84	Vertical
6	7601.7778	48.95	-44.68	36.38	-54.61	-13.00	41.61	Vertical

NR CA N7B_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3617	51.31	-48.32	28.69	-63.58	-25.00	38.58	Horizontal
2	4888.5	50.53	-48.03	30.95	-61.80	-25.00	36.80	Horizontal
3	6665	50.00	-46.73	34.96	-57.02	-25.00	32.02	Horizontal
4	8540	48.72	-44.16	36.89	-53.80	-25.00	28.80	Horizontal
5	12266.5	51.05	-39.76	39.24	-44.73	-25.00	19.73	Horizontal
6	15351	52.84	-37.56	39.57	-40.41	-25.00	15.41	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3661.5	51.02	-48.42	28.76	-63.90	-25.00	38.90	Vertical
2	5001.5	56.62	-48.01	31.20	-55.44	-25.00	30.44	Vertical
3	7039	50.73	-46.30	35.57	-55.26	-25.00	30.26	Vertical
4	9067	48.38	-42.95	37.49	-52.34	-25.00	27.34	Vertical
5	12637	50.62	-39.09	39.02	-44.72	-25.00	19.72	Vertical
6	16564	54.62	-37.40	38.63	-39.42	-25.00	14.42	Vertical

NR CA N7B_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3296	49.60	-48.04	28.34	-65.36	-25.00	40.36	Horizontal
2	4808.5	49.95	-48.01	30.78	-62.54	-25.00	37.54	Horizontal
3	6450	51.03	-46.96	34.51	-56.68	-25.00	31.68	Horizontal
4	8966	48.21	-43.46	37.36	-53.15	-25.00	28.15	Horizontal
5	11533.5	50.15	-39.96	39.45	-45.63	-25.00	20.63	Horizontal
6	17543.5	51.51	-36.82	42.06	-38.51	-25.00	13.51	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3583.5	49.70	-48.28	28.63	-65.21	-25.00	40.21	Vertical
2	5021.5	54.73	-47.97	31.26	-57.24	-25.00	32.24	Vertical
3	7088	50.71	-45.92	35.66	-54.81	-25.00	29.81	Vertical
4	9611	48.97	-42.22	38.26	-50.26	-25.00	25.26	Vertical
5	12625	50.60	-39.06	39.03	-44.70	-25.00	19.70	Vertical
6	16879	53.73	-36.80	38.75	-39.58	-25.00	14.58	Vertical

NR CA N7B_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3297	49.70	-48.03	28.34	-65.26	-25.00	40.26	Horizontal
2	4028	49.92	-48.15	29.34	-64.14	-25.00	39.14	Horizontal
3	5566.5	50.90	-47.67	32.63	-59.40	-25.00	34.40	Horizontal
4	7574	50.63	-44.99	36.39	-53.23	-25.00	28.23	Horizontal
5	10921.5	49.21	-40.16	39.45	-46.76	-25.00	21.76	Horizontal
6	16612	54.12	-37.23	38.64	-39.72	-25.00	14.72	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3287	49.61	-48.05	28.33	-65.37	-25.00	40.37	Vertical
2	4177.5	49.83	-48.29	29.58	-64.14	-25.00	39.14	Vertical
3	5684	51.73	-47.52	32.67	-58.38	-25.00	33.38	Vertical
4	8440.5	49.10	-44.18	36.78	-53.55	-25.00	28.55	Vertical
5	11508	50.15	-40.04	39.45	-45.70	-25.00	20.70	Vertical
6	16575	54.06	-37.33	38.63	-39.90	-25.00	14.90	Vertical

NR CA N5 N78 3450-3550_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6894.3542	43.82	-46.17	35.33	-62.28	-13.00	49.28	Horizontal
2	7954.2708	41.70	-44.59	36.31	-61.84	-13.00	48.84	Horizontal
3	9507.7292	39.68	-42.58	38.11	-60.05	-13.00	47.05	Horizontal
4	10831.1875	37.60	-40.36	39.38	-58.64	-13.00	45.64	Horizontal
5	13747.3958	35.07	-38.22	39.92	-58.49	-13.00	45.49	Horizontal
6	17671.2917	33.76	-37.51	42.83	-56.19	-13.00	43.19	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7140.6458	43.63	-45.84	35.75	-61.72	-13.00	48.72	Vertical
2	7964.8125	42.09	-44.52	36.31	-61.38	-13.00	48.38	Vertical
3	10283.9792	38.92	-41.24	39.00	-58.58	-13.00	45.58	Vertical
4	13729.1875	34.98	-38.12	39.89	-58.50	-13.00	45.50	Vertical
5	17875.8958	32.81	-37.44	44.06	-55.84	-13.00	42.84	Vertical

NR CA N7 N78 3450-3550_Mid**Final Data List**

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6985.875	43.35	-45.94	35.48	-62.38	-13.00	49.38	Horizontal
2	8932.7292	40.54	-43.58	37.33	-60.97	-13.00	47.97	Horizontal
3	10622.75	38.76	-41.10	39.24	-58.37	-13.00	45.37	Horizontal
4	13871.9792	35.03	-38.39	40.11	-58.51	-13.00	45.51	Horizontal
5	17657.3958	33.67	-37.36	42.74	-56.21	-13.00	43.21	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6985.3958	44.03	-45.94	35.48	-61.70	-13.00	48.70	Vertical
2	7956.1875	42.01	-44.58	36.31	-61.52	-13.00	48.52	Vertical
3	9558.0417	39.36	-42.12	38.18	-59.83	-13.00	46.83	Vertical
4	10963.9167	37.83	-40.39	39.47	-58.35	-13.00	45.35	Vertical
5	13872.4583	35.09	-38.39	40.11	-58.45	-13.00	45.45	Vertical
6	17670.8125	33.72	-37.51	42.82	-56.22	-13.00	43.22	Vertical

NR CA N26 N78 3450-3550_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7176.1042	43.82	-45.61	35.82	-61.23	-13.00	48.23	Horizontal
2	7949.9583	42.58	-44.62	36.31	-60.99	-13.00	47.99	Horizontal
3	9506.2917	39.76	-42.59	38.11	-59.98	-13.00	46.98	Horizontal
4	10910.25	37.32	-40.21	39.44	-58.71	-13.00	45.71	Horizontal
5	13726.7917	35.38	-38.10	39.89	-58.09	-13.00	45.09	Horizontal
6	17899.375	33.27	-37.26	44.20	-55.06	-13.00	42.06	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6902.0208	44.01	-46.14	35.34	-62.04	-13.00	49.04	Vertical
2	7900.6042	42.74	-44.97	36.32	-61.17	-13.00	48.17	Vertical
3	9507.7292	39.75	-42.58	38.11	-59.98	-13.00	46.98	Vertical
4	10895.875	37.61	-40.18	39.43	-58.40	-13.00	45.40	Vertical
5	13284.5208	36.08	-38.61	39.23	-58.56	-13.00	45.56	Vertical
6	17605.1667	33.06	-36.79	42.43	-56.56	-13.00	43.56	Vertical

NR CA N41 N78 3450-3550_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7038.5833	44.00	-45.99	35.57	-61.68	-13.00	48.68	Horizontal
2	7845.9792	42.38	-44.93	36.33	-61.48	-13.00	48.48	Horizontal
3	9501.9792	40.28	-42.63	38.10	-59.51	-13.00	46.51	Horizontal
4	10738.2292	37.82	-40.67	39.32	-58.80	-13.00	45.80	Horizontal
5	13714.3333	34.69	-38.03	39.87	-58.73	-13.00	45.73	Horizontal
6	17796.3542	33.71	-38.00	43.58	-55.98	-13.00	42.98	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7044.8125	44.19	-46.00	35.58	-61.49	-13.00	48.49	Vertical
2	7857.4792	42.56	-44.94	36.33	-61.31	-13.00	48.31	Vertical
3	8928.8958	40.68	-43.57	37.32	-60.83	-13.00	47.83	Vertical
4	10864.25	37.69	-40.27	39.40	-58.44	-13.00	45.44	Vertical
5	13879.1667	35.65	-38.38	40.12	-57.87	-13.00	44.87	Vertical
6	17999.5208	33.41	-36.98	44.80	-54.03	-13.00	41.03	Vertical

NR CA N78C 3450-3550_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6973.8958	43.91	-45.97	35.46	-61.86	-13.00	48.86	Horizontal
2	8049.625	41.99	-44.35	36.35	-61.26	-13.00	48.26	Horizontal
3	9001.7292	40.88	-43.62	37.40	-60.60	-13.00	47.60	Horizontal
4	10262.4167	38.95	-41.46	38.98	-58.78	-13.00	45.78	Horizontal
5	13386.5833	35.76	-38.97	39.38	-59.09	-13.00	46.09	Horizontal
6	17557.7292	32.74	-36.47	42.15	-56.85	-13.00	43.85	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7018.4583	43.53	-45.95	35.53	-62.14	-13.00	49.14	Vertical
2	8424.8125	41.41	-44.19	36.77	-61.27	-13.00	48.27	Vertical
3	10352.9792	39.99	-41.17	39.05	-57.39	-13.00	44.39	Vertical
4	13305.6042	35.63	-38.55	39.26	-58.92	-13.00	45.92	Vertical
5	15417.2917	34.11	-37.89	39.45	-59.59	-13.00	46.59	Vertical
6	17457.1042	32.74	-36.59	41.54	-57.56	-13.00	44.56	Vertical

NR CA N78C 3700-3800_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6927.4167	43.83	-46.08	35.38	-62.12	-13.00	49.12	Horizontal
2	7855.0833	42.47	-44.94	36.33	-61.40	-13.00	48.40	Horizontal
3	9508.6875	40.54	-42.57	38.11	-59.18	-13.00	46.18	Horizontal
4	10834.5417	38.03	-40.35	39.38	-58.20	-13.00	45.20	Horizontal
5	13880.6042	34.77	-38.37	40.12	-58.74	-13.00	45.74	Horizontal
6	17965.9792	33.51	-37.08	44.60	-54.23	-13.00	41.23	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6902.0208	48.39	-46.14	35.34	-57.66	-13.00	44.66	Vertical
2	7830.6458	42.39	-44.92	36.33	-61.46	-13.00	48.46	Vertical
3	9884.3542	39.26	-41.85	38.64	-59.21	-13.00	46.21	Vertical
4	12914.6042	35.71	-38.48	38.85	-59.17	-13.00	46.17	Vertical
5	14590.7292	35.32	-38.15	40.24	-57.85	-13.00	44.85	Vertical
6	17671.2917	33.75	-37.51	42.83	-56.20	-13.00	43.20	Vertical

NR CA N5 N78 3700-3800_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7176.5833	43.35	-45.60	35.82	-61.70	-13.00	48.70	Horizontal
2	8938.9583	40.48	-43.58	37.33	-61.03	-13.00	48.03	Horizontal
3	10258.5833	38.98	-41.49	38.98	-58.79	-13.00	45.79	Horizontal
4	13646.2917	35.55	-38.13	39.77	-58.07	-13.00	45.07	Horizontal
5	14840.375	34.07	-37.89	40.22	-58.86	-13.00	45.86	Horizontal
6	17883.0833	33.16	-37.39	44.10	-55.39	-13.00	42.39	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6980.6042	43.91	-45.95	35.47	-61.84	-13.00	48.84	Vertical
2	8033.8125	41.83	-44.32	36.34	-61.42	-13.00	48.42	Vertical
3	9847.4583	39.46	-41.93	38.59	-59.14	-13.00	46.14	Vertical
4	12714.7917	35.96	-39.05	38.97	-59.38	-13.00	46.38	Vertical
5	13747.875	34.92	-38.22	39.92	-58.64	-13.00	45.64	Vertical
6	17559.6458	32.21	-36.48	42.16	-57.38	-13.00	44.38	Vertical

NR CA N7 N78 3700-3800_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7017.5	43.77	-45.95	35.53	-61.90	-13.00	48.90	Horizontal
2	8449.25	40.91	-44.03	36.79	-61.58	-13.00	48.58	Horizontal
3	10779.9167	38.25	-40.52	39.35	-58.19	-13.00	45.19	Horizontal
4	13312.7917	36.11	-38.59	39.27	-58.47	-13.00	45.47	Horizontal
5	15085.7083	34.05	-38.22	40.05	-59.39	-13.00	46.39	Horizontal
6	17663.625	34.60	-37.43	42.78	-55.31	-13.00	42.31	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6902.0208	48.21	-46.14	35.34	-57.84	-13.00	44.84	Vertical
2	8046.75	42.37	-44.34	36.35	-60.88	-13.00	47.88	Vertical
3	8961.9583	41.18	-43.60	37.36	-60.32	-13.00	47.32	Vertical
4	10426.7708	38.59	-41.07	39.10	-58.64	-13.00	45.64	Vertical
5	13707.1458	34.89	-37.99	39.86	-58.50	-13.00	45.50	Vertical
6	17958.3125	33.75	-37.10	44.55	-54.06	-13.00	41.06	Vertical

NR CA N26 N78 3700-3800_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7134.4167	43.48	-45.88	35.74	-61.92	-13.00	48.92	Horizontal
2	7964.3333	42.48	-44.52	36.31	-60.99	-13.00	47.99	Horizontal
3	10077.4583	39.69	-41.65	38.85	-58.37	-13.00	45.37	Horizontal
4	12822.6042	36.11	-39.08	38.91	-59.33	-13.00	46.33	Horizontal
5	14719.1458	34.34	-38.05	40.23	-58.74	-13.00	45.74	Horizontal
6	17661.2292	33.66	-37.40	42.77	-56.24	-13.00	43.24	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6902.0208	46.79	-46.14	35.34	-59.26	-13.00	46.26	Vertical
2	8019.9167	41.62	-44.30	36.32	-61.62	-13.00	48.62	Vertical
3	9629.9167	39.75	-41.89	38.28	-59.12	-13.00	46.12	Vertical
4	12023.8333	34.23	-38.76	39.39	-60.40	-13.00	47.40	Vertical
5	14579.2292	35.27	-38.17	40.24	-57.92	-13.00	44.92	Vertical
6	17882.125	32.96	-37.39	44.09	-55.60	-13.00	42.60	Vertical

NR CA N41 N78 3700-3800_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7171.3125	43.58	-45.64	35.81	-61.51	-13.00	48.51	Horizontal
2	7911.1458	42.48	-44.89	36.32	-61.35	-13.00	48.35	Horizontal
3	9390.3333	40.56	-42.82	37.95	-59.58	-13.00	46.58	Horizontal
4	10778.9583	38.15	-40.53	39.35	-58.29	-13.00	45.29	Horizontal
5	13640.5417	35.27	-38.15	39.76	-58.38	-13.00	45.38	Horizontal
6	17665.0625	34.24	-37.45	42.79	-55.68	-13.00	42.68	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6902.5	44.21	-46.13	35.34	-61.84	-13.00	48.84	Vertical
2	7751.1042	43.15	-45.02	36.35	-60.78	-13.00	47.78	Vertical
3	8941.3542	41.01	-43.58	37.34	-60.50	-13.00	47.50	Vertical
4	10843.6458	37.61	-40.33	39.39	-58.59	-13.00	45.59	Vertical
5	13876.7708	34.91	-38.38	40.12	-58.62	-13.00	45.62	Vertical
6	17667.9375	33.57	-37.48	42.81	-56.36	-13.00	43.36	Vertical

NR CA N38 N78 3700-3800_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6975.3333	44.13	-45.97	35.46	-61.64	-13.00	48.64	Horizontal
2	7969.125	42.00	-44.49	36.31	-61.44	-13.00	48.44	Horizontal
3	9514.9167	39.90	-42.51	38.12	-59.75	-13.00	46.75	Horizontal
4	10778.4792	37.68	-40.53	39.34	-58.76	-13.00	45.76	Horizontal
5	13636.2292	35.67	-38.16	39.75	-58.00	-13.00	45.00	Horizontal
6	17662.1875	34.02	-37.41	42.77	-55.88	-13.00	42.88	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	6975.8125	43.71	-45.97	35.46	-62.05	-13.00	49.05	Vertical
2	7949.9583	42.28	-44.62	36.31	-61.29	-13.00	48.29	Vertical
3	9496.7083	40.12	-42.66	38.10	-59.70	-13.00	46.70	Vertical
4	10858.9792	37.75	-40.28	39.40	-58.39	-13.00	45.39	Vertical
5	13892.1042	35.14	-38.35	40.14	-58.34	-13.00	45.34	Vertical
6	17995.6875	33.53	-36.99	44.77	-53.95	-13.00	40.95	Vertical