

UL MIMO N38_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3199.5	49.92	-48.16	28.26	-65.24	-25.00	40.24	Horizontal
2	3685	51.53	-48.48	28.80	-63.41	-25.00	38.41	Horizontal
3	4937	50.51	-48.02	31.06	-61.71	-25.00	36.71	Horizontal
4	6922.5	51.22	-46.70	35.38	-55.36	-25.00	30.36	Horizontal
5	10026	48.87	-41.74	38.82	-49.32	-25.00	24.32	Horizontal
6	14719.5	50.73	-36.71	40.23	-41.02	-25.00	16.02	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3247.5	49.93	-48.10	28.30	-65.13	-25.00	40.13	Vertical
2	4298	49.93	-47.79	29.78	-63.34	-25.00	38.34	Vertical
3	6300	51.61	-47.32	33.94	-57.03	-25.00	32.03	Vertical
4	7588.5	50.49	-44.75	36.38	-53.14	-25.00	28.14	Vertical
5	10917.5	48.90	-40.13	39.44	-47.05	-25.00	22.05	Vertical
6	15463.5	53.13	-37.76	39.37	-40.52	-25.00	15.52	Vertical

UL MIMO N38_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3188.5	49.82	-48.20	28.25	-65.38	-25.00	40.38	Horizontal
2	4072.5	50.10	-48.09	29.42	-63.84	-25.00	38.84	Horizontal
3	5482	50.95	-47.63	32.55	-59.39	-25.00	34.39	Horizontal
4	7606.5	50.35	-44.61	36.38	-53.14	-25.00	28.14	Horizontal
5	10444.5	49.80	-40.98	39.11	-47.33	-25.00	22.33	Horizontal
6	14791	50.55	-36.83	40.22	-41.32	-25.00	16.32	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3293	49.81	-48.04	28.33	-65.15	-25.00	40.15	Vertical
2	4350	49.93	-47.95	29.86	-63.42	-25.00	38.42	Vertical
3	5699.5	52.06	-47.49	32.68	-58.01	-25.00	33.01	Vertical
4	7618.5	50.32	-44.69	36.38	-53.25	-25.00	28.25	Vertical
5	10508.5	49.32	-40.70	39.16	-47.49	-25.00	22.49	Vertical
6	15374.5	52.61	-37.40	39.53	-40.52	-25.00	15.52	Vertical

UL MIMO N38_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3281	49.88	-48.05	28.32	-65.11	-25.00	40.11	Horizontal
2	4016	49.66	-48.16	29.33	-64.44	-25.00	39.44	Horizontal
3	5080.5	51.26	-47.86	31.43	-60.43	-25.00	35.43	Horizontal
4	6625	51.00	-46.93	34.90	-56.29	-25.00	31.29	Horizontal
5	10366	49.24	-41.21	39.06	-48.17	-25.00	23.17	Horizontal
6	15179.5	51.96	-37.01	39.88	-40.44	-25.00	15.44	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3289	50.14	-48.04	28.33	-64.83	-25.00	39.83	Vertical
2	4000	49.62	-48.18	29.30	-64.52	-25.00	39.52	Vertical
3	5087	51.21	-47.84	31.44	-60.45	-25.00	35.45	Vertical
4	6835	51.10	-46.83	35.24	-55.76	-25.00	30.76	Vertical
5	9100	48.55	-42.84	37.54	-52.01	-25.00	27.01	Vertical
6	12301	50.82	-39.73	39.22	-44.95	-25.00	19.95	Vertical

UL MIMO N41_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3183.5	50.18	-48.21	28.25	-65.04	-25.00	40.04	Horizontal
2	4000	49.55	-48.18	29.30	-64.59	-25.00	39.59	Horizontal
3	5244.5	51.25	-47.84	31.88	-59.97	-25.00	34.97	Horizontal
4	6913.5	51.79	-46.71	35.36	-54.82	-25.00	29.82	Horizontal
5	9963	49.07	-41.85	38.75	-49.29	-25.00	24.29	Horizontal
6	13907	50.31	-38.76	40.16	-43.55	-25.00	18.55	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3156.5	50.12	-48.29	28.23	-65.21	-25.00	40.21	Vertical
2	4289	50.06	-47.84	29.76	-63.28	-25.00	38.28	Vertical
3	6095	51.85	-47.39	33.16	-57.64	-25.00	32.64	Vertical
4	8584	48.65	-44.02	36.94	-53.69	-25.00	28.69	Vertical
5	11713.5	50.30	-39.69	39.43	-45.22	-25.00	20.22	Vertical
6	15199.5	51.39	-36.65	39.84	-40.68	-25.00	15.68	Vertical

UL MIMO N41_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3290	49.46	-48.04	28.33	-65.51	-25.00	40.51	Horizontal
2	4051.5	49.26	-48.12	29.38	-64.74	-25.00	39.74	Horizontal
3	5024.5	51.16	-47.96	31.27	-60.79	-25.00	35.79	Horizontal
4	6358	51.12	-47.09	34.16	-57.07	-25.00	32.07	Horizontal
5	9003.5	48.38	-43.16	37.40	-52.63	-25.00	27.63	Horizontal
6	12324	51.10	-39.69	39.21	-44.64	-25.00	19.64	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3312.5	49.33	-48.08	28.35	-65.66	-25.00	40.66	Vertical
2	4334	49.70	-47.89	29.83	-63.62	-25.00	38.62	Vertical
3	5669.5	51.77	-47.55	32.67	-58.38	-25.00	33.38	Vertical
4	9077	48.67	-42.92	37.51	-52.00	-25.00	27.00	Vertical
5	12024	49.91	-39.47	39.39	-45.43	-25.00	20.43	Vertical
6	15388	52.86	-37.30	39.50	-40.20	-25.00	15.20	Vertical

UL MIMO N41_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3223.5	50.12	-48.13	28.28	-64.99	-25.00	39.99	Horizontal
2	4352.5	49.99	-47.95	29.86	-63.36	-25.00	38.36	Horizontal
3	6511	50.59	-47.00	34.72	-56.95	-25.00	31.95	Horizontal
4	9974.5	48.71	-41.80	38.76	-49.59	-25.00	24.59	Horizontal
5	13176	50.46	-38.63	39.06	-44.36	-25.00	19.36	Horizontal
6	17915	51.56	-36.46	44.29	-35.87	-25.00	10.87	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3439.5	49.60	-48.36	28.45	-65.57	-25.00	40.57	Vertical
2	4113.5	49.56	-48.10	29.48	-64.32	-25.00	39.32	Vertical
3	6103.5	50.79	-47.39	33.19	-58.66	-25.00	33.66	Vertical
4	9033	48.99	-43.06	37.45	-51.88	-25.00	26.88	Vertical
5	11696.5	49.81	-39.66	39.43	-45.68	-25.00	20.68	Vertical
6	15411.5	52.23	-37.32	39.46	-40.89	-25.00	15.89	Vertical