



Maximum conducted output power Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Set Power	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant9	5955	26Tone	RU0	-5	-3.98	96.19	0.17	-3.81	≤29.00	-5.00	-8.81	≤24.00	PASS
			52Tone	RU37	-2	-0.94	96.19	0.17	-0.77	≤29.00	-5.00	-5.77	≤24.00	PASS
			106Tone	RU53	1	2.37	96.19	0.17	2.54	≤29.00	-5.00	-2.46	≤24.00	PASS
	Ant8	5955	26Tone	RU0	-5	-3.71	96.19	0.17	-3.54	≤27.50	-3.50	-7.04	≤24.00	PASS
			52Tone	RU37	-2	-0.43	96.19	0.17	-0.26	≤27.50	-3.50	-3.76	≤24.00	PASS
			106Tone	RU53	1	2.72	96.19	0.17	2.89	≤27.50	-3.50	-0.61	≤24.00	PASS
	total	5955	26Tone	RU0	---	---	---	---	-0.66	≤27.50	-3.50	-4.16	≤24.00	PASS
			52Tone	RU37	---	---	---	---	2.50	≤27.50	-3.50	-1.00	≤24.00	PASS
			106Tone	RU53	---	---	---	---	5.73	≤27.50	-3.50	2.23	≤24.00	PASS
	Ant9	6435	26Tone	RU0	-5	-4.22	96.19	0.17	-4.05	≤30.00	-6.00	-10.05	≤24.00	PASS
			52Tone	RU37	-2	-0.93	96.19	0.17	-0.76	≤30.00	-6.00	-6.76	≤24.00	PASS
			106Tone	RU53	1	1.70	96.19	0.17	1.87	≤30.00	-6.00	-4.13	≤24.00	PASS
	Ant8	6435	26Tone	RU0	-5	-4.21	96.19	0.17	-4.04	≤30.00	-6.00	-10.04	≤24.00	PASS
			52Tone	RU37	-2	-0.82	96.19	0.17	-0.65	≤30.00	-6.00	-6.65	≤24.00	PASS
			106Tone	RU53	1	1.78	96.19	0.17	1.95	≤30.00	-6.00	-4.05	≤24.00	PASS
	total	6435	26Tone	RU0	---	---	---	---	-1.03	≤30.00	-6.00	-7.03	≤24.00	PASS
			52Tone	RU37	---	---	---	---	2.31	≤30.00	-6.00	-3.69	≤24.00	PASS
			106Tone	RU53	---	---	---	---	4.92	≤30.00	-6.00	-1.08	≤24.00	PASS
	Ant9	6535	26Tone	RU0	-5	-3.96	96.19	0.17	-3.79	≤31.00	-7.00	-10.79	≤24.00	PASS
			52Tone	RU37	-2	-0.81	96.19	0.17	-0.64	≤31.00	-7.00	-7.64	≤24.00	PASS
			106Tone	RU53	1	2.13	96.19	0.17	2.30	≤31.00	-7.00	-4.70	≤24.00	PASS
	Ant8	6535	26Tone	RU0	-5	-4.11	96.19	0.17	-3.94	≤33.50	-9.50	-13.44	≤24.00	PASS
			52Tone	RU37	-2	-1.22	96.19	0.17	-1.05	≤33.50	-9.50	-10.55	≤24.00	PASS
			106Tone	RU53	1	1.84	96.19	0.17	2.01	≤33.50	-9.50	-7.49	≤24.00	PASS
	total	6535	26Tone	RU0	---	---	---	---	-0.85	≤31.00	-7.00	-7.85	≤24.00	PASS
			52Tone	RU37	---	---	---	---	2.17	≤31.00	-7.00	-4.83	≤24.00	PASS
			106Tone	RU53	---	---	---	---	5.17	≤31.00	-7.00	-1.83	≤24.00	PASS
	Ant9	7095	26Tone	RU8	-5	-3.59	96.19	0.17	-3.42	≤30.50	-6.50	-9.92	≤24.00	PASS
			52Tone	RU40	-2	-1.14	96.19	0.17	-0.97	≤30.50	-6.50	-7.47	≤24.00	PASS
			106Tone	RU54	1	2.18	96.19	0.17	2.35	≤30.50	-6.50	-4.15	≤24.00	PASS
	Ant8	7095	26Tone	RU8	-5	-4.38	96.19	0.17	-4.21	≤34.00	-10.00	-14.21	≤24.00	PASS
			52Tone	RU40	-2	-1.17	96.19	0.17	-1.00	≤34.00	-10.00	-11.00	≤24.00	PASS
			106Tone	RU54	1	2.12	96.19	0.17	2.29	≤34.00	-10.00	-7.71	≤24.00	PASS
	total	7095	26Tone	RU8	---	---	---	---	-0.79	≤30.50	-6.50	-7.29	≤24.00	PASS
			52Tone	RU40	---	---	---	---	2.03	≤30.50	-6.50	-4.47	≤24.00	PASS
			106Tone	RU54	---	---	---	---	5.33	≤30.50	-6.50	-1.17	≤24.00	PASS
	Ant9	7115	26Tone	RU8	-13.5	-12.04	96.19	0.17	-11.87	≤30.50	-6.50	-18.37	≤24.00	PASS
			52Tone	RU40	-2	-0.90	96.19	0.17	-0.73	≤30.50	-6.50	-7.23	≤24.00	PASS
			106Tone	RU54	1	2.27	96.19	0.17	2.44	≤30.50	-6.50	-4.06	≤24.00	PASS
	Ant8	7115	26Tone	RU8	-13.5	-12.65	96.19	0.17	-12.48	≤34.00	-10.00	-22.48	≤24.00	PASS
			52Tone	RU40	-2	-1.15	96.19	0.17	-0.98	≤34.00	-10.00	-10.98	≤24.00	PASS
			106Tone	RU54	1	1.96	96.19	0.17	2.13	≤34.00	-10.00	-7.87	≤24.00	PASS



	total	7115	26Tone	RU8	---	---	---	---	-9.15	≤30.50	-6.50	-15.65	≤24.00	PASS
			52Tone	RU40	---	---	---	---	2.16	≤30.50	-6.50	-4.34	≤24.00	PASS
			106Tone	RU54	---	---	---	---	5.30	≤30.50	-6.50	-1.20	≤24.00	PASS

Maximum power spectral density Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant9	5955	26Tone	RU0	-6.46	≤4.00	-5.00	-11.46	≤-1.00	PASS
			52Tone	RU37	-6.47	≤4.00	-5.00	-11.47	≤-1.00	PASS
			106Tone	RU53	-6.36	≤4.00	-5.00	-11.36	≤-1.00	PASS
	Ant8	5955	26Tone	RU0	-6.98	≤2.50	-3.50	-10.48	≤-1.00	PASS
			52Tone	RU37	-6.37	≤2.50	-3.50	-9.87	≤-1.00	PASS
			106Tone	RU53	-6.14	≤2.50	-3.50	-9.64	≤-1.00	PASS
	total	5955	26Tone	RU0	-3.70	≤0.21	-1.21	-4.91	≤-1.00	PASS
			52Tone	RU37	-3.41	≤0.21	-1.21	-4.62	≤-1.00	PASS
			106Tone	RU53	-3.24	≤0.21	-1.21	-4.45	≤-1.00	PASS
	Ant9	6435	26Tone	RU0	-6.96	≤5.00	-6.00	-12.96	≤-1.00	PASS
			52Tone	RU37	-6.76	≤5.00	-6.00	-12.76	≤-1.00	PASS
			106Tone	RU53	-7.34	≤5.00	-6.00	-13.34	≤-1.00	PASS
	Ant8	6435	26Tone	RU0	-7.47	≤5.00	-6.00	-13.47	≤-1.00	PASS
			52Tone	RU37	-7.14	≤5.00	-6.00	-13.14	≤-1.00	PASS
			106Tone	RU53	-7.55	≤5.00	-6.00	-13.55	≤-1.00	PASS
	total	6435	26Tone	RU0	-4.20	≤1.99	-2.99	-7.19	≤-1.00	PASS
			52Tone	RU37	-3.94	≤1.99	-2.99	-6.93	≤-1.00	PASS
			106Tone	RU53	-4.43	≤1.99	-2.99	-7.42	≤-1.00	PASS
	Ant9	6535	26Tone	RU0	-6.45	≤6.00	-7.00	-13.45	≤-1.00	PASS
			52Tone	RU37	-6.59	≤6.00	-7.00	-13.59	≤-1.00	PASS
			106Tone	RU53	-6.75	≤6.00	-7.00	-13.75	≤-1.00	PASS
	Ant8	6535	26Tone	RU0	-7.11	≤8.50	-9.50	-16.61	≤-1.00	PASS
			52Tone	RU37	-7.04	≤8.50	-9.50	-16.54	≤-1.00	PASS
			106Tone	RU53	-7.32	≤8.50	-9.50	-16.82	≤-1.00	PASS
	total	6535	26Tone	RU0	-3.76	≤4.15	-5.15	-8.91	≤-1.00	PASS
			52Tone	RU37	-3.80	≤4.15	-5.15	-8.95	≤-1.00	PASS
			106Tone	RU53	-4.02	≤4.15	-5.15	-9.17	≤-1.00	PASS
	Ant9	7095	26Tone	RU8	-7.67	≤5.50	-6.50	-14.17	≤-1.00	PASS
			52Tone	RU40	-8.12	≤5.50	-6.50	-14.62	≤-1.00	PASS
			106Tone	RU54	-8.08	≤5.50	-6.50	-14.58	≤-1.00	PASS
	Ant8	7095	26Tone	RU8	-8.38	≤9.00	-10.00	-18.38	≤-1.00	PASS
			52Tone	RU40	-8.09	≤9.00	-10.00	-18.09	≤-1.00	PASS
			106Tone	RU54	-8.08	≤9.00	-10.00	-18.08	≤-1.00	PASS
	total	7095	26Tone	RU8	-5.00	≤4.06	-5.06	-10.06	≤-1.00	PASS
			52Tone	RU40	-5.09	≤4.06	-5.06	-10.15	≤-1.00	PASS
			106Tone	RU54	-5.07	≤4.06	-5.06	-10.13	≤-1.00	PASS
	Ant9	7115	26Tone	RU8	-7.62	≤5.50	-6.50	-14.12	≤-1.00	PASS
			52Tone	RU40	-7.86	≤5.50	-6.50	-14.36	≤-1.00	PASS
			106Tone	RU54	-7.88	≤5.50	-6.50	-14.38	≤-1.00	PASS






	Ant8	7115	26Tone	RU8	-8.37	≤9.00	-10.00	-18.37	≤-1.00	PASS
			52Tone	RU40	-8.40	≤9.00	-10.00	-18.40	≤-1.00	PASS
			106Tone	RU54	-8.44	≤9.00	-10.00	-18.44	≤-1.00	PASS
	total	7115	26Tone	RU8	-4.97	≤4.06	-5.06	-10.03	≤-1.00	PASS
			52Tone	RU40	-5.11	≤4.06	-5.06	-10.17	≤-1.00	PASS
			106Tone	RU54	-5.14	≤4.06	-5.06	-10.20	≤-1.00	PASS



Note: The Duty Cycle Factor and is compensated in the graph.







Test Graphs

























































Appendix B. AC Conducted Emission Test Results

Test Engineer :	Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO02-SZ
Condition : FCC 15E_QP LISN_2025-L LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	37.65	-18.00	55.65	17.79	9.67	10.19	Average
2 *	0.16	57.65	-8.00	65.65	37.79	9.67	10.19	QP
3	0.19	37.88	-16.18	54.06	18.00	9.70	10.18	Average
4	0.19	54.58	-9.48	64.06	34.70	9.70	10.18	QP
5	0.25	28.42	-23.22	51.64	8.50	9.72	10.20	Average
6	0.25	43.82	-17.82	61.64	23.90	9.72	10.20	QP
7	0.33	25.75	-23.65	49.40	5.80	9.74	10.21	Average
8	0.33	40.95	-18.45	59.40	21.00	9.74	10.21	QP
9	0.48	26.32	-20.04	46.36	6.39	9.69	10.24	Average
10	0.48	37.12	-19.24	56.36	17.19	9.69	10.24	QP
11	0.60	27.60	-18.40	46.00	7.70	9.66	10.24	Average
12	0.60	37.30	-18.70	56.00	17.40	9.66	10.24	QP



Test Engineer :	Nathon	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO02-SZ
Condition : FCC 15E_QP LISN_2025-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.16	35.24	-20.19	55.43	15.39	9.66	10.19	Average
2 *	0.16	52.54	-12.89	65.43	32.69	9.66	10.19	QP
3	0.25	28.91	-22.87	51.78	9.20	9.52	10.19	Average
4	0.25	40.91	-20.87	61.78	21.20	9.52	10.19	QP
5	0.31	26.34	-23.63	49.97	6.30	9.83	10.21	Average
6	0.31	38.34	-21.63	59.97	18.30	9.83	10.21	QP
7	0.36	27.65	-21.04	48.69	7.80	9.63	10.22	Average
8	0.36	38.65	-20.04	58.69	18.80	9.63	10.22	QP
9	0.50	27.85	-18.15	46.00	8.00	9.61	10.24	Average
10	0.50	37.95	-18.05	56.00	18.10	9.61	10.24	QP
11	0.55	28.06	-17.94	46.00	8.20	9.62	10.24	Average
12	0.55	36.86	-19.14	56.00	17.00	9.62	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	Winter	Relative Humidity :	50%
		Temperature :	20°C-22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.945-6.425	CDD 8+9	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.945-6.425	CDD 8+9	802.11a	45	6175	6Mbps	-	-
Mode 3	U-NII-5	5.945-6.425	CDD 8+9	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.945-6.425	CDD 8+9	802.11a	97	6435	6Mbps	-	-
Mode 7	UNII-7	6.525-6.875	CDD 8+9	802.11a	117	6535	6Mbps	-	-
Mode 8	UNII-7	6.525-6.875	CDD 8+9	802.11a	149	6695	6Mbps	-	-
Mode 9	UNII-7	6.525-6.875	CDD 8+9	802.11a	181	6855	6Mbps	-	-
Mode 13	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE20	1	5955	MCS0	-	-
Mode 14	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE20	45	6175	MCS0	-	-
Mode 15	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE20	93	6415	MCS0	-	-
Mode 16	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE20	97	6435	MCS0	-	-
Mode 19	UNII-7	6.525-6.875	CDD 8+9	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 20	UNII-7	6.525-6.875	CDD 8+9	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 21	UNII-7	6.525-6.875	CDD 8+9	802.11ax HE20	181	6855	MCS0	Full RU	-
Mode 25	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 26	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE40	43	6165	MCS0	Full RU	-
Mode 27	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 30	UNII-7	6.525-6.875	CDD 8+9	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 31	UNII-7	6.525-6.875	CDD 8+9	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 32	UNII-7	6.525-6.875	CDD 8+9	802.11ax HE40	179	6845	MCS0	Full RU	-
Mode 36	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 37	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE80	39	6145	MCS0	Full RU	-
Mode 38	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 40	UNII-7	6.525-6.875	CDD 8+9	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	UNII-7	6.525-6.875	CDD 8+9	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	UNII-7	6.525-6.875	CDD 8+9	802.11ax HE80	167	6785	MCS0	Full RU	-
Mode 45	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 46	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 47	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 48	UNII-7	6.525-6.875	CDD 8+9	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 49	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 50	UNII-7-8	6.525-7.125	CDD 8+9	802.11ax HE20	185	6525	MCS0	Full RU	-
Mode 51	UNII-7-8	6.525-7.125	CDD 8+9	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 52	UNII-7-8	6.525-7.125	CDD 8+9	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 53	UNII-7-8	6.525-7.125	CDD 8+9	802.11ax HE160	175	6825	MCS0	Full RU	-
Mode 54	U-NII-6-7	6.425-6.875	CDD 8+9	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 55	U-NII-6-7	6.425-6.875	CDD 8+9	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 56	U-NII-6-7	6.425-6.875	CDD 8+9	802.11ax HE160	111	6505	MCS0	Full RU	-



Mode 57	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE20	1	5955	MCS0	Partial RU	106/53
Mode 58	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE20	229	7095	MCS0	Partial RU	26/8
Mode 60	U-NII-8	6.875-7.125	CDD 8+9	802.11a	233	7115	6Mbps	-	-
Mode 61	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE20	233	7115	MCS0	Full RU	-
Mode 62	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE20	233	7115	MCS0	Partial RU	26/8
Mode 63	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE20	233	7115	MCS0	Full RU	LF
Mode 5	UNII-6	6.525-6.875	CDD 8+9	802.11a	105	6475	6Mbps	-	-
Mode 6	UNII-6	6.525-6.875	CDD 8+9	802.11a	113	6515	6Mbps	-	-
Mode 10	UNII-8	6.875-7.125	CDD 8+9	802.11a	189	6895	6Mbps	-	-
Mode 11	UNII-8	6.875-7.125	CDD 8+9	802.11a	209	6995	6Mbps	-	-
Mode 12	UNII-8	6.875-7.125	CDD 8+9	802.11a	229	7095	6Mbps	-	-
Mode 17	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 18	U-NII-5	5.945-6.425	CDD 8+9	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 22	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 23	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 24	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 28	U-NII-6	5.945-6.425	CDD 8+9	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 29	U-NII-6	5.945-6.425	CDD 8+9	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 33	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 34	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE40	203	6965	MCS0	Full RU	-
Mode 35	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 39	U-NII-6	5.945-6.425	CDD 8+9	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 43	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 44	U-NII-8	6.875-7.125	CDD 8+9	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 59	U-NII-8	6.875-7.125	CDD 8+9	802.11a	185	6875	6Mbps	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	-	-	-	-	-	-	-	Band Edge
1	802.11a	1	17865.00	48.45	74.00	-25.55	V	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	47.01	74.00	-26.99	V	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12830.00	47.41	88.20	-40.79	V	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	47.59	88.20	-40.61	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	46.11	88.20	-42.09	V	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	46.36	74.00	-27.64	V	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	48.15	88.20	-40.05	V	Peak	Pass	Harmonic
13	802.11ax HE20	1	5867.98	42.59	68.20	-25.61	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	17865.00	47.79	74.00	-26.21	V	Peak	Pass	Harmonic
14	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	45	12350.00	45.50	74.00	-28.50	H	Peak	Pass	Harmonic
15	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	93	12830.00	45.04	88.20	-43.16	V	Peak	Pass	Harmonic
16	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	97	12870.00	46.19	88.20	-42.01	V	Peak	Pass	Harmonic
19	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	117	13070.00	46.26	88.20	-41.94	V	Peak	Pass	Harmonic
20	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	149	13390.00	45.06	74.00	-28.94	V	Peak	Pass	Harmonic
21	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	181	13710.00	47.49	88.20	-40.71	V	Peak	Pass	Harmonic
25	802.11ax HE40	3	5895.40	43.54	68.20	-24.66	V	AVERAGE	Pass	Band Edge
25	802.11ax HE40	3	11930.00	44.47	74.00	-29.53	V	Peak	Pass	Harmonic
26	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	43	12330.00	44.21	74.00	-29.79	V	Peak	Pass	Harmonic
27	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	91	12810.00	44.59	88.20	-43.61	H	Peak	Pass	Harmonic
30	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	123	13130.00	47.28	88.20	-40.92	V	Peak	Pass	Harmonic
31	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	147	13370.00	45.37	74.00	-28.63	V	Peak	Pass	Harmonic
32	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	179	13690.00	46.14	88.20	-42.06	V	Peak	Pass	Harmonic
36	802.11ax HE80	7	5921.16	46.43	68.20	-21.77	V	AVERAGE	Pass	Band Edge
36	802.11ax HE80	7	17955.00	46.91	74.00	-27.09	H	Peak	Pass	Harmonic
37	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge





37	802.11ax HE80	39	12290.00	45.12	74.00	-28.88	H	Peak	Pass	Harmonic
38	802.11ax HE80	87								Band Edge
38	802.11ax HE80	87	12270	45.03	74	-28.97	H	Peak	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	46.70	74.00	-27.30	H	Peak	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	45.44	88.20	-42.76	H	Peak	Pass	Harmonic
42	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	167	13570.00	44.97	88.20	-43.23	H	Peak	Pass	Harmonic
45	802.11ax HE160	15	5903.68	45.94	68.20	-22.26	V	AVERAGE	Pass	Band Edge
45	802.11ax HE160	15	12050.00	43.38	74.00	-30.62	H	Peak	Pass	Harmonic
46	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE160	47	12370.00	44.48	74.00	-29.52	V	Peak	Pass	Harmonic
47	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	79	12690.00	44.79	74.00	-29.21	H	Peak	Pass	Harmonic
48	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	143	13330.00	45.17	74.00	-28.83	H	Peak	Pass	Harmonic
49	802.11ax HE160	207	7255.00	44.67	54.00	-9.33	H	AVERAGE	Pass	Band Edge
49	802.11ax HE160	207	13970.00	46.35	88.20	-41.85	H	Peak	Pass	Harmonic
50	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
50	802.11ax HE20	185	13750	46.47	88.2	-41.73	V	Peak	Pass	Harmonic
51	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE40	187	13770.00	45.86	88.20	-42.34	V	Peak	Pass	Harmonic
52	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE80	183	13730.00	45.27	88.20	-42.93	H	Peak	Pass	Harmonic
53	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE160	175	13650.00	44.62	88.20	-43.58	H	Peak	Pass	Harmonic
54	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE40	115	13050.00	46.22	88.20	-41.98	V	Peak	Pass	Harmonic
55	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE80	119	13090.00	46.08	88.20	-42.12	H	Peak	Pass	Harmonic
56	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE160	111	13010.00	45.69	88.20	-42.51	H	Peak	Pass	Harmonic
57	802.11ax HE20	1	5894.30	42.91	68.20	-25.29	V	AVERAGE	Pass	Band Edge
57	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
58	802.11ax HE20	229	7251.21	42.52	54.00	-11.48	V	AVERAGE	Pass	Band Edge
58	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
60	802.11a	233	7125.28	61.41	68.20	-6.79	H	AVERAGE	Pass	Band Edge
59	802.11a	233	14230.00	47.72	88.20	-40.48	V	Peak	Pass	Harmonic
61	802.11ax HE20	233	7125.28	63.08	68.20	-5.12	H	AVERAGE	Pass	Band Edge
60	802.11ax HE20	233	14230.00	45.77	88.20	-42.43	V	Peak	Pass	Harmonic
62	802.11ax HE20	233	7125.28	63.02	68.20	-5.18	H	AVERAGE	Pass	Band Edge
61	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
63	802.11ax HE20	233	36.79	26.64	40.00	-13.36	V	Peak	Pass	LF
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	47.28	88.20	-40.92	V	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge





6	802.11a	113	13030.00	47.86	88.20	-40.34	H	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	48.61	88.20	-39.59	V	Peak	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	49.53	88.20	-38.67	V	Peak	Pass	Harmonic
12	802.11a	229	-	-	-	-	-	-	-	Band Edge
12	802.11a	229	14190.00	49.39	88.20	-38.81	V	Peak	Pass	Harmonic
17	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	105	12950.00	47.96	88.20	-40.24	H	Peak	Pass	Harmonic
18	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	113	13030.00	48.28	88.20	-39.92	H	Peak	Pass	Harmonic
22	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	189	13790.00	48.44	88.20	-39.76	H	Peak	Pass	Harmonic
23	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	209	13990.00	49.14	88.20	-39.06	H	Peak	Pass	Harmonic
24	802.11ax HE20	229	7251.66	41.70	54.00	-12.30	H	AVERAGE	Pass	Band Edge
24	802.11ax HE20	229	14190.00	48.01	88.20	-40.19	H	Peak	Pass	Harmonic
28	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE40	99	12890.00	48.32	88.20	-39.88	H	Peak	Pass	Harmonic
29	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE40	107	12970.00	47.70	88.20	-40.50	V	Peak	Pass	Harmonic
33	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	195	13850.00	49.04	88.20	-39.16	V	Peak	Pass	Harmonic
34	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	203	13930.00	50.90	88.20	-37.30	H	Peak	Pass	Harmonic
35	802.11ax HE40	227	7286.45	42.20	54.00	-11.80	V	AVERAGE	Pass	Band Edge
35	802.11ax HE40	227	14170.00	47.84	88.20	-40.36	H	Peak	Pass	Harmonic
39	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE80	103	12930.00	48.31	88.20	-39.89	V	Peak	Pass	Harmonic
43	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	199	13890.00	49.50	88.20	-38.70	H	Peak	Pass	Harmonic
44	802.11ax HE80	215	7279.56	43.74	54.00	-10.26	V	AVERAGE	Pass	Band Edge
44	802.11ax HE80	215	14050.00	49.23	88.20	-38.97	H	Peak	Pass	Harmonic
59	802.11a	185	-	-	-	-	-	-	-	Band Edge
59	802.11a	185	13750.00	49.05	88.20	-39.15	V	Peak	Pass	Harmonic





Mode	1																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.945-6.425_802.11a_CH1_5955MHz																																																																																																																			
ANT	CDD 8+9																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>58.02</td><td>39.69</td><td>13.18</td><td>64.14</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>46.64</td><td>74.00</td><td>-27.36</td><td>52.94</td><td>43.25</td><td>16.20</td><td>65.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	46.75	74.00	-27.25	58.02	39.69	13.18	64.14	---	---	Peak	2	17865.00	46.64	74.00	-27.36	52.94	43.25	16.20	65.75	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>48.14</td><td>74.00</td><td>-25.86</td><td>59.41</td><td>39.69</td><td>13.18</td><td>64.14</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>48.45</td><td>74.00</td><td>-25.55</td><td>54.75</td><td>43.25</td><td>16.20</td><td>65.75</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	48.14	74.00	-25.86	59.41	39.69	13.18	64.14	---	---	Peak	2	17865.00	48.45	74.00	-25.55	54.75	43.25	16.20	65.75	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11910.00	46.75	74.00	-27.25	58.02	39.69	13.18	64.14	---	---	Peak																																																																																																									
2	17865.00	46.64	74.00	-27.36	52.94	43.25	16.20	65.75	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11910.00	48.14	74.00	-25.86	59.41	39.69	13.18	64.14	---	---	Peak																																																																																																									
2	17865.00	48.45	74.00	-25.55	54.75	43.25	16.20	65.75	---	---	Peak																																																																																																									





Mode	2																																																																																							
	Harmonic																																																																																							
	U-NII-5_5.945-6.425_802.11a_CH45_6175MHz																																																																																							
ANT	CDD 8+9																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12350.00</td><td>45.01</td><td>74.00</td><td>-28.99</td><td>55.82</td><td>40.04</td><td>13.35</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	45.01	74.00	-28.99	55.82	40.04	13.35	64.20	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12350.00</td><td>47.01</td><td>74.00</td><td>-26.99</td><td>57.82</td><td>40.04</td><td>13.35</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12350.00	47.01	74.00	-26.99	57.82	40.04	13.35	64.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12350.00	45.01	74.00	-28.99	55.82	40.04	13.35	64.20	---	---	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 12350.00	47.01	74.00	-26.99	57.82	40.04	13.35	64.20	---	---	Peak																																																																														





Mode	3																																																																																					
	Harmonic																																																																																					
	U-NII-5_5.945-6.425_802.11a_CH93_6415MHz																																																																																					
ANT	CDD 8+9																																																																																					
Pol.	Horizontal					Vertical																																																																																
Peak Avg																																																																																						
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>47.07</td><td>88.20</td><td>-41.13</td><td>57.39</td><td>40.38</td><td>13.50</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	47.07	88.20	-41.13	57.39	40.38	13.50	64.20	---	---	Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12830.00</td><td>47.41</td><td>88.20</td><td>-40.79</td><td>57.73</td><td>40.38</td><td>13.50</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	47.41	88.20	-40.79	57.73	40.38	13.50	64.20	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 12830.00	47.07	88.20	-41.13	57.39	40.38	13.50	64.20	---	---	Peak																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 12830.00	47.41	88.20	-40.79	57.73	40.38	13.50	64.20	---	---	Peak																																																																												





Mode	4																																																																																																		
	Harmonic																																																																																																		
	U-NII-5_5.945-6.425_802.11a_CH97_6435MHz																																																																																																		
ANT	CDD 8+9																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.56</td><td>88.20</td><td>-40.64</td><td>57.83</td><td>40.41</td><td>13.52</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.56	88.20	-40.64	57.83	40.41	13.52	64.20	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.59</td><td>88.20</td><td>-40.61</td><td>57.86</td><td>40.41</td><td>13.52</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12870.00	47.59	88.20	-40.61	57.86	40.41	13.52	64.20	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12870.00	47.56	88.20	-40.64	57.83	40.41	13.52	64.20	---	---	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	12870.00	47.59	88.20	-40.61	57.86	40.41	13.52	64.20	---	---	Peak																																																																																								





Mode	7																																																																																																									
	Harmonic																																																																																																									
	UNII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																																									
ANT	CDD 8+9																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13070.00</td><td>44.31</td><td>88.20</td><td>-43.89</td><td>54.38</td><td>40.54</td><td>13.58</td><td>64.19</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13070.00	44.31	88.20	-43.89	54.38	40.54	13.58	64.19	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 13070.00</td><td>46.11</td><td>88.20</td><td>-42.09</td><td>56.18</td><td>40.54</td><td>13.58</td><td>64.19</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 13070.00	46.11	88.20	-42.09	56.18	40.54	13.58	64.19	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13070.00	44.31	88.20	-43.89	54.38	40.54	13.58	64.19	---	---	Peak																																																																																																
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1 13070.00	46.11	88.20	-42.09	56.18	40.54	13.58	64.19	---	---	Peak																																																																																																







Mode	8																																																																																											
	Harmonic																																																																																											
	UNII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																											
ANT	CDD 8+9																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>43.53</td><td>74.00</td><td>-30.47</td><td>53.24</td><td>40.73</td><td>13.68</td><td>64.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13390.00	43.53	74.00	-30.47	53.24	40.73	13.68	64.12	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13390.00</td><td>46.36</td><td>74.00</td><td>-27.64</td><td>56.07</td><td>40.73</td><td>13.68</td><td>64.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13390.00	46.36	74.00	-27.64	56.07	40.73	13.68	64.12	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13390.00	43.53	74.00	-30.47	53.24	40.73	13.68	64.12	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13390.00	46.36	74.00	-27.64	56.07	40.73	13.68	64.12	---	---	Peak																																																																																	







Mode	9																																																																																					
	Harmonic																																																																																					
	UNII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																					
ANT	CDD 8+9																																																																																					
Pol.	Horizontal					Vertical																																																																																
Peak Avg																																																																																						
	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13710.00</td><td>46.16</td><td>88.20</td><td>-42.04</td><td>55.51</td><td>40.93</td><td>13.78</td><td>64.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13710.00	46.16	88.20	-42.04	55.51	40.93	13.78	64.06	---	---	Peak	<table><tr><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13710.00</td><td>48.15</td><td>88.20</td><td>-40.05</td><td>57.50</td><td>40.93</td><td>13.78</td><td>64.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13710.00	48.15	88.20	-40.05	57.50	40.93	13.78	64.06	---	---	Peak
	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 13710.00	46.16	88.20	-42.04	55.51	40.93	13.78	64.06	---	---	Peak																																																																												
Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 13710.00	48.15	88.20	-40.05	57.50	40.93	13.78	64.06	---	---	Peak																																																																												





Mode	13																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.945-6.425_802.11ax HE20_CH1_5955MHz																																																																																										
ANT	CDD 8+9																																																																																										
Pol.	Horizontal					Fundamental																																																																																					
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5873.72</td><td>51.75</td><td>88.20</td><td>-36.45</td><td>38.22</td><td>36.67</td><td>10.33</td><td>33.47</td><td>395</td><td>35 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5873.72	51.75	88.20	-36.45	38.22	36.67	10.33	33.47	395	35 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.94</td><td>-----</td><td>-----</td><td>81.18</td><td>36.75</td><td>10.50</td><td>33.49</td><td>395</td><td>35 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.94	-----	-----	81.18	36.75	10.50	33.49	395
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5873.72	51.75	88.20	-36.45	38.22	36.67	10.33	33.47	395	35 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	94.94	-----	-----	81.18	36.75	10.50	33.49	395	35 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5867.98</td><td>42.59</td><td>68.20</td><td>-25.61</td><td>29.07</td><td>36.67</td><td>10.32</td><td>33.47</td><td>395</td><td>35 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5867.98	42.59	68.20	-25.61	29.07	36.67	10.32	33.47	395	35 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>89.13</td><td>-----</td><td>-----</td><td>75.37</td><td>36.75</td><td>10.50</td><td>33.49</td><td>395</td><td>35 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	89.13	-----	-----	75.37	36.75	10.50	33.49	395
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5867.98	42.59	68.20	-25.61	29.07	36.67	10.32	33.47	395	35 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	89.13	-----	-----	75.37	36.75	10.50	33.49	395	35 AVERAGE																																																																																	





		13																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_5.945-6.425_802.11ax HE20_CH1_5955MHz																																																																																									
ANT		CDD 8+9																																																																																									
Pol.		Vertical					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5892.76</td><td>51.80</td><td>88.20</td><td>-36.40</td><td>38.22</td><td>36.69</td><td>10.37</td><td>33.48</td><td>366</td><td>269 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5892.76	51.80	88.20	-36.40	38.22	36.69	10.37	33.48	366	269 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>98.11</td><td>-----</td><td>-----</td><td>84.35</td><td>36.75</td><td>10.50</td><td>33.49</td><td>366</td><td>269 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	98.11	-----	-----	84.35	36.75	10.50	33.49	366
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5892.76	51.80	88.20	-36.40	38.22	36.69	10.37	33.48	366	269 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	98.11	-----	-----	84.35	36.75	10.50	33.49	366	269 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>42.51</td><td>68.20</td><td>-25.69</td><td>28.83</td><td>36.72</td><td>10.44</td><td>33.48</td><td>366</td><td>269 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	42.51	68.20	-25.69	28.83	36.72	10.44	33.48	366	269 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>92.52</td><td>-----</td><td>-----</td><td>78.76</td><td>36.75</td><td>10.50</td><td>33.49</td><td>366</td><td>269 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.52	-----	-----	78.76	36.75	10.50	33.49	366
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.68	42.51	68.20	-25.69	28.83	36.72	10.44	33.48	366	269 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5955.00	92.52	-----	-----	78.76	36.75	10.50	33.49	366	269 AVERAGE																																																																																	





Mode	13																																																																																																																									
	Harmonic																																																																																																																									
	U-NII-5_5.945-6.425_802.11ax HE20_CH1_5955MHz																																																																																																																									
ANT	CDD 8+9																																																																																																																									
Pol.	Horizontal										Vertical																																																																																																															
Peak Avg																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11910.00</td><td>45.27</td><td>74.00</td><td>-28.73</td><td>56.54</td><td>39.69</td><td>13.18</td><td>64.14</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>46.65</td><td>74.00</td><td>-27.35</td><td>52.95</td><td>43.25</td><td>16.20</td><td>65.75</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.27	74.00	-28.73	56.54	39.69	13.18	64.14	---	---	Peak	2	17865.00	46.65	74.00	-27.35	52.95	43.25	16.20	65.75	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>11910.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>56.30</td><td>39.69</td><td>13.18</td><td>64.14</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>54.09</td><td>43.25</td><td>16.20</td><td>65.75</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11910.00	45.03	74.00	-28.97	56.30	39.69	13.18	64.14	---	---	Peak	2	17865.00	47.79	74.00	-26.21	54.09	43.25	16.20	65.75	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11910.00	45.27	74.00	-28.73	56.54	39.69	13.18	64.14	---	---	Peak																																																																																																															
2	17865.00	46.65	74.00	-27.35	52.95	43.25	16.20	65.75	---	---	Peak																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11910.00	45.03	74.00	-28.97	56.30	39.69	13.18	64.14	---	---	Peak																																																																																																															
2	17865.00	47.79	74.00	-26.21	54.09	43.25	16.20	65.75	---	---	Peak																																																																																																															





Mode	14																																																																																																								
	Harmonic																																																																																																								
	U-NII-5_5.945-6.425_802.11ax HE20_CH45_6175MHz																																																																																																								
ANT	CDD 8+9																																																																																																								
Pol.	Horizontal						Vertical																																																																																																		
Peak Avg																																																																																																									
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>45.50</td><td>74.00</td><td>-28.50</td><td>56.31</td><td>40.04</td><td>13.35</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	45.50	74.00	-28.50	56.31	40.04	13.35	64.20	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12350.00</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>54.44</td><td>40.04</td><td>13.35</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12350.00	43.63	74.00	-30.37	54.44	40.04	13.35	64.20	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12350.00	45.50	74.00	-28.50	56.31	40.04	13.35	64.20	---	---	Peak																																																																																														
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	12350.00	43.63	74.00	-30.37	54.44	40.04	13.35	64.20	---	---	Peak																																																																																														





Mode	15																																																																																															
	Harmonic																																																																																															
	U-NII-5_5.945-6.425_802.11ax HE20_CH93_6415MHz																																																																																															
ANT	CDD 8+9																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg	 Date: 2025-03-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>43.89</td><td>88.20</td><td>-44.31</td><td>54.21</td><td>40.38</td><td>13.50</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12830.00	43.89	88.20	-44.31	54.21	40.38	13.50	64.20	---	---	Peak	 Date: 2025-03-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12830.00</td><td>45.04</td><td>88.20</td><td>-43.16</td><td>55.36</td><td>40.38</td><td>13.50</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12830.00	45.04	88.20	-43.16	55.36	40.38	13.50	64.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12830.00	43.89	88.20	-44.31	54.21	40.38	13.50	64.20	---	---	Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	12830.00	45.04	88.20	-43.16	55.36	40.38	13.50	64.20	---	---	Peak																																																																																					



Mode	16																																																																			
	Harmonic																																																																			
	U-NII-5_5.945-6.425_802.11ax HE20_CH97_6435MHz																																																																			
ANT	CDD 8+9																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12870.00</td><td>44.11</td><td>88.20</td><td>-44.09</td><td>54.38</td><td>40.41</td><td>13.52 64.20 --- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12870.00	44.11	88.20	-44.09	54.38	40.41	13.52 64.20 --- --- Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 12870.00</td><td>46.19</td><td>88.20</td><td>-42.01</td><td>56.46</td><td>40.41</td><td>13.52 64.20 --- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 12870.00	46.19	88.20	-42.01	56.46	40.41	13.52 64.20 --- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																													
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 12870.00	44.11	88.20	-44.09	54.38	40.41	13.52 64.20 --- --- Peak																																																														
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																														
1 12870.00	46.19	88.20	-42.01	56.46	40.41	13.52 64.20 --- --- Peak																																																														





Mode	19																																																																																					
	Harmonic																																																																																					
	UNII-7_6.525-6.875_802.11ax HE20_CH117_Full RU_6535MHz																																																																																					
ANT	CDD 8+9																																																																																					
Pol.	Horizontal					Vertical																																																																																
Peak Avg	 Date: 2025-03-27 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13070.00</td><td>44.57</td><td>88.20</td><td>-43.63</td><td>54.64</td><td>40.54</td><td>13.58</td><td>64.19</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	44.57	88.20	-43.63	54.64	40.54	13.58	64.19	---	---	Peak	 Date: 2025-03-27 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 13070.00</td><td>46.26</td><td>88.20</td><td>-41.94</td><td>56.33</td><td>40.54</td><td>13.58</td><td>64.19</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	46.26	88.20	-41.94	56.33	40.54	13.58	64.19	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																															
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 13070.00	44.57	88.20	-43.63	54.64	40.54	13.58	64.19	---	---	Peak																																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 13070.00	46.26	88.20	-41.94	56.33	40.54	13.58	64.19	---	---	Peak																																																																												







Mode	20																																																																																							
	Harmonic																																																																																							
	UNII-7_6.525-6.875_802.11ax HE20_CH149_Full RU_6695MHz																																																																																							
ANT	CDD 8+9																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>43.71</td><td>74.00</td><td>-30.29</td><td>53.42</td><td>40.73</td><td>13.68</td><td>64.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	43.71	74.00	-30.29	53.42	40.73	13.68	64.12	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13390.00</td><td>45.06</td><td>74.00</td><td>-28.94</td><td>54.77</td><td>40.73</td><td>13.68</td><td>64.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	45.06	74.00	-28.94	54.77	40.73	13.68	64.12	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13390.00	43.71	74.00	-30.29	53.42	40.73	13.68	64.12	---	---	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13390.00	45.06	74.00	-28.94	54.77	40.73	13.68	64.12	---	---	Peak																																																																														



Mode	21																																																																																										
	Harmonic																																																																																										
	UNII-7_6.525-6.875_802.11ax HE20_CH181_Full RU_6855MHz																																																																																										
ANT	CDD 8+9																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>43.02</td><td>88.20</td><td>-45.18</td><td>52.37</td><td>40.93</td><td>13.78</td><td>64.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	43.02	88.20	-45.18	52.37	40.93	13.78	64.06	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>47.49</td><td>88.20</td><td>-40.71</td><td>56.84</td><td>40.93</td><td>13.78</td><td>64.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13710.00	47.49	88.20	-40.71	56.84	40.93	13.78	64.06	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13710.00	43.02	88.20	-45.18	52.37	40.93	13.78	64.06	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13710.00	47.49	88.20	-40.71	56.84	40.93	13.78	64.06	---	---	Peak																																																																																





		25																																																																																									
Mode		Band Edge																																																																																									
		U-NII-5_5.945-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																									
ANT		CDD 8+9																																																																																									
Pol.		Horizontal					Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5886.76</td><td>51.65</td><td>88.20</td><td>-36.55</td><td>38.08</td><td>36.69</td><td>10.36</td><td>33.48</td><td>384</td><td>35 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5886.76	51.65	88.20	-36.55	38.08	36.69	10.36	33.48	384	35 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>92.97</td><td>-----</td><td>-----</td><td>79.19</td><td>36.76</td><td>10.51</td><td>33.49</td><td>384</td><td>35 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	92.97	-----	-----	79.19	36.76	10.51	33.49	384
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5886.76	51.65	88.20	-36.55	38.08	36.69	10.36	33.48	384	35 PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	92.97	-----	-----	79.19	36.76	10.51	33.49	384	35 PEAK																																																																																	
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5862.60</td><td>43.43</td><td>68.20</td><td>-24.77</td><td>29.93</td><td>36.66</td><td>10.31</td><td>33.47</td><td>384</td><td>35 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5862.60	43.43	68.20	-24.77	29.93	36.66	10.31	33.47	384	35 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>86.79</td><td>-----</td><td>-----</td><td>72.98</td><td>36.77</td><td>10.53</td><td>33.49</td><td>384</td><td>35 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5965.00	86.79	-----	-----	72.98	36.77	10.53	33.49	384
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5862.60	43.43	68.20	-24.77	29.93	36.66	10.31	33.47	384	35 AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	86.79	-----	-----	72.98	36.77	10.53	33.49	384	35 AVERAGE																																																																																	



		25																																																																																
Mode		Band Edge																																																																																
		U-NII-5_5.945-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																
ANT		CDD 8+9																																																																																
Pol.		Vertical					Fundamental																																																																											
Peak	Level (dBuV/m) Date: 2025-03-22 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5873.16</td><td>52.17</td><td>88.20</td><td>-36.03</td><td>38.64</td><td>36.67</td><td>10.33</td><td>33.47</td><td>366 272 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5873.16	52.17	88.20	-36.03	38.64	36.67	10.33	33.47	366 272 PEAK	Level (dBuV/m) Date: 2025-03-22 PEAK_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>96.19</td><td>-----</td><td>-----</td><td>82.41</td><td>36.76</td><td>10.51</td><td>33.49</td><td>366 272 PEAK</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	96.19	-----	-----	82.41	36.76	10.51	33.49	366 272 PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5873.16	52.17	88.20	-36.03	38.64	36.67	10.33	33.47	366 272 PEAK																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5965.00	96.19	-----	-----	82.41	36.76	10.51	33.49	366 272 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-03-22 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5895.40</td><td>43.54</td><td>68.20</td><td>-24.66</td><td>29.94</td><td>36.70</td><td>10.38</td><td>33.48</td><td>366 272 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5895.40	43.54	68.20	-24.66	29.94	36.70	10.38	33.48	366 272 AVERAGE	Level (dBuV/m) Date: 2025-03-22 AVG_BE(UNII)_6E <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5965.00</td><td>89.61</td><td>-----</td><td>-----</td><td>75.83</td><td>36.76</td><td>10.51</td><td>33.49</td><td>366 272 AVERAGE</td></tr></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	89.61	-----	-----	75.83	36.76	10.51	33.49	366 272 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5895.40	43.54	68.20	-24.66	29.94	36.70	10.38	33.48	366 272 AVERAGE																																																																										
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																										
1 5965.00	89.61	-----	-----	75.83	36.76	10.51	33.49	366 272 AVERAGE																																																																										





Mode	25																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.945-6.425_802.11ax HE40_CH3_Full RU_5965MHz																																																																																																									
ANT	CDD 8+9																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>54.78</td><td>39.72</td><td>13.19</td><td>64.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	43.54	74.00	-30.46	54.78	39.72	13.19	64.15	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>44.47</td><td>74.00</td><td>-29.53</td><td>55.71</td><td>39.72</td><td>13.19</td><td>64.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11930.00	44.47	74.00	-29.53	55.71	39.72	13.19	64.15	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	11930.00	43.54	74.00	-30.46	54.78	39.72	13.19	64.15	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	11930.00	44.47	74.00	-29.53	55.71	39.72	13.19	64.15	---	---	Peak																																																																																															





Mode	26																																																																									
	Harmonic																																																																									
	U-NII-5_5.945-6.425_802.11ax HE40_CH43_Full RU_6165MHz																																																																									
ANT	CDD 8+9																																																																									
Pol.	Horizontal					Vertical																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																				
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12330.00</td><td>43.65</td><td>74.00</td><td>-30.35</td><td>54.47</td><td>40.03</td><td>13.35</td><td>64.20 --- --- Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 12330.00	43.65	74.00	-30.35	54.47	40.03	13.35	64.20 --- --- Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm deg</th></tr><tr><td>1 12330.00</td><td>44.21</td><td>74.00</td><td>-29.79</td><td>55.03</td><td>40.03</td><td>13.35</td><td>64.20 --- --- Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1 12330.00	44.21	74.00	-29.79	55.03	40.03	13.35	64.20 --- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																			
1 12330.00	43.65	74.00	-30.35	54.47	40.03	13.35	64.20 --- --- Peak																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																			
1 12330.00	44.21	74.00	-29.79	55.03	40.03	13.35	64.20 --- --- Peak																																																																			





Mode	27																																																																											
	Harmonic																																																																											
	U-NII-5_5.945-6.425_802.11ax HE40_CH91_Full RU_6405MHz																																																																											
ANT	CDD 8+9																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg	 Date: 2025-03-27 Level (dBuV/m) Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E)						 Date: 2025-03-27 Level (dBuV/m) Frequency (MHz) PEAK(U-NII_6E) AVG(U-NII_6E)																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12810.00</td><td>44.59</td><td>88.20</td><td>-43.61</td><td>54.92</td><td>40.37</td><td>13.50</td><td>64.20 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	44.59	88.20	-43.61	54.92	40.37	13.50	64.20 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 12810.00</td><td>44.22</td><td>88.20</td><td>-43.98</td><td>54.55</td><td>40.37</td><td>13.50</td><td>64.20 --- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	44.22	88.20	-43.98	54.55	40.37	13.50	64.20 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1 12810.00	44.59	88.20	-43.61	54.92	40.37	13.50	64.20 --- --- Peak																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1 12810.00	44.22	88.20	-43.98	54.55	40.37	13.50	64.20 --- --- Peak																																																																					





Mode	30																																																																																																									
	Harmonic																																																																																																									
	UNII-7_6.525-6.875_802.11ax HE40_CH123_Full RU_6565MHz																																																																																																									
ANT	CDD 8+9																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>45.96</td><td>88.20</td><td>-42.24</td><td>55.95</td><td>40.58</td><td>13.60</td><td>64.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	45.96	88.20	-42.24	55.95	40.58	13.60	64.17	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13130.00</td><td>47.28</td><td>88.20</td><td>-40.92</td><td>57.27</td><td>40.58</td><td>13.60</td><td>64.17</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13130.00	47.28	88.20	-40.92	57.27	40.58	13.60	64.17	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13130.00	45.96	88.20	-42.24	55.95	40.58	13.60	64.17	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13130.00	47.28	88.20	-40.92	57.27	40.58	13.60	64.17	---	---	Peak																																																																																															







Mode	31																																																																																																									
	Harmonic																																																																																																									
	UNII-7_6.525-6.875_802.11ax HE40_CH147_Full RU_6685MHz																																																																																																									
ANT	CDD 8+9																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>44.53</td><td>74.00</td><td>-29.47</td><td>54.27</td><td>40.72</td><td>13.67</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	44.53	74.00	-29.47	54.27	40.72	13.67	64.13	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13370.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>55.11</td><td>40.72</td><td>13.67</td><td>64.13</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13370.00	45.37	74.00	-28.63	55.11	40.72	13.67	64.13	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13370.00	44.53	74.00	-29.47	54.27	40.72	13.67	64.13	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	13370.00	45.37	74.00	-28.63	55.11	40.72	13.67	64.13	---	---	Peak																																																																																															







Mode	32																																																																																															
	Harmonic																																																																																															
	UNII-7_6.525-6.875_802.11ax HE40_CH179_Full RU_6845MHz																																																																																															
ANT	CDD 8+9																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak Avg																																																																																																
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13690.00</td><td>44.95</td><td>88.20</td><td>-43.25</td><td>54.32</td><td>40.91</td><td>13.78 64.06</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13690.00	44.95	88.20	-43.25	54.32	40.91	13.78 64.06							cm deg							--- --- Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13690.00</td><td>46.14</td><td>88.20</td><td>-42.06</td><td>55.51</td><td>40.91</td><td>13.78 64.06</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>cm deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>--- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13690.00	46.14	88.20	-42.06	55.51	40.91	13.78 64.06							cm deg							--- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																										
1 13690.00	44.95	88.20	-43.25	54.32	40.91	13.78 64.06																																																																																										
						cm deg																																																																																										
						--- --- Peak																																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																										
1 13690.00	46.14	88.20	-42.06	55.51	40.91	13.78 64.06																																																																																										
						cm deg																																																																																										
						--- --- Peak																																																																																										





		36																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.945-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																							
ANT		CDD 8+9																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5925.00</td><td>52.35</td><td>88.20</td><td>-35.85</td><td>38.68</td><td>36.72</td><td>10.44</td><td>33.49</td><td>333</td><td>40 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5925.00	52.35	88.20	-35.85	38.68	36.72	10.44	33.49	333	40 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>92.02</td><td>-----</td><td>-----</td><td>78.13</td><td>36.80</td><td>10.59</td><td>33.50</td><td>333</td><td>40 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	92.02	-----	-----	78.13	36.80	10.59	33.50	333
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5925.00	52.35	88.20	-35.85	38.68	36.72	10.44	33.49	333	40 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	92.02	-----	-----	78.13	36.80	10.59	33.50	333	40 PEAK																																																																																
Avg																																																																																									
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5907.56</td><td>45.58</td><td>68.20</td><td>-22.62</td><td>31.95</td><td>36.71</td><td>10.40</td><td>33.48</td><td>333</td><td>40 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5907.56	45.58	68.20	-22.62	31.95	36.71	10.40	33.48	333	40 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 5985.00</td><td>84.66</td><td>-----</td><td>-----</td><td>70.77</td><td>36.80</td><td>10.59</td><td>33.50</td><td>333</td><td>40 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 5985.00	84.66	-----	-----	70.77	36.80	10.59	33.50	333
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5907.56	45.58	68.20	-22.62	31.95	36.71	10.40	33.48	333	40 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																			
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																
1 5985.00	84.66	-----	-----	70.77	36.80	10.59	33.50	333	40 AVERAGE																																																																																





Mode	36																																																																																			
	Band Edge																																																																																			
	U-NII-5_5.945-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																			
ANT	CDD 8+9																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5896.84</td><td>52.51</td><td>88.20</td><td>-35.69</td><td>38.91</td><td>36.70</td><td>10.38</td><td>33.48</td><td>297</td><td>284 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5896.84	52.51	88.20	-35.69	38.91	36.70	10.38	33.48	297	284 PEAK	Level (dBuV/m) Date: 2025-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>92.76</td><td>-----</td><td>-----</td><td>78.87</td><td>36.81</td><td>10.59</td><td>33.51</td><td>297</td><td>284 PEAK</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	92.76	-----	-----	78.87	36.81	10.59	33.51	297	284 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5896.84	52.51	88.20	-35.69	38.91	36.70	10.38	33.48	297	284 PEAK																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	92.76	-----	-----	78.87	36.81	10.59	33.51	297	284 PEAK																																																																										
Avg	Level (dBuV/m) Date: 2025-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5921.16</td><td>46.43</td><td>68.20</td><td>-21.77</td><td>32.76</td><td>36.72</td><td>10.43</td><td>33.48</td><td>297</td><td>284 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5921.16	46.43	68.20	-21.77	32.76	36.72	10.43	33.48	297	284 AVERAGE	Level (dBuV/m) Date: 2025-03-23 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5985.00</td><td>86.64</td><td>-----</td><td>-----</td><td>72.89</td><td>36.75</td><td>10.49</td><td>33.49</td><td>297</td><td>284 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	86.64	-----	-----	72.89	36.75	10.49	33.49	297	284 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5921.16	46.43	68.20	-21.77	32.76	36.72	10.43	33.48	297	284 AVERAGE																																																																										
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																											
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5985.00	86.64	-----	-----	72.89	36.75	10.49	33.49	297	284 AVERAGE																																																																										





Mode	36																																																																																			
	Harmonic																																																																																			
	U-NII-5_5.945-6.425_802.11ax HE80_CH7_Full RU_5985MHz																																																																																			
ANT	CDD 8+9																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11970.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>55.79</td><td>39.76</td><td>13.22</td><td>64.18</td></tr><tr><td>2</td><td>17955.00</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>53.15</td><td>43.35</td><td>16.26</td><td>65.85</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11970.00	44.59	74.00	-29.41	55.79	39.76	13.22	64.18	2	17955.00	46.91	74.00	-27.09	53.15	43.35	16.26	65.85	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11970.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>54.89</td><td>39.76</td><td>13.22</td><td>64.18</td></tr><tr><td>2</td><td>17955.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>52.13</td><td>43.35</td><td>16.26</td><td>65.85</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11970.00	43.69	74.00	-30.31	54.89	39.76	13.22	64.18	2	17955.00	45.89	74.00	-28.11	52.13	43.35	16.26	65.85
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
1	11970.00	44.59	74.00	-29.41	55.79	39.76	13.22	64.18																																																																												
2	17955.00	46.91	74.00	-27.09	53.15	43.35	16.26	65.85																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																												
1	11970.00	43.69	74.00	-30.31	54.89	39.76	13.22	64.18																																																																												
2	17955.00	45.89	74.00	-28.11	52.13	43.35	16.26	65.85																																																																												
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11970.00</td><td>44.59</td><td>74.00</td><td>-29.41</td><td>55.79</td><td>39.76</td><td>13.22</td><td>64.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>53.15</td><td>43.35</td><td>16.26</td><td>65.85</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11970.00	44.59	74.00	-29.41	55.79	39.76	13.22	64.18	---	---	Peak	2	17955.00	46.91	74.00	-27.09	53.15	43.35	16.26	65.85	---	---	Peak	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>11970.00</td><td>43.69</td><td>74.00</td><td>-30.31</td><td>54.89</td><td>39.76</td><td>13.22</td><td>64.18</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>45.89</td><td>74.00</td><td>-28.11</td><td>52.13</td><td>43.35</td><td>16.26</td><td>65.85</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11970.00	43.69	74.00	-30.31	54.89	39.76	13.22	64.18	---	---	Peak	2	17955.00	45.89	74.00	-28.11	52.13	43.35	16.26	65.85	---	---	Peak	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	11970.00	44.59	74.00	-29.41	55.79	39.76	13.22	64.18	---	---	Peak																																																																									
2	17955.00	46.91	74.00	-27.09	53.15	43.35	16.26	65.85	---	---	Peak																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																										
1	11970.00	43.69	74.00	-30.31	54.89	39.76	13.22	64.18	---	---	Peak																																																																									
2	17955.00	45.89	74.00	-28.11	52.13	43.35	16.26	65.85	---	---	Peak																																																																									



Mode	37																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.945-6.425_802.11ax HE80_CH39_Full RU_6145MHz																																																																																																									
ANT	CDD 8+9																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>45.12</td><td>74.00</td><td>-28.88</td><td>55.99</td><td>40.00</td><td>13.33</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	45.12	74.00	-28.88	55.99	40.00	13.33	64.20	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12290.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>54.94</td><td>40.00</td><td>13.33</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq		Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12290.00	44.07	74.00	-29.93	54.94	40.00	13.33	64.20	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12290.00	45.12	74.00	-28.88	55.99	40.00	13.33	64.20	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq		Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	12290.00	44.07	74.00	-29.93	54.94	40.00	13.33	64.20	---	---	Peak																																																																																															



Mode	38																																																																																										
	Harmonic																																																																																										
	U-NII-5_5.945-6.425_802.11ax HE80_CH87_Full RU_6385MHz																																																																																										
ANT	CDD 8+9																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12270.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>55.91</td><td>39.99</td><td>13.33</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12270.00	45.03	74.00	-28.97	55.91	39.99	13.33	64.20	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12270.00</td><td>44.41</td><td>74.00</td><td>-29.59</td><td>55.29</td><td>39.99</td><td>13.33</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12270.00	44.41	74.00	-29.59	55.29	39.99	13.33	64.20	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12270.00	45.03	74.00	-28.97	55.91	39.99	13.33	64.20	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	12270.00	44.41	74.00	-29.59	55.29	39.99	13.33	64.20	---	---	Peak																																																																																





Mode	40																																																																																							
	Harmonic																																																																																							
	UNII-7_6.525-6.875_802.11ax HE80_CH135_Full RU_6625MHz																																																																																							
ANT	CDD 8+9																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13250.00</td><td>46.70</td><td>74.00</td><td>-27.30</td><td>56.56</td><td>40.65</td><td>13.64</td><td>64.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13250.00	46.70	74.00	-27.30	56.56	40.65	13.64	64.15	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13250.00</td><td>46.08</td><td>74.00</td><td>-27.92</td><td>55.94</td><td>40.65</td><td>13.64</td><td>64.15</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13250.00	46.08	74.00	-27.92	55.94	40.65	13.64	64.15	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13250.00	46.70	74.00	-27.30	56.56	40.65	13.64	64.15	---	---	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13250.00	46.08	74.00	-27.92	55.94	40.65	13.64	64.15	---	---	Peak																																																																														







Mode	41																																																																	
	Harmonic																																																																	
	UNII-7_6.525-6.875_802.11ax HE80_CH151_Full RU_6705MHz																																																																	
ANT	CDD 8+9																																																																	
Pol.	Horizontal					Vertical																																																												
Peak Avg	Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)																																																												
	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13410.00</td><td>45.44</td><td>88.20</td><td>-42.76</td><td>55.12</td><td>40.75</td><td>13.69 64.12 --- --- Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13410.00	45.44	88.20	-42.76	55.12	40.75	13.69 64.12 --- --- Peak	<table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1 13410.00</td><td>45.26</td><td>88.20</td><td>-42.94</td><td>54.94</td><td>40.75</td><td>13.69 64.12 --- --- Peak</td></tr></table>					Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1 13410.00	45.26	88.20	-42.94	54.94	40.75	13.69 64.12 --- --- Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																												
1 13410.00	45.44	88.20	-42.76	55.12	40.75	13.69 64.12 --- --- Peak																																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																												
1 13410.00	45.26	88.20	-42.94	54.94	40.75	13.69 64.12 --- --- Peak																																																												



Mode	42																																																																																																										
	Harmonic																																																																																																										
	UNII-7_6.525-6.875_802.11ax HE80_CH167_Full RU_6785MHz																																																																																																										
ANT	CDD 8+9																																																																																																										
Pol.	Horizontal						Vertical																																																																																																				
Peak Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13570.00</td><td>44.97</td><td>88.20</td><td>-43.23</td><td>54.48</td><td>40.84</td><td>13.74</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>64.09</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13570.00	44.97	88.20	-43.23	54.48	40.84	13.74						64.09								---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13570.00</td><td>44.00</td><td>88.20</td><td>-44.20</td><td>53.51</td><td>40.84</td><td>13.74</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>64.09</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13570.00	44.00	88.20	-44.20	53.51	40.84	13.74						64.09								---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																				
1	13570.00	44.97	88.20	-43.23	54.48	40.84	13.74																																																																																																				
					64.09																																																																																																						
					---	---	Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																				
1	13570.00	44.00	88.20	-44.20	53.51	40.84	13.74																																																																																																				
					64.09																																																																																																						
					---	---	Peak																																																																																																				





		45																																																																																										
Mode		Band Edge																																																																																										
		U-NII-5_5.945-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																										
ANT		CDD 8+9																																																																																										
Pol.		Horizontal					Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5918.24</td><td>52.63</td><td>88.20</td><td>-35.57</td><td>38.97</td><td>36.72</td><td>10.42</td><td>33.48</td><td>112</td><td>144</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5918.24	52.63	88.20	-35.57	38.97	36.72	10.42	33.48	112	144	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>88.71</td><td>-----</td><td>74.83</td><td>36.80</td><td>10.58</td><td>33.50</td><td>112</td><td>144</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	88.71	-----	74.83	36.80	10.58	33.50	112	144
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5918.24	52.63	88.20	-35.57	38.97	36.72	10.42	33.48	112	144	PEAK																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6025.00	88.71	-----	74.83	36.80	10.58	33.50	112	144	PEAK																																																																																		
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5866.72</td><td>45.90</td><td>68.20</td><td>-22.30</td><td>32.38</td><td>36.67</td><td>10.32</td><td>33.47</td><td>112</td><td>144</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5866.72	45.90	68.20	-22.30	32.38	36.67	10.32	33.47	112	144	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6025.00</td><td>80.85</td><td>-----</td><td>66.96</td><td>36.81</td><td>10.59</td><td>33.51</td><td>112</td><td>144</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	6025.00	80.85	-----	66.96	36.81	10.59	33.51	112	144
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5866.72	45.90	68.20	-22.30	32.38	36.67	10.32	33.47	112	144	AVERAGE																																																																																	
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	6025.00	80.85	-----	66.96	36.81	10.59	33.51	112	144	AVERAGE																																																																																		





Mode	45											
	Band Edge											
	U-NII-5_5.945-6.425_802.11ax HE160_CH15_Full RU_6025MHz											
ANT	CDD 8+9											
Pol.	Vertical						Fundamental					
Peak	Level (dBuV/m) Date: 2025-03-23											





Mode	45																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.945-6.425_802.11ax HE160_CH15_Full RU_6025MHz																																																																																											
ANT	CDD 8+9																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	 Date: 2025-03-27 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12050.00</td><td>43.38</td><td>74.00</td><td>-30.62</td><td>54.49</td><td>39.83</td><td>13.26</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12050.00	43.38	74.00	-30.62	54.49	39.83	13.26	64.20	---	---	Peak	 Date: 2025-03-27 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12050.00</td><td>42.81</td><td>74.00</td><td>-31.19</td><td>53.92</td><td>39.83</td><td>13.26</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12050.00	42.81	74.00	-31.19	53.92	39.83	13.26	64.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12050.00	43.38	74.00	-30.62	54.49	39.83	13.26	64.20	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12050.00	42.81	74.00	-31.19	53.92	39.83	13.26	64.20	---	---	Peak																																																																																	



Mode	46																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.945-6.425_802.11ax HE160_CH47_Full RU_6185MHz																																																																																																									
ANT	CDD 8+9																																																																																																									
Pol.	Horizontal						Vertical																																																																																																			
Peak Avg																																																																																																										
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12370.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>54.66</td><td>40.06</td><td>13.36</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12370.00	43.88	74.00	-30.12	54.66	40.06	13.36	64.20	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>12370.00</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>55.26</td><td>40.06</td><td>13.36</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	12370.00	44.48	74.00	-29.52	55.26	40.06	13.36	64.20	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	12370.00	43.88	74.00	-30.12	54.66	40.06	13.36	64.20	---	---	Peak																																																																																															
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	12370.00	44.48	74.00	-29.52	55.26	40.06	13.36	64.20	---	---	Peak																																																																																															







Mode	47																																																																																			
	Harmonic																																																																																			
	U-NII-5_5.945-6.425_802.11ax HE160_CH79_Full RU_6345MHz																																																																																			
ANT	CDD 8+9																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12690.00</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>55.25</td><td>40.28</td><td>13.46</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12690.00	44.79	74.00	-29.21	55.25	40.28	13.46	64.20	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>12690.00</td><td>43.92</td><td>74.00</td><td>-30.08</td><td>54.38</td><td>40.28</td><td>13.46</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	12690.00	43.92	74.00	-30.08	54.38	40.28	13.46	64.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	12690.00	44.79	74.00	-29.21	55.25	40.28	13.46	64.20	---	---	Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																													
1	12690.00	43.92	74.00	-30.08	54.38	40.28	13.46	64.20	---	---	Peak																																																																									



Mode	48	
	Harmonic	
	UNII-7_6.525-6.875_802.11ax HE160_CH143_Full RU_6665MHz	
ANT	CDD 8+9	
Pol.	Horizontal	Vertical
Peak Avg	<	





		49																																																																																																				
Mode		Band Edge																																																																																																				
		U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																				
ANT		CDD 8+9																																																																																																				
Pol.		Horizontal					Fundamental																																																																																															
Peak	 Level (dBuV/m) Date: 2025-03-23 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7129.38</td><td>56.01</td><td>88.20</td><td>-32.19</td><td>43.12</td><td>37.07</td><td>10.19</td><td>34.37</td><td>112</td><td>144</td><td>PEAK</td></tr><tr><td>2</td><td>7258.75</td><td>51.91</td><td>74.00</td><td>-22.09</td><td>39.14</td><td>36.94</td><td>10.18</td><td>34.35</td><td>112</td><td>144</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7129.38	56.01	88.20	-32.19	43.12	37.07	10.19	34.37	112	144	PEAK	2	7258.75	51.91	74.00	-22.09	39.14	36.94	10.18	34.35	112	144	PEAK	 Level (dBuV/m) Date: 2025-03-23 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>82.25</td><td>-----</td><td>-----</td><td>69.19</td><td>37.19</td><td>10.23</td><td>34.36</td><td>112</td><td>144</td><td>PEAK</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	82.25	-----	-----	69.19	37.19	10.23	34.36	112	144	PEAK
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7129.38	56.01	88.20	-32.19	43.12	37.07	10.19	34.37	112	144	PEAK																																																																																											
2	7258.75	51.91	74.00	-22.09	39.14	36.94	10.18	34.35	112	144	PEAK																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6985.00	82.25	-----	-----	69.19	37.19	10.23	34.36	112	144	PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-03-23 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7129.38</td><td>48.62</td><td>68.20</td><td>-19.58</td><td>35.73</td><td>37.07</td><td>10.19</td><td>34.37</td><td>112</td><td>144</td><td>AVERAGE</td></tr><tr><td>2</td><td>7255.00</td><td>44.67</td><td>54.00</td><td>-9.33</td><td>31.90</td><td>36.94</td><td>10.18</td><td>34.35</td><td>112</td><td>144</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7129.38	48.62	68.20	-19.58	35.73	37.07	10.19	34.37	112	144	AVERAGE	2	7255.00	44.67	54.00	-9.33	31.90	36.94	10.18	34.35	112	144	AVERAGE	 Level (dBuV/m) Date: 2025-03-23 Frequency (MHz) <table><thead><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>74.10</td><td>-----</td><td>-----</td><td>61.03</td><td>37.19</td><td>10.23</td><td>34.35</td><td>112</td><td>144</td><td>AVERAGE</td></tr></tbody></table>					Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	74.10	-----	-----	61.03	37.19	10.23	34.35	112	144	AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	7129.38	48.62	68.20	-19.58	35.73	37.07	10.19	34.37	112	144	AVERAGE																																																																																											
2	7255.00	44.67	54.00	-9.33	31.90	36.94	10.18	34.35	112	144	AVERAGE																																																																																											
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																															
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	6985.00	74.10	-----	-----	61.03	37.19	10.23	34.35	112	144	AVERAGE																																																																																											



		49																																																																																																																	
Mode			Band Edge																																																																																																																
			U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																																																																																
ANT			CDD 8+9																																																																																																																
Pol.	Vertical										Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2025-03-23 PEAK_BE(UNII)_6E																				Level (dBuV/m) Date: 2025-03-23 PEAK_BE(UNII)_6E																																																																																														
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7130.63</td><td>62.75</td><td>88.20</td><td>-25.45</td><td>49.86</td><td>37.07</td><td>10.19</td><td>34.37</td><td>251</td><td>41</td><td>PEAK</td></tr><tr><td>2</td><td>7255.00</td><td>51.99</td><td>74.00</td><td>-22.01</td><td>39.22</td><td>36.94</td><td>10.18</td><td>34.35</td><td>251</td><td>41</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7130.63	62.75	88.20	-25.45	49.86	37.07	10.19	34.37	251	41	PEAK	2	7255.00	51.99	74.00	-22.01	39.22	36.94	10.18	34.35	251	41	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>87.05</td><td>-----</td><td>-----</td><td>73.98</td><td>37.19</td><td>10.23</td><td>34.35</td><td>251</td><td>41</td><td>PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	87.05	-----	-----	73.98	37.19	10.23	34.35	251	41
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	7130.63	62.75	88.20	-25.45	49.86	37.07	10.19	34.37	251	41	PEAK																																																																																																								
2	7255.00	51.99	74.00	-22.01	39.22	36.94	10.18	34.35	251	41	PEAK																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	6985.00	87.05	-----	-----	73.98	37.19	10.23	34.35	251	41	PEAK																																																																																																								
Avg	Level (dBuV/m) Date: 2025-03-23 AVG_BE(UNII)_6E																				Level (dBuV/m) Date: 2025-03-23 AVG_BE(UNII)_6E																																																																																														
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7129.38</td><td>55.42</td><td>68.20</td><td>-12.78</td><td>42.53</td><td>37.07</td><td>10.19</td><td>34.37</td><td>251</td><td>41</td><td>AVERAGE</td></tr><tr><td>2</td><td>7321.88</td><td>44.54</td><td>54.00</td><td>-9.46</td><td>31.82</td><td>36.88</td><td>10.18</td><td>34.34</td><td>251</td><td>41</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7129.38	55.42	68.20	-12.78	42.53	37.07	10.19	34.37	251	41	AVERAGE	2	7321.88	44.54	54.00	-9.46	31.82	36.88	10.18	34.34	251	41	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>6985.00</td><td>81.32</td><td>-----</td><td>-----</td><td>68.25</td><td>37.19</td><td>10.23</td><td>34.35</td><td>251</td><td>41</td><td>AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	6985.00	81.32	-----	-----	68.25	37.19	10.23	34.35	251	41
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	7129.38	55.42	68.20	-12.78	42.53	37.07	10.19	34.37	251	41	AVERAGE																																																																																																								
2	7321.88	44.54	54.00	-9.46	31.82	36.88	10.18	34.34	251	41	AVERAGE																																																																																																								
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	6985.00	81.32	-----	-----	68.25	37.19	10.23	34.35	251	41	AVERAGE																																																																																																								





Mode	49																																																															
	Harmonic																																																															
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full RU_6985MHz																																																															
ANT	CDD 8+9																																																															
Pol.	Horizontal					Vertical																																																										
Peak Avg																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1 13970.00</td><td>46.35</td><td>88.20</td><td>-41.85</td><td>55.42</td><td>41.08</td><td>13.86</td><td>64.01</td><td>--- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	1 13970.00	46.35	88.20	-41.85	55.42	41.08	13.86	64.01	--- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1 13970.00</td><td>44.10</td><td>88.20</td><td>-44.10</td><td>53.17</td><td>41.08</td><td>13.86</td><td>64.01</td><td>--- Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	1 13970.00	44.10	88.20	-44.10	53.17	41.08	13.86	64.01	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																								
1 13970.00	46.35	88.20	-41.85	55.42	41.08	13.86	64.01	--- Peak																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																									
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																								
1 13970.00	44.10	88.20	-44.10	53.17	41.08	13.86	64.01	--- Peak																																																								





Mode	50																																																																																							
	Harmonic																																																																																							
	UNII-7-8_6.525-7.125_802.11ax HE20_CH185_Full RU_6525MHz																																																																																							
ANT	CDD 8+9																																																																																							
Pol.	Horizontal					Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13750.00</td><td>46.38</td><td>88.20</td><td>-41.82</td><td>55.69</td><td>40.95</td><td>13.79</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13750.00	46.38	88.20	-41.82	55.69	40.95	13.79	64.05	---	---	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13750.00</td><td>46.47</td><td>88.20</td><td>-41.73</td><td>55.78</td><td>40.95</td><td>13.79</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13750.00	46.47	88.20	-41.73	55.78	40.95	13.79	64.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13750.00	46.38	88.20	-41.82	55.69	40.95	13.79	64.05	---	---	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 13750.00	46.47	88.20	-41.73	55.78	40.95	13.79	64.05	---	---	Peak																																																																														





Mode	51																																																																																																																										
	Harmonic																																																																																																																										
	UNII-7-8_6.525-7.125_802.11ax HE40_CH187_Full RU_6885MHz																																																																																																																										
ANT	CDD 8+9																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																				
Peak Avg																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>45.67</td><td>88.20</td><td>-42.53</td><td>54.96</td><td>40.96</td><td>13.80</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>64.05</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>Peak</td><td></td><td></td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13770.00	45.67	88.20	-42.53	54.96	40.96	13.80						64.05								---		---						Peak			<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>13770.00</td><td>45.86</td><td>88.20</td><td>-42.34</td><td>55.15</td><td>40.96</td><td>13.80</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>64.05</td><td></td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>---</td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td>Peak</td><td></td><td></td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	13770.00	45.86	88.20	-42.34	55.15	40.96	13.80						64.05								---		---						Peak		
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																				
1	13770.00	45.67	88.20	-42.53	54.96	40.96	13.80																																																																																																																				
					64.05																																																																																																																						
					---		---																																																																																																																				
					Peak																																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																																																				
1	13770.00	45.86	88.20	-42.34	55.15	40.96	13.80																																																																																																																				
					64.05																																																																																																																						
					---		---																																																																																																																				
					Peak																																																																																																																						



Mode	52																																																																																																		
	Harmonic																																																																																																		
	UNII-7-8_6.525-7.125_802.11ax HE80_CH183_Full RU_6865MHz																																																																																																		
ANT	CDD 8+9																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13730.00</td><td>45.27</td><td>88.20</td><td>-42.93</td><td>54.59</td><td>40.94</td><td>13.79</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13730.00	45.27	88.20	-42.93	54.59	40.94	13.79	64.05	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13730.00</td><td>43.29</td><td>88.20</td><td>-44.91</td><td>52.61</td><td>40.94</td><td>13.79</td><td>64.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13730.00	43.29	88.20	-44.91	52.61	40.94	13.79	64.05	---	---	Peak
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13730.00	45.27	88.20	-42.93	54.59	40.94	13.79	64.05	---	---	Peak																																																																																								
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	13730.00	43.29	88.20	-44.91	52.61	40.94	13.79	64.05	---	---	Peak																																																																																								





Mode	53																																																																																																										
	Harmonic																																																																																																										
	UNII-7-8_6.525-7.125_802.11ax HE160_CH175_Full RU_6825MHz																																																																																																										
ANT	CDD 8+9																																																																																																										
Pol.	Horizontal						Vertical																																																																																																				
Peak Avg																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 13650.00</td><td>44.62</td><td>88.20</td><td>-43.58</td><td>54.04</td><td>40.89</td><td>13.76</td><td>64.07</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13650.00	44.62	88.20	-43.58	54.04	40.89	13.76	64.07							---	---								Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 13650.00</td><td>44.09</td><td>88.20</td><td>-44.11</td><td>53.51</td><td>40.89</td><td>13.76</td><td>64.07</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13650.00	44.09	88.20	-44.11	53.51	40.89	13.76	64.07							---	---								Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																				
1 13650.00	44.62	88.20	-43.58	54.04	40.89	13.76	64.07																																																																																																				
						---	---																																																																																																				
							Peak																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																				
1 13650.00	44.09	88.20	-44.11	53.51	40.89	13.76	64.07																																																																																																				
						---	---																																																																																																				
							Peak																																																																																																				



Mode	54																																																																																									
	Harmonic																																																																																									
	U-NII-6-7_6.425-6.875_802.11ax HE40_CH115_Full RU_6525MHz																																																																																									
ANT	CDD 8+9																																																																																									
Pol.	Horizontal					Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																				
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13050.00</td><td>44.88</td><td>88.20</td><td>-43.32</td><td>54.97</td><td>40.53</td><td>13.57</td><td>64.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13050.00	44.88	88.20	-43.32	54.97	40.53	13.57	64.19	---	---	Peak	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13050.00</td><td>46.22</td><td>88.20</td><td>-41.98</td><td>56.31</td><td>40.53</td><td>13.57</td><td>64.19</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13050.00	46.22	88.20	-41.98	56.31	40.53	13.57	64.19	---	---	Peak
	Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 13050.00	44.88	88.20	-43.32	54.97	40.53	13.57	64.19	---	---	Peak																																																																																
Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1 13050.00	46.22	88.20	-41.98	56.31	40.53	13.57	64.19	---	---	Peak																																																																																







Mode	55	
	Harmonic	
	U-NII-6-7_6.425-6.875_802.11ax HE80_CH119_Full RU_6545MHz	
ANT	CDD 8+9	
Pol.	Horizontal	Vertical
Peak Avg	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13090.00 46.08 88.20 -42.12 56.12 40.55 13.59 64.18 --- --- Peak	 Limit Read Ant Cable Preamp APos TPos Freq Level Line Margin Level Factor Loss Factor Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB cm deg 1 13090.00 45.29 88.20 -42.91 55.33 40.55 13.59 64.18 --- --- Peak







Mode	56																																																																									
	Harmonic																																																																									
	U-NII-6-7_6.425-6.875_802.11ax HE160_CH111_Full RU_6505MHz																																																																									
ANT	CDD 8+9																																																																									
Pol.	Horizontal					Vertical																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2025-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13010.00</td><td>45.69</td><td>88.20</td><td>-42.51</td><td>55.82</td><td>40.51</td><td>13.56</td><td>64.20 --- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13010.00	45.69	88.20	-42.51	55.82	40.51	13.56	64.20 --- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1 13010.00</td><td>44.66</td><td>88.20</td><td>-43.54</td><td>54.79</td><td>40.51</td><td>13.56</td><td>64.20 --- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13010.00	44.66	88.20	-43.54	54.79	40.51	13.56	64.20 --- --- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 13010.00	45.69	88.20	-42.51	55.82	40.51	13.56	64.20 --- --- Peak																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 13010.00	44.66	88.20	-43.54	54.79	40.51	13.56	64.20 --- --- Peak																																																																			



		57																																																																																							
Mode		Band Edge																																																																																							
		U-NII-5_5.945-6.425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																																							
ANT		CDD 8+9																																																																																							
Pol.		Horizontal					Fundamental																																																																																		
Peak	Level (dBuV/m) Date: 2025-03-26  PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2025-03-26  PEAK_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5899.20</td><td>52.22</td><td>88.20</td><td>-35.98</td><td>38.62</td><td>36.70</td><td>10.38</td><td>33.48</td><td>200 360 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5899.20	52.22	88.20	-35.98	38.62	36.70	10.38	33.48	200 360 PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>92.92</td><td>-----</td><td>-----</td><td>79.16</td><td>36.75</td><td>10.50</td><td>33.49</td><td>200 360 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	92.92	-----	-----	79.16	36.75	10.50	33.49
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5899.20	52.22	88.20	-35.98	38.62	36.70	10.38	33.48	200 360 PEAK																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	92.92	-----	-----	79.16	36.75	10.50	33.49	200 360 PEAK																																																																																
Avg	Level (dBuV/m) Date: 2025-03-26  AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2025-03-26  AVG_BE(UNII)_6E																																																																																			
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5893.46</td><td>42.83</td><td>68.20</td><td>-25.37</td><td>29.25</td><td>36.69</td><td>10.37</td><td>33.48</td><td>200 360 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5893.46	42.83	68.20	-25.37	29.25	36.69	10.37	33.48	200 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>84.87</td><td>-----</td><td>-----</td><td>71.11</td><td>36.75</td><td>10.50</td><td>33.49</td><td>200 360 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	84.87	-----	-----	71.11	36.75	10.50	33.49
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5893.46	42.83	68.20	-25.37	29.25	36.69	10.37	33.48	200 360 AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5955.00	84.87	-----	-----	71.11	36.75	10.50	33.49	200 360 AVERAGE																																																																																



Mode	57																																																																																												
	Band Edge																																																																																												
	U-NII-5_5.945-6.425_802.11ax HE20_CH1_Partial RU_5955MHz																																																																																												
ANT	CDD 8+9																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5886.88</td><td>52.56</td><td>88.20</td><td>-35.64</td><td>38.99</td><td>36.69</td><td>10.36</td><td>33.48</td><td>299</td><td>360</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5886.88	52.56	88.20	-35.64	38.99	36.69	10.36	33.48	299	360	PEAK	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>94.99</td><td>-----</td><td>-----</td><td>81.24</td><td>36.75</td><td>10.49</td><td>33.49</td><td>299</td><td>360</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	94.99	-----	-----	81.24	36.75	10.49	33.49	299	360
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5886.88	52.56	88.20	-35.64	38.99	36.69	10.36	33.48	299	360	PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	94.99	-----	-----	81.24	36.75	10.49	33.49	299	360	PEAK																																																																																		
Avg																																																																																													
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5894.30</td><td>42.91</td><td>68.20</td><td>-25.29</td><td>29.33</td><td>36.69</td><td>10.37</td><td>33.48</td><td>299</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5894.30	42.91	68.20	-25.29	29.33	36.69	10.37	33.48	299	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5955.00</td><td>85.36</td><td>-----</td><td>-----</td><td>71.60</td><td>36.75</td><td>10.50</td><td>33.49</td><td>299</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	85.36	-----	-----	71.60	36.75	10.50	33.49	299	360
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5894.30	42.91	68.20	-25.29	29.33	36.69	10.37	33.48	299	360	AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5955.00	85.36	-----	-----	71.60	36.75	10.50	33.49	299	360	AVERAGE																																																																																		







Mode	58																																																			
	Band Edge																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU_7095MHz																																																			
ANT	CDD 8+9																																																			
Pol.	Horizontal	Fundamental																																																		
Peak	Level (dBuV/m) Date: 2025-03-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 7137.29</td><td>51.44</td><td>88.20</td><td>-36.76</td><td>38.56</td><td>37.06</td><td>10.19</td><td>34.37</td><td>100</td><td>85 PEAK</td></tr><tr><td>2 7305.06</td><td>51.91</td><td>74.00</td><td>-22.09</td><td>39.18</td><td>36.89</td><td>10.18</td><td>34.34</td><td>100</td><td>85 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 7137.29	51.44	88.20	-36.76	38.56	37.06	10.19	34.37	100	85 PEAK	2 7305.06	51.91	74.00	-22.09	39.18	36.89	10.18	34.34	100	85 PEAK	Level (dBuV/m) Date: 2025-03-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 7095.00</td><td>84.49</td><td>-----</td><td>-----</td><td>71.57</td><td>37.10</td><td>10.20</td><td>34.38</td><td>100</td><td>85 PEAK</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 7095.00	84.49	-----	-----	71.57	37.10	10.20	34.38	100	85 PEAK
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																										
1 7137.29	51.44	88.20	-36.76	38.56	37.06	10.19	34.37	100	85 PEAK																																											
2 7305.06	51.91	74.00	-22.09	39.18	36.89	10.18	34.34	100	85 PEAK																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 7095.00	84.49	-----	-----	71.57	37.10	10.20	34.38	100	85 PEAK																																											
Avg	Level (dBuV/m) Date: 2025-03-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 7209.38</td><td>42.45</td><td>68.20</td><td>-25.75</td><td>29.64</td><td>36.99</td><td>10.18</td><td>34.36</td><td>100</td><td>85 AVERAGE</td></tr><tr><td>2 7280.58</td><td>42.50</td><td>54.00</td><td>-11.50</td><td>29.74</td><td>36.92</td><td>10.18</td><td>34.34</td><td>100</td><td>85 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 7209.38	42.45	68.20	-25.75	29.64	36.99	10.18	34.36	100	85 AVERAGE	2 7280.58	42.50	54.00	-11.50	29.74	36.92	10.18	34.34	100	85 AVERAGE	Level (dBuV/m) Date: 2025-03-26 Limit Margin Read Ant Cable Preamp APos TPos Freq Level Line (dB) Level Factor Loss Factor Remark <table><thead><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Remark</th></tr></thead><tbody><tr><td>1 7095.00</td><td>77.54</td><td>-----</td><td>-----</td><td>64.62</td><td>37.10</td><td>10.20</td><td>34.38</td><td>100</td><td>85 AVERAGE</td></tr></tbody></table>	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark	1 7095.00	77.54	-----	-----	64.62	37.10	10.20	34.38	100	85 AVERAGE
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																										
1 7209.38	42.45	68.20	-25.75	29.64	36.99	10.18	34.36	100	85 AVERAGE																																											
2 7280.58	42.50	54.00	-11.50	29.74	36.92	10.18	34.34	100	85 AVERAGE																																											
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	Remark																																											
1 7095.00	77.54	-----	-----	64.62	37.10	10.20	34.38	100	85 AVERAGE																																											







Mode	58																																																																																		
	Band Edge																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU_7095MHz																																																																																		
ANT	CDD 8+9																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2025-03-26 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>7198.70</td><td>52.71</td><td>88.20</td><td>-35.49</td><td>39.89</td><td>37.00</td><td>10.18</td><td>34.36</td></tr><tr><td>2</td><td>7277.47</td><td>52.57</td><td>74.00</td><td>-21.43</td><td>39.81</td><td>36.92</td><td>10.18</td><td>34.34</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1	7198.70	52.71	88.20	-35.49	39.89	37.00	10.18	34.36	2	7277.47	52.57	74.00	-21.43	39.81	36.92	10.18	34.34	Level (dBuV/m) Date: 2025-03-26 PEAK_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>83.94</td><td>-----</td><td>-----</td><td>71.02</td><td>37.10</td><td>10.20</td><td>34.38</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1	7095.00	83.94	-----	-----	71.02	37.10	10.20	34.38
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																											
1	7198.70	52.71	88.20	-35.49	39.89	37.00	10.18	34.36																																																																											
2	7277.47	52.57	74.00	-21.43	39.81	36.92	10.18	34.34																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																											
1	7095.00	83.94	-----	-----	71.02	37.10	10.20	34.38																																																																											
Avg	Level (dBuV/m) Date: 2025-03-26 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>7209.83</td><td>42.50</td><td>68.20</td><td>-25.70</td><td>29.69</td><td>36.99</td><td>10.18</td><td>34.36</td></tr><tr><td>2</td><td>7251.21</td><td>42.52</td><td>54.00</td><td>-11.48</td><td>29.74</td><td>36.95</td><td>10.18</td><td>34.35</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1	7209.83	42.50	68.20	-25.70	29.69	36.99	10.18	34.36	2	7251.21	42.52	54.00	-11.48	29.74	36.95	10.18	34.35	Level (dBuV/m) Date: 2025-03-26 AVG_BE(UNII)_6E <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>76.72</td><td>-----</td><td>-----</td><td>63.80</td><td>37.10</td><td>10.20</td><td>34.38</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	1	7095.00	76.72	-----	-----	63.80	37.10	10.20	34.38
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																											
1	7209.83	42.50	68.20	-25.70	29.69	36.99	10.18	34.36																																																																											
2	7251.21	42.52	54.00	-11.48	29.74	36.95	10.18	34.35																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																											
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																											
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB																																																																											
1	7095.00	76.72	-----	-----	63.80	37.10	10.20	34.38																																																																											





		60																																																																																																													
Mode		Band Edge																																																																																																													
		U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																													
ANT		CDD 8+9																																																																																																													
Pol.	Horizontal										Fundamental																																																																																																				
Peak	 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E										 Level (dBuV/m) Frequency (MHz) PEAK_BE(UNII)_6E																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>60.87</td><td>88.20</td><td>-27.33</td><td>47.97</td><td>37.07</td><td>10.20</td><td>34.37</td><td>300</td><td>261</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	60.87	88.20	-27.33	47.97	37.07	10.20	34.37	300	261	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>93.88</td><td>-----</td><td>-----</td><td>80.97</td><td>37.09</td><td>10.20</td><td>34.38</td><td>300</td><td>261</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	93.88	-----	-----	80.97	37.09	10.20	34.38	300	261	PEAK											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.28	60.87	88.20	-27.33	47.97	37.07	10.20	34.37	300	261	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	93.88	-----	-----	80.97	37.09	10.20	34.38	300	261	PEAK																																																																																																				
Avg	 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E										 Level (dBuV/m) Frequency (MHz) AVG_BE(UNII)_6E																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>61.41</td><td>68.20</td><td>-6.79</td><td>48.51</td><td>37.07</td><td>10.20</td><td>34.37</td><td>300</td><td>261</td><td>AVERAGE</td></tr><tr><td>2</td><td>7263.67</td><td>42.10</td><td>54.00</td><td>-11.90</td><td>29.33</td><td>36.94</td><td>10.18</td><td>34.35</td><td>300</td><td>261</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	61.41	68.20	-6.79	48.51	37.07	10.20	34.37	300	261	AVERAGE	2	7263.67	42.10	54.00	-11.90	29.33	36.94	10.18	34.35	300	261	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>88.87</td><td>-----</td><td>-----</td><td>75.96</td><td>37.09</td><td>10.20</td><td>34.38</td><td>300</td><td>261</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	88.87	-----	-----	75.96	37.09	10.20	34.38	300	261
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7125.28	61.41	68.20	-6.79	48.51	37.07	10.20	34.37	300	261	AVERAGE																																																																																																				
2	7263.67	42.10	54.00	-11.90	29.33	36.94	10.18	34.35	300	261	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	7115.00	88.87	-----	-----	75.96	37.09	10.20	34.38	300	261	AVERAGE																																																																																																				







Mode	60																																																																																																							
	Band Edge																																																																																																							
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																																							
ANT	CDD 8+9																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>59.52</td><td>88.20</td><td>-28.68</td><td>46.62</td><td>37.07</td><td>10.20</td><td>34.37</td><td>314</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	59.52	88.20	-28.68	46.62	37.07	10.20	34.37	314	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>92.29</td><td>-----</td><td>-----</td><td>79.38</td><td>37.09</td><td>10.20</td><td>34.38</td><td>314</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	92.29	-----	-----	79.38	37.09	10.20	34.38	314	360	PEAK											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	59.52	88.20	-28.68	46.62	37.07	10.20	34.37	314	360	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	92.29	-----	-----	79.38	37.09	10.20	34.38	314	360	PEAK																																																																																													
Avg																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>58.69</td><td>68.20</td><td>-9.51</td><td>45.79</td><td>37.07</td><td>10.20</td><td>34.37</td><td>314</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7255.22</td><td>42.04</td><td>54.00</td><td>-11.96</td><td>29.27</td><td>36.94</td><td>10.18</td><td>34.35</td><td>314</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	58.69	68.20	-9.51	45.79	37.07	10.20	34.37	314	360	AVERAGE	2	7255.22	42.04	54.00	-11.96	29.27	36.94	10.18	34.35	314	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>86.84</td><td>-----</td><td>-----</td><td>73.93</td><td>37.09</td><td>10.20</td><td>34.38</td><td>314</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	86.84	-----	-----	73.93	37.09	10.20	34.38	314	360
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	58.69	68.20	-9.51	45.79	37.07	10.20	34.37	314	360	AVERAGE																																																																																													
2	7255.22	42.04	54.00	-11.96	29.27	36.94	10.18	34.35	314	360	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	86.84	-----	-----	73.93	37.09	10.20	34.38	314	360	AVERAGE																																																																																													



Mode	60																																																																																												
	Harmonic																																																																																												
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																												
ANT	CDD 8+9																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	 Date: 2025-03-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>45.80</td><td>88.20</td><td>-42.40</td><td>54.74</td><td>41.08</td><td>13.98</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	45.80	88.20	-42.40	54.74	41.08	13.98	64.00	---	---	Peak	 Date: 2025-03-27 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>14230.00</td><td>47.72</td><td>88.20</td><td>-40.48</td><td>56.66</td><td>41.08</td><td>13.98</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	14230.00	47.72	88.20	-40.48	56.66	41.08	13.98	64.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14230.00	45.80	88.20	-42.40	54.74	41.08	13.98	64.00	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	14230.00	47.72	88.20	-40.48	56.66	41.08	13.98	64.00	---	---	Peak																																																																																		





		61																																																																																																		
Mode		Band Edge																																																																																																		
		U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																		
ANT		CDD 8+9																																																																																																		
Pol.		Horizontal					Fundamental																																																																																													
Peak	 Level (dBuV/m) Date: 2025-03-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>73.33</td><td>88.20</td><td>-14.87</td><td>60.43</td><td>37.07</td><td>10.20</td><td>34.37</td><td>325</td><td>271 PEAK</td></tr><tr><td>2 7300.61</td><td>50.76</td><td>74.00</td><td>-23.24</td><td>38.02</td><td>36.90</td><td>10.18</td><td>34.34</td><td>325</td><td>271 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	73.33	88.20	-14.87	60.43	37.07	10.20	34.37	325	271 PEAK	2 7300.61	50.76	74.00	-23.24	38.02	36.90	10.18	34.34	325	271 PEAK	 Level (dBuV/m) Date: 2025-03-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>85.80</td><td>-----</td><td>-----</td><td>72.90</td><td>37.08</td><td>10.20</td><td>34.38</td><td>325</td><td>271 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	85.80	-----	-----	72.90	37.08	10.20	34.38	325	271 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7125.28	73.33	88.20	-14.87	60.43	37.07	10.20	34.37	325	271 PEAK																																																																																											
2 7300.61	50.76	74.00	-23.24	38.02	36.90	10.18	34.34	325	271 PEAK																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7115.00	85.80	-----	-----	72.90	37.08	10.20	34.38	325	271 PEAK																																																																																											
Avg	 Level (dBuV/m) Date: 2025-03-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.28</td><td>63.08</td><td>68.20</td><td>-5.12</td><td>50.18</td><td>37.07</td><td>10.20</td><td>34.37</td><td>325</td><td>271 AVERAGE</td></tr><tr><td>2 7277.47</td><td>42.23</td><td>54.00</td><td>-11.77</td><td>29.47</td><td>36.92</td><td>10.18</td><td>34.34</td><td>325</td><td>271 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7125.28	63.08	68.20	-5.12	50.18	37.07	10.20	34.37	325	271 AVERAGE	2 7277.47	42.23	54.00	-11.77	29.47	36.92	10.18	34.34	325	271 AVERAGE	 Level (dBuV/m) Date: 2025-03-21 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>78.66</td><td>-----</td><td>-----</td><td>65.75</td><td>37.09</td><td>10.20</td><td>34.38</td><td>325</td><td>271 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 7115.00	78.66	-----	-----	65.75	37.09	10.20	34.38	325	271 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7125.28	63.08	68.20	-5.12	50.18	37.07	10.20	34.37	325	271 AVERAGE																																																																																											
2 7277.47	42.23	54.00	-11.77	29.47	36.92	10.18	34.34	325	271 AVERAGE																																																																																											
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																											
1 7115.00	78.66	-----	-----	65.75	37.09	10.20	34.38	325	271 AVERAGE																																																																																											



Mode	61																																																																																																					
	Band Edge																																																																																																					
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																																					
ANT	CDD 8+9																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak	Level (dBuV/m) Date: 2025-03-21 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.28</td><td>65.48</td><td>88.20</td><td>-22.72</td><td>52.58</td><td>37.07</td><td>10.20</td><td>34.37</td><td>200 208 PEAK</td></tr><tr><td>2</td><td>7261.00</td><td>51.35</td><td>74.00</td><td>-22.65</td><td>38.58</td><td>36.94</td><td>10.18</td><td>34.35</td><td>200 208 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7125.28	65.48	88.20	-22.72	52.58	37.07	10.20	34.37	200 208 PEAK	2	7261.00	51.35	74.00	-22.65	38.58	36.94	10.18	34.35	200 208 PEAK	Level (dBuV/m) Date: 2025-03-21 PEAK_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>85.52</td><td>-----</td><td>-----</td><td>72.61</td><td>37.09</td><td>10.20</td><td>34.38</td><td>200 208 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	85.52	-----	-----	72.61	37.09	10.20	34.38	200 208 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	65.48	88.20	-22.72	52.58	37.07	10.20	34.37	200 208 PEAK																																																																																													
2	7261.00	51.35	74.00	-22.65	38.58	36.94	10.18	34.35	200 208 PEAK																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	85.52	-----	-----	72.61	37.09	10.20	34.38	200 208 PEAK																																																																																													
Avg	Level (dBuV/m) Date: 2025-03-21 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7125.28</td><td>61.02</td><td>68.20</td><td>-7.18</td><td>48.12</td><td>37.07</td><td>10.20</td><td>34.37</td><td>200 208 AVERAGE</td></tr><tr><td>2</td><td>7252.99</td><td>42.11</td><td>54.00</td><td>-11.89</td><td>29.33</td><td>36.95</td><td>10.18</td><td>34.35</td><td>200 208 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7125.28	61.02	68.20	-7.18	48.12	37.07	10.20	34.37	200 208 AVERAGE	2	7252.99	42.11	54.00	-11.89	29.33	36.95	10.18	34.35	200 208 AVERAGE	Level (dBuV/m) Date: 2025-03-21 AVG_BE(UNII)_6E <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7115.00</td><td>76.28</td><td>-----</td><td>-----</td><td>63.38</td><td>37.08</td><td>10.20</td><td>34.38</td><td>200 208 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	76.28	-----	-----	63.38	37.08	10.20	34.38	200 208 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7125.28	61.02	68.20	-7.18	48.12	37.07	10.20	34.37	200 208 AVERAGE																																																																																													
2	7252.99	42.11	54.00	-11.89	29.33	36.95	10.18	34.35	200 208 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																														
1	7115.00	76.28	-----	-----	63.38	37.08	10.20	34.38	200 208 AVERAGE																																																																																													



Mode	61																																																																																			
	Harmonic																																																																																			
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full RU_7115MHz																																																																																			
ANT	CDD 8+9																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg	 Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. The plot shows a red line for the peak level and a blue line for the average level. The peak level is approximately 87.5 dBuV/m, and the average level is approximately 44.07 dBuV/m. A vertical blue line is at 14230.00 MHz.						 Level (dBuV/m) vs Frequency (MHz) for Vertical polarization. The plot shows a red line for the peak level and a blue line for the average level. The peak level is approximately 87.5 dBuV/m, and the average level is approximately 45.77 dBuV/m. A vertical blue line is at 14230.00 MHz.																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>14230.00</td><td>44.07</td><td>88.20</td><td>-44.13</td><td>53.01</td><td>41.08</td><td>13.98</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	1	14230.00	44.07	88.20	-44.13	53.01	41.08	13.98	64.00	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>14230.00</td><td>45.77</td><td>88.20</td><td>-42.43</td><td>54.71</td><td>41.08</td><td>13.98</td><td>64.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	1	14230.00	45.77	88.20	-42.43	54.71	41.08	13.98	64.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
1	14230.00	44.07	88.20	-44.13	53.01	41.08	13.98	64.00	---	---	Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																													
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																													
1	14230.00	45.77	88.20	-42.43	54.71	41.08	13.98	64.00	---	---	Peak																																																																									





Mode	62																																																																																																										
	Band Edge																																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU_7115MHz																																																																																																										
ANT	CDD 8+9																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>70.95</td><td>88.20</td><td>-17.25</td><td>58.05</td><td>37.07</td><td>10.20</td><td>34.37</td><td>276</td><td>285</td><td>PEAK</td></tr><tr><td>2</td><td>7295.71</td><td>51.74</td><td>74.00</td><td>-22.26</td><td>39.00</td><td>36.90</td><td>10.18</td><td>34.34</td><td>276</td><td>285</td><td>PEAK</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	70.95	88.20	-17.25	58.05	37.07	10.20	34.37	276	285	PEAK	2	7295.71	51.74	74.00	-22.26	39.00	36.90	10.18	34.34	276	285	PEAK	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>82.22</td><td>-----</td><td>-----</td><td>69.32</td><td>37.07</td><td>10.20</td><td>34.37</td><td>276</td><td>285</td><td>PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	82.22	-----	-----	69.32	37.07	10.20	34.37	276	285	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7125.28	70.95	88.20	-17.25	58.05	37.07	10.20	34.37	276	285	PEAK																																																																																																
2	7295.71	51.74	74.00	-22.26	39.00	36.90	10.18	34.34	276	285	PEAK																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7115.00	82.22	-----	-----	69.32	37.07	10.20	34.37	276	285	PEAK																																																																																																
Avg	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.28</td><td>63.02</td><td>68.20</td><td>-5.18</td><td>50.12</td><td>37.07</td><td>10.20</td><td>34.37</td><td>276</td><td>285</td><td>AVERAGE</td></tr><tr><td>2</td><td>7275.24</td><td>42.46</td><td>54.00</td><td>-11.54</td><td>29.70</td><td>36.92</td><td>10.18</td><td>34.34</td><td>276</td><td>285</td><td>AVERAGE</td></tr></tbody></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7125.28	63.02	68.20	-5.18	50.12	37.07	10.20	34.37	276	285	AVERAGE	2	7275.24	42.46	54.00	-11.54	29.70	36.92	10.18	34.34	276	285	AVERAGE	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>75.69</td><td>-----</td><td>-----</td><td>62.79</td><td>37.07</td><td>10.20</td><td>34.37</td><td>276</td><td>285</td><td>AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	7115.00	75.69	-----	-----	62.79	37.07	10.20	34.37	276	285	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7125.28	63.02	68.20	-5.18	50.12	37.07	10.20	34.37	276	285	AVERAGE																																																																																																
2	7275.24	42.46	54.00	-11.54	29.70	36.92	10.18	34.34	276	285	AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																																																				
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7115.00	75.69	-----	-----	62.79	37.07	10.20	34.37	276	285	AVERAGE																																																																																																





Mode	62																																																																									
	Band Edge																																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU_7115MHz																																																																									
ANT	CDD 8+9																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7125.28</td><td>65.97</td><td>88.20</td><td>-22.23</td><td>53.07</td><td>37.07</td><td>10.20</td></tr><tr><td>2</td><td>7260.56</td><td>52.09</td><td>74.00</td><td>-21.91</td><td>39.32</td><td>36.94</td><td>10.18</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	7125.28	65.97	88.20	-22.23	53.07	37.07	10.20	2	7260.56	52.09	74.00	-21.91	39.32	36.94	10.18	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7115.00</td><td>77.44</td><td>-----</td><td>-----</td><td>64.54</td><td>37.07</td><td>10.20</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	7115.00	77.44	-----	-----	64.54	37.07	10.20
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1	7125.28	65.97	88.20	-22.23	53.07	37.07	10.20																																																																			
2	7260.56	52.09	74.00	-21.91	39.32	36.94	10.18																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1	7115.00	77.44	-----	-----	64.54	37.07	10.20																																																																			
Avg	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7125.28</td><td>59.31</td><td>68.20</td><td>-8.89</td><td>46.41</td><td>37.07</td><td>10.20</td></tr><tr><td>2</td><td>7274.35</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>29.75</td><td>36.93</td><td>10.18</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	7125.28	59.31	68.20	-8.89	46.41	37.07	10.20	2	7274.35	42.51	54.00	-11.49	29.75	36.93	10.18	Level (dBuV/m) Date: 2025-03-26 Frequency (MHz) <table><tr><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>7115.00</td><td>71.43</td><td>-----</td><td>-----</td><td>58.53</td><td>37.07</td><td>10.20</td></tr></table>	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	1	7115.00	71.43	-----	-----	58.53	37.07	10.20
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1	7125.28	59.31	68.20	-8.89	46.41	37.07	10.20																																																																			
2	7274.35	42.51	54.00	-11.49	29.75	36.93	10.18																																																																			
Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm																																																																			
1	7115.00	71.43	-----	-----	58.53	37.07	10.20																																																																			



Mode	63																																																																																																																																																																																							
	LF																																																																																																																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_7115MHz																																																																																																																																																																																							
ANT	CDD 8+9																																																																																																																																																																																							
Pol.	Horizontal					Vertical																																																																																																																																																																																		
Peak																																																																																																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>30.97</td><td>22.34</td><td>40.00</td><td>-17.66</td><td>28.62</td><td>24.72</td><td>0.54</td><td>31.54</td><td>--- Peak</td></tr><tr><td>2</td><td>157.07</td><td>21.22</td><td>43.50</td><td>-22.28</td><td>34.86</td><td>16.67</td><td>1.28</td><td>31.59</td><td>--- Peak</td></tr><tr><td>3</td><td>289.96</td><td>29.71</td><td>46.00</td><td>-16.29</td><td>40.29</td><td>19.23</td><td>1.77</td><td>31.58</td><td>--- Peak</td></tr><tr><td>4</td><td>567.38</td><td>27.77</td><td>46.00</td><td>-18.23</td><td>29.87</td><td>26.64</td><td>2.49</td><td>31.23</td><td>--- Peak</td></tr><tr><td>5</td><td>780.78</td><td>30.09</td><td>46.00</td><td>-15.91</td><td>29.40</td><td>28.84</td><td>2.91</td><td>31.06</td><td>--- Peak</td></tr><tr><td>6</td><td>964.11</td><td>33.29</td><td>54.00</td><td>-20.71</td><td>29.08</td><td>31.77</td><td>3.25</td><td>30.81</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	30.97	22.34	40.00	-17.66	28.62	24.72	0.54	31.54	--- Peak	2	157.07	21.22	43.50	-22.28	34.86	16.67	1.28	31.59	--- Peak	3	289.96	29.71	46.00	-16.29	40.29	19.23	1.77	31.58	--- Peak	4	567.38	27.77	46.00	-18.23	29.87	26.64	2.49	31.23	--- Peak	5	780.78	30.09	46.00	-15.91	29.40	28.84	2.91	31.06	--- Peak	6	964.11	33.29	54.00	-20.71	29.08	31.77	3.25	30.81	--- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>36.79</td><td>26.64</td><td>40.00</td><td>-13.36</td><td>36.04</td><td>21.71</td><td>0.59</td><td>31.70</td><td>--- Peak</td></tr><tr><td>2</td><td>91.11</td><td>19.93</td><td>43.50</td><td>-23.57</td><td>35.73</td><td>14.94</td><td>0.96</td><td>31.70</td><td>--- Peak</td></tr><tr><td>3</td><td>157.07</td><td>26.17</td><td>43.50</td><td>-17.33</td><td>39.81</td><td>16.67</td><td>1.28</td><td>31.59</td><td>--- Peak</td></tr><tr><td>4</td><td>288.99</td><td>25.33</td><td>46.00</td><td>-20.67</td><td>35.95</td><td>19.19</td><td>1.77</td><td>31.58</td><td>--- Peak</td></tr><tr><td>5</td><td>557.68</td><td>27.17</td><td>46.00</td><td>-18.83</td><td>28.97</td><td>26.99</td><td>2.48</td><td>31.27</td><td>--- Peak</td></tr><tr><td>6</td><td>970.90</td><td>32.59</td><td>54.00</td><td>-21.41</td><td>28.49</td><td>31.63</td><td>3.26</td><td>30.79</td><td>--- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	36.79	26.64	40.00	-13.36	36.04	21.71	0.59	31.70	--- Peak	2	91.11	19.93	43.50	-23.57	35.73	14.94	0.96	31.70	--- Peak	3	157.07	26.17	43.50	-17.33	39.81	16.67	1.28	31.59	--- Peak	4	288.99	25.33	46.00	-20.67	35.95	19.19	1.77	31.58	--- Peak	5	557.68	27.17	46.00	-18.83	28.97	26.99	2.48	31.27	--- Peak	6	970.90	32.59	54.00	-21.41	28.49	31.63	3.26	30.79	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																
1	30.97	22.34	40.00	-17.66	28.62	24.72	0.54	31.54	--- Peak																																																																																																																																																																															
2	157.07	21.22	43.50	-22.28	34.86	16.67	1.28	31.59	--- Peak																																																																																																																																																																															
3	289.96	29.71	46.00	-16.29	40.29	19.23	1.77	31.58	--- Peak																																																																																																																																																																															
4	567.38	27.77	46.00	-18.23	29.87	26.64	2.49	31.23	--- Peak																																																																																																																																																																															
5	780.78	30.09	46.00	-15.91	29.40	28.84	2.91	31.06	--- Peak																																																																																																																																																																															
6	964.11	33.29	54.00	-20.71	29.08	31.77	3.25	30.81	--- Peak																																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																
1	36.79	26.64	40.00	-13.36	36.04	21.71	0.59	31.70	--- Peak																																																																																																																																																																															
2	91.11	19.93	43.50	-23.57	35.73	14.94	0.96	31.70	--- Peak																																																																																																																																																																															
3	157.07	26.17	43.50	-17.33	39.81	16.67	1.28	31.59	--- Peak																																																																																																																																																																															
4	288.99	25.33	46.00	-20.67	35.95	19.19	1.77	31.58	--- Peak																																																																																																																																																																															
5	557.68	27.17	46.00	-18.83	28.97	26.99	2.48	31.27	--- Peak																																																																																																																																																																															
6	970.90	32.59	54.00	-21.41	28.49	31.63	3.26	30.79	--- Peak																																																																																																																																																																															



Mode	5																																																																																												
	Harmonic																																																																																												
	UNII-6_6.525-6.875_802.11a_CH105_6475MHz																																																																																												
ANT	CDD 8+9																																																																																												
Pol.	Horizontal										Vertical																																																																																		
Peak Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12950.00</td><td>47.25</td><td>88.20</td><td>-40.95</td><td>57.44</td><td>40.47</td><td>13.54</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	47.25	88.20	-40.95	57.44	40.47	13.54	64.20	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12950.00</td><td>47.28</td><td>88.20</td><td>-40.92</td><td>57.47</td><td>40.47</td><td>13.54</td><td>64.20</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12950.00	47.28	88.20	-40.92	57.47	40.47	13.54	64.20	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12950.00	47.25	88.20	-40.95	57.44	40.47	13.54	64.20	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	12950.00	47.28	88.20	-40.92	57.47	40.47	13.54	64.20	---	---	Peak																																																																																		