




Band48_20MHz_QPSK_LCH_3560MHz_RB_50_25_NTNV




Band48_20MHz_QPSK_LCH_3560MHz_RB_50_50_NTNV




Band48_20MHz_QPSK_LCH_3560MHz_RB_100_0_NTNV




Band48_20MHz_QPSK_MCH_3625MHz_RB_1_0_NTNV




Band48_20MHz_QPSK_MCH_3625MHz_RB_1_50_NTNV




Band48_20MHz_QPSK_MCH_3625MHz_RB_1_99_NTNV




Band48_20MHz_QPSK_MCH_3625MHz_RB_50_0_NTNV




Band48_20MHz_QPSK_MCH_3625MHz_RB_50_25_NTNV




Band48_20MHz_QPSK_MCH_3625MHz_RB_50_50_NTNV




Band48_20MHz_QPSK_MCH_3625MHz_RB_100_0_NTNV




Band48_20MHz_QPSK_HCH_3690MHz_RB_1_0_NTNV




Band48_20MHz_QPSK_HCH_3690MHz_RB_1_50_NTNV




Band48_20MHz_QPSK_HCH_3690MHz_RB_1_99_NTNV




Band48_20MHz_QPSK_HCH_3690MHz_RB_50_0_NTNV




Band48_20MHz_QPSK_HCH_3690MHz_RB_50_25_NTNV




Band48_20MHz_QPSK_HCH_3690MHz_RB_50_50_NTNV




Band48_20MHz_QPSK_HCH_3690MHz_RB_100_0_NTNV




Band48_20MHz_16QAM_LCH_3560MHz_RB_1_0_NTNV




Band48_20MHz_16QAM_LCH_3560MHz_RB_1_50_NTNV




Band48_20MHz_16QAM_LCH_3560MHz_RB_1_99_NTNV




Band48_20MHz_16QAM_LCH_3560MHz_RB_50_0_NTNV




Band48_20MHz_16QAM_LCH_3560MHz_RB_50_25_NTNV




Band48_20MHz_16QAM_LCH_3560MHz_RB_50_50_NTNV




Band48_20MHz_16QAM_LCH_3560MHz_RB_100_0_NTNV




Band48_20MHz_16QAM_MCH_3625MHz_RB_1_0_NTNV




Band48_20MHz_16QAM_MCH_3625MHz_RB_1_50_NTNV




Band48_20MHz_16QAM_MCH_3625MHz_RB_1_99_NTNV




Band48_20MHz_16QAM_MCH_3625MHz_RB_50_0_NTNV




Band48_20MHz_16QAM_MCH_3625MHz_RB_50_25_NTNV




Band48_20MHz_16QAM_MCH_3625MHz_RB_50_50_NTNV




Band48_20MHz_16QAM_MCH_3625MHz_RB_100_0_NTNV




Band48_20MHz_16QAM_HCH_3690MHz_RB_1_0_NTNV




Band48 20MHz 16QAM HCH 3690MHz RB 1 50 NTN




Band48 20MHz 16QAM HCH 3690MHz RB 1 99 NTN




Band48_20MHz_16QAM_HCH_3690MHz_RB_50_0_NTNV




Band48_20MHz_16QAM_HCH_3690MHz_RB_50_25_NTNV




Band48_20MHz_16QAM_HCH_3690MHz_RB_50_50_NTNV




Band48_20MHz_16QAM_HCH_3690MHz_RB_100_0_NTNV




Band48_20MHz_64QAM_LCH_3560MHz_RB_1_0_NTNV




Band48_20MHz_64QAM_LCH_3560MHz_RB_1_50_NTNV




Band48_20MHz_64QAM_LCH_3560MHz_RB_1_99_NTNV




Band48_20MHz_64QAM_LCH_3560MHz_RB_50_0_NTNV




Band48_20MHz_64QAM_LCH_3560MHz_RB_50_25_NTNV




Band48_20MHz_64QAM_LCH_3560MHz_RB_50_50_NTNV




Band48_20MHz_64QAM_LCH_3560MHz_RB_100_0_NTNV




Band48_20MHz_64QAM_MCH_3625MHz_RB_1_0_NTNV




Band48_20MHz_64QAM_MCH_3625MHz_RB_1_50_NTNV




Band48_20MHz_64QAM_MCH_3625MHz_RB_1_99_NTNV




Band48_20MHz_64QAM_MCH_3625MHz_RB_50_0_NTNV




Band48_20MHz_64QAM_MCH_3625MHz_RB_50_25_NTNV




Band48_20MHz_64QAM_MCH_3625MHz_RB_50_50_NTNV




Band48_20MHz_64QAM_MCH_3625MHz_RB_100_0_NTNV




Band48_20MHz_64QAM_HCH_3690MHz_RB_1_0_NTNV




Band48_20MHz_64QAM_HCH_3690MHz_RB_1_50_NTNV




Band48_20MHz_64QAM_HCH_3690MHz_RB_1_99_NTNV




Band48_20MHz_64QAM_HCH_3690MHz_RB_50_0_NTNV




Band48_20MHz_64QAM_HCH_3690MHz_RB_50_25_NTNV



Band48_20MHz_64QAM_HCH_3690MHz_RB_50_50_NTNV





1.3 Test Result_Ant8

1.3.1 B48_5MHz_EIRP

Band: 48 / Bandwidth: 5MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3552.5	1	0	22.97	-1.00	21.97	/	Pass
			13	22.83	-1.00	21.83	/	Pass
			24	22.92	-1.00	21.92	/	Pass
		12	0	21.96	-1.00	20.96	/	Pass
			6	21.91	-1.00	20.91	/	Pass
			13	21.85	-1.00	20.85	/	Pass
		25	0	21.98	-1.00	20.98	/	Pass
	3625	1	0	23.26	-1.00	22.26	/	Pass
			13	23.33	-1.00	22.33	/	Pass
			24	23.50	-1.00	22.50	/	Pass
		12	0	22.24	-1.00	21.24	/	Pass
			6	22.25	-1.00	21.25	/	Pass
			13	22.29	-1.00	21.29	/	Pass
		25	0	22.31	-1.00	21.31	/	Pass
	3697.5	1	0	23.72	-1.00	22.72	/	Pass
			13	23.63	-1.00	22.63	/	Pass
			24	23.72	-1.00	22.72	/	Pass
		12	0	22.73	-1.00	21.73	/	Pass
			6	22.67	-1.00	21.67	/	Pass
			13	22.65	-1.00	21.65	/	Pass
		25	0	22.73	-1.00	21.73	/	Pass
16QAM	3552.5	1	0	22.25	-1.00	21.25	/	Pass
			13	21.90	-1.00	20.90	/	Pass
			24	21.94	-1.00	20.94	/	Pass
		12	0	21.14	-1.00	20.14	/	Pass
			6	21.14	-1.00	20.14	/	Pass
			13	21.08	-1.00	20.08	/	Pass
	3625	1	0	22.27	-1.00	21.27	/	Pass

			13	22.31	-1.00	21.31	/	Pass
			24	22.38	-1.00	21.38	/	Pass
		12	0	21.47	-1.00	20.47	/	Pass
			6	21.45	-1.00	20.45	/	Pass
			13	21.51	-1.00	20.51	/	Pass
		25	0	21.48	-1.00	20.48	/	Pass
	3697.5	1	0	22.95	-1.00	21.95	/	Pass
			13	22.88	-1.00	21.88	/	Pass
			24	22.45	-1.00	21.45	/	Pass
		12	0	21.95	-1.00	20.95	/	Pass
			6	21.92	-1.00	20.92	/	Pass
			13	21.87	-1.00	20.87	/	Pass
	25	0	21.87	-1.00	20.87	/	Pass	
64QAM	3552.5	1	0	21.22	-1.00	20.22	/	Pass
			13	21.13	-1.00	20.13	/	Pass
			24	20.76	-1.00	19.76	/	Pass
		12	0	20.19	-1.00	19.19	/	Pass
			6	20.15	-1.00	19.15	/	Pass
			13	20.11	-1.00	19.11	/	Pass
	25	0	20.09	-1.00	19.09	/	Pass	
	3625	1	0	21.81	-1.00	20.81	/	Pass
			13	21.16	-1.00	20.16	/	Pass
			24	21.50	-1.00	20.50	/	Pass
		12	0	20.45	-1.00	19.45	/	Pass
			6	20.47	-1.00	19.47	/	Pass
			13	20.54	-1.00	19.54	/	Pass
	25	0	20.36	-1.00	19.36	/	Pass	
	3697.5	1	0	21.96	-1.00	20.96	/	Pass
			13	21.91	-1.00	20.91	/	Pass
			24	21.69	-1.00	20.69	/	Pass
		12	0	20.89	-1.00	19.89	/	Pass
			6	20.85	-1.00	19.85	/	Pass
			13	20.82	-1.00	19.82	/	Pass
	25	0	20.89	-1.00	19.89	/	Pass	
Note1: EIRP=Conducted Power+Antenna Gain								

1.3.2 B48_5MHz_EIRP/10MHz

Band: 48 / Bandwidth: 5MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3552.5	1	0	24.00	-1.00	23.00	<=23	Pass
			13	24.00	-1.00	23.00	<=23	Pass
			24	23.81	-1.00	22.81	<=23	Pass
		12	0	23.18	-1.00	22.18	<=23	Pass
			6	23.76	-1.00	22.76	<=23	Pass
			13	23.68	-1.00	22.68	<=23	Pass
		25	0	23.16	-1.00	22.16	<=23	Pass
	3625	1	0	22.61	-1.00	21.61	<=23	Pass
			13	21.97	-1.00	20.97	<=23	Pass
			24	22.99	-1.00	21.99	<=23	Pass
		12	0	21.10	-1.00	20.10	<=23	Pass
			6	21.07	-1.00	20.07	<=23	Pass
			13	22.38	-1.00	21.38	<=23	Pass
		25	0	21.60	-1.00	20.60	<=23	Pass
	3697.5	1	0	22.79	-1.00	21.79	<=23	Pass
			13	22.97	-1.00	21.97	<=23	Pass
			24	22.77	-1.00	21.77	<=23	Pass
		12	0	21.93	-1.00	20.93	<=23	Pass
			6	22.68	-1.00	21.68	<=23	Pass
			13	21.86	-1.00	20.86	<=23	Pass
		25	0	21.95	-1.00	20.95	<=23	Pass

16QAM	3552.5	1	0	23.59	-1.00	22.59	<=23	Pass
			13	23.02	-1.00	22.02	<=23	Pass
			24	23.24	-1.00	22.24	<=23	Pass
		12	0	22.16	-1.00	21.16	<=23	Pass
			6	22.95	-1.00	21.95	<=23	Pass
			13	22.41	-1.00	21.41	<=23	Pass
		25	0	22.54	-1.00	21.54	<=23	Pass
	3625	1	0	21.51	-1.00	20.51	<=23	Pass
			13	21.30	-1.00	20.30	<=23	Pass
			24	21.83	-1.00	20.83	<=23	Pass
		12	0	22.20	-1.00	21.20	<=23	Pass
			6	20.82	-1.00	19.82	<=23	Pass
			13	20.38	-1.00	19.38	<=23	Pass
		25	0	20.50	-1.00	19.50	<=23	Pass
	3697.5	1	0	21.60	-1.00	20.60	<=23	Pass
			13	23.31	-1.00	22.31	<=23	Pass
			24	22.08	-1.00	21.08	<=23	Pass
		12	0	21.64	-1.00	20.64	<=23	Pass
			6	22.15	-1.00	21.15	<=23	Pass
			13	21.20	-1.00	20.20	<=23	Pass
		25	0	20.95	-1.00	19.95	<=23	Pass
64QAM	3552.5	1	0	22.43	-1.00	21.43	<=23	Pass
			13	22.13	-1.00	21.13	<=23	Pass
			24	22.37	-1.00	21.37	<=23	Pass
		12	0	21.14	-1.00	20.14	<=23	Pass
			6	21.28	-1.00	20.28	<=23	Pass
			13	21.56	-1.00	20.56	<=23	Pass
		25	0	21.57	-1.00	20.57	<=23	Pass
	3625	1	0	22.00	-1.00	21.00	<=23	Pass
			13	21.95	-1.00	20.95	<=23	Pass
			24	20.53	-1.00	19.53	<=23	Pass
		12	0	19.41	-1.00	18.41	<=23	Pass
			6	20.49	-1.00	19.49	<=23	Pass
			13	20.89	-1.00	19.89	<=23	Pass
		25	0	19.70	-1.00	18.70	<=23	Pass
	3697.5	1	0	21.30	-1.00	20.30	<=23	Pass
			13	22.31	-1.00	21.31	<=23	Pass
			24	21.53	-1.00	20.53	<=23	Pass
		12	0	21.29	-1.00	20.29	<=23	Pass
			6	19.71	-1.00	18.71	<=23	Pass
			13	21.34	-1.00	20.34	<=23	Pass
		25	0	20.89	-1.00	19.89	<=23	Pass

Note1: EIRP/10MHz=Conducted Power+Antenna Gain

1.3.3 B48_10MHz_EIRP

Band: 48 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3555	1	0	23.05	-1.00	22.05	/	Pass
			25	23.00	-1.00	22.00	/	Pass
			49	23.16	-1.00	22.16	/	Pass
		25	0	21.92	-1.00	20.92	/	Pass
			13	21.92	-1.00	20.92	/	Pass
			25	22.02	-1.00	21.02	/	Pass
		50	0	21.99	-1.00	20.99	/	Pass
	3625	1	0	23.29	-1.00	22.29	/	Pass
			25	23.36	-1.00	22.36	/	Pass
			49	23.60	-1.00	22.60	/	Pass
		25	0	22.22	-1.00	21.22	/	Pass
			13	22.24	-1.00	21.24	/	Pass
			25	22.40	-1.00	21.40	/	Pass

		50	0	22.31	-1.00	21.31	/	Pass
	3695	1	0	23.87	-1.00	22.87	/	Pass
			25	23.67	-1.00	22.67	/	Pass
			49	23.74	-1.00	22.74	/	Pass
			0	22.75	-1.00	21.75	/	Pass
		25	13	22.71	-1.00	21.71	/	Pass
			25	22.71	-1.00	21.71	/	Pass
50		0	22.73	-1.00	21.73	/	Pass	
16QAM	3555	1	0	22.11	-1.00	21.11	/	Pass
			25	22.09	-1.00	21.09	/	Pass
			49	22.23	-1.00	21.23	/	Pass
		25	0	21.17	-1.00	20.17	/	Pass
			13	21.15	-1.00	20.15	/	Pass
			25	21.18	-1.00	20.18	/	Pass
		50	0	21.17	-1.00	20.17	/	Pass
	3625	1	0	22.10	-1.00	21.10	/	Pass
			25	22.20	-1.00	21.20	/	Pass
			49	22.42	-1.00	21.42	/	Pass
		25	0	21.37	-1.00	20.37	/	Pass
			13	21.50	-1.00	20.50	/	Pass
			25	21.60	-1.00	20.60	/	Pass
	50	0	21.48	-1.00	20.48	/	Pass	
	3695	1	0	22.78	-1.00	21.78	/	Pass
			25	22.99	-1.00	21.99	/	Pass
			49	22.93	-1.00	21.93	/	Pass
		25	0	21.93	-1.00	20.93	/	Pass
			13	21.89	-1.00	20.89	/	Pass
			25	21.84	-1.00	20.84	/	Pass
		50	0	21.87	-1.00	20.87	/	Pass
64QAM	3555	1	0	20.67	-1.00	19.67	/	Pass
			25	20.60	-1.00	19.60	/	Pass
			49	21.61	-1.00	20.61	/	Pass
		25	0	20.06	-1.00	19.06	/	Pass
			13	20.05	-1.00	19.05	/	Pass
			25	20.23	-1.00	19.23	/	Pass
	50	0	20.17	-1.00	19.17	/	Pass	
	3625	1	0	21.49	-1.00	20.49	/	Pass
			25	21.64	-1.00	20.64	/	Pass
			49	22.15	-1.00	21.15	/	Pass
		25	0	20.26	-1.00	19.26	/	Pass
			13	20.51	-1.00	19.51	/	Pass
			25	20.58	-1.00	19.58	/	Pass
	50	0	20.45	-1.00	19.45	/	Pass	
	3695	1	0	21.90	-1.00	20.90	/	Pass
			25	21.56	-1.00	20.56	/	Pass
			49	21.95	-1.00	20.95	/	Pass
25		0	20.84	-1.00	19.84	/	Pass	
		13	20.77	-1.00	19.77	/	Pass	
		25	20.74	-1.00	19.74	/	Pass	
50	0	20.84	-1.00	19.84	/	Pass		
Note1: EIRP=Conducted Power+Antenna Gain								

Note1: EIRP=Conducted Power+Antenna Gain

1.3.4 B48_10MHz_EIRP/10MHz

Band: 48 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3555	1	0	24.00	-1.00	23.00	<=23	Pass
			25	24.00	-1.00	23.00	<=23	Pass
			49	24.00	-1.00	23.00	<=23	Pass
		25	0	23.12	-1.00	22.12	<=23	Pass
			13	23.13	-1.00	22.13	<=23	Pass

			25	23.10	-1.00	22.10	<=23	Pass	
		50	0	23.16	-1.00	22.16	<=23	Pass	
	3625	1	0	23.64	-1.00	22.64	<=23	Pass	
			25	22.01	-1.00	21.01	<=23	Pass	
			49	21.99	-1.00	20.99	<=23	Pass	
			0	21.20	-1.00	20.20	<=23	Pass	
		25	13	22.42	-1.00	21.42	<=23	Pass	
			25	21.17	-1.00	20.17	<=23	Pass	
			50	0	21.25	-1.00	20.25	<=23	Pass
		3695	1	0	24.00	-1.00	23.300	<=23	Pass
				25	22.97	-1.00	21.97	<=23	Pass
	49			23.95	-1.00	22.95	<=23	Pass	
	25		0	22.57	-1.00	21.57	<=23	Pass	
			13	21.57	-1.00	20.57	<=23	Pass	
			25	22.91	-1.00	21.91	<=23	Pass	
	50		0	23.07	-1.00	22.07	<=23	Pass	
	16QAM		3555	1	0	23.17	-1.00	22.17	<=23
25		23.45			-1.00	22.45	<=23	Pass	
49		23.38			-1.00	22.38	<=23	Pass	
25		0		22.34	-1.00	21.34	<=23	Pass	
		13		22.22	-1.00	21.22	<=23	Pass	
		25		22.29	-1.00	21.29	<=23	Pass	
50		0		22.42	-1.00	21.42	<=23	Pass	
3625		1	0	21.35	-1.00	20.35	<=23	Pass	
			25	20.58	-1.00	19.58	<=23	Pass	
			49	21.59	-1.00	20.59	<=23	Pass	
		25	0	20.22	-1.00	19.22	<=23	Pass	
			13	20.18	-1.00	19.18	<=23	Pass	
			25	20.51	-1.00	19.51	<=23	Pass	
		50	0	20.34	-1.00	19.34	<=23	Pass	
3695		1	0	21.59	-1.00	20.59	<=23	Pass	
			25	21.83	-1.00	20.83	<=23	Pass	
			49	22.86	-1.00	21.86	<=23	Pass	
		25	0	20.78	-1.00	19.78	<=23	Pass	
			13	20.71	-1.00	19.71	<=23	Pass	
			25	21.00	-1.00	20.00	<=23	Pass	
		50	0	20.82	-1.00	19.82	<=23	Pass	
64QAM	3555	1	0	22.36	-1.00	21.36	<=23	Pass	
			25	22.55	-1.00	21.55	<=23	Pass	
			49	22.49	-1.00	21.49	<=23	Pass	
		25	0	21.33	-1.00	20.33	<=23	Pass	
			13	21.27	-1.00	20.27	<=23	Pass	
			25	21.36	-1.00	20.36	<=23	Pass	
		50	0	21.32	-1.00	20.32	<=23	Pass	
	3625	1	0	21.75	-1.00	20.75	<=23	Pass	
			25	22.11	-1.00	21.11	<=23	Pass	
			49	20.95	-1.00	19.95	<=23	Pass	
		25	0	20.51	-1.00	19.51	<=23	Pass	
			13	19.39	-1.00	18.39	<=23	Pass	
			25	19.12	-1.00	18.12	<=23	Pass	
		50	0	19.75	-1.00	18.75	<=23	Pass	
	3695	1	0	21.92	-1.00	20.92	<=23	Pass	
			25	21.46	-1.00	20.46	<=23	Pass	
			49	20.57	-1.00	19.57	<=23	Pass	
		25	0	19.65	-1.00	18.65	<=23	Pass	
			13	20.55	-1.00	19.55	<=23	Pass	
			25	21.48	-1.00	20.48	<=23	Pass	
		50	0	20.00	-1.00	19.00	<=23	Pass	
Note1: EIRP/10MHz=Conducted Power+Antenna Gain									

1.3.5 B48_15MHz_EIRP

Band: 48 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3557.5	1	0	23.03	-1.00	22.03	/	Pass
			38	23.06	-1.00	22.06	/	Pass
			74	23.31	-1.00	22.31	/	Pass
		36	0	21.92	-1.00	20.92	/	Pass
			18	21.95	-1.00	20.95	/	Pass
			39	22.12	-1.00	21.12	/	Pass
		75	0	22.03	-1.00	21.03	/	Pass
	3625	1	0	23.33	-1.00	22.33	/	Pass
			38	23.37	-1.00	22.37	/	Pass
			74	23.75	-1.00	22.75	/	Pass
		36	0	22.19	-1.00	21.19	/	Pass
			18	22.19	-1.00	21.19	/	Pass
			39	22.43	-1.00	21.43	/	Pass
		75	0	22.33	-1.00	21.33	/	Pass
	3692.5	1	0	23.85	-1.00	22.85	/	Pass
			38	23.79	-1.00	22.79	/	Pass
			74	23.61	-1.00	22.61	/	Pass
		36	0	22.80	-1.00	21.80	/	Pass
			18	22.73	-1.00	21.73	/	Pass
			39	22.70	-1.00	21.70	/	Pass
		75	0	22.77	-1.00	21.77	/	Pass
16QAM	3557.5	1	0	22.01	-1.00	21.01	/	Pass
			38	22.16	-1.00	21.16	/	Pass
			74	22.35	-1.00	21.35	/	Pass
		36	0	21.14	-1.00	20.14	/	Pass
			18	21.18	-1.00	20.18	/	Pass
			39	21.33	-1.00	20.33	/	Pass
		75	0	21.26	-1.00	20.26	/	Pass
	3625	1	0	22.10	-1.00	21.10	/	Pass
			38	22.21	-1.00	21.21	/	Pass
			74	22.57	-1.00	21.57	/	Pass
		36	0	21.36	-1.00	20.36	/	Pass
			18	21.41	-1.00	20.41	/	Pass
			39	21.59	-1.00	20.59	/	Pass
		75	0	21.51	-1.00	20.51	/	Pass
	3692.5	1	0	22.84	-1.00	21.84	/	Pass
			38	22.69	-1.00	21.69	/	Pass
			74	22.75	-1.00	21.75	/	Pass
		36	0	21.94	-1.00	20.94	/	Pass
			18	21.89	-1.00	20.89	/	Pass
			39	21.84	-1.00	20.84	/	Pass
		75	0	21.92	-1.00	20.92	/	Pass
64QAM	3557.5	1	0	21.28	-1.00	20.28	/	Pass
			38	20.78	-1.00	19.78	/	Pass
			74	21.61	-1.00	20.61	/	Pass
		36	0	20.08	-1.00	19.08	/	Pass
			18	20.22	-1.00	19.22	/	Pass
			39	20.31	-1.00	19.31	/	Pass
		75	0	20.25	-1.00	19.25	/	Pass
	3625	1	0	21.79	-1.00	20.79	/	Pass
			38	21.22	-1.00	20.22	/	Pass
			74	22.13	-1.00	21.13	/	Pass
		36	0	20.32	-1.00	19.32	/	Pass
			18	20.40	-1.00	19.40	/	Pass
			39	20.65	-1.00	19.65	/	Pass
		75	0	20.54	-1.00	19.54	/	Pass
	3692.5	1	0	21.70	-1.00	20.70	/	Pass
			38	21.95	-1.00	20.95	/	Pass
			74	21.70	-1.00	20.70	/	Pass
		36	0	20.95	-1.00	19.95	/	Pass
			18	20.92	-1.00	19.92	/	Pass

		39	20.89	-1.00	19.89	/	Pass
	75	0	20.94	-1.00	19.94	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.3.6 B48_15MHz_EIRP/10MHz

Band: 48 / Bandwidth: 15MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3557.5	1	0	24.00	-1.00	23.00	<=23	Pass
			38	24.00	-1.00	23.00	<=23	Pass
			74	24.00	-1.00	23.00	<=23	Pass
		36	0	23.17	-1.00	22.17	<=23	Pass
			18	23.11	-1.00	22.11	<=23	Pass
			39	23.18	-1.00	22.18	<=23	Pass
		75	0	21.66	-1.00	20.66	<=23	Pass
	3625	1	0	22.28	-1.00	21.28	<=23	Pass
			38	21.72	-1.00	20.72	<=23	Pass
			74	23.73	-1.00	22.73	<=23	Pass
		36	0	22.26	-1.00	21.26	<=23	Pass
			18	21.07	-1.00	20.07	<=23	Pass
			39	21.11	-1.00	20.11	<=23	Pass
		75	0	20.16	-1.00	19.16	<=23	Pass
	3692.5	1	0	23.44	-1.00	22.44	<=23	Pass
			38	22.29	-1.00	21.29	<=23	Pass
			74	23.93	-1.00	22.93	<=23	Pass
		36	0	21.44	-1.00	20.44	<=23	Pass
			18	21.43	-1.00	20.43	<=23	Pass
			39	22.94	-1.00	21.94	<=23	Pass
		75	0	21.19	-1.00	20.19	<=23	Pass
16QAM	3557.5	1	0	23.26	-1.00	22.26	<=23	Pass
			38	23.24	-1.00	22.24	<=23	Pass
			74	23.52	-1.00	22.52	<=23	Pass
		36	0	22.39	-1.00	21.39	<=23	Pass
			18	22.25	-1.00	21.25	<=23	Pass
			39	22.20	-1.00	21.20	<=23	Pass
		75	0	21.01	-1.00	20.01	<=23	Pass
	3625	1	0	21.89	-1.00	20.89	<=23	Pass
			38	22.42	-1.00	21.42	<=23	Pass
			74	22.34	-1.00	21.34	<=23	Pass
		36	0	20.07	-1.00	19.07	<=23	Pass
			18	21.60	-1.00	20.60	<=23	Pass
			39	20.21	-1.00	19.21	<=23	Pass
		75	0	19.06	-1.00	18.06	<=23	Pass
	3692.5	1	0	21.49	-1.00	20.49	<=23	Pass
			38	21.76	-1.00	20.76	<=23	Pass
			74	21.57	-1.00	20.57	<=23	Pass
		36	0	20.83	-1.00	19.83	<=23	Pass
			18	22.25	-1.00	21.25	<=23	Pass
			39	21.26	-1.00	20.26	<=23	Pass
		75	0	19.48	-1.00	18.48	<=23	Pass
64QAM	3557.5	1	0	22.13	-1.00	21.13	<=23	Pass
			38	22.30	-1.00	21.30	<=23	Pass
			74	22.23	-1.00	21.23	<=23	Pass
		36	0	21.11	-1.00	20.11	<=23	Pass
			18	21.20	-1.00	20.20	<=23	Pass
			39	21.18	-1.00	20.18	<=23	Pass
		75	0	20.07	-1.00	19.07	<=23	Pass
	3625	1	0	21.66	-1.00	20.66	<=23	Pass
			38	21.73	-1.00	20.73	<=23	Pass
			74	20.60	-1.00	19.60	<=23	Pass
		36	0	20.19	-1.00	19.19	<=23	Pass

			18	19.01	-1.00	18.01	<=23	Pass
			39	19.29	-1.00	18.29	<=23	Pass
		75	0	19.22	-1.00	18.22	<=23	Pass
	3692.5	1	0	21.06	-1.00	20.06	<=23	Pass
			38	22.46	-1.00	21.46	<=23	Pass
			74	20.26	-1.00	19.26	<=23	Pass
		36	0	19.56	-1.00	18.56	<=23	Pass
			18	19.98	-1.00	18.98	<=23	Pass
			39	19.74	-1.00	18.74	<=23	Pass
		75	0	19.03	-1.00	18.03	<=23	Pass
Note1: EIRP/10MHz=Conducted Power+Antenna Gain								

1.1.7 B48_20MHz_EIRP

Band: 48 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	3560	1	0	23.04	-1.00	22.04	/	Pass
			50	23.19	-1.00	22.19	/	Pass
			99	23.38	-1.00	22.38	/	Pass
		50	0	22.03	-1.00	21.03	/	Pass
			25	22.15	-1.00	21.15	/	Pass
			50	22.29	-1.00	21.29	/	Pass
		100	0	22.17	-1.00	21.17	/	Pass
	3625	1	0	23.35	-1.00	22.35	/	Pass
			50	23.29	-1.00	22.29	/	Pass
			99	23.96	-1.00	22.96	/	Pass
		50	0	22.29	-1.00	21.29	/	Pass
			25	22.35	-1.00	21.35	/	Pass
			50	22.57	-1.00	21.57	/	Pass
		100	0	22.43	-1.00	21.43	/	Pass
	3690	1	0	23.93	-1.00	22.93	/	Pass
			50	23.81	-1.00	22.81	/	Pass
			99	23.67	-1.00	22.67	/	Pass
		50	0	22.88	-1.00	21.88	/	Pass
			25	22.78	-1.00	21.78	/	Pass
			50	22.71	-1.00	21.71	/	Pass
		100	0	22.76	-1.00	21.76	/	Pass
16QAM	3560	1	0	21.99	-1.00	20.99	/	Pass
			50	22.25	-1.00	21.25	/	Pass
			99	22.37	-1.00	21.37	/	Pass
		50	0	21.19	-1.00	20.19	/	Pass
			25	21.32	-1.00	20.32	/	Pass
			50	21.48	-1.00	20.48	/	Pass
		100	0	21.30	-1.00	20.30	/	Pass
	3625	1	0	22.53	-1.00	21.53	/	Pass
			50	22.23	-1.00	21.23	/	Pass
			99	23.08	-1.00	22.08	/	Pass
		50	0	21.44	-1.00	20.44	/	Pass
			25	21.57	-1.00	20.57	/	Pass
			50	21.74	-1.00	20.74	/	Pass
		100	0	21.59	-1.00	20.59	/	Pass
	3690	1	0	23.18	-1.00	22.18	/	Pass
			50	23.02	-1.00	22.02	/	Pass
			99	22.74	-1.00	21.74	/	Pass
		50	0	22.04	-1.00	21.04	/	Pass
			25	21.92	-1.00	20.92	/	Pass
			50	21.89	-1.00	20.89	/	Pass
		100	0	21.94	-1.00	20.94	/	Pass
64QAM	3560	1	0	21.18	-1.00	20.18	/	Pass
			50	21.10	-1.00	20.10	/	Pass
			99	21.26	-1.00	20.26	/	Pass

		50	0	20.20	-1.00	19.20	/	Pass
			25	20.23	-1.00	19.23	/	Pass
			50	20.50	-1.00	19.50	/	Pass
		100	0	20.30	-1.00	19.30	/	Pass
	3625	1	0	21.32	-1.00	20.32	/	Pass
			50	21.28	-1.00	20.28	/	Pass
			99	22.32	-1.00	21.32	/	Pass
		50	0	20.36	-1.00	19.36	/	Pass
			25	20.48	-1.00	19.48	/	Pass
			50	20.73	-1.00	19.73	/	Pass
		100	0	20.59	-1.00	19.59	/	Pass
	3690	1	0	22.28	-1.00	21.28	/	Pass
			50	21.62	-1.00	20.62	/	Pass
			99	21.81	-1.00	20.81	/	Pass
		50	0	21.03	-1.00	20.03	/	Pass
			25	21.00	-1.00	20.00	/	Pass
			50	20.91	-1.00	19.91	/	Pass
		100	0	20.91	-1.00	19.91	/	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.8 B48_20MHz_EIRP/10MHz

Band: 48 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm/10MHz)	Gain (dBi)	EIRP/10MHz (dBm/10MHz)		Verdict
		Size	Offset			Result	Limit	
QPSK	3560	1	0	24.00	-1.00	23.00	<=23	Pass
			50	24.00	-1.00	23.00	<=23	Pass
			99	24.00	-1.00	23.00	<=23	Pass
		50	0	23.15	-1.00	22.15	<=23	Pass
			25	23.13	-1.00	22.13	<=23	Pass
			50	22.94	-1.00	21.94	<=23	Pass
		100	0	20.71	-1.00	19.71	<=23	Pass
	3625	1	0	23.56	-1.00	22.56	<=23	Pass
			50	23.34	-1.00	22.34	<=23	Pass
			99	23.56	-1.00	22.56	<=23	Pass
		50	0	22.53	-1.00	21.53	<=23	Pass
			25	21.01	-1.00	20.01	<=23	Pass
			50	22.69	-1.00	21.69	<=23	Pass
		100	0	19.46	-1.00	18.46	<=23	Pass
	3690	1	0	22.63	-1.00	21.63	<=23	Pass
			50	22.76	-1.00	21.76	<=23	Pass
			99	23.26	-1.00	22.26	<=23	Pass
		50	0	21.53	-1.00	20.53	<=23	Pass
			25	22.38	-1.00	21.38	<=23	Pass
			50	23.06	-1.00	22.06	<=23	Pass
		100	0	19.07	-1.00	18.07	<=23	Pass
16QAM	3560	1	0	23.39	-1.00	22.39	<=23	Pass
			50	23.14	-1.00	22.14	<=23	Pass
			99	23.26	-1.00	22.26	<=23	Pass
		50	0	22.36	-1.00	21.36	<=23	Pass
			25	22.29	-1.00	21.29	<=23	Pass
			50	22.20	-1.00	21.20	<=23	Pass
		100	0	19.81	-1.00	18.81	<=23	Pass
	3625	1	0	20.93	-1.00	19.93	<=23	Pass
			50	20.85	-1.00	19.85	<=23	Pass
			99	21.26	-1.00	20.26	<=23	Pass
		50	0	19.98	-1.00	18.98	<=23	Pass
			25	20.24	-1.00	19.24	<=23	Pass
			50	21.50	-1.00	20.50	<=23	Pass
		100	0	17.94	-1.00	16.94	<=23	Pass
	3690	1	0	22.67	-1.00	21.67	<=23	Pass
			50	21.30	-1.00	20.30	<=23	Pass

		50	99	21.83	-1.00	20.83	<=23	Pass	
			0	20.52	-1.00	19.52	<=23	Pass	
			25	21.40	-1.00	20.40	<=23	Pass	
			50	20.80	-1.00	19.80	<=23	Pass	
		100	0	18.33	-1.00	17.33	<=23	Pass	
64QAM	3560	1	0	22.65	-1.00	21.65	<=23	Pass	
			50	22.47	-1.00	21.47	<=23	Pass	
			99	22.54	-1.00	21.54	<=23	Pass	
		50	0	21.28	-1.00	20.28	<=23	Pass	
			25	21.41	-1.00	20.41	<=23	Pass	
			50	21.41	-1.00	20.41	<=23	Pass	
		100	0	18.76	-1.00	17.76	<=23	Pass	
		3625	1	0	21.33	-1.00	20.33	<=23	Pass
				50	21.62	-1.00	20.62	<=23	Pass
				99	20.10	-1.00	19.10	<=23	Pass
	50		0	19.84	-1.00	18.84	<=23	Pass	
			25	20.50	-1.00	19.50	<=23	Pass	
			50	19.86	-1.00	18.86	<=23	Pass	
	100		0	16.66	-1.00	15.66	<=23	Pass	
	3690		1	0	22.54	-1.00	21.54	<=23	Pass
				50	21.06	-1.00	20.06	<=23	Pass
				99	22.16	-1.00	21.16	<=23	Pass
		50	0	20.76	-1.00	19.76	<=23	Pass	
			25	19.52	-1.00	18.52	<=23	Pass	
			50	21.08	-1.00	20.08	<=23	Pass	
		100	0	18.42	-1.00	17.42	<=23	Pass	
		Note1: EIRP/10MHz=Conducted Power+Antenna Gain							

2. Frequency Stability

2.1 Test Result_Ant6

2.1.1 B48_10MHz

Band: 48 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	3625	50	0	20	LV	-24.674	-0.0068	-2.5 to 2.5	Pass
					NV	0.122	0.0000	-2.5 to 2.5	Pass
					HV	-4.040	-0.0011	-2.5 to 2.5	Pass
				-30	NV	-3.297	-0.0009	-2.5 to 2.5	Pass
				-20	NV	-12.704	-0.0035	-2.5 to 2.5	Pass
				-10	NV	0.061	0.0000	-2.5 to 2.5	Pass
				0	NV	-3.277	-0.0009	-2.5 to 2.5	Pass
				10	NV	-8.393	-0.0023	-2.5 to 2.5	Pass
				30	NV	1.963	0.0005	-2.5 to 2.5	Pass
				40	NV	-4.211	-0.0012	-2.5 to 2.5	Pass
				50	NV	-3.990	-0.0011	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result_Ant6

3.1.1 Band48_OBW

Band: 48 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	


5	QPSK	3625	25	0	4.532	/	Pass
	16QAM	3625	25	0	4.545	/	Pass
	64QAM	3625	25	0	4.554	/	Pass
10	QPSK	3625	50	0	9.080	/	Pass
	16QAM	3625	50	0	9.098	/	Pass
	64QAM	3625	50	0	9.019	/	Pass
15	QPSK	3625	75	0	13.548	/	Pass
	16QAM	3625	75	0	13.535	/	Pass
	64QAM	3625	75	0	13.633	/	Pass
20	QPSK	3625	100	0	18.025	/	Pass
	16QAM	3625	100	0	18.077	/	Pass
	64QAM	3625	100	0	18.068	/	Pass

3.1.2 Band48_XDB


Band: 48 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	3625	25	0	4.959	/	Pass
	16QAM	3625	25	0	5.025	/	Pass
	64QAM	3625	25	0	5.212	/	Pass
10	QPSK	3625	50	0	9.870	/	Pass
	16QAM	3625	50	0	9.844	/	Pass
	64QAM	3625	50	0	9.920	/	Pass
15	QPSK	3625	75	0	14.667	/	Pass
	16QAM	3625	75	0	14.676	/	Pass
	64QAM	3625	75	0	14.769	/	Pass
20	QPSK	3625	100	0	19.707	/	Pass
	16QAM	3625	100	0	19.434	/	Pass
	64QAM	3625	100	0	20.329	/	Pass

3.2 Test Graph


3.2.1 Band48_OBW




Band48_5MHz_16QAM_MCH_3625MHz_RB_25_0_NTNV




Band48_5MHz_64QAM_MCH_3625MHz_RB_25_0_NTNV




Band48_10MHz_QPSK_MCH_3625MHz_RB_50_0_NTNV




Band48_10MHz_16QAM_MCH_3625MHz_RB_50_0_NTNV




Band48_10MHz_64QAM_MCH_3625MHz_RB_50_0_NTNV




Band48_15MHz_QPSK_MCH_3625MHz_RB_75_0_NTNV




Band48_15MHz_16QAM_MCH_3625MHz_RB_75_0_NTNV




Band48_15MHz_64QAM_MCH_3625MHz_RB_75_0_NTNV




Band48_20MHz_QPSK_MCH_3625MHz_RB_100_0_NTNV




Band48_20MHz_16QAM_MCH_3625MHz_RB_100_0_NTNV




Band48_20MHz_64QAM_MCH_3625MHz_RB_100_0_NTNV




3.2.2 Band48_XDB




Band48_5MHz_64QAM_MCH_3625MHz_RB_25_0_NTNV




Band48_10MHz_QPSK_MCH_3625MHz_RB_50_0_NTNV




Band48_10MHz_16QAM_MCH_3625MHz_RB_50_0_NTNV




Band48_10MHz_64QAM_MCH_3625MHz_RB_50_0_NTNV




Band48_15MHz_QPSK_MCH_3625MHz_RB_75_0_NTNV




Band48_15MHz_16QAM_MCH_3625MHz_RB_75_0_NTNV




Band48_15MHz_64QAM_MCH_3625MHz_RB_75_0_NTNV




Band48_20MHz_QPSK_MCH_3625MHz_RB_100_0_NTNV



Band48_20MHz_16QAM_MCH_3625MHz_RB_100_0_NTNV



Band48_20MHz_64QAM_MCH_3625MHz_RB_100_0_NTNV



4. Peak-Average Ratio


4.1 Test Result_Ant6


4.1.1 B48_20MHz

Band: 48 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	3625	100	0	7.56	<=13	Pass
16QAM	3625	100	0	8.49	<=13	Pass
64QAM	3625	100	0	9.01	<=13	Pass

4.2 Test Graph

4.2.1 B48_20MHz





5. Spurious Emission

5.1 Test Result_Ant6

5.1.1 B48_5MHz

Band: 48 / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3552.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3697.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.2 B48_10MHz

Band: 48 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3555	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3695	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.3 B48_15MHz


Band: 48 / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3557.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3692.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.1.4 B48_20MHz


Band: 48 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	3560	1	0	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass
	3625	1	0	Refer To Test Graph		Pass
	3690	1	0	Refer To Test Graph		Pass
			99	Refer To Test Graph		Pass
		100	0	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 B48_5MHz




Band48_5MHz_QPSK_LCH_3552.5MHz_RB_1_0_NTNV



Band48_5MHz_QPSK_LCH_3552.5MHz_RB_1_0_NTNV



Band48_5MHz_QPSK_LCH_3552.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3520	3530	1	CHP	1	3529.345	-50.47	-40	Pass
3530	3545	1	CHP	2	3544.975	-33.10	-25	Pass
3545	3549	1	CHP	3	3548.500	-24.33	-13	Pass
3549	3550	0.05	CHP	4	3549.985	-28.71	-13	Pass
3550	3555	0.05	CHP	/	/	/	/	/
3555	3556	0.05	CHP	5	3555.010	-32.15	-13	Pass
3556	3560	1	CHP	6	3556.660	-29.41	-13	Pass
3560	3720	1	CHP	7	3560.005	-35.11	-25	Pass
3720	3730	1	CHP	8	3723.640	-53.10	-40	Pass

Band48_5MHz_QPSK_MCH_3625MHz_RB_1_0_NTNV

