

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 PCS1900_EIRP

Band: PCS1900								
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
	Network	Subset				Result	Limit	
NTNV	GSM	GSM	1850.2	30.10	-2.00	28.10	<=33.01	Pass
			1880	29.58	-2.00	27.58	<=33.01	Pass
			1909.8	30.00	-2.00	28.00	<=33.01	Pass
	GPRS	1 TX Slot	1850.2	30.08	-2.00	28.08	<=33.01	Pass
		2 TX Slots	1850.2	27.67	-2.00	25.67	<=33.01	Pass
		3 TX Slots	1850.2	25.68	-2.00	23.68	<=33.01	Pass
		4 TX Slots	1850.2	24.59	-2.00	22.59	<=33.01	Pass
		1 TX Slot	1880	29.55	-2.00	27.55	<=33.01	Pass
		2 TX Slots	1880	27.12	-2.00	25.12	<=33.01	Pass
		3 TX Slots	1880	25.09	-2.00	23.09	<=33.01	Pass
		4 TX Slots	1880	23.99	-2.00	21.99	<=33.01	Pass
		1 TX Slot	1909.8	29.98	-2.00	27.98	<=33.01	Pass
		2 TX Slots	1909.8	27.53	-2.00	25.53	<=33.01	Pass
		3 TX Slots	1909.8	25.50	-2.00	23.50	<=33.01	Pass
		4 TX Slots	1909.8	24.42	-2.00	22.42	<=33.01	Pass
	EGPRS	1 TX Slot	1850.2	26.98	-2.00	24.98	<=33.01	Pass
		2 TX Slots	1850.2	25.35	-2.00	23.35	<=33.01	Pass
		3 TX Slots	1850.2	22.19	-2.00	20.19	<=33.01	Pass
		4 TX Slots	1850.2	21.35	-2.00	19.35	<=33.01	Pass
		1 TX Slot	1880	26.58	-2.00	24.58	<=33.01	Pass
		2 TX Slots	1880	24.60	-2.00	22.60	<=33.01	Pass
		3 TX Slots	1880	22.10	-2.00	20.10	<=33.01	Pass
		4 TX Slots	1880	21.38	-2.00	19.38	<=33.01	Pass
		1 TX Slot	1909.8	26.97	-2.00	24.97	<=33.01	Pass
		2 TX Slots	1909.8	25.12	-2.00	23.12	<=33.01	Pass
		3 TX Slots	1909.8	22.17	-2.00	20.17	<=33.01	Pass
		4 TX Slots	1909.8	21.42	-2.00	19.42	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 PCS1900

Band: PCS1900							
Network	Frequency (MHz)	Temp. (°C)	Voltage	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
GSM	1850.2	20	LV	-5.553	-0.0030	-2.5 to 2.5	Pass
			NV	-3.989	-0.0022	-2.5 to 2.5	Pass
			HV	-1.971	-0.0011	-2.5 to 2.5	Pass
		-30	NV	-2.248	-0.0012	-2.5 to 2.5	Pass
		-20	NV	-0.090	0.0000	-2.5 to 2.5	Pass
		-10	NV	0.971	0.0005	-2.5 to 2.5	Pass
		0	NV	6.502	0.0035	-2.5 to 2.5	Pass
		10	NV	-0.298	-0.0002	-2.5 to 2.5	Pass
		30	NV	-0.325	-0.0002	-2.5 to 2.5	Pass
		40	NV	-0.354	-0.0002	-2.5 to 2.5	Pass
		50	NV	-0.019	0.0000	-2.5 to 2.5	Pass
	1880	20	LV	-6.854	-0.0036	-2.5 to 2.5	Pass
			NV	-3.043	-0.0016	-2.5 to 2.5	Pass

			HV	-3.256	-0.0017	-2.5 to 2.5	Pass
		-30	NV	-0.659	-0.0004	-2.5 to 2.5	Pass
		-20	NV	-4.136	-0.0022	-2.5 to 2.5	Pass
		-10	NV	-4.264	-0.0023	-2.5 to 2.5	Pass
		0	NV	-5.609	-0.0030	-2.5 to 2.5	Pass
		10	NV	-4.632	-0.0025	-2.5 to 2.5	Pass
		30	NV	-3.262	-0.0017	-2.5 to 2.5	Pass
		40	NV	-8.540	-0.0045	-2.5 to 2.5	Pass
		50	NV	-2.985	-0.0016	-2.5 to 2.5	Pass
	1909.8	20	LV	-5.778	-0.0030	-2.5 to 2.5	Pass
			NV	-5.972	-0.0031	-2.5 to 2.5	Pass
			HV	-6.579	-0.0034	-2.5 to 2.5	Pass
		-30	NV	-9.959	-0.0052	-2.5 to 2.5	Pass
		-20	NV	-5.504	-0.0029	-2.5 to 2.5	Pass
		-10	NV	-5.150	-0.0027	-2.5 to 2.5	Pass
		0	NV	-5.633	-0.0029	-2.5 to 2.5	Pass
		10	NV	-2.848	-0.0015	-2.5 to 2.5	Pass
		30	NV	-14.044	-0.0074	-2.5 to 2.5	Pass
		40	NV	-2.684	-0.0014	-2.5 to 2.5	Pass
		50	NV	-1.960	-0.0010	-2.5 to 2.5	Pass
GPRS	1850.2	20	LV	-3.782	-0.0020	-2.5 to 2.5	Pass
			NV	-6.240	-0.0034	-2.5 to 2.5	Pass
			HV	-5.736	-0.0031	-2.5 to 2.5	Pass
		-30	NV	-4.267	-0.0023	-2.5 to 2.5	Pass
		-20	NV	-6.399	-0.0035	-2.5 to 2.5	Pass
		-10	NV	-11.168	-0.0060	-2.5 to 2.5	Pass
		0	NV	-0.394	-0.0002	-2.5 to 2.5	Pass
		10	NV	-1.840	-0.0010	-2.5 to 2.5	Pass
		30	NV	-2.690	-0.0015	-2.5 to 2.5	Pass
		40	NV	-6.083	-0.0033	-2.5 to 2.5	Pass
		50	NV	-8.130	-0.0044	-2.5 to 2.5	Pass
	1880	20	LV	-3.396	-0.0018	-2.5 to 2.5	Pass
			NV	-4.505	-0.0024	-2.5 to 2.5	Pass
			HV	-7.870	-0.0042	-2.5 to 2.5	Pass
		-30	NV	-2.377	-0.0013	-2.5 to 2.5	Pass
		-20	NV	-1.387	-0.0007	-2.5 to 2.5	Pass
		-10	NV	-3.349	-0.0018	-2.5 to 2.5	Pass
		0	NV	-2.106	-0.0011	-2.5 to 2.5	Pass
		10	NV	-7.382	-0.0039	-2.5 to 2.5	Pass
		30	NV	-4.627	-0.0025	-2.5 to 2.5	Pass
		40	NV	-11.662	-0.0062	-2.5 to 2.5	Pass
		50	NV	-6.435	-0.0034	-2.5 to 2.5	Pass
	1909.8	20	LV	-5.780	-0.0030	-2.5 to 2.5	Pass
			NV	-8.117	-0.0043	-2.5 to 2.5	Pass
			HV	-1.517	-0.0008	-2.5 to 2.5	Pass
		-30	NV	-7.760	-0.0041	-2.5 to 2.5	Pass
		-20	NV	-5.664	-0.0030	-2.5 to 2.5	Pass
		-10	NV	-10.881	-0.0057	-2.5 to 2.5	Pass
		0	NV	-7.345	-0.0038	-2.5 to 2.5	Pass
		10	NV	-9.895	-0.0052	-2.5 to 2.5	Pass
		30	NV	-6.559	-0.0034	-2.5 to 2.5	Pass
		40	NV	-5.314	-0.0028	-2.5 to 2.5	Pass
		50	NV	-12.987	-0.0068	-2.5 to 2.5	Pass
EGPRS	1850.2	20	LV	-14.702	-0.0079	-2.5 to 2.5	Pass
			NV	-12.636	-0.0068	-2.5 to 2.5	Pass
			HV	-13.659	-0.0074	-2.5 to 2.5	Pass
		-30	NV	-14.021	-0.0076	-2.5 to 2.5	Pass
		-20	NV	-13.111	-0.0071	-2.5 to 2.5	Pass
		-10	NV	6.850	0.0037	-2.5 to 2.5	Pass
		0	NV	-5.236	-0.0028	-2.5 to 2.5	Pass
		10	NV	-1.407	-0.0008	-2.5 to 2.5	Pass
		30	NV	-10.153	-0.0055	-2.5 to 2.5	Pass
		40	NV	-6.056	-0.0033	-2.5 to 2.5	Pass
		50	NV	-1.831	-0.0010	-2.5 to 2.5	Pass

	1880	20	LV	-12.764	-0.0068	-2.5 to 2.5	Pass
			NV	-13.982	-0.0074	-2.5 to 2.5	Pass
			HV	-12.034	-0.0064	-2.5 to 2.5	Pass
		-30	NV	-13.536	-0.0072	-2.5 to 2.5	Pass
		-20	NV	-9.440	-0.0050	-2.5 to 2.5	Pass
		-10	NV	-8.644	-0.0046	-2.5 to 2.5	Pass
		0	NV	-3.578	-0.0019	-2.5 to 2.5	Pass
		10	NV	-4.599	-0.0024	-2.5 to 2.5	Pass
		30	NV	-11.266	-0.0060	-2.5 to 2.5	Pass
		40	NV	-11.120	-0.0059	-2.5 to 2.5	Pass
		50	NV	-11.030	-0.0059	-2.5 to 2.5	Pass
	1909.8	20	LV	-9.325	-0.0049	-2.5 to 2.5	Pass
			NV	-12.468	-0.0065	-2.5 to 2.5	Pass
			HV	-11.797	-0.0062	-2.5 to 2.5	Pass
		-30	NV	-11.741	-0.0061	-2.5 to 2.5	Pass
		-20	NV	-12.983	-0.0068	-2.5 to 2.5	Pass
		-10	NV	-14.563	-0.0076	-2.5 to 2.5	Pass
		0	NV	-6.269	-0.0033	-2.5 to 2.5	Pass
		10	NV	-13.155	-0.0069	-2.5 to 2.5	Pass
		30	NV	-13.333	-0.0070	-2.5 to 2.5	Pass
		40	NV	-12.566	-0.0066	-2.5 to 2.5	Pass
		50	NV	-14.175	-0.0074	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 PCS1900_OBW


Band: PCS1900						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	0.246	/	Pass
			1880	0.249	/	Pass
			1909.8	0.248	/	Pass
	GPRS	1 TX Slot	1850.2	0.247	/	Pass
			1880	0.245	/	Pass
			1909.8	0.246	/	Pass
	EGPRS	1 TX Slot	1850.2	0.254	/	Pass
			1880	0.248	/	Pass
			1909.8	0.240	/	Pass

3.1.2 PCS1900_XDB


Band: PCS1900						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	0.313	/	Pass
			1880	0.317	/	Pass
			1909.8	0.321	/	Pass
	GPRS	1 TX Slot	1850.2	0.326	/	Pass
			1880	0.319	/	Pass
			1909.8	0.319	/	Pass
	EGPRS	1 TX Slot	1850.2	0.316	/	Pass
			1880	0.313	/	Pass
			1909.8	0.311	/	Pass

3.2 Test Graph


3.2.1 PCS1900_OBW




PCS1900_GSM_HCH_1909.8MHz_GSM_NTNV




PCS1900_GPRS_LCH_1850.2MHz_1 TX Slot_NTNV







PCS1900_EGPRS_LCH_1850.2MHz_1 TX Slot_NTNV




PCS1900_EGPRS_MCH_1880MHz_1 TX Slot_NTNV







3.2.2 PCS1900_XDB




PCS1900_GSM_HCH_1909.8MHz_GSM_NTNV




PCS1900_GPRS_LCH_1850.2MHz_1 TX Slot_NTNV







PCS1900_EGPRS_LCH_1850.2MHz_1 TX Slot_NTNV



PCS1900_EGPRS_MCH_1880MHz_1 TX Slot_NTNV





4. Peak-Average Ratio


4.1 Test Result

4.1.1 PCS1900


Band: PCS1900						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	9.54	<=13	Pass
			1880	8.76	<=13	Pass
			1909.8	9.05	<=13	Pass
	GPRS	4 TX Slots	1850.2	3.64	<=13	Pass
			1880	3.32	<=13	Pass
			1909.8	3.45	<=13	Pass
	EGPRS	4 TX Slots	1850.2	6.76	<=13	Pass
			1880	6.76	<=13	Pass
			1909.8	6.87	<=13	Pass

4.2 Test Graph


4.2.1 PCS1900




PCS1900_GSM_HCH_1909.8MHz_GSM_NTNV




PCS1900_GPRS_LCH_1850.2MHz_4 TX Slots_NTNV




PCS1900_GPRS_MCH_1880MHz_4 TX Slots_NTNV




PCS1900_GPRS_HCH_1909.8MHz_4 TX Slots_NTNV




PCS1900_EGPRS_LCH_1850.2MHz_4 TX Slots_NTNV



PCS1900_EGPRS_MCH_1880MHz_4 TX Slots_NTNV





5. Spurious Emission


5.1 Test Result

5.1.1 PCS1900


Band: PCS1900						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	Refer To Test Graph		Pass
			1880	Refer To Test Graph		Pass
			1909.8	Refer To Test Graph		Pass
	GPRS	1 TX Slot	1850.2	Refer To Test Graph		Pass
			1880	Refer To Test Graph		Pass
			1909.8	Refer To Test Graph		Pass
	EGPRS	1 TX Slot	1850.2	Refer To Test Graph		Pass
			1880	Refer To Test Graph		Pass
			1909.8	Refer To Test Graph		Pass

5.2 Test Graph


5.2.1 PCS1900




PCS1900_GSM_LCH_1850.2MHz_GSM_NTNV




PCS1900_GSM_MCH_1880MHz_GSM_NTNV




PCS1900_GSM_MCH_1880MHz_GSM_NTNV




PCS1900_GSM_HCH_1909.8MHz_GSM_NTNV




PCS1900_GSM_HCH_1909.8MHz_GSM_NTNV




PCS1900_GSM_HCH_1909.8MHz_GSM_NTNV







PCS1900_GPRS_LCH_1850.2MHz_1 TX Slot_NTNV




PCS1900_GPRS_MCH_1880MHz_1 TX Slot_NTNV




PCS1900_GPRS_MCH_1880MHz_1 TX Slot_NTNV




PCS1900_GPRS_HCH_1909.8MHz_1 TX Slot_NTNV




PCS1900_GPRS_HCH_1909.8MHz_1 TX Slot_NTNV




PCS1900_GPRS_HCH_1909.8MHz_1 TX Slot_NTNV




PCS1900_EGPRS_LCH_1850.2MHz_1 TX Slot_NTNV




PCS1900_EGPRS_LCH_1850.2MHz_1 TX Slot_NTNV




PCS1900_EGPRS_LCH_1850.2MHz_1 TX Slot_NTNV




PCS1900_EGPRS_MCH_1880MHz_1 TX Slot_NTNV




PCS1900_EGPRS_MCH_1880MHz_1 TX Slot_NTNV



PCS1900_EGPRS_HCH_1909.8MHz_1 TX Slot_NTNV



PCS1900_EGPRS_HCH_1909.8MHz_1 TX Slot_NTNV



PCS1900_EGPRS_HCH_1909.8MHz_1 TX Slot_NTNV

