

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 5MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant2*	Sum	Ant2	Ant2*	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1852.5	Edge_1RB_Left	23.78	/	/	20.28	/	/	<=33	Pass
		Edge_1RB_Right	23.82	/	/	20.32	/	/	<=33	Pass
		Outer_Full	24.00	/	/	20.50	/	/	<=33	Pass
		Inner_Full	24.20	/	/	20.70	/	/	<=33	Pass
		Inner_1RB_Left	24.24	/	/	20.74	/	/	<=33	Pass
		Inner_1RB_Right	24.13	/	/	20.63	/	/	<=33	Pass
	1880	Edge_1RB_Left	24.01	/	/	20.51	/	/	<=33	Pass
		Edge_1RB_Right	23.96	/	/	20.46	/	/	<=33	Pass
		Outer_Full	24.06	/	/	20.56	/	/	<=33	Pass
		Inner_Full	24.39	/	/	20.89	/	/	<=33	Pass
		Inner_1RB_Left	24.48	/	/	20.98	/	/	<=33	Pass
		Inner_1RB_Right	24.41	/	/	20.91	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	23.95	/	/	20.45	/	/	<=33	Pass
		Edge_1RB_Right	24.07	/	/	20.57	/	/	<=33	Pass
		Outer_Full	24.09	/	/	20.59	/	/	<=33	Pass
		Inner_Full	24.36	/	/	20.86	/	/	<=33	Pass
		Inner_1RB_Left	24.44	/	/	20.94	/	/	<=33	Pass
DFT-s-OFDM QPSK	1852.5	Edge_1RB_Left	23.02	/	/	19.52	/	/	<=33	Pass
		Edge_1RB_Right	23.00	/	/	19.50	/	/	<=33	Pass
		Outer_Full	23.08	/	/	19.58	/	/	<=33	Pass
		Inner_Full	23.93	/	/	20.43	/	/	<=33	Pass
		Inner_1RB_Left	24.05	/	/	20.55	/	/	<=33	Pass
		Inner_1RB_Right	24.02	/	/	20.53	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.08	/	/	19.58	/	/	<=33	Pass
		Edge_1RB_Right	23.16	/	/	19.66	/	/	<=33	Pass
		Outer_Full	23.14	/	/	19.64	/	/	<=33	Pass
		Inner_Full	24.06	/	/	20.56	/	/	<=33	Pass
		Inner_1RB_Left	24.09	/	/	20.59	/	/	<=33	Pass
		Inner_1RB_Right	24.21	/	/	20.71	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	23.35	/	/	19.85	/	/	<=33	Pass
		Edge_1RB_Right	23.30	/	/	19.81	/	/	<=33	Pass
		Outer_Full	23.39	/	/	19.89	/	/	<=33	Pass
		Inner_Full	24.34	/	/	20.84	/	/	<=33	Pass
		Inner_1RB_Left	24.38	/	/	20.88	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1852.5	Edge_1RB_Left	21.91	/	/	18.41	/	/	<=33	Pass
		Edge_1RB_Right	22.10	/	/	18.60	/	/	<=33	Pass
		Outer_Full	22.20	/	/	18.70	/	/	<=33	Pass
		Inner_Full	22.98	/	/	19.48	/	/	<=33	Pass
		Inner_1RB_Left	22.87	/	/	19.37	/	/	<=33	Pass
		Inner_1RB_Right	22.83	/	/	19.33	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.95	/	/	18.45	/	/	<=33	Pass
		Edge_1RB_Right	22.09	/	/	18.59	/	/	<=33	Pass
		Outer_Full	22.16	/	/	18.66	/	/	<=33	Pass
		Inner_Full	23.05	/	/	19.55	/	/	<=33	Pass
		Inner_1RB_Left	22.99	/	/	19.49	/	/	<=33	Pass
		Inner_1RB_Right	23.03	/	/	19.53	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	22.17	/	/	18.67	/	/	<=33	Pass
		Edge_1RB_Right	22.24	/	/	18.74	/	/	<=33	Pass
		Outer_Full	22.36	/	/	18.86	/	/	<=33	Pass
		Inner_Full	23.26	/	/	19.76	/	/	<=33	Pass
		Inner_1RB_Left	23.15	/	/	19.65	/	/	<=33	Pass
		Inner_1RB_Right	23.18	/	/	19.68	/	/	<=33	Pass

DFT-s-OFDM 64 QAM	1852.5	Edge_1RB_Left	21.69	/	/	18.19	/	/	<=33	Pass
		Edge_1RB_Right	21.75	/	/	18.25	/	/	<=33	Pass
		Outer_Full	21.66	/	/	18.16	/	/	<=33	Pass
		Inner_Full	21.68	/	/	18.18	/	/	<=33	Pass
		Inner_1RB_Left	21.81	/	/	18.31	/	/	<=33	Pass
		Inner_1RB_Right	21.85	/	/	18.35	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.72	/	/	18.22	/	/	<=33	Pass
		Edge_1RB_Right	21.86	/	/	18.36	/	/	<=33	Pass
		Outer_Full	21.71	/	/	18.21	/	/	<=33	Pass
		Inner_Full	21.72	/	/	18.22	/	/	<=33	Pass
		Inner_1RB_Left	21.82	/	/	18.32	/	/	<=33	Pass
		Inner_1RB_Right	21.88	/	/	18.38	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	21.96	/	/	18.46	/	/	<=33	Pass
		Edge_1RB_Right	22.06	/	/	18.56	/	/	<=33	Pass
		Outer_Full	21.89	/	/	18.39	/	/	<=33	Pass
		Inner_Full	21.88	/	/	18.38	/	/	<=33	Pass
		Inner_1RB_Left	21.94	/	/	18.44	/	/	<=33	Pass
		Inner_1RB_Right	22.10	/	/	18.60	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1852.5	Edge_1RB_Left	19.60	/	/	16.10	/	/	<=33	Pass
		Edge_1RB_Right	19.69	/	/	16.19	/	/	<=33	Pass
		Outer_Full	19.67	/	/	16.17	/	/	<=33	Pass
		Inner_Full	19.90	/	/	16.40	/	/	<=33	Pass
		Inner_1RB_Left	20.00	/	/	16.51	/	/	<=33	Pass
		Inner_1RB_Right	20.04	/	/	16.54	/	/	<=33	Pass
	1880	Edge_1RB_Left	19.75	/	/	16.25	/	/	<=33	Pass
		Edge_1RB_Right	19.70	/	/	16.20	/	/	<=33	Pass
		Outer_Full	19.70	/	/	16.20	/	/	<=33	Pass
		Inner_Full	19.63	/	/	16.13	/	/	<=33	Pass
		Inner_1RB_Left	19.70	/	/	16.20	/	/	<=33	Pass
		Inner_1RB_Right	19.74	/	/	16.24	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	19.80	/	/	16.30	/	/	<=33	Pass
		Edge_1RB_Right	19.92	/	/	16.42	/	/	<=33	Pass
		Outer_Full	19.87	/	/	16.37	/	/	<=33	Pass
		Inner_Full	19.78	/	/	16.28	/	/	<=33	Pass
		Inner_1RB_Left	19.83	/	/	16.33	/	/	<=33	Pass
		Inner_1RB_Right	19.97	/	/	16.47	/	/	<=33	Pass
CP-OFDM QPSK	1852.5	Edge_1RB_Left	21.36	/	/	17.86	/	/	<=33	Pass
		Edge_1RB_Right	21.48	/	/	17.98	/	/	<=33	Pass
		Outer_Full	20.52	/	/	17.02	/	/	<=33	Pass
		Inner_Full	22.72	/	/	19.22	/	/	<=33	Pass
		Inner_1RB_Left	22.68	/	/	19.18	/	/	<=33	Pass
		Inner_1RB_Right	22.69	/	/	19.19	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.27	/	/	17.77	/	/	<=33	Pass
		Edge_1RB_Right	21.41	/	/	17.92	/	/	<=33	Pass
		Outer_Full	20.49	/	/	16.99	/	/	<=33	Pass
		Inner_Full	22.75	/	/	19.25	/	/	<=33	Pass
		Inner_1RB_Left	22.72	/	/	19.22	/	/	<=33	Pass
		Inner_1RB_Right	22.75	/	/	19.25	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	21.31	/	/	17.81	/	/	<=33	Pass
		Edge_1RB_Right	21.33	/	/	17.83	/	/	<=33	Pass
		Outer_Full	20.45	/	/	16.95	/	/	<=33	Pass
		Inner_Full	22.77	/	/	19.27	/	/	<=33	Pass
		Inner_1RB_Left	22.54	/	/	19.04	/	/	<=33	Pass
		Inner_1RB_Right	22.68	/	/	19.18	/	/	<=33	Pass
CP-OFDM 16 QAM	1852.5	Edge_1RB_Left	21.05	/	/	17.55	/	/	<=33	Pass
		Edge_1RB_Right	21.50	/	/	18.00	/	/	<=33	Pass
		Outer_Full	20.39	/	/	16.89	/	/	<=33	Pass
		Inner_Full	22.31	/	/	18.81	/	/	<=33	Pass
		Inner_1RB_Left	22.17	/	/	18.67	/	/	<=33	Pass
		Inner_1RB_Right	22.24	/	/	18.74	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.00	/	/	17.50	/	/	<=33	Pass
		Edge_1RB_Right	21.31	/	/	17.81	/	/	<=33	Pass
		Outer_Full	20.28	/	/	16.78	/	/	<=33	Pass
		Inner_Full	22.21	/	/	18.72	/	/	<=33	Pass

		Inner_1RB_Left	22.02	/	/	18.52	/	/	<=33	Pass
		Inner_1RB_Right	22.19	/	/	18.69	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	21.11	/	/	17.61	/	/	<=33	Pass
		Edge_1RB_Right	21.30	/	/	17.80	/	/	<=33	Pass
		Outer_Full	20.34	/	/	16.84	/	/	<=33	Pass
		Inner_Full	22.35	/	/	18.85	/	/	<=33	Pass
		Inner_1RB_Left	22.04	/	/	18.54	/	/	<=33	Pass
		Inner_1RB_Right	22.25	/	/	18.75	/	/	<=33	Pass
CP-OFDM 64 QAM	1852.5	Edge_1RB_Left	20.86	/	/	17.36	/	/	<=33	Pass
		Edge_1RB_Right	21.05	/	/	17.56	/	/	<=33	Pass
		Outer_Full	19.84	/	/	16.34	/	/	<=33	Pass
		Inner_Full	20.70	/	/	17.20	/	/	<=33	Pass
		Inner_1RB_Left	20.62	/	/	17.12	/	/	<=33	Pass
		Inner_1RB_Right	21.01	/	/	17.51	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.82	/	/	17.32	/	/	<=33	Pass
		Edge_1RB_Right	20.87	/	/	17.37	/	/	<=33	Pass
		Outer_Full	19.72	/	/	16.22	/	/	<=33	Pass
		Inner_Full	20.63	/	/	17.13	/	/	<=33	Pass
		Inner_1RB_Left	20.90	/	/	17.40	/	/	<=33	Pass
		Inner_1RB_Right	21.02	/	/	17.52	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	20.92	/	/	17.42	/	/	<=33	Pass
		Edge_1RB_Right	21.01	/	/	17.51	/	/	<=33	Pass
		Outer_Full	19.89	/	/	16.39	/	/	<=33	Pass
		Inner_Full	20.74	/	/	17.24	/	/	<=33	Pass
		Inner_1RB_Left	21.03	/	/	17.53	/	/	<=33	Pass
		Inner_1RB_Right	21.07	/	/	17.57	/	/	<=33	Pass
CP-OFDM 256 QAM	1852.5	Edge_1RB_Left	17.79	/	/	14.29	/	/	<=33	Pass
		Edge_1RB_Right	17.93	/	/	14.43	/	/	<=33	Pass
		Outer_Full	17.78	/	/	14.28	/	/	<=33	Pass
		Inner_Full	17.74	/	/	14.24	/	/	<=33	Pass
		Inner_1RB_Left	17.77	/	/	14.27	/	/	<=33	Pass
		Inner_1RB_Right	17.93	/	/	14.43	/	/	<=33	Pass
	1880	Edge_1RB_Left	17.71	/	/	14.21	/	/	<=33	Pass
		Edge_1RB_Right	17.89	/	/	14.39	/	/	<=33	Pass
		Outer_Full	17.67	/	/	14.17	/	/	<=33	Pass
		Inner_Full	17.60	/	/	14.10	/	/	<=33	Pass
		Inner_1RB_Left	17.81	/	/	14.31	/	/	<=33	Pass
		Inner_1RB_Right	17.90	/	/	14.40	/	/	<=33	Pass
	1907.5	Edge_1RB_Left	17.83	/	/	14.33	/	/	<=33	Pass
		Edge_1RB_Right	17.81	/	/	14.31	/	/	<=33	Pass
		Outer_Full	17.85	/	/	14.35	/	/	<=33	Pass
		Inner_Full	17.71	/	/	14.21	/	/	<=33	Pass
		Inner_1RB_Left	17.86	/	/	14.36	/	/	<=33	Pass
		Inner_1RB_Right	17.92	/	/	14.42	/	/	<=33	Pass
Note1: Antenna Gain: Ant2: -3.50dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.2 15_S_10M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 10MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant2*	Sum	Ant2	Ant2*	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1855	Edge_1RB_Left	23.72	/	/	20.22	/	/	<=33	Pass
		Edge_1RB_Right	23.82	/	/	20.33	/	/	<=33	Pass
		Outer_Full	23.91	/	/	20.41	/	/	<=33	Pass
		Inner_Full	24.08	/	/	20.58	/	/	<=33	Pass
		Inner_1RB_Left	24.18	/	/	20.68	/	/	<=33	Pass
		Inner_1RB_Right	24.27	/	/	20.78	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.93	/	/	20.43	/	/	<=33	Pass
		Edge_1RB_Right	23.93	/	/	20.43	/	/	<=33	Pass
		Outer_Full	24.06	/	/	20.56	/	/	<=33	Pass
		Inner_Full	24.26	/	/	20.76	/	/	<=33	Pass

		Inner_1RB_Left	24.43	/	/	20.93	/	/	<=33	Pass
		Inner_1RB_Right	24.36	/	/	20.86	/	/	<=33	Pass
	1905	Edge_1RB_Left	24.05	/	/	20.55	/	/	<=33	Pass
		Edge_1RB_Right	23.97	/	/	20.47	/	/	<=33	Pass
		Outer_Full	24.17	/	/	20.67	/	/	<=33	Pass
		Inner_Full	24.43	/	/	20.93	/	/	<=33	Pass
		Inner_1RB_Left	24.44	/	/	20.94	/	/	<=33	Pass
		Inner_1RB_Right	24.40	/	/	20.90	/	/	<=33	Pass
DFT-s-OFDM QPSK	1855	Edge_1RB_Left	23.14	/	/	19.64	/	/	<=33	Pass
		Edge_1RB_Right	23.23	/	/	19.73	/	/	<=33	Pass
		Outer_Full	23.16	/	/	19.66	/	/	<=33	Pass
		Inner_Full	24.01	/	/	20.51	/	/	<=33	Pass
		Inner_1RB_Left	24.19	/	/	20.69	/	/	<=33	Pass
		Inner_1RB_Right	24.36	/	/	20.86	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.30	/	/	19.80	/	/	<=33	Pass
		Edge_1RB_Right	23.30	/	/	19.80	/	/	<=33	Pass
		Outer_Full	23.30	/	/	19.80	/	/	<=33	Pass
		Inner_Full	24.18	/	/	20.69	/	/	<=33	Pass
		Inner_1RB_Left	24.31	/	/	20.81	/	/	<=33	Pass
		Inner_1RB_Right	24.37	/	/	20.87	/	/	<=33	Pass
	1905	Edge_1RB_Left	23.34	/	/	19.84	/	/	<=33	Pass
		Edge_1RB_Right	23.34	/	/	19.84	/	/	<=33	Pass
		Outer_Full	23.37	/	/	19.87	/	/	<=33	Pass
		Inner_Full	24.18	/	/	20.68	/	/	<=33	Pass
		Inner_1RB_Left	24.30	/	/	20.80	/	/	<=33	Pass
		Inner_1RB_Right	24.34	/	/	20.84	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1855	Edge_1RB_Left	21.99	/	/	18.49	/	/	<=33	Pass
		Edge_1RB_Right	22.05	/	/	18.55	/	/	<=33	Pass
		Outer_Full	22.22	/	/	18.72	/	/	<=33	Pass
		Inner_Full	23.04	/	/	19.54	/	/	<=33	Pass
		Inner_1RB_Left	22.93	/	/	19.43	/	/	<=33	Pass
		Inner_1RB_Right	23.10	/	/	19.60	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.17	/	/	18.67	/	/	<=33	Pass
		Edge_1RB_Right	22.19	/	/	18.69	/	/	<=33	Pass
		Outer_Full	22.23	/	/	18.73	/	/	<=33	Pass
		Inner_Full	23.21	/	/	19.71	/	/	<=33	Pass
		Inner_1RB_Left	23.08	/	/	19.58	/	/	<=33	Pass
		Inner_1RB_Right	23.15	/	/	19.65	/	/	<=33	Pass
	1905	Edge_1RB_Left	22.09	/	/	18.60	/	/	<=33	Pass
		Edge_1RB_Right	22.30	/	/	18.80	/	/	<=33	Pass
		Outer_Full	22.25	/	/	18.75	/	/	<=33	Pass
		Inner_Full	23.22	/	/	19.72	/	/	<=33	Pass
		Inner_1RB_Left	23.19	/	/	19.69	/	/	<=33	Pass
		Inner_1RB_Right	23.09	/	/	19.59	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1855	Edge_1RB_Left	21.82	/	/	18.32	/	/	<=33	Pass
		Edge_1RB_Right	21.83	/	/	18.33	/	/	<=33	Pass
		Outer_Full	21.70	/	/	18.20	/	/	<=33	Pass
		Inner_Full	21.76	/	/	18.26	/	/	<=33	Pass
		Inner_1RB_Left	21.90	/	/	18.40	/	/	<=33	Pass
		Inner_1RB_Right	21.84	/	/	18.34	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.84	/	/	18.34	/	/	<=33	Pass
		Edge_1RB_Right	22.00	/	/	18.50	/	/	<=33	Pass
		Outer_Full	21.75	/	/	18.25	/	/	<=33	Pass
		Inner_Full	21.74	/	/	18.24	/	/	<=33	Pass
		Inner_1RB_Left	21.62	/	/	18.12	/	/	<=33	Pass
		Inner_1RB_Right	22.01	/	/	18.51	/	/	<=33	Pass
	1905	Edge_1RB_Left	21.97	/	/	18.47	/	/	<=33	Pass
		Edge_1RB_Right	22.02	/	/	18.52	/	/	<=33	Pass
		Outer_Full	21.71	/	/	18.21	/	/	<=33	Pass
		Inner_Full	21.77	/	/	18.27	/	/	<=33	Pass
		Inner_1RB_Left	21.98	/	/	18.48	/	/	<=33	Pass
		Inner_1RB_Right	21.73	/	/	18.23	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1855	Edge_1RB_Left	19.69	/	/	16.19	/	/	<=33	Pass
		Edge_1RB_Right	19.77	/	/	16.27	/	/	<=33	Pass

		Outer_Full	19.65	/	/	16.15	/	/	<=33	Pass
		Inner_Full	19.58	/	/	16.08	/	/	<=33	Pass
		Inner_1RB_Left	19.69	/	/	16.19	/	/	<=33	Pass
		Inner_1RB_Right	19.81	/	/	16.31	/	/	<=33	Pass
	1880	Edge_1RB_Left	19.78	/	/	16.28	/	/	<=33	Pass
		Edge_1RB_Right	19.91	/	/	16.41	/	/	<=33	Pass
		Outer_Full	19.85	/	/	16.35	/	/	<=33	Pass
		Inner_Full	19.69	/	/	16.19	/	/	<=33	Pass
		Inner_1RB_Left	19.88	/	/	16.38	/	/	<=33	Pass
		Inner_1RB_Right	19.89	/	/	16.39	/	/	<=33	Pass
	1905	Edge_1RB_Left	19.82	/	/	16.32	/	/	<=33	Pass
		Edge_1RB_Right	19.89	/	/	16.40	/	/	<=33	Pass
		Outer_Full	19.77	/	/	16.27	/	/	<=33	Pass
		Inner_Full	19.67	/	/	16.17	/	/	<=33	Pass
		Inner_1RB_Left	19.81	/	/	16.31	/	/	<=33	Pass
		Inner_1RB_Right	19.95	/	/	16.45	/	/	<=33	Pass
CP-OFDM QPSK		Edge_1RB_Left	21.20	/	/	17.70	/	/	<=33	Pass
		Edge_1RB_Right	21.23	/	/	17.74	/	/	<=33	Pass
	1855	Outer_Full	20.27	/	/	16.77	/	/	<=33	Pass
		Inner_Full	22.64	/	/	19.14	/	/	<=33	Pass
		Inner_1RB_Left	22.68	/	/	19.18	/	/	<=33	Pass
		Inner_1RB_Right	22.44	/	/	18.94	/	/	<=33	Pass
		Edge_1RB_Left	21.29	/	/	17.79	/	/	<=33	Pass
		Edge_1RB_Right	21.43	/	/	17.93	/	/	<=33	Pass
	1880	Outer_Full	20.32	/	/	16.82	/	/	<=33	Pass
		Inner_Full	22.73	/	/	19.23	/	/	<=33	Pass
		Inner_1RB_Left	22.62	/	/	19.12	/	/	<=33	Pass
		Inner_1RB_Right	22.71	/	/	19.21	/	/	<=33	Pass
		Edge_1RB_Left	21.27	/	/	17.77	/	/	<=33	Pass
		Edge_1RB_Right	21.36	/	/	17.86	/	/	<=33	Pass
	1905	Outer_Full	20.30	/	/	16.80	/	/	<=33	Pass
		Inner_Full	22.77	/	/	19.27	/	/	<=33	Pass
		Inner_1RB_Left	22.75	/	/	19.25	/	/	<=33	Pass
		Inner_1RB_Right	22.81	/	/	19.31	/	/	<=33	Pass
CP-OFDM 16 QAM		Edge_1RB_Left	20.98	/	/	17.49	/	/	<=33	Pass
		Edge_1RB_Right	21.02	/	/	17.52	/	/	<=33	Pass
	1855	Outer_Full	20.15	/	/	16.65	/	/	<=33	Pass
		Inner_Full	22.09	/	/	18.59	/	/	<=33	Pass
		Inner_1RB_Left	22.04	/	/	18.54	/	/	<=33	Pass
		Inner_1RB_Right	22.03	/	/	18.53	/	/	<=33	Pass
		Edge_1RB_Left	21.03	/	/	17.53	/	/	<=33	Pass
		Edge_1RB_Right	21.17	/	/	17.67	/	/	<=33	Pass
	1880	Outer_Full	20.25	/	/	16.75	/	/	<=33	Pass
		Inner_Full	22.18	/	/	18.68	/	/	<=33	Pass
		Inner_1RB_Left	22.05	/	/	18.55	/	/	<=33	Pass
		Inner_1RB_Right	22.14	/	/	18.64	/	/	<=33	Pass
		Edge_1RB_Left	21.39	/	/	17.89	/	/	<=33	Pass
		Edge_1RB_Right	21.24	/	/	17.74	/	/	<=33	Pass
	1905	Outer_Full	20.30	/	/	16.80	/	/	<=33	Pass
		Inner_Full	22.19	/	/	18.69	/	/	<=33	Pass
		Inner_1RB_Left	22.17	/	/	18.67	/	/	<=33	Pass
		Inner_1RB_Right	22.15	/	/	18.65	/	/	<=33	Pass
CP-OFDM 64 QAM		Edge_1RB_Left	20.50	/	/	17.00	/	/	<=33	Pass
		Edge_1RB_Right	20.87	/	/	17.37	/	/	<=33	Pass
	1855	Outer_Full	19.68	/	/	16.18	/	/	<=33	Pass
		Inner_Full	20.59	/	/	17.09	/	/	<=33	Pass
		Inner_1RB_Left	20.85	/	/	17.35	/	/	<=33	Pass
		Inner_1RB_Right	20.88	/	/	17.38	/	/	<=33	Pass
		Edge_1RB_Left	20.83	/	/	17.33	/	/	<=33	Pass
		Edge_1RB_Right	20.98	/	/	17.49	/	/	<=33	Pass
	1880	Outer_Full	19.71	/	/	16.21	/	/	<=33	Pass
		Inner_Full	20.65	/	/	17.15	/	/	<=33	Pass
		Inner_1RB_Left	20.93	/	/	17.43	/	/	<=33	Pass
		Inner_1RB_Right	21.09	/	/	17.59	/	/	<=33	Pass

	1905	Edge_1RB_Left	20.64	/	/	17.14	/	/	<=33	Pass
		Edge_1RB_Right	21.05	/	/	17.55	/	/	<=33	Pass
		Outer_Full	19.75	/	/	16.25	/	/	<=33	Pass
		Inner_Full	20.70	/	/	17.20	/	/	<=33	Pass
		Inner_1RB_Left	20.93	/	/	17.43	/	/	<=33	Pass
		Inner_1RB_Right	21.05	/	/	17.55	/	/	<=33	Pass
CP-OFDM 256 QAM	1855	Edge_1RB_Left	17.72	/	/	14.22	/	/	<=33	Pass
		Edge_1RB_Right	17.67	/	/	14.17	/	/	<=33	Pass
		Outer_Full	17.78	/	/	14.28	/	/	<=33	Pass
		Inner_Full	17.59	/	/	14.09	/	/	<=33	Pass
		Inner_1RB_Left	17.73	/	/	14.23	/	/	<=33	Pass
		Inner_1RB_Right	17.77	/	/	14.27	/	/	<=33	Pass
	1880	Edge_1RB_Left	17.76	/	/	14.26	/	/	<=33	Pass
		Edge_1RB_Right	17.91	/	/	14.41	/	/	<=33	Pass
		Outer_Full	17.82	/	/	14.32	/	/	<=33	Pass
		Inner_Full	17.57	/	/	14.07	/	/	<=33	Pass
		Inner_1RB_Left	17.82	/	/	14.32	/	/	<=33	Pass
		Inner_1RB_Right	17.94	/	/	14.44	/	/	<=33	Pass
	1905	Edge_1RB_Left	17.82	/	/	14.33	/	/	<=33	Pass
		Edge_1RB_Right	17.84	/	/	14.34	/	/	<=33	Pass
		Outer_Full	17.78	/	/	14.28	/	/	<=33	Pass
		Inner_Full	17.66	/	/	14.16	/	/	<=33	Pass
		Inner_1RB_Left	17.95	/	/	14.45	/	/	<=33	Pass
			Inner_1RB_Right	17.97	/	/	14.47	/	/	<=33
Note1: Antenna Gain: Ant2: -3.50dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.3 15_S_15M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 15MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant2*	Sum	Ant2	Ant2*	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1857.5	Edge_1RB_Left	23.58	/	/	20.08	/	/	<=33	Pass
		Edge_1RB_Right	23.64	/	/	20.15	/	/	<=33	Pass
		Outer_Full	23.90	/	/	20.40	/	/	<=33	Pass
		Inner_Full	24.16	/	/	20.66	/	/	<=33	Pass
		Inner_1RB_Left	24.09	/	/	20.59	/	/	<=33	Pass
		Inner_1RB_Right	24.12	/	/	20.62	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.70	/	/	20.20	/	/	<=33	Pass
		Edge_1RB_Right	23.75	/	/	20.25	/	/	<=33	Pass
		Outer_Full	24.05	/	/	20.55	/	/	<=33	Pass
		Inner_Full	24.35	/	/	20.85	/	/	<=33	Pass
		Inner_1RB_Left	24.20	/	/	20.70	/	/	<=33	Pass
		Inner_1RB_Right	24.23	/	/	20.73	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	23.81	/	/	20.31	/	/	<=33	Pass
		Edge_1RB_Right	23.70	/	/	20.20	/	/	<=33	Pass
		Outer_Full	24.13	/	/	20.63	/	/	<=33	Pass
		Inner_Full	24.37	/	/	20.87	/	/	<=33	Pass
		Inner_1RB_Left	24.26	/	/	20.76	/	/	<=33	Pass
		Inner_1RB_Right	24.18	/	/	20.68	/	/	<=33	Pass
DFT-s-OFDM QPSK	1857.5	Edge_1RB_Left	22.91	/	/	19.41	/	/	<=33	Pass
		Edge_1RB_Right	22.99	/	/	19.49	/	/	<=33	Pass
		Outer_Full	23.17	/	/	19.67	/	/	<=33	Pass
		Inner_Full	24.08	/	/	20.58	/	/	<=33	Pass
		Inner_1RB_Left	23.97	/	/	20.47	/	/	<=33	Pass
		Inner_1RB_Right	24.09	/	/	20.60	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.12	/	/	19.62	/	/	<=33	Pass
		Edge_1RB_Right	23.17	/	/	19.67	/	/	<=33	Pass
		Outer_Full	23.29	/	/	19.79	/	/	<=33	Pass
		Inner_Full	24.18	/	/	20.68	/	/	<=33	Pass
		Inner_1RB_Left	24.07	/	/	20.57	/	/	<=33	Pass
		Inner_1RB_Right	24.25	/	/	20.75	/	/	<=33	Pass

	1902.5	Edge_1RB_Left	23.11	/	/	19.61	/	/	<=33	Pass
		Edge_1RB_Right	23.16	/	/	19.66	/	/	<=33	Pass
		Outer_Full	23.35	/	/	19.85	/	/	<=33	Pass
		Inner_Full	24.18	/	/	20.68	/	/	<=33	Pass
		Inner_1RB_Left	24.21	/	/	20.71	/	/	<=33	Pass
		Inner_1RB_Right	24.15	/	/	20.65	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1857.5	Edge_1RB_Left	21.86	/	/	18.36	/	/	<=33	Pass
		Edge_1RB_Right	21.92	/	/	18.42	/	/	<=33	Pass
		Outer_Full	22.21	/	/	18.72	/	/	<=33	Pass
		Inner_Full	23.07	/	/	19.57	/	/	<=33	Pass
		Inner_1RB_Left	23.12	/	/	19.62	/	/	<=33	Pass
		Inner_1RB_Right	22.89	/	/	19.39	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.95	/	/	18.45	/	/	<=33	Pass
		Edge_1RB_Right	22.08	/	/	18.58	/	/	<=33	Pass
		Outer_Full	22.27	/	/	18.77	/	/	<=33	Pass
		Inner_Full	23.17	/	/	19.67	/	/	<=33	Pass
		Inner_1RB_Left	22.95	/	/	19.45	/	/	<=33	Pass
		Inner_1RB_Right	23.03	/	/	19.53	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	21.99	/	/	18.49	/	/	<=33	Pass
		Edge_1RB_Right	22.09	/	/	18.59	/	/	<=33	Pass
		Outer_Full	22.35	/	/	18.85	/	/	<=33	Pass
		Inner_Full	23.17	/	/	19.67	/	/	<=33	Pass
		Inner_1RB_Left	23.21	/	/	19.71	/	/	<=33	Pass
		Inner_1RB_Right	22.94	/	/	19.44	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1857.5	Edge_1RB_Left	21.70	/	/	18.20	/	/	<=33	Pass
		Edge_1RB_Right	21.68	/	/	18.18	/	/	<=33	Pass
		Outer_Full	21.69	/	/	18.19	/	/	<=33	Pass
		Inner_Full	21.72	/	/	18.22	/	/	<=33	Pass
		Inner_1RB_Left	21.75	/	/	18.25	/	/	<=33	Pass
		Inner_1RB_Right	21.53	/	/	18.03	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.74	/	/	18.24	/	/	<=33	Pass
		Edge_1RB_Right	21.85	/	/	18.35	/	/	<=33	Pass
		Outer_Full	21.73	/	/	18.23	/	/	<=33	Pass
		Inner_Full	21.80	/	/	18.30	/	/	<=33	Pass
		Inner_1RB_Left	21.53	/	/	18.03	/	/	<=33	Pass
		Inner_1RB_Right	21.92	/	/	18.42	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	21.81	/	/	18.31	/	/	<=33	Pass
		Edge_1RB_Right	21.95	/	/	18.45	/	/	<=33	Pass
		Outer_Full	21.81	/	/	18.31	/	/	<=33	Pass
		Inner_Full	21.80	/	/	18.30	/	/	<=33	Pass
		Inner_1RB_Left	21.86	/	/	18.36	/	/	<=33	Pass
		Inner_1RB_Right	21.89	/	/	18.39	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1857.5	Edge_1RB_Left	19.68	/	/	16.18	/	/	<=33	Pass
		Edge_1RB_Right	19.62	/	/	16.12	/	/	<=33	Pass
		Outer_Full	19.74	/	/	16.24	/	/	<=33	Pass
		Inner_Full	19.66	/	/	16.16	/	/	<=33	Pass
		Inner_1RB_Left	19.58	/	/	16.08	/	/	<=33	Pass
		Inner_1RB_Right	19.75	/	/	16.25	/	/	<=33	Pass
	1880	Edge_1RB_Left	19.58	/	/	16.08	/	/	<=33	Pass
		Edge_1RB_Right	19.79	/	/	16.29	/	/	<=33	Pass
		Outer_Full	19.75	/	/	16.25	/	/	<=33	Pass
		Inner_Full	19.74	/	/	16.24	/	/	<=33	Pass
		Inner_1RB_Left	19.79	/	/	16.29	/	/	<=33	Pass
		Inner_1RB_Right	19.80	/	/	16.30	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	19.73	/	/	16.23	/	/	<=33	Pass
		Edge_1RB_Right	19.80	/	/	16.30	/	/	<=33	Pass
		Outer_Full	19.86	/	/	16.36	/	/	<=33	Pass
		Inner_Full	20.18	/	/	16.68	/	/	<=33	Pass
		Inner_1RB_Left	20.17	/	/	16.67	/	/	<=33	Pass
		Inner_1RB_Right	20.19	/	/	16.69	/	/	<=33	Pass
CP-OFDM QPSK	1857.5	Edge_1RB_Left	21.04	/	/	17.54	/	/	<=33	Pass
		Edge_1RB_Right	21.18	/	/	17.68	/	/	<=33	Pass
		Outer_Full	20.31	/	/	16.81	/	/	<=33	Pass
		Inner_Full	22.53	/	/	19.03	/	/	<=33	Pass

		Inner_1RB_Left	22.38	/	/	18.88	/	/	<=33	Pass
		Inner_1RB_Right	22.55	/	/	19.05	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.08	/	/	17.58	/	/	<=33	Pass
		Edge_1RB_Right	21.23	/	/	17.73	/	/	<=33	Pass
		Outer_Full	20.31	/	/	16.81	/	/	<=33	Pass
		Inner_Full	22.66	/	/	19.16	/	/	<=33	Pass
		Inner_1RB_Left	22.53	/	/	19.03	/	/	<=33	Pass
		Inner_1RB_Right	22.64	/	/	19.14	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	21.56	/	/	18.06	/	/	<=33	Pass
		Edge_1RB_Right	21.54	/	/	18.04	/	/	<=33	Pass
		Outer_Full	20.75	/	/	17.25	/	/	<=33	Pass
		Inner_Full	23.09	/	/	19.59	/	/	<=33	Pass
		Inner_1RB_Left	22.99	/	/	19.49	/	/	<=33	Pass
		Inner_1RB_Right	22.89	/	/	19.39	/	/	<=33	Pass
CP-OFDM 16 QAM	1857.5	Edge_1RB_Left	20.84	/	/	17.34	/	/	<=33	Pass
		Edge_1RB_Right	20.95	/	/	17.45	/	/	<=33	Pass
		Outer_Full	20.22	/	/	16.72	/	/	<=33	Pass
		Inner_Full	22.20	/	/	18.70	/	/	<=33	Pass
		Inner_1RB_Left	21.83	/	/	18.33	/	/	<=33	Pass
		Inner_1RB_Right	21.96	/	/	18.46	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.97	/	/	17.47	/	/	<=33	Pass
		Edge_1RB_Right	21.05	/	/	17.55	/	/	<=33	Pass
		Outer_Full	20.26	/	/	16.76	/	/	<=33	Pass
		Inner_Full	22.18	/	/	18.68	/	/	<=33	Pass
		Inner_1RB_Left	21.95	/	/	18.45	/	/	<=33	Pass
		Inner_1RB_Right	22.28	/	/	18.78	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	21.28	/	/	17.78	/	/	<=33	Pass
		Edge_1RB_Right	21.36	/	/	17.86	/	/	<=33	Pass
		Outer_Full	20.62	/	/	17.12	/	/	<=33	Pass
		Inner_Full	22.43	/	/	18.93	/	/	<=33	Pass
		Inner_1RB_Left	22.32	/	/	18.82	/	/	<=33	Pass
		Inner_1RB_Right	22.26	/	/	18.76	/	/	<=33	Pass
CP-OFDM 64 QAM	1857.5	Edge_1RB_Left	20.72	/	/	17.22	/	/	<=33	Pass
		Edge_1RB_Right	20.79	/	/	17.29	/	/	<=33	Pass
		Outer_Full	19.69	/	/	16.19	/	/	<=33	Pass
		Inner_Full	20.73	/	/	17.23	/	/	<=33	Pass
		Inner_1RB_Left	20.75	/	/	17.25	/	/	<=33	Pass
		Inner_1RB_Right	20.83	/	/	17.33	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.68	/	/	17.18	/	/	<=33	Pass
		Edge_1RB_Right	20.86	/	/	17.36	/	/	<=33	Pass
		Outer_Full	19.77	/	/	16.27	/	/	<=33	Pass
		Inner_Full	20.76	/	/	17.26	/	/	<=33	Pass
		Inner_1RB_Left	20.79	/	/	17.29	/	/	<=33	Pass
		Inner_1RB_Right	20.92	/	/	17.42	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	21.20	/	/	17.70	/	/	<=33	Pass
		Edge_1RB_Right	21.18	/	/	17.68	/	/	<=33	Pass
		Outer_Full	20.07	/	/	16.57	/	/	<=33	Pass
		Inner_Full	20.99	/	/	17.49	/	/	<=33	Pass
		Inner_1RB_Left	21.10	/	/	17.60	/	/	<=33	Pass
		Inner_1RB_Right	21.21	/	/	17.72	/	/	<=33	Pass
CP-OFDM 256 QAM	1857.5	Edge_1RB_Left	17.38	/	/	13.88	/	/	<=33	Pass
		Edge_1RB_Right	17.58	/	/	14.08	/	/	<=33	Pass
		Outer_Full	17.73	/	/	14.23	/	/	<=33	Pass
		Inner_Full	17.68	/	/	14.18	/	/	<=33	Pass
		Inner_1RB_Left	17.54	/	/	14.04	/	/	<=33	Pass
		Inner_1RB_Right	17.65	/	/	14.15	/	/	<=33	Pass
	1880	Edge_1RB_Left	17.57	/	/	14.07	/	/	<=33	Pass
		Edge_1RB_Right	17.80	/	/	14.30	/	/	<=33	Pass
		Outer_Full	17.76	/	/	14.26	/	/	<=33	Pass
		Inner_Full	17.73	/	/	14.23	/	/	<=33	Pass
		Inner_1RB_Left	17.65	/	/	14.15	/	/	<=33	Pass
		Inner_1RB_Right	17.82	/	/	14.32	/	/	<=33	Pass
	1902.5	Edge_1RB_Left	17.96	/	/	14.46	/	/	<=33	Pass
		Edge_1RB_Right	17.96	/	/	14.46	/	/	<=33	Pass

		Outer_Full	18.02	/	/	14.52	/	/	<=33	Pass
		Inner_Full	18.05	/	/	14.55	/	/	<=33	Pass
		Inner_1RB_Left	18.02	/	/	14.52	/	/	<=33	Pass
		Inner_1RB_Right	18.03	/	/	14.53	/	/	<=33	Pass
Note1: Antenna Gain: Ant2: -3.50dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.4 15_S_20M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 20MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant2	Ant2*	Sum	Ant2	Ant2*	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1860	Edge_1RB_Left	23.64	/	/	20.14	/	/	<=33	Pass
		Edge_1RB_Right	23.66	/	/	20.16	/	/	<=33	Pass
		Outer_Full	23.91	/	/	20.41	/	/	<=33	Pass
		Inner_Full	24.21	/	/	20.71	/	/	<=33	Pass
		Inner_1RB_Left	24.01	/	/	20.51	/	/	<=33	Pass
		Inner_1RB_Right	24.13	/	/	20.63	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.66	/	/	20.16	/	/	<=33	Pass
		Edge_1RB_Right	23.84	/	/	20.34	/	/	<=33	Pass
		Outer_Full	23.97	/	/	20.47	/	/	<=33	Pass
		Inner_Full	24.29	/	/	20.79	/	/	<=33	Pass
		Inner_1RB_Left	24.07	/	/	20.57	/	/	<=33	Pass
		Inner_1RB_Right	24.28	/	/	20.78	/	/	<=33	Pass
	1900	Edge_1RB_Left	23.77	/	/	20.27	/	/	<=33	Pass
		Edge_1RB_Right	23.71	/	/	20.21	/	/	<=33	Pass
		Outer_Full	24.06	/	/	20.56	/	/	<=33	Pass
		Inner_Full	24.38	/	/	20.88	/	/	<=33	Pass
		Inner_1RB_Left	24.22	/	/	20.72	/	/	<=33	Pass
		Inner_1RB_Right	24.22	/	/	20.72	/	/	<=33	Pass
DFT-s-OFDM QPSK	1860	Edge_1RB_Left	23.03	/	/	19.53	/	/	<=33	Pass
		Edge_1RB_Right	23.17	/	/	19.67	/	/	<=33	Pass
		Outer_Full	23.25	/	/	19.75	/	/	<=33	Pass
		Inner_Full	24.24	/	/	20.74	/	/	<=33	Pass
		Inner_1RB_Left	24.04	/	/	20.54	/	/	<=33	Pass
		Inner_1RB_Right	24.21	/	/	20.71	/	/	<=33	Pass
	1880	Edge_1RB_Left	23.26	/	/	19.76	/	/	<=33	Pass
		Edge_1RB_Right	23.43	/	/	19.93	/	/	<=33	Pass
		Outer_Full	23.47	/	/	19.97	/	/	<=33	Pass
		Inner_Full	24.38	/	/	20.88	/	/	<=33	Pass
		Inner_1RB_Left	24.23	/	/	20.73	/	/	<=33	Pass
		Inner_1RB_Right	24.39	/	/	20.89	/	/	<=33	Pass
	1900	Edge_1RB_Left	23.33	/	/	19.83	/	/	<=33	Pass
		Edge_1RB_Right	23.30	/	/	19.80	/	/	<=33	Pass
		Outer_Full	23.42	/	/	19.92	/	/	<=33	Pass
		Inner_Full	24.38	/	/	20.88	/	/	<=33	Pass
		Inner_1RB_Left	24.27	/	/	20.77	/	/	<=33	Pass
		Inner_1RB_Right	24.32	/	/	20.82	/	/	<=33	Pass
DFT-s-OFDM 16 QAM	1860	Edge_1RB_Left	22.02	/	/	18.52	/	/	<=33	Pass
		Edge_1RB_Right	22.07	/	/	18.58	/	/	<=33	Pass
		Outer_Full	22.20	/	/	18.70	/	/	<=33	Pass
		Inner_Full	23.23	/	/	19.73	/	/	<=33	Pass
		Inner_1RB_Left	22.87	/	/	19.37	/	/	<=33	Pass
		Inner_1RB_Right	22.98	/	/	19.48	/	/	<=33	Pass
	1880	Edge_1RB_Left	22.02	/	/	18.52	/	/	<=33	Pass
		Edge_1RB_Right	22.34	/	/	18.84	/	/	<=33	Pass
		Outer_Full	22.32	/	/	18.82	/	/	<=33	Pass
		Inner_Full	23.31	/	/	19.81	/	/	<=33	Pass
		Inner_1RB_Left	23.01	/	/	19.51	/	/	<=33	Pass
		Inner_1RB_Right	23.17	/	/	19.67	/	/	<=33	Pass
	1900	Edge_1RB_Left	21.94	/	/	18.44	/	/	<=33	Pass
		Edge_1RB_Right	22.18	/	/	18.68	/	/	<=33	Pass

		Outer_Full	22.39	/	/	18.89	/	/	<=33	Pass
		Inner_Full	23.32	/	/	19.82	/	/	<=33	Pass
		Inner_1RB_Left	23.09	/	/	19.59	/	/	<=33	Pass
		Inner_1RB_Right	23.10	/	/	19.60	/	/	<=33	Pass
DFT-s-OFDM 64 QAM	1860	Edge_1RB_Left	21.80	/	/	18.30	/	/	<=33	Pass
		Edge_1RB_Right	21.79	/	/	18.29	/	/	<=33	Pass
		Outer_Full	21.76	/	/	18.26	/	/	<=33	Pass
		Inner_Full	21.80	/	/	18.30	/	/	<=33	Pass
		Inner_1RB_Left	21.77	/	/	18.27	/	/	<=33	Pass
		Inner_1RB_Right	21.92	/	/	18.42	/	/	<=33	Pass
		Edge_1RB_Left	21.84	/	/	18.34	/	/	<=33	Pass
		Edge_1RB_Right	22.02	/	/	18.52	/	/	<=33	Pass
	1880	Outer_Full	21.86	/	/	18.36	/	/	<=33	Pass
		Inner_Full	21.92	/	/	18.42	/	/	<=33	Pass
		Inner_1RB_Left	21.91	/	/	18.41	/	/	<=33	Pass
		Inner_1RB_Right	22.03	/	/	18.53	/	/	<=33	Pass
	1900	Edge_1RB_Left	21.84	/	/	18.34	/	/	<=33	Pass
		Edge_1RB_Right	22.06	/	/	18.56	/	/	<=33	Pass
		Outer_Full	21.89	/	/	18.39	/	/	<=33	Pass
		Inner_Full	21.92	/	/	18.42	/	/	<=33	Pass
		Inner_1RB_Left	21.93	/	/	18.43	/	/	<=33	Pass
		Inner_1RB_Right	22.01	/	/	18.51	/	/	<=33	Pass
		Edge_1RB_Left	19.68	/	/	16.18	/	/	<=33	Pass
		Edge_1RB_Right	19.73	/	/	16.23	/	/	<=33	Pass
DFT-s-OFDM 256 QAM	1860	Outer_Full	19.80	/	/	16.30	/	/	<=33	Pass
		Inner_Full	19.84	/	/	16.34	/	/	<=33	Pass
		Inner_1RB_Left	19.79	/	/	16.29	/	/	<=33	Pass
		Inner_1RB_Right	19.85	/	/	16.35	/	/	<=33	Pass
		Edge_1RB_Left	19.77	/	/	16.27	/	/	<=33	Pass
	1880	Edge_1RB_Right	19.89	/	/	16.39	/	/	<=33	Pass
		Outer_Full	19.88	/	/	16.38	/	/	<=33	Pass
		Inner_Full	19.93	/	/	16.43	/	/	<=33	Pass
		Inner_1RB_Left	19.70	/	/	16.20	/	/	<=33	Pass
		Inner_1RB_Right	19.93	/	/	16.43	/	/	<=33	Pass
	1900	Edge_1RB_Left	19.83	/	/	16.33	/	/	<=33	Pass
		Edge_1RB_Right	19.91	/	/	16.41	/	/	<=33	Pass
		Outer_Full	19.94	/	/	16.44	/	/	<=33	Pass
		Inner_Full	19.97	/	/	16.47	/	/	<=33	Pass
		Inner_1RB_Left	19.81	/	/	16.31	/	/	<=33	Pass
		Inner_1RB_Right	19.93	/	/	16.43	/	/	<=33	Pass
CP-OFDM QPSK	1860	Edge_1RB_Left	21.11	/	/	17.61	/	/	<=33	Pass
		Edge_1RB_Right	21.31	/	/	17.81	/	/	<=33	Pass
		Outer_Full	20.31	/	/	16.81	/	/	<=33	Pass
		Inner_Full	22.64	/	/	19.14	/	/	<=33	Pass
		Inner_1RB_Left	22.49	/	/	18.99	/	/	<=33	Pass
		Inner_1RB_Right	22.66	/	/	19.16	/	/	<=33	Pass
	1880	Edge_1RB_Left	21.15	/	/	17.65	/	/	<=33	Pass
		Edge_1RB_Right	21.44	/	/	17.94	/	/	<=33	Pass
		Outer_Full	20.38	/	/	16.88	/	/	<=33	Pass
		Inner_Full	22.84	/	/	19.34	/	/	<=33	Pass
		Inner_1RB_Left	22.60	/	/	19.10	/	/	<=33	Pass
		Inner_1RB_Right	22.81	/	/	19.31	/	/	<=33	Pass
	1900	Edge_1RB_Left	21.40	/	/	17.90	/	/	<=33	Pass
		Edge_1RB_Right	21.51	/	/	18.01	/	/	<=33	Pass
		Outer_Full	20.73	/	/	17.23	/	/	<=33	Pass
		Inner_Full	22.98	/	/	19.48	/	/	<=33	Pass
		Inner_1RB_Left	22.78	/	/	19.28	/	/	<=33	Pass
		Inner_1RB_Right	22.74	/	/	19.24	/	/	<=33	Pass
CP-OFDM 16 QAM	1860	Edge_1RB_Left	21.14	/	/	17.64	/	/	<=33	Pass
		Edge_1RB_Right	21.17	/	/	17.67	/	/	<=33	Pass
		Outer_Full	20.21	/	/	16.71	/	/	<=33	Pass
		Inner_Full	22.24	/	/	18.74	/	/	<=33	Pass
		Inner_1RB_Left	21.91	/	/	18.41	/	/	<=33	Pass
		Inner_1RB_Right	22.02	/	/	18.52	/	/	<=33	Pass

	1880	Edge_1RB_Left	21.03	/	/	17.53	/	/	<=33	Pass
		Edge_1RB_Right	21.29	/	/	17.79	/	/	<=33	Pass
		Outer_Full	20.36	/	/	16.86	/	/	<=33	Pass
		Inner_Full	22.34	/	/	18.84	/	/	<=33	Pass
		Inner_1RB_Left	22.49	/	/	18.99	/	/	<=33	Pass
		Inner_1RB_Right	22.25	/	/	18.75	/	/	<=33	Pass
	1900	Edge_1RB_Left	21.12	/	/	17.62	/	/	<=33	Pass
		Edge_1RB_Right	21.32	/	/	17.82	/	/	<=33	Pass
		Outer_Full	20.48	/	/	16.98	/	/	<=33	Pass
		Inner_Full	22.49	/	/	18.99	/	/	<=33	Pass
		Inner_1RB_Left	22.15	/	/	18.65	/	/	<=33	Pass
		Inner_1RB_Right	22.24	/	/	18.74	/	/	<=33	Pass
CP-OFDM 64 QAM	1860	Edge_1RB_Left	20.78	/	/	17.28	/	/	<=33	Pass
		Edge_1RB_Right	20.90	/	/	17.40	/	/	<=33	Pass
		Outer_Full	19.65	/	/	16.15	/	/	<=33	Pass
		Inner_Full	20.66	/	/	17.16	/	/	<=33	Pass
		Inner_1RB_Left	20.76	/	/	17.26	/	/	<=33	Pass
		Inner_1RB_Right	20.89	/	/	17.39	/	/	<=33	Pass
	1880	Edge_1RB_Left	20.86	/	/	17.36	/	/	<=33	Pass
		Edge_1RB_Right	21.07	/	/	17.57	/	/	<=33	Pass
		Outer_Full	19.82	/	/	16.32	/	/	<=33	Pass
		Inner_Full	20.83	/	/	17.33	/	/	<=33	Pass
		Inner_1RB_Left	20.88	/	/	17.38	/	/	<=33	Pass
		Inner_1RB_Right	21.09	/	/	17.59	/	/	<=33	Pass
	1900	Edge_1RB_Left	20.98	/	/	17.48	/	/	<=33	Pass
		Edge_1RB_Right	21.13	/	/	17.63	/	/	<=33	Pass
		Outer_Full	19.92	/	/	16.42	/	/	<=33	Pass
		Inner_Full	20.97	/	/	17.47	/	/	<=33	Pass
		Inner_1RB_Left	20.94	/	/	17.44	/	/	<=33	Pass
		Inner_1RB_Right	21.15	/	/	17.65	/	/	<=33	Pass
CP-OFDM 256 QAM	1860	Edge_1RB_Left	17.63	/	/	14.13	/	/	<=33	Pass
		Edge_1RB_Right	17.79	/	/	14.29	/	/	<=33	Pass
		Outer_Full	17.76	/	/	14.26	/	/	<=33	Pass
		Inner_Full	17.82	/	/	14.32	/	/	<=33	Pass
		Inner_1RB_Left	17.71	/	/	14.21	/	/	<=33	Pass
		Inner_1RB_Right	17.77	/	/	14.27	/	/	<=33	Pass
	1880	Edge_1RB_Left	17.73	/	/	14.23	/	/	<=33	Pass
		Edge_1RB_Right	17.94	/	/	14.44	/	/	<=33	Pass
		Outer_Full	17.89	/	/	14.39	/	/	<=33	Pass
		Inner_Full	17.88	/	/	14.38	/	/	<=33	Pass
		Inner_1RB_Left	17.73	/	/	14.23	/	/	<=33	Pass
		Inner_1RB_Right	17.93	/	/	14.43	/	/	<=33	Pass
	1900	Edge_1RB_Left	17.75	/	/	14.25	/	/	<=33	Pass
		Edge_1RB_Right	17.97	/	/	14.47	/	/	<=33	Pass
		Outer_Full	18.00	/	/	14.50	/	/	<=33	Pass
		Inner_Full	17.95	/	/	14.45	/	/	<=33	Pass
		Inner_1RB_Left	17.82	/	/	14.32	/	/	<=33	Pass
		Inner_1RB_Right	17.98	/	/	14.48	/	/	<=33	Pass
Note1: Antenna Gain: Ant2: -3.50dBi; Note2: EIRP=Conducted Power+Antenna Gain										

2. Frequency Stability

2.1 Test Result

2.1.1 15_S_20M

5G NR n2 SCS=15kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM	1880	Outer_Full	20	LV	-1.56	-0.0008	>=-2.5 & <=2.5	Pass

QPSK				HV	-2.52	-0.0013	≥ -2.5 & ≤ 2.5	Pass
			-30	NV	-0.56	-0.0003	≥ -2.5 & ≤ 2.5	Pass
			-20	NV	-0.20	-0.0001	≥ -2.5 & ≤ 2.5	Pass
			-10	NV	-0.84	-0.0004	≥ -2.5 & ≤ 2.5	Pass
			0	NV	0.62	0.0003	≥ -2.5 & ≤ 2.5	Pass
			10	NV	0.39	0.0002	≥ -2.5 & ≤ 2.5	Pass
			20	NV	-0.74	-0.0004	≥ -2.5 & ≤ 2.5	Pass
			30	NV	-0.53	-0.0003	≥ -2.5 & ≤ 2.5	Pass
			40	NV	0.19	0.0001	≥ -2.5 & ≤ 2.5	Pass
			50	NV	-0.18	-0.0001	≥ -2.5 & ≤ 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15_S_5M_NTNV

5G NR n2 SCS=15kHz SISO 5MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	4.55	5.01	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	4.54	4.99	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	4.54	4.98	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	4.57	5.00	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	4.55	4.96	/	Pass
CP-OFDM QPSK	1880	Outer_Full	4.51	4.97	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	4.51	4.91	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	4.51	4.93	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	4.52	4.97	/	Pass

3.1.2 15_S_10M_NTNV

5G NR n2 SCS=15kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	9.00	9.74	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	9.04	9.72	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	9.02	9.74	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	9.05	9.69	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	9.06	9.70	/	Pass
CP-OFDM QPSK	1880	Outer_Full	9.38	10.05	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	9.38	10.09	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	9.36	10.05	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	9.34	10.10	/	Pass

3.1.3 15_S_15M_NTNV

5G NR n2 SCS=15kHz SISO 15MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	13.51	14.47	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	13.49	14.57	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	13.57	14.58	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	13.56	14.58	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	13.56	14.58	/	Pass
CP-OFDM QPSK	1880	Outer_Full	14.25	15.28	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	14.23	15.28	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	14.22	15.28	/	Pass


CP-OFDM 256 QAM	1880	Outer_Full	14.22	15.28	/	Pass
-----------------	------	------------	-------	-------	---	------

3.1.4 15_S_20M_NTNV


5G NR n2 SCS=15kHz SISO 20MHz NTNV						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	18.01	19.31	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	18.09	19.43	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	18.01	19.38	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	18.07	19.39	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	18.04	19.42	/	Pass
CP-OFDM QPSK	1880	Outer_Full	19.10	20.39	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	19.09	20.47	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	19.04	20.44	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	19.00	20.39	/	Pass

3.2 Test Graph


3.2.1 15_S_5M_NTNV




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 16 QAM_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 64 QAM_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM 256 QAM_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM_1880MHz_Outer_Full_Ant2







3.2.2 15_S_10M_NTNV




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant2







3.2.3 15_S_15M_NTNV




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM 1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM 1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant2







3.2.4 15_S_20M_NTNV




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 256 QAM_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_1880MHz_Outer_Full_Ant2




n2_15kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant2



n2_15kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant2





4. Peak-Average Ratio


4.1 Test Result


4.1.1 15_S_20M_NTNV

5G NR n2 SCS=15kHz SISO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant2	Ant2*	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	3.95	/	/	<=13	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	4.87	/	/	<=13	Pass
CP-OFDM QPSK	1880	Outer_Full	8.07	/	/	<=13	Pass

4.2 Test Graph

4.2.1 15_S_20M_NTNV





5. Spurious Emission

5.1 Test Result

5.1.1 15_S_5M_NTNV

5G NR n2 SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant2	Ant2*	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1852.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1907.5	Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1852.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1907.5	Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1852.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1907.5	Outer_Full	Refer To Test Graph				Pass

5.1.2 15_S_15M_NTNV

5G NR n2 SCS=15kHz SISO 15MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant2	Ant2*	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1857.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1902.5	Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1857.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1902.5	Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1857.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1902.5	Outer_Full	Refer To Test Graph				Pass


5.1.3 15_S_20M_NTNV

5G NR n2 SCS=15kHz SISO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant2	Ant2*	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1860	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1860	Edge_1RB_Left	Refer To Test Graph				Pass


		Outer_Full	Refer To Test Graph	Pass
	1880	Edge_1RB_Left	Refer To Test Graph	Pass
	1900	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
CP-OFDM QPSK	1860	Edge_1RB_Left	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	1880	Edge_1RB_Left	Refer To Test Graph	Pass
	1900	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass

5.2 Test Graph

5.2.1 15_S_5M_NTNV




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1852.5MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1844.500	-53.16	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	3701.500	-54.83	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1852.5MHz_Outer_Full_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-32.03	-13	Pass
1849	1850	0.04985	CHP	2	1849.990	-38.04	-13	Pass
1850	1855	0.04985	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	887.350	-66.61	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1644.000	-64.63	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	4759.000	-57.95	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1907.5MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.009	-36.40	-13	Pass
1911	1915	1	CHP	2	1911.500	-41.89	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1907.5MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	896.400	-66.67	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1907.5MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1313.000	-64.97	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1915.500	-49.62	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1907.5MHz_Outer_Full_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.04985	CHP	/	/	/	/	/
1910	1911	0.04985	CHP	1	1910.020	-38.34	-13	Pass
1911	1915	1	CHP	2	1911.500	-30.88	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1852.5MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-40.07	-13	Pass
1849	1850	0.003	/	2	1849.995	-31.50	-13	Pass
1850	1855	0.003	/	/	/	/	/	/

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1852.5MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	905.400	-66.32	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1852.5MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1844.000	-53.75	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	3701.500	-53.92	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1852.5MHz_Outer_Full_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-28.88	-13	Pass
1849	1850	0.04985	CHP	2	1849.990	-36.23	-13	Pass
1850	1855	0.04985	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	876.350	-66.61	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1836.000	-64.83	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	4750.000	-58.05	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1907.5MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.011	-35.78	-13	Pass
1911	1915	1	CHP	2	1911.500	-40.21	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1907.5MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	898.000	-66.47	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1907.5MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1822.000	-64.20	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1915.500	-48.68	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1907.5MHz_Outer_Full_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.04985	CHP	/	/	/	/	/
1910	1911	0.04985	CHP	1	1910.010	-35.42	-13	Pass
1911	1915	1	CHP	2	1911.500	-27.45	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1852.5MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.498	-41.42	-13	Pass
1849	1850	0.003	/	2	1849.994	-33.19	-13	Pass
1850	1855	0.003	/	/	/	/	/	/

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1852.5MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	944.200	-66.44	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1852.5MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1844.500	-53.70	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	3701.500	-56.96	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1852.5MHz_Outer_Full_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-31.81	-13	Pass
1849	1850	0.04985	CHP	2	1849.990	-37.65	-13	Pass
1850	1855	0.04985	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	912.300	-66.49	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1555.000	-64.88	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	14745.500	-57.98	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1907.5MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.008	-34.92	-13	Pass
1911	1915	1	CHP	2	1911.500	-41.86	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1907.5MHz_Edge_1RB_Right_Ant2




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	922.600	-66.46	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1907.5MHz_Edge_1RB_Right_Ant2



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1591.000	-64.73	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1915.500	-49.05	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1907.5MHz_Outer_Full_Ant2



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.04985	CHP	/	/	/	/	/
1910	1911	0.04985	CHP	1	1910.010	-38.37	-13	Pass
1911	1915	1	CHP	2	1911.500	-30.46	-13	Pass