

LTE CA Band2C_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4198.875	44.00	-45.79	31.32	-65.73	-13.00	52.73	Horizontal
2	5188.875	44.56	-45.39	33.04	-63.05	-13.00	50.05	Horizontal
3	7048.5	44.52	-44.37	36.23	-58.88	-13.00	45.88	Horizontal
4	8826	42.09	-41.55	37.94	-56.78	-13.00	43.78	Horizontal
5	10803.75	39.24	-38.18	39.02	-55.17	-13.00	42.17	Horizontal
6	12230.625	40.14	-37.62	39.23	-53.51	-13.00	40.51	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4203.375	43.98	-45.81	31.33	-65.76	-13.00	52.76	Vertical
2	4773	45.12	-46.10	32.46	-63.78	-13.00	50.78	Vertical
3	5859.75	44.17	-45.62	33.96	-62.75	-13.00	49.75	Vertical
4	7047.375	44.29	-44.37	36.23	-59.11	-13.00	46.11	Vertical
5	8595.75	42.43	-41.74	37.74	-56.84	-13.00	43.84	Vertical
6	10822.5	39.94	-38.16	39.04	-54.44	-13.00	41.44	Vertical

LTE CA Band2C_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4112.25	44.37	-46.22	31.18	-65.93	-13.00	52.93	Horizontal
2	4738.125	45.32	-46.32	32.37	-63.89	-13.00	50.89	Horizontal
3	6071.625	45.33	-46.40	34.44	-61.89	-13.00	48.89	Horizontal
4	6717	44.30	-44.31	35.69	-59.58	-13.00	46.58	Horizontal
5	7974.75	44.27	-43.23	37.16	-57.05	-13.00	44.05	Horizontal
6	10366.875	40.17	-39.54	38.63	-56.00	-13.00	43.00	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3984.75	45.70	-47.09	30.95	-65.70	-13.00	52.70	Vertical
2	5576.25	45.24	-46.37	33.28	-63.10	-13.00	50.10	Vertical
3	6295.5	44.87	-45.40	34.89	-60.89	-13.00	47.89	Vertical
4	7249.5	43.93	-44.19	36.35	-59.17	-13.00	46.17	Vertical
5	10211.625	41.26	-39.25	38.49	-54.76	-13.00	41.76	Vertical
6	12104.625	39.85	-36.82	39.10	-53.13	-13.00	40.13	Vertical

LTE CA Band2C_ High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3937.875	45.18	-46.75	30.80	-66.03	-13.00	53.03	Horizontal
2	4622.25	45.07	-46.03	32.09	-64.13	-13.00	51.13	Horizontal
3	5364	44.71	-45.48	33.07	-62.96	-13.00	49.96	Horizontal
4	6718.875	44.25	-44.31	35.69	-59.63	-13.00	46.63	Horizontal
5	8375.25	42.58	-42.18	37.54	-57.32	-13.00	44.32	Horizontal
6	10181.25	41.05	-39.17	38.46	-54.92	-13.00	41.92	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4128.75	44.08	-46.14	31.21	-66.11	-13.00	53.11	Vertical
2	5185.5	44.55	-45.42	33.04	-63.09	-13.00	50.09	Vertical
3	5914.5	44.01	-45.56	34.09	-62.72	-13.00	49.72	Vertical
4	6965.625	44.64	-44.77	36.14	-59.26	-13.00	46.26	Vertical
5	8377.125	42.37	-42.13	37.54	-57.48	-13.00	44.48	Vertical
6	10796.25	39.64	-38.24	39.02	-54.84	-13.00	41.84	Vertical

LTE CA Band41C_ Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4192.5	45.22	-45.82	31.31	-64.55	-25.00	39.55	Horizontal
2	5634.375	45.99	-46.06	33.42	-61.91	-25.00	36.91	Horizontal
3	6709.125	45.30	-44.29	35.68	-58.57	-25.00	33.57	Horizontal
4	7915.5	44.56	-43.01	37.08	-56.63	-25.00	31.63	Horizontal
5	9485.625	43.58	-41.19	38.20	-54.67	-25.00	29.67	Horizontal
6	11179.125	40.94	-37.40	39.16	-52.56	-25.00	27.56	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4608.75	45.97	-45.94	32.06	-63.17	-25.00	38.17	Vertical
2	5421.75	46.10	-45.61	33.08	-61.68	-25.00	36.68	Vertical
3	6688.125	45.08	-44.40	35.64	-58.94	-25.00	33.94	Vertical
4	7939.875	44.74	-43.10	37.12	-56.50	-25.00	31.50	Vertical
5	9438.375	43.28	-41.05	38.19	-54.84	-25.00	29.84	Vertical
6	11571	40.65	-36.71	39.09	-52.24	-25.00	27.24	Vertical

LTE CA Band41C_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4611	46.24	-45.96	32.07	-62.91	-25.00	37.91	Horizontal
2	5406.75	45.58	-45.35	33.08	-61.95	-25.00	36.95	Horizontal
3	6834.375	45.87	-44.93	35.90	-58.41	-25.00	33.41	Horizontal
4	7860	44.58	-42.90	37.00	-56.57	-25.00	31.57	Horizontal
5	9463.875	44.13	-41.13	38.19	-54.06	-25.00	29.06	Horizontal
6	10846.875	40.94	-38.14	39.06	-53.40	-25.00	28.40	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4574.25	46.34	-46.13	31.98	-63.07	-25.00	38.07	Vertical
2	6004.875	46.08	-46.36	34.31	-61.23	-25.00	36.23	Vertical
3	7045.5	45.84	-44.36	36.23	-57.56	-25.00	32.56	Vertical
4	8430	43.75	-41.91	37.59	-55.83	-25.00	30.83	Vertical
5	10439.625	42.06	-39.29	38.70	-53.79	-25.00	28.79	Vertical
6	11601.75	39.78	-36.41	39.08	-52.81	-25.00	27.81	Vertical

LTE CA Band41C_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4129.125	46.18	-46.13	31.21	-64.01	-25.00	39.01	Horizontal
2	5704.875	45.77	-45.83	33.59	-61.73	-25.00	36.73	Horizontal
3	6810	45.09	-44.65	35.86	-58.96	-25.00	33.96	Horizontal
4	8410.125	44.13	-41.67	37.57	-55.23	-25.00	30.23	Horizontal
5	10138.125	41.64	-39.26	38.42	-54.46	-25.00	29.46	Horizontal
6	12156.375	41.45	-37.05	39.16	-51.70	-25.00	26.70	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4201.5	45.31	-45.79	31.32	-64.42	-25.00	39.42	Vertical
2	5877	45.64	-45.54	34.00	-61.15	-25.00	36.15	Vertical
3	7026	45.23	-44.34	36.22	-58.16	-25.00	33.16	Vertical
4	7966.5	44.77	-43.20	37.15	-56.53	-25.00	31.53	Vertical
5	9561.75	43.99	-40.95	38.21	-54.01	-25.00	29.01	Vertical
6	12080.625	41.62	-37.10	39.08	-51.66	-25.00	26.66	Vertical

LTE CA Band66C_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4568.25	45.12	-46.19	31.96	-64.36	-13.00	51.36	Horizontal
2	5764.5	44.52	-45.88	33.73	-62.88	-13.00	49.88	Horizontal
3	7113.75	44.20	-44.45	36.27	-59.25	-13.00	46.25	Horizontal
4	7985.625	43.67	-43.27	37.18	-57.68	-13.00	44.68	Horizontal
5	10149	40.69	-39.24	38.43	-55.37	-13.00	42.37	Horizontal
6	12032.625	39.96	-37.84	39.03	-54.11	-13.00	41.11	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4171.5	44.53	-45.92	31.27	-65.38	-13.00	52.38	Vertical
2	5187.375	44.73	-45.40	33.04	-62.89	-13.00	49.89	Vertical
3	6303.75	44.80	-45.35	34.91	-60.91	-13.00	47.91	Vertical
4	6750	44.07	-44.40	35.75	-59.84	-13.00	46.84	Vertical
5	8989.125	41.65	-40.53	38.09	-56.05	-13.00	43.05	Vertical
6	10351.125	40.56	-39.68	38.62	-55.77	-13.00	42.77	Vertical

LTE CA Band66C_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4256.25	44.67	-46.22	31.41	-65.40	-13.00	52.40	Horizontal
2	6003	45.00	-46.36	34.31	-62.32	-13.00	49.32	Horizontal
3	7248.375	43.91	-44.20	36.35	-59.20	-13.00	46.20	Horizontal
4	8911.125	43.52	-41.34	38.02	-55.06	-13.00	42.06	Horizontal
5	10794	38.63	-38.27	39.01	-55.89	-13.00	42.89	Horizontal
6	12076.5	39.60	-37.16	39.08	-53.75	-13.00	40.75	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4219.5	44.19	-45.93	31.35	-65.65	-13.00	52.65	Vertical
2	5400	44.71	-45.23	33.08	-62.70	-13.00	49.70	Vertical
3	7058.25	44.41	-44.38	36.23	-58.99	-13.00	45.99	Vertical
4	8909.625	42.64	-41.35	38.02	-55.95	-13.00	42.95	Vertical
5	11211.75	38.90	-37.28	39.16	-54.48	-13.00	41.48	Vertical
6	13488.375	40.88	-38.33	40.15	-52.57	-13.00	39.57	Vertical

LTE CA Band66C_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4744.5	44.90	-46.28	32.39	-64.25	-13.00	51.25	Horizontal
2	6117.375	45.12	-46.37	34.53	-61.98	-13.00	48.98	Horizontal
3	7600.875	43.43	-43.43	36.64	-58.62	-13.00	45.62	Horizontal
4	8994.375	41.96	-40.48	38.09	-55.68	-13.00	42.68	Horizontal
5	10196.25	40.76	-39.14	38.48	-55.16	-13.00	42.16	Horizontal
6	12114.375	39.46	-36.86	39.11	-53.55	-13.00	40.55	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4219.875	44.00	-45.94	31.35	-65.84	-13.00	52.84	Vertical
2	5172	44.75	-45.54	33.03	-63.01	-13.00	50.01	Vertical
3	6772.125	44.23	-44.46	35.79	-59.70	-13.00	46.70	Vertical
4	7597.5	43.27	-43.43	36.64	-58.78	-13.00	45.78	Vertical
5	9436.5	42.57	-41.05	38.19	-55.55	-13.00	42.55	Vertical
6	11193	39.02	-37.16	39.16	-54.24	-13.00	41.24	Vertical

LTE CA 2A_4A_ Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3887.25	45.29	-46.52	30.64	-65.85	-13.00	52.85	Horizontal
2	5139.375	44.52	-45.83	33.03	-63.54	-13.00	50.54	Horizontal
3	5880.375	44.08	-45.52	34.01	-62.69	-13.00	49.69	Horizontal
4	7022.625	43.72	-44.34	36.21	-59.66	-13.00	46.66	Horizontal
5	9452.625	42.30	-41.09	38.19	-55.86	-13.00	42.86	Horizontal
6	11566.5	39.07	-36.77	39.09	-53.87	-13.00	40.87	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4097.625	44.17	-46.30	31.16	-66.24	-13.00	53.24	Vertical
2	4885.875	44.95	-46.13	32.73	-63.72	-13.00	50.72	Vertical
3	5897.625	44.32	-45.44	34.05	-62.33	-13.00	49.33	Vertical
4	6693.375	43.50	-44.34	35.65	-60.45	-13.00	47.45	Vertical
5	8030.625	43.82	-43.09	37.23	-57.31	-13.00	44.31	Vertical
6	10834.125	39.14	-38.15	39.05	-55.22	-13.00	42.22	Vertical

LTE CA 2A_4A_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4374	44.58	-46.27	31.60	-65.35	-13.00	52.35	Horizontal
2	5031.375	44.84	-45.92	33.01	-63.33	-13.00	50.33	Horizontal
3	6498	44.65	-45.52	35.30	-60.84	-13.00	47.84	Horizontal
4	7481.625	43.77	-43.60	36.49	-58.60	-13.00	45.60	Horizontal
5	8999.25	41.47	-40.43	38.10	-56.12	-13.00	43.12	Horizontal
6	10799.25	39.23	-38.19	39.02	-55.20	-13.00	42.20	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4173	44.79	-45.92	31.28	-65.11	-13.00	52.11	Vertical
2	5970.375	44.69	-46.08	34.23	-62.43	-13.00	49.43	Vertical
3	6704.625	44.24	-44.27	35.67	-59.62	-13.00	46.62	Vertical
4	7859.25	43.44	-42.90	37.00	-57.71	-13.00	44.71	Vertical
5	10168.875	41.68	-39.20	38.45	-54.32	-13.00	41.32	Vertical
6	12225	40.39	-37.55	39.23	-53.20	-13.00	40.20	Vertical

LTE CA 2A_4A_ High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4224	44.19	-45.97	31.36	-65.68	-13.00	52.68	Horizontal
2	5383.875	44.45	-45.34	33.08	-63.07	-13.00	50.07	Horizontal
3	6978	44.63	-44.61	36.16	-59.08	-13.00	46.08	Horizontal
4	8181	42.45	-42.52	37.36	-57.97	-13.00	44.97	Horizontal
5	10121.625	41.70	-39.29	38.41	-54.45	-13.00	41.45	Horizontal
6	13008.375	40.04	-36.98	40.00	-52.20	-13.00	39.20	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4409.25	45.00	-46.23	31.65	-64.84	-13.00	51.84	Vertical
2	5986.125	44.76	-46.23	34.27	-62.46	-13.00	49.46	Vertical
3	6958.875	44.59	-44.87	36.13	-59.41	-13.00	46.41	Vertical
4	8153.625	42.90	-42.54	37.34	-57.56	-13.00	44.56	Vertical
5	10453.125	39.95	-39.31	38.71	-55.91	-13.00	42.91	Vertical
6	12137.25	39.67	-36.96	39.14	-53.42	-13.00	40.42	Vertical

LTE CA 2A_5A_ Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4177.5	44.57	-45.89	31.28	-65.30	-13.00	52.30	Horizontal
2	5208	45.51	-45.34	33.04	-62.05	-13.00	49.05	Horizontal
3	6310.5	44.88	-45.34	34.92	-60.80	-13.00	47.80	Horizontal
4	7440.75	43.64	-44.22	36.46	-59.38	-13.00	46.38	Horizontal
5	9839.25	40.23	-39.73	38.27	-56.49	-13.00	43.49	Horizontal
6	11178.375	39.20	-37.41	39.16	-54.31	-13.00	41.31	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4187.625	44.24	-45.84	31.30	-65.56	-13.00	52.56	Vertical
2	5410.125	44.68	-45.41	33.08	-62.90	-13.00	49.90	Vertical
3	6283.5	44.53	-45.49	34.87	-61.35	-13.00	48.35	Vertical
4	7861.5	43.46	-42.90	37.01	-57.69	-13.00	44.69	Vertical
5	8964.375	42.31	-40.79	38.07	-55.67	-13.00	42.67	Vertical
6	10850.625	39.15	-38.14	39.07	-55.18	-13.00	42.18	Vertical

LTE CA 2A_5A_Mid**Final Data List**

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4206.75	44.01	-45.83	31.33	-65.75	-13.00	52.75	Horizontal
2	5031.75	44.57	-45.92	33.01	-63.60	-13.00	50.60	Horizontal
3	6271.875	44.73	-45.58	34.84	-61.27	-13.00	48.27	Horizontal
4	7006.875	44.31	-44.32	36.20	-59.06	-13.00	46.06	Horizontal
5	8389.875	42.99	-41.81	37.55	-56.53	-13.00	43.53	Horizontal
6	10161.375	40.61	-39.21	38.45	-55.42	-13.00	42.42	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4114.125	44.18	-46.21	31.18	-66.11	-13.00	53.11	Vertical
2	5375.25	45.17	-45.40	33.08	-62.42	-13.00	49.42	Vertical
3	6333.375	44.57	-45.30	34.97	-61.03	-13.00	48.03	Vertical
4	7023.75	43.92	-44.34	36.21	-59.46	-13.00	46.46	Vertical
5	8419.875	43.00	-41.79	37.58	-56.47	-13.00	43.47	Vertical
6	10172.625	40.85	-39.19	38.46	-55.14	-13.00	42.14	Vertical

LTE CA 2A_5A_ High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4252.125	44.82	-46.19	31.40	-65.22	-13.00	52.22	Horizontal
2	5641.875	44.41	-46.03	33.44	-63.44	-13.00	50.44	Horizontal
3	7032.75	44.55	-44.35	36.22	-58.84	-13.00	45.84	Horizontal
4	8202.75	43.06	-42.55	37.38	-57.37	-13.00	44.37	Horizontal
5	8974.875	41.87	-40.68	38.08	-55.99	-13.00	42.99	Horizontal
6	11202.75	39.38	-37.10	39.16	-53.82	-13.00	40.82	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4224.375	43.98	-45.97	31.36	-65.89	-13.00	52.89	Vertical
2	5154.75	44.42	-45.69	33.03	-63.50	-13.00	50.50	Vertical
3	6324	44.70	-45.32	34.95	-60.93	-13.00	47.93	Vertical
4	6830.25	44.41	-44.88	35.89	-59.83	-13.00	46.83	Vertical
5	7597.125	43.77	-43.43	36.64	-58.28	-13.00	45.28	Vertical
6	9416.25	42.70	-40.99	38.18	-55.36	-13.00	42.36	Vertical

LTE CA 2A_66A_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4533.375	45.81	-46.53	31.88	-64.10	-13.00	51.10	Horizontal
2	5994.375	45.62	-46.31	34.29	-61.66	-13.00	48.66	Horizontal
3	6695.625	44.32	-44.31	35.65	-59.60	-13.00	46.60	Horizontal
4	7606.125	43.38	-43.42	36.65	-58.65	-13.00	45.65	Horizontal
5	8957.25	42.29	-40.86	38.06	-55.77	-13.00	42.77	Horizontal
6	10800.75	39.72	-38.18	39.02	-54.70	-13.00	41.70	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4441.125	45.16	-46.45	31.71	-64.84	-13.00	51.84	Vertical
2	5307	44.96	-45.87	33.06	-63.11	-13.00	50.11	Vertical
3	6279.75	44.90	-45.52	34.86	-61.02	-13.00	48.02	Vertical
4	7380.375	44.81	-44.63	36.43	-58.65	-13.00	45.65	Vertical
5	8970.375	42.12	-40.73	38.07	-55.79	-13.00	42.79	Vertical
6	10822.5	39.08	-38.16	39.04	-55.30	-13.00	42.30	Vertical

LTE CA 2A_66A_ Mid**Final Data List**

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3886.875	44.84	-46.52	30.64	-66.30	-13.00	53.30	Horizontal
2	5395.875	45.04	-45.26	33.08	-62.40	-13.00	49.40	Horizontal
3	6322.875	44.55	-45.32	34.95	-61.09	-13.00	48.09	Horizontal
4	7252.125	44.04	-44.17	36.35	-59.04	-13.00	46.04	Horizontal
5	8383.875	42.74	-41.96	37.55	-56.93	-13.00	43.93	Horizontal
6	10897.125	39.46	-38.10	39.11	-54.79	-13.00	41.79	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4575.75	45.39	-46.12	31.98	-64.00	-13.00	51.00	Vertical
2	5679.75	44.49	-45.90	33.53	-63.14	-13.00	50.14	Vertical
3	7057.875	44.60	-44.38	36.23	-58.80	-13.00	45.80	Vertical
4	8434.875	42.64	-41.97	37.59	-56.99	-13.00	43.99	Vertical
5	10822.125	39.46	-38.16	39.04	-54.92	-13.00	41.92	Vertical
6	12128.625	39.71	-36.93	39.13	-53.35	-13.00	40.35	Vertical

LTE CA 2A_66A_ High**Final Data List**

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4949.25	44.74	-45.99	32.88	-63.63	-13.00	50.63	Horizontal
2	5567.25	46.15	-46.44	33.26	-62.29	-13.00	49.29	Horizontal
3	6796.875	44.97	-44.53	35.83	-58.99	-13.00	45.99	Horizontal
4	8761.5	42.29	-41.89	37.89	-56.97	-13.00	43.97	Horizontal
5	10792.875	39.74	-38.29	39.01	-54.80	-13.00	41.80	Horizontal
6	13614.75	39.85	-36.27	40.18	-51.49	-13.00	38.49	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3742.5	44.78	-46.29	30.18	-66.59	-13.00	53.59	Vertical
2	4802.25	44.65	-45.93	32.53	-64.01	-13.00	51.01	Vertical
3	6168.375	45.08	-46.24	34.64	-61.78	-13.00	48.78	Vertical
4	6796.875	44.56	-44.53	35.83	-59.40	-13.00	46.40	Vertical
5	8915.25	42.44	-41.29	38.02	-56.09	-13.00	43.09	Vertical
6	10809.75	39.28	-38.17	39.03	-55.12	-13.00	42.12	Vertical

LTE CA 4A_5A_ Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4397.625	44.70	-46.18	31.64	-65.10	-13.00	52.10	Horizontal
2	6265.5	45.32	-45.63	34.83	-60.74	-13.00	47.74	Horizontal
3	7782.75	43.51	-42.90	36.90	-57.76	-13.00	44.76	Horizontal
4	10151.25	41.24	-39.23	38.44	-54.82	-13.00	41.82	Horizontal
5	11613.375	38.93	-36.60	39.08	-53.85	-13.00	40.85	Horizontal
6	15107.625	39.20	-36.51	39.43	-53.14	-13.00	40.14	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3974.25	45.09	-47.01	30.92	-66.26	-13.00	53.26	Vertical
2	5413.5	45.22	-45.46	33.08	-62.42	-13.00	49.42	Vertical
3	6679.875	44.37	-44.49	35.62	-59.76	-13.00	46.76	Vertical
4	8428.125	42.69	-41.88	37.59	-56.87	-13.00	43.87	Vertical
5	11210.25	39.74	-37.25	39.16	-53.61	-13.00	40.61	Vertical
6	13593.375	39.70	-36.29	40.18	-51.67	-13.00	38.67	Vertical

LTE CA 4A_5A_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4583.625	45.68	-46.04	32.00	-63.62	-13.00	50.62	Horizontal
2	5841.375	43.98	-45.71	33.92	-63.07	-13.00	50.07	Horizontal
3	6995.25	44.38	-44.37	36.19	-59.06	-13.00	46.06	Horizontal
4	8414.625	42.70	-41.72	37.57	-56.71	-13.00	43.71	Horizontal
5	9514.875	42.56	-41.16	38.20	-55.66	-13.00	42.66	Horizontal
6	12086.625	40.70	-37.01	39.09	-52.48	-13.00	39.48	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4641	45.28	-46.16	32.14	-64.00	-13.00	51.00	Vertical
2	5668.5	44.95	-45.94	33.50	-62.75	-13.00	49.75	Vertical
3	7020.75	44.71	-44.33	36.21	-58.67	-13.00	45.67	Vertical
4	8429.625	42.63	-41.90	37.59	-56.95	-13.00	43.95	Vertical
5	10195.125	41.17	-39.14	38.48	-54.75	-13.00	41.75	Vertical
6	12100.125	39.41	-36.80	39.10	-53.55	-13.00	40.55	Vertical

LTE CA 4A_5A_ High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4354.125	44.83	-46.35	31.57	-65.21	-13.00	52.21	Horizontal
2	5392.5	44.62	-45.28	33.08	-62.84	-13.00	49.84	Horizontal
3	6321	44.73	-45.32	34.94	-60.91	-13.00	47.91	Horizontal
4	7741.875	43.55	-43.09	36.84	-57.96	-13.00	44.96	Horizontal
5	9442.875	42.24	-41.06	38.19	-55.90	-13.00	42.90	Horizontal
6	10841.625	39.10	-38.15	39.06	-55.25	-13.00	42.25	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4159.5	44.16	-45.98	31.26	-65.83	-13.00	52.83	Vertical
2	5681.625	44.67	-45.89	33.54	-62.95	-13.00	49.95	Vertical
3	7012.5	45.52	-44.33	36.21	-57.86	-13.00	44.86	Vertical
4	8022.75	43.63	-43.15	37.22	-57.56	-13.00	44.56	Vertical
5	9481.875	42.81	-41.18	38.20	-55.43	-13.00	42.43	Vertical
6	12787.875	39.78	-37.86	39.79	-53.55	-13.00	40.55	Vertical

LTE CA 4A_7A_ Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4113.75	45.59	-46.21	31.18	-64.70	-25.00	39.70	Horizontal
2	5669.25	45.77	-45.94	33.51	-61.92	-25.00	36.92	Horizontal
3	7007.25	45.47	-44.32	36.20	-57.90	-25.00	32.90	Horizontal
4	8413.125	44.07	-41.71	37.57	-55.32	-25.00	30.32	Horizontal
5	10157.625	42.53	-39.22	38.44	-53.51	-25.00	28.51	Horizontal
6	11569.875	40.01	-36.73	39.09	-52.89	-25.00	27.89	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4591.125	46.45	-45.97	32.02	-62.76	-25.00	37.76	Vertical
2	5596.125	45.76	-46.21	33.33	-62.38	-25.00	37.38	Vertical
3	6791.625	45.56	-44.52	35.82	-58.39	-25.00	33.39	Vertical
4	7879.5	44.60	-42.92	37.03	-56.55	-25.00	31.55	Vertical
5	9560.25	43.95	-40.96	38.21	-54.06	-25.00	29.06	Vertical
6	10190.25	42.07	-39.15	38.47	-53.87	-25.00	28.87	Vertical

LTE CA 4A_7A_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4204.875	44.89	-45.82	31.33	-64.86	-25.00	39.86	Horizontal
2	6762	45.49	-44.43	35.77	-58.43	-25.00	33.43	Horizontal
3	7964.25	45.01	-43.19	37.15	-56.29	-25.00	31.29	Horizontal
4	9014.25	42.43	-40.59	38.10	-55.31	-25.00	30.31	Horizontal
5	11205.375	40.71	-37.15	39.16	-52.54	-25.00	27.54	Horizontal
6	12768	41.29	-38.04	39.77	-52.24	-25.00	27.24	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4057.125	45.80	-46.67	31.09	-65.04	-25.00	40.04	Vertical
2	5187.75	45.68	-45.40	33.04	-61.94	-25.00	36.94	Vertical
3	6035.625	45.84	-46.38	34.37	-61.43	-25.00	36.43	Vertical
4	6703.875	45.31	-44.27	35.67	-58.55	-25.00	33.55	Vertical
5	8394.375	43.44	-41.69	37.55	-55.96	-25.00	30.96	Vertical
6	11193.75	40.65	-37.15	39.16	-52.60	-25.00	27.60	Vertical

LTE CA 4A_7A_High**Final Data List**

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4539.75	46.01	-46.46	31.90	-63.82	-25.00	38.82	Horizontal
2	5858.25	45.44	-45.63	33.96	-61.49	-25.00	36.49	Horizontal
3	6996	44.93	-44.36	36.19	-58.50	-25.00	33.50	Horizontal
4	7297.125	44.84	-43.80	36.38	-57.85	-25.00	32.85	Horizontal
5	10185	42.97	-39.16	38.47	-52.99	-25.00	27.99	Horizontal
6	12018.75	41.40	-38.06	39.02	-52.90	-25.00	27.90	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4640.25	46.49	-46.16	32.14	-62.79	-25.00	37.79	Vertical
2	6151.125	46.92	-46.28	34.60	-60.02	-25.00	35.02	Vertical
3	7000.875	45.19	-44.31	36.20	-58.18	-25.00	33.18	Vertical
4	7556.25	44.19	-43.38	36.58	-57.87	-25.00	32.87	Vertical
5	8625.75	43.61	-41.87	37.76	-55.76	-25.00	30.76	Vertical
6	10200.75	41.52	-39.14	38.48	-54.40	-25.00	29.40	Vertical

LTE CA 5A_66A_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4384.875	44.36	-46.23	31.62	-65.51	-13.00	52.51	Horizontal
2	5175.375	44.65	-45.51	33.04	-63.08	-13.00	50.08	Horizontal
3	6112.5	45.13	-46.39	34.53	-61.99	-13.00	48.99	Horizontal
4	7062.375	44.36	-44.38	36.24	-59.05	-13.00	46.05	Horizontal
5	7917.375	44.52	-43.01	37.08	-56.67	-13.00	43.67	Horizontal
6	10144.5	40.82	-39.25	38.43	-55.26	-13.00	42.26	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4537.875	45.13	-46.48	31.89	-64.72	-13.00	51.72	Vertical
2	6151.5	44.77	-46.28	34.60	-62.17	-13.00	49.17	Vertical
3	6834.75	44.84	-44.93	35.90	-59.45	-13.00	46.45	Vertical
4	7853.25	44.03	-42.89	36.99	-57.12	-13.00	44.12	Vertical
5	9426.75	41.99	-41.02	38.19	-56.10	-13.00	43.10	Vertical
6	11189.25	38.84	-37.23	39.16	-54.48	-13.00	41.48	Vertical

LTE CA 5A_66A_Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4555.875	45.83	-46.31	31.93	-63.80	-13.00	50.80	Horizontal
2	5382.75	44.38	-45.35	33.08	-63.15	-13.00	50.15	Horizontal
3	6689.625	44.38	-44.38	35.64	-59.62	-13.00	46.62	Horizontal
4	7864.875	43.70	-42.90	37.01	-57.45	-13.00	44.45	Horizontal
5	8986.125	41.97	-40.56	38.09	-55.77	-13.00	42.77	Horizontal
6	11199	38.78	-37.06	39.16	-54.38	-13.00	41.38	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4541.25	45.65	-46.45	31.90	-64.16	-13.00	51.16	Vertical
2	5909.625	44.08	-45.52	34.08	-62.62	-13.00	49.62	Vertical
3	6991.875	44.06	-44.42	36.19	-59.43	-13.00	46.43	Vertical
4	7650.375	43.73	-43.36	36.71	-58.18	-13.00	45.18	Vertical
5	10110.375	40.74	-39.32	38.40	-55.44	-13.00	42.44	Vertical
6	11204.625	38.87	-37.14	39.16	-54.37	-13.00	41.37	Vertical

LTE CA 5A_66A_ High**Final Data List**

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4150.5	44.04	-46.03	31.24	-66.01	-13.00	53.01	Horizontal
2	5207.625	44.77	-45.34	33.04	-62.79	-13.00	49.79	Horizontal
3	6254.25	44.94	-45.72	34.81	-61.23	-13.00	48.23	Horizontal
4	6799.5	45.29	-44.54	35.84	-58.67	-13.00	45.67	Horizontal
5	7904.25	43.73	-42.97	37.07	-57.43	-13.00	44.43	Horizontal
6	10443.75	40.77	-39.30	38.70	-55.09	-13.00	42.09	Horizontal

Final Data List

NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4082.25	44.04	-46.44	31.13	-66.53	-13.00	53.53	Vertical
2	5403	44.94	-45.28	33.08	-62.52	-13.00	49.52	Vertical
3	6382.125	43.98	-45.22	35.06	-61.44	-13.00	48.44	Vertical
4	7250.25	43.99	-44.19	36.35	-59.11	-13.00	46.11	Vertical
5	8994	41.66	-40.48	38.09	-55.99	-13.00	42.99	Vertical
6	10201.125	40.18	-39.14	38.48	-55.74	-13.00	42.74	Vertical