

SA Band2_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4168.875	44.64	-45.94	31.27	-65.29	-13.00	52.29	Horizontal
2	5887.125	43.86	-45.49	34.03	-62.86	-13.00	49.86	Horizontal
3	6657	43.90	-44.75	35.58	-60.53	-13.00	47.53	Horizontal
4	7591.875	43.37	-43.42	36.63	-58.68	-13.00	45.68	Horizontal
5	9560.625	42.88	-40.96	38.21	-55.13	-13.00	42.13	Horizontal
6	11548.5	39.41	-36.97	39.09	-53.73	-13.00	40.73	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3925.5	44.73	-46.66	30.76	-66.42	-13.00	53.42	Vertical
2	5200.875	44.63	-45.30	33.04	-62.89	-13.00	49.89	Vertical
3	6311.25	44.70	-45.34	34.92	-60.98	-13.00	47.98	Vertical
4	7808.25	43.22	-42.83	36.93	-57.94	-13.00	44.94	Vertical
5	9505.5	43.15	-41.21	38.20	-55.11	-13.00	42.11	Vertical
6	11586	38.59	-36.54	39.08	-54.13	-13.00	41.13	Vertical

SA Band2_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4177.5	44.86	-45.89	31.28	-65.01	-13.00	52.01	Horizontal
2	5185.875	45.38	-45.42	33.04	-62.26	-13.00	49.26	Horizontal
3	6214.5	45.41	-46.04	34.73	-61.16	-13.00	48.16	Horizontal
4	7105.5	44.41	-44.44	36.26	-59.03	-13.00	46.03	Horizontal
5	7900.5	44.12	-42.95	37.06	-57.03	-13.00	44.03	Horizontal
6	10169.25	41.77	-39.19	38.45	-54.23	-13.00	41.23	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4116.375	44.42	-46.20	31.19	-65.85	-13.00	52.85	Vertical
2	5101.5	45.59	-46.17	33.02	-62.82	-13.00	49.82	Vertical
3	6036.75	45.28	-46.38	34.37	-61.99	-13.00	48.99	Vertical
4	6778.875	44.30	-44.48	35.80	-59.64	-13.00	46.64	Vertical
5	7872.375	43.95	-42.91	37.02	-57.20	-13.00	44.20	Vertical
6	9506.625	42.78	-41.20	38.20	-55.48	-13.00	42.48	Vertical

SA Band2_ High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4228.125	44.59	-46.00	31.37	-65.30	-13.00	52.30	Horizontal
2	5224.875	45.32	-45.45	33.04	-62.34	-13.00	49.34	Horizontal
3	6319.5	44.50	-45.33	34.94	-61.15	-13.00	48.15	Horizontal
4	7297.875	43.95	-43.80	36.38	-58.73	-13.00	45.73	Horizontal
5	8462.25	42.84	-42.29	37.62	-57.09	-13.00	44.09	Horizontal
6	9520.875	43.02	-41.14	38.20	-55.17	-13.00	42.17	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4613.25	45.28	-45.97	32.07	-63.88	-13.00	50.88	Vertical
2	5879.25	45.15	-45.53	34.01	-61.63	-13.00	48.63	Vertical
3	7299	43.43	-43.79	36.38	-59.24	-13.00	46.24	Vertical
4	7908.375	43.65	-42.98	37.07	-57.52	-13.00	44.52	Vertical
5	9563.25	42.97	-40.95	38.21	-55.02	-13.00	42.02	Vertical
6	11193.375	38.94	-37.15	39.16	-54.31	-13.00	41.31	Vertical

SA Band5_ Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1386.2857	45.83	-48.69	25.51	-72.61	-13.00	59.61	Horizontal
2	2753.7143	44.54	-47.19	28.61	-69.30	-13.00	56.30	Horizontal
3	3566.2857	43.90	-46.97	29.61	-68.71	-13.00	55.71	Horizontal
4	4568.5714	44.65	-46.28	31.96	-64.93	-13.00	51.93	Horizontal
5	5000.5714	43.82	-46.00	33.00	-64.44	-13.00	51.44	Horizontal
6	6760.5714	44.03	-44.51	35.77	-59.97	-13.00	46.97	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1301.1429	45.97	-48.75	25.60	-72.44	-13.00	59.44	Vertical
2	2032.5714	45.12	-48.25	26.48	-71.91	-13.00	58.91	Vertical
3	2802.8571	44.06	-46.91	28.79	-69.32	-13.00	56.32	Vertical
4	3620	43.96	-46.64	29.78	-68.16	-13.00	55.16	Vertical
5	4981.1429	44.16	-46.04	32.95	-64.19	-13.00	51.19	Vertical
6	5697.1429	44.12	-45.28	33.57	-62.85	-13.00	49.85	Vertical

SA Band5_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1474.8571	45.80	-48.55	25.39	-72.63	-13.00	59.63	Horizontal
2	2321.1429	44.80	-48.46	27.23	-71.68	-13.00	58.68	Horizontal
3	2727.4286	45.14	-47.36	28.52	-68.96	-13.00	55.96	Horizontal
4	3107.4286	44.61	-46.70	29.48	-67.87	-13.00	54.87	Horizontal
5	4547.4286	44.68	-46.46	31.91	-65.13	-13.00	52.13	Horizontal
6	5188.5714	44.32	-45.17	33.04	-63.07	-13.00	50.07	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1576.5714	45.79	-48.65	25.24	-72.88	-13.00	59.88	Vertical
2	2100	44.76	-47.78	26.66	-71.62	-13.00	58.62	Vertical
3	2807.4286	44.42	-46.94	28.81	-68.97	-13.00	55.97	Vertical
4	3241.7143	44.49	-47.21	29.45	-68.53	-13.00	55.53	Vertical
5	4413.7143	44.24	-46.39	31.66	-65.74	-13.00	52.74	Vertical
6	5693.1429	43.82	-45.33	33.56	-63.20	-13.00	50.20	Vertical

SA Band5_ High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1592	45.64	-48.68	25.21	-73.08	-13.00	60.08	Horizontal
2	2102.2857	44.98	-47.80	26.67	-71.42	-13.00	58.42	Horizontal
3	2496	44.62	-47.47	27.69	-70.43	-13.00	57.43	Horizontal
4	3074.8571	44.47	-46.69	29.49	-68.00	-13.00	55.00	Horizontal
5	4141.1429	43.70	-46.19	31.23	-66.52	-13.00	53.52	Horizontal
6	4573.1429	45.05	-46.25	31.98	-64.48	-13.00	51.48	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1526.2857	45.19	-48.56	25.31	-73.32	-13.00	60.32	Vertical
2	2148	44.98	-48.26	26.78	-71.76	-13.00	58.76	Vertical
3	2767.4286	44.53	-47.11	28.66	-69.17	-13.00	56.17	Vertical
4	3101.1429	44.37	-46.67	29.48	-68.08	-13.00	55.08	Vertical
5	4464	44.40	-46.66	31.74	-65.78	-13.00	52.78	Vertical
6	5207.4286	44.25	-45.11	33.04	-63.08	-13.00	50.08	Vertical

SA Band7_ Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4339.875	45.70	-46.40	31.54	-64.42	-25.00	39.42	Horizontal
2	5396.625	45.49	-45.25	33.08	-61.94	-25.00	36.94	Horizontal
3	6409.125	45.17	-45.22	35.12	-60.19	-25.00	35.19	Horizontal
4	7723.5	43.73	-43.18	36.81	-57.90	-25.00	32.90	Horizontal
5	8811.75	43.54	-41.57	37.93	-55.36	-25.00	30.36	Horizontal
6	10790.25	41.47	-38.33	39.01	-53.11	-25.00	28.11	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4249.125	46.03	-46.16	31.40	-63.99	-25.00	38.99	Vertical
2	5399.25	46.64	-45.24	33.08	-60.78	-25.00	35.78	Vertical
3	6336.375	45.41	-45.30	34.97	-60.18	-25.00	35.18	Vertical
4	7848.375	44.95	-42.88	36.99	-56.21	-25.00	31.21	Vertical
5	8604.375	43.92	-41.73	37.74	-55.33	-25.00	30.33	Vertical
6	9562.5	43.70	-40.95	38.21	-54.30	-25.00	29.30	Vertical

SA Band7_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4178.625	45.67	-45.89	31.29	-64.19	-25.00	39.19	Horizontal
2	5002.5	45.79	-45.81	33.00	-62.28	-25.00	37.28	Horizontal
3	5892.75	45.24	-45.46	34.04	-61.44	-25.00	36.44	Horizontal
4	6246.75	46.30	-45.78	34.79	-59.95	-25.00	34.95	Horizontal
5	7732.125	43.75	-43.14	36.82	-57.82	-25.00	32.82	Horizontal
6	9493.5	44.06	-41.21	38.20	-54.21	-25.00	29.21	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4099.875	45.38	-46.28	31.16	-65.00	-25.00	40.00	Vertical
2	5046.375	45.60	-45.98	33.01	-62.63	-25.00	37.63	Vertical
3	5953.875	45.59	-45.93	34.19	-61.41	-25.00	36.41	Vertical
4	6676.875	44.96	-44.52	35.62	-59.21	-25.00	34.21	Vertical
5	7788.75	45.11	-42.87	36.90	-56.12	-25.00	31.12	Vertical
6	8971.125	43.70	-40.72	38.07	-54.20	-25.00	29.20	Vertical

SA Band7_ High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4088.25	45.52	-46.39	31.14	-64.99	-25.00	39.99	Horizontal
2	5133	46.42	-45.89	33.03	-61.70	-25.00	36.70	Horizontal
3	6077.25	45.49	-46.41	34.45	-61.72	-25.00	36.72	Horizontal
4	6744.75	45.93	-44.39	35.74	-57.97	-25.00	32.97	Horizontal
5	8911.5	43.27	-41.33	38.02	-55.30	-25.00	30.30	Horizontal
6	10817.625	40.38	-38.17	39.04	-54.01	-25.00	29.01	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4101.375	45.10	-46.27	31.16	-65.27	-25.00	40.27	Vertical
2	5356.125	46.00	-45.53	33.07	-61.72	-25.00	36.72	Vertical
3	6282.375	45.91	-45.50	34.86	-59.98	-25.00	34.98	Vertical
4	7017.75	45.60	-44.33	36.21	-57.78	-25.00	32.78	Vertical
5	9478.5	44.43	-41.17	38.20	-53.80	-25.00	28.80	Vertical
6	12142.125	41.13	-36.99	39.14	-51.97	-25.00	26.97	Vertical

SA Band12_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1470.2857	45.43	-48.56	25.39	-73.00	-13.00	60.00	Horizontal
2	2044	44.70	-48.17	26.51	-72.22	-13.00	59.22	Horizontal
3	2532	44.45	-47.68	27.82	-70.67	-13.00	57.67	Horizontal
4	2790.8571	44.40	-46.96	28.75	-69.07	-13.00	56.07	Horizontal
5	3121.7143	44.38	-46.75	29.48	-68.16	-13.00	55.16	Horizontal
6	4399.4286	44.36	-46.31	31.64	-65.57	-13.00	52.57	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1613.7143	45.39	-48.72	25.20	-73.39	-13.00	60.39	Vertical
2	2297.1429	44.65	-48.38	27.17	-71.82	-13.00	58.82	Vertical
3	2790.2857	44.12	-46.96	28.75	-69.36	-13.00	56.36	Vertical
4	3114.8571	44.46	-46.73	29.48	-68.05	-13.00	55.05	Vertical
5	3917.1429	43.98	-46.51	30.73	-67.05	-13.00	54.05	Vertical
6	4610.8571	45.14	-46.10	32.07	-64.16	-13.00	51.16	Vertical

SA Band12_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1617.7143	45.37	-48.73	25.20	-73.42	-13.00	60.42	Horizontal
2	2108	44.65	-47.86	26.68	-71.79	-13.00	58.79	Horizontal
3	2478.2857	44.55	-47.72	27.64	-70.78	-13.00	57.78	Horizontal
4	2886.2857	44.24	-47.35	29.09	-69.28	-13.00	56.28	Horizontal
5	3254.2857	44.38	-47.26	29.45	-68.69	-13.00	55.69	Horizontal
6	4554.2857	44.68	-46.40	31.93	-65.05	-13.00	52.05	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1482.8571	46.00	-48.54	25.38	-72.42	-13.00	59.42	Vertical
2	2086.2857	44.46	-47.88	26.62	-72.05	-13.00	59.05	Vertical
3	2674.8571	44.50	-47.71	28.33	-70.14	-13.00	57.14	Vertical
4	3101.1429	44.34	-46.67	29.48	-68.11	-13.00	55.11	Vertical
5	4173.7143	43.55	-46.00	31.28	-66.43	-13.00	53.43	Vertical
6	4558.2857	45.08	-46.37	31.94	-64.61	-13.00	51.61	Vertical

SA Band12_ High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1442.2857	45.61	-48.61	25.44	-72.82	-13.00	59.82	Horizontal
2	2056.5714	45.03	-48.08	26.55	-71.77	-13.00	58.77	Horizontal
3	2495.4286	44.53	-47.48	27.69	-70.52	-13.00	57.52	Horizontal
4	3104	44.36	-46.69	29.48	-68.11	-13.00	55.11	Horizontal
5	3588	43.68	-46.78	29.68	-68.67	-13.00	55.67	Horizontal
6	4982.2857	43.75	-46.04	32.96	-64.59	-13.00	51.59	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1386.8571	45.64	-48.69	25.51	-72.80	-13.00	59.80	Vertical
2	2032.5714	44.67	-48.25	26.48	-72.36	-13.00	59.36	Vertical
3	2293.1429	44.84	-48.40	27.16	-71.66	-13.00	58.66	Vertical
4	2744.5714	44.66	-47.25	28.58	-69.27	-13.00	56.27	Vertical
5	3725.1429	43.95	-46.64	30.12	-67.83	-13.00	54.83	Vertical
6	5186.2857	44.32	-45.20	33.04	-63.10	-13.00	50.10	Vertical

SA Band26_ Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1481.7143	45.42	-48.54	25.38	-73.00	-13.00	60.00	Horizontal
2	1985.1429	45.33	-48.40	26.31	-72.02	-13.00	59.02	Horizontal
3	2481.1429	44.74	-47.68	27.65	-70.55	-13.00	57.55	Horizontal
4	3105.1429	44.44	-46.69	29.48	-68.03	-13.00	55.03	Horizontal
5	4138.2857	43.80	-46.20	31.22	-66.44	-13.00	53.44	Horizontal
6	5718.2857	43.84	-45.35	33.62	-63.14	-13.00	50.14	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1330.8571	45.50	-48.73	25.57	-72.92	-13.00	59.92	Vertical
2	2051.4286	44.66	-48.12	26.53	-72.19	-13.00	59.19	Vertical
3	2492.5714	44.54	-47.52	27.68	-70.56	-13.00	57.56	Vertical
4	3102.8571	44.09	-46.68	29.48	-68.37	-13.00	55.37	Vertical
5	4217.7143	43.35	-46.01	31.35	-66.57	-13.00	53.57	Vertical
6	5405.7143	44.08	-45.04	33.08	-63.14	-13.00	50.14	Vertical

SA Band26_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1300.5714	45.66	-48.75	25.60	-72.75	-13.00	59.75	Horizontal
2	1924.5714	45.02	-48.10	25.95	-72.39	-13.00	59.39	Horizontal
3	2454.2857	43.93	-48.05	27.58	-71.80	-13.00	58.80	Horizontal
4	2792	44.45	-46.95	28.75	-69.01	-13.00	56.01	Horizontal
5	3650.8571	43.67	-46.59	29.88	-68.30	-13.00	55.30	Horizontal
6	4552.5714	44.87	-46.42	31.93	-64.88	-13.00	51.88	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1345.1429	44.76	-48.72	25.55	-73.66	-13.00	60.66	Vertical
2	1382.2857	46.35	-48.69	25.52	-72.08	-13.00	59.08	Vertical
3	2086.8571	44.56	-47.87	26.63	-71.95	-13.00	58.95	Vertical
4	2512	44.53	-47.52	27.74	-70.50	-13.00	57.50	Vertical
5	3894.8571	43.79	-46.37	30.66	-67.18	-13.00	54.18	Vertical
6	4428	44.53	-46.46	31.68	-65.51	-13.00	52.51	Vertical

SA Band26_ High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1347.4286	45.38	-48.72	25.55	-73.04	-13.00	60.04	Horizontal
2	1989.7143	44.74	-48.43	26.34	-72.61	-13.00	59.61	Horizontal
3	2326.8571	44.66	-48.48	27.25	-71.83	-13.00	58.83	Horizontal
4	3002.8571	44.02	-46.76	29.50	-68.50	-13.00	55.50	Horizontal
5	3893.7143	44.26	-46.38	30.66	-66.72	-13.00	53.72	Horizontal
6	4553.1429	45.20	-46.41	31.93	-64.55	-13.00	51.55	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1493.7143	46.02	-48.52	25.36	-72.40	-13.00	59.40	Vertical
2	2132.5714	44.97	-48.11	26.74	-71.65	-13.00	58.65	Vertical
3	2529.1429	44.68	-47.66	27.80	-70.43	-13.00	57.43	Vertical
4	3067.4286	44.30	-46.70	29.49	-68.17	-13.00	55.17	Vertical
5	3800.5714	44.38	-46.98	30.36	-67.49	-13.00	54.49	Vertical
6	4981.1429	43.56	-46.04	32.95	-64.79	-13.00	51.79	Vertical

SA Band26_ Part 90s_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1660	62.71	-49.80	25.59	-56.76	-13.00	43.76	Horizontal
2	2408.8889	54.03	-49.43	27.04	-63.62	-13.00	50.62	Horizontal
3	3011.5556	51.76	-48.36	28.11	-63.75	-13.00	50.75	Horizontal
4	4599.1111	50.69	-48.04	30.32	-62.29	-13.00	49.29	Horizontal
5	6425.3333	51.66	-47.21	34.42	-56.40	-13.00	43.40	Horizontal
6	8827.1111	51.82	-44.05	37.21	-50.28	-13.00	37.28	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1274.2222	54.19	-50.16	24.54	-66.69	-13.00	53.69	Vertical
2	1659.5556	53.53	-49.80	25.59	-65.95	-13.00	52.95	Vertical
3	2303.5556	51.30	-49.14	26.85	-66.26	-13.00	53.26	Vertical
4	3883.1111	50.83	-48.43	29.11	-63.74	-13.00	50.74	Vertical
5	6630.2222	51.37	-47.00	34.91	-55.98	-13.00	42.98	Vertical
6	8392.8889	51.76	-44.03	36.73	-50.80	-13.00	37.80	Vertical

SA Band38_ Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4084.125	46.05	-46.43	31.13	-64.50	-25.00	39.50	Horizontal
2	5189.625	45.74	-45.38	33.04	-61.86	-25.00	36.86	Horizontal
3	6563.625	45.10	-45.45	35.41	-60.19	-25.00	35.19	Horizontal
4	7514.25	44.54	-43.34	36.52	-57.54	-25.00	32.54	Horizontal
5	9518.625	43.91	-41.15	38.20	-54.29	-25.00	29.29	Horizontal
6	11182.875	40.34	-37.34	39.16	-53.09	-25.00	28.09	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4220.25	45.00	-45.94	31.35	-64.85	-25.00	39.85	Vertical
2	5260.875	46.28	-45.67	33.05	-61.60	-25.00	36.60	Vertical
3	6370.5	45.88	-45.24	35.04	-59.58	-25.00	34.58	Vertical
4	7261.125	45.09	-44.10	36.36	-57.91	-25.00	32.91	Vertical
5	8982.75	43.49	-40.60	38.08	-54.28	-25.00	29.28	Vertical
6	10204.125	42.08	-39.17	38.48	-53.87	-25.00	28.87	Vertical

SA Band38_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4273.125	45.95	-46.35	31.44	-64.22	-25.00	39.22	Horizontal
2	5867.625	45.27	-45.58	33.98	-61.59	-25.00	36.59	Horizontal
3	7029	45.44	-44.34	36.22	-57.95	-25.00	32.95	Horizontal
4	7868.625	44.96	-42.91	37.02	-56.19	-25.00	31.19	Horizontal
5	10192.875	41.84	-39.14	38.47	-54.09	-25.00	29.09	Horizontal
6	11161.125	41.15	-37.71	39.17	-52.65	-25.00	27.65	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4202.625	45.30	-45.80	31.32	-64.44	-25.00	39.44	Vertical
2	5686.875	46.21	-45.88	33.55	-61.38	-25.00	36.38	Vertical
3	6682.875	45.92	-44.46	35.63	-58.17	-25.00	33.17	Vertical
4	7821.75	44.66	-42.85	36.95	-56.50	-25.00	31.50	Vertical
5	9558.375	44.01	-40.97	38.21	-54.01	-25.00	29.01	Vertical
6	10129.125	42.36	-39.28	38.42	-53.76	-25.00	28.76	Vertical

SA Band38_ High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4555.125	46.40	-46.32	31.93	-63.24	-25.00	38.24	Horizontal
2	5979.375	46.29	-46.17	34.25	-60.89	-25.00	35.89	Horizontal
3	7110.375	45.85	-44.45	36.27	-57.59	-25.00	32.59	Horizontal
4	8440.125	44.25	-42.03	37.60	-55.44	-25.00	30.44	Horizontal
5	10150.5	42.03	-39.23	38.44	-54.03	-25.00	29.03	Horizontal
6	12145.875	41.78	-37.00	39.15	-51.34	-25.00	26.34	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4433.25	46.00	-46.40	31.69	-63.96	-25.00	38.96	Vertical
2	5228.625	45.87	-45.47	33.05	-61.81	-25.00	36.81	Vertical
3	6296.25	45.73	-45.39	34.89	-60.03	-25.00	35.03	Vertical
4	7782	44.20	-42.90	36.89	-57.07	-25.00	32.07	Vertical
5	8928.75	44.08	-41.15	38.04	-54.30	-25.00	29.30	Vertical
6	11210.25	40.78	-37.25	39.16	-52.57	-25.00	27.57	Vertical

SA Band41_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3882	45.90	-46.54	30.62	-65.27	-25.00	40.27	Horizontal
2	5201.625	45.90	-45.30	33.04	-61.62	-25.00	36.62	Horizontal
3	6747.375	45.14	-44.39	35.75	-58.77	-25.00	33.77	Horizontal
4	8426.25	43.81	-41.86	37.58	-55.73	-25.00	30.73	Horizontal
5	10189.5	41.62	-39.15	38.47	-54.32	-25.00	29.32	Horizontal
6	11164.125	41.07	-37.66	39.17	-52.68	-25.00	27.68	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4081.5	46.15	-46.45	31.13	-64.43	-25.00	39.43	Vertical
2	5152.125	46.51	-45.72	33.03	-61.44	-25.00	36.44	Vertical
3	6052.5	46.31	-46.39	34.41	-60.94	-25.00	35.94	Vertical
4	7054.5	45.22	-44.38	36.23	-58.18	-25.00	33.18	Vertical
5	7922.625	45.41	-43.03	37.09	-55.79	-25.00	30.79	Vertical
6	10160.25	42.48	-39.21	38.44	-53.55	-25.00	28.55	Vertical

SA Band41_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3964.5	46.46	-46.94	30.89	-64.85	-25.00	39.85	Horizontal
2	5199.375	46.27	-45.30	33.04	-61.25	-25.00	36.25	Horizontal
3	6775.5	45.83	-44.47	35.80	-58.11	-25.00	33.11	Horizontal
4	7843.5	44.84	-42.88	36.98	-56.32	-25.00	31.32	Horizontal
5	8894.25	43.84	-41.46	38.00	-54.87	-25.00	29.87	Horizontal
6	10164.375	42.10	-39.20	38.45	-53.92	-25.00	28.92	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4026.75	46.09	-46.95	31.04	-65.08	-25.00	40.08	Vertical
2	4998	45.22	-45.81	33.00	-62.85	-25.00	37.85	Vertical
3	6640.125	45.91	-44.94	35.55	-58.74	-25.00	33.74	Vertical
4	7419.75	45.33	-44.54	36.45	-58.02	-25.00	33.02	Vertical
5	8481.75	44.41	-42.52	37.63	-55.74	-25.00	30.74	Vertical
6	10120.875	42.37	-39.30	38.41	-53.78	-25.00	28.78	Vertical

SA Band41_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3919.5	45.46	-46.61	30.74	-65.67	-25.00	40.67	Horizontal
2	5190	46.08	-45.38	33.04	-61.52	-25.00	36.52	Horizontal
3	6330	45.15	-45.31	34.96	-60.46	-25.00	35.46	Horizontal
4	7779.75	44.82	-42.92	36.89	-56.46	-25.00	31.46	Horizontal
5	10137.375	41.88	-39.26	38.42	-54.22	-25.00	29.22	Horizontal
6	11193.375	40.46	-37.15	39.16	-52.79	-25.00	27.79	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4267.5	45.58	-46.31	31.43	-64.56	-25.00	39.56	Vertical
2	5389.875	45.85	-45.30	33.08	-61.63	-25.00	36.63	Vertical
3	6414.75	45.53	-45.24	35.13	-59.84	-25.00	34.84	Vertical
4	7804.5	44.64	-42.83	36.93	-56.52	-25.00	31.52	Vertical
5	10210.5	42.26	-39.24	38.49	-53.75	-25.00	28.75	Vertical
6	12989.25	40.78	-37.12	39.99	-51.61	-25.00	26.61	Vertical

SA Band48_ Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7455.65	43.47	-43.86	36.47	-59.17	-40.00	19.17	Horizontal
2	8939.15	41.81	-41.14	38.05	-56.54	-40.00	16.54	Horizontal
3	9566.475	42.34	-40.89	38.21	-55.60	-40.00	15.60	Horizontal
4	10720.5	39.21	-39.09	38.95	-56.19	-40.00	16.19	Horizontal
5	12259.775	39.84	-37.24	39.26	-53.40	-40.00	13.40	Horizontal
6	13607	39.52	-36.15	40.18	-51.70	-40.00	11.70	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7576.4	42.81	-43.43	36.61	-59.28	-40.00	19.28	Vertical
2	8398.075	42.11	-41.44	37.56	-57.03	-40.00	17.03	Vertical
3	8973.65	41.95	-40.83	38.08	-56.06	-40.00	16.06	Vertical
4	10197.825	40.03	-39.00	38.48	-55.75	-40.00	15.75	Vertical
5	11200.625	38.57	-36.55	39.16	-54.08	-40.00	14.08	Vertical
6	12963	39.75	-37.52	39.96	-53.06	-40.00	13.06	Vertical

SA Band48_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7926	43.51	-42.93	37.10	-57.58	-40.00	17.58	Horizontal
2	8939.725	41.94	-41.13	38.05	-56.41	-40.00	16.41	Horizontal
3	9531.975	42.66	-40.99	38.21	-55.38	-40.00	15.38	Horizontal
4	10134	40.52	-38.87	38.42	-55.19	-40.00	15.19	Horizontal
5	11551.375	38.44	-36.78	39.09	-54.51	-40.00	14.51	Horizontal
6	12984.275	39.53	-37.29	39.98	-53.03	-40.00	13.03	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7882.875	42.97	-42.89	37.04	-58.15	-40.00	18.15	Vertical
2	8403.25	42.73	-41.43	37.56	-56.40	-40.00	16.40	Vertical
3	9791.3	39.10	-39.11	38.26	-57.01	-40.00	17.01	Vertical
4	10347.9	40.20	-39.46	38.61	-55.90	-40.00	15.90	Vertical
5	11607.15	38.57	-36.58	39.08	-54.19	-40.00	14.19	Vertical
6	12181.575	39.55	-36.83	39.18	-53.35	-40.00	13.35	Vertical

SA Band48_ High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7445.875	43.87	-43.95	36.47	-58.87	-40.00	18.87	Horizontal
2	8926.5	42.06	-41.25	38.03	-56.42	-40.00	16.42	Horizontal
3	9596.95	41.73	-40.81	38.22	-56.12	-40.00	16.12	Horizontal
4	10790.65	39.26	-38.20	39.01	-55.19	-40.00	15.19	Horizontal
5	12099.925	39.23	-36.59	39.10	-53.52	-40.00	13.52	Horizontal
6	12231.025	39.54	-37.07	39.23	-53.56	-40.00	13.56	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7954.75	43.37	-43.04	37.14	-57.80	-40.00	17.80	Vertical
2	9569.35	43.11	-40.89	38.21	-54.82	-40.00	14.82	Vertical
3	10192.65	40.55	-38.99	38.47	-55.22	-40.00	15.22	Vertical
4	11193.725	39.10	-36.66	39.16	-53.66	-40.00	13.66	Vertical
5	13000.95	39.70	-37.12	40.00	-52.68	-40.00	12.68	Vertical
6	13572.5	39.11	-36.56	40.17	-52.53	-40.00	12.53	Vertical

SA Band66_ Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	7603.875	43.49	-43.42	36.65	-58.55	-13.00	45.55	Horizontal
2	8971.125	42.07	-40.72	38.07	-55.83	-13.00	42.83	Horizontal
3	9616.5	42.21	-40.68	38.22	-55.51	-13.00	42.51	Horizontal
4	10850.25	39.20	-38.14	39.07	-55.13	-13.00	42.13	Horizontal
5	11603.625	38.44	-36.44	39.08	-54.18	-13.00	41.18	Horizontal
6	12993.75	39.13	-37.03	39.99	-53.16	-13.00	40.16	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4401.375	45.43	-46.18	31.64	-64.37	-13.00	51.37	Vertical
2	5851.125	44.28	-45.66	33.94	-62.70	-13.00	49.70	Vertical
3	6665.25	43.81	-44.66	35.60	-60.51	-13.00	47.51	Vertical
4	7219.5	44.34	-44.44	36.33	-59.03	-13.00	46.03	Vertical
5	8990.25	42.21	-40.52	38.09	-55.48	-13.00	42.48	Vertical
6	10201.5	41.19	-39.15	38.48	-54.73	-13.00	41.73	Vertical

SA Band66_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4168.875	44.22	-45.94	31.27	-65.71	-13.00	52.71	Horizontal
2	5406	44.86	-45.33	33.08	-62.65	-13.00	49.65	Horizontal
3	6251.25	45.05	-45.75	34.80	-61.15	-13.00	48.15	Horizontal
4	7567.875	43.65	-43.39	36.60	-58.41	-13.00	45.41	Horizontal
5	9513.375	42.48	-41.17	38.20	-55.75	-13.00	42.75	Horizontal
6	10842.375	39.05	-38.15	39.06	-55.30	-13.00	42.30	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	3616.5	44.50	-46.35	29.77	-67.33	-13.00	54.33	Vertical
2	4945.125	44.46	-46.00	32.87	-63.93	-13.00	50.93	Vertical
3	5400.375	44.73	-45.24	33.08	-62.69	-13.00	49.69	Vertical
4	6841.125	45.08	-45.00	35.91	-59.27	-13.00	46.27	Vertical
5	8974.5	43.45	-40.68	38.08	-54.42	-13.00	41.42	Vertical
6	10120.5	40.93	-39.30	38.41	-55.22	-13.00	42.22	Vertical

SA Band66_ High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4230	44.12	-46.01	31.37	-65.79	-13.00	52.79	Horizontal
2	4993.125	44.89	-45.83	32.98	-63.21	-13.00	50.21	Horizontal
3	6262.125	45.13	-45.66	34.82	-60.96	-13.00	47.96	Horizontal
4	7864.125	43.57	-42.90	37.01	-57.58	-13.00	44.58	Horizontal
5	10143.75	41.29	-39.25	38.43	-54.79	-13.00	41.79	Horizontal
6	11206.125	39.51	-37.17	39.16	-53.76	-13.00	40.76	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	4126.875	44.77	-46.15	31.20	-65.43	-13.00	52.43	Vertical
2	5882.25	43.88	-45.51	34.02	-62.88	-13.00	49.88	Vertical
3	7024.125	44.59	-44.34	36.21	-58.79	-13.00	45.79	Vertical
4	9040.5	42.76	-40.89	38.11	-55.28	-13.00	42.28	Vertical
5	10847.25	39.46	-38.14	39.06	-54.88	-13.00	41.88	Vertical
6	12997.875	39.70	-36.94	40.00	-52.50	-13.00	39.50	Vertical

SA Band71_Low

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1709.7143	45.64	-48.84	25.20	-73.26	-13.00	60.26	Horizontal
2	1845.7143	45.09	-48.17	25.47	-72.87	-13.00	59.87	Horizontal
3	2740	44.72	-47.28	28.56	-69.25	-13.00	56.25	Horizontal
4	3406.2857	44.53	-47.27	29.42	-68.58	-13.00	55.58	Horizontal
5	4606.2857	44.65	-46.07	32.06	-64.62	-13.00	51.62	Horizontal
6	5406.8571	44.07	-45.06	33.08	-63.17	-13.00	50.17	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1433.7143	46.11	-48.62	25.45	-72.32	-13.00	59.32	Vertical
2	1776.5714	45.34	-48.47	25.20	-73.19	-13.00	60.19	Vertical
3	2357.7143	44.82	-48.61	27.33	-71.72	-13.00	58.72	Vertical
4	2996	44.14	-46.79	29.49	-68.42	-13.00	55.42	Vertical
5	3858.8571	43.82	-46.60	30.55	-67.49	-13.00	54.49	Vertical
6	4599.4286	44.77	-46.02	32.04	-64.48	-13.00	51.48	Vertical

SA Band71_ Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1465.1429	45.64	-48.57	25.40	-72.79	-13.00	59.79	Horizontal
2	1945.7143	44.86	-48.20	26.07	-72.53	-13.00	59.53	Horizontal
3	2158.8571	45.46	-48.37	26.81	-71.36	-13.00	58.36	Horizontal
4	2805.7143	44.22	-46.93	28.80	-69.17	-13.00	56.17	Horizontal
5	3102.8571	44.18	-46.68	29.48	-68.28	-13.00	55.28	Horizontal
6	4104	44.27	-46.40	31.17	-66.22	-13.00	53.22	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1480	45.75	-48.54	25.38	-72.67	-13.00	59.67	Vertical
2	2036.5714	44.62	-48.22	26.50	-72.37	-13.00	59.37	Vertical
3	2512	44.26	-47.52	27.74	-70.77	-13.00	57.77	Vertical
4	3005.1429	43.85	-46.76	29.50	-68.67	-13.00	55.67	Vertical
5	3904.5714	44.32	-46.38	30.69	-66.63	-13.00	53.63	Vertical
6	4611.4286	44.49	-46.11	32.07	-64.81	-13.00	51.81	Vertical

SA Band71_High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1299.4286	45.77	-48.75	25.60	-72.64	-13.00	59.64	Horizontal
2	1976.5714	44.80	-48.36	26.26	-72.56	-13.00	59.56	Horizontal
3	2141.1429	44.72	-48.20	26.77	-71.97	-13.00	58.97	Horizontal
4	3051.4286	44.49	-46.71	29.49	-67.99	-13.00	54.99	Horizontal
5	3830.2857	44.28	-46.79	30.46	-67.31	-13.00	54.31	Horizontal
6	4561.7143	45.15	-46.34	31.95	-64.50	-13.00	51.50	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1383.4286	45.73	-48.69	25.52	-72.71	-13.00	59.71	Vertical
2	2149.7143	44.86	-48.28	26.79	-71.89	-13.00	58.89	Vertical
3	2526.2857	44.47	-47.63	27.79	-70.63	-13.00	57.63	Vertical
4	3070.8571	44.39	-46.70	29.49	-68.08	-13.00	55.08	Vertical
5	4599.4286	44.69	-46.02	32.04	-64.56	-13.00	51.56	Vertical
6	5972	44.17	-45.88	34.23	-62.74	-13.00	49.74	Vertical