



11ac(VHT20)_TX_CH_40_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7970.85	49.09	37.24	-41.27	45.06	68.20	23.14	Vertical
2	10240.5667	44.79	38.39	-36.63	46.55	68.20	21.65	Vertical
3	13880.3167	43.04	40.34	-34.07	49.31	68.20	18.89	Vertical

11ac(VHT20)_TX_CH_48_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8596.8333	48.00	37.72	-40.18	45.53	68.20	22.67	Horizontal
2	11656.2167	43.84	38.91	-35.45	47.30	74.00	26.70	Horizontal
3	14690.6833	43.03	39.99	-33.90	49.12	68.20	19.08	Horizontal

11ac(VHT20)_TX_CH_48_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8038.7	49.20	37.33	-41.12	45.41	74.00	28.59	Vertical
2	10968.1333	43.95	39.26	-36.06	47.15	74.00	26.85	Vertical
3	14720.5833	42.83	39.97	-33.93	48.87	68.20	19.33	Vertical


11ac(VHT20)_TX_CH_52_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8456.15	47.63	37.62	-40.50	44.74	74.00	29.26	Horizontal
2	10970.8167	44.27	39.26	-36.05	47.48	74.00	26.52	Horizontal
3	14504.7667	43.42	40.10	-34.81	48.71	68.20	19.49	Horizontal




11ac(VHT20)_TX_CH_52_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8267.1667	47.50	37.49	-40.62	44.37	74.00	29.63	Vertical
2	10788.35	44.50	39.05	-36.69	46.86	74.00	27.14	Vertical
3	13942.0333	42.71	40.37	-34.52	48.56	68.20	19.64	Vertical

11ac(VHT20)_TX_CH_60_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8580.35	47.40	37.71	-40.20	44.90	68.20	23.30	Horizontal
2	11408.5833	43.42	39.05	-35.63	46.84	74.00	27.16	Horizontal
3	14857.05	42.55	39.89	-33.79	48.65	68.20	19.55	Horizontal

11ac(VHT20)_TX_CH_60_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8470.7167	48.39	37.63	-40.43	45.59	74.00	28.41	Vertical
2	11048.25	44.03	39.27	-35.87	47.43	74.00	26.57	Vertical
3	13854.25	42.66	40.33	-34.42	48.57	68.20	19.63	Vertical

11ac(VHT20)_TX_CH_64_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8891.6167	46.79	37.92	-39.65	45.06	68.20	23.14	Horizontal
2	11866.2833	43.08	38.78	-34.98	46.88	74.00	27.12	Horizontal
3	14679.1833	42.70	39.99	-33.98	48.71	68.20	19.49	Horizontal

11ac(VHT20)_TX_CH_64_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8553.1333	48.00	37.69	-40.23	45.46	68.20	22.74	Vertical
2	10624.6667	44.50	38.85	-36.48	46.87	74.00	27.13	Vertical
3	14686.4667	43.98	39.99	-33.93	50.04	68.20	18.16	Vertical

11ac(VHT20)_TX_CH_100_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8075.8833	48.62	37.35	-41.07	44.91	74.00	29.09	Horizontal
2	11460.3333	44.74	39.02	-35.76	48.00	74.00	26.00	Horizontal
3	14697.5833	43.16	39.98	-33.85	49.29	68.20	18.91	Horizontal

11ac(VHT20)_TX_CH_100_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7857.3833	49.10	37.01	-41.30	44.82	68.20	23.38	Vertical
2	10792.1833	44.54	39.05	-36.72	46.87	74.00	27.13	Vertical
3	13373.55	42.77	40.09	-34.50	48.36	74.00	25.64	Vertical

11ac(VHT20)_TX_CH_116_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8027.5833	49.34	37.32	-41.14	45.52	74.00	28.48	Horizontal
2	11182.4167	43.30	39.19	-35.18	47.31	74.00	26.69	Horizontal
3	14363.7	43.40	40.18	-34.20	49.38	68.20	18.82	Horizontal

11ac(VHT20)_TX_CH_116_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8696.1167	46.85	37.79	-39.76	44.88	68.20	23.32	Vertical
2	10804.0667	44.74	39.06	-36.77	47.04	74.00	26.96	Vertical
3	13887.6	42.63	40.34	-33.97	49.01	68.20	19.19	Vertical

11ac(VHT20)_TX_CH_140_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8985.9167	47.10	37.99	-39.30	45.79	68.20	22.41	Horizontal
2	10944.75	44.59	39.23	-36.11	47.72	74.00	26.28	Horizontal
3	14712.5333	43.05	39.97	-33.89	49.13	68.20	19.07	Horizontal

11ac(VHT20)_TX_CH_140_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8592.2333	48.31	37.71	-40.19	45.84	68.20	22.36	Vertical
2	10973.5	44.46	39.27	-36.05	47.68	74.00	26.32	Vertical
3	13864.6	43.38	40.33	-34.28	49.43	68.20	18.77	Vertical

11ac(VHT20)_TX_CH_149_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8578.8167	48.22	37.71	-40.20	45.72	68.20	22.48	Horizontal
2	10943.2167	43.99	39.23	-36.11	47.11	74.00	26.89	Horizontal
3	13399.2333	43.52	40.10	-34.46	49.16	74.00	24.84	Horizontal

11ac(VHT20)_TX_CH_149_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8574.6	47.53	37.70	-40.21	45.02	68.20	23.18	Vertical
2	11625.1667	44.80	38.92	-35.31	48.42	74.00	25.58	Vertical
3	13834.3167	44.10	40.32	-34.69	49.73	68.20	18.47	Vertical

11ac(VHT20)_TX_CH_157_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7747.75	49.22	36.80	-41.38	44.63	74.00	29.37	Horizontal
2	10781.45	44.50	39.04	-36.62	46.91	74.00	27.09	Horizontal
3	14882.35	42.58	39.87	-33.56	48.89	68.20	19.31	Horizontal

11ac(VHT20)_TX_CH_157_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7624.3167	49.65	36.55	-41.78	44.42	74.00	29.58	Vertical
2	10686.7667	44.11	38.92	-35.99	47.04	74.00	26.96	Vertical
3	14959.4	42.60	39.82	-33.90	48.53	68.20	19.67	Vertical

11ac(VHT20)_TX_CH_165_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7999.6	48.48	37.30	-41.18	44.60	68.20	23.60	Horizontal
2	10986.15	43.95	39.28	-36.02	47.21	74.00	26.79	Horizontal
3	14431.1667	42.97	40.14	-34.09	49.02	68.20	19.18	Horizontal

11ac(VHT20)_TX_CH_165_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7804.1	48.78	36.91	-41.04	44.65	68.20	23.55	Vertical
2	10743.8833	43.62	38.99	-36.28	46.33	74.00	27.67	Vertical
3	14561.8833	43.14	40.06	-34.65	48.55	68.20	19.65	Vertical

11ac(VHT40)_TX_CH_38_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8288.25	48.38	37.50	-40.63	45.26	74.00	28.74	Horizontal
2	11072.7833	43.84	39.26	-35.82	47.28	74.00	26.72	Horizontal
3	13847.35	43.56	40.32	-34.51	49.37	68.20	18.83	Horizontal

11ac(VHT40)_TX_CH_38_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8006.5	48.60	37.30	-41.17	44.73	68.20	23.47	Vertical
2	10544.55	44.27	38.75	-36.54	46.49	68.20	21.71	Vertical
3	13288.0667	42.70	40.04	-34.62	48.13	74.00	25.87	Vertical

11ac(VHT40)_TX_CH_46_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7811.7667	49.68	36.92	-41.08	45.53	68.20	22.67	Horizontal
2	10437.2167	44.44	38.62	-36.54	46.52	68.20	21.68	Horizontal
3	13891.05	42.94	40.35	-33.92	49.36	68.20	18.84	Horizontal

11ac(VHT40)_TX_CH_46_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7636.5833	48.75	36.57	-41.77	43.56	74.00	30.44	Vertical
2	10452.1667	43.70	38.64	-36.52	45.83	68.20	22.37	Vertical
3	15328.1667	42.78	39.21	-33.28	48.71	68.20	19.49	Vertical

11ac(VHT40)_TX_CH_62_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8243.0167	47.81	37.47	-40.61	44.67	74.00	29.33	Horizontal
2	10416.1333	44.45	38.60	-36.58	46.47	68.20	21.73	Horizontal
3	14138.6833	43.32	40.32	-34.98	48.66	68.20	19.54	Horizontal

11ac(VHT40)_TX_CH_62_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7996.5333	48.82	37.29	-41.19	44.92	68.20	23.28	Vertical
2	10612.0167	45.03	38.83	-36.58	47.29	74.00	26.71	Vertical
3	14155.1667	43.93	40.31	-35.08	49.16	68.20	19.04	Vertical

11ac(VHT40)_TX_CH_102_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7869.2667	49.58	37.04	-41.35	45.27	68.20	22.93	Horizontal
2	11886.9833	43.56	38.77	-34.70	47.63	74.00	26.37	Horizontal
3	15295.2	42.16	39.27	-33.11	48.32	68.20	19.88	Horizontal


11ac(VHT40)_TX_CH_102_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7607.8333	49.33	36.52	-41.79	44.05	74.00	29.95	Vertical
2	10746.1833	44.35	39.00	-36.31	47.04	74.00	26.96	Vertical
3	13883	43.88	40.34	-34.03	50.19	68.20	18.01	Vertical




11ac(VHT40)_TX_CH_110_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8026.05	48.49	37.32	-41.14	44.67	74.00	29.33	Horizontal
2	10865.7833	44.48	39.14	-36.40	47.22	74.00	26.78	Horizontal
3	13848.1167	44.62	40.32	-34.50	50.44	68.20	17.76	Horizontal

11ac(VHT40)_TX_CH_110_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7267.4333	49.28	36.30	-42.10	43.48	74.00	30.52	Vertical
2	10186.9	44.82	38.32	-36.39	46.75	68.20	21.45	Vertical
3	13872.2667	43.94	40.34	-34.17	50.10	68.20	18.10	Vertical


11ac(VHT40)_TX_CH_134_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8229.6	48.53	37.46	-40.61	45.38	74.00	28.62	Horizontal
2	11110.35	44.39	39.23	-35.68	47.95	74.00	26.05	Horizontal
3	14635.1	43.11	40.02	-34.30	48.83	68.20	19.37	Horizontal




11ac(VHT40)_TX_CH_134_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8009.5667	48.59	37.31	-41.17	44.73	68.20	23.47	Vertical
2	10920.9833	44.13	39.21	-36.16	47.18	74.00	26.82	Vertical
3	14091.5333	43.86	40.35	-34.81	49.40	68.20	18.80	Vertical

11ac(VHT40)_TX_CH_151_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8008.0333	49.11	37.31	-41.17	45.25	68.20	22.95	Horizontal
2	11141.4	44.42	39.22	-35.46	48.17	74.00	25.83	Horizontal
3	13860.3833	43.43	40.33	-34.33	49.43	68.20	18.77	Horizontal

11ac(VHT40)_TX_CH_151_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7989.6333	49.36	37.28	-41.21	45.43	68.20	22.77	Vertical
2	10434.9167	44.12	38.62	-36.55	46.19	68.20	22.01	Vertical
3	13466.7	43.71	40.13	-34.92	48.92	68.20	19.28	Vertical

11ac(VHT40)_TX_CH_159_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8504.0667	47.38	37.65	-40.29	44.75	68.20	23.45	Horizontal
2	11674.2333	44.07	38.90	-35.53	47.43	74.00	26.57	Horizontal
3	13308	43.84	40.05	-34.60	49.30	74.00	24.70	Horizontal

11ac(VHT40)_TX_CH_159_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8546.6167	47.25	37.68	-40.24	44.69	68.20	23.51	Vertical
2	11018.7333	44.79	39.29	-35.95	48.13	74.00	25.87	Vertical
3	14059.3333	43.95	40.36	-35.06	49.26	68.20	18.94	Vertical

11ac(VHT80)_TX_CH_42_Horizontal




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8371.05	48.19	37.56	-40.74	45.01	74.00	28.99	Horizontal
2	10254.3667	45.73	38.41	-36.76	47.37	68.20	20.83	Horizontal
3	13150.0667	44.28	39.98	-34.85	49.41	68.20	18.79	Horizontal

11ac(VHT80)_TX_CH_42_Vertical




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8137.2167	49.17	37.40	-40.87	45.70	74.00	28.30	Vertical
2	10487.4333	45.00	38.68	-36.45	47.23	68.20	20.97	Vertical
3	13393.8667	43.65	40.10	-34.47	49.28	74.00	24.72	Vertical

11ac(VHT80)_TX_CH_58_Horizontal



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	8215.8	47.50	37.45	-40.60	44.35	74.00	29.65	Horizontal
2	10742.35	44.71	38.99	-36.27	47.43	74.00	26.57	Horizontal
3	14850.15	42.39	39.89	-33.85	48.43	68.20	19.77	Horizontal

11ac(VHT80)_TX_CH_58_Vertical



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	7597.4833	49.33	36.49	-41.81	44.02	74.00	29.98	Vertical
2	9927.3833	44.61	38.09	-37.47	45.23	68.20	22.97	Vertical
3	13884.15	42.84	40.34	-34.01	49.17	68.20	19.03	Vertical