


6. LTE_Band18(part22)


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23965, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.73	-13	59.73	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	813.6	-62.28	-13	49.28	Pass	7841
814	841	0.1	RMS	824.328	21.43	60	38.57	Pass	401
841	1000	0.1	RMS	851.7	-63.49	-13	50.49	Pass	1591
1000	3000	1	RMS	1648	-47.9	-13	34.9	Pass	2001
3000	10000	1	RMS	7200	-40.45	-13	27.45	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23965, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-13	60.97	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	814	0.1	RMS	813.7	-62.65	-13	49.65	Pass	7841
814	841	0.1	RMS	824.328	20.56	60	39.44	Pass	401
841	1000	0.1	RMS	843.6	-63.21	-13	50.21	Pass	1591
1000	3000	1	RMS	1648	-48.43	-13	35.43	Pass	2001
3000	10000	1	RMS	7202	-40.45	-13	27.45	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23970, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.03	-13	61.03	Pass	401
0.15	30	0.01	RMS	0.18	-72.37	-13	59.37	Pass	2986
30	814	0.1	RMS	813.8	-63.56	-13	50.56	Pass	7841
814	841	0.1	RMS	824.868	21.38	60	38.62	Pass	401
841	1000	0.1	RMS	849.7	-63.27	-13	50.27	Pass	1591
1000	3000	1	RMS	1649	-48	-13	35	Pass	2001
3000	10000	1	RMS	7213	-40.47	-13	27.47	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23970, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.32	-13	60.32	Pass	401
0.15	30	0.01	RMS	0.32	-72.32	-13	59.32	Pass	2986
30	814	0.1	RMS	813.8	-63.62	-13	50.62	Pass	7841
814	841	0.1	RMS	824.868	20.75	60	39.25	Pass	401
841	1000	0.1	RMS	842.2	-63.45	-13	50.45	Pass	1591
1000	3000	1	RMS	1649	-48.43	-13	35.43	Pass	2001
3000	10000	1	RMS	7201	-40.41	-13	27.41	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	814	0.1	RMS	812.7	-63.52	-13	50.52	Pass	7841
814	841	0.1	RMS	825.34	21.47	60	38.53	Pass	401
841	1000	0.1	RMS	844.5	-63.33	-13	50.33	Pass	1591
1000	3000	1	RMS	1650	-47.93	-13	34.93	Pass	2001
3000	10000	1	RMS	7204	-40.48	-13	27.48	Pass	7001



6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.16	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	812.3	-63.69	-13	50.69	Pass	7841
814	841	0.1	RMS	825.34	20.78	60	39.22	Pass	401
841	1000	0.1	RMS	844.5	-63.41	-13	50.41	Pass	1591
1000	3000	1	RMS	2955	-48.56	-13	35.56	Pass	2001
3000	10000	1	RMS	7210	-40.47	-13	27.47	Pass	7001



7. LTE_Band26(part22)


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.61	-13	61.61	Pass	401
0.15	30	0.01	RMS	0.16	-70.93	-13	57.93	Pass	2986
30	814	0.1	RMS	813.5	-62.08	-13	49.08	Pass	7841
814	860	0.1	RMS	824.2	20.95	60	39.05	Pass	461
860	1000	0.1	RMS	986.3	-63.67	-13	50.67	Pass	1401
1000	3000	1	RMS	1648	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	7205	-40.41	-13	27.41	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	60.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	813.5	-62.46	-13	49.46	Pass	7841
814	860	0.1	RMS	824.2	20.32	60	39.68	Pass	461
860	1000	0.1	RMS	861.5	-63.73	-13	50.73	Pass	1401
1000	3000	1	RMS	1648	-47.98	-13	34.98	Pass	2001
3000	10000	1	RMS	7206	-40.42	-13	27.42	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.32	-13	61.32	Pass	401
0.15	30	0.01	RMS	0.21	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	812.7	-63.73	-13	50.73	Pass	7841
814	860	0.1	RMS	836.1	21.04	60	38.96	Pass	461
860	1000	0.1	RMS	986.4	-63.64	-13	50.64	Pass	1401
1000	3000	1	RMS	1672	-46.32	-13	33.32	Pass	2001
3000	10000	1	RMS	7198	-40.51	-13	27.51	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	60.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	813	-63.82	-13	50.82	Pass	7841
814	860	0.1	RMS	836.1	20.21	60	39.79	Pass	461
860	1000	0.1	RMS	864.9	-63.76	-13	50.76	Pass	1401
1000	3000	1	RMS	1672	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	7207	-40.45	-13	27.45	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.45	-13	59.45	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	58.98	Pass	2986
30	814	0.1	RMS	754	-63.75	-13	50.75	Pass	7841
814	860	0.1	RMS	847.8	20.83	60	39.17	Pass	461
860	1000	0.1	RMS	867.7	-63.64	-13	50.64	Pass	1401
1000	3000	1	RMS	1695	-46.6	-13	33.6	Pass	2001
3000	10000	1	RMS	7208	-40.46	-13	27.46	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.22	-13	60.22	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	814	0.1	RMS	763	-63.93	-13	50.93	Pass	7841
814	860	0.1	RMS	847.9	19.86	60	40.14	Pass	461
860	1000	0.1	RMS	862.4	-63.62	-13	50.62	Pass	1401
1000	3000	1	RMS	1695	-47.63	-13	34.63	Pass	2001
3000	10000	1	RMS	7199	-40.4	-13	27.4	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.34	-13	61.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	814	0.1	RMS	813.5	-61.78	-13	48.78	Pass	7841
814	860	0.1	RMS	824.2	21.4	60	38.6	Pass	461
860	1000	0.1	RMS	868.7	-63.65	-13	50.65	Pass	1401
1000	3000	1	RMS	1648	-47.48	-13	34.48	Pass	2001
3000	10000	1	RMS	7207	-40.43	-13	27.43	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	814	0.1	RMS	813.6	-62.5	-13	49.5	Pass	7841
814	860	0.1	RMS	824.2	20.26	60	39.74	Pass	461
860	1000	0.1	RMS	869.2	-63.69	-13	50.69	Pass	1401
1000	3000	1	RMS	1648	-48.29	-13	35.29	Pass	2001
3000	10000	1	RMS	7205	-40.41	-13	27.41	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-13	59.92	Pass	401
0.15	30	0.01	RMS	0.17	-72.18	-13	59.18	Pass	2986
30	814	0.1	RMS	811	-63.73	-13	50.73	Pass	7841
814	860	0.1	RMS	835.2	20.97	60	39.03	Pass	461
860	1000	0.1	RMS	861.2	-63.63	-13	50.63	Pass	1401
1000	3000	1	RMS	1670	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	7201	-40.45	-13	27.45	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.84	-13	58.84	Pass	2986
30	814	0.1	RMS	809.6	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	835.2	20.77	60	39.23	Pass	461
860	1000	0.1	RMS	967.3	-63.74	-13	50.74	Pass	1401
1000	3000	1	RMS	1670	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	7201	-40.43	-13	27.43	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	814	0.1	RMS	811.7	-63.77	-13	50.77	Pass	7841
814	860	0.1	RMS	846.2	21.14	60	38.86	Pass	461
860	1000	0.1	RMS	867.3	-63.59	-13	50.59	Pass	1401
1000	3000	1	RMS	1692	-47.22	-13	34.22	Pass	2001
3000	10000	1	RMS	7206	-40.44	-13	27.44	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.16	-72.78	-13	59.78	Pass	2986
30	814	0.1	RMS	812.8	-63.73	-13	50.73	Pass	7841
814	860	0.1	RMS	846.2	20.57	60	39.43	Pass	461
860	1000	0.1	RMS	863.5	-63.71	-13	50.71	Pass	1401
1000	3000	1	RMS	1692	-47.5	-13	34.5	Pass	2001
3000	10000	1	RMS	7203	-40.43	-13	27.43	Pass	7001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.33	-13	61.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	813.6	-62.14	-13	49.14	Pass	7841
814	860	0.1	RMS	824.3	20.96	60	39.04	Pass	461
860	1000	0.1	RMS	870.3	-63.63	-13	50.63	Pass	1401
1000	3000	1	RMS	1648	-48.07	-13	35.07	Pass	2001
3000	10000	1	RMS	7202	-40.35	-13	27.35	Pass	7001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.19	-13	60.19	Pass	401
0.15	30	0.01	RMS	0.21	-72.87	-13	59.87	Pass	2986
30	814	0.1	RMS	813.6	-62.39	-13	49.39	Pass	7841
814	860	0.1	RMS	824.3	20.08	60	39.92	Pass	461
860	1000	0.1	RMS	873.1	-63.59	-13	50.59	Pass	1401
1000	3000	1	RMS	2968	-48.57	-13	35.57	Pass	2001
3000	10000	1	RMS	7202	-40.42	-13	27.42	Pass	7001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.09	-13	59.09	Pass	401
0.15	30	0.01	RMS	0.16	-72.1	-13	59.1	Pass	2986
30	814	0.1	RMS	812	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	834.3	20.95	60	39.05	Pass	461
860	1000	0.1	RMS	860	-63.66	-13	50.66	Pass	1401
1000	3000	1	RMS	1668	-46	-13	33	Pass	2001
3000	10000	1	RMS	7203	-40.39	-13	27.39	Pass	7001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.48	-13	61.48	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	813.5	-63.74	-13	50.74	Pass	7841
814	860	0.1	RMS	834.3	20.4	60	39.6	Pass	461
860	1000	0.1	RMS	881.8	-63.61	-13	50.61	Pass	1401
1000	3000	1	RMS	1668	-46.53	-13	33.53	Pass	2001
3000	10000	1	RMS	7205	-40.48	-13	27.48	Pass	7001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.32	-13	59.32	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	813.3	-63.61	-13	50.61	Pass	7841
814	860	0.1	RMS	844.3	20.99	60	39.01	Pass	461
860	1000	0.1	RMS	870.8	-63.59	-13	50.59	Pass	1401
1000	3000	1	RMS	1688	-46.96	-13	33.96	Pass	2001
3000	10000	1	RMS	7207	-40.37	-13	27.37	Pass	7001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.3	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	813	-63.81	-13	50.81	Pass	7841
814	860	0.1	RMS	844.3	20.06	60	39.94	Pass	461
860	1000	0.1	RMS	863.7	-63.79	-13	50.79	Pass	1401
1000	3000	1	RMS	1688	-47.94	-13	34.94	Pass	2001
3000	10000	1	RMS	7204	-40.39	-13	27.39	Pass	7001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.13	-13	60.13	Pass	401
0.15	30	0.01	RMS	0.17	-71.89	-13	58.89	Pass	2986
30	814	0.1	RMS	807	-58.91	-13	45.91	Pass	7841
814	860	0.1	RMS	824.6	21.62	60	38.38	Pass	461
860	1000	0.1	RMS	869.6	-63.51	-13	50.51	Pass	1401
1000	3000	1	RMS	1649	-48.3	-13	35.3	Pass	2001
3000	10000	1	RMS	7216	-40.47	-13	27.47	Pass	7001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.26	-13	61.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	807	-59.81	-13	46.81	Pass	7841
814	860	0.1	RMS	824.6	20.78	60	39.22	Pass	461
860	1000	0.1	RMS	871.9	-63.45	-13	50.45	Pass	1401
1000	3000	1	RMS	2963	-48.55	-13	35.55	Pass	2001
3000	10000	1	RMS	7200	-40.48	-13	27.48	Pass	7001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.98	-13	61.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	814	0.1	RMS	814	-62.81	-13	49.81	Pass	7841
814	860	0.1	RMS	832.1	21.52	60	38.48	Pass	461
860	1000	0.1	RMS	866.1	-63.65	-13	50.65	Pass	1401
1000	3000	1	RMS	1664	-46.67	-13	33.67	Pass	2001
3000	10000	1	RMS	7203	-40.45	-13	27.45	Pass	7001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.54	-13	60.54	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	58.79	Pass	2986
30	814	0.1	RMS	814	-63.01	-13	50.01	Pass	7841
814	860	0.1	RMS	832.1	21.07	60	38.93	Pass	461
860	1000	0.1	RMS	879.2	-63.68	-13	50.68	Pass	1401
1000	3000	1	RMS	1664	-46.89	-13	33.89	Pass	2001
3000	10000	1	RMS	7207	-40.44	-13	27.44	Pass	7001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.16	-72.58	-13	59.58	Pass	2986
30	814	0.1	RMS	812.8	-63.26	-13	50.26	Pass	7841
814	860	0.1	RMS	839.6	21.57	60	38.43	Pass	461
860	1000	0.1	RMS	860.6	-63.55	-13	50.55	Pass	1401
1000	3000	1	RMS	1679	-46.46	-13	33.46	Pass	2001
3000	10000	1	RMS	7212	-40.4	-13	27.4	Pass	7001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.25	-72.47	-13	59.47	Pass	2986
30	814	0.1	RMS	813	-63.62	-13	50.62	Pass	7841
814	860	0.1	RMS	839.6	20.76	60	39.24	Pass	461
860	1000	0.1	RMS	886.1	-63.58	-13	50.58	Pass	1401
1000	3000	1	RMS	1679	-47.53	-13	34.53	Pass	2001
3000	10000	1	RMS	7200	-40.33	-13	27.33	Pass	7001



7.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.42	-13	60.42	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-13	59.61	Pass	2986
30	814	0.1	RMS	811.5	-51.55	-13	38.55	Pass	7841
814	860	0.1	RMS	824.8	20.98	60	39.02	Pass	461
860	1000	0.1	RMS	877.3	-63.63	-13	50.63	Pass	1401
1000	3000	1	RMS	1649	-47.82	-13	34.82	Pass	2001
3000	10000	1	RMS	7200	-40.44	-13	27.44	Pass	7001



7.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.63	-13	60.63	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	2986
30	814	0.1	RMS	811.5	-52.37	-13	39.37	Pass	7841
814	860	0.1	RMS	824.8	20.35	60	39.65	Pass	461
860	1000	0.1	RMS	870.4	-63.6	-13	50.6	Pass	1401
1000	3000	1	RMS	1649	-48.33	-13	35.33	Pass	2001
3000	10000	1	RMS	7205	-40.43	-13	27.43	Pass	7001



7.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.67	-13	60.67	Pass	401
0.15	30	0.01	RMS	0.22	-72.17	-13	59.17	Pass	2986
30	814	0.1	RMS	809.9	-60.03	-13	47.03	Pass	7841
814	860	0.1	RMS	829.8	21.02	60	38.98	Pass	461
860	1000	0.1	RMS	862.4	-63.65	-13	50.65	Pass	1401
1000	3000	1	RMS	1659	-46.85	-13	33.85	Pass	2001
3000	10000	1	RMS	7208	-40.45	-13	27.45	Pass	7001



7.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.52	-13	61.52	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-13	58.48	Pass	2986
30	814	0.1	RMS	809.8	-59.59	-13	46.59	Pass	7841
814	860	0.1	RMS	829.8	20.91	60	39.09	Pass	461
860	1000	0.1	RMS	888	-63.55	-13	50.55	Pass	1401
1000	3000	1	RMS	1659	-46.73	-13	33.73	Pass	2001
3000	10000	1	RMS	7201	-40.44	-13	27.44	Pass	7001



7.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.3	-13	60.3	Pass	401
0.15	30	0.01	RMS	0.18	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	808.3	-58.64	-13	45.64	Pass	7841
814	860	0.1	RMS	834.8	20.87	60	39.13	Pass	461
860	1000	0.1	RMS	864.5	-63.67	-13	50.67	Pass	1401
1000	3000	1	RMS	1669	-46.05	-13	33.05	Pass	2001
3000	10000	1	RMS	7199	-40.45	-13	27.45	Pass	7001



7.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.15	-13	60.15	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	814	0.1	RMS	808.2	-59.48	-13	46.48	Pass	7841
814	860	0.1	RMS	834.8	19.91	60	40.09	Pass	461
860	1000	0.1	RMS	879.9	-63.68	-13	50.68	Pass	1401
1000	3000	1	RMS	1669	-47.21	-13	34.21	Pass	2001
3000	10000	1	RMS	7202	-40.43	-13	27.43	Pass	7001



8. LTE_Band66


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.6	-13	60.6	Pass	401
0.15	30	0.01	RMS	0.16	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	831.5	-63.47	-13	50.47	Pass	9701
1000	1700	1	RMS	1700	-51.06	-13	38.06	Pass	701
1700	1790	1	RMS	1710.125	24.55	60	35.45	Pass	401
1790	3000	1	RMS	2962	-48.46	-13	35.46	Pass	1211
3000	12000	1	RMS	11993	-38.78	-13	25.78	Pass	9002
12000	20000	1	RMS	19716	-29.18	-13	16.18	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.8	-13	60.8	Pass	401
0.15	30	0.01	RMS	0.15	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	859.107	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1700	-51.24	-13	38.24	Pass	701
1700	1790	1	RMS	1710.125	24.01	60	35.99	Pass	401
1790	3000	1	RMS	2964	-48.44	-13	35.44	Pass	1211
3000	12000	1	RMS	11999	-38.8	-13	25.8	Pass	9002
12000	20000	1	RMS	19697	-29.18	-13	16.18	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.66	-13	61.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.66	-13	59.66	Pass	2986
30	1000	0.1	RMS	977.585	-63.65	-13	50.65	Pass	9701
1000	1700	1	RMS	1689	-52.32	-13	39.32	Pass	701
1700	1790	1	RMS	1744.55	24.38	60	35.62	Pass	401
1790	3000	1	RMS	2960	-48.44	-13	35.44	Pass	1211
3000	12000	1	RMS	3489	-37.65	-13	24.65	Pass	9002
12000	20000	1	RMS	19404	-29.19	-13	16.19	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-13	60.31	Pass	401
0.15	30	0.01	RMS	0.22	-72.12	-13	59.12	Pass	2986
30	1000	0.1	RMS	844.4	-63.47	-13	50.47	Pass	9701
1000	1700	1	RMS	1698	-52.28	-13	39.28	Pass	701
1700	1790	1	RMS	1744.325	23.56	60	36.44	Pass	401
1790	3000	1	RMS	2962	-48.52	-13	35.52	Pass	1211
3000	12000	1	RMS	3489	-38.66	-13	25.66	Pass	9002
12000	20000	1	RMS	19730	-29.23	-13	16.23	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.78	-13	60.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	1000	0.1	RMS	849.4	-63.46	-13	50.46	Pass	9701
1000	1700	1	RMS	1698	-52.34	-13	39.34	Pass	701
1700	1790	1	RMS	1778.75	24.34	60	35.66	Pass	401
1790	3000	1	RMS	2956	-48.52	-13	35.52	Pass	1211
3000	12000	1	RMS	3558	-38.23	-13	25.23	Pass	9002
12000	20000	1	RMS	19704	-29.18	-13	16.18	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.27	-13	61.27	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	989.293	-63.62	-13	50.62	Pass	9701
1000	1700	1	RMS	1700	-52.2	-13	39.2	Pass	701
1700	1790	1	RMS	1778.75	24.13	60	35.87	Pass	401
1790	3000	1	RMS	2952	-48.5	-13	35.5	Pass	1211
3000	12000	1	RMS	3558	-38.46	-13	25.46	Pass	9002
12000	20000	1	RMS	19702	-29.16	-13	16.16	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.97	-13	60.97	Pass	401
0.15	30	0.01	RMS	0.17	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	831.2	-63.46	-13	50.46	Pass	9701
1000	1700	1	RMS	1700	-51.14	-13	38.14	Pass	701
1700	1790	1	RMS	1710.125	24.42	60	35.58	Pass	401
1790	3000	1	RMS	2957	-48.53	-13	35.53	Pass	1211
3000	12000	1	RMS	11990	-38.79	-13	25.79	Pass	9002
12000	20000	1	RMS	19703	-29.09	-13	16.09	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.08	-13	60.08	Pass	401
0.15	30	0.01	RMS	0.21	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	853.503	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1700	-51.36	-13	38.36	Pass	701
1700	1790	1	RMS	1710.125	23.75	60	36.25	Pass	401
1790	3000	1	RMS	2957	-48.5	-13	35.5	Pass	1211
3000	12000	1	RMS	12000	-38.76	-13	25.76	Pass	9002
12000	20000	1	RMS	19401	-29.21	-13	16.21	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.27	-13	60.27	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	828.7	-63.61	-13	50.61	Pass	9701
1000	1700	1	RMS	1699	-52.32	-13	39.32	Pass	701
1700	1790	1	RMS	1743.65	24.07	60	35.93	Pass	401
1790	3000	1	RMS	2965	-48.51	-13	35.51	Pass	1211
3000	12000	1	RMS	11997	-38.74	-13	25.74	Pass	9002
12000	20000	1	RMS	19704	-29.17	-13	16.17	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.46	-13	60.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	851.702	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1691	-52.31	-13	39.31	Pass	701
1700	1790	1	RMS	1743.65	23.62	60	36.38	Pass	401
1790	3000	1	RMS	2961	-48.49	-13	35.49	Pass	1211
3000	12000	1	RMS	12000	-38.77	-13	25.77	Pass	9002
12000	20000	1	RMS	19404	-29.18	-13	16.18	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.27	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.9	-13	Pass	2986
30	1000	0.1	RMS	863.409	-63.58	-13	Pass	9701
1000	1700	1	RMS	1699	-52.27	-13	Pass	701
1700	1790	1	RMS	1777.175	15.98	60	Pass	401
1790	3000	1	RMS	2952	-48.31	-13	Pass	1211
3000	12000	1	RMS	3554	-39.49	-13	Pass	9002
12000	20000	1	RMS	19403	-31.03	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.36	-13	60.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	852.502	-63.58	-13	50.58	Pass	9701
1000	1700	1	RMS	1699	-52.29	-13	39.29	Pass	701
1700	1790	1	RMS	1777.175	23.45	60	36.55	Pass	401
1790	3000	1	RMS	2967	-48.5	-13	35.5	Pass	1211
3000	12000	1	RMS	11996	-38.74	-13	25.74	Pass	9002
12000	20000	1	RMS	19407	-29.19	-13	16.19	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.43	-13	60.43	Pass	401
0.15	30	0.01	RMS	0.2	-72.21	-13	59.21	Pass	2986
30	1000	0.1	RMS	832.4	-63.57	-13	50.57	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	37.84	Pass	701
1700	1790	1	RMS	1710.125	24.03	60	35.97	Pass	401
1790	3000	1	RMS	2964	-48.44	-13	35.44	Pass	1211
3000	12000	1	RMS	3421	-38.6	-13	25.6	Pass	9002
12000	20000	1	RMS	19419	-29.2	-13	16.2	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.31	-13	59.31	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	849.2	-63.52	-13	50.52	Pass	9701
1000	1700	1	RMS	1700	-51.04	-13	38.04	Pass	701
1700	1790	1	RMS	1710.125	23.36	60	36.64	Pass	401
1790	3000	1	RMS	2969	-48.48	-13	35.48	Pass	1211
3000	12000	1	RMS	11999	-38.8	-13	25.8	Pass	9002
12000	20000	1	RMS	19400	-29.22	-13	16.22	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	836.4	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1698	-52.35	-13	39.35	Pass	701
1700	1790	1	RMS	1742.75	24.25	60	35.75	Pass	401
1790	3000	1	RMS	2957	-48.45	-13	35.45	Pass	1211
3000	12000	1	RMS	11997	-38.8	-13	25.8	Pass	9002
12000	20000	1	RMS	19715	-29.19	-13	16.19	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.17	-70.83	-13	57.83	Pass	2986
30	1000	0.1	RMS	853.003	-63.48	-13	50.48	Pass	9701
1000	1700	1	RMS	1697	-52.32	-13	39.32	Pass	701
1700	1790	1	RMS	1742.75	23.49	60	36.51	Pass	401
1790	3000	1	RMS	2955	-48.4	-13	35.4	Pass	1211
3000	12000	1	RMS	11995	-38.78	-13	25.78	Pass	9002
12000	20000	1	RMS	19723	-29.15	-13	16.15	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	857.606	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1697	-52.26	-13	39.26	Pass	701
1700	1790	1	RMS	1775.15	24.13	60	35.87	Pass	401
1790	3000	1	RMS	2969	-48.51	-13	35.51	Pass	1211
3000	12000	1	RMS	12000	-38.8	-13	25.8	Pass	9002
12000	20000	1	RMS	19409	-29.19	-13	16.19	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.16	-72.64	-13	59.64	Pass	2986
30	1000	0.1	RMS	852.702	-63.5	-13	50.5	Pass	9701
1000	1700	1	RMS	1698	-52.29	-13	39.29	Pass	701
1700	1790	1	RMS	1775.15	23.28	60	36.72	Pass	401
1790	3000	1	RMS	2968	-48.47	-13	35.47	Pass	1211
3000	12000	1	RMS	11998	-38.75	-13	25.75	Pass	9002
12000	20000	1	RMS	19709	-29.19	-13	16.19	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.71	-13	60.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	844.7	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1693	-42.9	-13	29.9	Pass	701
1700	1790	1	RMS	1710.575	24.44	60	35.56	Pass	401
1790	3000	1	RMS	2948	-48.52	-13	35.52	Pass	1211
3000	12000	1	RMS	3421	-37.68	-13	24.68	Pass	9002
12000	20000	1	RMS	19403	-29.18	-13	16.18	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.59	-13	59.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.56	-13	58.56	Pass	2986
30	1000	0.1	RMS	849.6	-63.54	-13	50.54	Pass	9701
1000	1700	1	RMS	1693	-44.58	-13	31.58	Pass	701
1700	1790	1	RMS	1710.575	23.69	60	36.31	Pass	401
1790	3000	1	RMS	2969	-48.49	-13	35.49	Pass	1211
3000	12000	1	RMS	3421	-38.52	-13	25.52	Pass	9002
12000	20000	1	RMS	19400	-29.17	-13	16.17	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.15	-71.78	-13	58.78	Pass	2986
30	1000	0.1	RMS	849.8	-63.61	-13	50.61	Pass	9701
1000	1700	1	RMS	1700	-52.25	-13	39.25	Pass	701
1700	1790	1	RMS	1740.5	24.3	60	35.7	Pass	401
1790	3000	1	RMS	2963	-48.5	-13	35.5	Pass	1211
3000	12000	1	RMS	11994	-38.74	-13	25.74	Pass	9002
12000	20000	1	RMS	19410	-29.21	-13	16.21	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.74	-13	59.74	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-13	58.93	Pass	2986
30	1000	0.1	RMS	815.3	-63.53	-13	50.53	Pass	9701
1000	1700	1	RMS	1700	-52.31	-13	39.31	Pass	701
1700	1790	1	RMS	1740.5	23.8	60	36.2	Pass	401
1790	3000	1	RMS	2964	-48.51	-13	35.51	Pass	1211
3000	12000	1	RMS	11992	-38.85	-13	25.85	Pass	9002
12000	20000	1	RMS	19713	-29.2	-13	16.2	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.02	-13	61.02	Pass	401
0.15	30	0.01	RMS	0.18	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	852.002	-63.48	-13	50.48	Pass	9701
1000	1700	1	RMS	1699	-52.32	-13	39.32	Pass	701
1700	1790	1	RMS	1770.425	24.48	60	35.52	Pass	401
1790	3000	1	RMS	2945	-48.48	-13	35.48	Pass	1211
3000	12000	1	RMS	3541	-37.75	-13	24.75	Pass	9002
12000	20000	1	RMS	19710	-29.19	-13	16.19	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.79	-13	59.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-13	59.3	Pass	2986
30	1000	0.1	RMS	860.608	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1696	-52.27	-13	39.27	Pass	701
1700	1790	1	RMS	1770.425	23.55	60	36.45	Pass	401
1790	3000	1	RMS	2969	-48.48	-13	35.48	Pass	1211
3000	12000	1	RMS	11987	-38.8	-13	25.8	Pass	9002
12000	20000	1	RMS	19404	-29.23	-13	16.23	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.83	-13	60.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	848.4	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1698	-33.54	-13	20.54	Pass	701
1700	1790	1	RMS	1710.8	24.54	60	35.46	Pass	401
1790	3000	1	RMS	2957	-48.47	-13	35.47	Pass	1211
3000	12000	1	RMS	3422	-37.81	-13	24.81	Pass	9002
12000	20000	1	RMS	19402	-29.17	-13	16.17	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	1000	0.1	RMS	999.9	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1698	-34.9	-13	21.9	Pass	701
1700	1790	1	RMS	1710.8	23.82	60	36.18	Pass	401
1790	3000	1	RMS	2958	-48.48	-13	35.48	Pass	1211
3000	12000	1	RMS	3422	-38.68	-13	25.68	Pass	9002
12000	20000	1	RMS	19400	-29.19	-13	16.19	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.7	-13	60.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-13	59.29	Pass	2986
30	1000	0.1	RMS	865.711	-63.54	-13	50.54	Pass	9701
1000	1700	1	RMS	1698	-52.2	-13	39.2	Pass	701
1700	1790	1	RMS	1738.25	24.21	60	35.79	Pass	401
1790	3000	1	RMS	2947	-48.54	-13	35.54	Pass	1211
3000	12000	1	RMS	11994	-38.74	-13	25.74	Pass	9002
12000	20000	1	RMS	19401	-29.16	-13	16.16	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.17	-13	61.17	Pass	401
0.15	30	0.01	RMS	0.16	-70.69	-13	57.69	Pass	2986
30	1000	0.1	RMS	834.8	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1696	-52.3	-13	39.3	Pass	701
1700	1790	1	RMS	1738.25	24.23	60	35.77	Pass	401
1790	3000	1	RMS	2960	-48.52	-13	35.52	Pass	1211
3000	12000	1	RMS	11991	-38.79	-13	25.79	Pass	9002
12000	20000	1	RMS	19407	-29.17	-13	16.17	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.73	-13	60.73	Pass	401
0.15	30	0.01	RMS	0.21	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	837.9	-63.59	-13	50.59	Pass	9701
1000	1700	1	RMS	1699	-52.34	-13	39.34	Pass	701
1700	1790	1	RMS	1765.7	24.41	60	35.59	Pass	401
1790	3000	1	RMS	1793	-46.07	-13	33.07	Pass	1211
3000	12000	1	RMS	3532	-38.52	-13	25.52	Pass	9002
12000	20000	1	RMS	19702	-29.17	-13	16.17	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.02	-13	60.02	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	867.712	-63.48	-13	50.48	Pass	9701
1000	1700	1	RMS	1697	-52.3	-13	39.3	Pass	701
1700	1790	1	RMS	1765.7	23.4	60	36.6	Pass	401
1790	3000	1	RMS	2964	-48.5	-13	35.5	Pass	1211
3000	12000	1	RMS	11997	-38.83	-13	25.83	Pass	9002
12000	20000	1	RMS	19709	-29.2	-13	16.2	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.53	-13	60.53	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-13	58.73	Pass	2986
30	1000	0.1	RMS	825.7	-63.56	-13	50.56	Pass	9701
1000	1700	1	RMS	1693	-33.98	-13	20.98	Pass	701
1700	1790	1	RMS	1711.025	24.47	60	35.53	Pass	401
1790	3000	1	RMS	2951	-48.54	-13	35.54	Pass	1211
3000	12000	1	RMS	3422	-37.25	-13	24.25	Pass	9002
12000	20000	1	RMS	19405	-29.18	-13	16.18	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.38	-13	60.38	Pass	401
0.15	30	0.01	RMS	0.16	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	838.2	-63.6	-13	50.6	Pass	9701
1000	1700	1	RMS	1693	-35.94	-13	22.94	Pass	701
1700	1790	1	RMS	1711.025	23.76	60	36.24	Pass	401
1790	3000	1	RMS	2966	-48.47	-13	35.47	Pass	1211
3000	12000	1	RMS	3422	-38.12	-13	25.12	Pass	9002
12000	20000	1	RMS	19397	-29.2	-13	16.2	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.83	-13	60.83	Pass	401
0.15	30	0.01	RMS	0.17	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	982.288	-63.48	-13	50.48	Pass	9701
1000	1700	1	RMS	1700	-49.45	-13	36.45	Pass	701
1700	1790	1	RMS	1736	24.29	60	35.71	Pass	401
1790	3000	1	RMS	2963	-48.51	-13	35.51	Pass	1211
3000	12000	1	RMS	11999	-38.79	-13	25.79	Pass	9002
12000	20000	1	RMS	19731	-29.17	-13	16.17	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.8	-13	59.8	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	845.1	-63.49	-13	50.49	Pass	9701
1000	1700	1	RMS	1700	-50.25	-13	37.25	Pass	701
1700	1790	1	RMS	1736	23.61	60	36.39	Pass	401
1790	3000	1	RMS	2962	-48.49	-13	35.49	Pass	1211
3000	12000	1	RMS	11994	-38.72	-13	25.72	Pass	9002
12000	20000	1	RMS	19704	-29.2	-13	16.2	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.14	-13	61.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	846.8	-63.49	-13	50.49	Pass	9701
1000	1700	1	RMS	1694	-52.31	-13	39.31	Pass	701
1700	1790	1	RMS	1760.975	24.35	60	35.65	Pass	401
1790	3000	1	RMS	1797	-43.86	-13	30.86	Pass	1211
3000	12000	1	RMS	3522	-38.32	-13	25.32	Pass	9002
12000	20000	1	RMS	19702	-29.19	-13	16.19	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.24	-13	59.24	Pass	401
0.15	30	0.01	RMS	0.17	-71.71	-13	58.71	Pass	2986
30	1000	0.1	RMS	862.409	-63.5	-13	50.5	Pass	9701
1000	1700	1	RMS	1698	-52.33	-13	39.33	Pass	701
1700	1790	1	RMS	1760.975	24.01	60	35.99	Pass	401
1790	3000	1	RMS	1797	-44.56	-13	31.56	Pass	1211
3000	12000	1	RMS	3522	-38.57	-13	25.57	Pass	9002
12000	20000	1	RMS	19397	-29.05	-13	16.05	Pass	8001



9. LTE_Band38


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.49	-25	44.49	Pass	401
0.15	30	0.01	RMS	0.2	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	831.6	-59.51	-25	34.51	Pass	9701
1000	2560	1	RMS	2560	-45.49	-25	20.49	Pass	1561
2560	2630	1	RMS	2570.325	23.76	60	36.24	Pass	401
2630	3000	1	RMS	2966.7	-44.54	-25	19.54	Pass	401
3000	12000	1	RMS	11988	-44.5	-25	19.5	Pass	9002
12000	26500	1	RMS	26000	-38.03	-25	13.03	Pass	14502




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.6	-25	44.6	Pass	401
0.15	30	0.01	RMS	0.2	-68.64	-25	43.64	Pass	2986
30	1000	0.1	RMS	851.301	-59.56	-25	34.56	Pass	9701
1000	2560	1	RMS	2559	-45.22	-25	20.22	Pass	1561
2560	2630	1	RMS	2570.15	23.69	60	36.31	Pass	401
2630	3000	1	RMS	2957.45	-44.56	-25	19.56	Pass	401
3000	12000	1	RMS	12000	-44.46	-25	19.46	Pass	9002
12000	26500	1	RMS	26000	-38.06	-25	13.06	Pass	14502




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.5	-25	43.5	Pass	401
0.15	30	0.01	RMS	0.15	-67.79	-25	42.79	Pass	2986
30	1000	0.1	RMS	829.5	-59.54	-25	34.54	Pass	9701
1000	2560	1	RMS	2523	-46.02	-25	21.02	Pass	1561
2560	2630	1	RMS	2592.725	23.81	60	36.19	Pass	401
2630	3000	1	RMS	2963.925	-44.56	-25	19.56	Pass	401
3000	12000	1	RMS	11999	-44.52	-25	19.52	Pass	9002
12000	26500	1	RMS	26007	-37.96	-25	12.96	Pass	14502




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.26	-25	44.26	Pass	401
0.15	30	0.01	RMS	0.15	-68.94	-25	43.94	Pass	2986
30	1000	0.1	RMS	850.601	-59.57	-25	34.57	Pass	9701
1000	2560	1	RMS	2525	-46	-25	21	Pass	1561
2560	2630	1	RMS	2592.9	22.67	60	37.33	Pass	401
2630	3000	1	RMS	2965.775	-44.54	-25	19.54	Pass	401
3000	12000	1	RMS	11998	-44.47	-25	19.47	Pass	9002
12000	26500	1	RMS	26001	-37.95	-25	12.95	Pass	14502




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.1	-25	43.1	Pass	401
0.15	30	0.01	RMS	0.16	-68.55	-25	43.55	Pass	2986
30	1000	0.1	RMS	838.7	-59.27	-25	34.27	Pass	9701
1000	2560	1	RMS	2525	-46.01	-25	21.01	Pass	1561
2560	2630	1	RMS	2615.3	23.44	60	36.56	Pass	401
2630	3000	1	RMS	2957.45	-44.55	-25	19.55	Pass	401
3000	12000	1	RMS	11998	-44.42	-25	19.42	Pass	9002
12000	26500	1	RMS	26006	-38.05	-25	13.05	Pass	14502




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.02	-25	42.02	Pass	401
0.15	30	0.01	RMS	0.18	-68.01	-25	43.01	Pass	2986
30	1000	0.1	RMS	845.1	-59.52	-25	34.52	Pass	9701
1000	2560	1	RMS	2524	-46.02	-25	21.02	Pass	1561
2560	2630	1	RMS	2615.3	24.19	60	35.81	Pass	401
2630	3000	1	RMS	2956.525	-44.53	-25	19.53	Pass	401
3000	12000	1	RMS	11999	-44.48	-25	19.48	Pass	9002
12000	26500	1	RMS	26000	-37.79	-25	12.79	Pass	14502




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.36	-25	44.36	Pass	401
0.15	30	0.01	RMS	0.18	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	609.9	-59.35	-25	34.35	Pass	9701
1000	2560	1	RMS	2553	-34.36	-25	9.36	Pass	1561
2560	2630	1	RMS	2570.5	24.27	60	35.73	Pass	401
2630	3000	1	RMS	2967.625	-44.55	-25	19.55	Pass	401
3000	12000	1	RMS	12000	-44.42	-25	19.42	Pass	9002
12000	26500	1	RMS	26001	-38.07	-25	13.07	Pass	14502




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.31	-25	44.31	Pass	401
0.15	30	0.01	RMS	0.25	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	862.909	-59.47	-25	34.47	Pass	9701
1000	2560	1	RMS	2552	-41.45	-25	16.45	Pass	1561
2560	2630	1	RMS	2570.5	22.36	60	37.64	Pass	401
2630	3000	1	RMS	2956.525	-44.52	-25	19.52	Pass	401
3000	12000	1	RMS	11996	-44.46	-25	19.46	Pass	9002
12000	26500	1	RMS	25999	-37.86	-25	12.86	Pass	14502



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.01	-25	45.01	Pass	401
0.15	30	0.01	RMS	0.16	-67.71	-25	42.71	Pass	2986
30	1000	0.1	RMS	847.4	-59.55	-25	34.55	Pass	9701
1000	2560	1	RMS	2520	-45.99	-25	20.99	Pass	1561
2560	2630	1	RMS	2590.625	24.4	60	35.6	Pass	401
2630	3000	1	RMS	2964.85	-44.52	-25	19.52	Pass	401
3000	12000	1	RMS	11999	-44.41	-25	19.41	Pass	9002
12000	26500	1	RMS	25999	-37.98	-25	12.98	Pass	14502



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.2	-25	44.2	Pass	401
0.15	30	0.01	RMS	0.15	-67.88	-25	42.88	Pass	2986
30	1000	0.1	RMS	868.813	-59.5	-25	34.5	Pass	9701
1000	2560	1	RMS	2535	-46.02	-25	21.02	Pass	1561
2560	2630	1	RMS	2590.45	23.82	60	36.18	Pass	401
2630	3000	1	RMS	2956.525	-44.56	-25	19.56	Pass	401
3000	12000	1	RMS	12000	-44.33	-25	19.33	Pass	9002
12000	26500	1	RMS	26003	-38.08	-25	13.08	Pass	14502



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.53	-25	43.53	Pass	401
0.15	30	0.01	RMS	0.15	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	857.305	-59.45	-25	34.45	Pass	9701
1000	2560	1	RMS	2518	-46.01	-25	21.01	Pass	1561
2560	2630	1	RMS	2610.575	24.04	60	35.96	Pass	401
2630	3000	1	RMS	2630	-37.23	-25	12.23	Pass	401
3000	12000	1	RMS	11996	-44.46	-25	19.46	Pass	9002
12000	26500	1	RMS	26005	-38.01	-25	13.01	Pass	14502



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.23	-25	43.23	Pass	401
0.15	30	0.01	RMS	0.19	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	850.501	-59.6	-25	34.6	Pass	9701
1000	2560	1	RMS	2523	-45.98	-25	20.98	Pass	1561
2560	2630	1	RMS	2610.4	23.78	60	36.22	Pass	401
2630	3000	1	RMS	2630	-37.34	-25	12.34	Pass	401
3000	12000	1	RMS	11994	-44.46	-25	19.46	Pass	9002
12000	26500	1	RMS	26001	-37.93	-25	12.93	Pass	14502



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.69	-25	44.69	Pass	401
0.15	30	0.01	RMS	0.17	-68.12	-25	43.12	Pass	2986
30	1000	0.1	RMS	857.506	-59.45	-25	34.45	Pass	9701
1000	2560	1	RMS	2545	-37.16	-25	12.16	Pass	1561
2560	2630	1	RMS	2570.85	24.34	60	35.66	Pass	401
2630	3000	1	RMS	2961.15	-44.55	-25	19.55	Pass	401
3000	12000	1	RMS	12000	-44.47	-25	19.47	Pass	9002
12000	26500	1	RMS	26001	-38	-25	13	Pass	14502



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.29	-25	45.29	Pass	401
0.15	30	0.01	RMS	0.2	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	610.2	-59.52	-25	34.52	Pass	9701
1000	2560	1	RMS	2558	-40.11	-25	15.11	Pass	1561
2560	2630	1	RMS	2570.675	23.23	60	36.77	Pass	401
2630	3000	1	RMS	2967.625	-44.55	-25	19.55	Pass	401
3000	12000	1	RMS	11998	-44.49	-25	19.49	Pass	9002
12000	26500	1	RMS	25995	-38.01	-25	13.01	Pass	14502



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.19	-25	45.19	Pass	401
0.15	30	0.01	RMS	0.15	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	848.2	-59.54	-25	34.54	Pass	9701
1000	2560	1	RMS	2560	-44.69	-25	19.69	Pass	1561
2560	2630	1	RMS	2588.35	24	60	36	Pass	401
2630	3000	1	RMS	2956.525	-44.51	-25	19.51	Pass	401
3000	12000	1	RMS	12000	-44.36	-25	19.36	Pass	9002
12000	26500	1	RMS	26008	-37.89	-25	12.89	Pass	14502



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.56	-25	44.56	Pass	401
0.15	30	0.01	RMS	0.17	-68.1	-25	43.1	Pass	2986
30	1000	0.1	RMS	856.605	-59.57	-25	34.57	Pass	9701
1000	2560	1	RMS	2559	-43.69	-25	18.69	Pass	1561
2560	2630	1	RMS	2588.175	23.47	60	36.53	Pass	401
2630	3000	1	RMS	2969.475	-44.53	-25	19.53	Pass	401
3000	12000	1	RMS	12000	-44.45	-25	19.45	Pass	9002
12000	26500	1	RMS	26001	-37.92	-25	12.92	Pass	14502



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.43	-25	44.43	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	857.005	-59.6	-25	34.6	Pass	9701
1000	2560	1	RMS	2553	-45.82	-25	20.82	Pass	1561
2560	2630	1	RMS	2605.85	24.25	60	35.75	Pass	401
2630	3000	1	RMS	2631.85	-33.31	-25	8.31	Pass	401
3000	12000	1	RMS	12000	-44.43	-25	19.43	Pass	9002
12000	26500	1	RMS	26011	-38.05	-25	13.05	Pass	14502



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.87	-25	43.87	Pass	401
0.15	30	0.01	RMS	0.22	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	861.008	-59.48	-25	34.48	Pass	9701
1000	2560	1	RMS	2549	-45.72	-25	20.72	Pass	1561
2560	2630	1	RMS	2605.85	23.47	60	36.53	Pass	401
2630	3000	1	RMS	2631.85	-32.6	-25	7.6	Pass	401
3000	12000	1	RMS	11984	-44.45	-25	19.45	Pass	9002
12000	26500	1	RMS	25991	-38.02	-25	13.02	Pass	14502



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.88	-25	43.88	Pass	401
0.15	30	0.01	RMS	0.26	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	852.102	-59.44	-25	34.44	Pass	9701
1000	2560	1	RMS	2535	-39.94	-25	14.94	Pass	1561
2560	2630	1	RMS	2570.85	24.15	60	35.85	Pass	401
2630	3000	1	RMS	2646.65	-44.53	-25	19.53	Pass	401
3000	12000	1	RMS	11999	-44.5	-25	19.5	Pass	9002
12000	26500	1	RMS	26000	-37.98	-25	12.98	Pass	14502



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.32	-25	45.32	Pass	401
0.15	30	0.01	RMS	0.23	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	936.158	-59.53	-25	34.53	Pass	9701
1000	2560	1	RMS	2553	-40.31	-25	15.31	Pass	1561
2560	2630	1	RMS	2571.025	23.73	60	36.27	Pass	401
2630	3000	1	RMS	2968.55	-44.53	-25	19.53	Pass	401
3000	12000	1	RMS	11999	-44.44	-25	19.44	Pass	9002
12000	26500	1	RMS	25992	-37.99	-25	12.99	Pass	14502



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.18	-25	44.18	Pass	401
0.15	30	0.01	RMS	0.15	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	995.197	-59.54	-25	34.54	Pass	9701
1000	2560	1	RMS	2551	-41.64	-25	16.64	Pass	1561
2560	2630	1	RMS	2586.075	24.13	60	35.87	Pass	401
2630	3000	1	RMS	2962.075	-44.55	-25	19.55	Pass	401
3000	12000	1	RMS	11997	-44.52	-25	19.52	Pass	9002
12000	26500	1	RMS	25981	-38.06	-25	13.06	Pass	14502



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.14	-25	44.14	Pass	401
0.15	30	0.01	RMS	0.21	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	863.71	-59.6	-25	34.6	Pass	9701
1000	2560	1	RMS	2551	-41.77	-25	16.77	Pass	1561
2560	2630	1	RMS	2585.9	23.55	60	36.45	Pass	401
2630	3000	1	RMS	2964.85	-44.57	-25	19.57	Pass	401
3000	12000	1	RMS	11998	-44.46	-25	19.46	Pass	9002
12000	26500	1	RMS	25995	-38.02	-25	13.02	Pass	14502



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.17	-25	44.17	Pass	401
0.15	30	0.01	RMS	0.16	-67.44	-25	42.44	Pass	2986
30	1000	0.1	RMS	835	-59.55	-25	34.55	Pass	9701
1000	2560	1	RMS	2554	-45.85	-25	20.85	Pass	1561
2560	2630	1	RMS	2600.95	24.84	60	35.16	Pass	401
2630	3000	1	RMS	2636.475	-38.05	-25	13.05	Pass	401
3000	12000	1	RMS	11999	-44.51	-25	19.51	Pass	9002
12000	26500	1	RMS	25994	-38.02	-25	13.02	Pass	14502



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.53	-25	44.53	Pass	401
0.15	30	0.01	RMS	0.15	-68.6	-25	43.6	Pass	2986
30	1000	0.1	RMS	827.5	-59.54	-25	34.54	Pass	9701
1000	2560	1	RMS	2559	-45.72	-25	20.72	Pass	1561
2560	2630	1	RMS	2600.95	24.19	60	35.81	Pass	401
2630	3000	1	RMS	2636.475	-40.74	-25	15.74	Pass	401
3000	12000	1	RMS	12000	-44.5	-25	19.5	Pass	9002
12000	26500	1	RMS	25988	-38.09	-25	13.09	Pass	14502



10. LTE_Band41 120M


10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.65	-25	44.65	Pass	401
0.15	30	0.01	RMS	0.25	-68.53	-25	43.53	Pass	2986
30	1000	0.1	RMS	855.504	-59.54	-25	34.54	Pass	9701
1000	2525	1	RMS	2525	-44.73	-25	19.73	Pass	1526
2525	2665	1	RMS	2535.5	22.49	60	37.51	Pass	401
2665	3000	1	RMS	2956.45	-44.58	-25	19.58	Pass	401
3000	12000	1	RMS	11994	-54.54	-25	29.54	Pass	9002
12000	27000	1	RMS	26005	-36.69	-25	11.69	Pass	15002




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.38	-25	43.38	Pass	401
0.15	30	0.01	RMS	0.23	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	849.8	-59.56	-25	34.56	Pass	9701
1000	2525	1	RMS	2523	-45.26	-25	20.26	Pass	1526
2525	2665	1	RMS	2535.5	22.76	60	37.24	Pass	401
2665	3000	1	RMS	2957.288	-44.54	-25	19.54	Pass	401
3000	12000	1	RMS	11998	-54.5	-25	29.5	Pass	9002
12000	27000	1	RMS	26003	-36.73	-25	11.73	Pass	15002




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.88	-25	42.88	Pass	401
0.15	30	0.01	RMS	0.19	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	843.9	-59.66	-25	34.66	Pass	9701
1000	2525	1	RMS	2521	-46.09	-25	21.09	Pass	1526
2525	2665	1	RMS	2592.9	23.17	60	36.83	Pass	401
2665	3000	1	RMS	2955.613	-44.58	-25	19.58	Pass	401
3000	12000	1	RMS	11995	-54.52	-25	29.52	Pass	9002
12000	27000	1	RMS	25990	-36.65	-25	11.65	Pass	15002




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.51	-25	44.51	Pass	401
0.15	30	0.01	RMS	0.18	-67.93	-25	42.93	Pass	2986
30	1000	0.1	RMS	858.006	-59.59	-25	34.59	Pass	9701
1000	2525	1	RMS	2521	-46.08	-25	21.08	Pass	1526
2525	2665	1	RMS	2592.9	24.12	60	35.88	Pass	401
2665	3000	1	RMS	2968.175	-44.59	-25	19.59	Pass	401
3000	12000	1	RMS	11999	-54.54	-25	29.54	Pass	9002
12000	27000	1	RMS	26002	-36.58	-25	11.58	Pass	15002




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.13	-25	44.13	Pass	401
0.15	30	0.01	RMS	0.18	-68.08	-25	43.08	Pass	2986
30	1000	0.1	RMS	978.286	-59.59	-25	34.59	Pass	9701
1000	2525	1	RMS	2519	-46.12	-25	21.12	Pass	1526
2525	2665	1	RMS	2650.3	23.92	60	36.08	Pass	401
2665	3000	1	RMS	2966.5	-44.61	-25	19.61	Pass	401
3000	12000	1	RMS	11994	-54.54	-25	29.54	Pass	9002
12000	27000	1	RMS	25994	-36.64	-25	11.64	Pass	15002




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.85	-25	43.85	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	852.802	-59.48	-25	34.48	Pass	9701
1000	2525	1	RMS	2525	-46.14	-25	21.14	Pass	1526
2525	2665	1	RMS	2649.95	24.25	60	35.75	Pass	401
2665	3000	1	RMS	2964.825	-44.61	-25	19.61	Pass	401
3000	12000	1	RMS	5301	-53.7	-25	28.7	Pass	9002
12000	27000	1	RMS	26000	-36.56	-25	11.56	Pass	15002




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.56	-25	44.56	Pass	401
0.15	30	0.01	RMS	0.2	-68.35	-25	43.35	Pass	2986
30	1000	0.1	RMS	863.91	-59.6	-25	34.6	Pass	9701
1000	2525	1	RMS	2518	-36.64	-25	11.64	Pass	1526
2525	2665	1	RMS	2535.5	23.63	60	36.37	Pass	401
2665	3000	1	RMS	2957.288	-44.59	-25	19.59	Pass	401
3000	12000	1	RMS	11983	-54.6	-25	29.6	Pass	9002
12000	27000	1	RMS	26001	-36.61	-25	11.61	Pass	15002



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.91	-25	43.91	Pass	401
0.15	30	0.01	RMS	0.19	-68.91	-25	43.91	Pass	2986
30	1000	0.1	RMS	574.9	-59.44	-25	34.44	Pass	9701
1000	2525	1	RMS	2518	-41.85	-25	16.85	Pass	1526
2525	2665	1	RMS	2535.15	23.29	60	36.71	Pass	401
2665	3000	1	RMS	2971.525	-44.62	-25	19.62	Pass	401
3000	12000	1	RMS	11995	-54.48	-25	29.48	Pass	9002
12000	27000	1	RMS	26003	-36.63	-25	11.63	Pass	15002



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.99	-25	44.99	Pass	401
0.15	30	0.01	RMS	0.2	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	870.914	-59.66	-25	34.66	Pass	9701
1000	2525	1	RMS	2524	-46.13	-25	21.13	Pass	1526
2525	2665	1	RMS	2590.1	23.22	60	36.78	Pass	401
2665	3000	1	RMS	2967.338	-44.62	-25	19.62	Pass	401
3000	12000	1	RMS	11999	-54.58	-25	29.58	Pass	9002
12000	27000	1	RMS	26001	-36.64	-25	11.64	Pass	15002



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.77	-25	44.77	Pass	401
0.15	30	0.01	RMS	0.22	-67.36	-25	42.36	Pass	2986
30	1000	0.1	RMS	825.5	-59.34	-25	34.34	Pass	9701
1000	2525	1	RMS	2518	-46.08	-25	21.08	Pass	1526
2525	2665	1	RMS	2590.1	23.81	60	36.19	Pass	401
2665	3000	1	RMS	2958.963	-44.62	-25	19.62	Pass	401
3000	12000	1	RMS	11991	-54.58	-25	29.58	Pass	9002
12000	27000	1	RMS	25998	-36.65	-25	11.65	Pass	15002



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.6	-25	44.6	Pass	401
0.15	30	0.01	RMS	0.16	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	842.3	-59.43	-25	34.43	Pass	9701
1000	2525	1	RMS	2524	-46.12	-25	21.12	Pass	1526
2525	2665	1	RMS	2645.4	23.21	60	36.79	Pass	401
2665	3000	1	RMS	2665	-38.46	-25	13.46	Pass	401
3000	12000	1	RMS	12000	-54.52	-25	29.52	Pass	9002
12000	27000	1	RMS	25996	-36.73	-25	11.73	Pass	15002



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.88	-25	43.88	Pass	401
0.15	30	0.01	RMS	0.18	-68.51	-25	43.51	Pass	2986
30	1000	0.1	RMS	847.4	-59.67	-25	34.67	Pass	9701
1000	2525	1	RMS	2523	-46.14	-25	21.14	Pass	1526
2525	2665	1	RMS	2645.4	24.45	60	35.55	Pass	401
2665	3000	1	RMS	2665	-39.3	-25	14.3	Pass	401
3000	12000	1	RMS	5291	-52.51	-25	27.51	Pass	9002
12000	27000	1	RMS	25988	-36.66	-25	11.66	Pass	15002



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.82	-25	44.82	Pass	401
0.15	30	0.01	RMS	0.18	-67.7	-25	42.7	Pass	2986
30	1000	0.1	RMS	851.001	-59.54	-25	34.54	Pass	9701
1000	2525	1	RMS	2523	-40.01	-25	15.01	Pass	1526
2525	2665	1	RMS	2535.85	23.09	60	36.91	Pass	401
2665	3000	1	RMS	2965.663	-44.61	-25	19.61	Pass	401
3000	12000	1	RMS	11999	-54.62	-25	29.62	Pass	9002
12000	27000	1	RMS	26003	-36.62	-25	11.62	Pass	15002



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.78	-25	44.78	Pass	401
0.15	30	0.01	RMS	0.16	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	836.8	-59.27	-25	34.27	Pass	9701
1000	2525	1	RMS	2523	-39.76	-25	14.76	Pass	1526
2525	2665	1	RMS	2535.5	21.93	60	38.07	Pass	401
2665	3000	1	RMS	2957.288	-44.3	-25	19.3	Pass	401
3000	12000	1	RMS	11999	-54.21	-25	29.21	Pass	9002
12000	27000	1	RMS	25999	-36.38	-25	11.38	Pass	15002



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.81	-25	43.81	Pass	401
0.15	30	0.01	RMS	0.17	-68.29	-25	43.29	Pass	2986
30	1000	0.1	RMS	858.106	-59.2	-25	34.2	Pass	9701
1000	2525	1	RMS	2522	-45.69	-25	20.69	Pass	1526
2525	2665	1	RMS	2588	22.63	60	37.37	Pass	401
2665	3000	1	RMS	2965.663	-44.29	-25	19.29	Pass	401
3000	12000	1	RMS	11998	-54.24	-25	29.24	Pass	9002
12000	27000	1	RMS	26001	-36.22	-25	11.22	Pass	15002



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.67	-25	44.67	Pass	401
0.15	30	0.01	RMS	0.21	-68.54	-25	43.54	Pass	2986
30	1000	0.1	RMS	857.105	-59.35	-25	34.35	Pass	9701
1000	2525	1	RMS	2521	-45.69	-25	20.69	Pass	1526
2525	2665	1	RMS	2588	23.52	60	36.48	Pass	401
2665	3000	1	RMS	2957.288	-44.32	-25	19.32	Pass	401
3000	12000	1	RMS	12000	-54.13	-25	29.13	Pass	9002
12000	27000	1	RMS	25986	-36.33	-25	11.33	Pass	15002



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.53	-25	44.53	Pass	401
0.15	30	0.01	RMS	0.2	-68.21	-25	43.21	Pass	2986
30	1000	0.1	RMS	857.706	-59.21	-25	34.21	Pass	9701
1000	2525	1	RMS	2523	-45.77	-25	20.77	Pass	1526
2525	2665	1	RMS	2640.5	23.07	60	36.93	Pass	401
2665	3000	1	RMS	2667.513	-38.25	-25	13.25	Pass	401
3000	12000	1	RMS	11999	-54.13	-25	29.13	Pass	9002
12000	27000	1	RMS	26982	-36.41	-25	11.41	Pass	15002



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.16	-25	45.16	Pass	401
0.15	30	0.01	RMS	0.15	-68.26	-25	43.26	Pass	2986
30	1000	0.1	RMS	843.9	-59.24	-25	34.24	Pass	9701
1000	2525	1	RMS	2520	-45.73	-25	20.73	Pass	1526
2525	2665	1	RMS	2640.5	23.35	60	36.65	Pass	401
2665	3000	1	RMS	2667.513	-37.39	-25	12.39	Pass	401
3000	12000	1	RMS	11999	-54.22	-25	29.22	Pass	9002
12000	27000	1	RMS	25991	-36.36	-25	11.36	Pass	15002



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.31	-25	45.31	Pass	401
0.15	30	0.01	RMS	0.17	-68.07	-25	43.07	Pass	2986
30	1000	0.1	RMS	848.2	-59.21	-25	34.21	Pass	9701
1000	2525	1	RMS	2518	-38.59	-25	13.59	Pass	1526
2525	2665	1	RMS	2535.85	22.6	60	37.4	Pass	401
2665	3000	1	RMS	2961.475	-44.3	-25	19.3	Pass	401
3000	12000	1	RMS	11997	-54.19	-25	29.19	Pass	9002
12000	27000	1	RMS	26004	-36.35	-25	11.35	Pass	15002



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.7	-25	44.7	Pass	401
0.15	30	0.01	RMS	0.23	-68.37	-25	43.37	Pass	2986
30	1000	0.1	RMS	843.9	-59.18	-25	34.18	Pass	9701
1000	2525	1	RMS	2519	-39.13	-25	14.13	Pass	1526
2525	2665	1	RMS	2536.2	22.87	60	37.13	Pass	401
2665	3000	1	RMS	2955.613	-44.28	-25	19.28	Pass	401
3000	12000	1	RMS	11998	-54.21	-25	29.21	Pass	9002
12000	27000	1	RMS	26003	-36.24	-25	11.24	Pass	15002



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.42	-25	44.42	Pass	401
0.15	30	0.01	RMS	0.16	-68.34	-25	43.34	Pass	2986
30	1000	0.1	RMS	825.3	-58.99	-25	33.99	Pass	9701
1000	2525	1	RMS	2523	-45.73	-25	20.73	Pass	1526
2525	2665	1	RMS	2585.9	23.04	60	36.96	Pass	401
2665	3000	1	RMS	2969.013	-44.3	-25	19.3	Pass	401
3000	12000	1	RMS	11996	-54.15	-25	29.15	Pass	9002
12000	27000	1	RMS	25999	-36.32	-25	11.32	Pass	15002



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.95	-25	44.95	Pass	401
0.15	30	0.01	RMS	0.16	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	986.591	-59.27	-25	34.27	Pass	9701
1000	2525	1	RMS	2520	-45.64	-25	20.64	Pass	1526
2525	2665	1	RMS	2585.9	22.04	60	37.96	Pass	401
2665	3000	1	RMS	2968.175	-44.24	-25	19.24	Pass	401
3000	12000	1	RMS	12000	-54.21	-25	29.21	Pass	9002
12000	27000	1	RMS	25986	-36.37	-25	11.37	Pass	15002



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.71	-25	45.71	Pass	401
0.15	30	0.01	RMS	0.16	-68.32	-25	43.32	Pass	2986
30	1000	0.1	RMS	848.8	-59.24	-25	34.24	Pass	9701
1000	2525	1	RMS	2520	-45.76	-25	20.76	Pass	1526
2525	2665	1	RMS	2635.6	22.86	60	37.14	Pass	401
2665	3000	1	RMS	2671.7	-42.79	-25	17.79	Pass	401
3000	12000	1	RMS	11996	-54.2	-25	29.2	Pass	9002
12000	27000	1	RMS	25996	-36.33	-25	11.33	Pass	15002



10.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.23	-25	44.23	Pass	401
0.15	30	0.01	RMS	0.15	-68.43	-25	43.43	Pass	2986
30	1000	0.1	RMS	823.3	-59.15	-25	34.15	Pass	9701
1000	2525	1	RMS	2520	-45.67	-25	20.67	Pass	1526
2525	2665	1	RMS	2635.95	23.98	60	36.02	Pass	401
2665	3000	1	RMS	2670.863	-42.71	-25	17.71	Pass	401
3000	12000	1	RMS	11997	-54.22	-25	29.22	Pass	9002
12000	27000	1	RMS	25995	-36.37	-25	11.37	Pass	15002



11. LTE_Band19


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:24025, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.03	-13	58.03	Pass	401
0.15	30	0.01	RMS	0.16	-70.17	-13	57.17	Pass	2986
30	820	0.1	RMS	819.6	-63.15	-13	50.15	Pass	7901
820	856	0.1	RMS	830.35	21.25	60	38.75	Pass	401
856	1000	0.1	RMS	995.7	-63.62	-13	50.62	Pass	1441
1000	3000	1	RMS	1660	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	6979	-41.38	-13	28.38	Pass	7001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:24025, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	57.62	Pass	2986
30	820	0.1	RMS	819.6	-63.13	-13	50.13	Pass	7901
820	856	0.1	RMS	830.35	20.67	60	39.33	Pass	401
856	1000	0.1	RMS	996.2	-63.4	-13	50.4	Pass	1441
1000	3000	1	RMS	1660	-46.58	-13	33.58	Pass	2001
3000	10000	1	RMS	6982	-41.52	-13	28.52	Pass	7001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:24075, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.47	-13	58.47	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	57.96	Pass	2986
30	820	0.1	RMS	817.7	-63.78	-13	50.78	Pass	7901
820	856	0.1	RMS	835.3	20.78	60	39.22	Pass	401
856	1000	0.1	RMS	900	-63.49	-13	50.49	Pass	1441
1000	3000	1	RMS	1670	-45.1	-13	32.1	Pass	2001
3000	10000	1	RMS	6980	-41.65	-13	28.65	Pass	7001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:24075, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.4	-13	58.4	Pass	401
0.15	30	0.01	RMS	0.2	-71.27	-13	58.27	Pass	2986
30	820	0.1	RMS	819.9	-63.85	-13	50.85	Pass	7901
820	856	0.1	RMS	835.3	20.33	60	39.67	Pass	401
856	1000	0.1	RMS	882.2	-63.67	-13	50.67	Pass	1441
1000	3000	1	RMS	1670	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	6978	-41.55	-13	28.55	Pass	7001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:24125, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.38	-13	58.38	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	57.87	Pass	2986
30	820	0.1	RMS	819.6	-63.87	-13	50.87	Pass	7901
820	856	0.1	RMS	840.34	21.29	60	38.71	Pass	401
856	1000	0.1	RMS	995.9	-63.67	-13	50.67	Pass	1441
1000	3000	1	RMS	1680	-45.47	-13	32.47	Pass	2001
3000	10000	1	RMS	6980	-41.67	-13	28.67	Pass	7001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:24125, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.17	-71.27	-13	58.27	Pass	2986
30	820	0.1	RMS	812.4	-64.09	-13	51.09	Pass	7901
820	856	0.1	RMS	840.34	20.5	60	39.5	Pass	401
856	1000	0.1	RMS	995.4	-63.58	-13	50.58	Pass	1441
1000	3000	1	RMS	1680	-46.71	-13	33.71	Pass	2001
3000	10000	1	RMS	6977	-41.64	-13	28.64	Pass	7001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:24050, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-70.91	-13	57.91	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	57.56	Pass	2986
30	820	0.1	RMS	813	-52.72	-13	39.72	Pass	7901
820	856	0.1	RMS	830.62	21.37	60	38.63	Pass	401
856	1000	0.1	RMS	900	-63.79	-13	50.79	Pass	1441
1000	3000	1	RMS	1661	-45.54	-13	32.54	Pass	2001
3000	10000	1	RMS	6980	-41.19	-13	28.19	Pass	7001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:24050, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-70.85	-13	57.85	Pass	401
0.15	30	0.01	RMS	0.18	-69.85	-13	56.85	Pass	2986
30	820	0.1	RMS	812.9	-51.64	-13	38.64	Pass	7901
820	856	0.1	RMS	830.62	20.39	60	39.61	Pass	401
856	1000	0.1	RMS	998.6	-63.06	-13	50.06	Pass	1441
1000	3000	1	RMS	1661	-46.45	-13	33.45	Pass	2001
3000	10000	1	RMS	6977	-41.16	-13	28.16	Pass	7001



11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:24075, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.15	-70.4	-13	57.4	Pass	2986
30	820	0.1	RMS	815.5	-51.88	-13	38.88	Pass	7901
820	856	0.1	RMS	833.05	20.87	60	39.13	Pass	401
856	1000	0.1	RMS	900	-63.18	-13	50.18	Pass	1441
1000	3000	1	RMS	1666	-45.41	-13	32.41	Pass	2001
3000	10000	1	RMS	6979	-41.16	-13	28.16	Pass	7001



11.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:24075, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-71.23	-13	58.23	Pass	401
0.15	30	0.01	RMS	0.17	-70	-13	57	Pass	2986
30	820	0.1	RMS	815.5	-52.55	-13	39.55	Pass	7901
820	856	0.1	RMS	833.05	20.37	60	39.63	Pass	401
856	1000	0.1	RMS	900	-62.85	-13	49.85	Pass	1441
1000	3000	1	RMS	1666	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	6979	-41.27	-13	28.27	Pass	7001



11.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:24100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.15	-13	58.15	Pass	401
0.15	30	0.01	RMS	0.16	-70.61	-13	57.61	Pass	2986
30	820	0.1	RMS	818	-53.83	-13	40.83	Pass	7901
820	856	0.1	RMS	835.57	21.19	60	38.81	Pass	401
856	1000	0.1	RMS	998.8	-63.01	-13	50.01	Pass	1441
1000	3000	1	RMS	1671	-45.37	-13	32.37	Pass	2001
3000	10000	1	RMS	6980	-41.14	-13	28.14	Pass	7001



11.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:24100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-70.66	-13	57.66	Pass	401
0.15	30	0.01	RMS	0.19	-71.09	-13	58.09	Pass	2986
30	820	0.1	RMS	818	-54.47	-13	41.47	Pass	7901
820	856	0.1	RMS	835.57	20.79	60	39.21	Pass	401
856	1000	0.1	RMS	900	-62.94	-13	49.94	Pass	1441
1000	3000	1	RMS	1671	-45.7	-13	32.7	Pass	2001
3000	10000	1	RMS	6981	-41.21	-13	28.21	Pass	7001



11.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:24075, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.039	-71.31	-13	58.31	Pass	401
0.15	30	0.01	RMS	0.17	-70.18	-13	57.18	Pass	2986
30	820	0.1	RMS	817.5	-53.03	-13	40.03	Pass	7901
820	856	0.1	RMS	830.8	21.23	60	38.77	Pass	401
856	1000	0.1	RMS	900	-62.99	-13	49.99	Pass	1441
1000	3000	1	RMS	1661	-44.97	-13	31.97	Pass	2001
3000	10000	1	RMS	6982	-41.26	-13	28.26	Pass	7001



11.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:24075, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-70.75	-13	57.75	Pass	401
0.15	30	0.01	RMS	0.15	-70.33	-13	57.33	Pass	2986
30	820	0.1	RMS	817.5	-54.78	-13	41.78	Pass	7901
820	856	0.1	RMS	830.8	20.09	60	39.91	Pass	401
856	1000	0.1	RMS	900	-62.93	-13	49.93	Pass	1441
1000	3000	1	RMS	1661	-46.04	-13	33.04	Pass	2001
3000	10000	1	RMS	6980	-41.22	-13	28.22	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.75	-13	52.75	Pass	401
0.15	30	0.01	Peak	0.15	-64.78	-13	51.78	Pass	2986
30	809	0.1	Peak	808.7	-52.6	-13	39.6	Pass	7791
809	829	0.1	Peak	814.3	26.64	60	33.36	Pass	401
829	1000	0.1	Peak	987.4	-52.72	-13	39.72	Pass	1711
1000	3000	1	Peak	1628	-36.02	-13	23.02	Pass	2001
3000	10000	1	Peak	8406	-28.68	-13	15.68	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.91	-13	54.91	Pass	401
0.15	30	0.01	Peak	0.2	-64.01	-13	51.01	Pass	2986
30	809	0.1	Peak	809	-51.26	-13	38.26	Pass	7791
809	829	0.1	Peak	814.2	27.42	60	32.58	Pass	401
829	1000	0.1	Peak	901.2	-52.33	-13	39.33	Pass	1711
1000	3000	1	Peak	1629	-36.21	-13	23.21	Pass	2001
3000	10000	1	Peak	7715	-28.57	-13	15.57	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.88	-13	51.88	Pass	401
0.15	30	0.01	Peak	0.53	-64.79	-13	51.79	Pass	2986
30	809	0.1	Peak	464.8	-53.04	-13	40.04	Pass	7791
809	829	0.1	Peak	818.55	26.6	60	33.4	Pass	401
829	1000	0.1	Peak	852	-52.56	-13	39.56	Pass	1711
1000	3000	1	Peak	1637	-34.9	-13	21.9	Pass	2001
3000	10000	1	Peak	7914	-29.37	-13	16.37	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-66.95	-13	53.95	Pass	401
0.15	30	0.01	Peak	0.24	-63.9	-13	50.9	Pass	2986
30	809	0.1	Peak	740.9	-53.04	-13	40.04	Pass	7791
809	829	0.1	Peak	818.55	27.27	60	32.73	Pass	401
829	1000	0.1	Peak	873.2	-52.83	-13	39.83	Pass	1711
1000	3000	1	Peak	1637	-34.91	-13	21.91	Pass	2001
3000	10000	1	Peak	7328	-28.94	-13	15.94	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-68.09	-13	55.09	Pass	401
0.15	30	0.01	Peak	0.17	-63.65	-13	50.65	Pass	2986
30	809	0.1	Peak	383.9	-53.3	-13	40.3	Pass	7791
809	829	0.1	Peak	822.9	26.33	60	33.67	Pass	401
829	1000	0.1	Peak	829.1	-51.51	-13	38.51	Pass	1711
1000	3000	1	Peak	1646	-37.11	-13	24.11	Pass	2001
3000	10000	1	Peak	7195	-28.71	-13	15.71	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.49	-13	53.49	Pass	401
0.15	30	0.01	Peak	0.16	-63.09	-13	50.09	Pass	2986
30	809	0.1	Peak	804.6	-53.14	-13	40.14	Pass	7791
809	829	0.1	Peak	822.8	27.07	60	32.93	Pass	401
829	1000	0.1	Peak	829.5	-51.08	-13	38.08	Pass	1711
1000	3000	1	Peak	2950	-36.48	-13	23.48	Pass	2001
3000	10000	1	Peak	7668	-28.59	-13	15.59	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.69	-13	53.69	Pass	401
0.15	30	0.01	Peak	0.16	-64.04	-13	51.04	Pass	2986
30	809	0.1	Peak	809	-44.57	-13	31.57	Pass	7791
809	829	0.1	Peak	814.2	26.2	60	33.8	Pass	401
829	1000	0.1	Peak	844.4	-52.69	-13	39.69	Pass	1711
1000	3000	1	Peak	1628	-36.01	-13	23.01	Pass	2001
3000	10000	1	Peak	7199	-28.71	-13	15.71	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-67.56	-13	54.56	Pass	401
0.15	30	0.01	Peak	0.2	-64.58	-13	51.58	Pass	2986
30	809	0.1	Peak	809	-42.91	-13	29.91	Pass	7791
809	829	0.1	Peak	814.2	26.91	60	33.09	Pass	401
829	1000	0.1	Peak	919.2	-52.64	-13	39.64	Pass	1711
1000	3000	1	Peak	1628	-36.46	-13	23.46	Pass	2001
3000	10000	1	Peak	7321	-29.02	-13	16.02	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.97	-13	53.97	Pass	401
0.15	30	0.01	Peak	0.18	-62.03	-13	49.03	Pass	2986
30	809	0.1	Peak	526.4	-53.03	-13	40.03	Pass	7791
809	829	0.1	Peak	817.7	26.5	60	33.5	Pass	401
829	1000	0.1	Peak	832.8	-52.59	-13	39.59	Pass	1711
1000	3000	1	Peak	1635	-34.71	-13	21.71	Pass	2001
3000	10000	1	Peak	7688	-28.88	-13	15.88	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.29	-13	53.29	Pass	401
0.15	30	0.01	Peak	0.19	-64.87	-13	51.87	Pass	2986
30	809	0.1	Peak	801.2	-52.77	-13	39.77	Pass	7791
809	829	0.1	Peak	817.8	26.98	60	33.02	Pass	401
829	1000	0.1	Peak	846.4	-52.29	-13	39.29	Pass	1711
1000	3000	1	Peak	1635	-35.01	-13	22.01	Pass	2001
3000	10000	1	Peak	7222	-28.74	-13	15.74	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.57	-13	54.57	Pass	401
0.15	30	0.01	Peak	0.15	-63.7	-13	50.7	Pass	2986
30	809	0.1	Peak	573.4	-52.63	-13	39.63	Pass	7791
809	829	0.1	Peak	821.25	26.56	60	33.44	Pass	401
829	1000	0.1	Peak	831	-52.01	-13	39.01	Pass	1711
1000	3000	1	Peak	1642	-36.14	-13	23.14	Pass	2001
3000	10000	1	Peak	7636	-28.98	-13	15.98	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-66.37	-13	53.37	Pass	401
0.15	30	0.01	Peak	0.15	-64.95	-13	51.95	Pass	2986
30	809	0.1	Peak	636.9	-52.94	-13	39.94	Pass	7791
809	829	0.1	Peak	821.25	27.07	60	32.93	Pass	401
829	1000	0.1	Peak	831.3	-51.43	-13	38.43	Pass	1711
1000	3000	1	Peak	1643	-36.79	-13	23.79	Pass	2001
3000	10000	1	Peak	7055	-28.99	-13	15.99	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-67.71	-13	54.71	Pass	401
0.15	30	0.01	Peak	0.2	-64.06	-13	51.06	Pass	2986
30	809	0.1	Peak	803.7	-52.39	-13	39.39	Pass	7791
809	829	0.1	Peak	814.3	26.41	60	33.59	Pass	401
829	1000	0.1	Peak	969.9	-52.17	-13	39.17	Pass	1711
1000	3000	1	Peak	1629	-35.9	-13	22.9	Pass	2001
3000	10000	1	Peak	8443	-28.74	-13	15.74	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.93	-13	53.93	Pass	401
0.15	30	0.01	Peak	0.2	-64.17	-13	51.17	Pass	2986
30	809	0.1	Peak	699	-52.3	-13	39.3	Pass	7791
809	829	0.1	Peak	814.3	26.9	60	33.1	Pass	401
829	1000	0.1	Peak	850.4	-52.74	-13	39.74	Pass	1711
1000	3000	1	Peak	1629	-36.24	-13	23.24	Pass	2001
3000	10000	1	Peak	6692	-28.91	-13	15.91	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-66.69	-13	53.69	Pass	401
0.15	30	0.01	Peak	0.15	-63.98	-13	50.98	Pass	2986
30	809	0.1	Peak	808.3	-47.04	-13	34.04	Pass	7791
809	829	0.1	Peak	816.85	26.48	60	33.52	Pass	401
829	1000	0.1	Peak	928.1	-52.75	-13	39.75	Pass	1711
1000	3000	1	Peak	1634	-35.89	-13	22.89	Pass	2001
3000	10000	1	Peak	7590	-28.95	-13	15.95	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.79	-13	54.79	Pass	401
0.15	30	0.01	Peak	0.16	-63.7	-13	50.7	Pass	2986
30	809	0.1	Peak	808.5	-44.89	-13	31.89	Pass	7791
809	829	0.1	Peak	816.8	27.38	60	32.62	Pass	401
829	1000	0.1	Peak	939	-52.62	-13	39.62	Pass	1711
1000	3000	1	Peak	1634	-35.18	-13	22.18	Pass	2001
3000	10000	1	Peak	6979	-28.94	-13	15.94	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-67.59	-13	54.59	Pass	401
0.15	30	0.01	Peak	0.15	-65.19	-13	52.19	Pass	2986
30	809	0.1	Peak	775.2	-53.17	-13	40.17	Pass	7791
809	829	0.1	Peak	819.35	26.21	60	33.79	Pass	401
829	1000	0.1	Peak	829.4	-51.82	-13	38.82	Pass	1711
1000	3000	1	Peak	1639	-35.88	-13	22.88	Pass	2001
3000	10000	1	Peak	7196	-28.13	-13	15.13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-68.03	-13	55.03	Pass	401
0.15	30	0.01	Peak	0.31	-64.58	-13	51.58	Pass	2986
30	809	0.1	Peak	786.9	-52.3	-13	39.3	Pass	7791
809	829	0.1	Peak	819.3	26.59	60	33.41	Pass	401
829	1000	0.1	Peak	996.9	-52.62	-13	39.62	Pass	1711
1000	3000	1	Peak	1639	-36.49	-13	23.49	Pass	2001
3000	10000	1	Peak	7200	-29.12	-13	16.12	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-67.61	-13	54.61	Pass	401
0.15	30	0.01	Peak	0.15	-63.05	-13	50.05	Pass	2986
30	809	0.1	Peak	808.3	-45.26	-13	32.26	Pass	7791
809	829	0.1	Peak	814.6	26.7	60	33.3	Pass	401
829	1000	0.1	Peak	832.3	-38.4	-13	25.4	Pass	1711
1000	3000	1	Peak	1629	-36.01	-13	23.01	Pass	2001
3000	10000	1	Peak	9162	-29.3	-13	16.3	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.99	-13	53.99	Pass	401
0.15	30	0.01	Peak	0.26	-64.26	-13	51.26	Pass	2986
30	809	0.1	Peak	808.7	-45.51	-13	32.51	Pass	7791
809	829	0.1	Peak	814.55	26.94	60	33.06	Pass	401
829	1000	0.1	Peak	832.2	-37.87	-13	24.87	Pass	1711
1000	3000	1	Peak	1629	-35.41	-13	22.41	Pass	2001
3000	10000	1	Peak	6971	-28.74	-13	15.74	Pass	7001



2. LTE_Band18(part90)


2.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:23875, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-62.79	-13	49.79	Pass	401
0.15	30	0.01	Peak	0.25	-62.15	-13	49.15	Pass	2986
30	810	0.1	Peak	807	-51.05	-13	38.05	Pass	7801
810	829	0.1	Peak	815.32	26.41	60	33.59	Pass	401
829	1000	0.1	Peak	834.4	-52.08	-13	39.08	Pass	1711
1000	3000	1	Peak	1631	-34.67	-13	21.67	Pass	2001
3000	10000	1	Peak	9249	-29.82	-13	16.82	Pass	7001




2.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:23875, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.24	-13	52.24	Pass	401
0.15	30	0.01	Peak	0.24	-62.21	-13	49.21	Pass	2986
30	810	0.1	Peak	806.8	-51.6	-13	38.6	Pass	7801
810	829	0.1	Peak	815.273	26.85	60	33.15	Pass	401
829	1000	0.1	Peak	859.6	-51.87	-13	38.87	Pass	1711
1000	3000	1	Peak	1631	-34.64	-13	21.64	Pass	2001
3000	10000	1	Peak	7100	-29.99	-13	16.99	Pass	7001




2.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:23895, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.04	-13	52.04	Pass	401
0.15	30	0.01	Peak	0.27	-63.04	-13	50.04	Pass	2986
30	810	0.1	Peak	809	-46.96	-13	33.96	Pass	7801
810	829	0.1	Peak	817.363	26.57	60	33.43	Pass	401
829	1000	0.1	Peak	961.9	-52.67	-13	39.67	Pass	1711
1000	3000	1	Peak	1635	-34.96	-13	21.96	Pass	2001
3000	10000	1	Peak	6957	-29.77	-13	16.77	Pass	7001




2.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:23895, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-64.09	-13	51.09	Pass	401
0.15	30	0.01	Peak	0.41	-61.68	-13	48.68	Pass	2986
30	810	0.1	Peak	808.8	-46.17	-13	33.17	Pass	7801
810	829	0.1	Peak	817.315	27.55	60	32.45	Pass	401
829	1000	0.1	Peak	847	-52.24	-13	39.24	Pass	1711
1000	3000	1	Peak	1635	-34.4	-13	21.4	Pass	2001
3000	10000	1	Peak	7075	-30.18	-13	17.18	Pass	7001




2.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:23915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-64.4	-13	51.4	Pass	401
0.15	30	0.01	Peak	0.15	-62.52	-13	49.52	Pass	2986
30	810	0.1	Peak	779.9	-53.03	-13	40.03	Pass	7801
810	829	0.1	Peak	819.31	26.21	60	33.79	Pass	401
829	1000	0.1	Peak	836.6	-52.04	-13	39.04	Pass	1711
1000	3000	1	Peak	1639	-34.84	-13	21.84	Pass	2001
3000	10000	1	Peak	8448	-30.13	-13	17.13	Pass	7001



2.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:23915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-64.5	-13	51.5	Pass	401
0.15	30	0.01	Peak	0.15	-61.9	-13	48.9	Pass	2986
30	810	0.1	Peak	780.9	-52.55	-13	39.55	Pass	7801
810	829	0.1	Peak	819.31	26.5	60	33.5	Pass	401
829	1000	0.1	Peak	841.8	-52.9	-13	39.9	Pass	1711
1000	3000	1	Peak	1639	-35.3	-13	22.3	Pass	2001
3000	10000	1	Peak	9458	-29.95	-13	16.95	Pass	7001



--BLANK BELOW--