


30 MHz to 1 GHz, ANT V

10m RE Test Case_FCC Certification_FCC 15C 30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	30.485	18.96	-26.85	29.5	10.54	Peak	360.00	200	Vertical	Pass
2	65.881	19.82	-28.55	29.5	9.68	Peak	264.00	100	Vertical	Pass
3	76.306	21.31	-29.77	29.5	8.19	Peak	31.00	200	Vertical	Pass
4	145.401	20.39	-26.39	33.0	12.61	Peak	275.00	100	Vertical	Pass
5	787.138	28.09	-12.70	35.5	7.41	Peak	205.00	200	Vertical	Pass
6	981.575	30.41	-9.45	43.5	13.09	Peak	215.00	100	Vertical	Pass

Note ¹: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note ²: The spurious above 18G is noise only, do not show on the report.

1 GHz to 18 GHz, ANT H 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.700	42.93	74.0	31.07	Peak	188.00	300	Horizontal	Pass
1**	1332.700	32.13	54.0	21.87	AV	188.00	300	Horizontal	Pass
2	2413.100	108.61	74.0	-34.61	Peak	100.00	100	Horizontal	N/A
2**	2413.100	105.71	54.0	-51.71	AV	100.00	100	Horizontal	N/A
3	4952.250	50.13	74.0	23.87	Peak	75.00	200	Horizontal	Pass
3**	4952.250	40.16	54.0	13.84	AV	75.00	200	Horizontal	Pass
4	7947.500	53.83	74.0	20.17	Peak	330.00	400	Horizontal	Pass
4**	7947.500	44.28	54.0	9.72	AV	330.00	400	Horizontal	Pass
5	12994.912	53.42	74.0	20.58	Peak	222.00	300	Horizontal	Pass
5**	12994.912	44.41	54.0	9.59	AV	222.00	300	Horizontal	Pass
6	17106.187	55.55	74.0	18.45	Peak	252.00	100	Horizontal	Pass
6**	17106.187	46.33	54.0	7.67	AV	252.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.000	47.63	74.0	26.37	Peak	117.00	100	Vertical	Pass
1**	1163.000	41.39	54.0	12.61	AV	117.00	100	Vertical	Pass
2	2413.000	94.41	74.0	-20.41	Peak	55.00	150	Vertical	N/A
2**	2413.000	91.49	54.0	-37.49	AV	55.00	150	Vertical	N/A
3	4792.250	49.46	74.0	24.54	Peak	330.00	100	Vertical	Pass
3**	4792.250	40.81	54.0	13.19	AV	330.00	100	Vertical	Pass
4	7181.000	53.89	74.0	20.11	Peak	291.00	400	Vertical	Pass
4**	7181.000	43.44	54.0	10.56	AV	291.00	400	Vertical	Pass
5	12508.937	53.31	74.0	20.69	Peak	317.00	100	Vertical	Pass
5**	12508.937	44.88	54.0	9.12	AV	317.00	100	Vertical	Pass
6	14474.362	56.85	74.0	17.15	Peak	305.00	300	Vertical	Pass
6**	14474.362	46.55	54.0	7.45	AV	305.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.700	42.06	74.0	31.94	Peak	290.00	200	Horizontal	Pass
1**	1549.700	31.69	54.0	22.31	AV	290.00	200	Horizontal	Pass
2	2415.600	108.34	74.0	-34.34	Peak	105.00	200	Horizontal	N/A
2**	2415.600	105.50	54.0	-51.50	AV	105.00	200	Horizontal	N/A
3	4827.250	48.95	74.0	25.05	Peak	11.00	200	Horizontal	Pass
3**	4827.250	40.30	54.0	13.70	AV	11.00	200	Horizontal	Pass
4	6898.250	53.57	74.0	20.43	Peak	11.00	400	Horizontal	Pass
4**	6898.250	44.73	54.0	9.27	AV	11.00	400	Horizontal	Pass
5	12504.188	53.11	74.0	20.89	Peak	324.00	100	Horizontal	Pass
5**	12504.188	43.89	54.0	10.11	AV	324.00	100	Horizontal	Pass
6	14443.650	55.33	74.0	18.67	Peak	277.00	100	Horizontal	Pass
6**	14443.650	45.83	54.0	8.17	AV	277.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.000	44.64	74.0	29.36	Peak	100.00	200	Vertical	Pass
1**	1164.000	32.19	54.0	21.81	AV	100.00	200	Vertical	Pass
2	2417.000	97.07	74.0	-23.07	Peak	56.00	100	Vertical	N/A
2**	2417.000	91.79	54.0	-37.79	AV	56.00	100	Vertical	N/A
3	4873.500	50.01	74.0	23.99	Peak	118.00	100	Vertical	Pass
3**	4873.500	39.76	54.0	14.24	AV	118.00	100	Vertical	Pass
4	7604.000	54.26	74.0	19.74	Peak	235.00	100	Vertical	Pass
4**	7604.000	43.82	54.0	10.18	AV	235.00	100	Vertical	Pass
5	12979.951	53.38	74.0	20.62	Peak	254.00	200	Vertical	Pass
5**	12979.951	45.25	54.0	8.75	AV	254.00	200	Vertical	Pass
6	16852.350	55.45	74.0	18.55	Peak	89.00	400	Vertical	Pass
6**	16852.350	45.33	54.0	8.67	AV	89.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	43.04	74.0	30.96	Peak	186.00	300	Horizontal	Pass
1**	1328.800	32.68	54.0	21.32	AV	186.00	300	Horizontal	Pass
2	2435.800	107.49	74.0	-33.49	Peak	98.00	200	Horizontal	N/A
2**	2435.800	104.56	54.0	-50.56	AV	98.00	200	Horizontal	N/A
3	4849.750	49.81	74.0	24.19	Peak	360.00	200	Horizontal	Pass
3**	4849.750	40.13	54.0	13.87	AV	360.00	200	Horizontal	Pass
4	6890.500	53.85	74.0	20.15	Peak	295.00	300	Horizontal	Pass
4**	6890.500	45.38	54.0	8.62	AV	295.00	300	Horizontal	Pass
5	12462.151	53.30	74.0	20.70	Peak	76.00	200	Horizontal	Pass
5**	12462.151	44.88	54.0	9.12	AV	76.00	200	Horizontal	Pass
6	17204.099	56.10	74.0	17.90	Peak	0.00	100	Horizontal	Pass
6**	17204.099	45.85	54.0	8.15	AV	0.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.200	49.66	74.0	24.34	Peak	91.00	300	Vertical	Pass
1**	1162.200	36.95	54.0	17.05	AV	91.00	300	Vertical	Pass
2	2435.800	93.51	74.0	-19.51	Peak	207.00	100	Vertical	N/A
2**	2435.800	90.57	54.0	-36.57	AV	207.00	100	Vertical	N/A
3	4727.500	49.25	74.0	24.75	Peak	155.00	200	Vertical	Pass
3**	4727.500	39.35	54.0	14.65	AV	155.00	200	Vertical	Pass
4	7310.250	54.97	74.0	19.03	Peak	254.00	300	Vertical	Pass
4**	7310.250	44.50	54.0	9.50	AV	254.00	300	Vertical	Pass
5	12968.401	53.81	74.0	20.19	Peak	43.00	400	Vertical	Pass
5**	12968.401	43.79	54.0	10.21	AV	43.00	400	Vertical	Pass
6	17016.412	55.81	74.0	18.19	Peak	281.00	300	Vertical	Pass
6**	17016.412	46.84	54.0	7.16	AV	281.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.900	42.66	74.0	31.34	Peak	22.00	300	Horizontal	Pass
1**	1593.900	33.26	54.0	20.74	AV	22.00	300	Horizontal	Pass
2	2458.300	107.47	74.0	-33.47	Peak	102.00	150	Horizontal	N/A
2**	2458.300	104.58	54.0	-50.58	AV	102.00	150	Horizontal	N/A
3	4924.000	49.99	74.0	24.01	Peak	332.00	150	Horizontal	Pass
3**	4924.000	40.03	54.0	13.97	AV	332.00	150	Horizontal	Pass
4	7939.250	53.70	74.0	20.30	Peak	350.00	200	Horizontal	Pass
4**	7939.250	45.10	54.0	8.90	AV	350.00	200	Horizontal	Pass
5	12496.588	54.21	74.0	19.79	Peak	46.00	400	Horizontal	Pass
5**	12496.588	44.06	54.0	9.94	AV	46.00	400	Horizontal	Pass
6	14448.113	55.29	74.0	18.71	Peak	291.00	300	Horizontal	Pass
6**	14448.113	45.94	54.0	8.06	AV	291.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.800	43.63	74.0	30.37	Peak	138.00	300	Vertical	Pass
1**	1333.800	33.45	54.0	20.55	AV	138.00	300	Vertical	Pass
2	2458.100	94.40	74.0	-20.40	Peak	50.00	200	Vertical	N/A
2**	2458.100	91.60	54.0	-37.60	AV	50.00	200	Vertical	N/A
3	5330.000	52.74	74.0	21.26	Peak	133.00	100	Vertical	Pass
3**	5330.000	41.18	54.0	12.82	AV	133.00	100	Vertical	Pass
4	7934.750	53.62	74.0	20.38	Peak	349.00	300	Vertical	Pass
4**	7934.750	45.61	54.0	8.39	AV	349.00	300	Vertical	Pass
5	12771.262	53.36	74.0	20.64	Peak	300.00	100	Vertical	Pass
5**	12771.262	44.17	54.0	9.83	AV	300.00	100	Vertical	Pass
6	17124.824	55.03	74.0	18.97	Peak	9.00	200	Vertical	Pass
6**	17124.824	46.45	54.0	7.55	AV	9.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.000	42.70	74.0	31.30	Peak	145.00	200	Horizontal	Pass
1**	1327.000	32.60	54.0	21.40	AV	145.00	200	Horizontal	Pass
2	2463.400	106.93	74.0	-32.93	Peak	101.00	200	Horizontal	N/A
2**	2463.400	104.03	54.0	-50.03	AV	101.00	200	Horizontal	N/A
3	4733.750	49.91	74.0	24.09	Peak	38.00	100	Horizontal	Pass
3**	4733.750	40.61	54.0	13.39	AV	38.00	100	Horizontal	Pass
4	7594.750	53.70	74.0	20.30	Peak	254.00	300	Horizontal	Pass
4**	7594.750	44.75	54.0	9.25	AV	254.00	300	Horizontal	Pass
5	12987.037	53.46	74.0	20.54	Peak	45.00	100	Horizontal	Pass
5**	12987.037	44.25	54.0	9.75	AV	45.00	100	Horizontal	Pass
6	17107.238	55.65	74.0	18.35	Peak	106.00	200	Horizontal	Pass
6**	17107.238	45.85	54.0	8.15	AV	106.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.200	50.57	74.0	23.43	Peak	115.00	400	Vertical	Pass
1**	1164.200	40.08	54.0	13.92	AV	115.00	400	Vertical	Pass
2	2463.400	90.90	74.0	-16.90	Peak	8.00	100	Vertical	N/A
2**	2463.400	88.00	54.0	-34.00	AV	8.00	100	Vertical	N/A
3	4866.250	49.71	74.0	24.29	Peak	220.00	150	Vertical	Pass
3**	4866.250	40.51	54.0	13.49	AV	220.00	150	Vertical	Pass
4	6905.250	53.61	74.0	20.39	Peak	161.00	100	Vertical	Pass
4**	6905.250	44.67	54.0	9.33	AV	161.00	100	Vertical	Pass
5	12501.338	53.73	74.0	20.27	Peak	268.00	400	Vertical	Pass
5**	12501.338	45.13	54.0	8.87	AV	268.00	400	Vertical	Pass
6	14446.537	55.74	74.0	18.26	Peak	198.00	400	Vertical	Pass
6**	14446.537	46.99	54.0	7.01	AV	198.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.300	43.08	74.0	30.92	Peak	239.00	200	Horizontal	Pass
1**	1000.300	31.22	54.0	22.78	AV	239.00	200	Horizontal	Pass
2	2414.200	109.74	74.0	-35.74	Peak	105.00	150	Horizontal	N/A
2**	2414.200	103.43	54.0	-49.43	AV	105.00	150	Horizontal	N/A
3	4807.250	49.62	74.0	24.38	Peak	38.00	200	Horizontal	Pass
3**	4807.250	39.77	54.0	14.23	AV	38.00	200	Horizontal	Pass
4	6898.750	54.64	74.0	19.36	Peak	116.00	100	Horizontal	Pass
4**	6898.750	44.54	54.0	9.46	AV	116.00	100	Horizontal	Pass
5	12475.450	53.66	74.0	20.34	Peak	193.00	100	Horizontal	Pass
5**	12475.450	44.03	54.0	9.97	AV	193.00	100	Horizontal	Pass
6	16859.963	56.21	74.0	17.79	Peak	0.00	200	Horizontal	Pass
6**	16859.963	46.31	54.0	7.69	AV	0.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.100	49.97	74.0	24.03	Peak	96.00	100	Vertical	Pass
1**	1162.100	35.77	54.0	18.23	AV	96.00	100	Vertical	Pass
2	2418.600	95.15	74.0	-21.15	Peak	52.00	100	Vertical	N/A
2**	2418.600	87.06	54.0	-33.06	AV	52.00	100	Vertical	N/A
3	5224.500	50.65	74.0	23.35	Peak	38.00	100	Vertical	Pass
3**	5224.500	40.88	54.0	13.12	AV	38.00	100	Vertical	Pass
4	7638.000	53.50	74.0	20.50	Peak	297.00	400	Vertical	Pass
4**	7638.000	43.80	54.0	10.20	AV	297.00	400	Vertical	Pass
5	12526.750	53.37	74.0	20.63	Peak	360.00	100	Vertical	Pass
5**	12526.750	43.53	54.0	10.47	AV	360.00	100	Vertical	Pass
6	15881.625	54.82	74.0	19.18	Peak	346.00	400	Vertical	Pass
6**	15881.625	45.31	54.0	8.69	AV	346.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1512.200	42.62	74.0	31.38	Peak	127.00	100	Horizontal	Pass
1**	1512.200	33.74	54.0	20.26	AV	127.00	100	Horizontal	Pass
2	2418.300	110.48	74.0	-36.48	Peak	109.00	150	Horizontal	N/A
2**	2418.300	102.74	54.0	-48.74	AV	109.00	150	Horizontal	N/A
3	4913.000	49.03	74.0	24.97	Peak	235.00	100	Horizontal	Pass
3**	4913.000	40.32	54.0	13.68	AV	235.00	100	Horizontal	Pass
4	6882.000	53.42	74.0	20.58	Peak	235.00	400	Horizontal	Pass
4**	6882.000	44.67	54.0	9.33	AV	235.00	400	Horizontal	Pass
5	12513.450	53.80	74.0	20.20	Peak	34.00	200	Horizontal	Pass
5**	12513.450	44.40	54.0	9.60	AV	34.00	200	Horizontal	Pass
6	16978.088	54.81	74.0	19.19	Peak	38.00	200	Horizontal	Pass
6**	16978.088	45.79	54.0	8.21	AV	38.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.100	44.76	74.0	29.24	Peak	190.00	300	Vertical	Pass
1**	1331.100	33.47	54.0	20.53	AV	190.00	300	Vertical	Pass
2	2418.100	95.07	74.0	-21.07	Peak	56.00	200	Vertical	N/A
2**	2418.100	88.69	54.0	-34.69	AV	56.00	200	Vertical	N/A
3	5315.500	53.88	74.0	20.12	Peak	137.00	200	Vertical	Pass
3**	5315.500	41.15	54.0	12.85	AV	137.00	200	Vertical	Pass
4	7929.250	53.49	74.0	20.51	Peak	11.00	100	Vertical	Pass
4**	7929.250	44.86	54.0	9.14	AV	11.00	100	Vertical	Pass
5	12503.713	53.29	74.0	20.71	Peak	229.00	400	Vertical	Pass
5**	12503.713	44.33	54.0	9.67	AV	229.00	400	Vertical	Pass
6	16969.687	55.53	74.0	18.47	Peak	53.00	300	Vertical	Pass
6**	16969.687	45.37	54.0	8.63	AV	53.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1498.300	42.18	74.0	31.82	Peak	217.00	400	Horizontal	Pass
1**	1498.300	32.79	54.0	21.21	AV	217.00	400	Horizontal	Pass
2	2422.400	110.49	74.0	-36.49	Peak	102.00	100	Horizontal	N/A
2**	2422.400	102.11	54.0	-48.11	AV	102.00	100	Horizontal	N/A
3	4806.750	49.43	74.0	24.57	Peak	0.00	200	Horizontal	Pass
3**	4806.750	40.23	54.0	13.77	AV	0.00	200	Horizontal	Pass
4	6898.500	54.44	74.0	19.56	Peak	30.00	200	Horizontal	Pass
4**	6898.500	45.51	54.0	8.49	AV	30.00	200	Horizontal	Pass
5	12527.700	53.85	74.0	20.15	Peak	47.00	300	Horizontal	Pass
5**	12527.700	43.77	54.0	10.23	AV	47.00	300	Horizontal	Pass
6	14470.425	55.38	74.0	18.62	Peak	188.00	100	Horizontal	Pass
6**	14470.425	45.94	54.0	8.06	AV	188.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.700	45.76	74.0	28.24	Peak	129.00	100	Vertical	Pass
1**	1163.700	36.59	54.0	17.41	AV	129.00	100	Vertical	Pass
2	2420.700	96.20	74.0	-22.20	Peak	219.00	150	Vertical	N/A
2**	2420.700	88.49	54.0	-34.49	AV	219.00	150	Vertical	N/A
3	4884.250	49.52	74.0	24.48	Peak	306.00	150	Vertical	Pass
3**	4884.250	40.03	54.0	13.97	AV	306.00	150	Vertical	Pass
4	7970.750	53.77	74.0	20.23	Peak	360.00	100	Vertical	Pass
4**	7970.750	44.82	54.0	9.18	AV	360.00	100	Vertical	Pass
5	12518.912	53.28	74.0	20.72	Peak	218.00	400	Vertical	Pass
5**	12518.912	44.51	54.0	9.49	AV	218.00	400	Vertical	Pass
6	17096.475	55.53	74.0	18.47	Peak	171.00	200	Vertical	Pass
6**	17096.475	45.79	54.0	8.21	AV	171.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1482.900	42.53	74.0	31.47	Peak	13.00	100	Horizontal	Pass
1**	1482.900	32.48	54.0	21.52	AV	13.00	100	Horizontal	Pass
2	2423.700	110.61	74.0	-36.61	Peak	115.00	100	Horizontal	N/A
2**	2423.700	102.50	54.0	-48.50	AV	115.00	100	Horizontal	N/A
3	4901.500	49.76	74.0	24.24	Peak	237.00	200	Horizontal	Pass
3**	4901.500	41.05	54.0	12.95	AV	237.00	200	Horizontal	Pass
4	7934.500	54.03	74.0	19.97	Peak	317.00	300	Horizontal	Pass
4**	7934.500	46.72	54.0	7.28	AV	317.00	300	Horizontal	Pass
5	12474.500	53.06	74.0	20.94	Peak	98.00	200	Horizontal	Pass
5**	12474.500	43.88	54.0	10.12	AV	98.00	200	Horizontal	Pass
6	17121.412	55.86	74.0	18.14	Peak	30.00	200	Horizontal	Pass
6**	17121.412	45.55	54.0	8.45	AV	30.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	44.60	74.0	29.40	Peak	212.00	400	Vertical	Pass
1**	1328.400	35.43	54.0	18.57	AV	212.00	400	Vertical	Pass
2	2425.900	97.04	74.0	-23.04	Peak	212.00	150	Vertical	N/A
2**	2425.900	89.33	54.0	-35.33	AV	212.00	150	Vertical	N/A
3	5326.000	54.52	74.0	19.48	Peak	118.00	100	Vertical	Pass
3**	5326.000	41.37	54.0	12.63	AV	118.00	100	Vertical	Pass
4	7608.250	53.55	74.0	20.45	Peak	297.00	100	Vertical	Pass
4**	7608.250	43.74	54.0	10.26	AV	297.00	100	Vertical	Pass
5	12474.500	53.95	74.0	20.05	Peak	191.00	100	Vertical	Pass
5**	12474.500	44.41	54.0	9.59	AV	191.00	100	Vertical	Pass
6	16863.113	55.08	74.0	18.92	Peak	264.00	400	Vertical	Pass
6**	16863.113	46.27	54.0	7.73	AV	264.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.100	43.06	74.0	30.94	Peak	143.00	300	Horizontal	Pass
1**	1327.100	31.91	54.0	22.09	AV	143.00	300	Horizontal	Pass
2	2435.900	108.39	74.0	-34.39	Peak	98.00	150	Horizontal	N/A
2**	2435.900	100.87	54.0	-46.87	AV	98.00	150	Horizontal	N/A
3	4974.500	50.26	74.0	23.74	Peak	0.00	200	Horizontal	Pass
3**	4974.500	39.72	54.0	14.28	AV	0.00	200	Horizontal	Pass
4	6915.250	53.83	74.0	20.17	Peak	118.00	200	Horizontal	Pass
4**	6915.250	45.04	54.0	8.96	AV	118.00	200	Horizontal	Pass
5	12523.662	53.52	74.0	20.48	Peak	286.00	200	Horizontal	Pass
5**	12523.662	44.00	54.0	10.00	AV	286.00	200	Horizontal	Pass
6	17013.526	56.02	74.0	17.98	Peak	38.00	100	Horizontal	Pass
6**	17013.526	46.59	54.0	7.41	AV	38.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.200	50.54	74.0	23.46	Peak	94.00	200	Vertical	Pass
1**	1163.200	37.40	54.0	16.60	AV	94.00	200	Vertical	Pass
2	2435.600	94.40	74.0	-20.40	Peak	210.00	100	Vertical	N/A
2**	2435.600	85.84	54.0	-31.84	AV	210.00	100	Vertical	N/A
3	4949.250	49.37	74.0	24.63	Peak	180.00	150	Vertical	Pass
3**	4949.250	40.82	54.0	13.18	AV	180.00	150	Vertical	Pass
4	6893.750	53.88	74.0	20.12	Peak	258.00	100	Vertical	Pass
4**	6893.750	45.05	54.0	8.95	AV	258.00	100	Vertical	Pass
5	12506.800	53.58	74.0	20.42	Peak	30.00	200	Vertical	Pass
5**	12506.800	45.34	54.0	8.66	AV	30.00	200	Vertical	Pass
6	14468.850	55.03	74.0	18.97	Peak	166.00	300	Vertical	Pass
6**	14468.850	47.13	54.0	6.87	AV	166.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1408.200	42.72	74.0	31.28	Peak	234.00	400	Horizontal	Pass
1**	1408.200	32.59	54.0	21.41	AV	234.00	400	Horizontal	Pass
2	2450.900	108.17	74.0	-34.17	Peak	101.00	100	Horizontal	N/A
2**	2450.900	100.91	54.0	-46.91	AV	101.00	100	Horizontal	N/A
3	4933.250	49.66	74.0	24.34	Peak	105.00	100	Horizontal	Pass
3**	4933.250	40.10	54.0	13.90	AV	105.00	100	Horizontal	Pass
4	7935.000	54.32	74.0	19.68	Peak	183.00	400	Horizontal	Pass
4**	7935.000	45.29	54.0	8.71	AV	183.00	400	Horizontal	Pass
5	12487.562	53.18	74.0	20.82	Peak	292.00	200	Horizontal	Pass
5**	12487.562	44.07	54.0	9.93	AV	292.00	200	Horizontal	Pass
6	17392.574	55.15	74.0	18.85	Peak	349.00	300	Horizontal	Pass
6**	17392.574	45.57	54.0	8.43	AV	349.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	46.02	74.0	27.98	Peak	139.00	200	Vertical	Pass
1**	1328.400	34.15	54.0	19.85	AV	139.00	200	Vertical	Pass
2	2450.800	95.33	74.0	-21.33	Peak	59.00	200	Vertical	N/A
2**	2450.800	87.34	54.0	-33.34	AV	59.00	200	Vertical	N/A
3	5313.000	52.52	74.0	21.48	Peak	123.00	100	Vertical	Pass
3**	5313.000	40.27	54.0	13.73	AV	123.00	100	Vertical	Pass
4	7938.750	53.63	74.0	20.37	Peak	261.00	400	Vertical	Pass
4**	7938.750	45.37	54.0	8.63	AV	261.00	400	Vertical	Pass
5	12508.463	53.47	74.0	20.53	Peak	40.00	100	Vertical	Pass
5**	12508.463	44.34	54.0	9.66	AV	40.00	100	Vertical	Pass
6	14448.638	55.00	74.0	19.00	Peak	0.00	100	Vertical	Pass
6**	14448.638	46.36	54.0	7.64	AV	0.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.800	42.95	74.0	31.05	Peak	148.00	300	Horizontal	Pass
1**	1332.800	37.38	54.0	16.62	AV	148.00	300	Horizontal	Pass
2	2458.400	107.59	74.0	-33.59	Peak	104.00	200	Horizontal	N/A
2**	2458.400	100.92	54.0	-46.92	AV	104.00	200	Horizontal	N/A
3	4876.750	49.51	74.0	24.49	Peak	360.00	100	Horizontal	Pass
3**	4876.750	40.63	54.0	13.37	AV	360.00	100	Horizontal	Pass
4	6914.000	54.54	74.0	19.46	Peak	355.00	100	Horizontal	Pass
4**	6914.000	44.62	54.0	9.38	AV	355.00	100	Horizontal	Pass
5	12507.987	53.97	74.0	20.03	Peak	0.00	100	Horizontal	Pass
5**	12507.987	44.35	54.0	9.65	AV	0.00	100	Horizontal	Pass
6	14449.688	56.02	74.0	17.98	Peak	31.00	300	Horizontal	Pass
6**	14449.688	47.79	54.0	6.21	AV	31.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.400	49.24	74.0	24.76	Peak	123.00	300	Vertical	Pass
1**	1163.400	37.09	54.0	16.91	AV	123.00	300	Vertical	Pass
2	2458.100	91.93	74.0	-17.93	Peak	41.00	100	Vertical	N/A
2**	2458.100	85.49	54.0	-31.49	AV	41.00	100	Vertical	N/A
3	4931.000	49.65	74.0	24.35	Peak	355.00	100	Vertical	Pass
3**	4931.000	40.68	54.0	13.32	AV	355.00	100	Vertical	Pass
4	7936.500	53.90	74.0	20.10	Peak	360.00	400	Vertical	Pass
4**	7936.500	45.43	54.0	8.57	AV	360.00	400	Vertical	Pass
5	12507.987	53.83	74.0	20.17	Peak	295.00	100	Vertical	Pass
5**	12507.987	44.49	54.0	9.51	AV	295.00	100	Vertical	Pass
6	17388.114	55.52	74.0	18.48	Peak	310.00	200	Vertical	Pass
6**	17388.114	46.56	54.0	7.44	AV	310.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.600	45.61	74.0	28.39	Peak	70.00	100	Horizontal	Pass
1**	1330.600	33.46	54.0	20.54	AV	70.00	100	Horizontal	Pass
2	2465.500	106.21	74.0	-32.21	Peak	106.00	150	Horizontal	N/A
2**	2465.500	99.38	54.0	-45.38	AV	106.00	150	Horizontal	N/A
3	4802.250	49.87	74.0	24.13	Peak	139.00	100	Horizontal	Pass
3**	4802.250	40.10	54.0	13.90	AV	139.00	100	Horizontal	Pass
4	7945.750	53.95	74.0	20.05	Peak	297.00	100	Horizontal	Pass
4**	7945.750	44.57	54.0	9.43	AV	297.00	100	Horizontal	Pass
5	12455.737	52.99	74.0	21.01	Peak	41.00	100	Horizontal	Pass
5**	12455.737	44.66	54.0	9.34	AV	41.00	100	Horizontal	Pass
6	17446.126	55.83	74.0	18.17	Peak	198.00	100	Horizontal	Pass
6**	17446.126	45.86	54.0	8.14	AV	198.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.900	49.99	74.0	24.01	Peak	99.00	300	Vertical	Pass
1**	1164.900	35.43	54.0	18.57	AV	99.00	300	Vertical	Pass
2	2460.900	89.08	74.0	-15.08	Peak	118.00	200	Vertical	N/A
2**	2460.900	81.48	54.0	-27.48	AV	118.00	200	Vertical	N/A
3	4702.750	49.78	74.0	24.22	Peak	158.00	200	Vertical	Pass
3**	4702.750	39.46	54.0	14.54	AV	158.00	200	Vertical	Pass
4	6894.000	53.85	74.0	20.15	Peak	360.00	300	Vertical	Pass
4**	6894.000	44.61	54.0	9.39	AV	360.00	300	Vertical	Pass
5	12982.838	53.72	74.0	20.28	Peak	79.00	100	Vertical	Pass
5**	12982.838	45.23	54.0	8.77	AV	79.00	100	Vertical	Pass
6	16988.324	55.93	74.0	18.07	Peak	328.00	100	Vertical	Pass
6**	16988.324	46.23	54.0	7.77	AV	328.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	43.74	74.0	30.26	Peak	184.00	100	Horizontal	Pass
1**	1330.500	35.23	54.0	18.77	AV	184.00	100	Horizontal	Pass
2	2416.100	109.60	74.0	-35.60	Peak	104.00	100	Horizontal	N/A
2**	2416.100	101.88	54.0	-47.88	AV	104.00	100	Horizontal	N/A
3	4890.500	49.15	74.0	24.85	Peak	176.00	200	Horizontal	Pass
3**	4890.500	40.10	54.0	13.90	AV	176.00	200	Horizontal	Pass
4	7767.500	54.50	74.0	19.50	Peak	0.00	400	Horizontal	Pass
4**	7767.500	44.55	54.0	9.45	AV	0.00	400	Horizontal	Pass
5	12998.587	54.55	74.0	19.45	Peak	227.00	200	Horizontal	Pass
5**	12998.587	44.23	54.0	9.77	AV	227.00	200	Horizontal	Pass
6	16867.313	55.70	74.0	18.30	Peak	0.00	400	Horizontal	Pass
6**	16867.313	46.33	54.0	7.67	AV	0.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.300	51.30	74.0	22.70	Peak	103.00	100	Vertical	Pass
1**	1164.300	33.80	54.0	20.20	AV	103.00	100	Vertical	Pass
2	2414.700	94.49	74.0	-20.49	Peak	48.00	150	Vertical	N/A
2**	2414.700	86.42	54.0	-32.42	AV	48.00	150	Vertical	N/A
3	4875.750	49.24	74.0	24.76	Peak	40.00	200	Vertical	Pass
3**	4875.750	40.34	54.0	13.66	AV	40.00	200	Vertical	Pass
4	7927.000	54.51	74.0	19.49	Peak	98.00	200	Vertical	Pass
4**	7927.000	44.63	54.0	9.37	AV	98.00	200	Vertical	Pass
5	12999.113	53.97	74.0	20.03	Peak	115.00	300	Vertical	Pass
5**	12999.113	44.90	54.0	9.10	AV	115.00	300	Vertical	Pass
6	16876.500	55.83	74.0	18.17	Peak	319.00	300	Vertical	Pass
6**	16876.500	47.13	54.0	6.87	AV	319.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1529.100	42.70	74.0	31.30	Peak	261.00	400	Horizontal	Pass
1**	1529.100	31.97	54.0	22.03	AV	261.00	400	Horizontal	Pass
2	2417.500	110.06	74.0	-36.06	Peak	111.00	150	Horizontal	N/A
2**	2417.500	102.42	54.0	-48.42	AV	111.00	150	Horizontal	N/A
3	4849.750	49.76	74.0	24.24	Peak	58.00	150	Horizontal	Pass
3**	4849.750	39.70	54.0	14.30	AV	58.00	150	Horizontal	Pass
4	7927.750	55.10	74.0	18.90	Peak	360.00	100	Horizontal	Pass
4**	7927.750	44.74	54.0	9.26	AV	360.00	100	Horizontal	Pass
5	12487.326	53.44	74.0	20.56	Peak	159.00	300	Horizontal	Pass
5**	12487.326	43.88	54.0	10.12	AV	159.00	300	Horizontal	Pass
6	16965.750	55.17	74.0	18.83	Peak	211.00	400	Horizontal	Pass
6**	16965.750	45.97	54.0	8.03	AV	211.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.700	45.00	74.0	29.00	Peak	117.00	100	Vertical	Pass
1**	1165.700	32.86	54.0	21.14	AV	117.00	100	Vertical	Pass
2	2416.200	95.19	74.0	-21.19	Peak	56.00	150	Vertical	N/A
2**	2416.200	88.21	54.0	-34.21	AV	56.00	150	Vertical	N/A
3	5334.000	52.08	74.0	21.92	Peak	137.00	100	Vertical	Pass
3**	5334.000	42.15	54.0	11.85	AV	137.00	100	Vertical	Pass
4	7932.250	53.86	74.0	20.14	Peak	272.00	100	Vertical	Pass
4**	7932.250	44.53	54.0	9.47	AV	272.00	100	Vertical	Pass
5	12538.863	53.02	74.0	20.98	Peak	231.00	100	Vertical	Pass
5**	12538.863	43.92	54.0	10.08	AV	231.00	100	Vertical	Pass
6	17157.113	55.76	74.0	18.24	Peak	99.00	400	Vertical	Pass
6**	17157.113	45.31	54.0	8.69	AV	99.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.300	42.31	74.0	31.69	Peak	179.00	400	Horizontal	Pass
1**	1568.300	33.47	54.0	20.53	AV	179.00	400	Horizontal	Pass
2	2421.000	110.12	74.0	-36.12	Peak	116.00	150	Horizontal	N/A
2**	2421.000	102.99	54.0	-48.99	AV	116.00	150	Horizontal	N/A
3	4914.500	50.04	74.0	23.96	Peak	45.00	200	Horizontal	Pass
3**	4914.500	40.05	54.0	13.95	AV	45.00	200	Horizontal	Pass
4	7936.000	54.02	74.0	19.98	Peak	349.00	200	Horizontal	Pass
4**	7936.000	44.61	54.0	9.39	AV	349.00	200	Horizontal	Pass
5	12973.650	53.22	74.0	20.78	Peak	314.00	300	Horizontal	Pass
5**	12973.650	43.38	54.0	10.62	AV	314.00	300	Horizontal	Pass
6	16988.588	55.21	74.0	18.79	Peak	261.00	300	Horizontal	Pass
6**	16988.588	44.82	54.0	9.18	AV	261.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.800	44.00	74.0	30.00	Peak	154.00	200	Vertical	Pass
1**	1329.800	33.22	54.0	20.78	AV	154.00	200	Vertical	Pass
2	2422.900	96.15	74.0	-22.15	Peak	217.00	200	Vertical	N/A
2**	2422.900	88.60	54.0	-34.60	AV	217.00	200	Vertical	N/A
3	5316.250	52.87	74.0	21.13	Peak	127.00	100	Vertical	Pass
3**	5316.250	42.38	54.0	11.62	AV	127.00	100	Vertical	Pass
4	7975.000	53.78	74.0	20.22	Peak	224.00	300	Vertical	Pass
4**	7975.000	43.50	54.0	10.50	AV	224.00	300	Vertical	Pass
5	12427.000	53.59	74.0	20.41	Peak	11.00	400	Vertical	Pass
5**	12427.000	43.66	54.0	10.34	AV	11.00	400	Vertical	Pass
6	16986.750	55.02	74.0	18.98	Peak	186.00	200	Vertical	Pass
6**	16986.750	45.82	54.0	8.18	AV	186.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1446.300	42.16	74.0	31.84	Peak	234.00	400	Horizontal	Pass
1**	1446.300	32.07	54.0	21.93	AV	234.00	400	Horizontal	Pass
2	2422.800	110.09	74.0	-36.09	Peak	101.00	100	Horizontal	N/A
2**	2422.800	102.38	54.0	-48.38	AV	101.00	100	Horizontal	N/A
3	5300.250	50.82	74.0	23.18	Peak	241.00	100	Horizontal	Pass
3**	5300.250	43.38	54.0	10.62	AV	241.00	100	Horizontal	Pass
4	6916.500	54.84	74.0	19.16	Peak	280.00	300	Horizontal	Pass
4**	6916.500	44.15	54.0	9.85	AV	280.00	300	Horizontal	Pass
5	12536.250	53.15	74.0	20.85	Peak	12.00	200	Horizontal	Pass
5**	12536.250	43.94	54.0	10.06	AV	12.00	200	Horizontal	Pass
6	16972.313	55.47	74.0	18.53	Peak	246.00	200	Horizontal	Pass
6**	16972.313	45.55	54.0	8.45	AV	246.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1372.900	46.40	74.0	27.60	Peak	314.00	200	Vertical	Pass
1**	1372.900	32.97	54.0	21.03	AV	314.00	200	Vertical	Pass
2	2425.900	97.31	74.0	-23.31	Peak	217.00	100	Vertical	N/A
2**	2425.900	89.04	54.0	-35.04	AV	217.00	100	Vertical	N/A
3	5312.000	52.77	74.0	21.23	Peak	125.00	100	Vertical	Pass
3**	5312.000	40.00	54.0	14.00	AV	125.00	100	Vertical	Pass
4	7928.500	53.84	74.0	20.16	Peak	281.00	100	Vertical	Pass
4**	7928.500	45.85	54.0	8.15	AV	281.00	100	Vertical	Pass
5	12456.688	53.39	74.0	20.61	Peak	11.00	300	Vertical	Pass
5**	12456.688	44.01	54.0	9.99	AV	11.00	300	Vertical	Pass
6	14453.888	55.98	74.0	18.02	Peak	268.00	200	Vertical	Pass
6**	14453.888	45.79	54.0	8.21	AV	268.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	43.63	74.0	30.37	Peak	149.00	300	Horizontal	Pass
1**	1330.100	32.72	54.0	21.28	AV	149.00	300	Horizontal	Pass
2	2435.500	107.96	74.0	-33.96	Peak	105.00	200	Horizontal	N/A
2**	2435.500	100.82	54.0	-46.82	AV	105.00	200	Horizontal	N/A
3	4891.000	49.32	74.0	24.68	Peak	38.00	100	Horizontal	Pass
3**	4891.000	41.03	54.0	12.97	AV	38.00	100	Horizontal	Pass
4	7935.500	54.11	74.0	19.89	Peak	217.00	400	Horizontal	Pass
4**	7935.500	45.13	54.0	8.87	AV	217.00	400	Horizontal	Pass
5	12958.950	54.58	74.0	19.42	Peak	89.00	300	Horizontal	Pass
5**	12958.950	44.16	54.0	9.84	AV	89.00	300	Horizontal	Pass
6	14455.200	55.55	74.0	18.45	Peak	360.00	200	Horizontal	Pass
6**	14455.200	46.59	54.0	7.41	AV	360.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.700	48.32	74.0	25.68	Peak	108.00	100	Vertical	Pass
1**	1165.700	35.08	54.0	18.92	AV	108.00	100	Vertical	Pass
2	2435.900	93.96	74.0	-19.96	Peak	215.00	200	Vertical	N/A
2**	2435.900	86.69	54.0	-32.69	AV	215.00	200	Vertical	N/A
3	4729.500	49.43	74.0	24.57	Peak	79.00	150	Vertical	Pass
3**	4729.500	40.95	54.0	13.05	AV	79.00	150	Vertical	Pass
4	7766.250	54.51	74.0	19.49	Peak	0.00	200	Vertical	Pass
4**	7766.250	44.20	54.0	9.80	AV	0.00	200	Vertical	Pass
5	12507.275	53.18	74.0	20.82	Peak	176.00	200	Vertical	Pass
5**	12507.275	44.85	54.0	9.15	AV	176.00	200	Vertical	Pass
6	14451.787	55.83	74.0	18.17	Peak	84.00	100	Vertical	Pass
6**	14451.787	46.73	54.0	7.27	AV	84.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.900	42.66	74.0	31.34	Peak	13.00	300	Horizontal	Pass
1**	1449.900	32.24	54.0	21.76	AV	13.00	300	Horizontal	Pass
2	2451.000	108.23	74.0	-34.23	Peak	103.00	100	Horizontal	N/A
2**	2451.000	100.84	54.0	-46.84	AV	103.00	100	Horizontal	N/A
3	4824.250	49.72	74.0	24.28	Peak	183.00	150	Horizontal	Pass
3**	4824.250	39.75	54.0	14.25	AV	183.00	150	Horizontal	Pass
4	7934.000	53.94	74.0	20.06	Peak	84.00	200	Horizontal	Pass
4**	7934.000	45.62	54.0	8.38	AV	84.00	200	Horizontal	Pass
5	12470.938	53.38	74.0	20.62	Peak	11.00	400	Horizontal	Pass
5**	12470.938	44.12	54.0	9.88	AV	11.00	400	Horizontal	Pass
6	14468.325	55.16	74.0	18.84	Peak	349.00	200	Horizontal	Pass
6**	14468.325	46.08	54.0	7.92	AV	349.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	43.76	74.0	30.24	Peak	59.00	400	Vertical	Pass
1**	1328.600	35.94	54.0	18.06	AV	59.00	400	Vertical	Pass
2	2451.100	94.66	74.0	-20.66	Peak	67.00	100	Vertical	N/A
2**	2451.100	87.28	54.0	-33.28	AV	67.00	100	Vertical	N/A
3	5323.750	51.96	74.0	22.04	Peak	111.00	100	Vertical	Pass
3**	5323.750	41.68	54.0	12.32	AV	111.00	100	Vertical	Pass
4	7884.750	54.18	74.0	19.82	Peak	360.00	400	Vertical	Pass
4**	7884.750	44.34	54.0	9.66	AV	360.00	400	Vertical	Pass
5	12478.775	53.56	74.0	20.44	Peak	343.00	200	Vertical	Pass
5**	12478.775	44.87	54.0	9.13	AV	343.00	200	Vertical	Pass
6	17068.912	55.81	74.0	18.19	Peak	111.00	200	Vertical	Pass
6**	17068.912	44.56	54.0	9.44	AV	111.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.100	44.84	74.0	29.16	Peak	157.00	300	Horizontal	Pass
1**	1000.100	30.41	54.0	23.59	AV	157.00	300	Horizontal	Pass
2	2463.200	107.85	74.0	-33.85	Peak	104.00	100	Horizontal	N/A
2**	2463.200	99.83	54.0	-45.83	AV	104.00	100	Horizontal	N/A
3	4717.750	49.81	74.0	24.19	Peak	294.00	150	Horizontal	Pass
3**	4717.750	39.15	54.0	14.85	AV	294.00	150	Horizontal	Pass
4	7930.000	53.96	74.0	20.04	Peak	333.00	200	Horizontal	Pass
4**	7930.000	46.61	54.0	7.39	AV	333.00	200	Horizontal	Pass
5	12508.225	53.19	74.0	20.81	Peak	360.00	300	Horizontal	Pass
5**	12508.225	45.37	54.0	8.63	AV	360.00	300	Horizontal	Pass
6	14465.175	56.13	74.0	17.87	Peak	307.00	200	Horizontal	Pass
6**	14465.175	46.04	54.0	7.96	AV	307.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.100	49.85	74.0	24.15	Peak	116.00	300	Vertical	Pass
1**	1162.100	36.92	54.0	17.08	AV	116.00	300	Vertical	Pass
2	2457.900	91.53	74.0	-17.53	Peak	46.00	100	Vertical	N/A
2**	2457.900	84.07	54.0	-30.07	AV	46.00	100	Vertical	N/A
3	4727.500	50.13	74.0	23.87	Peak	256.00	150	Vertical	Pass
3**	4727.500	39.90	54.0	14.10	AV	256.00	150	Vertical	Pass
4	6914.250	54.26	74.0	19.74	Peak	360.00	400	Vertical	Pass
4**	6914.250	45.01	54.0	8.99	AV	360.00	400	Vertical	Pass
5	12541.475	53.61	74.0	20.39	Peak	135.00	100	Vertical	Pass
5**	12541.475	43.58	54.0	10.42	AV	135.00	100	Vertical	Pass
6	17010.114	55.83	74.0	18.17	Peak	254.00	300	Vertical	Pass
6**	17010.114	46.14	54.0	7.86	AV	254.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1406.500	42.11	74.0	31.89	Peak	155.00	300	Horizontal	Pass
1**	1406.500	32.48	54.0	21.52	AV	155.00	300	Horizontal	Pass
2	2463.500	106.71	74.0	-32.71	Peak	101.00	150	Horizontal	N/A
2**	2463.500	100.36	54.0	-46.36	AV	101.00	150	Horizontal	N/A
3	4862.500	49.76	74.0	24.24	Peak	0.00	200	Horizontal	Pass
3**	4862.500	40.02	54.0	13.98	AV	0.00	200	Horizontal	Pass
4	6907.000	54.79	74.0	19.21	Peak	40.00	300	Horizontal	Pass
4**	6907.000	44.94	54.0	9.06	AV	40.00	300	Horizontal	Pass
5	12999.375	54.55	74.0	19.45	Peak	154.00	200	Horizontal	Pass
5**	12999.375	44.99	54.0	9.01	AV	154.00	200	Horizontal	Pass
6	16861.275	55.66	74.0	18.34	Peak	297.00	200	Horizontal	Pass
6**	16861.275	46.46	54.0	7.54	AV	297.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.800	49.60	74.0	24.40	Peak	100.00	100	Vertical	Pass
1**	1161.800	34.28	54.0	19.72	AV	100.00	100	Vertical	Pass
2	2460.700	88.76	74.0	-14.76	Peak	10.00	150	Vertical	N/A
2**	2460.700	82.14	54.0	-28.14	AV	10.00	150	Vertical	N/A
3	4793.250	49.61	74.0	24.39	Peak	139.00	100	Vertical	Pass
3**	4793.250	41.03	54.0	12.97	AV	139.00	100	Vertical	Pass
4	7967.000	54.18	74.0	19.82	Peak	100.00	300	Vertical	Pass
4**	7967.000	44.49	54.0	9.51	AV	100.00	300	Vertical	Pass
5	12974.963	54.30	74.0	19.70	Peak	55.00	300	Vertical	Pass
5**	12974.963	44.81	54.0	9.19	AV	55.00	300	Vertical	Pass
6	14461.763	55.78	74.0	18.22	Peak	207.00	400	Vertical	Pass
6**	14461.763	45.93	54.0	8.07	AV	207.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.900	42.49	74.0	31.51	Peak	63.00	200	Horizontal	Pass
1**	1327.900	33.05	54.0	20.95	AV	63.00	200	Horizontal	Pass
2	2418.500	104.64	74.0	-30.64	Peak	99.00	100	Horizontal	N/A
2**	2418.500	97.28	54.0	-43.28	AV	99.00	100	Horizontal	N/A
3	4876.500	49.64	74.0	24.36	Peak	21.00	200	Horizontal	Pass
3**	4876.500	41.59	54.0	12.41	AV	21.00	200	Horizontal	Pass
4	7594.750	54.10	74.0	19.90	Peak	42.00	300	Horizontal	Pass
4**	7594.750	44.29	54.0	9.71	AV	42.00	300	Horizontal	Pass
5	12475.213	53.63	74.0	20.37	Peak	359.00	400	Horizontal	Pass
5**	12475.213	43.80	54.0	10.20	AV	359.00	400	Horizontal	Pass
6	17396.511	55.66	74.0	18.34	Peak	101.00	400	Horizontal	Pass
6**	17396.511	46.56	54.0	7.44	AV	101.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.700	49.31	74.0	24.69	Peak	96.00	400	Vertical	Pass
1**	1162.700	34.78	54.0	19.22	AV	96.00	400	Vertical	Pass
2	2419.400	88.84	74.0	-14.84	Peak	52.00	200	Vertical	N/A
2**	2419.400	81.80	54.0	-27.80	AV	52.00	200	Vertical	N/A
3	4921.750	49.79	74.0	24.21	Peak	256.00	150	Vertical	Pass
3**	4921.750	41.36	54.0	12.64	AV	256.00	150	Vertical	Pass
4	7934.250	54.35	74.0	19.65	Peak	139.00	100	Vertical	Pass
4**	7934.250	45.79	54.0	8.21	AV	139.00	100	Vertical	Pass
5	12489.700	53.62	74.0	20.38	Peak	196.00	200	Vertical	Pass
5**	12489.700	44.65	54.0	9.35	AV	196.00	200	Vertical	Pass
6	14424.487	55.93	74.0	18.07	Peak	171.00	300	Vertical	Pass
6**	14424.487	45.78	54.0	8.22	AV	171.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.100	42.53	74.0	31.47	Peak	198.00	300	Horizontal	Pass
1**	1165.100	32.98	54.0	21.02	AV	198.00	300	Horizontal	Pass
2	2418.300	104.69	74.0	-30.69	Peak	108.00	100	Horizontal	N/A
2**	2418.300	96.64	54.0	-42.64	AV	108.00	100	Horizontal	N/A
3	4803.250	49.96	74.0	24.04	Peak	120.00	100	Horizontal	Pass
3**	4803.250	39.83	54.0	14.17	AV	120.00	100	Horizontal	Pass
4	6894.000	54.34	74.0	19.66	Peak	317.00	100	Horizontal	Pass
4**	6894.000	45.23	54.0	8.77	AV	317.00	100	Horizontal	Pass
5	12517.012	53.82	74.0	20.18	Peak	342.00	100	Horizontal	Pass
5**	12517.012	45.25	54.0	8.75	AV	342.00	100	Horizontal	Pass
6	16867.574	56.44	74.0	17.56	Peak	178.00	200	Horizontal	Pass
6**	16867.574	46.05	54.0	7.95	AV	178.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.400	48.35	74.0	25.65	Peak	80.00	300	Vertical	Pass
1**	1165.400	38.36	54.0	15.64	AV	80.00	300	Vertical	Pass
2	2421.900	88.06	74.0	-14.06	Peak	43.00	150	Vertical	N/A
2**	2421.900	81.05	54.0	-27.05	AV	43.00	150	Vertical	N/A
3	4890.500	49.65	74.0	24.35	Peak	120.00	150	Vertical	Pass
3**	4890.500	40.54	54.0	13.46	AV	120.00	150	Vertical	Pass
4	6898.500	54.01	74.0	19.99	Peak	120.00	400	Vertical	Pass
4**	6898.500	45.24	54.0	8.76	AV	120.00	400	Vertical	Pass
5	12975.750	53.29	74.0	20.71	Peak	350.00	100	Vertical	Pass
5**	12975.750	44.12	54.0	9.88	AV	350.00	100	Vertical	Pass
6	14456.250	55.54	74.0	18.46	Peak	360.00	400	Vertical	Pass
6**	14456.250	46.43	54.0	7.57	AV	360.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.200	43.75	74.0	30.25	Peak	72.00	100	Horizontal	Pass
1**	1332.200	33.86	54.0	20.14	AV	72.00	100	Horizontal	Pass
2	2421.100	104.70	74.0	-30.70	Peak	108.00	200	Horizontal	N/A
2**	2421.100	97.48	54.0	-43.48	AV	108.00	200	Horizontal	N/A
3	4851.750	49.49	74.0	24.51	Peak	256.00	100	Horizontal	Pass
3**	4851.750	39.79	54.0	14.21	AV	256.00	100	Horizontal	Pass
4	7934.750	53.95	74.0	20.05	Peak	256.00	400	Horizontal	Pass
4**	7934.750	45.03	54.0	8.97	AV	256.00	400	Horizontal	Pass
5	12999.900	53.43	74.0	20.57	Peak	176.00	100	Horizontal	Pass
5**	12999.900	43.75	54.0	10.25	AV	176.00	100	Horizontal	Pass
6	16969.426	55.61	74.0	18.39	Peak	316.00	100	Horizontal	Pass
6**	16969.426	46.42	54.0	7.58	AV	316.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.800	50.76	74.0	23.24	Peak	120.00	300	Vertical	Pass
1**	1164.800	39.91	54.0	14.09	AV	120.00	300	Vertical	Pass
2	2421.000	88.24	74.0	-14.24	Peak	48.00	200	Vertical	N/A
2**	2421.000	81.41	54.0	-27.41	AV	48.00	200	Vertical	N/A
3	4809.750	50.23	74.0	23.77	Peak	59.00	200	Vertical	Pass
3**	4809.750	41.76	54.0	12.24	AV	59.00	200	Vertical	Pass
4	6896.750	54.05	74.0	19.95	Peak	275.00	300	Vertical	Pass
4**	6896.750	45.54	54.0	8.46	AV	275.00	300	Vertical	Pass
5	12494.925	53.55	74.0	20.45	Peak	360.00	300	Vertical	Pass
5**	12494.925	44.28	54.0	9.72	AV	360.00	300	Vertical	Pass
6	17006.963	55.61	74.0	18.39	Peak	343.00	300	Vertical	Pass
6**	17006.963	46.31	54.0	7.69	AV	343.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.100	42.85	74.0	31.15	Peak	198.00	200	Horizontal	Pass
1**	1332.100	34.05	54.0	19.95	AV	198.00	200	Horizontal	Pass
2	2420.200	104.85	74.0	-30.85	Peak	100.00	100	Horizontal	N/A
2**	2420.200	96.83	54.0	-42.83	AV	100.00	100	Horizontal	N/A
3	4910.000	50.17	74.0	23.83	Peak	298.00	150	Horizontal	Pass
3**	4910.000	40.63	54.0	13.37	AV	298.00	150	Horizontal	Pass
4	6897.500	54.60	74.0	19.40	Peak	360.00	200	Horizontal	Pass
4**	6897.500	44.33	54.0	9.67	AV	360.00	200	Horizontal	Pass
5	12464.525	53.82	74.0	20.18	Peak	195.00	100	Horizontal	Pass
5**	12464.525	44.24	54.0	9.76	AV	195.00	100	Horizontal	Pass
6	14449.688	56.68	74.0	17.32	Peak	134.00	400	Horizontal	Pass
6**	14449.688	46.06	54.0	7.94	AV	134.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.600	50.22	74.0	23.78	Peak	100.00	300	Vertical	Pass
1**	1161.600	37.68	54.0	16.32	AV	100.00	300	Vertical	Pass
2	2420.000	88.53	74.0	-14.53	Peak	54.00	100	Vertical	N/A
2**	2420.000	80.57	54.0	-26.57	AV	54.00	100	Vertical	N/A
3	4835.000	49.75	74.0	24.25	Peak	317.00	150	Vertical	Pass
3**	4835.000	40.65	54.0	13.35	AV	317.00	150	Vertical	Pass
4	7951.000	54.20	74.0	19.80	Peak	60.00	400	Vertical	Pass
4**	7951.000	44.62	54.0	9.38	AV	60.00	400	Vertical	Pass
5	12460.013	53.84	74.0	20.16	Peak	24.00	300	Vertical	Pass
5**	12460.013	44.12	54.0	9.88	AV	24.00	300	Vertical	Pass
6	17394.676	55.91	74.0	18.09	Peak	110.00	200	Vertical	Pass
6**	17394.676	45.94	54.0	8.06	AV	110.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.200	43.63	74.0	30.37	Peak	65.00	400	Horizontal	Pass
1**	1333.200	34.84	54.0	19.16	AV	65.00	400	Horizontal	Pass
2	2425.600	105.56	74.0	-31.56	Peak	100.00	100	Horizontal	N/A
2**	2425.600	97.06	54.0	-43.06	AV	100.00	100	Horizontal	N/A
3	4722.000	49.64	74.0	24.36	Peak	82.00	200	Horizontal	Pass
3**	4722.000	40.22	54.0	13.78	AV	82.00	200	Horizontal	Pass
4	7934.000	53.89	74.0	20.11	Peak	161.00	100	Horizontal	Pass
4**	7934.000	45.62	54.0	8.38	AV	161.00	100	Horizontal	Pass
5	12520.575	53.89	74.0	20.11	Peak	252.00	400	Horizontal	Pass
5**	12520.575	45.22	54.0	8.78	AV	252.00	400	Horizontal	Pass
6	17386.013	55.54	74.0	18.46	Peak	2.00	100	Horizontal	Pass
6**	17386.013	45.48	54.0	8.52	AV	2.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.600	48.69	74.0	25.31	Peak	116.00	400	Vertical	Pass
1**	1161.600	36.43	54.0	17.57	AV	116.00	400	Vertical	Pass
2	2426.300	89.27	74.0	-15.27	Peak	215.00	200	Vertical	N/A
2**	2426.300	81.58	54.0	-27.58	AV	215.00	200	Vertical	N/A
3	4820.500	49.73	74.0	24.27	Peak	82.00	200	Vertical	Pass
3**	4820.500	40.72	54.0	13.28	AV	82.00	200	Vertical	Pass
4	7880.000	54.77	74.0	19.23	Peak	62.00	400	Vertical	Pass
4**	7880.000	45.43	54.0	8.57	AV	62.00	400	Vertical	Pass
5	12496.349	53.76	74.0	20.24	Peak	0.00	200	Vertical	Pass
5**	12496.349	43.90	54.0	10.10	AV	0.00	200	Vertical	Pass
6	14444.701	56.64	74.0	17.36	Peak	202.00	100	Vertical	Pass
6**	14444.701	46.80	54.0	7.20	AV	202.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.300	44.05	74.0	29.95	Peak	64.00	400	Horizontal	Pass
1**	1329.300	36.60	54.0	17.40	AV	64.00	400	Horizontal	Pass
2	2460.200	105.73	74.0	-31.73	Peak	100.00	200	Horizontal	N/A
2**	2460.200	97.03	54.0	-43.03	AV	100.00	200	Horizontal	N/A
3	4814.000	49.97	74.0	24.03	Peak	140.00	150	Horizontal	Pass
3**	4814.000	39.91	54.0	14.09	AV	140.00	150	Horizontal	Pass
4	7618.500	53.73	74.0	20.27	Peak	161.00	300	Horizontal	Pass
4**	7618.500	44.04	54.0	9.96	AV	161.00	300	Horizontal	Pass
5	12517.724	54.18	74.0	19.82	Peak	240.00	400	Horizontal	Pass
5**	12517.724	44.17	54.0	9.83	AV	240.00	400	Horizontal	Pass
6	16962.863	55.90	74.0	18.10	Peak	36.00	300	Horizontal	Pass
6**	16962.863	47.17	54.0	6.83	AV	36.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.400	49.26	74.0	24.74	Peak	115.00	100	Vertical	Pass
1**	1165.400	38.21	54.0	15.79	AV	115.00	100	Vertical	Pass
2	2449.700	90.17	74.0	-16.17	Peak	45.00	150	Vertical	N/A
2**	2449.700	82.08	54.0	-28.08	AV	45.00	150	Vertical	N/A
3	4754.000	49.88	74.0	24.12	Peak	238.00	100	Vertical	Pass
3**	4754.000	38.85	54.0	15.15	AV	238.00	100	Vertical	Pass
4	7879.250	54.11	74.0	19.89	Peak	316.00	300	Vertical	Pass
4**	7879.250	44.39	54.0	9.61	AV	316.00	300	Vertical	Pass
5	12523.900	54.25	74.0	19.75	Peak	222.00	400	Vertical	Pass
5**	12523.900	44.44	54.0	9.56	AV	222.00	400	Vertical	Pass
6	16994.363	55.72	74.0	18.28	Peak	360.00	100	Vertical	Pass
6**	16994.363	46.60	54.0	7.40	AV	360.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.600	43.50	74.0	30.50	Peak	191.00	200	Horizontal	Pass
1**	1331.600	35.22	54.0	18.78	AV	191.00	200	Horizontal	Pass
2	2464.100	102.37	74.0	-28.37	Peak	103.00	200	Horizontal	N/A
2**	2464.100	96.18	54.0	-42.18	AV	103.00	200	Horizontal	N/A
3	4858.750	49.44	74.0	24.56	Peak	159.00	150	Horizontal	Pass
3**	4858.750	40.21	54.0	13.79	AV	159.00	150	Horizontal	Pass
4	7886.750	53.87	74.0	20.13	Peak	180.00	200	Horizontal	Pass
4**	7886.750	45.75	54.0	8.25	AV	180.00	200	Horizontal	Pass
5	12501.100	53.16	74.0	20.84	Peak	7.00	200	Horizontal	Pass
5**	12501.100	44.00	54.0	10.00	AV	7.00	200	Horizontal	Pass
6	16997.775	55.43	74.0	18.57	Peak	151.00	400	Horizontal	Pass
6**	16997.775	46.14	54.0	7.86	AV	151.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.900	49.64	74.0	24.36	Peak	125.00	400	Vertical	Pass
1**	1165.900	35.41	54.0	18.59	AV	125.00	400	Vertical	Pass
2	2453.400	85.00	74.0	-11.00	Peak	43.00	100	Vertical	N/A
2**	2453.400	76.27	54.0	-22.27	AV	43.00	100	Vertical	N/A
3	4784.750	49.44	74.0	24.56	Peak	355.00	200	Vertical	Pass
3**	4784.750	40.22	54.0	13.78	AV	355.00	200	Vertical	Pass
4	7478.750	53.72	74.0	20.28	Peak	101.00	400	Vertical	Pass
4**	7478.750	43.38	54.0	10.62	AV	101.00	400	Vertical	Pass
5	12988.088	53.67	74.0	20.33	Peak	352.00	200	Vertical	Pass
5**	12988.088	45.10	54.0	8.90	AV	352.00	200	Vertical	Pass
6	16991.475	55.40	74.0	18.60	Peak	157.00	100	Vertical	Pass
6**	16991.475	47.36	54.0	6.64	AV	157.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.600	43.54	74.0	30.46	Peak	73.00	400	Horizontal	Pass
1**	1329.600	32.89	54.0	21.11	AV	73.00	400	Horizontal	Pass
2	2415.200	109.92	74.0	-35.92	Peak	101.00	100	Horizontal	N/A
2**	2415.200	102.26	54.0	-48.26	AV	101.00	100	Horizontal	N/A
3	4812.500	49.53	74.0	24.47	Peak	157.00	150	Horizontal	Pass
3**	4812.500	40.81	54.0	13.19	AV	157.00	150	Horizontal	Pass
4	7932.250	54.36	74.0	19.64	Peak	297.00	400	Horizontal	Pass
4**	7932.250	46.05	54.0	7.95	AV	297.00	400	Horizontal	Pass
5	12972.338	53.81	74.0	20.19	Peak	67.00	300	Horizontal	Pass
5**	12972.338	43.40	54.0	10.60	AV	67.00	300	Horizontal	Pass
6	16861.800	55.67	74.0	18.33	Peak	52.00	200	Horizontal	Pass
6**	16861.800	46.54	54.0	7.46	AV	52.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 1

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.400	50.20	74.0	23.80	Peak	104.00	300	Vertical	Pass
1**	1163.400	40.62	54.0	13.38	AV	104.00	300	Vertical	Pass
2	2416.300	94.56	74.0	-20.56	Peak	42.00	200	Vertical	N/A
2**	2416.300	86.46	54.0	-32.46	AV	42.00	200	Vertical	N/A
3	4738.000	49.38	74.0	24.62	Peak	237.00	100	Vertical	Pass
3**	4738.000	40.21	54.0	13.79	AV	237.00	100	Vertical	Pass
4	7936.500	54.20	74.0	19.80	Peak	360.00	100	Vertical	Pass
4**	7936.500	45.78	54.0	8.22	AV	360.00	100	Vertical	Pass
5	11742.525	53.67	74.0	20.33	Peak	133.00	100	Vertical	Pass
5**	11742.525	42.50	54.0	11.50	AV	133.00	100	Vertical	Pass
6	17413.050	55.33	74.0	18.67	Peak	98.00	200	Vertical	Pass
6**	17413.050	46.08	54.0	7.92	AV	98.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1574.000	42.31	74.0	31.69	Peak	360.00	100	Horizontal	Pass
1**	1574.000	32.84	54.0	21.16	AV	360.00	100	Horizontal	Pass
2	2417.400	110.48	74.0	-36.48	Peak	115.00	100	Horizontal	N/A
2**	2417.400	102.27	54.0	-48.27	AV	115.00	100	Horizontal	N/A
3	4843.000	49.33	74.0	24.67	Peak	225.00	200	Horizontal	Pass
3**	4843.000	39.93	54.0	14.07	AV	225.00	200	Horizontal	Pass
4	7930.250	54.26	74.0	19.74	Peak	351.00	200	Horizontal	Pass
4**	7930.250	45.05	54.0	8.95	AV	351.00	200	Horizontal	Pass
5	12513.688	53.28	74.0	20.72	Peak	169.00	300	Horizontal	Pass
5**	12513.688	44.56	54.0	9.44	AV	169.00	300	Horizontal	Pass
6	17402.026	55.13	74.0	18.87	Peak	39.00	100	Horizontal	Pass
6**	17402.026	45.45	54.0	8.55	AV	39.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 2

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	42.92	74.0	31.08	Peak	38.00	100	Vertical	Pass
1**	1330.500	33.59	54.0	20.41	AV	38.00	100	Vertical	Pass
2	2418.000	95.40	74.0	-21.40	Peak	57.00	100	Vertical	N/A
2**	2418.000	87.88	54.0	-33.88	AV	57.00	100	Vertical	N/A
3	4908.250	49.43	74.0	24.57	Peak	77.00	100	Vertical	Pass
3**	4908.250	40.03	54.0	13.97	AV	77.00	100	Vertical	Pass
4	7966.000	53.47	74.0	20.53	Peak	135.00	200	Vertical	Pass
4**	7966.000	44.75	54.0	9.25	AV	135.00	200	Vertical	Pass
5	12503.950	53.74	74.0	20.26	Peak	310.00	200	Vertical	Pass
5**	12503.950	44.01	54.0	9.99	AV	310.00	200	Vertical	Pass
6	14432.099	55.02	74.0	18.98	Peak	186.00	200	Vertical	Pass
6**	14432.099	47.06	54.0	6.94	AV	186.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1590.800	42.61	74.0	31.39	Peak	145.00	200	Horizontal	Pass
1**	1590.800	32.44	54.0	21.56	AV	145.00	200	Horizontal	Pass
2	2419.900	110.21	74.0	-36.21	Peak	109.00	200	Horizontal	N/A
2**	2419.900	102.44	54.0	-48.44	AV	109.00	200	Horizontal	N/A
3	4872.250	49.61	74.0	24.39	Peak	225.00	150	Horizontal	Pass
3**	4872.250	40.62	54.0	13.38	AV	225.00	150	Horizontal	Pass
4	6890.250	53.66	74.0	20.34	Peak	322.00	400	Horizontal	Pass
4**	6890.250	45.00	54.0	9.00	AV	322.00	400	Horizontal	Pass
5	12515.588	53.40	74.0	20.60	Peak	225.00	300	Horizontal	Pass
5**	12515.588	44.58	54.0	9.42	AV	225.00	300	Horizontal	Pass
6	14414.775	54.98	74.0	19.02	Peak	349.00	200	Horizontal	Pass
6**	14414.775	45.27	54.0	8.73	AV	349.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.400	43.54	74.0	30.46	Peak	84.00	400	Vertical	Pass
1**	1164.400	33.48	54.0	20.52	AV	84.00	400	Vertical	Pass
2	2420.800	96.60	74.0	-22.60	Peak	57.00	100	Vertical	N/A
2**	2420.800	89.09	54.0	-35.09	AV	57.00	100	Vertical	N/A
3	4861.000	50.13	74.0	23.87	Peak	244.00	150	Vertical	Pass
3**	4861.000	40.17	54.0	13.83	AV	244.00	150	Vertical	Pass
4	7947.750	53.93	74.0	20.07	Peak	8.00	200	Vertical	Pass
4**	7947.750	44.48	54.0	9.52	AV	8.00	200	Vertical	Pass
5	12950.025	53.46	74.0	20.54	Peak	157.00	200	Vertical	Pass
5**	12950.025	43.35	54.0	10.65	AV	157.00	200	Vertical	Pass
6	14478.825	55.63	74.0	18.37	Peak	127.00	400	Vertical	Pass
6**	14478.825	45.83	54.0	8.17	AV	127.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1318.200	42.29	74.0	31.71	Peak	271.00	200	Horizontal	Pass
1**	1318.200	33.01	54.0	20.99	AV	271.00	200	Horizontal	Pass
2	2423.100	109.82	74.0	-35.82	Peak	111.00	150	Horizontal	N/A
2**	2423.100	102.92	54.0	-48.92	AV	111.00	150	Horizontal	N/A
3	5299.000	51.80	74.0	22.20	Peak	91.00	100	Horizontal	Pass
3**	5299.000	45.39	54.0	8.61	AV	91.00	100	Horizontal	Pass
4	7761.000	54.14	74.0	19.86	Peak	130.00	100	Horizontal	Pass
4**	7761.000	44.50	54.0	9.50	AV	130.00	100	Horizontal	Pass
5	12502.525	53.53	74.0	20.47	Peak	11.00	300	Horizontal	Pass
5**	12502.525	44.70	54.0	9.30	AV	11.00	300	Horizontal	Pass
6	16978.613	55.17	74.0	18.83	Peak	15.00	400	Horizontal	Pass
6**	16978.613	45.65	54.0	8.35	AV	15.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.200	43.44	74.0	30.56	Peak	109.00	400	Vertical	Pass
1**	1163.200	36.79	54.0	17.21	AV	109.00	400	Vertical	Pass
2	2425.200	96.39	74.0	-22.39	Peak	215.00	150	Vertical	N/A
2**	2425.200	88.80	54.0	-34.80	AV	215.00	150	Vertical	N/A
3	5302.250	53.59	74.0	20.41	Peak	281.00	100	Vertical	Pass
3**	5302.250	43.57	54.0	10.43	AV	281.00	100	Vertical	Pass
4	7931.000	53.97	74.0	20.03	Peak	320.00	200	Vertical	Pass
4**	7931.000	45.05	54.0	8.95	AV	320.00	200	Vertical	Pass
5	12541.000	53.03	74.0	20.97	Peak	45.00	100	Vertical	Pass
5**	12541.000	42.95	54.0	11.05	AV	45.00	100	Vertical	Pass
6	17199.901	55.35	74.0	18.65	Peak	216.00	100	Vertical	Pass
6**	17199.901	45.96	54.0	8.04	AV	216.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.300	42.33	74.0	31.67	Peak	191.00	200	Horizontal	Pass
1**	1327.300	32.69	54.0	21.31	AV	191.00	200	Horizontal	Pass
2	2435.800	108.28	74.0	-34.28	Peak	103.00	100	Horizontal	N/A
2**	2435.800	100.80	54.0	-46.80	AV	103.00	100	Horizontal	N/A
3	4868.000	49.70	74.0	24.30	Peak	79.00	150	Horizontal	Pass
3**	4868.000	41.36	54.0	12.64	AV	79.00	150	Horizontal	Pass
4	7931.500	54.33	74.0	19.67	Peak	360.00	200	Horizontal	Pass
4**	7931.500	45.02	54.0	8.98	AV	360.00	200	Horizontal	Pass
5	12988.349	53.82	74.0	20.18	Peak	47.00	100	Horizontal	Pass
5**	12988.349	44.95	54.0	9.05	AV	47.00	100	Horizontal	Pass
6	16855.762	56.04	74.0	17.96	Peak	295.00	400	Horizontal	Pass
6**	16855.762	45.86	54.0	8.14	AV	295.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.800	49.56	74.0	24.44	Peak	101.00	100	Vertical	Pass
1**	1165.800	33.79	54.0	20.21	AV	101.00	100	Vertical	Pass
2	2435.600	94.67	74.0	-20.67	Peak	210.00	200	Vertical	N/A
2**	2435.600	86.87	54.0	-32.87	AV	210.00	200	Vertical	N/A
3	4757.750	50.20	74.0	23.80	Peak	258.00	200	Vertical	Pass
3**	4757.750	39.65	54.0	14.35	AV	258.00	200	Vertical	Pass
4	7930.750	54.93	74.0	19.07	Peak	278.00	300	Vertical	Pass
4**	7930.750	45.81	54.0	8.19	AV	278.00	300	Vertical	Pass
5	12460.013	53.83	74.0	20.17	Peak	76.00	400	Vertical	Pass
5**	12460.013	44.26	54.0	9.74	AV	76.00	400	Vertical	Pass
6	17018.250	55.66	74.0	18.34	Peak	227.00	400	Vertical	Pass
6**	17018.250	46.00	54.0	8.00	AV	227.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT HV HT20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1410.600	42.68	74.0	31.32	Peak	290.00	300	Horizontal	Pass
1**	1410.600	32.25	54.0	21.75	AV	290.00	300	Horizontal	Pass
2	2456.600	107.94	74.0	-33.94	Peak	103.00	100	Horizontal	N/A
2**	2456.600	100.68	54.0	-46.68	AV	103.00	100	Horizontal	N/A
3	4863.500	49.29	74.0	24.71	Peak	28.00	100	Horizontal	Pass
3**	4863.500	40.28	54.0	13.72	AV	28.00	100	Horizontal	Pass
4	7947.250	53.74	74.0	20.26	Peak	283.00	100	Horizontal	Pass
4**	7947.250	44.73	54.0	9.27	AV	283.00	100	Horizontal	Pass
5	12532.450	53.45	74.0	20.55	Peak	356.00	100	Horizontal	Pass
5**	12532.450	43.79	54.0	10.21	AV	356.00	100	Horizontal	Pass
6	17101.463	54.95	74.0	19.05	Peak	193.00	100	Horizontal	Pass
6**	17101.463	45.86	54.0	8.14	AV	193.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.100	43.11	74.0	30.89	Peak	208.00	400	Vertical	Pass
1**	1330.100	34.36	54.0	19.64	AV	208.00	400	Vertical	Pass
2	2453.200	94.99	74.0	-20.99	Peak	59.00	200	Vertical	N/A
2**	2453.200	87.50	54.0	-33.50	AV	59.00	200	Vertical	N/A
3	5312.500	52.29	74.0	21.71	Peak	127.00	100	Vertical	Pass
3**	5312.500	43.80	54.0	10.20	AV	127.00	100	Vertical	Pass
4	7947.750	53.93	74.0	20.07	Peak	28.00	400	Vertical	Pass
4**	7947.750	44.94	54.0	9.06	AV	28.00	400	Vertical	Pass
5	12724.588	54.25	74.0	19.75	Peak	336.00	300	Vertical	Pass
5**	12724.588	43.19	54.0	10.81	AV	336.00	300	Vertical	Pass
6	14471.999	55.36	74.0	18.64	Peak	259.00	100	Vertical	Pass
6**	14471.999	45.64	54.0	8.36	AV	259.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.800	42.75	74.0	31.25	Peak	7.00	100	Horizontal	Pass
1**	1166.800	31.65	54.0	22.35	AV	7.00	100	Horizontal	Pass
2	2460.800	107.82	74.0	-33.82	Peak	96.00	200	Horizontal	N/A
2**	2460.800	100.60	54.0	-46.60	AV	96.00	200	Horizontal	N/A
3	4914.250	49.55	74.0	24.45	Peak	217.00	100	Horizontal	Pass
3**	4914.250	39.55	54.0	14.45	AV	217.00	100	Horizontal	Pass
4	7928.250	53.66	74.0	20.34	Peak	176.00	200	Horizontal	Pass
4**	7928.250	45.37	54.0	8.63	AV	176.00	200	Horizontal	Pass
5	12963.937	53.71	74.0	20.29	Peak	360.00	200	Horizontal	Pass
5**	12963.937	44.40	54.0	9.60	AV	360.00	200	Horizontal	Pass
6	17399.400	56.02	74.0	17.98	Peak	239.00	200	Horizontal	Pass
6**	17399.400	46.59	54.0	7.41	AV	239.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20Channel 10

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.000	50.98	74.0	23.02	Peak	96.00	400	Vertical	Pass
1**	1164.000	40.03	54.0	13.97	AV	96.00	400	Vertical	Pass
2	2457.300	92.16	74.0	-18.16	Peak	43.00	100	Vertical	N/A
2**	2457.300	83.76	54.0	-29.76	AV	43.00	100	Vertical	N/A
3	4847.250	49.61	74.0	24.39	Peak	360.00	100	Vertical	Pass
3**	4847.250	40.84	54.0	13.16	AV	360.00	100	Vertical	Pass
4	7361.000	53.57	74.0	20.43	Peak	334.00	200	Vertical	Pass
4**	7361.000	44.31	54.0	9.69	AV	334.00	200	Vertical	Pass
5	12518.438	53.65	74.0	20.35	Peak	9.00	300	Vertical	Pass
5**	12518.438	43.98	54.0	10.02	AV	9.00	300	Vertical	Pass
6	17026.387	55.99	74.0	18.01	Peak	180.00	200	Vertical	Pass
6**	17026.387	45.75	54.0	8.25	AV	180.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.700	42.80	74.0	31.20	Peak	183.00	200	Horizontal	Pass
1**	1330.700	33.48	54.0	20.52	AV	183.00	200	Horizontal	Pass
2	2465.000	106.33	74.0	-32.33	Peak	103.00	150	Horizontal	N/A
2**	2465.000	98.20	54.0	-44.20	AV	103.00	150	Horizontal	N/A
3	4828.750	49.88	74.0	24.12	Peak	156.00	100	Horizontal	Pass
3**	4828.750	39.29	54.0	14.71	AV	156.00	100	Horizontal	Pass
4	7488.250	53.80	74.0	20.20	Peak	18.00	300	Horizontal	Pass
4**	7488.250	44.64	54.0	9.36	AV	18.00	300	Horizontal	Pass
5	12997.800	54.32	74.0	19.68	Peak	328.00	100	Horizontal	Pass
5**	12997.800	44.89	54.0	9.11	AV	328.00	100	Horizontal	Pass
6	17441.925	56.05	74.0	17.95	Peak	222.00	100	Horizontal	Pass
6**	17441.925	46.26	54.0	7.74	AV	222.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT20 Channel 11

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.700	48.60	74.0	25.40	Peak	106.00	300	Vertical	Pass
1**	1161.700	43.19	54.0	10.81	AV	106.00	300	Vertical	Pass
2	2465.700	88.75	74.0	-14.75	Peak	7.00	200	Vertical	N/A
2**	2465.700	80.54	54.0	-26.54	AV	7.00	200	Vertical	N/A
3	4867.000	49.86	74.0	24.14	Peak	40.00	150	Vertical	Pass
3**	4867.000	40.77	54.0	13.23	AV	40.00	150	Vertical	Pass
4	7959.250	53.52	74.0	20.48	Peak	219.00	400	Vertical	Pass
4**	7959.250	44.19	54.0	9.81	AV	219.00	400	Vertical	Pass
5	12977.325	53.89	74.0	20.11	Peak	307.00	400	Vertical	Pass
5**	12977.325	44.46	54.0	9.54	AV	307.00	400	Vertical	Pass
6	14443.650	55.93	74.0	18.07	Peak	202.00	400	Vertical	Pass
6**	14443.650	45.95	54.0	8.05	AV	202.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.100	43.51	74.0	30.49	Peak	189.00	300	Horizontal	Pass
1**	1327.100	32.51	54.0	21.49	AV	189.00	300	Horizontal	Pass
2	2419.200	105.01	74.0	-31.01	Peak	109.00	150	Horizontal	N/A
2**	2419.200	97.66	54.0	-43.66	AV	109.00	150	Horizontal	N/A
3	4805.750	49.63	74.0	24.37	Peak	38.00	100	Horizontal	Pass
3**	4805.750	40.72	54.0	13.28	AV	38.00	100	Horizontal	Pass
4	6907.250	54.10	74.0	19.90	Peak	38.00	400	Horizontal	Pass
4**	6907.250	44.82	54.0	9.18	AV	38.00	400	Horizontal	Pass
5	12963.412	53.46	74.0	20.54	Peak	232.00	400	Horizontal	Pass
5**	12963.412	44.14	54.0	9.86	AV	232.00	400	Horizontal	Pass
6	14449.424	55.66	74.0	18.34	Peak	359.00	400	Horizontal	Pass
6**	14449.424	46.70	54.0	7.30	AV	359.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.100	49.43	74.0	24.57	Peak	108.00	400	Vertical	Pass
1**	1164.100	42.04	54.0	11.96	AV	108.00	400	Vertical	Pass
2	2423.500	88.04	74.0	-14.04	Peak	206.00	200	Vertical	N/A
2**	2423.500	79.94	54.0	-25.94	AV	206.00	200	Vertical	N/A
3	4869.250	49.69	74.0	24.31	Peak	159.00	200	Vertical	Pass
3**	4869.250	40.99	54.0	13.01	AV	159.00	200	Vertical	Pass
4	6910.500	53.62	74.0	20.38	Peak	298.00	300	Vertical	Pass
4**	6910.500	45.01	54.0	8.99	AV	298.00	300	Vertical	Pass
5	11803.563	53.59	74.0	20.41	Peak	176.00	100	Vertical	Pass
5**	11803.563	43.72	54.0	10.28	AV	176.00	100	Vertical	Pass
6	17012.475	56.19	74.0	17.81	Peak	351.00	100	Vertical	Pass
6**	17012.475	46.98	54.0	7.02	AV	351.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1489.900	42.27	74.0	31.73	Peak	142.00	300	Horizontal	Pass
1**	1489.900	32.72	54.0	21.28	AV	142.00	300	Horizontal	Pass
2	2418.400	104.78	74.0	-30.78	Peak	98.00	100	Horizontal	N/A
2**	2418.400	96.36	54.0	-42.36	AV	98.00	100	Horizontal	N/A
3	4919.500	49.55	74.0	24.45	Peak	360.00	200	Horizontal	Pass
3**	4919.500	39.38	54.0	14.62	AV	360.00	200	Horizontal	Pass
4	7938.000	55.29	74.0	18.71	Peak	360.00	200	Horizontal	Pass
4**	7938.000	45.45	54.0	8.55	AV	360.00	200	Horizontal	Pass
5	12997.800	53.93	74.0	20.07	Peak	1.00	200	Horizontal	Pass
5**	12997.800	44.51	54.0	9.49	AV	1.00	200	Horizontal	Pass
6	17407.275	55.53	74.0	18.47	Peak	1.00	100	Horizontal	Pass
6**	17407.275	46.07	54.0	7.93	AV	1.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.600	49.11	74.0	24.89	Peak	103.00	300	Vertical	Pass
1**	1166.600	36.79	54.0	17.21	AV	103.00	300	Vertical	Pass
2	2418.500	88.35	74.0	-14.35	Peak	48.00	100	Vertical	N/A
2**	2418.500	80.74	54.0	-26.74	AV	48.00	100	Vertical	N/A
3	4917.250	49.98	74.0	24.02	Peak	60.00	150	Vertical	Pass
3**	4917.250	39.77	54.0	14.23	AV	60.00	150	Vertical	Pass
4	6893.250	53.87	74.0	20.13	Peak	298.00	300	Vertical	Pass
4**	6893.250	45.23	54.0	8.77	AV	298.00	300	Vertical	Pass
5	12473.787	54.11	74.0	19.89	Peak	87.00	200	Vertical	Pass
5**	12473.787	44.80	54.0	9.20	AV	87.00	200	Vertical	Pass
6	16859.963	55.86	74.0	18.14	Peak	270.00	100	Vertical	Pass
6**	16859.963	46.06	54.0	7.94	AV	270.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1454.800	42.53	74.0	31.47	Peak	101.00	100	Horizontal	Pass
1**	1454.800	32.94	54.0	21.06	AV	101.00	100	Horizontal	Pass
2	2423.600	104.64	74.0	-30.64	Peak	101.00	100	Horizontal	N/A
2**	2423.600	97.20	54.0	-43.20	AV	101.00	100	Horizontal	N/A
3	4914.750	50.27	74.0	23.73	Peak	360.00	200	Horizontal	Pass
3**	4914.750	39.99	54.0	14.01	AV	360.00	200	Horizontal	Pass
4	6897.250	53.86	74.0	20.14	Peak	219.00	100	Horizontal	Pass
4**	6897.250	44.78	54.0	9.22	AV	219.00	100	Horizontal	Pass
5	12509.175	54.07	74.0	19.93	Peak	360.00	200	Horizontal	Pass
5**	12509.175	44.68	54.0	9.32	AV	360.00	200	Horizontal	Pass
6	16969.949	56.82	74.0	17.18	Peak	169.00	200	Horizontal	Pass
6**	16969.949	46.33	54.0	7.67	AV	169.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 5

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.800	50.12	74.0	23.88	Peak	128.00	400	Vertical	Pass
1**	1163.800	36.96	54.0	17.04	AV	128.00	400	Vertical	Pass
2	2419.500	88.24	74.0	-14.24	Peak	46.00	150	Vertical	N/A
2**	2419.500	80.43	54.0	-26.43	AV	46.00	150	Vertical	N/A
3	4898.750	49.52	74.0	24.48	Peak	60.00	100	Vertical	Pass
3**	4898.750	41.27	54.0	12.73	AV	60.00	100	Vertical	Pass
4	6896.250	53.70	74.0	20.30	Peak	19.00	300	Vertical	Pass
4**	6896.250	44.57	54.0	9.43	AV	19.00	300	Vertical	Pass
5	12993.599	53.57	74.0	20.43	Peak	229.00	300	Vertical	Pass
5**	12993.599	44.81	54.0	9.19	AV	229.00	300	Vertical	Pass
6	14464.125	55.78	74.0	18.22	Peak	319.00	400	Vertical	Pass
6**	14464.125	45.78	54.0	8.22	AV	319.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1009.300	43.10	74.0	30.90	Peak	162.00	300	Horizontal	Pass
1**	1009.300	32.18	54.0	21.82	AV	162.00	300	Horizontal	Pass
2	2419.700	105.06	74.0	-31.06	Peak	100.00	200	Horizontal	N/A
2**	2419.700	97.25	54.0	-43.25	AV	100.00	200	Horizontal	N/A
3	4802.000	49.83	74.0	24.17	Peak	198.00	150	Horizontal	Pass
3**	4802.000	40.54	54.0	13.46	AV	198.00	150	Horizontal	Pass
4	7311.500	54.35	74.0	19.65	Peak	1.00	400	Horizontal	Pass
4**	7311.500	44.03	54.0	9.97	AV	1.00	400	Horizontal	Pass
5	12522.000	53.35	74.0	20.65	Peak	37.00	400	Horizontal	Pass
5**	12522.000	45.04	54.0	8.96	AV	37.00	400	Horizontal	Pass
6	16866.787	55.89	74.0	18.11	Peak	329.00	300	Horizontal	Pass
6**	16866.787	46.21	54.0	7.79	AV	329.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.900	48.97	74.0	25.03	Peak	98.00	400	Vertical	Pass
1**	1164.900	38.28	54.0	15.72	AV	98.00	400	Vertical	Pass
2	2420.100	88.07	74.0	-14.07	Peak	52.00	100	Vertical	N/A
2**	2420.100	80.14	54.0	-26.14	AV	52.00	100	Vertical	N/A
3	4860.250	49.42	74.0	24.58	Peak	200.00	100	Vertical	Pass
3**	4860.250	40.64	54.0	13.36	AV	200.00	100	Vertical	Pass
4	7937.750	54.00	74.0	20.00	Peak	317.00	200	Vertical	Pass
4**	7937.750	44.93	54.0	9.07	AV	317.00	200	Vertical	Pass
5	12456.688	53.54	74.0	20.46	Peak	152.00	300	Vertical	Pass
5**	12456.688	44.09	54.0	9.91	AV	152.00	300	Vertical	Pass
6	14441.026	56.33	74.0	17.67	Peak	193.00	100	Vertical	Pass
6**	14441.026	45.64	54.0	8.36	AV	193.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.900	43.74	74.0	30.26	Peak	193.00	100	Horizontal	Pass
1**	1332.900	38.39	54.0	15.61	AV	193.00	100	Horizontal	Pass
2	2424.900	105.68	74.0	-31.68	Peak	103.00	200	Horizontal	N/A
2**	2424.900	97.42	54.0	-43.42	AV	103.00	200	Horizontal	N/A
3	4835.250	49.71	74.0	24.29	Peak	297.00	150	Horizontal	Pass
3**	4835.250	40.39	54.0	13.61	AV	297.00	150	Horizontal	Pass
4	7932.500	53.83	74.0	20.17	Peak	81.00	200	Horizontal	Pass
4**	7932.500	45.40	54.0	8.60	AV	81.00	200	Horizontal	Pass
5	12975.750	53.48	74.0	20.52	Peak	290.00	400	Horizontal	Pass
5**	12975.750	43.81	54.0	10.19	AV	290.00	400	Horizontal	Pass
6	16991.213	55.80	74.0	18.20	Peak	336.00	400	Horizontal	Pass
6**	16991.213	46.23	54.0	7.77	AV	336.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 7

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.400	50.98	74.0	23.02	Peak	104.00	200	Vertical	Pass
1**	1162.400	40.96	54.0	13.04	AV	104.00	200	Vertical	Pass
2	2426.600	89.89	74.0	-15.89	Peak	211.00	150	Vertical	N/A
2**	2426.600	82.08	54.0	-28.08	AV	211.00	150	Vertical	N/A
3	4838.250	49.38	74.0	24.62	Peak	2.00	100	Vertical	Pass
3**	4838.250	41.16	54.0	12.84	AV	2.00	100	Vertical	Pass
4	7952.500	54.19	74.0	19.81	Peak	140.00	200	Vertical	Pass
4**	7952.500	44.40	54.0	9.60	AV	140.00	200	Vertical	Pass
5	11770.787	53.65	74.0	20.35	Peak	176.00	100	Vertical	Pass
5**	11770.787	43.37	54.0	10.63	AV	176.00	100	Vertical	Pass
6	17001.975	55.66	74.0	18.34	Peak	292.00	300	Vertical	Pass
6**	17001.975	46.31	54.0	7.69	AV	292.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.500	42.92	74.0	31.08	Peak	62.00	200	Horizontal	Pass
1**	1330.500	33.60	54.0	20.40	AV	62.00	200	Horizontal	Pass
2	2464.200	106.10	74.0	-32.10	Peak	89.00	200	Horizontal	N/A
2**	2464.200	97.76	54.0	-43.76	AV	89.00	200	Horizontal	N/A
3	4809.000	49.95	74.0	24.05	Peak	161.00	150	Horizontal	Pass
3**	4809.000	40.28	54.0	13.72	AV	161.00	150	Horizontal	Pass
4	6909.750	55.23	74.0	18.77	Peak	1.00	100	Horizontal	Pass
4**	6909.750	44.76	54.0	9.24	AV	1.00	100	Horizontal	Pass
5	12978.113	53.68	74.0	20.32	Peak	353.00	200	Horizontal	Pass
5**	12978.113	44.35	54.0	9.65	AV	353.00	200	Horizontal	Pass
6	16850.775	55.99	74.0	18.01	Peak	36.00	200	Horizontal	Pass
6**	16850.775	46.34	54.0	7.66	AV	36.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 8

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.200	49.43	74.0	24.57	Peak	101.00	300	Vertical	Pass
1**	1162.200	40.71	54.0	13.29	AV	101.00	300	Vertical	Pass
2	2435.900	88.72	74.0	-14.72	Peak	207.00	100	Vertical	N/A
2**	2435.900	81.73	54.0	-27.73	AV	207.00	100	Vertical	N/A
3	4874.500	49.42	74.0	24.58	Peak	101.00	150	Vertical	Pass
3**	4874.500	39.88	54.0	14.12	AV	101.00	150	Vertical	Pass
4	6891.750	54.01	74.0	19.99	Peak	180.00	100	Vertical	Pass
4**	6891.750	45.22	54.0	8.78	AV	180.00	100	Vertical	Pass
5	12995.963	53.59	74.0	20.41	Peak	360.00	100	Vertical	Pass
5**	12995.963	44.38	54.0	9.62	AV	360.00	100	Vertical	Pass
6	16964.437	55.95	74.0	18.05	Peak	287.00	300	Vertical	Pass
6**	16964.437	47.21	54.0	6.79	AV	287.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.500	43.43	74.0	30.57	Peak	193.00	400	Horizontal	Pass
1**	1333.500	32.23	54.0	21.77	AV	193.00	400	Horizontal	Pass
2	2469.300	102.59	74.0	-28.59	Peak	102.00	100	Horizontal	N/A
2**	2469.300	93.87	54.0	-39.87	AV	102.00	100	Horizontal	N/A
3	4826.500	49.36	74.0	24.64	Peak	81.00	100	Horizontal	Pass
3**	4826.500	39.83	54.0	14.17	AV	81.00	100	Horizontal	Pass
4	7930.000	53.99	74.0	20.01	Peak	62.00	200	Horizontal	Pass
4**	7930.000	45.39	54.0	8.61	AV	62.00	200	Horizontal	Pass
5	12978.638	53.72	74.0	20.28	Peak	2.00	400	Horizontal	Pass
5**	12978.638	44.87	54.0	9.13	AV	2.00	400	Horizontal	Pass
6	17390.213	55.96	74.0	18.04	Peak	187.00	100	Horizontal	Pass
6**	17390.213	45.85	54.0	8.15	AV	187.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V VHT40 Channel 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.300	51.46	74.0	22.54	Peak	96.00	400	Vertical	Pass
1**	1164.300	42.84	54.0	11.16	AV	96.00	400	Vertical	Pass
2	2455.300	85.43	74.0	-11.43	Peak	43.00	100	Vertical	N/A
2**	2455.300	76.90	54.0	-22.90	AV	43.00	100	Vertical	N/A
3	4831.250	49.86	74.0	24.14	Peak	21.00	200	Vertical	Pass
3**	4831.250	39.59	54.0	14.41	AV	21.00	200	Vertical	Pass
4	6892.000	53.97	74.0	20.03	Peak	198.00	200	Vertical	Pass
4**	6892.000	45.38	54.0	8.62	AV	198.00	200	Vertical	Pass
5	12509.887	54.17	74.0	19.83	Peak	92.00	100	Vertical	Pass
5**	12509.887	44.80	54.0	9.20	AV	92.00	100	Vertical	Pass
6	17403.339	55.92	74.0	18.08	Peak	360.00	100	Vertical	Pass
6**	17403.339	45.98	54.0	8.02	AV	360.00	100	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note ⁴: Both horizontal and vertical directions were pre tested, only the worst configuration has been reported in this report.

Test Data

802.11b CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.000	55.88	74.0	18.12	Peak	151.00	100	Horizontal	Pass
1**	2388.000	45.58	54.0	8.42	AV	151.00	100	Horizontal	Pass
2	2389.833	54.55	74.0	19.45	Peak	0.00	100	Horizontal	Pass
2**	2389.833	44.60	54.0	9.40	AV	0.00	100	Horizontal	Pass

802.11b CHANNEL 2

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.833	57.21	74.0	16.79	Peak	102.00	150	Horizontal	Pass
1**	2387.833	48.18	54.0	5.82	AV	102.00	150	Horizontal	Pass
2	2389.833	57.44	74.0	16.56	Peak	109.00	100	Horizontal	Pass
2**	2389.833	46.34	54.0	7.66	AV	109.00	100	Horizontal	Pass

802.11b CHANNEL 10

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.43	74.0	19.57	Peak	310.00	200	Horizontal	Pass
1**	2483.500	44.50	54.0	9.50	AV	310.00	200	Horizontal	Pass
2	2484.900	55.58	74.0	18.42	Peak	319.00	150	Horizontal	Pass
2**	2484.900	44.18	54.0	9.82	AV	319.00	150	Horizontal	Pass

802.11b CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.59	74.0	18.41	Peak	15.00	100	Horizontal	Pass
1**	2483.500	46.78	54.0	7.22	AV	15.00	100	Horizontal	Pass
2	2487.650	57.06	74.0	16.94	Peak	300.00	100	Horizontal	Pass
2**	2487.650	47.47	54.0	6.53	AV	300.00	100	Horizontal	Pass

802.11g CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.167	58.68	74.0	15.32	Peak	112.00	150	Horizontal	Pass
1**	2389.167	47.43	54.0	6.57	AV	112.00	150	Horizontal	Pass
2	2389.833	57.82	74.0	16.18	Peak	118.00	150	Horizontal	Pass
2**	2389.833	48.06	54.0	5.94	AV	118.00	150	Horizontal	Pass

802.11g CHANNEL 2

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.500	59.25	74.0	14.75	Peak	105.00	150	Horizontal	Pass
1**	2387.500	47.02	54.0	6.98	AV	105.00	150	Horizontal	Pass
2	2389.833	59.99	74.0	14.01	Peak	112.00	100	Horizontal	Pass
2**	2389.833	48.29	54.0	5.71	AV	112.00	100	Horizontal	Pass

802.11g CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.833	59.71	74.0	14.29	Peak	106.00	200	Horizontal	Pass
1**	2388.833	46.42	54.0	7.58	AV	106.00	200	Horizontal	Pass
2	2389.833	59.15	74.0	14.85	Peak	106.00	150	Horizontal	Pass
2**	2389.833	47.28	54.0	6.72	AV	106.00	150	Horizontal	Pass

802.11g CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.667	58.82	74.0	15.18	Peak	104.00	100	Horizontal	Pass
1**	2389.667	47.07	54.0	6.93	AV	104.00	100	Horizontal	Pass
2	2389.833	57.24	74.0	16.76	Peak	101.00	100	Horizontal	Pass
2**	2389.833	47.16	54.0	6.84	AV	101.00	100	Horizontal	Pass

802.11g CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	57.05	74.0	16.95	Peak	151.00	150	Horizontal	Pass
1**	2483.500	46.21	54.0	7.79	AV	151.00	150	Horizontal	Pass
2	2485.300	62.22	74.0	11.78	Peak	156.00	100	Horizontal	Pass
2**	2485.300	45.94	54.0	8.06	AV	156.00	100	Horizontal	Pass