


Annex A.5 Spurious Emission at Antenna Terminals

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.026	-50.22	-13	Pass	401
0.15	30	0.01	Peak	0.27	-53.14	-13	Pass	2986
30	500	0.1	Peak	382.8	-42.63	-13	Pass	4701
500	1000	0.1	Peak	824.2	33.53	-13	N/A	5001
1000	10000	1	Peak	7154	-18.93	-13	Pass	9002




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.027	-49.9	-13	Pass	401
0.15	30	0.01	Peak	0.51	-54.13	-13	Pass	2986
30	500	0.1	Peak	410.7	-42.29	-13	Pass	4701
500	1000	0.1	Peak	836.7	34	-13	N/A	5001
1000	10000	1	Peak	7191	-18.42	-13	Pass	9002



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.032	-50.84	-13	Pass	401
0.15	30	0.01	Peak	0.15	-54.16	-13	Pass	2986
30	500	0.1	Peak	361.7	-42.95	-13	Pass	4701
500	1000	0.1	Peak	848.8	33.72	-13	N/A	5001
1000	10000	1	Peak	6968	-18.87	-13	Pass	9002



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-49.83	-13	Pass	401
0.15	30	0.01	Peak	0.53	-59.53	-13	Pass	2986
30	1000	0.1	Peak	860.808	-47.69	-13	Pass	9701
1000	3000	1	Peak	1850	31	-13	N/A	2001
3000	20000	1	Peak	19723	-37.46	-13	Pass	17003




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.029	-52.81	-13	Pass	401
0.15	30	0.01	Peak	0.21	-59.4	-13	Pass	2986
30	1000	0.1	Peak	839.3	-47.78	-13	Pass	9701
1000	3000	1	Peak	1880	30.72	-13	N/A	2001
3000	20000	1	Peak	19921	-37.87	-13	Pass	17003



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-52.29	-13	Pass	401
0.15	30	0.01	Peak	0.15	-59.87	-13	Pass	2986
30	1000	0.1	Peak	961.274	-48.25	-13	Pass	9701
1000	3000	1	Peak	1910	28.63	-13	N/A	2001
3000	20000	1	Peak	19675	-37.67	-13	Pass	17003



1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-53.55	-13	Pass	401
0.15	30	0.01	Peak	0.19	-53.86	-13	Pass	2986
30	500	0.1	Peak	413	-42.84	-13	Pass	4701
500	1000	0.1	Peak	824.2	29.47	-13	N/A	5001
1000	10000	1	Peak	7213	-18.96	-13	Pass	9002




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-48.8	-13	Pass	401
0.15	30	0.01	Peak	0.17	-54.13	-13	Pass	2986
30	500	0.1	Peak	407	-43.24	-13	Pass	4701
500	1000	0.1	Peak	836.7	28.09	-13	N/A	5001
1000	10000	1	Peak	6954	-18.82	-13	Pass	9002



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.029	-52.75	-13	Pass	401
0.15	30	0.01	Peak	0.24	-53.08	-13	Pass	2986
30	500	0.1	Peak	480.6	-42.77	-13	Pass	4701
500	1000	0.1	Peak	848.8	30.15	-13	N/A	5001
1000	10000	1	Peak	6971	-18.52	-13	Pass	9002



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.016	-51.82	-13	Pass	401
0.15	30	0.01	Peak	0.16	-60.02	-13	Pass	2986
30	1000	0.1	Peak	757.2	-47.99	-13	Pass	9701
1000	3000	1	Peak	1850	29.26	-13	N/A	2001
3000	20000	1	Peak	19406	-37.71	-13	Pass	17003




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-54.49	-13	Pass	401
0.15	30	0.01	Peak	0.21	-60.22	-13	Pass	2986
30	1000	0.1	Peak	791.1	-47.81	-13	Pass	9701
1000	3000	1	Peak	1880	28.95	-13	N/A	2001
3000	20000	1	Peak	19624	-37.75	-13	Pass	17003



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-54.01	-13	Pass	401
0.15	30	0.01	Peak	0.19	-59.46	-13	Pass	2986
30	1000	0.1	Peak	862.209	-47.68	-13	Pass	9701
1000	3000	1	Peak	1909	27.27	-13	N/A	2001
3000	20000	1	Peak	19985	-37.54	-13	Pass	17003



1. WCDMA_Band2


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-54.61	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.91	-13	Pass	2986
30	1000	0.1	Peak	777.8	-51.79	-13	Pass	9701
1000	3000	1	Peak	1854	24.96	-13	N/A	2001
3000	20000	1	Peak	19382	-18.69	-13	Pass	17003




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.029	-54.62	-13	Pass	401
0.15	30	0.01	Peak	0.16	-64.36	-13	Pass	2986
30	1000	0.1	Peak	869.013	-51.85	-13	Pass	9701
1000	3000	1	Peak	1881	24.88	-13	N/A	2001
3000	20000	1	Peak	19888	-18.5	-13	Pass	17003



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-55.42	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.32	-13	Pass	2986
30	1000	0.1	Peak	494	-52.39	-13	Pass	9701
1000	3000	1	Peak	1906	25.25	-13	N/A	2001
3000	20000	1	Peak	19367	-18.34	-13	Pass	17003



2. WCDMA_Band4


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-54.77	-13	Pass	401
0.15	30	0.01	Peak	0.49	-63.37	-13	Pass	2986
30	1000	0.1	Peak	951.068	-52.18	-13	Pass	9701
1000	3000	1	Peak	1714	25.02	-13	N/A	2001
3000	20000	1	Peak	19727	-18.25	-13	Pass	17003




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.03	-54.26	-13	Pass	401
0.15	30	0.01	Peak	0.23	-64.23	-13	Pass	2986
30	1000	0.1	Peak	819.2	-51.9	-13	Pass	9701
1000	3000	1	Peak	1734	25.47	-13	N/A	2001
3000	20000	1	Peak	19686	-18.78	-13	Pass	17003



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-55.51	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.02	-13	Pass	2986
30	1000	0.1	Peak	919.146	-52.18	-13	Pass	9701
1000	3000	1	Peak	1751	25.57	-13	N/A	2001
3000	20000	1	Peak	19396	-18.91	-13	Pass	17003



3. WCDMA_Band5


3.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.029	-54.49	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.09	-13	Pass	2986
30	500	0.1	Peak	473.5	-53.08	-13	Pass	4701
500	1000	0.1	Peak	827	20.91	-13	N/A	5001
1000	10000	1	Peak	7225	-29.5	-13	Pass	9002




3.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-54.9	-13	Pass	401
0.15	30	0.01	Peak	0.99	-64.6	-13	Pass	2986
30	500	0.1	Peak	353.6	-53.04	-13	Pass	4701
500	1000	0.1	Peak	836	19.13	-13	N/A	5001
1000	10000	1	Peak	7201	-28.89	-13	Pass	9002



3.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-55.61	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.77	-13	Pass	2986
30	500	0.1	Peak	382	-52.74	-13	Pass	4701
500	1000	0.1	Peak	847.5	19.75	-13	N/A	5001
1000	10000	1	Peak	7196	-28.77	-13	Pass	9002



1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.91	-13	Pass	2986
30	1000	0.1	RMS	859.607	-63.11	-13	Pass	9701
1000	1840	1	RMS	1840	-50.54	-13	Pass	841
1840	1920	1	RMS	1850.2	24.96	60	Pass	401
1920	3000	1	RMS	2960	-47.94	-13	Pass	1081
3000	12000	1	RMS	11846	-39.45	-13	Pass	9002
12000	20000	1	RMS	19411	-30.53	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2986
30	1000	0.1	RMS	866.411	-63.2	-13	Pass	9701
1000	1840	1	RMS	1840	-50.72	-13	Pass	841
1840	1920	1	RMS	1850.2	24.2	60	Pass	401
1920	3000	1	RMS	2949	-47.93	-13	Pass	1081
3000	12000	1	RMS	11948	-39.59	-13	Pass	9002
12000	20000	1	RMS	19401	-30.51	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2986
30	1000	0.1	RMS	841.6	-63.08	-13	Pass	9701
1000	1840	1	RMS	1809	-51.57	-13	Pass	841
1840	1920	1	RMS	1879.4	24.45	60	Pass	401
1920	3000	1	RMS	2954	-47.94	-13	Pass	1081
3000	12000	1	RMS	11949	-39.52	-13	Pass	9002
12000	20000	1	RMS	19406	-30.52	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2986
30	1000	0.1	RMS	833.8	-63.03	-13	Pass	9701
1000	1840	1	RMS	1790	-51.56	-13	Pass	841
1840	1920	1	RMS	1879.4	24.46	60	Pass	401
1920	3000	1	RMS	2957	-47.94	-13	Pass	1081
3000	12000	1	RMS	11848	-39.61	-13	Pass	9002
12000	20000	1	RMS	19401	-30.56	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.31	-13	Pass	2986
30	1000	0.1	RMS	849.3	-63.09	-13	Pass	9701
1000	1840	1	RMS	1793	-51.49	-13	Pass	841
1840	1920	1	RMS	1908.8	24.98	60	Pass	401
1920	3000	1	RMS	2959	-47.93	-13	Pass	1081
3000	12000	1	RMS	11847	-39.55	-13	Pass	9002
12000	20000	1	RMS	19400	-30.57	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	Pass	2986
30	1000	0.1	RMS	856.105	-63.13	-13	Pass	9701
1000	1840	1	RMS	1840	-51.56	-13	Pass	841
1840	1920	1	RMS	1908.8	24.11	60	Pass	401
1920	3000	1	RMS	2955	-47.9	-13	Pass	1081
3000	12000	1	RMS	11847	-39.57	-13	Pass	9002
12000	20000	1	RMS	19399	-30.55	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	1000	0.1	RMS	851.402	-62.79	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1920	1	RMS	1850.2	24.85	60	Pass	401
1920	3000	1	RMS	2949	-47.92	-13	Pass	1081
3000	12000	1	RMS	11846	-39.61	-13	Pass	9002
12000	20000	1	RMS	19405	-30.57	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.87	-13	Pass	2986
30	1000	0.1	RMS	844.8	-63.21	-13	Pass	9701
1000	1840	1	RMS	1840	-50.76	-13	Pass	841
1840	1920	1	RMS	1850.2	23.89	60	Pass	401
1920	3000	1	RMS	2958	-47.9	-13	Pass	1081
3000	12000	1	RMS	11855	-39.55	-13	Pass	9002
12000	20000	1	RMS	19399	-30.52	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.31	-13	Pass	2986
30	1000	0.1	RMS	856.105	-63.09	-13	Pass	9701
1000	1840	1	RMS	1805	-51.57	-13	Pass	841
1840	1920	1	RMS	1878.6	24.89	60	Pass	401
1920	3000	1	RMS	2957	-47.95	-13	Pass	1081
3000	12000	1	RMS	11850	-39.61	-13	Pass	9002
12000	20000	1	RMS	19399	-30.5	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.62	-13	Pass	2986
30	1000	0.1	RMS	832.2	-63.1	-13	Pass	9701
1000	1840	1	RMS	1810	-51.54	-13	Pass	841
1840	1920	1	RMS	1878.6	24.12	60	Pass	401
1920	3000	1	RMS	2958	-47.92	-13	Pass	1081
3000	12000	1	RMS	11848	-39.55	-13	Pass	9002
12000	20000	1	RMS	19412	-30.56	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	Pass	2986
30	1000	0.1	RMS	851.902	-62.91	-13	Pass	9701
1000	1840	1	RMS	1805	-51.53	-13	Pass	841
1840	1920	1	RMS	1907.2	24.84	60	Pass	401
1920	3000	1	RMS	2957	-47.92	-13	Pass	1081
3000	12000	1	RMS	11847	-39.61	-13	Pass	9002
12000	20000	1	RMS	19402	-30.56	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.77	-13	Pass	2986
30	1000	0.1	RMS	852.002	-63.13	-13	Pass	9701
1000	1840	1	RMS	1811	-51.54	-13	Pass	841
1840	1920	1	RMS	1907.2	24.13	60	Pass	401
1920	3000	1	RMS	2958	-47.9	-13	Pass	1081
3000	12000	1	RMS	11955	-39.6	-13	Pass	9002
12000	20000	1	RMS	19405	-30.56	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	845.8	-63.07	-13	Pass	9701
1000	1840	1	RMS	1840	-50.11	-13	Pass	841
1840	1920	1	RMS	1850.2	24.64	60	Pass	401
1920	3000	1	RMS	2954	-47.94	-13	Pass	1081
3000	12000	1	RMS	11853	-39.56	-13	Pass	9002
12000	20000	1	RMS	19395	-30.51	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.6	-13	Pass	2986
30	1000	0.1	RMS	838.7	-63.18	-13	Pass	9701
1000	1840	1	RMS	1840	-50.78	-13	Pass	841
1840	1920	1	RMS	1850.2	23.4	60	Pass	401
1920	3000	1	RMS	2948	-47.94	-13	Pass	1081
3000	12000	1	RMS	11851	-39.64	-13	Pass	9002
12000	20000	1	RMS	19405	-30.54	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2986
30	1000	0.1	RMS	854.904	-63.11	-13	Pass	9701
1000	1840	1	RMS	1812	-51.56	-13	Pass	841
1840	1920	1	RMS	1877.8	24.66	60	Pass	401
1920	3000	1	RMS	2952	-47.92	-13	Pass	1081
3000	12000	1	RMS	11950	-39.61	-13	Pass	9002
12000	20000	1	RMS	19401	-30.55	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	Pass	2986
30	1000	0.1	RMS	853.803	-63.1	-13	Pass	9701
1000	1840	1	RMS	1839	-51.55	-13	Pass	841
1840	1920	1	RMS	1877.8	23.86	60	Pass	401
1920	3000	1	RMS	2952	-47.95	-13	Pass	1081
3000	12000	1	RMS	11840	-39.49	-13	Pass	9002
12000	20000	1	RMS	19399	-30.54	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.5	-13	Pass	2986
30	1000	0.1	RMS	852.002	-63.19	-13	Pass	9701
1000	1840	1	RMS	1798	-51.58	-13	Pass	841
1840	1920	1	RMS	1905.2	24.79	60	Pass	401
1920	3000	1	RMS	2959	-47.9	-13	Pass	1081
3000	12000	1	RMS	11949	-39.53	-13	Pass	9002
12000	20000	1	RMS	19405	-30.52	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.55	-13	Pass	2986
30	1000	0.1	RMS	858.906	-63.21	-13	Pass	9701
1000	1840	1	RMS	1811	-51.56	-13	Pass	841
1840	1920	1	RMS	1905.2	24.12	60	Pass	401
1920	3000	1	RMS	2953	-47.93	-13	Pass	1081
3000	12000	1	RMS	11846	-39.58	-13	Pass	9002
12000	20000	1	RMS	19730	-30.58	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.42	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.61	-13	Pass	2986
30	1000	0.1	RMS	849.6	-62.96	-13	Pass	9701
1000	1840	1	RMS	1833	-49.74	-13	Pass	841
1840	1920	1	RMS	1850.4	24.93	60	Pass	401
1920	3000	1	RMS	2960	-47.89	-13	Pass	1081
3000	12000	1	RMS	11951	-39.62	-13	Pass	9002
12000	20000	1	RMS	19401	-30.5	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	848.6	-63.14	-13	Pass	9701
1000	1840	1	RMS	1833	-49.57	-13	Pass	841
1840	1920	1	RMS	1850.4	23.87	60	Pass	401
1920	3000	1	RMS	2954	-47.94	-13	Pass	1081
3000	12000	1	RMS	11953	-39.64	-13	Pass	9002
12000	20000	1	RMS	19401	-30.57	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.53	-13	Pass	2986
30	1000	0.1	RMS	855.704	-63.1	-13	Pass	9701
1000	1840	1	RMS	1808	-51.56	-13	Pass	841
1840	1920	1	RMS	1875.4	24.66	60	Pass	401
1920	3000	1	RMS	2960	-47.83	-13	Pass	1081
3000	12000	1	RMS	11953	-39.64	-13	Pass	9002
12000	20000	1	RMS	19400	-30.54	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.34	-13	Pass	2986
30	1000	0.1	RMS	840.2	-63.12	-13	Pass	9701
1000	1840	1	RMS	1808	-51.51	-13	Pass	841
1840	1920	1	RMS	1875.4	24.23	60	Pass	401
1920	3000	1	RMS	2959	-47.95	-13	Pass	1081
3000	12000	1	RMS	11954	-39.59	-13	Pass	9002
12000	20000	1	RMS	19403	-30.57	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.09	-13	Pass	2986
30	1000	0.1	RMS	868.613	-63.15	-13	Pass	9701
1000	1840	1	RMS	1811	-51.59	-13	Pass	841
1840	1920	1	RMS	1900.4	25.07	60	Pass	401
1920	3000	1	RMS	2952	-47.93	-13	Pass	1081
3000	12000	1	RMS	11848	-39.65	-13	Pass	9002
12000	20000	1	RMS	19401	-30.56	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	Pass	2986
30	1000	0.1	RMS	861.008	-63.16	-13	Pass	9701
1000	1840	1	RMS	1810	-51.55	-13	Pass	841
1840	1920	1	RMS	1900.4	24.27	60	Pass	401
1920	3000	1	RMS	2947	-47.92	-13	Pass	1081
3000	12000	1	RMS	11850	-39.6	-13	Pass	9002
12000	20000	1	RMS	19401	-30.54	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	1000	0.1	RMS	855.404	-63.04	-13	Pass	9701
1000	1840	1	RMS	1838	-47.35	-13	Pass	841
1840	1920	1	RMS	1850.8	24.94	60	Pass	401
1920	3000	1	RMS	2957	-47.96	-13	Pass	1081
3000	12000	1	RMS	11850	-39.54	-13	Pass	9002
12000	20000	1	RMS	19409	-30.56	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	Pass	2986
30	1000	0.1	RMS	857.506	-63.18	-13	Pass	9701
1000	1840	1	RMS	1838	-47.97	-13	Pass	841
1840	1920	1	RMS	1850.8	24.07	60	Pass	401
1920	3000	1	RMS	2949	-47.96	-13	Pass	1081
3000	12000	1	RMS	11947	-39.62	-13	Pass	9002
12000	20000	1	RMS	19397	-30.57	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.74	-13	Pass	2986
30	1000	0.1	RMS	846.4	-63.06	-13	Pass	9701
1000	1840	1	RMS	1837	-51.58	-13	Pass	841
1840	1920	1	RMS	1873.2	24.84	60	Pass	401
1920	3000	1	RMS	2954	-47.88	-13	Pass	1081
3000	12000	1	RMS	11852	-39.62	-13	Pass	9002
12000	20000	1	RMS	19409	-30.57	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.9	-13	Pass	2986
30	1000	0.1	RMS	825.3	-62.95	-13	Pass	9701
1000	1840	1	RMS	1840	-51.57	-13	Pass	841
1840	1920	1	RMS	1873.2	24.55	60	Pass	401
1920	3000	1	RMS	2963	-47.97	-13	Pass	1081
3000	12000	1	RMS	11846	-39.6	-13	Pass	9002
12000	20000	1	RMS	19405	-30.57	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.66	-13	Pass	2986
30	1000	0.1	RMS	841.7	-63.15	-13	Pass	9701
1000	1840	1	RMS	1840	-51.54	-13	Pass	841
1840	1920	1	RMS	1895.8	24.85	60	Pass	401
1920	3000	1	RMS	1922	-47.38	-13	Pass	1081
3000	12000	1	RMS	11954	-39.59	-13	Pass	9002
12000	20000	1	RMS	19400	-30.53	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2986
30	1000	0.1	RMS	853.103	-63.09	-13	Pass	9701
1000	1840	1	RMS	1811	-51.57	-13	Pass	841
1840	1920	1	RMS	1895.8	24.22	60	Pass	401
1920	3000	1	RMS	1922	-47.38	-13	Pass	1081
3000	12000	1	RMS	11855	-39.58	-13	Pass	9002
12000	20000	1	RMS	19401	-30.57	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	1000	0.1	RMS	844.7	-63.17	-13	Pass	9701
1000	1840	1	RMS	1840	-50.67	-13	Pass	841
1840	1920	1	RMS	1851	24.78	60	Pass	401
1920	3000	1	RMS	2955	-47.85	-13	Pass	1081
3000	12000	1	RMS	11850	-39.56	-13	Pass	9002
12000	20000	1	RMS	19397	-30.48	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.39	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.51	-13	Pass	2986
30	1000	0.1	RMS	853.103	-63.15	-13	Pass	9701
1000	1840	1	RMS	1840	-50.82	-13	Pass	841
1840	1920	1	RMS	1851	23.98	60	Pass	401
1920	3000	1	RMS	2949	-47.95	-13	Pass	1081
3000	12000	1	RMS	11849	-39.57	-13	Pass	9002
12000	20000	1	RMS	19698	-30.58	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.86	-13	Pass	2986
30	1000	0.1	RMS	850.701	-63.1	-13	Pass	9701
1000	1840	1	RMS	1835	-48.49	-13	Pass	841
1840	1920	1	RMS	1871	24.75	60	Pass	401
1920	3000	1	RMS	2962	-47.96	-13	Pass	1081
3000	12000	1	RMS	11848	-39.48	-13	Pass	9002
12000	20000	1	RMS	19402	-30.58	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.68	-13	Pass	2986
30	1000	0.1	RMS	844.1	-63.19	-13	Pass	9701
1000	1840	1	RMS	1835	-49.78	-13	Pass	841
1840	1920	1	RMS	1871	23.73	60	Pass	401
1920	3000	1	RMS	2954	-47.92	-13	Pass	1081
3000	12000	1	RMS	11848	-39.57	-13	Pass	9002
12000	20000	1	RMS	19398	-30.56	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	Pass	2986
30	1000	0.1	RMS	840.5	-63.14	-13	Pass	9701
1000	1840	1	RMS	1840	-51.54	-13	Pass	841
1840	1920	1	RMS	1891	24.8	60	Pass	401
1920	3000	1	RMS	2958	-47.95	-13	Pass	1081
3000	12000	1	RMS	11846	-39.62	-13	Pass	9002
12000	20000	1	RMS	19408	-30.56	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.37	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.97	-13	Pass	2986
30	1000	0.1	RMS	852.502	-63.07	-13	Pass	9701
1000	1840	1	RMS	1807	-51.54	-13	Pass	841
1840	1920	1	RMS	1891	24.2	60	Pass	401
1920	3000	1	RMS	2963	-47.95	-13	Pass	1081
3000	12000	1	RMS	11952	-39.6	-13	Pass	9002
12000	20000	1	RMS	19397	-30.58	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	Pass	2986
30	1000	0.1	RMS	870.814	-63.14	-13	Pass	9701
1000	1700	1	RMS	1700	-50.55	-13	Pass	701
1700	1765	1	RMS	1710.238	25.31	60	Pass	401
1765	3000	1	RMS	2957	-47.89	-13	Pass	1236
3000	12000	1	RMS	11952	-39.61	-13	Pass	9002
12000	20000	1	RMS	19402	-30.62	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.15	-13	Pass	2986
30	1000	0.1	RMS	857.406	-63.18	-13	Pass	9701
1000	1700	1	RMS	1700	-50.69	-13	Pass	701
1700	1765	1	RMS	1710.075	24.42	60	Pass	401
1765	3000	1	RMS	2946	-47.91	-13	Pass	1236
3000	12000	1	RMS	11952	-39.59	-13	Pass	9002
12000	20000	1	RMS	19406	-30.5	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.2	-13	Pass	2986
30	1000	0.1	RMS	850.301	-63.14	-13	Pass	9701
1000	1700	1	RMS	1697	-51.87	-13	Pass	701
1700	1765	1	RMS	1732.013	25.01	60	Pass	401
1765	3000	1	RMS	2955	-47.84	-13	Pass	1236
3000	12000	1	RMS	11848	-39.54	-13	Pass	9002
12000	20000	1	RMS	19406	-30.59	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.51	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.35	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.06	-13	Pass	9701
1000	1700	1	RMS	1698	-51.81	-13	Pass	701
1700	1765	1	RMS	1732.013	24.9	60	Pass	401
1765	3000	1	RMS	2955	-47.89	-13	Pass	1236
3000	12000	1	RMS	11950	-39.6	-13	Pass	9002
12000	20000	1	RMS	19403	-30.57	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	Pass	2986
30	1000	0.1	RMS	873.116	-63.21	-13	Pass	9701
1000	1700	1	RMS	1700	-51.88	-13	Pass	701
1700	1765	1	RMS	1753.788	25.19	60	Pass	401
1765	3000	1	RMS	2960	-47.94	-13	Pass	1236
3000	12000	1	RMS	11845	-39.66	-13	Pass	9002
12000	20000	1	RMS	19409	-30.59	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2986
30	1000	0.1	RMS	830.6	-63.14	-13	Pass	9701
1000	1700	1	RMS	1695	-51.91	-13	Pass	701
1700	1765	1	RMS	1753.788	24.47	60	Pass	401
1765	3000	1	RMS	2946	-47.92	-13	Pass	1236
3000	12000	1	RMS	11831	-39.64	-13	Pass	9002
12000	20000	1	RMS	19399	-30.58	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.94	-13	Pass	2986
30	1000	0.1	RMS	859.407	-63	-13	Pass	9701
1000	1700	1	RMS	1700	-50.55	-13	Pass	701
1700	1765	1	RMS	1710.238	24.89	60	Pass	401
1765	3000	1	RMS	2946	-47.96	-13	Pass	1236
3000	12000	1	RMS	11949	-39.57	-13	Pass	9002
12000	20000	1	RMS	19398	-30.57	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.39	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.9	-13	Pass	2986
30	1000	0.1	RMS	855.905	-63.02	-13	Pass	9701
1000	1700	1	RMS	1700	-50.89	-13	Pass	701
1700	1765	1	RMS	1710.075	24.05	60	Pass	401
1765	3000	1	RMS	2958	-47.91	-13	Pass	1236
3000	12000	1	RMS	11839	-39.6	-13	Pass	9002
12000	20000	1	RMS	19404	-30.43	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.43	-13	Pass	2986
30	1000	0.1	RMS	850.801	-63.09	-13	Pass	9701
1000	1700	1	RMS	1700	-51.89	-13	Pass	701
1700	1765	1	RMS	1731.2	25.17	60	Pass	401
1765	3000	1	RMS	2957	-47.94	-13	Pass	1236
3000	12000	1	RMS	11833	-39.58	-13	Pass	9002
12000	20000	1	RMS	19405	-30.51	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	1000	0.1	RMS	839.1	-63.15	-13	Pass	9701
1000	1700	1	RMS	1699	-51.88	-13	Pass	701
1700	1765	1	RMS	1731.2	23.77	60	Pass	401
1765	3000	1	RMS	2953	-47.94	-13	Pass	1236
3000	12000	1	RMS	11947	-39.56	-13	Pass	9002
12000	20000	1	RMS	19401	-30.5	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	1000	0.1	RMS	852.502	-63.1	-13	Pass	9701
1000	1700	1	RMS	1700	-51.86	-13	Pass	701
1700	1765	1	RMS	1752.163	24.46	60	Pass	401
1765	3000	1	RMS	2957	-47.93	-13	Pass	1236
3000	12000	1	RMS	11844	-39.57	-13	Pass	9002
12000	20000	1	RMS	19401	-30.6	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	Pass	2986
30	1000	0.1	RMS	849.7	-63.11	-13	Pass	9701
1000	1700	1	RMS	1696	-51.88	-13	Pass	701
1700	1765	1	RMS	1752.163	23.84	60	Pass	401
1765	3000	1	RMS	2951	-47.91	-13	Pass	1236
3000	12000	1	RMS	11950	-39.61	-13	Pass	9002
12000	20000	1	RMS	19397	-30.58	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.8	-13	Pass	2986
30	1000	0.1	RMS	829.3	-62.97	-13	Pass	9701
1000	1700	1	RMS	1700	-49.94	-13	Pass	701
1700	1765	1	RMS	1710.238	24.64	60	Pass	401
1765	3000	1	RMS	2955	-47.91	-13	Pass	1236
3000	12000	1	RMS	11854	-39.61	-13	Pass	9002
12000	20000	1	RMS	19401	-30.53	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	Pass	2986
30	1000	0.1	RMS	854.704	-63.09	-13	Pass	9701
1000	1700	1	RMS	1700	-50.42	-13	Pass	701
1700	1765	1	RMS	1710.238	23.45	60	Pass	401
1765	3000	1	RMS	2957	-47.95	-13	Pass	1236
3000	12000	1	RMS	11851	-39.64	-13	Pass	9002
12000	20000	1	RMS	19410	-30.55	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2986
30	1000	0.1	RMS	842.4	-63.12	-13	Pass	9701
1000	1700	1	RMS	1700	-51.85	-13	Pass	701
1700	1765	1	RMS	1730.225	24.65	60	Pass	401
1765	3000	1	RMS	2954	-47.93	-13	Pass	1236
3000	12000	1	RMS	11851	-39.65	-13	Pass	9002
12000	20000	1	RMS	19409	-30.63	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.82	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.89	-13	Pass	2986
30	1000	0.1	RMS	864.81	-63.14	-13	Pass	9701
1000	1700	1	RMS	1697	-51.87	-13	Pass	701
1700	1765	1	RMS	1730.225	24.02	60	Pass	401
1765	3000	1	RMS	2961	-47.97	-13	Pass	1236
3000	12000	1	RMS	11951	-39.6	-13	Pass	9002
12000	20000	1	RMS	19404	-30.57	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.54	-13	Pass	2986
30	1000	0.1	RMS	839.1	-63.22	-13	Pass	9701
1000	1700	1	RMS	1697	-51.89	-13	Pass	701
1700	1765	1	RMS	1750.213	24.5	60	Pass	401
1765	3000	1	RMS	2960	-47.9	-13	Pass	1236
3000	12000	1	RMS	11846	-39.58	-13	Pass	9002
12000	20000	1	RMS	19401	-30.53	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	1000	0.1	RMS	848.4	-63.01	-13	Pass	9701
1000	1700	1	RMS	1698	-51.88	-13	Pass	701
1700	1765	1	RMS	1750.213	23.81	60	Pass	401
1765	3000	1	RMS	2946	-47.97	-13	Pass	1236
3000	12000	1	RMS	11954	-39.61	-13	Pass	9002
12000	20000	1	RMS	19407	-30.61	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.5	-13	Pass	2986
30	1000	0.1	RMS	849.2	-63.17	-13	Pass	9701
1000	1700	1	RMS	1693	-40.41	-13	Pass	701
1700	1765	1	RMS	1710.563	24.86	60	Pass	401
1765	3000	1	RMS	2959	-47.95	-13	Pass	1236
3000	12000	1	RMS	11840	-39.61	-13	Pass	9002
12000	20000	1	RMS	19411	-30.56	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	Pass	2986
30	1000	0.1	RMS	841.9	-63.19	-13	Pass	9701
1000	1700	1	RMS	1693	-41.75	-13	Pass	701
1700	1765	1	RMS	1710.563	24.19	60	Pass	401
1765	3000	1	RMS	2958	-47.92	-13	Pass	1236
3000	12000	1	RMS	11849	-39.64	-13	Pass	9002
12000	20000	1	RMS	19401	-30.57	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2986
30	1000	0.1	RMS	854.604	-63.11	-13	Pass	9701
1000	1700	1	RMS	1700	-51.84	-13	Pass	701
1700	1765	1	RMS	1727.95	24.92	60	Pass	401
1765	3000	1	RMS	2947	-47.93	-13	Pass	1236
3000	12000	1	RMS	11854	-39.65	-13	Pass	9002
12000	20000	1	RMS	19399	-30.5	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	Pass	2986
30	1000	0.1	RMS	850.201	-63.22	-13	Pass	9701
1000	1700	1	RMS	1697	-51.85	-13	Pass	701
1700	1765	1	RMS	1727.95	23.94	60	Pass	401
1765	3000	1	RMS	2957	-47.88	-13	Pass	1236
3000	12000	1	RMS	11952	-39.57	-13	Pass	9002
12000	20000	1	RMS	19402	-30.59	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-13	Pass	2986
30	1000	0.1	RMS	848.6	-63.15	-13	Pass	9701
1000	1700	1	RMS	1700	-51.89	-13	Pass	701
1700	1765	1	RMS	1745.5	24.72	60	Pass	401
1765	3000	1	RMS	2950	-47.94	-13	Pass	1236
3000	12000	1	RMS	11849	-39.59	-13	Pass	9002
12000	20000	1	RMS	19400	-30.6	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.18	-13	Pass	2986
30	1000	0.1	RMS	836.2	-63.07	-13	Pass	9701
1000	1700	1	RMS	1700	-51.84	-13	Pass	701
1700	1765	1	RMS	1745.5	23.98	60	Pass	401
1765	3000	1	RMS	2953	-47.93	-13	Pass	1236
3000	12000	1	RMS	11840	-39.64	-13	Pass	9002
12000	20000	1	RMS	19404	-30.54	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2986
30	1000	0.1	RMS	855.304	-63.2	-13	Pass	9701
1000	1700	1	RMS	1698	-41.24	-13	Pass	701
1700	1765	1	RMS	1710.725	24.79	60	Pass	401
1765	3000	1	RMS	2958	-47.93	-13	Pass	1236
3000	12000	1	RMS	11849	-39.65	-13	Pass	9002
12000	20000	1	RMS	19403	-30.58	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.25	-13	Pass	2986
30	1000	0.1	RMS	850.601	-63.2	-13	Pass	9701
1000	1700	1	RMS	1698	-41.9	-13	Pass	701
1700	1765	1	RMS	1710.725	24.09	60	Pass	401
1765	3000	1	RMS	2954	-47.95	-13	Pass	1236
3000	12000	1	RMS	11853	-39.67	-13	Pass	9002
12000	20000	1	RMS	19402	-30.56	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.82	-13	Pass	2986
30	1000	0.1	RMS	854.604	-63.06	-13	Pass	9701
1000	1700	1	RMS	1699	-42.12	-13	Pass	701
1700	1765	1	RMS	1725.838	24.58	60	Pass	401
1765	3000	1	RMS	2956	-47.98	-13	Pass	1236
3000	12000	1	RMS	11847	-39.62	-13	Pass	9002
12000	20000	1	RMS	19407	-30.61	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.48	-13	Pass	2986
30	1000	0.1	RMS	845.3	-63.11	-13	Pass	9701
1000	1700	1	RMS	1699	-41.58	-13	Pass	701
1700	1765	1	RMS	1725.838	24.4	60	Pass	401
1765	3000	1	RMS	2954	-47.96	-13	Pass	1236
3000	12000	1	RMS	11851	-39.67	-13	Pass	9002
12000	20000	1	RMS	19414	-30.58	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.39	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.77	-13	Pass	2986
30	1000	0.1	RMS	828.3	-63.21	-13	Pass	9701
1000	1700	1	RMS	1700	-51.85	-13	Pass	701
1700	1765	1	RMS	1740.788	24.94	60	Pass	401
1765	3000	1	RMS	1767	-40.11	-13	Pass	1236
3000	12000	1	RMS	11946	-39.67	-13	Pass	9002
12000	20000	1	RMS	19401	-30.58	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.8	-13	Pass	401
0.15	30	0.01	RMS	0.29	-71.85	-13	Pass	2986
30	1000	0.1	RMS	852.102	-63.08	-13	Pass	9701
1000	1700	1	RMS	1700	-51.81	-13	Pass	701
1700	1765	1	RMS	1740.788	23.99	60	Pass	401
1765	3000	1	RMS	1767	-41.2	-13	Pass	1236
3000	12000	1	RMS	11953	-39.67	-13	Pass	9002
12000	20000	1	RMS	19408	-30.58	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2986
30	1000	0.1	RMS	837.7	-63.1	-13	Pass	9701
1000	1700	1	RMS	1693	-43.85	-13	Pass	701
1700	1765	1	RMS	1711.05	24.46	60	Pass	401
1765	3000	1	RMS	2954	-47.94	-13	Pass	1236
3000	12000	1	RMS	11852	-39.6	-13	Pass	9002
12000	20000	1	RMS	19402	-30.57	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.36	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.23	-13	Pass	9701
1000	1700	1	RMS	1693	-44.72	-13	Pass	701
1700	1765	1	RMS	1711.05	23.61	60	Pass	401
1765	3000	1	RMS	2960	-47.97	-13	Pass	1236
3000	12000	1	RMS	11950	-39.64	-13	Pass	9002
12000	20000	1	RMS	19406	-30.55	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	1000	0.1	RMS	841.9	-63.13	-13	Pass	9701
1000	1700	1	RMS	1688	-49.5	-13	Pass	701
1700	1765	1	RMS	1723.563	24.68	60	Pass	401
1765	3000	1	RMS	2962	-47.92	-13	Pass	1236
3000	12000	1	RMS	11950	-39.7	-13	Pass	9002
12000	20000	1	RMS	19402	-30.55	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2986
30	1000	0.1	RMS	840.5	-63.16	-13	Pass	9701
1000	1700	1	RMS	1688	-50.47	-13	Pass	701
1700	1765	1	RMS	1723.563	23.79	60	Pass	401
1765	3000	1	RMS	2960	-47.94	-13	Pass	1236
3000	12000	1	RMS	11954	-39.63	-13	Pass	9002
12000	20000	1	RMS	19401	-30.62	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	Pass	2986
30	1000	0.1	RMS	860.508	-63.19	-13	Pass	9701
1000	1700	1	RMS	1700	-41.99	-13	Pass	701
1700	1765	1	RMS	1736.075	24.97	60	Pass	401
1765	3000	1	RMS	1772	-36.5	-13	Pass	1236
3000	12000	1	RMS	11951	-39.68	-13	Pass	9002
12000	20000	1	RMS	19404	-30.54	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.08	-13	Pass	2986
30	1000	0.1	RMS	848.7	-63.15	-13	Pass	9701
1000	1700	1	RMS	1700	-43.56	-13	Pass	701
1700	1765	1	RMS	1736.075	24.1	60	Pass	401
1765	3000	1	RMS	1772	-37.83	-13	Pass	1236
3000	12000	1	RMS	11849	-39.62	-13	Pass	9002
12000	20000	1	RMS	19395	-30.54	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.32	-13	Pass	7841
814	860	0.1	RMS	824.3	21.91	60	Pass	461
860	1000	0.1	RMS	865.8	-63.27	-13	Pass	1401
1000	3000	1	RMS	1648	-45.53	-13	Pass	2001
3000	10000	1	RMS	6960	-40.54	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.56	-13	Pass	7841
814	860	0.1	RMS	824.3	21.28	60	Pass	461
860	1000	0.1	RMS	869.6	-63.29	-13	Pass	1401
1000	3000	1	RMS	1648	-46.34	-13	Pass	2001
3000	10000	1	RMS	6961	-40.56	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.16	-13	Pass	2986
30	814	0.1	RMS	812.7	-63.29	-13	Pass	7841
814	860	0.1	RMS	836	22	60	Pass	461
860	1000	0.1	RMS	866.8	-63.29	-13	Pass	1401
1000	3000	1	RMS	1672	-46.44	-13	Pass	2001
3000	10000	1	RMS	6959	-40.52	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	Pass	2986
30	814	0.1	RMS	811.8	-63.4	-13	Pass	7841
814	860	0.1	RMS	836	21.43	60	Pass	461
860	1000	0.1	RMS	876.2	-63.16	-13	Pass	1401
1000	3000	1	RMS	1672	-46.78	-13	Pass	2001
3000	10000	1	RMS	6962	-40.56	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	Pass	2986
30	814	0.1	RMS	811.3	-63.42	-13	Pass	7841
814	860	0.1	RMS	847.9	21.7	60	Pass	461
860	1000	0.1	RMS	865.7	-63.25	-13	Pass	1401
1000	3000	1	RMS	1695	-47.66	-13	Pass	2001
3000	10000	1	RMS	6962	-40.55	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.59	-13	Pass	2986
30	814	0.1	RMS	811.7	-63.45	-13	Pass	7841
814	860	0.1	RMS	847.8	21.04	60	Pass	461
860	1000	0.1	RMS	871.3	-63.32	-13	Pass	1401
1000	3000	1	RMS	1695	-47.85	-13	Pass	2001
3000	10000	1	RMS	6961	-40.57	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.16	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.64	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.35	-13	Pass	7841
814	860	0.1	RMS	824.2	22.1	60	Pass	461
860	1000	0.1	RMS	872.8	-63.3	-13	Pass	1401
1000	3000	1	RMS	1648	-45.77	-13	Pass	2001
3000	10000	1	RMS	6961	-40.57	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.29	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.6	-13	Pass	7841
814	860	0.1	RMS	824.2	21.46	60	Pass	461
860	1000	0.1	RMS	861.2	-63.33	-13	Pass	1401
1000	3000	1	RMS	1648	-46.43	-13	Pass	2001
3000	10000	1	RMS	6962	-40.52	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.76	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.05	-13	Pass	2986
30	814	0.1	RMS	813.3	-63.43	-13	Pass	7841
814	860	0.1	RMS	835.2	21.93	60	Pass	461
860	1000	0.1	RMS	877.1	-63.21	-13	Pass	1401
1000	3000	1	RMS	1670	-45.28	-13	Pass	2001
3000	10000	1	RMS	6963	-40.56	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.36	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.94	-13	Pass	2986
30	814	0.1	RMS	812.2	-63.45	-13	Pass	7841
814	860	0.1	RMS	835.2	21.7	60	Pass	461
860	1000	0.1	RMS	861.2	-63.26	-13	Pass	1401
1000	3000	1	RMS	1670	-45.49	-13	Pass	2001
3000	10000	1	RMS	6962	-40.56	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.12	-13	Pass	2986
30	814	0.1	RMS	814	-63.6	-13	Pass	7841
814	860	0.1	RMS	846.2	22.15	60	Pass	461
860	1000	0.1	RMS	862.8	-63.28	-13	Pass	1401
1000	3000	1	RMS	1692	-44.85	-13	Pass	2001
3000	10000	1	RMS	6960	-40.58	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.89	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.02	-13	Pass	2986
30	814	0.1	RMS	813.3	-63.57	-13	Pass	7841
814	860	0.1	RMS	846.2	21.36	60	Pass	461
860	1000	0.1	RMS	862.8	-63.26	-13	Pass	1401
1000	3000	1	RMS	1692	-45.29	-13	Pass	2001
3000	10000	1	RMS	6962	-40.61	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.93	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.68	-13	Pass	7841
814	860	0.1	RMS	824.3	21.74	60	Pass	461
860	1000	0.1	RMS	993	-63.33	-13	Pass	1401
1000	3000	1	RMS	1648	-46.41	-13	Pass	2001
3000	10000	1	RMS	6961	-40.6	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	Pass	2986
30	814	0.1	RMS	813.7	-62.43	-13	Pass	7841
814	860	0.1	RMS	824.3	20.96	60	Pass	461
860	1000	0.1	RMS	864.7	-63.28	-13	Pass	1401
1000	3000	1	RMS	1648	-47.17	-13	Pass	2001
3000	10000	1	RMS	6961	-40.49	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.96	-13	Pass	2986
30	814	0.1	RMS	812.8	-63.48	-13	Pass	7841
814	860	0.1	RMS	834.3	21.58	60	Pass	461
860	1000	0.1	RMS	950	-63.3	-13	Pass	1401
1000	3000	1	RMS	1668	-46.09	-13	Pass	2001
3000	10000	1	RMS	6960	-40.52	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-13	Pass	2986
30	814	0.1	RMS	812.4	-63.43	-13	Pass	7841
814	860	0.1	RMS	834.3	21.44	60	Pass	461
860	1000	0.1	RMS	863.9	-63.24	-13	Pass	1401
1000	3000	1	RMS	1668	-46.1	-13	Pass	2001
3000	10000	1	RMS	6960	-40.55	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	Pass	2986
30	814	0.1	RMS	813.5	-63.45	-13	Pass	7841
814	860	0.1	RMS	844.3	21.81	60	Pass	461
860	1000	0.1	RMS	868.9	-63.37	-13	Pass	1401
1000	3000	1	RMS	1688	-46.21	-13	Pass	2001
3000	10000	1	RMS	6960	-40.51	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.58	-13	Pass	2986
30	814	0.1	RMS	812.9	-63.52	-13	Pass	7841
814	860	0.1	RMS	844.3	21.23	60	Pass	461
860	1000	0.1	RMS	865.9	-63.32	-13	Pass	1401
1000	3000	1	RMS	1688	-46.93	-13	Pass	2001
3000	10000	1	RMS	6959	-40.56	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.86	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.13	-13	Pass	2986
30	814	0.1	RMS	807	-56.23	-13	Pass	7841
814	860	0.1	RMS	824.6	22.02	60	Pass	461
860	1000	0.1	RMS	878.4	-63.2	-13	Pass	1401
1000	3000	1	RMS	1649	-46.93	-13	Pass	2001
3000	10000	1	RMS	6960	-40.51	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	Pass	2986
30	814	0.1	RMS	807	-57.14	-13	Pass	7841
814	860	0.1	RMS	824.6	21.35	60	Pass	461
860	1000	0.1	RMS	880.3	-63.37	-13	Pass	1401
1000	3000	1	RMS	1649	-47.46	-13	Pass	2001
3000	10000	1	RMS	6959	-40.54	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.61	-13	Pass	2986
30	814	0.1	RMS	814	-58.33	-13	Pass	7841
814	860	0.1	RMS	832.1	22.55	60	Pass	461
860	1000	0.1	RMS	880	-63.28	-13	Pass	1401
1000	3000	1	RMS	1664	-45.83	-13	Pass	2001
3000	10000	1	RMS	6959	-40.55	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	Pass	2986
30	814	0.1	RMS	814	-58.72	-13	Pass	7841
814	860	0.1	RMS	832.1	21.79	60	Pass	461
860	1000	0.1	RMS	869.3	-63.16	-13	Pass	1401
1000	3000	1	RMS	1664	-46.44	-13	Pass	2001
3000	10000	1	RMS	6962	-40.59	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.02	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.38	-13	Pass	7841
814	860	0.1	RMS	839.6	22.05	60	Pass	461
860	1000	0.1	RMS	865.3	-63.19	-13	Pass	1401
1000	3000	1	RMS	1679	-47.25	-13	Pass	2001
3000	10000	1	RMS	6960	-40.62	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.56	-13	Pass	2986
30	814	0.1	RMS	813.2	-63.36	-13	Pass	7841
814	860	0.1	RMS	839.6	21.27	60	Pass	461
860	1000	0.1	RMS	865.9	-63.08	-13	Pass	1401
1000	3000	1	RMS	1679	-47.9	-13	Pass	2001
3000	10000	1	RMS	6960	-40.62	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-25	Pass	2986
30	1000	0.1	RMS	853.503	-63.09	-25	Pass	9701
1000	2490	1	RMS	2490	-48.97	-25	Pass	1491
2490	2580	1	RMS	2500.125	24.22	60	Pass	401
2580	3000	1	RMS	2950	-48.01	-25	Pass	421
3000	12000	1	RMS	11854	-59.39	-25	Pass	9002
12000	26000	1	RMS	26000	-43.53	-25	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.42	-25	Pass	2986
30	1000	0.1	RMS	859.107	-63.13	-25	Pass	9701
1000	2490	1	RMS	2490	-48.89	-25	Pass	1491
2490	2580	1	RMS	2500.125	24.02	60	Pass	401
2580	3000	1	RMS	2953	-48.02	-25	Pass	421
3000	12000	1	RMS	11851	-59.3	-25	Pass	9002
12000	26000	1	RMS	25999	-43.17	-25	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.98	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.01	-25	Pass	2986
30	1000	0.1	RMS	572.2	-63.07	-25	Pass	9701
1000	2490	1	RMS	2482	-49.79	-25	Pass	1491
2490	2580	1	RMS	2532.75	24.4	60	Pass	401
2580	3000	1	RMS	2958	-48.01	-25	Pass	421
3000	12000	1	RMS	11850	-59.25	-25	Pass	9002
12000	26000	1	RMS	25997	-43.2	-25	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-25	Pass	2986
30	1000	0.1	RMS	572.1	-62.28	-25	Pass	9701
1000	2490	1	RMS	2484	-49.8	-25	Pass	1491
2490	2580	1	RMS	2532.75	25.27	60	Pass	401
2580	3000	1	RMS	2956	-47.98	-25	Pass	421
3000	12000	1	RMS	11841	-59.37	-25	Pass	9002
12000	26000	1	RMS	26000	-43.1	-25	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-25	Pass	2986
30	1000	0.1	RMS	604.6	-62.24	-25	Pass	9701
1000	2490	1	RMS	2488	-49.79	-25	Pass	1491
2490	2580	1	RMS	2565.15	24.57	60	Pass	401
2580	3000	1	RMS	2955	-47.99	-25	Pass	421
3000	12000	1	RMS	11845	-59.35	-25	Pass	9002
12000	26000	1	RMS	25988	-43.16	-25	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-25	Pass	2986
30	1000	0.1	RMS	604.6	-62.04	-25	Pass	9701
1000	2490	1	RMS	2488	-49.81	-25	Pass	1491
2490	2580	1	RMS	2565.15	24.47	60	Pass	401
2580	3000	1	RMS	2953	-48.01	-25	Pass	421
3000	12000	1	RMS	11851	-59.35	-25	Pass	9002
12000	26000	1	RMS	26000	-43.2	-25	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.47	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-25	Pass	2986
30	1000	0.1	RMS	853.803	-63.21	-25	Pass	9701
1000	2490	1	RMS	2483	-43.01	-25	Pass	1491
2490	2580	1	RMS	2500.575	24.73	60	Pass	401
2580	3000	1	RMS	2946	-48.01	-25	Pass	421
3000	12000	1	RMS	11855	-59.47	-25	Pass	9002
12000	26000	1	RMS	25999	-43.24	-25	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-25	Pass	2986
30	1000	0.1	RMS	921.548	-63.26	-25	Pass	9701
1000	2490	1	RMS	2483	-43.96	-25	Pass	1491
2490	2580	1	RMS	2500.575	24.55	60	Pass	401
2580	3000	1	RMS	2957	-48	-25	Pass	421
3000	12000	1	RMS	11850	-59.42	-25	Pass	9002
12000	26000	1	RMS	25990	-43.21	-25	Pass	14002



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-25	Pass	2986
30	1000	0.1	RMS	569.9	-62.66	-25	Pass	9701
1000	2490	1	RMS	2488	-49.83	-25	Pass	1491
2490	2580	1	RMS	2530.5	24.74	60	Pass	401
2580	3000	1	RMS	2956	-47.99	-25	Pass	421
3000	12000	1	RMS	11852	-59.36	-25	Pass	9002
12000	26000	1	RMS	25999	-43.12	-25	Pass	14002



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.56	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.41	-25	Pass	2986
30	1000	0.1	RMS	569.9	-62.2	-25	Pass	9701
1000	2490	1	RMS	2486	-49.75	-25	Pass	1491
2490	2580	1	RMS	2530.5	25	60	Pass	401
2580	3000	1	RMS	2960	-47.98	-25	Pass	421
3000	12000	1	RMS	11850	-59.35	-25	Pass	9002
12000	26000	1	RMS	26000	-43.16	-25	Pass	14002



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.69	-25	Pass	401
0.15	30	0.01	RMS	0.16	-71.78	-25	Pass	2986
30	1000	0.1	RMS	599.9	-60.68	-25	Pass	9701
1000	2490	1	RMS	2478	-49.78	-25	Pass	1491
2490	2580	1	RMS	2560.425	25.13	60	Pass	401
2580	3000	1	RMS	2950	-48.01	-25	Pass	421
3000	12000	1	RMS	11850	-59.38	-25	Pass	9002
12000	26000	1	RMS	25996	-43.16	-25	Pass	14002



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.39	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-25	Pass	2986
30	1000	0.1	RMS	599.9	-60.98	-25	Pass	9701
1000	2490	1	RMS	2479	-49.79	-25	Pass	1491
2490	2580	1	RMS	2560.425	24.8	60	Pass	401
2580	3000	1	RMS	2960	-47.99	-25	Pass	421
3000	12000	1	RMS	11852	-59.31	-25	Pass	9002
12000	26000	1	RMS	25995	-43.2	-25	Pass	14002



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.44	-25	Pass	401
0.15	30	0.01	RMS	0.22	-71.58	-25	Pass	2986
30	1000	0.1	RMS	833.4	-63.2	-25	Pass	9701
1000	2490	1	RMS	2488	-47.09	-25	Pass	1491
2490	2580	1	RMS	2500.8	24.43	60	Pass	401
2580	3000	1	RMS	2960	-48.01	-25	Pass	421
3000	12000	1	RMS	11849	-59.33	-25	Pass	9002
12000	26000	1	RMS	25995	-43.05	-25	Pass	14002



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-25	Pass	2986
30	1000	0.1	RMS	847.4	-63.04	-25	Pass	9701
1000	2490	1	RMS	2487	-46.23	-25	Pass	1491
2490	2580	1	RMS	2500.8	24.5	60	Pass	401
2580	3000	1	RMS	2957	-48.01	-25	Pass	421
3000	12000	1	RMS	11854	-59.39	-25	Pass	9002
12000	26000	1	RMS	25997	-43.17	-25	Pass	14002



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-25	Pass	2986
30	1000	0.1	RMS	835.5	-63.23	-25	Pass	9701
1000	2490	1	RMS	2488	-49.74	-25	Pass	1491
2490	2580	1	RMS	2528.25	24.62	60	Pass	401
2580	3000	1	RMS	2957	-48.03	-25	Pass	421
3000	12000	1	RMS	11847	-59.35	-25	Pass	9002
12000	26000	1	RMS	26000	-43.17	-25	Pass	14002



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-25	Pass	2986
30	1000	0.1	RMS	838	-62.94	-25	Pass	9701
1000	2490	1	RMS	2488	-49.77	-25	Pass	1491
2490	2580	1	RMS	2528.25	25.11	60	Pass	401
2580	3000	1	RMS	2950	-48.05	-25	Pass	421
3000	12000	1	RMS	11843	-59.45	-25	Pass	9002
12000	26000	1	RMS	26000	-43.15	-25	Pass	14002



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-25	Pass	2986
30	1000	0.1	RMS	595.1	-61.36	-25	Pass	9701
1000	2490	1	RMS	2488	-49.8	-25	Pass	1491
2490	2580	1	RMS	2555.7	24.81	60	Pass	401
2580	3000	1	RMS	2582	-37.05	-25	Pass	421
3000	12000	1	RMS	11849	-59.4	-25	Pass	9002
12000	26000	1	RMS	25997	-43	-25	Pass	14002



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.31	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-25	Pass	2986
30	1000	0.1	RMS	595.1	-61.25	-25	Pass	9701
1000	2490	1	RMS	2489	-49.83	-25	Pass	1491
2490	2580	1	RMS	2555.7	24.7	60	Pass	401
2580	3000	1	RMS	2582	-38.49	-25	Pass	421
3000	12000	1	RMS	11858	-59.38	-25	Pass	9002
12000	26000	1	RMS	26000	-43.13	-25	Pass	14002



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-25	Pass	2986
30	1000	0.1	RMS	847.2	-63.11	-25	Pass	9701
1000	2490	1	RMS	2483	-47.44	-25	Pass	1491
2490	2580	1	RMS	2501.025	24.29	60	Pass	401
2580	3000	1	RMS	2956	-48.04	-25	Pass	421
3000	12000	1	RMS	11848	-59.39	-25	Pass	9002
12000	26000	1	RMS	25998	-43.21	-25	Pass	14002



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-60.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-25	Pass	2986
30	1000	0.1	RMS	851.201	-63.27	-25	Pass	9701
1000	2490	1	RMS	2483	-48.48	-25	Pass	1491
2490	2580	1	RMS	2501.025	24.27	60	Pass	401
2580	3000	1	RMS	2957	-48.01	-25	Pass	421
3000	12000	1	RMS	11851	-59.4	-25	Pass	9002
12000	26000	1	RMS	25998	-43.09	-25	Pass	14002



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.9	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.07	-25	Pass	2986
30	1000	0.1	RMS	850.801	-63.13	-25	Pass	9701
1000	2490	1	RMS	2490	-48.75	-25	Pass	1491
2490	2580	1	RMS	2526	24.5	60	Pass	401
2580	3000	1	RMS	2954	-48.02	-25	Pass	421
3000	12000	1	RMS	11849	-59.36	-25	Pass	9002
12000	26000	1	RMS	25988	-43.13	-25	Pass	14002



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-25	Pass	2986
30	1000	0.1	RMS	851.001	-63	-25	Pass	9701
1000	2490	1	RMS	2490	-48.76	-25	Pass	1491
2490	2580	1	RMS	2526	24.68	60	Pass	401
2580	3000	1	RMS	2955	-48.04	-25	Pass	421
3000	12000	1	RMS	11851	-59.39	-25	Pass	9002
12000	26000	1	RMS	25996	-43.15	-25	Pass	14002



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-25	Pass	2986
30	1000	0.1	RMS	590.4	-60.36	-25	Pass	9701
1000	2490	1	RMS	2484	-49.79	-25	Pass	1491
2490	2580	1	RMS	2550.975	24.82	60	Pass	401
2580	3000	1	RMS	2586	-40.89	-25	Pass	421
3000	12000	1	RMS	11843	-59.34	-25	Pass	9002
12000	26000	1	RMS	25991	-43.17	-25	Pass	14002



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.04	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.04	-25	Pass	2986
30	1000	0.1	RMS	590.4	-60	-25	Pass	9701
1000	2490	1	RMS	2482	-49.75	-25	Pass	1491
2490	2580	1	RMS	2550.975	24.7	60	Pass	401
2580	3000	1	RMS	2586	-41.04	-25	Pass	421
3000	12000	1	RMS	11849	-59.33	-25	Pass	9002
12000	26000	1	RMS	25999	-43.14	-25	Pass	14002



6. LTE_Band13


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	Pass	2986
30	767	0.1	RMS	766.6	-61.56	-13	Pass	7371
767	797	0.1	RMS	777.35	22.68	60	Pass	401
797	1000	0.1	RMS	814.6	-63.25	-13	Pass	2031
1000	3000	1	RMS	1554	-44.18	-13	Pass	2001
3000	10000	1	RMS	6960	-40.53	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2986
30	767	0.1	RMS	766.6	-62	-13	Pass	7371
767	797	0.1	RMS	777.35	22.07	60	Pass	401
797	1000	0.1	RMS	854.2	-63.19	-13	Pass	2031
1000	3000	1	RMS	1554	-45.05	-13	Pass	2001
3000	10000	1	RMS	6961	-40.6	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	Pass	2986
30	767	0.1	RMS	742.2	-63.8	-13	Pass	7371
767	797	0.1	RMS	779.825	22.74	60	Pass	401
797	1000	0.1	RMS	797.1	-61.49	-13	Pass	2031
1000	3000	1	RMS	1559	-45.47	-13	Pass	2001
3000	10000	1	RMS	6959	-40.6	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	Pass	2986
30	767	0.1	RMS	727.8	-63.86	-13	Pass	7371
767	797	0.1	RMS	779.825	22.31	60	Pass	401
797	1000	0.1	RMS	797.1	-62.07	-13	Pass	2031
1000	3000	1	RMS	1559	-45.98	-13	Pass	2001
3000	10000	1	RMS	6964	-40.58	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.53	-13	Pass	2986
30	767	0.1	RMS	755.2	-63.82	-13	Pass	7371
767	797	0.1	RMS	782.3	22.36	60	Pass	401
797	1000	0.1	RMS	799.6	-62.81	-13	Pass	2031
1000	3000	1	RMS	1564	-45.9	-13	Pass	2001
3000	10000	1	RMS	6961	-40.58	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	767	0.1	RMS	754.2	-63.75	-13	Pass	7371
767	797	0.1	RMS	782.3	21.67	60	Pass	401
797	1000	0.1	RMS	799.6	-62.76	-13	Pass	2031
1000	3000	1	RMS	1564	-46.72	-13	Pass	2001
3000	10000	1	RMS	6960	-40.58	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	767	0.1	RMS	766.9	-60.87	-13	Pass	7371
767	797	0.1	RMS	777.575	23.01	60	Pass	401
797	1000	0.1	RMS	844.3	-63.14	-13	Pass	2031
1000	3000	1	RMS	1555	-44.89	-13	Pass	2001
3000	10000	1	RMS	6960	-40.55	-13	Pass	7001



6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	Pass	2986
30	767	0.1	RMS	766.9	-61.36	-13	Pass	7371
767	797	0.1	RMS	777.575	22.35	60	Pass	401
797	1000	0.1	RMS	846.8	-63.18	-13	Pass	2031
1000	3000	1	RMS	1555	-45.56	-13	Pass	2001
3000	10000	1	RMS	6960	-40.57	-13	Pass	7001



7. LTE_Band26(part22)


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.25	-13	Pass	7841
814	860	0.1	RMS	824.2	22.15	60	Pass	461
860	1000	0.1	RMS	869.3	-63.32	-13	Pass	1401
1000	3000	1	RMS	1648	-45.35	-13	Pass	2001
3000	10000	1	RMS	6959	-40.51	-13	Pass	7001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.27	-13	Pass	7841
814	860	0.1	RMS	824.3	21.58	60	Pass	461
860	1000	0.1	RMS	869.6	-63.29	-13	Pass	1401
1000	3000	1	RMS	1648	-45.98	-13	Pass	2001
3000	10000	1	RMS	6960	-40.61	-13	Pass	7001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.01	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.57	-13	Pass	7841
814	860	0.1	RMS	836	22.04	60	Pass	461
860	1000	0.1	RMS	861.3	-63.37	-13	Pass	1401
1000	3000	1	RMS	1672	-46.26	-13	Pass	2001
3000	10000	1	RMS	6962	-40.52	-13	Pass	7001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	Pass	2986
30	814	0.1	RMS	813.2	-63.51	-13	Pass	7841
814	860	0.1	RMS	836.1	21.41	60	Pass	461
860	1000	0.1	RMS	865.2	-63.33	-13	Pass	1401
1000	3000	1	RMS	1672	-46.03	-13	Pass	2001
3000	10000	1	RMS	6961	-40.55	-13	Pass	7001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	814	0.1	RMS	814	-63.49	-13	Pass	7841
814	860	0.1	RMS	847.8	21.95	60	Pass	461
860	1000	0.1	RMS	860	-63.41	-13	Pass	1401
1000	3000	1	RMS	1695	-47.24	-13	Pass	2001
3000	10000	1	RMS	6960	-40.56	-13	Pass	7001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.03	-13	Pass	2986
30	814	0.1	RMS	761.3	-63.55	-13	Pass	7841
814	860	0.1	RMS	847.8	21.22	60	Pass	461
860	1000	0.1	RMS	862.4	-63.42	-13	Pass	1401
1000	3000	1	RMS	1695	-47.69	-13	Pass	2001
3000	10000	1	RMS	6960	-40.61	-13	Pass	7001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.2	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.98	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.15	-13	Pass	7841
814	860	0.1	RMS	824.2	22.5	60	Pass	461
860	1000	0.1	RMS	860.4	-63.39	-13	Pass	1401
1000	3000	1	RMS	1648	-45.34	-13	Pass	2001
3000	10000	1	RMS	6960	-40.58	-13	Pass	7001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.38	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.87	-13	Pass	7841
814	860	0.1	RMS	824.2	21.66	60	Pass	461
860	1000	0.1	RMS	865.6	-63.32	-13	Pass	1401
1000	3000	1	RMS	1648	-46.25	-13	Pass	2001
3000	10000	1	RMS	6962	-40.63	-13	Pass	7001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.29	-13	Pass	2986
30	814	0.1	RMS	813.6	-63.43	-13	Pass	7841
814	860	0.1	RMS	835.2	22.21	60	Pass	461
860	1000	0.1	RMS	862.2	-63.39	-13	Pass	1401
1000	3000	1	RMS	1670	-44.92	-13	Pass	2001
3000	10000	1	RMS	6960	-40.6	-13	Pass	7001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	Pass	2986
30	814	0.1	RMS	809.7	-63.45	-13	Pass	7841
814	860	0.1	RMS	835.2	21.98	60	Pass	461
860	1000	0.1	RMS	963.8	-63.4	-13	Pass	1401
1000	3000	1	RMS	1670	-45.15	-13	Pass	2001
3000	10000	1	RMS	6961	-40.5	-13	Pass	7001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	Pass	2986
30	814	0.1	RMS	798.7	-63.5	-13	Pass	7841
814	860	0.1	RMS	846.2	22.32	60	Pass	461
860	1000	0.1	RMS	872.9	-63.37	-13	Pass	1401
1000	3000	1	RMS	1692	-44.44	-13	Pass	2001
3000	10000	1	RMS	6962	-40.58	-13	Pass	7001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	814	0.1	RMS	813.7	-63.44	-13	Pass	7841
814	860	0.1	RMS	846.2	21.91	60	Pass	461
860	1000	0.1	RMS	862.1	-63.37	-13	Pass	1401
1000	3000	1	RMS	1692	-44.41	-13	Pass	2001
3000	10000	1	RMS	6962	-40.61	-13	Pass	7001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.46	-13	Pass	2986
30	814	0.1	RMS	813.6	-60.85	-13	Pass	7841
814	860	0.1	RMS	824.3	22.19	60	Pass	461
860	1000	0.1	RMS	871.9	-63.31	-13	Pass	1401
1000	3000	1	RMS	1648	-45.8	-13	Pass	2001
3000	10000	1	RMS	6961	-40.57	-13	Pass	7001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.98	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.43	-13	Pass	7841
814	860	0.1	RMS	824.3	21.22	60	Pass	461
860	1000	0.1	RMS	869.5	-63.33	-13	Pass	1401
1000	3000	1	RMS	1648	-46.81	-13	Pass	2001
3000	10000	1	RMS	6960	-40.54	-13	Pass	7001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-63.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.02	-13	Pass	2986
30	814	0.1	RMS	813.4	-63.23	-13	Pass	7841
814	860	0.1	RMS	834.3	22.21	60	Pass	461
860	1000	0.1	RMS	861.7	-63.34	-13	Pass	1401
1000	3000	1	RMS	1668	-45.23	-13	Pass	2001
3000	10000	1	RMS	6961	-40.54	-13	Pass	7001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.87	-13	Pass	2986
30	814	0.1	RMS	813.2	-63.45	-13	Pass	7841
814	860	0.1	RMS	834.3	21.72	60	Pass	461
860	1000	0.1	RMS	987.3	-63.47	-13	Pass	1401
1000	3000	1	RMS	1668	-45.68	-13	Pass	2001
3000	10000	1	RMS	6961	-40.6	-13	Pass	7001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.09	-13	Pass	2986
30	814	0.1	RMS	813.1	-63.54	-13	Pass	7841
814	860	0.1	RMS	844.3	22.38	60	Pass	461
860	1000	0.1	RMS	896.1	-63.35	-13	Pass	1401
1000	3000	1	RMS	1688	-45.38	-13	Pass	2001
3000	10000	1	RMS	6962	-40.57	-13	Pass	7001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	Pass	2986
30	814	0.1	RMS	813.9	-63.46	-13	Pass	7841
814	860	0.1	RMS	844.3	21.79	60	Pass	461
860	1000	0.1	RMS	861.6	-63.38	-13	Pass	1401
1000	3000	1	RMS	1688	-46.06	-13	Pass	2001
3000	10000	1	RMS	6963	-40.53	-13	Pass	7001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	814	0.1	RMS	807	-55.8	-13	Pass	7841
814	860	0.1	RMS	824.6	22.69	60	Pass	461
860	1000	0.1	RMS	869.2	-63.43	-13	Pass	1401
1000	3000	1	RMS	1649	-46.31	-13	Pass	2001
3000	10000	1	RMS	6963	-40.66	-13	Pass	7001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	Pass	2986
30	814	0.1	RMS	807	-56.9	-13	Pass	7841
814	860	0.1	RMS	824.6	21.92	60	Pass	461
860	1000	0.1	RMS	863.2	-63.37	-13	Pass	1401
1000	3000	1	RMS	1649	-46.84	-13	Pass	2001
3000	10000	1	RMS	6961	-40.59	-13	Pass	7001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.65	-13	Pass	2986
30	814	0.1	RMS	814	-57.81	-13	Pass	7841
814	860	0.1	RMS	832.1	22.67	60	Pass	461
860	1000	0.1	RMS	866.1	-63.3	-13	Pass	1401
1000	3000	1	RMS	1664	-45.62	-13	Pass	2001
3000	10000	1	RMS	6960	-40.65	-13	Pass	7001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-13	Pass	2986
30	814	0.1	RMS	814	-58.64	-13	Pass	7841
814	860	0.1	RMS	832.1	22.27	60	Pass	461
860	1000	0.1	RMS	864.6	-63.15	-13	Pass	1401
1000	3000	1	RMS	1664	-45.62	-13	Pass	2001
3000	10000	1	RMS	6960	-40.48	-13	Pass	7001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	Pass	2986
30	814	0.1	RMS	812.7	-63.23	-13	Pass	7841
814	860	0.1	RMS	839.6	22.61	60	Pass	461
860	1000	0.1	RMS	957.7	-63.41	-13	Pass	1401
1000	3000	1	RMS	1679	-46.53	-13	Pass	2001
3000	10000	1	RMS	6960	-40.56	-13	Pass	7001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	Pass	2986
30	814	0.1	RMS	812.6	-63.27	-13	Pass	7841
814	860	0.1	RMS	839.6	21.89	60	Pass	461
860	1000	0.1	RMS	860.5	-63.37	-13	Pass	1401
1000	3000	1	RMS	1679	-47.15	-13	Pass	2001
3000	10000	1	RMS	6962	-40.62	-13	Pass	7001



7.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.17	-13	Pass	2986
30	814	0.1	RMS	811.5	-45.65	-13	Pass	7841
814	860	0.1	RMS	824.8	22.06	60	Pass	461
860	1000	0.1	RMS	861.6	-63.43	-13	Pass	1401
1000	3000	1	RMS	1649	-46.23	-13	Pass	2001
3000	10000	1	RMS	6963	-40.59	-13	Pass	7001



7.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2986
30	814	0.1	RMS	811.5	-47.4	-13	Pass	7841
814	860	0.1	RMS	824.8	21.32	60	Pass	461
860	1000	0.1	RMS	864	-63.32	-13	Pass	1401
1000	3000	1	RMS	1649	-46.76	-13	Pass	2001
3000	10000	1	RMS	6959	-40.61	-13	Pass	7001



7.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	Pass	2986
30	814	0.1	RMS	809.9	-59.04	-13	Pass	7841
814	860	0.1	RMS	829.8	21.98	60	Pass	461
860	1000	0.1	RMS	932.5	-63.38	-13	Pass	1401
1000	3000	1	RMS	1659	-45.69	-13	Pass	2001
3000	10000	1	RMS	6960	-40.56	-13	Pass	7001



7.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.79	-13	Pass	2986
30	814	0.1	RMS	809.9	-58.42	-13	Pass	7841
814	860	0.1	RMS	829.8	21.7	60	Pass	461
860	1000	0.1	RMS	870.6	-63.39	-13	Pass	1401
1000	3000	1	RMS	1659	-45.85	-13	Pass	2001
3000	10000	1	RMS	6961	-40.56	-13	Pass	7001



7.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.25	-13	Pass	2986
30	814	0.1	RMS	808.3	-49.96	-13	Pass	7841
814	860	0.1	RMS	834.8	21.92	60	Pass	461
860	1000	0.1	RMS	862	-63.28	-13	Pass	1401
1000	3000	1	RMS	1669	-45.43	-13	Pass	2001
3000	10000	1	RMS	6964	-40.63	-13	Pass	7001



7.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.06	-13	Pass	2986
30	814	0.1	RMS	808.2	-50.03	-13	Pass	7841
814	860	0.1	RMS	834.8	21.3	60	Pass	461
860	1000	0.1	RMS	872	-63.38	-13	Pass	1401
1000	3000	1	RMS	1669	-46.06	-13	Pass	2001
3000	10000	1	RMS	6961	-40.52	-13	Pass	7001



8. LTE_Band66


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	Pass	2986
30	1000	0.1	RMS	839.9	-63.04	-13	Pass	9701
1000	1700	1	RMS	1700	-50.71	-13	Pass	701
1700	1790	1	RMS	1710.125	24.78	60	Pass	401
1790	3000	1	RMS	2955	-47.94	-13	Pass	1211
3000	12000	1	RMS	11849	-39.65	-13	Pass	9002
12000	20000	1	RMS	19406	-30.55	-13	Pass	8001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.23	-13	Pass	9701
1000	1700	1	RMS	1700	-50.95	-13	Pass	701
1700	1790	1	RMS	1710.125	23.8	60	Pass	401
1790	3000	1	RMS	2954	-47.95	-13	Pass	1211
3000	12000	1	RMS	11954	-39.66	-13	Pass	9002
12000	20000	1	RMS	19399	-30.61	-13	Pass	8001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2986
30	1000	0.1	RMS	864.31	-63.1	-13	Pass	9701
1000	1700	1	RMS	1694	-51.95	-13	Pass	701
1700	1790	1	RMS	1744.55	24.74	60	Pass	401
1790	3000	1	RMS	2944	-48.01	-13	Pass	1211
3000	12000	1	RMS	11851	-39.69	-13	Pass	9002
12000	20000	1	RMS	19403	-30.57	-13	Pass	8001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.39	-13	Pass	2986
30	1000	0.1	RMS	843.5	-63.14	-13	Pass	9701
1000	1700	1	RMS	1699	-51.91	-13	Pass	701
1700	1790	1	RMS	1744.55	23.91	60	Pass	401
1790	3000	1	RMS	2956	-47.96	-13	Pass	1211
3000	12000	1	RMS	11950	-39.61	-13	Pass	9002
12000	20000	1	RMS	19400	-30.59	-13	Pass	8001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.79	-13	Pass	2986
30	1000	0.1	RMS	852.402	-63.1	-13	Pass	9701
1000	1700	1	RMS	1694	-51.93	-13	Pass	701
1700	1790	1	RMS	1778.75	24.38	60	Pass	401
1790	3000	1	RMS	2949	-47.98	-13	Pass	1211
3000	12000	1	RMS	11957	-39.67	-13	Pass	9002
12000	20000	1	RMS	19405	-30.5	-13	Pass	8001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	Pass	2986
30	1000	0.1	RMS	853.603	-63.17	-13	Pass	9701
1000	1700	1	RMS	1700	-51.97	-13	Pass	701
1700	1790	1	RMS	1778.75	24.21	60	Pass	401
1790	3000	1	RMS	2947	-47.99	-13	Pass	1211
3000	12000	1	RMS	11950	-39.68	-13	Pass	9002
12000	20000	1	RMS	19407	-30.63	-13	Pass	8001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.62	-13	Pass	2986
30	1000	0.1	RMS	851.702	-63.09	-13	Pass	9701
1000	1700	1	RMS	1700	-50.47	-13	Pass	701
1700	1790	1	RMS	1710.125	24.74	60	Pass	401
1790	3000	1	RMS	2955	-47.99	-13	Pass	1211
3000	12000	1	RMS	11953	-39.62	-13	Pass	9002
12000	20000	1	RMS	19400	-30.64	-13	Pass	8001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.04	-13	Pass	2986
30	1000	0.1	RMS	838	-63.17	-13	Pass	9701
1000	1700	1	RMS	1700	-50.88	-13	Pass	701
1700	1790	1	RMS	1710.125	23.86	60	Pass	401
1790	3000	1	RMS	2945	-47.93	-13	Pass	1211
3000	12000	1	RMS	11850	-39.7	-13	Pass	9002
12000	20000	1	RMS	19405	-30.58	-13	Pass	8001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.55	-13	Pass	2986
30	1000	0.1	RMS	962.575	-63.24	-13	Pass	9701
1000	1700	1	RMS	1700	-51.88	-13	Pass	701
1700	1790	1	RMS	1743.65	24.79	60	Pass	401
1790	3000	1	RMS	2947	-47.97	-13	Pass	1211
3000	12000	1	RMS	11849	-39.6	-13	Pass	9002
12000	20000	1	RMS	19398	-30.57	-13	Pass	8001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.89	-13	Pass	2986
30	1000	0.1	RMS	847	-63.12	-13	Pass	9701
1000	1700	1	RMS	1700	-51.93	-13	Pass	701
1700	1790	1	RMS	1743.65	24.19	60	Pass	401
1790	3000	1	RMS	2944	-47.96	-13	Pass	1211
3000	12000	1	RMS	11851	-39.7	-13	Pass	9002
12000	20000	1	RMS	19401	-30.5	-13	Pass	8001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.09	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-13	Pass	2986
30	1000	0.1	RMS	853.003	-63.26	-13	Pass	9701
1000	1700	1	RMS	1700	-51.96	-13	Pass	701
1700	1790	1	RMS	1777.175	24.37	60	Pass	401
1790	3000	1	RMS	2957	-47.94	-13	Pass	1211
3000	12000	1	RMS	11951	-39.61	-13	Pass	9002
12000	20000	1	RMS	19404	-30.5	-13	Pass	8001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.61	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.58	-13	Pass	2986
30	1000	0.1	RMS	845.5	-63.14	-13	Pass	9701
1000	1700	1	RMS	1694	-51.97	-13	Pass	701
1700	1790	1	RMS	1777.175	23.94	60	Pass	401
1790	3000	1	RMS	2956	-48	-13	Pass	1211
3000	12000	1	RMS	11948	-39.63	-13	Pass	9002
12000	20000	1	RMS	19399	-30.59	-13	Pass	8001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	Pass	2986
30	1000	0.1	RMS	849	-63.18	-13	Pass	9701
1000	1700	1	RMS	1700	-50.03	-13	Pass	701
1700	1790	1	RMS	1710.125	24.27	60	Pass	401
1790	3000	1	RMS	2953	-47.95	-13	Pass	1211
3000	12000	1	RMS	11848	-39.65	-13	Pass	9002
12000	20000	1	RMS	19399	-30.61	-13	Pass	8001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.2	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.08	-13	Pass	2986
30	1000	0.1	RMS	840.9	-62.99	-13	Pass	9701
1000	1700	1	RMS	1700	-50.64	-13	Pass	701
1700	1790	1	RMS	1710.125	23.14	60	Pass	401
1790	3000	1	RMS	2958	-47.99	-13	Pass	1211
3000	12000	1	RMS	11952	-39.61	-13	Pass	9002
12000	20000	1	RMS	19401	-30.62	-13	Pass	8001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.95	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.9	-13	Pass	2986
30	1000	0.1	RMS	851.201	-63.15	-13	Pass	9701
1000	1700	1	RMS	1692	-51.96	-13	Pass	701
1700	1790	1	RMS	1742.75	24.32	60	Pass	401
1790	3000	1	RMS	2952	-47.97	-13	Pass	1211
3000	12000	1	RMS	11950	-39.61	-13	Pass	9002
12000	20000	1	RMS	19399	-30.56	-13	Pass	8001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.76	-13	Pass	2986
30	1000	0.1	RMS	850.301	-63.17	-13	Pass	9701
1000	1700	1	RMS	1700	-51.95	-13	Pass	701
1700	1790	1	RMS	1742.75	23.9	60	Pass	401
1790	3000	1	RMS	2957	-48.03	-13	Pass	1211
3000	12000	1	RMS	11847	-39.69	-13	Pass	9002
12000	20000	1	RMS	19393	-30.59	-13	Pass	8001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-13	Pass	2986
30	1000	0.1	RMS	856.305	-63.11	-13	Pass	9701
1000	1700	1	RMS	1698	-51.93	-13	Pass	701
1700	1790	1	RMS	1775.15	24.17	60	Pass	401
1790	3000	1	RMS	2951	-47.92	-13	Pass	1211
3000	12000	1	RMS	11850	-39.66	-13	Pass	9002
12000	20000	1	RMS	19398	-30.62	-13	Pass	8001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.11	-13	Pass	2986
30	1000	0.1	RMS	857.906	-63.12	-13	Pass	9701
1000	1700	1	RMS	1697	-51.94	-13	Pass	701
1700	1790	1	RMS	1775.15	23.72	60	Pass	401
1790	3000	1	RMS	2952	-47.93	-13	Pass	1211
3000	12000	1	RMS	11950	-39.62	-13	Pass	9002
12000	20000	1	RMS	19401	-30.58	-13	Pass	8001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.81	-13	Pass	2986
30	1000	0.1	RMS	852.302	-63.06	-13	Pass	9701
1000	1700	1	RMS	1693	-40.65	-13	Pass	701
1700	1790	1	RMS	1710.575	24.51	60	Pass	401
1790	3000	1	RMS	2956	-47.95	-13	Pass	1211
3000	12000	1	RMS	11947	-39.68	-13	Pass	9002
12000	20000	1	RMS	19402	-30.6	-13	Pass	8001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.83	-13	Pass	2986
30	1000	0.1	RMS	833.9	-63.2	-13	Pass	9701
1000	1700	1	RMS	1693	-42.22	-13	Pass	701
1700	1790	1	RMS	1710.575	23.7	60	Pass	401
1790	3000	1	RMS	2956	-47.97	-13	Pass	1211
3000	12000	1	RMS	11956	-39.64	-13	Pass	9002
12000	20000	1	RMS	19399	-30.6	-13	Pass	8001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.2	-13	Pass	2986
30	1000	0.1	RMS	854.704	-63.2	-13	Pass	9701
1000	1700	1	RMS	1699	-51.94	-13	Pass	701
1700	1790	1	RMS	1740.5	24.61	60	Pass	401
1790	3000	1	RMS	2952	-47.96	-13	Pass	1211
3000	12000	1	RMS	11954	-39.71	-13	Pass	9002
12000	20000	1	RMS	19402	-30.59	-13	Pass	8001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	Pass	2986
30	1000	0.1	RMS	842.1	-63.22	-13	Pass	9701
1000	1700	1	RMS	1699	-51.95	-13	Pass	701
1700	1790	1	RMS	1740.5	24.39	60	Pass	401
1790	3000	1	RMS	2956	-47.96	-13	Pass	1211
3000	12000	1	RMS	11850	-39.66	-13	Pass	9002
12000	20000	1	RMS	19400	-30.62	-13	Pass	8001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.08	-13	Pass	9701
1000	1700	1	RMS	1700	-51.97	-13	Pass	701
1700	1790	1	RMS	1770.425	24.45	60	Pass	401
1790	3000	1	RMS	2947	-47.99	-13	Pass	1211
3000	12000	1	RMS	11850	-39.62	-13	Pass	9002
12000	20000	1	RMS	19403	-30.63	-13	Pass	8001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	Pass	2986
30	1000	0.1	RMS	859.207	-63.17	-13	Pass	9701
1000	1700	1	RMS	1694	-51.95	-13	Pass	701
1700	1790	1	RMS	1770.425	23.52	60	Pass	401
1790	3000	1	RMS	2956	-47.99	-13	Pass	1211
3000	12000	1	RMS	11947	-39.66	-13	Pass	9002
12000	20000	1	RMS	19401	-30.52	-13	Pass	8001



8.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	Pass	2986
30	1000	0.1	RMS	858.406	-62.99	-13	Pass	9701
1000	1700	1	RMS	1698	-40.9	-13	Pass	701
1700	1790	1	RMS	1710.8	24.7	60	Pass	401
1790	3000	1	RMS	2960	-47.93	-13	Pass	1211
3000	12000	1	RMS	11953	-39.61	-13	Pass	9002
12000	20000	1	RMS	19404	-30.56	-13	Pass	8001



8.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.1	-13	Pass	2986
30	1000	0.1	RMS	812.4	-63.12	-13	Pass	9701
1000	1700	1	RMS	1698	-44.48	-13	Pass	701
1700	1790	1	RMS	1710.8	23.71	60	Pass	401
1790	3000	1	RMS	2958	-47.98	-13	Pass	1211
3000	12000	1	RMS	11949	-39.66	-13	Pass	9002
12000	20000	1	RMS	19401	-30.6	-13	Pass	8001



8.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	Pass	2986
30	1000	0.1	RMS	830.3	-63.05	-13	Pass	9701
1000	1700	1	RMS	1698	-51.85	-13	Pass	701
1700	1790	1	RMS	1738.25	24.47	60	Pass	401
1790	3000	1	RMS	2952	-47.95	-13	Pass	1211
3000	12000	1	RMS	11951	-39.65	-13	Pass	9002
12000	20000	1	RMS	19395	-30.56	-13	Pass	8001



8.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.21	-13	Pass	2986
30	1000	0.1	RMS	858.006	-63.22	-13	Pass	9701
1000	1700	1	RMS	1699	-51.85	-13	Pass	701
1700	1790	1	RMS	1738.25	24.39	60	Pass	401
1790	3000	1	RMS	2949	-47.99	-13	Pass	1211
3000	12000	1	RMS	11850	-39.69	-13	Pass	9002
12000	20000	1	RMS	19394	-30.58	-13	Pass	8001



8.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.96	-13	Pass	401
0.15	30	0.01	RMS	0.23	-71.71	-13	Pass	2986
30	1000	0.1	RMS	842.9	-63.24	-13	Pass	9701
1000	1700	1	RMS	1700	-51.92	-13	Pass	701
1700	1790	1	RMS	1765.7	24.07	60	Pass	401
1790	3000	1	RMS	1792	-39.86	-13	Pass	1211
3000	12000	1	RMS	11849	-39.62	-13	Pass	9002
12000	20000	1	RMS	19399	-30.56	-13	Pass	8001



8.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	Pass	2986
30	1000	0.1	RMS	830.8	-63.14	-13	Pass	9701
1000	1700	1	RMS	1695	-51.89	-13	Pass	701
1700	1790	1	RMS	1765.7	23.39	60	Pass	401
1790	3000	1	RMS	1792	-40.33	-13	Pass	1211
3000	12000	1	RMS	11950	-39.93	-13	Pass	9002
12000	20000	1	RMS	19407	-30.85	-13	Pass	8001



8.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.91	-13	Pass	2986
30	1000	0.1	RMS	848.1	-63.32	-13	Pass	9701
1000	1700	1	RMS	1693	-46.12	-13	Pass	701
1700	1790	1	RMS	1711.025	23.99	60	Pass	401
1790	3000	1	RMS	2949	-48.2	-13	Pass	1211
3000	12000	1	RMS	11950	-39.9	-13	Pass	9002
12000	20000	1	RMS	19399	-30.89	-13	Pass	8001



8.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2986
30	1000	0.1	RMS	861.908	-63.41	-13	Pass	9701
1000	1700	1	RMS	1693	-44.38	-13	Pass	701
1700	1790	1	RMS	1711.025	23.26	60	Pass	401
1790	3000	1	RMS	2957	-48.24	-13	Pass	1211
3000	12000	1	RMS	11952	-39.91	-13	Pass	9002
12000	20000	1	RMS	19403	-30.88	-13	Pass	8001



8.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	Pass	2986
30	1000	0.1	RMS	847.2	-63.47	-13	Pass	9701
1000	1700	1	RMS	1700	-42.78	-13	Pass	701
1700	1790	1	RMS	1736	24.27	60	Pass	401
1790	3000	1	RMS	2953	-48.22	-13	Pass	1211
3000	12000	1	RMS	11945	-39.96	-13	Pass	9002
12000	20000	1	RMS	19397	-30.89	-13	Pass	8001



8.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	1000	0.1	RMS	852.903	-63.49	-13	Pass	9701
1000	1700	1	RMS	1700	-44.48	-13	Pass	701
1700	1790	1	RMS	1736	23.33	60	Pass	401
1790	3000	1	RMS	2953	-48.22	-13	Pass	1211
3000	12000	1	RMS	11845	-39.95	-13	Pass	9002
12000	20000	1	RMS	19399	-30.91	-13	Pass	8001



8.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-62.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2986
30	1000	0.1	RMS	839.7	-63.4	-13	Pass	9701
1000	1700	1	RMS	1700	-52.12	-13	Pass	701
1700	1790	1	RMS	1760.975	23.98	60	Pass	401
1790	3000	1	RMS	1797	-36.64	-13	Pass	1211
3000	12000	1	RMS	11953	-39.93	-13	Pass	9002
12000	20000	1	RMS	19401	-30.81	-13	Pass	8001



8.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-61.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2986
30	1000	0.1	RMS	851.201	-63.52	-13	Pass	9701
1000	1700	1	RMS	1699	-52.13	-13	Pass	701
1700	1790	1	RMS	1760.975	23.4	60	Pass	401
1790	3000	1	RMS	1797	-36.65	-13	Pass	1211
3000	12000	1	RMS	11843	-39.89	-13	Pass	9002
12000	20000	1	RMS	19406	-30.89	-13	Pass	8001



9. LTE_Band38


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.71	-25	Pass	2986
30	1000	0.1	RMS	609.7	-59.25	-25	Pass	9701
1000	2560	1	RMS	2560	-44.04	-25	Pass	1561
2560	2630	1	RMS	2570.325	24.9	60	Pass	401
2630	3000	1	RMS	2946.35	-44.27	-25	Pass	401
3000	12000	1	RMS	11848	-45.58	-25	Pass	9002
12000	26500	1	RMS	25993	-39.8	-25	Pass	14502




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.54	-25	Pass	2986
30	1000	0.1	RMS	837	-59.4	-25	Pass	9701
1000	2560	1	RMS	2560	-42.46	-25	Pass	1561
2560	2630	1	RMS	2570.15	25.04	60	Pass	401
2630	3000	1	RMS	2956.525	-44.29	-25	Pass	401
3000	12000	1	RMS	11850	-45.49	-25	Pass	9002
12000	26500	1	RMS	25997	-39.8	-25	Pass	14502




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.98	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.18	-25	Pass	2986
30	1000	0.1	RMS	862.109	-59.39	-25	Pass	9701
1000	2560	1	RMS	2558	-45.78	-25	Pass	1561
2560	2630	1	RMS	2592.725	24.24	60	Pass	401
2630	3000	1	RMS	2954.675	-44.29	-25	Pass	401
3000	12000	1	RMS	11849	-45.5	-25	Pass	9002
12000	26500	1	RMS	26010	-39.77	-25	Pass	14502




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.55	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.54	-25	Pass	2986
30	1000	0.1	RMS	863.71	-59.4	-25	Pass	9701
1000	2560	1	RMS	2560	-45.69	-25	Pass	1561
2560	2630	1	RMS	2592.725	23.56	60	Pass	401
2630	3000	1	RMS	2957.45	-44.26	-25	Pass	401
3000	12000	1	RMS	11849	-45.63	-25	Pass	9002
12000	26500	1	RMS	25996	-39.77	-25	Pass	14502




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.56	-25	Pass	401
0.15	30	0.01	RMS	0.2	-68.05	-25	Pass	2986
30	1000	0.1	RMS	841.4	-59.42	-25	Pass	9701
1000	2560	1	RMS	2559	-45.81	-25	Pass	1561
2560	2630	1	RMS	2615.3	24.36	60	Pass	401
2630	3000	1	RMS	2955.6	-44.3	-25	Pass	401
3000	12000	1	RMS	11853	-45.53	-25	Pass	9002
12000	26500	1	RMS	26003	-39.75	-25	Pass	14502




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.42	-25	Pass	2986
30	1000	0.1	RMS	842.1	-59.26	-25	Pass	9701
1000	2560	1	RMS	2555	-45.81	-25	Pass	1561
2560	2630	1	RMS	2615.125	24.71	60	Pass	401
2630	3000	1	RMS	2955.6	-44.28	-25	Pass	401
3000	12000	1	RMS	11850	-45.57	-25	Pass	9002
12000	26500	1	RMS	25996	-39.81	-25	Pass	14502




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.49	-25	Pass	401
0.15	30	0.01	RMS	0.3	-68.51	-25	Pass	2986
30	1000	0.1	RMS	862.909	-59.38	-25	Pass	9701
1000	2560	1	RMS	2555	-37.17	-25	Pass	1561
2560	2630	1	RMS	2570.5	25.4	60	Pass	401
2630	3000	1	RMS	2957.45	-44.22	-25	Pass	401
3000	12000	1	RMS	11852	-45.56	-25	Pass	9002
12000	26500	1	RMS	26006	-39.79	-25	Pass	14502




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.02	-25	Pass	2986
30	1000	0.1	RMS	704.8	-54.82	-25	Pass	9701
1000	2560	1	RMS	2553	-39.32	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.16	60	Pass	401
2630	3000	1	RMS	2955.6	-44.29	-25	Pass	401
3000	12000	1	RMS	11858	-45.59	-25	Pass	9002
12000	26500	1	RMS	25995	-39.75	-25	Pass	14502



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.65	-25	Pass	2986
30	1000	0.1	RMS	860.708	-59.4	-25	Pass	9701
1000	2560	1	RMS	2559	-45.4	-25	Pass	1561
2560	2630	1	RMS	2590.625	24.2	60	Pass	401
2630	3000	1	RMS	2944.5	-44.27	-25	Pass	401
3000	12000	1	RMS	11851	-45.62	-25	Pass	9002
12000	26500	1	RMS	25990	-39.84	-25	Pass	14502



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.54	-25	Pass	2986
30	1000	0.1	RMS	863.409	-59.49	-25	Pass	9701
1000	2560	1	RMS	2558	-45.75	-25	Pass	1561
2560	2630	1	RMS	2590.45	24.59	60	Pass	401
2630	3000	1	RMS	2949.125	-44.29	-25	Pass	401
3000	12000	1	RMS	11848	-45.62	-25	Pass	9002
12000	26500	1	RMS	25988	-39.82	-25	Pass	14502



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67	-25	Pass	2986
30	1000	0.1	RMS	847.5	-59.52	-25	Pass	9701
1000	2560	1	RMS	2557	-45.65	-25	Pass	1561
2560	2630	1	RMS	2610.4	24.5	60	Pass	401
2630	3000	1	RMS	2630	-36.21	-25	Pass	401
3000	12000	1	RMS	11849	-45.51	-25	Pass	9002
12000	26500	1	RMS	26005	-39.86	-25	Pass	14502



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.12	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.18	-25	Pass	2986
30	1000	0.1	RMS	840.7	-59.48	-25	Pass	9701
1000	2560	1	RMS	2559	-45.76	-25	Pass	1561
2560	2630	1	RMS	2610.4	24.39	60	Pass	401
2630	3000	1	RMS	2630	-37.79	-25	Pass	401
3000	12000	1	RMS	11847	-45.55	-25	Pass	9002
12000	26500	1	RMS	26000	-39.82	-25	Pass	14502



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.11	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.96	-25	Pass	2986
30	1000	0.1	RMS	853.203	-59.31	-25	Pass	9701
1000	2560	1	RMS	2543	-36.6	-25	Pass	1561
2560	2630	1	RMS	2570.675	24.71	60	Pass	401
2630	3000	1	RMS	2952.825	-44.26	-25	Pass	401
3000	12000	1	RMS	11849	-45.56	-25	Pass	9002
12000	26500	1	RMS	26002	-39.8	-25	Pass	14502



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.1	-25	Pass	401
0.15	30	0.01	RMS	0.22	-67.91	-25	Pass	2986
30	1000	0.1	RMS	847.2	-59.3	-25	Pass	9701
1000	2560	1	RMS	2545	-39.21	-25	Pass	1561
2560	2630	1	RMS	2570.675	23.86	60	Pass	401
2630	3000	1	RMS	2953.75	-44.28	-25	Pass	401
3000	12000	1	RMS	11849	-45.61	-25	Pass	9002
12000	26500	1	RMS	26005	-39.77	-25	Pass	14502



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-59.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.21	-25	Pass	2986
30	1000	0.1	RMS	864.31	-59.41	-25	Pass	9701
1000	2560	1	RMS	2559	-43.37	-25	Pass	1561
2560	2630	1	RMS	2588.35	24.83	60	Pass	401
2630	3000	1	RMS	2956.525	-44.23	-25	Pass	401
3000	12000	1	RMS	11851	-45.56	-25	Pass	9002
12000	26500	1	RMS	25997	-39.74	-25	Pass	14502



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.31	-25	Pass	401
0.15	30	0.01	RMS	0.22	-68.11	-25	Pass	2986
30	1000	0.1	RMS	849	-59.45	-25	Pass	9701
1000	2560	1	RMS	2555	-45.14	-25	Pass	1561
2560	2630	1	RMS	2588.35	24.25	60	Pass	401
2630	3000	1	RMS	2955.6	-44.25	-25	Pass	401
3000	12000	1	RMS	11845	-45.61	-25	Pass	9002
12000	26500	1	RMS	26012	-39.84	-25	Pass	14502



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.83	-25	Pass	2986
30	1000	0.1	RMS	846.9	-59.27	-25	Pass	9701
1000	2560	1	RMS	2559	-45.5	-25	Pass	1561
2560	2630	1	RMS	2605.675	24.45	60	Pass	401
2630	3000	1	RMS	2631.85	-35.23	-25	Pass	401
3000	12000	1	RMS	11848	-45.59	-25	Pass	9002
12000	26500	1	RMS	26008	-39.82	-25	Pass	14502



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.77	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68	-25	Pass	2986
30	1000	0.1	RMS	944.463	-59.41	-25	Pass	9701
1000	2560	1	RMS	2550	-45.18	-25	Pass	1561
2560	2630	1	RMS	2605.675	24.24	60	Pass	401
2630	3000	1	RMS	2631.85	-32.97	-25	Pass	401
3000	12000	1	RMS	11849	-45.58	-25	Pass	9002
12000	26500	1	RMS	26011	-39.76	-25	Pass	14502



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.75	-25	Pass	2986
30	1000	0.1	RMS	848.3	-59.43	-25	Pass	9701
1000	2560	1	RMS	2553	-39.32	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.11	60	Pass	401
2630	3000	1	RMS	2945.425	-44.28	-25	Pass	401
3000	12000	1	RMS	11854	-45.58	-25	Pass	9002
12000	26500	1	RMS	26000	-39.73	-25	Pass	14502



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.45	-25	Pass	2986
30	1000	0.1	RMS	610.4	-59.3	-25	Pass	9701
1000	2560	1	RMS	2553	-39.51	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.16	60	Pass	401
2630	3000	1	RMS	2951.9	-44.19	-25	Pass	401
3000	12000	1	RMS	11849	-45.59	-25	Pass	9002
12000	26500	1	RMS	25998	-39.74	-25	Pass	14502



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.58	-25	Pass	2986
30	1000	0.1	RMS	827.4	-59.31	-25	Pass	9701
1000	2560	1	RMS	2551	-43.57	-25	Pass	1561
2560	2630	1	RMS	2585.9	24.48	60	Pass	401
2630	3000	1	RMS	2957.45	-44.28	-25	Pass	401
3000	12000	1	RMS	11850	-45.39	-25	Pass	9002
12000	26500	1	RMS	25997	-39.8	-25	Pass	14502



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.46	-25	Pass	2986
30	1000	0.1	RMS	849.3	-59.41	-25	Pass	9701
1000	2560	1	RMS	2550	-42.36	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.63	60	Pass	401
2630	3000	1	RMS	2954.675	-44.24	-25	Pass	401
3000	12000	1	RMS	11847	-45.52	-25	Pass	9002
12000	26500	1	RMS	26002	-39.77	-25	Pass	14502



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-57.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.73	-25	Pass	2986
30	1000	0.1	RMS	852.202	-59.47	-25	Pass	9701
1000	2560	1	RMS	2560	-45.36	-25	Pass	1561
2560	2630	1	RMS	2600.95	23.88	60	Pass	401
2630	3000	1	RMS	2636.475	-36.3	-25	Pass	401
3000	12000	1	RMS	11850	-45.57	-25	Pass	9002
12000	26500	1	RMS	25996	-39.68	-25	Pass	14502



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-58.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-25	Pass	2986
30	1000	0.1	RMS	843.8	-59.36	-25	Pass	9701
1000	2560	1	RMS	2547	-45.39	-25	Pass	1561
2560	2630	1	RMS	2601.125	23.17	60	Pass	401
2630	3000	1	RMS	2636.475	-37.61	-25	Pass	401
3000	12000	1	RMS	11850	-45.59	-25	Pass	9002
12000	26500	1	RMS	25997	-39.77	-25	Pass	14502



5. LTE_Band41 120M


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.31	-25	Pass	2986
30	1000	0.1	RMS	853.403	-59.14	-25	Pass	9701
1000	2525	1	RMS	2525	-44.87	-25	Pass	1526
2525	2665	1	RMS	2535.15	24.89	60	Pass	401
2665	3000	1	RMS	2956.45	-44.03	-25	Pass	401
3000	12000	1	RMS	5070	-53.75	-25	Pass	9002
12000	27000	1	RMS	26003	-39.04	-25	Pass	15002




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-25	Pass	2986
30	1000	0.1	RMS	829	-59.24	-25	Pass	9701
1000	2525	1	RMS	2525	-44.03	-25	Pass	1526
2525	2665	1	RMS	2535.15	24.36	60	Pass	401
2665	3000	1	RMS	2944.725	-44.04	-25	Pass	401
3000	12000	1	RMS	5071	-52.57	-25	Pass	9002
12000	27000	1	RMS	26010	-39.09	-25	Pass	15002




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40640, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.96	-25	Pass	401
0.15	30	0.01	RMS	0.16	-67.6	-25	Pass	2986
30	1000	0.1	RMS	848	-59.3	-25	Pass	9701
1000	2525	1	RMS	2523	-45.72	-25	Pass	1526
2525	2665	1	RMS	2592.9	23.79	60	Pass	401
2665	3000	1	RMS	2953.938	-44.03	-25	Pass	401
3000	12000	1	RMS	5185	-53.39	-25	Pass	9002
12000	27000	1	RMS	26001	-39.11	-25	Pass	15002




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40640, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.34	-25	Pass	2986
30	1000	0.1	RMS	846.3	-59.14	-25	Pass	9701
1000	2525	1	RMS	2524	-45.72	-25	Pass	1526
2525	2665	1	RMS	2592.55	23.92	60	Pass	401
2665	3000	1	RMS	2956.45	-44.03	-25	Pass	401
3000	12000	1	RMS	5185	-55.26	-25	Pass	9002
12000	27000	1	RMS	26003	-39.09	-25	Pass	15002




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.57	-25	Pass	2986
30	1000	0.1	RMS	850.601	-59	-25	Pass	9701
1000	2525	1	RMS	2508	-45.71	-25	Pass	1526
2525	2665	1	RMS	2649.95	24.48	60	Pass	401
2665	3000	1	RMS	2957.288	-44.01	-25	Pass	401
3000	12000	1	RMS	11844	-55.35	-25	Pass	9002
12000	27000	1	RMS	25998	-39.14	-25	Pass	15002




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.73	-25	Pass	2986
30	1000	0.1	RMS	853.603	-59.1	-25	Pass	9701
1000	2525	1	RMS	2520	-45.66	-25	Pass	1526
2525	2665	1	RMS	2650.3	23.98	60	Pass	401
2665	3000	1	RMS	2953.938	-43.99	-25	Pass	401
3000	12000	1	RMS	11853	-55.38	-25	Pass	9002
12000	27000	1	RMS	25991	-39.11	-25	Pass	15002




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:40090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.81	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.98	-25	Pass	2986
30	1000	0.1	RMS	574.9	-58.54	-25	Pass	9701
1000	2525	1	RMS	2518	-38.9	-25	Pass	1526
2525	2665	1	RMS	2535.5	25.16	60	Pass	401
2665	3000	1	RMS	2958.125	-44.02	-25	Pass	401
3000	12000	1	RMS	5072	-53.46	-25	Pass	9002
12000	27000	1	RMS	26000	-39.09	-25	Pass	15002




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:40090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.16	-25	Pass	2986
30	1000	0.1	RMS	858.506	-59.26	-25	Pass	9701
1000	2525	1	RMS	2525	-44.58	-25	Pass	1526
2525	2665	1	RMS	2535.15	23.27	60	Pass	401
2665	3000	1	RMS	2955.613	-44.04	-25	Pass	401
3000	12000	1	RMS	5071	-52.36	-25	Pass	9002
12000	27000	1	RMS	25990	-39.16	-25	Pass	15002



5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.2	-25	Pass	401
0.15	30	0.01	RMS	0.57	-67.43	-25	Pass	2986
30	1000	0.1	RMS	853.503	-59.2	-25	Pass	9701
1000	2525	1	RMS	2524	-45.66	-25	Pass	1526
2525	2665	1	RMS	2590.1	23.76	60	Pass	401
2665	3000	1	RMS	2957.288	-44.03	-25	Pass	401
3000	12000	1	RMS	5182	-54.76	-25	Pass	9002
12000	27000	1	RMS	25982	-39.2	-25	Pass	15002



5.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.78	-25	Pass	2986
30	1000	0.1	RMS	827	-58.98	-25	Pass	9701
1000	2525	1	RMS	2513	-45.7	-25	Pass	1526
2525	2665	1	RMS	2590.45	23.8	60	Pass	401
2665	3000	1	RMS	2958.125	-44.03	-25	Pass	401
3000	12000	1	RMS	5181	-51.3	-25	Pass	9002
12000	27000	1	RMS	25996	-39.23	-25	Pass	15002



5.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41190, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.78	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.3	-25	Pass	2986
30	1000	0.1	RMS	854.103	-59.26	-25	Pass	9701
1000	2525	1	RMS	2524	-45.73	-25	Pass	1526
2525	2665	1	RMS	2645.4	24.8	60	Pass	401
2665	3000	1	RMS	2665	-38.49	-25	Pass	401
3000	12000	1	RMS	5291	-52.04	-25	Pass	9002
12000	27000	1	RMS	26005	-39.13	-25	Pass	15002



5.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41190, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.1	-25	Pass	2986
30	1000	0.1	RMS	855.504	-59.06	-25	Pass	9701
1000	2525	1	RMS	2519	-45.69	-25	Pass	1526
2525	2665	1	RMS	2645.75	23.55	60	Pass	401
2665	3000	1	RMS	2665	-38.43	-25	Pass	401
3000	12000	1	RMS	5291	-52.81	-25	Pass	9002
12000	27000	1	RMS	26002	-39.13	-25	Pass	15002



5.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:40115, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.16	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.28	-25	Pass	2986
30	1000	0.1	RMS	854.003	-59.17	-25	Pass	9701
1000	2525	1	RMS	2525	-41.35	-25	Pass	1526
2525	2665	1	RMS	2535.5	24.37	60	Pass	401
2665	3000	1	RMS	2953.938	-43.97	-25	Pass	401
3000	12000	1	RMS	5072	-49.9	-25	Pass	9002
12000	27000	1	RMS	26001	-39.21	-25	Pass	15002



5.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:40115, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.98	-25	Pass	401
0.15	30	0.01	RMS	0.18	-67.44	-25	Pass	2986
30	1000	0.1	RMS	846.8	-59.1	-25	Pass	9701
1000	2525	1	RMS	2524	-41.48	-25	Pass	1526
2525	2665	1	RMS	2535.85	23.05	60	Pass	401
2665	3000	1	RMS	2952.263	-44.02	-25	Pass	401
3000	12000	1	RMS	5071	-54.39	-25	Pass	9002
12000	27000	1	RMS	25996	-39.17	-25	Pass	15002



5.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40640, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.15	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.1	-25	Pass	2986
30	1000	0.1	RMS	860.808	-59.26	-25	Pass	9701
1000	2525	1	RMS	2525	-45.61	-25	Pass	1526
2525	2665	1	RMS	2588	24.83	60	Pass	401
2665	3000	1	RMS	2946.4	-44.04	-25	Pass	401
3000	12000	1	RMS	5177	-51.39	-25	Pass	9002
12000	27000	1	RMS	26000	-39.09	-25	Pass	15002



5.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40640, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.74	-25	Pass	401
0.15	30	0.01	RMS	0.17	-67.41	-25	Pass	2986
30	1000	0.1	RMS	848.3	-59.18	-25	Pass	9701
1000	2525	1	RMS	2523	-45.62	-25	Pass	1526
2525	2665	1	RMS	2588.35	23.85	60	Pass	401
2665	3000	1	RMS	2956.45	-44.03	-25	Pass	401
3000	12000	1	RMS	5177	-52.52	-25	Pass	9002
12000	27000	1	RMS	26010	-39.17	-25	Pass	15002



5.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41165, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-54.82	-25	Pass	401
0.15	30	0.01	RMS	0.2	-67.99	-25	Pass	2986
30	1000	0.1	RMS	849.5	-59.17	-25	Pass	9701
1000	2525	1	RMS	2517	-45.7	-25	Pass	1526
2525	2665	1	RMS	2640.5	24.68	60	Pass	401
2665	3000	1	RMS	2667.513	-36.44	-25	Pass	401
3000	12000	1	RMS	5282	-50.65	-25	Pass	9002
12000	27000	1	RMS	25986	-39.14	-25	Pass	15002



5.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41165, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.32	-25	Pass	401
0.15	30	0.01	RMS	0.23	-67.65	-25	Pass	2986
30	1000	0.1	RMS	847.5	-59.08	-25	Pass	9701
1000	2525	1	RMS	2521	-45.64	-25	Pass	1526
2525	2665	1	RMS	2640.5	24.09	60	Pass	401
2665	3000	1	RMS	2668.35	-34.98	-25	Pass	401
3000	12000	1	RMS	5281	-53.52	-25	Pass	9002
12000	27000	1	RMS	25991	-39.07	-25	Pass	15002



5.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:40140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.26	-25	Pass	2986
30	1000	0.1	RMS	842.6	-59.18	-25	Pass	9701
1000	2525	1	RMS	2518	-42.79	-25	Pass	1526
2525	2665	1	RMS	2536.2	23.81	60	Pass	401
2665	3000	1	RMS	2956.45	-44.02	-25	Pass	401
3000	12000	1	RMS	11850	-55.37	-25	Pass	9002
12000	27000	1	RMS	26001	-39.15	-25	Pass	15002



5.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:40140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.5	-25	Pass	401
0.15	30	0.01	RMS	0.23	-68.32	-25	Pass	2986
30	1000	0.1	RMS	839.4	-59.2	-25	Pass	9701
1000	2525	1	RMS	2524	-41.43	-25	Pass	1526
2525	2665	1	RMS	2536.2	24.13	60	Pass	401
2665	3000	1	RMS	2953.1	-44	-25	Pass	401
3000	12000	1	RMS	5073	-54.91	-25	Pass	9002
12000	27000	1	RMS	26002	-39.18	-25	Pass	15002



5.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40640, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.2	-25	Pass	2986
30	1000	0.1	RMS	849.1	-59.15	-25	Pass	9701
1000	2525	1	RMS	2524	-45.72	-25	Pass	1526
2525	2665	1	RMS	2585.9	24.4	60	Pass	401
2665	3000	1	RMS	2953.938	-44.01	-25	Pass	401
3000	12000	1	RMS	11849	-55.41	-25	Pass	9002
12000	27000	1	RMS	25996	-39.1	-25	Pass	15002



5.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-55.97	-25	Pass	401
0.15	30	0.01	RMS	0.3	-68.01	-25	Pass	2986
30	1000	0.1	RMS	848.5	-59.19	-25	Pass	9701
1000	2525	1	RMS	2524	-45.68	-25	Pass	1526
2525	2665	1	RMS	2586.25	22.95	60	Pass	401
2665	3000	1	RMS	2956.45	-44	-25	Pass	401
3000	12000	1	RMS	5172	-53.34	-25	Pass	9002
12000	27000	1	RMS	26002	-39.18	-25	Pass	15002



5.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41140, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.47	-25	Pass	2986
30	1000	0.1	RMS	846.3	-59.17	-25	Pass	9701
1000	2525	1	RMS	2514	-45.65	-25	Pass	1526
2525	2715	1	RMS	2635.675	24.08	60	Pass	401
2715	3000	1	RMS	2957.963	-43.97	-25	Pass	401
3000	12000	1	RMS	5273	-54.41	-25	Pass	9002
12000	27000	1	RMS	26010	-39.25	-25	Pass	15002



5.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41140, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-56.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-68.33	-25	Pass	2986
30	1000	0.1	RMS	857.205	-59.2	-25	Pass	9701
1000	2525	1	RMS	2519	-45.66	-25	Pass	1526
2525	2680	1	RMS	2635.825	23.21	60	Pass	401
2680	3000	1	RMS	2949.6	-44	-25	Pass	401
3000	12000	1	RMS	5272	-52.01	-25	Pass	9002
12000	27000	1	RMS	25995	-39.13	-25	Pass	15002



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-57.89	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.2	-13	Pass	2986
30	809	0.1	Peak	809	-50.73	-13	Pass	7791
809	829	0.1	Peak	814.25	27.38	60	Pass	401
829	1000	0.1	Peak	840.8	-51.75	-13	Pass	1711
1000	3000	1	Peak	1628	-35.17	-13	Pass	2001
3000	10000	1	Peak	7352	-29.24	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-58.03	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.74	-13	Pass	2986
30	809	0.1	Peak	803.5	-51.85	-13	Pass	7791
809	829	0.1	Peak	814.3	28.05	60	Pass	401
829	1000	0.1	Peak	856.8	-51.97	-13	Pass	1711
1000	3000	1	Peak	1629	-35.22	-13	Pass	2001
3000	10000	1	Peak	6990	-28.59	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-58.81	-13	Pass	401
0.15	30	0.01	Peak	0.42	-64.12	-13	Pass	2986
30	809	0.1	Peak	794.9	-52.27	-13	Pass	7791
809	829	0.1	Peak	818.6	27.54	60	Pass	401
829	1000	0.1	Peak	928.9	-52.43	-13	Pass	1711
1000	3000	1	Peak	1637	-35.58	-13	Pass	2001
3000	10000	1	Peak	7213	-28.93	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-57.46	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.32	-13	Pass	2986
30	809	0.1	Peak	746	-52.89	-13	Pass	7791
809	829	0.1	Peak	818.6	28.02	60	Pass	401
829	1000	0.1	Peak	981.3	-52.28	-13	Pass	1711
1000	3000	1	Peak	1637	-35.24	-13	Pass	2001
3000	10000	1	Peak	6974	-29.22	-13	Pass	7001




**1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5,
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-55.69	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.96	-13	Pass	2986
30	809	0.1	Peak	491.3	-52.73	-13	Pass	7791
809	829	0.1	Peak	822.9	27.64	60	Pass	401
829	1000	0.1	Peak	829.1	-50.43	-13	Pass	1711
1000	3000	1	Peak	1646	-35.9	-13	Pass	2001
3000	10000	1	Peak	7894	-28.87	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.15	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.17	-13	Pass	2986
30	809	0.1	Peak	549.8	-52.11	-13	Pass	7791
809	829	0.1	Peak	822.85	27.99	60	Pass	401
829	1000	0.1	Peak	829	-49.16	-13	Pass	1711
1000	3000	1	Peak	1646	-35.94	-13	Pass	2001
3000	10000	1	Peak	7202	-28.46	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-56.74	-13	Pass	401
0.15	30	0.01	Peak	0.15	-64.19	-13	Pass	2986
30	809	0.1	Peak	809	-41.36	-13	Pass	7791
809	829	0.1	Peak	814.2	27.25	60	Pass	401
829	1000	0.1	Peak	910.7	-51.89	-13	Pass	1711
1000	3000	1	Peak	1628	-35.36	-13	Pass	2001
3000	10000	1	Peak	7456	-29.13	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.77	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.73	-13	Pass	2986
30	809	0.1	Peak	809	-40.98	-13	Pass	7791
809	829	0.1	Peak	814.2	27.73	60	Pass	401
829	1000	0.1	Peak	846.9	-52.33	-13	Pass	1711
1000	3000	1	Peak	1628	-35.69	-13	Pass	2001
3000	10000	1	Peak	7606	-28.92	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-57.96	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.02	-13	Pass	2986
30	809	0.1	Peak	807.1	-52.82	-13	Pass	7791
809	829	0.1	Peak	817.7	27.42	60	Pass	401
829	1000	0.1	Peak	832.2	-51.59	-13	Pass	1711
1000	3000	1	Peak	1636	-36.05	-13	Pass	2001
3000	10000	1	Peak	6961	-28.99	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-57.31	-13	Pass	401
0.15	30	0.01	Peak	0.17	-64.51	-13	Pass	2986
30	809	0.1	Peak	771.6	-52.48	-13	Pass	7791
809	829	0.1	Peak	817.8	27.89	60	Pass	401
829	1000	0.1	Peak	873.1	-52.83	-13	Pass	1711
1000	3000	1	Peak	1635	-35.68	-13	Pass	2001
3000	10000	1	Peak	6969	-29.21	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-56.63	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.11	-13	Pass	2986
30	809	0.1	Peak	730.6	-52.92	-13	Pass	7791
809	829	0.1	Peak	821.3	27.5	60	Pass	401
829	1000	0.1	Peak	831.2	-49.73	-13	Pass	1711
1000	3000	1	Peak	1642	-35.85	-13	Pass	2001
3000	10000	1	Peak	6969	-29.57	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.01	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.32	-13	Pass	2986
30	809	0.1	Peak	755.8	-52.68	-13	Pass	7791
809	829	0.1	Peak	821.25	27.83	60	Pass	401
829	1000	0.1	Peak	831.2	-49.52	-13	Pass	1711
1000	3000	1	Peak	2972	-36.04	-13	Pass	2001
3000	10000	1	Peak	7595	-29.34	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-58.3	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.92	-13	Pass	2986
30	809	0.1	Peak	807.9	-50.39	-13	Pass	7791
809	829	0.1	Peak	814.3	27.27	60	Pass	401
829	1000	0.1	Peak	850.2	-51.85	-13	Pass	1711
1000	3000	1	Peak	1629	-35.62	-13	Pass	2001
3000	10000	1	Peak	7216	-29.31	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-57.22	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.07	-13	Pass	2986
30	809	0.1	Peak	808.1	-49.39	-13	Pass	7791
809	829	0.1	Peak	814.3	27.76	60	Pass	401
829	1000	0.1	Peak	868	-52.1	-13	Pass	1711
1000	3000	1	Peak	1629	-35.48	-13	Pass	2001
3000	10000	1	Peak	6957	-29.5	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-57.83	-13	Pass	401
0.15	30	0.01	Peak	0.16	-61.54	-13	Pass	2986
30	809	0.1	Peak	808.5	-41.89	-13	Pass	7791
809	829	0.1	Peak	816.85	27.5	60	Pass	401
829	1000	0.1	Peak	841	-52.35	-13	Pass	1711
1000	3000	1	Peak	1634	-36.07	-13	Pass	2001
3000	10000	1	Peak	7209	-29.21	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-55.87	-13	Pass	401
0.15	30	0.01	Peak	0.23	-63.19	-13	Pass	2986
30	809	0.1	Peak	808.5	-41.39	-13	Pass	7791
809	829	0.1	Peak	816.8	27.81	60	Pass	401
829	1000	0.1	Peak	829.9	-52.39	-13	Pass	1711
1000	3000	1	Peak	1634	-35.55	-13	Pass	2001
3000	10000	1	Peak	7329	-28.08	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-56.51	-13	Pass	401
0.15	30	0.01	Peak	0.25	-62.55	-13	Pass	2986
30	809	0.1	Peak	808.7	-51.72	-13	Pass	7791
809	829	0.1	Peak	819.3	27.36	60	Pass	401
829	1000	0.1	Peak	830.4	-50.59	-13	Pass	1711
1000	3000	1	Peak	1639	-35.37	-13	Pass	2001
3000	10000	1	Peak	6705	-29.5	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.065	-57.56	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.52	-13	Pass	2986
30	809	0.1	Peak	808.6	-52.66	-13	Pass	7791
809	829	0.1	Peak	819.3	27.66	60	Pass	401
829	1000	0.1	Peak	830.3	-51.22	-13	Pass	1711
1000	3000	1	Peak	2960	-35.33	-13	Pass	2001
3000	10000	1	Peak	8719	-29.21	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.029	-56.22	-13	Pass	401
0.15	30	0.01	Peak	0.55	-63.86	-13	Pass	2986
30	809	0.1	Peak	808.3	-41.93	-13	Pass	7791
809	829	0.1	Peak	814.6	27.39	60	Pass	401
829	1000	0.1	Peak	832.2	-33.58	-13	Pass	1711
1000	3000	1	Peak	1629	-35.11	-13	Pass	2001
3000	10000	1	Peak	7160	-29.51	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-55.31	-13	Pass	401
0.15	30	0.01	Peak	0.51	-64.36	-13	Pass	2986
30	809	0.1	Peak	808.6	-40.32	-13	Pass	7791
809	829	0.1	Peak	814.55	27.88	60	Pass	401
829	1000	0.1	Peak	832.2	-34.19	-13	Pass	1711
1000	3000	1	Peak	1629	-36	-13	Pass	2001
3000	10000	1	Peak	7662	-29.4	-13	Pass	7001



--BLANK BELOW--