

802.11g CHANNEL 10

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	56.87	74.0	17.13	Peak	103.00	100	Horizontal	Pass
1**	2483.550	47.16	54.0	6.84	AV	103.00	100	Horizontal	Pass
2	2487.650	58.40	74.0	15.60	Peak	106.00	200	Horizontal	Pass
2**	2487.650	46.47	54.0	7.53	AV	106.00	200	Horizontal	Pass

802.11g CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	59.66	74.0	14.34	Peak	94.00	150	Horizontal	Pass
1**	2483.550	48.99	54.0	5.01	AV	94.00	150	Horizontal	Pass
2	2484.250	59.70	74.0	14.30	Peak	103.00	200	Horizontal	Pass
2**	2484.250	47.81	54.0	6.19	AV	103.00	200	Horizontal	Pass

802.11n20 CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.667	60.15	74.0	13.85	Peak	112.00	100	Horizontal	Pass
1**	2389.667	48.38	54.0	5.62	AV	112.00	100	Horizontal	Pass
2	2389.833	59.40	74.0	14.60	Peak	105.00	100	Horizontal	Pass
2**	2389.833	48.82	54.0	5.18	AV	105.00	100	Horizontal	Pass

802.11n20 CHANNEL 2

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.000	60.71	74.0	13.29	Peak	118.00	150	Horizontal	Pass
1**	2387.000	47.18	54.0	6.82	AV	118.00	150	Horizontal	Pass
2	2389.833	59.37	74.0	14.63	Peak	104.00	150	Horizontal	Pass
2**	2389.833	48.87	54.0	5.13	AV	104.00	150	Horizontal	Pass

802.11n20 CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.833	59.33	74.0	14.67	Peak	112.00	200	Horizontal	Pass
1**	2388.833	47.09	54.0	6.91	AV	112.00	200	Horizontal	Pass
2	2389.833	58.46	74.0	15.54	Peak	103.00	100	Horizontal	Pass
2**	2389.833	47.62	54.0	6.38	AV	103.00	100	Horizontal	Pass

802.11n20 CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.667	59.92	74.0	14.08	Peak	117.00	150	Horizontal	Pass
1**	2389.667	47.52	54.0	6.48	AV	117.00	150	Horizontal	Pass
2	2389.833	59.15	74.0	14.85	Peak	96.00	150	Horizontal	Pass
2**	2389.833	47.50	54.0	6.50	AV	96.00	150	Horizontal	Pass

802.11n20 CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.29	74.0	17.71	Peak	322.00	100	Horizontal	Pass
1**	2483.500	46.64	54.0	7.36	AV	322.00	100	Horizontal	Pass
2	2487.550	57.70	74.0	16.30	Peak	104.00	150	Horizontal	Pass
2**	2487.550	46.04	54.0	7.96	AV	104.00	150	Horizontal	Pass

802.11n20 CHANNEL 10

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.68	74.0	14.32	Peak	108.00	200	Horizontal	Pass
1**	2483.500	47.77	54.0	6.23	AV	108.00	200	Horizontal	Pass
2	2486.500	58.76	74.0	15.24	Peak	327.00	150	Horizontal	Pass
2**	2486.500	46.71	54.0	7.29	AV	327.00	150	Horizontal	Pass

802.11n20 CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.40	74.0	14.60	Peak	108.00	100	Horizontal	Pass
1**	2483.500	48.18	54.0	5.82	AV	108.00	100	Horizontal	Pass
2	2484.200	59.80	74.0	14.20	Peak	120.00	150	Horizontal	Pass
2**	2484.200	47.50	54.0	6.50	AV	120.00	150	Horizontal	Pass

802.11n40 CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	60.18	74.0	13.82	Peak	108.00	150	Horizontal	Pass
1**	2389.500	48.95	54.0	5.05	AV	108.00	150	Horizontal	Pass
2	2389.833	59.16	74.0	14.84	Peak	113.00	150	Horizontal	Pass
2**	2389.833	48.93	54.0	5.07	AV	113.00	150	Horizontal	Pass

802.11n40 CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	58.80	74.0	15.20	Peak	106.00	200	Horizontal	Pass
1**	2389.500	47.94	54.0	6.06	AV	106.00	200	Horizontal	Pass
2	2389.833	59.25	74.0	14.75	Peak	108.00	200	Horizontal	Pass
2**	2389.833	48.11	54.0	5.89	AV	108.00	200	Horizontal	Pass

802.11n40 CHANNEL 5

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.333	58.93	74.0	15.07	Peak	104.00	200	Horizontal	Pass
1**	2389.333	48.08	54.0	5.92	AV	104.00	200	Horizontal	Pass
2	2389.833	58.84	74.0	15.16	Peak	105.00	150	Horizontal	Pass
2**	2389.833	48.33	54.0	5.67	AV	105.00	150	Horizontal	Pass

802.11n40 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.167	61.89	74.0	12.11	Peak	103.00	200	Horizontal	Pass
1**	2389.167	48.00	54.0	6.00	AV	103.00	200	Horizontal	Pass
2	2389.833	60.25	74.0	13.75	Peak	117.00	150	Horizontal	Pass
2**	2389.833	48.40	54.0	5.60	AV	117.00	150	Horizontal	Pass

802.11n40 CHANNEL 7

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.333	62.89	74.0	11.11	Peak	121.00	100	Horizontal	Pass
1**	2389.333	47.01	54.0	6.99	AV	121.00	100	Horizontal	Pass
2	2389.833	62.80	74.0	11.20	Peak	115.00	100	Horizontal	Pass
2**	2389.833	47.91	54.0	6.09	AV	115.00	100	Horizontal	Pass

802.11n40 CHANNEL 7

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	58.13	74.0	15.87	Peak	103.00	100	Horizontal	Pass
1**	2483.500	47.18	54.0	6.82	AV	103.00	100	Horizontal	Pass
2	2484.300	57.71	74.0	16.29	Peak	325.00	200	Horizontal	Pass
2**	2484.300	46.60	54.0	7.40	AV	325.00	200	Horizontal	Pass

802.11n40 CHANNEL 8

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.667	57.72	74.0	16.28	Peak	112.00	200	Horizontal	Pass
1**	2389.667	46.41	54.0	7.59	AV	112.00	200	Horizontal	Pass
2	2389.833	56.24	74.0	17.76	Peak	115.00	200	Horizontal	Pass
2**	2389.833	46.33	54.0	7.67	AV	115.00	200	Horizontal	Pass

802.11n40 CHANNEL 8

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.40	74.0	12.60	Peak	107.00	150	Horizontal	Pass
1**	2483.500	48.57	54.0	5.43	AV	107.00	150	Horizontal	Pass
2	2483.750	60.08	74.0	13.92	Peak	103.00	150	Horizontal	Pass
2**	2483.750	48.67	54.0	5.33	AV	103.00	150	Horizontal	Pass

802.11n40 CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	58.01	74.0	15.99	Peak	106.00	100	Horizontal	Pass
1**	2483.550	47.90	54.0	6.10	AV	106.00	100	Horizontal	Pass
2	2484.250	58.60	74.0	15.40	Peak	101.00	100	Horizontal	Pass
2**	2484.250	47.47	54.0	6.53	AV	101.00	100	Horizontal	Pass

VHT20 CHANNEL 1

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.667	61.22	74.0	12.78	Peak	117.00	100	Horizontal	Pass
1**	2389.667	48.75	54.0	5.25	AV	117.00	100	Horizontal	Pass
2	2389.833	60.81	74.0	13.19	Peak	116.00	200	Horizontal	Pass
2**	2389.833	48.96	54.0	5.04	AV	116.00	200	Horizontal	Pass

VHT20 CHANNEL 2

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	59.23	74.0	14.77	Peak	111.00	150	Horizontal	Pass
1**	2389.500	48.35	54.0	5.65	AV	111.00	150	Horizontal	Pass
2	2389.833	58.69	74.0	15.31	Peak	118.00	100	Horizontal	Pass
2**	2389.833	48.48	54.0	5.52	AV	118.00	100	Horizontal	Pass

VHT20 CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.333	59.89	74.0	14.11	Peak	115.00	200	Horizontal	Pass
1**	2388.333	47.48	54.0	6.52	AV	115.00	200	Horizontal	Pass
2	2389.833	59.93	74.0	14.07	Peak	115.00	100	Horizontal	Pass
2**	2389.833	48.42	54.0	5.58	AV	115.00	100	Horizontal	Pass

VHT20 CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.667	58.87	74.0	15.13	Peak	150.00	150	Horizontal	Pass
1**	2389.667	46.99	54.0	7.01	AV	150.00	150	Horizontal	Pass
2	2389.833	58.77	74.0	15.23	Peak	114.00	200	Horizontal	Pass
2**	2389.833	47.14	54.0	6.86	AV	114.00	200	Horizontal	Pass

VHT20 CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.06	74.0	17.94	Peak	96.00	150	Horizontal	Pass
1**	2483.500	46.34	54.0	7.66	AV	96.00	150	Horizontal	Pass
2	2485.800	58.70	74.0	15.30	Peak	106.00	150	Horizontal	Pass
2**	2485.800	46.19	54.0	7.81	AV	106.00	150	Horizontal	Pass

VHT20 CHANNEL 10

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.33	74.0	14.67	Peak	98.00	200	Horizontal	Pass
1**	2483.500	48.03	54.0	5.97	AV	98.00	200	Horizontal	Pass
2	2485.850	58.98	74.0	15.02	Peak	108.00	100	Horizontal	Pass
2**	2485.850	46.68	54.0	7.32	AV	108.00	100	Horizontal	Pass

VHT20 CHANNEL 11

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.73	74.0	14.27	Peak	110.00	200	Horizontal	Pass
1**	2483.500	48.55	54.0	5.45	AV	110.00	200	Horizontal	Pass
2	2483.850	60.59	74.0	13.41	Peak	108.00	100	Horizontal	Pass
2**	2483.850	48.45	54.0	5.55	AV	108.00	100	Horizontal	Pass

VHT40 CHANNEL 3

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.333	59.72	74.0	14.28	Peak	117.00	150	Horizontal	Pass
1**	2388.333	48.18	54.0	5.82	AV	117.00	150	Horizontal	Pass
2	2389.833	59.22	74.0	14.78	Peak	102.00	150	Horizontal	Pass
2**	2389.833	48.97	54.0	5.03	AV	102.00	150	Horizontal	Pass

VHT40 CHANNEL 4

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.667	56.68	74.0	17.32	Peak	327.00	200	Horizontal	Pass
1**	2388.667	46.62	54.0	7.38	AV	327.00	200	Horizontal	Pass
2	2389.833	57.04	74.0	16.96	Peak	120.00	200	Horizontal	Pass
2**	2389.833	47.13	54.0	6.87	AV	120.00	200	Horizontal	Pass

VHT40 CHANNEL 5

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.667	58.52	74.0	15.48	Peak	110.00	150	Horizontal	Pass
1**	2389.667	48.04	54.0	5.96	AV	110.00	150	Horizontal	Pass
2	2389.833	57.71	74.0	16.29	Peak	327.00	200	Horizontal	Pass
2**	2389.833	48.28	54.0	5.72	AV	327.00	200	Horizontal	Pass

VHT40 CHANNEL 6

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.333	60.17	74.0	13.83	Peak	103.00	150	Horizontal	Pass
1**	2388.333	47.36	54.0	6.64	AV	103.00	150	Horizontal	Pass
2	2389.833	59.49	74.0	14.51	Peak	317.00	100	Horizontal	Pass
2**	2389.833	48.63	54.0	5.37	AV	317.00	100	Horizontal	Pass

VHT40 CHANNEL 7

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.333	62.51	74.0	11.49	Peak	108.00	200	Horizontal	Pass
1**	2389.333	47.44	54.0	6.56	AV	108.00	200	Horizontal	Pass
2	2389.833	60.77	74.0	13.23	Peak	103.00	200	Horizontal	Pass
2**	2389.833	48.36	54.0	5.64	AV	103.00	200	Horizontal	Pass

VHT40 CHANNEL 8

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.500	57.70	74.0	16.30	Peak	120.00	200	Horizontal	Pass
1**	2388.500	45.72	54.0	8.28	AV	120.00	200	Horizontal	Pass
2	2389.833	55.99	74.0	18.01	Peak	307.00	100	Horizontal	Pass
2**	2389.833	46.59	54.0	7.41	AV	307.00	100	Horizontal	Pass

VHT40 CHANNEL 8

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	60.50	74.0	13.50	Peak	106.00	150	Horizontal	Pass
1**	2483.550	48.92	54.0	5.08	AV	106.00	150	Horizontal	Pass
2	2483.800	60.17	74.0	13.83	Peak	105.00	200	Horizontal	Pass
2**	2483.800	48.58	54.0	5.42	AV	105.00	200	Horizontal	Pass

VHT40 CHANNEL 9

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.550	57.69	74.0	16.31	Peak	112.00	200	Horizontal	Pass
1**	2483.550	47.88	54.0	6.12	AV	112.00	200	Horizontal	Pass
2	2487.150	59.09	74.0	14.91	Peak	100.00	150	Horizontal	Pass
2**	2487.150	46.71	54.0	7.29	AV	100.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-5.63	11
CH2	-3.94	11
CH6	-4.31	11
CH10	-4.56	11
CH11	-5.90	11

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-10.04	11
CH2	-10.18	11
CH3	-8.53	11
CH4	-6.77	11
CH6	-8.03	11
CH9	-8.34	11
CH10	-7.85	11
CH11	-11.86	11

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-9.90	11
CH2	-10.59	11
CH3	-8.44	11
CH4	-7.99	11
CH6	-8.22	11
CH9	-8.41	11
CH10	-10.05	11
CH11	-11.85	11

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-15.42	11
CH4	-16.74	11
CH5	-16.14	11
CH6	-15.14	11
CH7	-13.29	11
CH8	-13.16	11
CH9	-16.36	11

VHT-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH1	-9.95	11
CH2	-11.14	11
CH3	-7.71	11
CH4	-6.65	11
CH6	-8.44	11
CH9	-8.71	11
CH10	-8.70	11
CH11	-13.37	11

VHT-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
CH3	-14.63	11
CH4	-16.63	11
CH5	-15.89	11
CH6	-15.24	11
CH7	-13.38	11
CH8	-13.20	11
CH9	-17.73	11

Test Plots

802.11b CHANNEL 1



802.11b CHANNEL 2



802.11b CHANNEL 6




802.11b CHANNEL 10




802.11b CHANNEL 11




802.11g CHANNEL 1




802.11g CHANNEL 2




802.11g CHANNEL 3




802.11g CHANNEL 4




802.11g CHANNEL 6




802.11g CHANNEL 9




802.11g CHANNEL 10




802.11g CHANNEL 11




802.11n-20 MHz CHANNEL 1




802.11n-20 MHz CHANNEL 2




802.11n-20 MHz CHANNEL 3




802.11n-20 MHz CHANNEL 4




802.11n-20 MHz CHANNEL 6




802.11n-20 MHz CHANNEL 9




802.11n-20 MHz CHANNEL 10




802.11n-20 MHz CHANNEL 11




802.11n-40 MHz CHANNEL 3




802.11n-40 MHz CHANNEL 4




802.11n-40 MHz CHANNEL 5




802.11n-40 MHz CHANNEL 6




802.11n-40 MHz CHANNEL 7




802.11n-40 MHz CHANNEL 8




802.11n-40 MHz CHANNEL 9




VHT-20 MHz CHANNEL 1




VHT-20 MHz CHANNEL 2




VHT-20 MHz CHANNEL 3




VHT-20 MHz CHANNEL 4




VHT-20 MHz CHANNEL 6




VHT-20 MHz CHANNEL 9




VHT-20 MHz CHANNEL 10




VHT-20 MHz CHANNEL 11




VHT-40 MHz CHANNEL 3




VHT-40 MHz CHANNEL 4




VHT-40 MHz CHANNEL 5




VHT-40 MHz CHANNEL 6




VHT-40 MHz CHANNEL 7



VHT-40 MHz CHANNEL 8



VHT-40 MHz CHANNEL 9



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ25C0541-AR-2.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ25C0541-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ25C0541-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--